

# FEDERAL AND STATE ENDANGERED AND THREATENED SPECIES EXPENDITURES



*Fiscal Year 2008*

## TABLE OF CONTENTS

### ENDANGERED SPECIES EXPENDITURES FOR FISCAL YEAR 2008

PURPOSE .....	3
BACKGROUND .....	3
SECTION 18(1), FEDERAL EXPENDITURES .....	4
SECTION 18(2), STATE EXPENDITURES .....	4
SUMMARY OF DATA .....	5
COMPARISON TO PREVIOUS REPORTS .....	5
<b>Table 1.</b> FY 2008 Reported Expenditures for Endangered and Threatened Species .....	6
<b>Table 2.</b> Species Ranked in Descending Order of Total FY 2008 Reported Expenditures .....	62
<b>Table 3.</b> FY 2008 Reported Land Acquisition Expenditures for Endangered and Threatened Species .....	89
<b>Table 4.</b> FY 2008 Expenditures Reported by Individual Federal Agencies and the States .....	101
<b>Appendix A.</b> Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species .....	103
<b>Appendix B.</b> Reports Provided by Other Federal Agencies .....	106
<b>Appendix C.</b> Expenditures Reported by the States .....	243

**ENDANGERED SPECIES EXPENDITURES  
FISCAL YEAR 2008**

**PURPOSE**

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report on certain expenditures on a species-by-species basis. The section reads:

SEC.18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

- (1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and
- (2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the 19th report by the Service pursuant to the requirements of section 18 of the Act. The report covers fiscal year 2008 (October 2007 - September 2008), although some States may be reporting for a different fiscal year period (without duplicating a previous year's reported data). To return to the original intent of Congress when amending the Endangered Species Act in 1988, we have eliminated the reporting of data into the category previously known as "Other ESA Expenses," beginning with this report.

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and transplantation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

**BACKGROUND**

At the time the reporting requirement was enacted by Congress, the Service determined that a good faith effort was expected to develop methods to track and obtain data that are "reasonably identifiable." No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to prorate staff salaries and other normal operational and maintenance costs not directed toward a particular species. The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species.

This report represents a compilation of reasonably identifiable expenditures for the conservation of listed species reported independently by Federal and State agencies. Expenditures for FY 2008 are reported for 1264 threatened and endangered species of the 1291 species that were listed under United States jurisdiction in 50 CFR Part 17 as of September 30, 2008 (Tables 1 and 3).

Expenditures are identified by listed entity, which may be a species<sup>1</sup>, subspecies<sup>2</sup>, Distinct Population Segment (DPS)<sup>3</sup>, or Evolutionarily Significant Unit (ESU)<sup>4</sup>, as identified in 50 CFR 17.11 and 17.12. They are reported separately for the Service and in aggregate for all other Federal agencies and the States (Tables 1 and 3).

For these annual reports, the Service requests that all reporting agencies submit their data directly into a Web-based data entry system to ensure accuracy, consistency, and efficiency. At the time of submission, the reporting agencies certify that their information is accurate and has been approved by the head of their agency. The information provided in this report, pursuant to section 18 of the Endangered Species Act, is presented as it was submitted by these agencies.

Expenditures for candidate species or other species not listed in 50 CFR Part 17 as of the end of each fiscal year are not included in this report. In addition, other types of expenses, such as those for litigation, generally are not reported and are not included.

## **SECTION 18(1), FEDERAL EXPENDITURES**

### **Expenditures Reported by the Fish and Wildlife Service**

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, and regional and field office operations for listing, recovery, consultation, migratory birds, and grants. All reasonably identifiable expenditures that could be attributed to individual species within these activities have been included.

The Federal assistance portion under section 6 of the Act for each species is included in the FWS Total in Table 1. The State share for each species for which a Federal contribution was made is included in the States Total column of Table 1.

A portion of the Service's funds for consultations, listing, and recovery are incorporated into salaries, operations, and maintenance costs. If these costs contributed to the conservation of listed species and are reasonably identifiable to specific species, they are included in these reports.

### **Expenditures Reported by other Federal Agencies**

The Director of the Service sends a request to other Federal agencies identified as likely to have species-specific expenditures under the Act to report for each fiscal year. The Service provides guidance identifying what constitutes reasonably identifiable expenditures and how these are to be reported (Appendix A). For FY 2008, the Service and 28 other Federal agencies identified expenditures for the conservation of individual threatened and endangered species. Four additional Federal agencies responded that their expenditures were not reasonably identifiable, and they could not provide data. Results from all responding Federal agencies are included in Appendix B. The data identified by those responding Federal agencies for individual species have been tabulated in the "Other Fed" columns of this report (Tables 1 and 3).

## **SECTION 18(2), STATE EXPENDITURES**

The assistance of the Association of Fish and Wildlife Agencies is sought by the Service to help coordinate the reporting of reasonably identifiable expenditures made by the States. States report their data by species directly to the Service. Collective results from all responding State agencies are included in Appendix C.

<sup>1</sup> **Species** For purposes of the Endangered Species Act, this term includes any species or subspecies of fish or wildlife or plants, and any Distinct Population Segment of any species of vertebrate fish or wildlife that interbreeds when mature.

<sup>2</sup> **Subspecies** A taxonomic rank below that of species, usually recognizing individuals that have certain heritable characteristics distinct from other subspecies of a species.

<sup>3</sup> **Distinct Population Segment** A subdivision of a vertebrate species that is treated as a species for purposes of listing under the Endangered Species Act.

<sup>4</sup> **Evolutionarily Significant Unit** A Pacific salmonid stock that is substantially reproductively isolated from other stocks of the same species and which represents an important part of the evolutionary legacy of the species; functionally equivalent to DPS for the purpose of listing under ESA.

## SUMMARY OF DATA

**Table 1** reports the activity-related expenditures that are reasonably identifiable to specific individual species by the Service, other Federal agencies collectively, and the States collectively. Expenditures for land acquisitions are not included in this tabulation or used in the ranking. Species are grouped in the same general order as they appear in 50 CFR Part 17. Table 1 also provides the rank for each species from Table 2.

**Table 2** ranks each species in descending order by the species total from Table 1. A cumulative total of the activity-related, species-specific expenditures is also provided.

**Table 3** displays land acquisition expenditures, reasonably identifiable to specific individual species, by the Service, other Federal agencies collectively, and the States collectively. Table 3 also provides the rank for land expenditures by species.

**Tables 4** shows total expenditures for species and land acquisition by reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included.

**Total expenditures** reported for **FY 2008** were **\$1,111,772,612**, of which **\$996,281,006** was reported by Federal agencies and **\$115,491,606** was reported by the States. (Table 4)

## COMPARISON TO PREVIOUS REPORTS

Over the years, these reports have been refined as our experience in planning and coordinating with the reporting agencies to track such expenditures has improved. A good faith effort is made to develop species-by-species expenditures for these reports, but due to differences in reporting methods, this report cannot be easily compared to prior expenditures reports. These year-to-year differences include changes in the number of Federal and State agencies reporting data, changes in how expenditures are calculated, changes in the agencies abilities to track expenditures, and changes in the number of listed species. Therefore, real dollar increases or decreases cannot accurately be calculated or inferred from the overall or individual totals.

**TABLE 1. FY 2008 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES**

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of species' names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals and plants. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny mussel is found under "Spiny mussel, Tar River" within the clams. Groups of animals follow the sequence: Mammals, Birds, Reptiles, Amphibians, Fishes, and Invertebrates, which include Clams, Snails, Insects, Arachnids, and Crustaceans. Groups of plants follow the sequence: Flowering Plants, Conifers, Ferns, and Lichens.

For additional information about the names, historical range, or status of an endangered or threatened species, the species can be found in 50 CFR 17.11 (wildlife) or 17.12 (plants), or through our Web site at <http://www.fws.gov/endangered>. The STATUS column indicates whether the species is endangered (E), threatened (T), experimental (EXPN), or threatened by similarity of appearance (SAT).

Fish and Wildlife Service expenditures (FWS Total) and other Federal agency expenditures (Other Fed) are totaled in the "Fed Total" column. The States Total is the amount reported to the Service directly by the States. None of these reported totals includes costs for land acquisition. (See Table 3 for reported land acquisition expenditures.)

The RANK is from Table 2 and indicates each species' rank by identifiable expenditures, where #1 is the highest expenditure.

**TABLE 1. FY 2008 REPORTED EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES,  
NOT INCLUDING LAND ACQUISITION COSTS**

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Mammals	107	Bat, gray ( <i>Myotis grisescens</i> )	E	\$541,137	\$582,756	\$1,123,893	\$35,754	\$1,159,647
	147	Bat, Hawaiian hoary ( <i>Lasiurus cinereus semotus</i> )	E	\$184,700	\$578,495	\$763,195	\$0	\$763,195
	14	Bat, Indiana ( <i>Myotis sodalis</i> )	E	\$1,460,299	\$14,336,919	\$15,797,218	\$745,919	\$16,543,137
	161	Bat, lesser long-nosed ( <i>Leptonycteris curasoae yerbabuena</i> )	E	\$5,000	\$565,400	\$570,400	\$72,100	\$642,500
	940	Bat, little Mariana fruit ( <i>Pteropus tokudae</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	348	Bat, Mariana fruit (=Mariana flying fox) ( <i>Pteropus mariannus mariannus</i> ) - entire	T	\$142,160	\$5,000	\$147,160	\$0	\$147,160
	315	Bat, Mexican long-nosed ( <i>Leptonycteris nivalis</i> )	E	\$1,000	\$196,100	\$197,100	\$0	\$197,100
	267	Bat, Ozark big-eared ( <i>Corynorhinus (=Plecotus) townsendii ingens</i> )	E	\$209,400	\$68,200	\$277,600	\$3,800	\$281,400
	448	Bat, Virginia big-eared ( <i>Corynorhinus (=Plecotus) townsendii virginianus</i> )	E	\$63,900	\$13,862	\$77,762	\$9,100	\$86,862
	491	Bear, American black ( <i>Ursus americanus</i> ) - County range of LA b.bear	SAT	\$32,080	\$0	\$32,080	\$34,500	\$66,580
	335	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) - experimental, non-essential, portions of ID and MT	EXPN	\$169,514	\$0	\$169,514	\$0	\$169,514
	37	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) - lower 48 States, except where listed as an experimental population or delisted	T	\$1,248,525	\$2,326,439	\$3,574,964	\$1,719,639	\$5,294,603
	76	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	\$459,700	\$1,155,414	\$1,615,114	\$210,650	\$1,825,764
	59	Bear, polar ( <i>Ursus maritimus</i> )	T	\$989,536	\$1,703,749	\$2,693,285	\$12,500	\$2,705,785
	168	Caribou, woodland ( <i>Rangifer tarandus caribou</i> ) - Selkirk Mountain population	E	\$521,277	\$57,531	\$578,808	\$27,054	\$605,862
	156	Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> ) - Columbia River DPS	E	\$201,313	\$452,396	\$653,709	\$15,000	\$668,709
	407	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	\$87,700	\$14,510	\$102,210	\$0	\$102,210
	131	Ferret, black-footed ( <i>Mustela nigripes</i> ) entire except where EXPN	E	\$0	\$545,683	\$545,683	\$359,063	\$904,746
	65	Ferret, black-footed ( <i>Mustela nigripes</i> ) - U.S.A. (AZ, CO, MT, SD, UT, and WY)	EXPN	\$1,493,580	\$581,414	\$2,074,994	\$172,585	\$2,247,579





Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	58	Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> )	E	\$33,000	\$2,832,374	\$2,865,374	\$0	\$2,865,374
	125	Sheep, Peninsular bighorn ( <i>Ovis canadensis nelsoni</i> ) - Peninsular CA	E	\$917,647	\$52,710	\$970,357	\$0	\$970,357
	229	Sheep, Sierra Nevada bighorn ( <i>Ovis canadensis sierrae</i> ) - Sierra Nevada	E	\$247,798	\$119,050	\$366,848	\$0	\$366,848
	698	Shrew, Buena Vista Lake ornate ( <i>Sorex ornatus relictus</i> )	E	\$19,880	\$1,500	\$21,380	\$0	\$21,380
	629	Squirrel, Carolina northern flying ( <i>Glaucomys sabrinus coloratus</i> )	E	\$6,600	\$13,000	\$19,600	\$11,000	\$30,600
	567	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - U.S.A. (DE, Sussex Co.)	EXPN	\$13,410	\$0	\$13,410	\$35,000	\$48,410
	278	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - Entire, except Sussex Co., DE	E	\$256,808	\$1,041	\$257,849	\$2,000	\$259,849
	485	Squirrel, Mount Graham red ( <i>Tamiasciurus hudsonicus grahamensis</i> )	E	\$500	\$34,000	\$34,500	\$34,400	\$68,900
	187	Squirrel, northern Idaho ground ( <i>Spermophilus brunneus brunneus</i> )	T	\$368,374	\$102,500	\$470,874	\$15,268	\$486,142
	388	Squirrel, Virginia northern flying ( <i>Glaucomys sabrinus fuscus</i> )	DM	\$67,900	\$46,000	\$113,900	\$0	\$113,900
	709	Vole, Amargosa ( <i>Microtus californicus scirpensis</i> )	E	\$18,995	\$700	\$19,695	\$0	\$19,695
	894	Vole, Florida salt marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> )	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	956	Vole, Hualapai Mexican ( <i>Microtus mexicanus hualpaiensis</i> )	E	\$0	\$2,600	\$2,600	\$0	\$2,600
	174	Whale, blue ( <i>Balaenoptera musculus</i> )	E	\$0	\$554,542	\$554,542	\$0	\$554,542
	73	Whale, bowhead ( <i>Balaena mysticetus</i> )	E	\$0	\$1,950,827	\$1,950,827	\$0	\$1,950,827
	128	Whale, finback ( <i>Balaenoptera physalus</i> )	E	\$1,572	\$897,002	\$898,574	\$20,100	\$918,674
	211	Whale, gray ( <i>Eschrichtius robustus</i> ) - W Pacific Ocean	E	\$0	\$429,556	\$429,556	\$0	\$429,556
	70	Whale, humpback ( <i>Megaptera novaeangliae</i> )	E	\$0	\$2,130,678	\$2,130,678	\$27,700	\$2,158,378
	111	Whale, killer ( <i>Orcinus orca</i> ) – So. Resident DPS	E	\$2,000	\$1,081,103	\$1,083,103	\$35,000	\$1,118,103
	16	Whale, right ( <i>Balaena glacialis</i> (incl. <i>australis</i> ))	E	\$500	\$13,964,244	\$13,964,744	\$555,125	\$14,519,869
	191	Whale, Sei ( <i>Balaenoptera borealis</i> )	E	\$1,072	\$469,007	\$470,079	\$0	\$470,079
	130	Whale, sperm ( <i>Physeter catodon</i> (= <i>macrocephalus</i> ))	E	\$2,323	\$907,125	\$909,448	\$0	\$909,448

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	512	Wolf, gray ( <i>Canis lupus</i> ) - MN	T	\$11,599	\$49,000	\$60,599	\$0	\$60,599
	228	Wolf, gray ( <i>Canis lupus</i> ) - Northern Rocky Mountain DPS	E	\$99,400	\$274,000	\$373,400	\$0	\$373,400
	80	Wolf, gray ( <i>Canis lupus</i> ) - WY, ID, MT	EXPN	\$0	\$22,562	\$22,562	\$1,693,217	\$1,715,779
	94	Wolf, gray ( <i>Canis lupus</i> ) - Western Great Lakes DPS	E	\$0	\$1,315,900	\$1,315,900	\$90,000	\$1,405,900
	64	Wolf, gray ( <i>Canis lupus</i> ) - Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$1,735,932	\$380,320	\$2,116,252	\$283,440	\$2,399,692
	86	Wolf, gray ( <i>Canis lupus</i> ) - Mexican gray wolf, EXPN population	EXPN	\$1,260,000	\$167,600	\$1,427,600	\$187,700	\$1,615,300
	235	Wolf, red ( <i>Canis rufus</i> ) - except where EXPN	E	\$354,500	\$0	\$354,500	\$0	\$354,500
	151	Wolf, red ( <i>Canis rufus</i> ) - U.S.A. (portions of NC and TN)	EXPN	\$712,548	\$1,500	\$714,048	\$1,200	\$715,248
	310	Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> )	E	\$89,300	\$115,631	\$204,931	\$0	\$204,931
	351	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )	E	\$17,904	\$127,400	\$145,304	\$0	\$145,304
Mammals subtotal				\$22,691,711	\$105,193,791	\$127,885,502	\$14,038,339	\$141,923,841
Birds	219	Akepa, Hawaii (honeycreeper) ( <i>Loxops coccineus coccineus</i> )	E	\$149,650	\$256,689	\$406,339	\$0	\$406,339
	536	Akepa, Maui (honeycreeper) ( <i>Loxops coccineus ochraceus</i> )	E	\$50,800	\$4,125	\$54,925	\$0	\$54,925
	655	Akialoa, Kauai (honeycreeper) ( <i>Hemignathus procerus</i> )	E	\$23,600	\$3,125	\$26,725	\$0	\$26,725
	329	Akiapola'au (honeycreeper) ( <i>Hemignathus munroi</i> )	E	\$169,600	\$8,125	\$177,725	\$0	\$177,725
	165	Albatross, short-tailed ( <i>Phoebastria (=Diomedea) albatrus</i> )	E	\$360,832	\$258,147	\$618,979	\$0	\$618,979
	305	Blackbird, yellow-shouldered ( <i>Agelaius xanthomus</i> )	E	\$159,000	\$0	\$159,000	\$49,888	\$208,888
	257	Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> )	E	\$280,000	\$7,500	\$287,500	\$10,000	\$297,500
	157	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) - FL	T	\$440,300	\$222,373	\$662,673	\$0	\$662,673
	109	Condor, California ( <i>Gymnogyps californianus</i> ) - U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$786,274	\$69,300	\$855,574	\$282,700	\$1,138,274
	57	Condor, California ( <i>Gymnogyps californianus</i> ) - U.S.A. only	E	\$2,435,270	\$617,293	\$3,052,563	\$0	\$3,052,563

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	146	Coot, Hawaiian ( <i>Fulica americana alai</i> )	E	\$677,351	\$87,503	\$764,854	\$0	\$764,854
	232	Crane, Mississippi sandhill ( <i>Grus canadensis pulla</i> )	E	\$340,000	\$17,325	\$357,325	\$700	\$358,025
	270	Crane, whooping ( <i>Grus americana</i> ) - U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$267,700	\$3,740	\$271,440	\$5,413	\$276,853
	39	Crane, whooping ( <i>Grus americana</i> ) - except where EXPN	E	\$226,000	\$4,777,709	\$5,003,709	\$134,866	\$5,138,575
	127	Crane, whooping ( <i>Grus americana</i> ) - U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$861,774	\$74,633	\$936,407	\$0	\$936,407
	318	Creeper, Hawaii ( <i>Oreomyza mana</i> )	E	\$189,390	\$5,000	\$194,390	\$0	\$194,390
	937	Creeper, Molokai ( <i>Paroreomyza flammea</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	933	Creeper, Oahu ( <i>Paroreomyza maculata</i> )	E	\$3,790	\$0	\$3,790	\$0	\$3,790
	159	Crow, Hawaiian (=alala) ( <i>Corvus hawaiiensis</i> )	E	\$648,440	\$1,250	\$649,690	\$0	\$649,690
	167	Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> )	E	\$305,500	\$306,230	\$611,730	\$0	\$611,730
	1003	Crow, white-necked ( <i>Corvus leucognaphalus</i> )	E	\$500	\$0	\$500	\$0	\$500
	978	Curllew, Eskimo ( <i>Numenius borealis</i> )	E	\$0	\$1,512	\$1,512	\$0	\$1,512
	181	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )	E	\$310,460	\$203,088	\$513,548	\$0	\$513,548
	280	Duck, Laysan ( <i>Anas laysanensis</i> )	E	\$94,750	\$161,187	\$255,937	\$0	\$255,937
	114	Eagle, bald ( <i>Haliaeetus leucocephalus</i> ) - Sonoran Desert DPS	T	\$100,000	\$698,187	\$798,187	\$311,195	\$1,109,382
	209	Eider, spectacled ( <i>Somateria fischeri</i> )	T	\$200,000	\$233,600	\$433,600	\$0	\$433,600
	74	Eider, Steller's ( <i>Polysticta stelleri</i> ) - AK breeding pop.	T	\$1,383,000	\$491,784	\$1,874,784	\$16,071	\$1,890,855
	350	Elepaio, Oahu ( <i>Chasiempis sandwichensis ibidis</i> )	E	\$12,190	\$133,575	\$145,765	\$0	\$145,765
	96	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> )	E	\$148,000	\$1,214,800	\$1,362,800	\$16,500	\$1,379,300
	508	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) - Southwestern pop.	EXPN	\$61,000	\$0	\$61,000	\$1,000	\$62,000
	692	Finch, Laysan (honeycreeper) ( <i>Telespyza cantans</i> )	E	\$21,805	\$0	\$21,805	\$0	\$21,805
	843	Finch, Nihoa (honeycreeper) ( <i>Telespyza ultima</i> )	E	\$9,000	\$0	\$9,000	\$0	\$9,000
	20	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )	E	\$234,697	\$9,367,728	\$9,602,425	\$249,974	\$9,852,399

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	81	Gnatcatcher, coastal California ( <i>Poliopitila californica californica</i> )	T	\$560,488	\$1,119,661	\$1,680,149	\$0	\$1,680,149
	100	Goose, Hawaiian ( <i>Branta (=Nesochen) sandvicensis</i> )	E	\$424,490	\$799,859	\$1,224,349	\$0	\$1,224,349
	220	Hawk, Hawaiian (=lo) ( <i>Buteo solitarius</i> )	E	\$100,400	\$303,703	\$404,103	\$0	\$404,103
	582	Hawk, Puerto Rican broad-winged ( <i>Buteo platypterus brunnescens</i> )	E	\$10,500	\$34,000	\$44,500	\$0	\$44,500
	376	Hawk, Puerto Rican sharp-shinned ( <i>Accipiter striatus venator</i> )	E	\$10,500	\$114,000	\$124,500	\$0	\$124,500
	529	Honeycreeper, crested ( <i>Palmeria dolei</i> )	E	\$55,890	\$1,000	\$56,890	\$0	\$56,890
	413	Kingfisher, Guam Micronesian ( <i>Halcyon cinnamomina cinnamomina</i> )	E	\$88,140	\$9,930	\$98,070	\$0	\$98,070
	122	Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> ) - FL pop.	E	\$438,400	\$592,012	\$1,030,412	\$470	\$1,030,882
	359	Megapode, Micronesian ( <i>Megapodius laperouse</i> )	E	\$116,100	\$21,138	\$137,238	\$0	\$137,238
	577	Millerbird, Nihoa (old world warbler) ( <i>Acrocephalus familiaris kingi</i> )	E	\$45,250	\$0	\$45,250	\$0	\$45,250
	185	Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )	E	\$397,500	\$94,015	\$491,515	\$0	\$491,515
	628	Moorhen, Mariana common ( <i>Gallinula chloropus guami</i> )	E	\$10,500	\$20,138	\$30,638	\$0	\$30,638
	42	Murrelet, marbled ( <i>Brachyramphus marmoratus</i> ) CA,OR,WA	T	\$1,703,886	\$1,986,217	\$3,690,103	\$1,130,031	\$4,820,134
	790	Nightjar, Puerto Rican ( <i>Caprimulgus noctitherus</i> )	E	\$8,500	\$3,572	\$12,072	\$0	\$12,072
	545	Nukupu`u (honeycreeper) ( <i>Hemignathus lucidus</i> )	E	\$52,090	\$1,000	\$53,090	\$0	\$53,090
	71	Owl, Mexican spotted ( <i>Strix occidentalis lucida</i> )	T	\$46,454	\$1,984,315	\$2,030,769	\$102,300	\$2,133,069
	22	Owl, northern spotted ( <i>Strix occidentalis caurina</i> )	T	\$3,299,055	\$5,178,941	\$8,477,996	\$756,166	\$9,234,162
	108	Palila (honeycreeper) ( <i>Loxioides bailleui</i> )	E	\$967,390	\$183,375	\$1,150,765	\$0	\$1,150,765
	90	Parrot, Puerto Rican ( <i>Amazona vittata</i> )	E	\$1,314,100	\$0	\$1,314,100	\$197,434	\$1,511,534
	382	Parrotbill, Maui (honeycreeper) ( <i>Pseudonestor xanthophrys</i> )	E	\$120,100	\$1,000	\$121,100	\$0	\$121,100
	145	Pelican, brown ( <i>Pelecanus occidentalis</i> ) - except U.S. Atlantic coast, FL, AL	E	\$363,065	\$407,855	\$770,920	\$15,350	\$786,270
	214	Petrel, Hawaiian dark-rumped ( <i>Pterodroma phaeopygia sandwichensis</i> )	E	\$336,781	\$85,700	\$422,481	\$0	\$422,481

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	591	Pigeon, Puerto Rican plain ( <i>Columba inornata wetmorei</i> )	E	\$12,500	\$30,000	\$42,500	\$0	\$42,500
	138	Plover, piping ( <i>Charadrius melodus</i> ) - Great Lakes watershed	E	\$481,583	\$297,223	\$778,806	\$43,026	\$821,832
	25	Plover, piping ( <i>Charadrius melodus</i> ) - except Great Lakes watershed	T	\$618,485	\$7,378,202	\$7,996,687	\$1,008,719	\$9,005,406
	54	Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> ) - Pacific coastal pop.	T	\$1,168,001	\$2,482,998	\$3,650,999	\$34,000	\$3,684,999
	556	Po'ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> )	E	\$50,300	\$1,000	\$51,300	\$0	\$51,300
	92	Prairie-chicken, Attwater's greater ( <i>Tympanuchus cupido attwateri</i> )	E	\$1,190,000	\$85,972	\$1,275,972	\$177,400	\$1,453,372
	172	Rail, California clapper ( <i>Rallus longirostris obsoletus</i> )	E	\$202,967	\$375,069	\$578,036	\$0	\$578,036
	178	Rail, Guam ( <i>Rallus owstoni</i> ) - except Rota	E	\$216,260	\$309,340	\$525,600	\$0	\$525,600
	866	Rail, Guam ( <i>Rallus owstoni</i> ) - Rota	EXPN	\$7,500	\$0	\$7,500	\$0	\$7,500
	217	Rail, light-footed clapper ( <i>Rallus longirostris levipes</i> ) - U.S.A. only	E	\$65,304	\$349,427	\$414,731	\$0	\$414,731
	143	Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> ) - U.S.A. only	E	\$96,500	\$588,466	\$684,966	\$101,800	\$786,766
	82	scrub-jay, Florida ( <i>Aphelocoma coerulescens</i> )	T	\$575,100	\$1,032,662	\$1,607,762	\$51,491	\$1,659,253
	169	Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> )	T	\$585,037	\$2,789	\$587,826	\$0	\$587,826
	72	Shrike, San Clemente loggerhead ( <i>Lanius ludovicianus mearnsi</i> )	E	\$2,370	\$1,984,151	\$1,986,521	\$0	\$1,986,521
	115	Sparrow, Cape Sable seaside ( <i>Ammodramus maritimus mirabilis</i> )	E	\$513,700	\$581,497	\$1,095,197	\$0	\$1,095,197
	164	Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> )	E	\$283,200	\$321,217	\$604,417	\$18,203	\$622,620
	463	Sparrow, San Clemente sage ( <i>Amphispiza belli clementeae</i> )	T	\$4,042	\$74,782	\$78,824	\$0	\$78,824
	163	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )	E	\$460,566	\$164,639	\$625,205	\$0	\$625,205
	87	Stork, wood ( <i>Mycteria americana</i> ) - AL, FL, GA, SC	E	\$518,400	\$1,062,498	\$1,580,898	\$28,081	\$1,608,979
	269	Swiftlet, Mariana gray ( <i>Aerodramus vanikorensis bartschi</i> )	E	\$25,100	\$253,100	\$278,200	\$0	\$278,200

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	78	Tern, California least ( <i>Sterna antillarum browni</i> )	E	\$491,024	\$1,297,554	\$1,788,578	\$0	\$1,788,578
	34	Tern, least ( <i>Sterna antillarum</i> ) - interior pop.	E	\$402,430	\$6,085,997	\$6,488,427	\$142,487	\$6,630,914
	79	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - northeast U.S. nesting pop.	E	\$1,165,954	\$497,238	\$1,663,192	\$53,422	\$1,716,614
	626	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - Western Hemisphere except NE U.S.	T	\$18,200	\$12,603	\$30,803	\$0	\$30,803
	937	Thrush, large Kauai (=kamao) ( <i>Myadestes myadestinus</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	937	Thrush, Molokai ( <i>Myadestes lanaiensis rutha</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	275	Thrush, small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> )	E	\$272,090	\$0	\$272,090	\$0	\$272,090
	441	Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> )	T	\$61,890	\$28,598	\$90,488	\$0	\$90,488
	105	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	\$39,416	\$1,140,511	\$1,179,927	\$0	\$1,179,927
	46	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	\$721,686	\$3,839,351	\$4,561,037	\$0	\$4,561,037
	1002	Warbler (=wood), Bachman's ( <i>Vermivora bachmanii</i> )	E	\$0	\$520	\$520	\$0	\$520
	97	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	\$210,000	\$994,677	\$1,204,677	\$169,210	\$1,373,887
	134	Warbler (=wood), Kirtland's ( <i>Dendroica kirtlandii</i> )	E	\$226,800	\$623,662	\$850,462	\$30,500	\$880,962
	326	Warbler, nightingale reed (old world warbler) ( <i>Acrocephalus luscina</i> )	E	\$175,600	\$8,500	\$184,100	\$0	\$184,100
	768	White-eye, bridled ( <i>Zosterops conspicillatus conspicillatus</i> )	E	\$13,000	\$600	\$13,600	\$0	\$13,600
	559	White-eye, Rota bridled ( <i>Zosterops rotensis</i> )	E	\$48,560	\$2,480	\$51,040	\$0	\$51,040
	102	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> ) - entire	E	\$1,166,800	\$39,496	\$1,206,296	\$5,043	\$1,211,339
	11	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	\$1,506,200	\$17,557,520	\$19,063,720	\$501,358	\$19,565,078
	933	`O`o, Kauai (honeyeater) ( <i>Moho braccatus</i> )	E	\$3,790	\$0	\$3,790	\$0	\$3,790
	833	`O`u (honeycreeper) ( <i>Psittirostra psittacea</i> )	E	\$9,490	\$0	\$9,490	\$0	\$9,490
Birds subtotal				\$35,040,897	\$81,671,298	\$116,712,195	\$5,644,798	\$122,356,993
Reptiles	177	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	\$136,662	\$281,382	\$418,044	\$110,400	\$528,444
	807	Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )	E	\$10,700	\$0	\$10,700	\$0	\$10,700



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	313	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> ) - MI, OH, IN N of 400 N. Lat.	T	\$170,400	\$29,356	\$199,756	\$0	\$199,756
	113	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	\$221,300	\$840,176	\$1,061,476	\$54,324	\$1,115,800
	69	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	\$1,094,255	\$1,097,700	\$2,191,955	\$0	\$2,191,955
	530	Snake, Lake Erie water ( <i>Nerodia sipedon insularum</i> ) - subspecies range clarified	T	\$36,600	\$0	\$36,600	\$20,254	\$56,854
	544	Snake, San Francisco garter ( <i>Thamnophis sirtalis tetrataenia</i> )	E	\$20,160	\$33,000	\$53,160	\$0	\$53,160
	56	Tortoise, desert ( <i>Gopherus agassizii</i> ) - outside/taken from Sonoran Desert	SAT	\$0	\$3,243,433	\$3,243,433	\$0	\$3,243,433
	19	Tortoise, desert ( <i>Gopherus agassizii</i> ) - U.S.A., except in Sonoran Desert	T	\$2,990,145	\$7,596,314	\$10,586,459	\$100,700	\$10,687,159
	205	Tortoise, gopher ( <i>Gopherus polyphemus</i> ) - W of of Mobile/Tombigbee Rs.	T	\$48,000	\$386,751	\$434,751	\$9,650	\$444,401
	484	Turtle, Alabama red-belly ( <i>Pseudemys alabamensis</i> )	E	\$53,000	\$300	\$53,300	\$15,955	\$69,255
	456	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - southern	SAT	\$9,800	\$1,140	\$10,940	\$72,660	\$83,600
	110	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - northern	T	\$775,224	\$313,518	\$1,088,742	\$39,484	\$1,128,226
	899	Turtle, flattened musk ( <i>Sternotherus depressus</i> ) - species range clarified	T	\$3,000	\$2,500	\$5,500	\$0	\$5,500
	794	Turtle, ringed map ( <i>Graptemys oculifera</i> )	T	\$4,000	\$3,100	\$7,100	\$4,700	\$11,800
	583	Turtle, yellow-blotched map ( <i>Graptemys flavimaculata</i> )	T	\$36,992	\$6,600	\$43,592	\$800	\$44,392
	135	Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )	T	\$810,768	\$57,678	\$868,446	\$0	\$868,446
Reptiles subtotal				\$12,287,214	\$43,687,962	\$55,975,176	\$1,829,855	\$57,805,031
Amphibians	899	Coqui, golden ( <i>Eleutherodactylus jasperi</i> )	T	\$5,500	\$0	\$5,500	\$0	\$5,500
	38	Frog, California red-legged ( <i>Rana aurora draytonii</i> ) - subspecies range clarified	T	\$2,237,440	\$2,928,701	\$5,166,141	\$0	\$5,166,141
	124	Frog, Chiricahua leopard ( <i>Rana chiricahuensis</i> )	T	\$135,200	\$580,100	\$715,300	\$280,400	\$995,700
	265	Frog, Mississippi gopher ( <i>Rana capito sevosa</i> ) - Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$110,000	\$155,400	\$265,400	\$20,000	\$285,400

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	309	Frog, mountain yellow-legged ( <i>Rana muscosa</i> ) - southern California DPS	E	\$17,163	\$188,500	\$205,663	\$0	\$205,663
	866	Guajon ( <i>Eleutherodactylus cooki</i> )	T	\$7,500	\$0	\$7,500	\$0	\$7,500
	451	Salamander, Barton Springs ( <i>Eurycea sosorum</i> )	E	\$60,000	\$400	\$60,400	\$24,763	\$85,163
	370	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - U.S.A. (CA - Santa Barbara County)	E	\$103,022	\$25,000	\$128,022	\$0	\$128,022
	497	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - U.S.A. (CA - Sonoma County)	E	\$39,000	\$25,900	\$64,900	\$0	\$64,900
	61	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - U.S.A. (Central CA DPS)	T	\$1,674,108	\$758,108	\$2,432,216	\$0	\$2,432,216
	452	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )	T	\$28,100	\$56,162	\$84,262	\$760	\$85,022
	227	Salamander, desert slender ( <i>Batrachoseps aridus</i> )	E	\$375,000	\$0	\$375,000	\$0	\$375,000
	166	Salamander, frosted flatwoods ( <i>Ambystoma cingulatum</i> )	T	\$411,231	\$200,384	\$611,615	\$7,225	\$618,840
	534	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> )	T	\$0	\$500	\$500	\$54,500	\$55,000
	403	Salamander, San Marcos ( <i>Eurycea nana</i> )	T	\$76,442	\$1,600	\$78,042	\$24,763	\$102,805
	75	Salamander, Santa Cruz long-toed ( <i>Ambystoma macrodactylum croceum</i> )	E	\$1,828,507	\$0	\$1,828,507	\$0	\$1,828,507
	397	Salamander, Shenandoah ( <i>Plethodon shenandoah</i> )	E	\$4,600	\$100,675	\$105,275	\$0	\$105,275
	252	Salamander, Sonora tiger ( <i>Ambystoma tigrinum stebbinsi</i> )	E	\$5,000	\$266,500	\$271,500	\$34,400	\$305,900
	334	Salamander, Texas blind ( <i>Typhlomolge rathbuni</i> )	E	\$31,850	\$400	\$32,250	\$137,443	\$169,693
	83	Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus</i> (=microscaphus))	E	\$595,529	\$1,049,140	\$1,644,669	\$0	\$1,644,669
	363	Toad, Houston ( <i>Bufo houstonensis</i> )	E	\$5,000	\$7,600	\$12,600	\$121,671	\$134,271
	590	Toad, Puerto Rican crested ( <i>Peltophryne lemur</i> )	T	\$31,400	\$0	\$31,400	\$11,233	\$42,633
	424	Toad, Wyoming ( <i>Bufo baxteri</i> (=hemiophrys))	E	\$83,528	\$4,000	\$87,528	\$6,991	\$94,519
Amphibians subtotal				\$7,865,120	\$6,349,070	\$14,214,190	\$724,149	\$14,938,339
Fishes	344	Catfish, Yaqui ( <i>Ictalurus pricei</i> )	T	\$133,000	\$100	\$133,100	\$18,800	\$151,900
	908	Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	378	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	T	\$75,700	\$7,156	\$82,856	\$40,400	\$123,256

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	48	Chub, bonytail ( <i>Gila elegans</i> ) - entire	E	\$793,048	\$3,011,965	\$3,805,013	\$300,084	\$4,105,097
	461	Chub, Borax Lake ( <i>Gila boraxobius</i> )	E	\$69,000	\$10,000	\$79,000	\$0	\$79,000
	504	Chub, Chihuahua ( <i>Gila nigrescens</i> )	T	\$62,250	\$0	\$62,250	\$500	\$62,750
	117	Chub, Gila ( <i>Gila intermedia</i> )	E	\$60,000	\$975,600	\$1,035,600	\$23,100	\$1,058,700
	32	Chub, humpback ( <i>Gila cypha</i> ) - entire	E	\$777,254	\$6,147,882	\$6,925,136	\$478,084	\$7,403,220
	568	Chub, Hutton tui ( <i>Gila bicolor</i> ssp.) - Hutton	T	\$36,000	\$4,000	\$40,000	\$8,000	\$48,000
	236	Chub, Mohave tui ( <i>Gila bicolor mohavensis</i> )	E	\$174,697	\$176,200	\$350,897	\$0	\$350,897
	184	Chub, Oregon ( <i>Oregonichthys crameri</i> )	E	\$248,220	\$252,455	\$500,675	\$0	\$500,675
	406	Chub, Owens tui ( <i>Gila bicolor snyderi</i> )	E	\$50,226	\$52,000	\$102,226	\$0	\$102,226
	444	Chub, Pahrana gat roundtail ( <i>Gila robusta jordani</i> )	E	\$88,631	\$0	\$88,631	\$500	\$89,131
	837	Chub, slender ( <i>Erimystax cahni</i> )	T	\$9,000	\$400	\$9,400	\$0	\$9,400
	250	Chub, Sonora ( <i>Gila ditaenia</i> )	T	\$2,000	\$281,600	\$283,600	\$30,800	\$314,400
	1007	Chub, spotfin ( <i>Erimonax monachus</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii))	EXPN	\$400	\$0	\$400	\$0	\$400
	271	Chub, spotfin ( <i>Erimonax monachus</i> ) - Entire	T	\$84,700	\$164,771	\$249,471	\$26,695	\$276,166
	706	Chub, spotfin ( <i>Erimonax monachus</i> ) Tellico R. TN	EXPN	\$20,100	\$0	\$20,100	\$0	\$20,100
	706	Chub, spotfin ( <i>Erimonax monachus</i> ) - Shoal Creek	EXPN	\$20,100	\$0	\$20,100	\$0	\$20,100
	149	Chub, Virgin River ( <i>Gila seminuda</i> (=robusta))	E	\$441,930	\$27,000	\$468,930	\$275,000	\$743,930
	386	Chub, Yaqui ( <i>Gila purpurea</i> )	E	\$90,000	\$500	\$90,500	\$25,800	\$116,300
	116	Cui-ui ( <i>Chasmistes cujus</i> )	E	\$244,110	\$839,324	\$1,083,434	\$0	\$1,083,434
	465	Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )	E	\$40,500	\$35,286	\$75,786	\$2,500	\$78,286
	356	Dace, blackside ( <i>Phoxinus cumberlandensis</i> )	T	\$131,100	\$11,900	\$143,000	\$0	\$143,000
	813	Dace, Clover Valley speckled ( <i>Rhinichthys osculus oligoporus</i> )	E	\$10,500	\$0	\$10,500	\$0	\$10,500
	670	Dace, desert ( <i>Eremichthys acros</i> )	T	\$23,055	\$0	\$23,055	\$1,500	\$24,555
	467	Dace, Foskett speckled ( <i>Rhinichthys osculus</i> ssp.) - Foskett	T	\$51,500	\$18,000	\$69,500	\$8,000	\$77,500
	537	Dace, Independence Valley speckled ( <i>Rhinichthys osculus lethoporus</i> )	E	\$17,055	\$37,678	\$54,733	\$0	\$54,733
	717	Dace, Kendall Warm Springs ( <i>Rhinichthys osculus thermalis</i> )	E	\$6,107	\$12,500	\$18,607	\$0	\$18,607

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	332	Dace, Moapa ( <i>Moapa coriacea</i> )	E	\$164,560	\$9,383	\$173,943	\$1,500	\$175,443
	526	Darter, amber ( <i>Percina antesella</i> )	E	\$38,600	\$12,517	\$51,117	\$6,000	\$57,117
	929	Darter, bayou ( <i>Etheostoma rubrum</i> )	T	\$0	\$3,408	\$3,408	\$500	\$3,908
	321	Darter, bluemask (=jewel) ( <i>Etheostoma</i> sp.)	E	\$37,000	\$154,000	\$191,000	\$0	\$191,000
	226	Darter, boulder ( <i>Etheostoma wapiti</i> )	E	\$32,000	\$343,000	\$375,000	\$395	\$375,395
	1014	Darter, boulder ( <i>Etheostoma wapiti</i> ) - Shoal Creek	EXPN	\$100	\$0	\$100	\$0	\$100
	494	Darter, Cherokee ( <i>Etheostoma scottii</i> )	T	\$44,000	\$13,100	\$57,100	\$8,500	\$65,600
	445	Darter, duskytail ( <i>Etheostoma percunurum</i> ) - Entire	E	\$64,200	\$23,651	\$87,851	\$395	\$88,246
	488	Darter, Etowah ( <i>Etheostoma etowahae</i> )	E	\$58,500	\$500	\$59,000	\$8,500	\$67,500
	238	Darter, fountain ( <i>Etheostoma fonticola</i> )	E	\$340,698	\$4,200	\$344,898	\$0	\$344,898
	902	Darter, goldline ( <i>Percina aurolineata</i> )	T	\$2,600	\$2,600	\$5,200	\$0	\$5,200
	343	Darter, leopard ( <i>Percina pantherina</i> )	T	\$90,120	\$63,700	\$153,820	\$0	\$153,820
	900	Darter, Maryland ( <i>Etheostoma sellare</i> )	E	\$5,292	\$0	\$5,292	\$0	\$5,292
	258	Darter, Niangua ( <i>Etheostoma nianguae</i> )	T	\$66,000	\$2,080	\$68,080	\$229,000	\$297,080
	262	Darter, Okaloosa ( <i>Etheostoma okaloosae</i> )	E	\$17,800	\$271,945	\$289,745	\$0	\$289,745
	713	Darter, relict ( <i>Etheostoma chienense</i> )	E	\$19,100	\$0	\$19,100	\$0	\$19,100
	722	Darter, slackwater ( <i>Etheostoma boschungii</i> )	T	\$5,000	\$5,012	\$10,012	\$8,334	\$18,346
	595	Darter, snail ( <i>Percina tanasi</i> )	T	\$21,200	\$19,700	\$40,900	\$0	\$40,900
	1014	Darter, vermilion ( <i>Etheostoma chermockii</i> )	E	\$100	\$0	\$100	\$0	\$100
	968	Darter, watercress ( <i>Etheostoma nuchale</i> )	E	\$0	\$320	\$320	\$1,667	\$1,987
	566	Gambusia, Big Bend ( <i>Gambusia gaigei</i> )	E	\$43,750	\$5,000	\$48,750	\$0	\$48,750
	498	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	\$7,850	\$55,000	\$62,850	\$2,000	\$64,850
	1003	Gambusia, San Marcos ( <i>Gambusia georgei</i> )	E	\$0	\$500	\$500	\$0	\$500
	246	Goby, tidewater ( <i>Eucyclogobius newberryi</i> ) - Entire	E	\$177,400	\$147,862	\$325,262	\$0	\$325,262
	552	Logperch, Conasauga ( <i>Percina jenkinsi</i> )	E	\$33,900	\$12,500	\$46,400	\$5,500	\$51,900
	106	Logperch, Roanoke ( <i>Percina rex</i> )	E	\$97,380	\$1,080,815	\$1,178,195	\$0	\$1,178,195
	464	Madtom, Neosho ( <i>Noturus placidus</i> )	T	\$20,965	\$43,174	\$64,139	\$14,200	\$78,339
	769	Madtom, pygmy ( <i>Noturus stanauli</i> )	E	\$7,000	\$6,500	\$13,500	\$0	\$13,500
	1003	Madtom, Scioto ( <i>Noturus trautmani</i> )	E	\$500	\$0	\$500	\$0	\$500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	458	Madtom, smoky ( <i>Noturus baileyi</i> ) - Entire	E	\$60,000	\$22,351	\$82,351	\$395	\$82,746
	475	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - except where EXPN	T	\$49,700	\$23,151	\$72,851	\$395	\$73,246
	183	Minnow, Devils River ( <i>Dionda diaboli</i> )	T	\$454,182	\$0	\$454,182	\$47,395	\$501,577
	101	Minnow, loach ( <i>Tiaroga cobitis</i> )	T	\$40,500	\$1,033,575	\$1,074,075	\$144,800	\$1,218,875
	24	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> )	E	\$1,119,427	\$7,825,414	\$8,944,841	\$136,000	\$9,080,841
	36	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - except Salt and Verde R. drainages, AZ	E	\$595,422	\$4,667,017	\$5,262,439	\$259,384	\$5,521,823
	414	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - Salt and Verde R. drainages, AZ	EXPN	\$0	\$73,447	\$73,447	\$24,500	\$97,947
	399	Poolfish, Pahrump ( <i>Empetrichthys latos</i> )	E	\$60,233	\$39,000	\$99,233	\$5,000	\$104,233
	266	Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> )	E	\$247,200	\$35,286	\$282,486	\$2,500	\$284,986
	299	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )	E	\$183,750	\$5,500	\$189,250	\$39,375	\$228,625
	204	Pupfish, desert ( <i>Cyprinodon macularius</i> )	E	\$60,844	\$308,625	\$369,469	\$80,500	\$449,969
	121	Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> )	E	\$398,730	\$635,072	\$1,033,802	\$5,100	\$1,038,902
	433	Pupfish, Leon Springs ( <i>Cyprinodon bovinus</i> )	E	\$43,750	\$0	\$43,750	\$48,400	\$92,150
	543	Pupfish, Owens ( <i>Cyprinodon radiosus</i> )	E	\$47,351	\$6,000	\$53,351	\$0	\$53,351
	402	Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> )	E	\$101,000	\$0	\$101,000	\$2,000	\$103,000
	23	Salmon, Atlantic ( <i>Salmo salar</i> ) - Gulf of Maine Atlantic Salmon DPS	E	\$92,792	\$8,736,524	\$8,829,316	\$336,200	\$9,165,516
	7	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - spring upper Columbia R.	E	\$740,311	\$25,579,372	\$26,319,683	\$1,362,529	\$27,682,212
	330	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - CA coastal	T	\$0	\$176,466	\$176,466	\$0	\$176,466
	29	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - upper Willamette River	T	\$536,000	\$7,724,875	\$8,260,875	\$84,503	\$8,345,378
	5	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - fall Snake River	T	\$660,074	\$31,087,057	\$31,747,131	\$517,794	\$32,264,925
	13	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - lower Columbia R.	T	\$2,266,433	\$13,295,203	\$15,561,636	\$1,654,701	\$17,216,337

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	28	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - winter Sacramento R.	E	\$72,560	\$8,665,910	\$8,738,470	\$0	\$8,738,470
	3	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - spring/summer Snake R.	T	\$700,180	\$35,292,363	\$35,992,543	\$1,073,009	\$37,065,552
	15	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - Puget Sound	T	\$1,012,486	\$7,301,214	\$8,313,700	\$8,186,219	\$16,499,919
	55	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - CA Central Valley spring-run	T	\$139,679	\$3,164,621	\$3,304,300	\$0	\$3,304,300
	52	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> ) - Columbia R.	T	\$1,000	\$3,167,436	\$3,168,436	\$710,251	\$3,878,687
	119	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> ) - summer-run Hood Canal	T	\$56,136	\$204,454	\$260,590	\$782,255	\$1,042,845
	33	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Lower Columbia River	T	\$165,614	\$5,197,527	\$5,363,141	\$1,429,744	\$6,792,885
	10	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - OR, CA pop.	T	\$506,060	\$19,743,718	\$20,249,778	\$80,800	\$20,330,578
	60	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - central CA coast	E	\$94,500	\$2,601,047	\$2,695,547	\$0	\$2,695,547
	12	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) - U.S.A. (Snake River, ID stock wherever found.)	E	\$0	\$18,470,542	\$18,470,542	\$276,525	\$18,747,067
	133	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) - U.S.A. (Ozette Lake, WA)	T	\$21,436	\$549,251	\$570,687	\$311,771	\$882,458
	311	Sawfish, smalltooth ( <i>Pristis pectinata</i> )	E	\$0	\$201,128	\$201,128	\$0	\$201,128
	687	Sculpin, pygmy ( <i>Cottus paulus</i> (=pygmaeus))	T	\$22,100	\$0	\$22,100	\$0	\$22,100
	572	Shiner, Arkansas River ( <i>Notropis girardi</i> ) - Arkansas R. Basin	T	\$9,469	\$37,000	\$46,469	\$500	\$46,969
	506	Shiner, beautiful ( <i>Cyprinella formosa</i> )	T	\$43,750	\$0	\$43,750	\$18,800	\$62,550
	477	Shiner, blue ( <i>Cyprinella caerulea</i> )	T	\$54,800	\$17,900	\$72,700	\$0	\$72,700
	391	Shiner, Cape Fear ( <i>Notropis mekistocholas</i> )	E	\$41,400	\$49,486	\$90,886	\$18,074	\$108,960
	912	Shiner, palezone ( <i>Notropis albizonatus</i> )	E	\$1,500	\$3,124	\$4,624	\$0	\$4,624
	144	Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )	T	\$126,700	\$659,952	\$786,652	\$0	\$786,652
	171	Shiner, Topeka ( <i>Notropis topeka</i> (=tristis))	E	\$187,581	\$328,496	\$516,077	\$62,500	\$578,577
	868	Silverside, Waccamaw ( <i>Menidia extensa</i> )	T	\$7,400	\$0	\$7,400	\$0	\$7,400

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	62	Smelt, delta ( <i>Hypomesus transpacificus</i> )	T	\$402,746	\$2,016,704	\$2,419,450	\$0	\$2,419,450
	104	Spinedace ( <i>Meda fulgida</i> )	T	\$2,000	\$1,041,625	\$1,043,625	\$147,500	\$1,191,125
	210	Spinedace, Big Spring ( <i>Lepidomeda mollispinis pratensis</i> )	T	\$14,000	\$412,000	\$426,000	\$4,000	\$430,000
	481	Spinedace, Little Colorado ( <i>Lepidomeda vittata</i> )	T	\$15,000	\$16,000	\$31,000	\$38,800	\$69,800
	569	Spinedace, White River ( <i>Lepidomeda albivallis</i> )	E	\$45,499	\$0	\$45,499	\$2,300	\$47,799
	704	Springfish, Hiko White River ( <i>Crenichthys baileyi grandis</i> )	E	\$19,881	\$0	\$19,881	\$500	\$20,381
	501	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )	T	\$59,321	\$1,000	\$60,321	\$4,000	\$64,321
	293	Springfish, White River ( <i>Crenichthys baileyi baileyi</i> )	E	\$23,981	\$213,500	\$237,481	\$500	\$237,981
	49	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - Central Valley CA	T	\$139,579	\$3,948,749	\$4,088,328	\$0	\$4,088,328
	17	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - lower Columbia R.	T	\$372,090	\$10,024,478	\$10,396,568	\$785,172	\$11,181,740
	129	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - central CA coast	T	\$1,000	\$910,024	\$911,024	\$0	\$911,024
	2	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - middle Columbia R.	T	\$230,380	\$36,796,797	\$37,027,177	\$556,737	\$37,583,914
	9	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - upper Columbia R. Basin	T	\$186,000	\$22,868,698	\$23,054,698	\$476,493	\$23,531,191
	4	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - Snake R. Basin	T	\$372,939	\$35,539,986	\$35,912,925	\$893,174	\$36,806,099
	358	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - south central CA coast	T	\$0	\$138,000	\$138,000	\$0	\$138,000
	51	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - upper Willamette R.	T	\$114,800	\$3,626,428	\$3,741,228	\$220,784	\$3,962,012
	66	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - Puget Sound DPS	T	\$177,186	\$1,182,209	\$1,359,395	\$877,107	\$2,236,502
	251	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - northern CA	T	\$0	\$312,100	\$312,100	\$0	\$312,100
	277	Steelhead ( <i>Oncorhynchus (=Salmo) mykiss</i> ) - southern CA coast	E	\$15,333	\$245,455	\$260,788	\$0	\$260,788
	519	Stickleback, unarmored threespine ( <i>Gasterosteus aculeatus williamsoni</i> )	E	\$38,485	\$20,000	\$58,485	\$0	\$58,485
	322	Sturgeon, Alabama ( <i>Scaphirhynchus suttkusi</i> )	E	\$89,100	\$50,011	\$139,111	\$50,495	\$189,606
	88	Sturgeon, gulf ( <i>Acipenser oxyrinchus desotoi</i> )	T	\$245,400	\$1,299,481	\$1,544,881	\$61,495	\$1,606,376
	118	Sturgeon, North American green ( <i>Acipenser medirostris</i> ) U.S.A. (CA) So. DPS	T	\$1,650	\$1,043,936	\$1,045,586	\$0	\$1,045,586

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	\$873,543	\$41,039,506	\$41,913,049	\$256,009	\$42,169,058
	148	Sturgeon, shortnose ( <i>Acipenser brevirostrum</i> )	E	\$345,130	\$372,584	\$717,714	\$28,800	\$746,514
	27	Sturgeon, white ( <i>Acipenser transmontanus</i> ) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$241,240	\$8,655,981	\$8,897,221	\$28,410	\$8,925,631
	158	Sucker, June ( <i>Chasmistes liorus</i> )	E	\$65,000	\$271,100	\$336,100	\$315,000	\$651,100
	40	Sucker, Lost River ( <i>Deltistes luxatus</i> )	E	\$476,395	\$4,612,018	\$5,088,413	\$29,000	\$5,117,413
	542	Sucker, Modoc ( <i>Catostomus microps</i> )	E	\$53,555	\$0	\$53,555	\$0	\$53,555
	21	Sucker, razorback ( <i>Xyrauchen texanus</i> ) - entire	E	\$1,634,684	\$7,535,678	\$9,170,362	\$237,200	\$9,407,562
	502	Sucker, Santa Ana ( <i>Catostomus santaanae</i> ) - 3 CA river basins	T	\$10,625	\$53,000	\$63,625	\$0	\$63,625
	41	Sucker, shortnose ( <i>Chasmistes brevirostris</i> )	E	\$476,395	\$4,556,458	\$5,032,853	\$0	\$5,032,853
	290	Sucker, Warner ( <i>Catostomus warnerensis</i> )	T	\$135,280	\$97,493	\$232,773	\$8,000	\$240,773
	212	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) - U.S.A. only	E	\$123,750	\$155,000	\$278,750	\$147,500	\$426,250
	123	Trout, Apache ( <i>Oncorhynchus apache</i> )	T	\$827,694	\$10,200	\$837,894	\$165,300	\$1,003,194
	8	Trout, bull ( <i>Salvelinus confluentus</i> ) - U.S.A., conterminous, lower 48 states	T	\$7,585,147	\$16,398,516	\$23,983,663	\$2,177,264	\$26,160,927
	77	Trout, Gila ( <i>Oncorhynchus gilae</i> )	T	\$1,689,200	\$5,000	\$1,694,200	\$123,700	\$1,817,900
	231	Trout, greenback cutthroat ( <i>Oncorhynchus clarki stomias</i> )	T	\$16,290	\$156,625	\$172,915	\$188,217	\$361,132
	45	Trout, Lahontan cutthroat ( <i>Oncorhynchus clarki henshawi</i> )	T	\$1,963,737	\$2,640,222	\$4,603,959	\$90,500	\$4,694,459
	984	Trout, Little Kern golden ( <i>Oncorhynchus aguabonita whitei</i> )	T	\$1,152	\$0	\$1,152	\$0	\$1,152
	260	Trout, Paiute cutthroat ( <i>Oncorhynchus clarki seleniris</i> )	T	\$282,610	\$13,000	\$295,610	\$0	\$295,610
	150	Woundfin ( <i>Plagopterus argentissimus</i> ) - except Gila R. drainage, AZ, NM	E	\$471,671	\$15,600	\$487,271	\$253,500	\$740,771
	98	Woundfin ( <i>Plagopterus argentissimus</i> ) - Gila R. drainage, AZ, NM	EXPN	\$0	\$1,284,143	\$1,284,143	\$0	\$1,284,143
Fishes subtotal				\$36,022,316	\$430,855,193	\$466,877,509	\$27,395,630	\$494,273,139
Clams	976	Acornshell, southern ( <i>Epioblasma othcaloogensis</i> )	E	\$300	\$1,300	\$1,600	\$0	\$1,600
	276	Bankclimber, purple (mussel) ( <i>Elliptioideus sloatianus</i> )	T	\$115,900	\$147,610	\$263,510	\$2,500	\$266,010

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	436	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - Entire; Except where listed as EXPN	E	\$57,500	\$12,000	\$69,500	\$22,000	\$91,500
	857	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Co., AL	EXPN	\$0	\$0	\$0	\$8,000	\$8,000
	450	Bean, purple ( <i>Villosa perpurpurea</i> )	E	\$83,000	\$1,290	\$84,290	\$966	\$85,256
	937	Blossom, green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> )	E	\$3,200	\$400	\$3,600	\$0	\$3,600
	884	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) – Entire; Except where listed as EXPN	E	\$2,700	\$2,912	\$5,612	\$1,000	\$6,612
	970	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) - Entire; Except where listed as EXPN	E	\$1,700	\$256	\$1,956	\$0	\$1,956
	975	Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) -Entire;Except where listed as EXPN	E	\$1,700	\$0	\$1,700	\$0	\$1,700
	821	Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) - AL; Free-Flowing Reach of the Tenn River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$100	\$0	\$100	\$10,000	\$10,100
	539	Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) - Entire; Except where listed as EXPN	E	\$14,100	\$39,976	\$54,076	\$0	\$54,076
	390	Catspaw, white (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> )	E	\$106,600	\$5,000	\$111,600	\$0	\$111,600
	245	Clubshell ( <i>Pleurobema clava</i> ) – Entire; except where listed as EXPN	E	\$73,000	\$229,208	\$302,208	\$24,574	\$326,782
	1014	Clubshell ( <i>Pleurobema clava</i> ) - AL; FreeFlowing Reach of the Tenn River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$100	\$0	\$100	\$0	\$100
	992	Clubshell, black ( <i>Pleurobema curtum</i> )	E	\$100	\$300	\$400	\$400	\$800
	647	Clubshell, ovate ( <i>Pleurobema perovatum</i> )	E	\$13,600	\$11,800	\$25,400	\$2,400	\$27,800
	372	Clubshell, southern ( <i>Pleurobema decisum</i> )	E	\$25,100	\$97,100	\$122,200	\$3,734	\$125,934

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	453	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - Entire Range; Except where listed as EXPN	E	\$63,500	\$19,600	\$83,100	\$1,866	\$84,966
	1007	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - AL; Free-Flowing Reach of the Tenn R. below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$400	\$400	\$0	\$400
	973	Combshell, southern ( <i>Epioblasma penita</i> )	E	\$1,100	\$300	\$1,400	\$400	\$1,800
	927	Combshell, upland ( <i>Epioblasma metastrata</i> )	E	\$2,700	\$1,300	\$4,000	\$0	\$4,000
	364	Elktoe, Appalachian ( <i>Alasmidonta raveneliana</i> )	E	\$64,400	\$3,840	\$68,240	\$64,326	\$132,566
	649	Elktoe, Cumberland ( <i>Alasmidonta atropurpurea</i> )	E	\$22,100	\$5,400	\$27,500	\$0	\$27,500
	328	Fanshell ( <i>Cyprogenia stegaria</i> )	E	\$145,350	\$31,412	\$176,762	\$5,366	\$182,128
	816	fatmucket, Arkansas ( <i>Lampsilis powellii</i> )	T	\$4,400	\$0	\$4,400	\$6,000	\$10,400
	914	Heelsplitter, Alabama (=inflated) ( <i>Potamilus inflatus</i> )	T	\$1,000	\$1,200	\$2,200	\$2,384	\$4,584
	285	Heelsplitter, Carolina ( <i>Lasmigona decorata</i> )	E	\$170,400	\$20,912	\$191,312	\$58,098	\$249,410
	155	Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )	E	\$78,000	\$557,003	\$635,003	\$36,174	\$671,177
	639	Kidneyshell, triangular ( <i>Ptychobranthus greenii</i> )	E	\$11,800	\$12,800	\$24,600	\$4,429	\$29,029
	842	Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) - Entire Range; Except where listed as EXPN	E	\$6,900	\$2,124	\$9,024	\$0	\$9,024
	737	Lilliput, pale (pearlymussel) ( <i>Toxolasma cylindrellus</i> )	E	\$9,600	\$6,824	\$16,424	\$0	\$16,424
	987	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$0	\$0	\$1,000	\$1,000
	302	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) - Entire range; except where listed as EXPN	E	\$32,000	\$175,073	\$207,073	\$10,100	\$217,173
	633	Moccasinshell, Alabama ( <i>Medionidus acutissimus</i> )	T	\$14,300	\$13,800	\$28,100	\$1,900	\$30,000
	731	Moccasinshell, Coosa ( <i>Medionidus parvulus</i> )	E	\$12,800	\$1,750	\$14,550	\$2,500	\$17,050
	408	Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> )	E	\$95,000	\$3,500	\$98,500	\$3,500	\$102,000
	527	Moccasinshell, Ochlockonee ( <i>Medionidus simpsonianus</i> )	E	\$56,600	\$400	\$57,000	\$0	\$57,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	608	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> )	E	\$26,080	\$10,500	\$36,580	\$0	\$36,580
	354	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) - Entire Range; Except where listed as EXPN	E	\$41,500	\$103,300	\$144,800	\$0	\$144,800
	765	Mucket, orangenacre ( <i>Lampsilis perovalis</i> )	T	\$0	\$11,100	\$11,100	\$2,829	\$13,929
	308	Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )	E	\$92,500	\$88,842	\$181,342	\$26,000	\$207,342
	951	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$2,000	\$2,000	\$834	\$2,834
	471	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - Entire Range; Except where listed as EXPN	E	\$66,400	\$9,750	\$76,150	\$0	\$76,150
	758	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$4,500	\$10,000	\$14,500	\$0	\$14,500
	368	Mussel, scaleshell ( <i>Leptodea leptodon</i> )	E	\$91,874	\$17,211	\$109,085	\$20,000	\$129,085
	383	Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> )	T	\$57,300	\$54,900	\$112,200	\$8,650	\$120,850
	652	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) - AL; Free-Flowing Reach of the Tenn River below the Wilson Dam, Colbert, and Lauderdale Co., AL	EXPN	\$26,400	\$0	\$26,400	\$834	\$27,234
	349	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) - Entire; Except where listed as EXPN	E	\$19,500	\$127,300	\$146,800	\$0	\$146,800
	259	Pearlymussel, cracking ( <i>Hemistena lata</i> ) - Entire Range; Except where listed as EXPN	E	\$46,400	\$249,450	\$295,850	\$966	\$296,816
	820	Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> )	E	\$8,900	\$511	\$9,411	\$700	\$10,111
	990	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - AL; Free-Flowing Reach of the Tenn River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$0	\$0	\$834	\$834
	550	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - Entire Range; Except where listed as EXPN	E	\$48,400	\$2,850	\$51,250	\$966	\$52,216

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	462	Pearlmyssel, littlewing ( <i>Pegias fabula</i> )	E	\$53,500	\$1,890	\$55,390	\$23,565	\$78,955
	932	Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> )	E	\$3,800	\$0	\$3,800	\$0	\$3,800
	1014	Pigtoe, dark ( <i>Pleurobema furvum</i> )	E	\$100	\$0	\$100	\$0	\$100
	342	Pigtoe, fineryed ( <i>Fusconaia cuneolus</i> ) – Entire; Except EXPN	E	\$27,000	\$128,024	\$155,024	\$0	\$155,024
	1007	Pigtoe, flat ( <i>Pleurobema marshalli</i> )	E	\$0	\$0	\$0	\$400	\$400
	953	Pigtoe, heavy ( <i>Pleurobema taitianum</i> )	E	\$1,100	\$300	\$1,400	\$1,334	\$2,734
	384	Pigtoe, oval ( <i>Pleurobema pyriforme</i> )	E	\$115,800	\$800	\$116,600	\$2,500	\$119,100
	528	Pigtoe, rough ( <i>Pleurobema plenum</i> )	E	\$41,400	\$13,550	\$54,950	\$2,000	\$56,950
	982	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$1,290	\$1,290	\$0	\$1,290
	341	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - Entire Range; Except where listed as EXPN	E	\$34,600	\$123,124	\$157,724	\$0	\$157,724
	848	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$8,500	\$0	\$8,500	\$0	\$8,500
	665	Pigtoe, southern ( <i>Pleurobema georgianum</i> )	E	\$10,800	\$12,500	\$23,300	\$2,000	\$25,300
	239	Pimpleback, orangefoot (pearlmyssel) ( <i>Plethobasus cooperianus</i> )	E	\$33,500	\$302,700	\$336,200	\$5,000	\$341,200
	272	Pocketbook, fat ( <i>Potamilus capax</i> )	E	\$166,200	\$86,191	\$252,391	\$21,401	\$273,792
	659	Pocketbook, finelined ( <i>Lampsilis altilis</i> )	T	\$11,300	\$12,100	\$23,400	\$2,500	\$25,900
	654	Pocketbook, Ouachita rock ( <i>Arkansia wheeleri</i> )	E	\$21,600	\$4,186	\$25,786	\$1,200	\$26,986
	307	Pocketbook, shinyrayed ( <i>Lampsilis subangulata</i> )	E	\$199,500	\$4,710	\$204,210	\$3,500	\$207,710
	755	Pocketbook, speckled ( <i>Lampsilis streckeri</i> )	E	\$14,500	\$256	\$14,756	\$0	\$14,756
	548	Rabbitsfoot, rough ( <i>Quadrula cylindrica strigillata</i> )	E	\$35,900	\$16,490	\$52,390	\$0	\$52,390
	254	Riffleshell, northern ( <i>Epioblasma torulosa rangiana</i> )	E	\$49,600	\$233,788	\$283,388	\$20,660	\$304,048
	377	Riffleshell, tan ( <i>Epioblasma florentina walkerii</i> (= <i>E. walkerii</i> ))	E	\$115,409	\$7,790	\$123,199	\$966	\$124,165
	672	Ring pink (mussel) ( <i>Obovaria retusa</i> ) U.S.A. (TN - specified portions of the French Broad and Holston R)	EXPN	\$24,400	\$0	\$24,400	\$0	\$24,400

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	520	Ring pink (mussel) ( <i>Obovaria retusa</i> )	E	\$36,800	\$21,150	\$57,950	\$0	\$57,950
	319	Slabshell, Chipola ( <i>Elliptio chipolaensis</i> )	T	\$47,500	\$145,700	\$193,200	\$0	\$193,200
	357	Spiny mussel, James ( <i>Pleurobema collina</i> )	E	\$88,334	\$27,882	\$116,216	\$22,000	\$138,216
	381	Spiny mussel, Tar River ( <i>Elliptio steinstansana</i> )	E	\$94,700	\$0	\$94,700	\$26,957	\$121,657
	1007	Stirrupshell ( <i>Quadrula stapes</i> )	E	\$0	\$0	\$0	\$400	\$400
	255	Three-ridge, fat (mussel) ( <i>Amblema neislerii</i> )	E	\$156,800	\$144,310	\$301,110	\$0	\$301,110
	222	Wartyback, white (pearly mussel) ( <i>Plethobasus cicatricosus</i> )	E	\$5,300	\$391,800	\$397,100	\$0	\$397,100
	249	Wedgemussel, dwarf ( <i>Alasmidonta heterodon</i> )	E	\$51,830	\$233,670	\$285,500	\$30,352	\$315,852
Clams subtotal				\$3,270,177	\$4,008,705	\$7,278,882	\$502,965	\$7,781,847
Snails	242	Abalone, White ( <i>Haliotis sorenseni</i> ) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$0	\$330,883	\$330,883	\$0	\$330,883
	493	Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> )	E	\$5,000	\$34,300	\$39,300	\$27,100	\$66,400
	975	Campeloma, slender ( <i>Campeloma decampi</i> )	E	\$1,700	\$0	\$1,700	\$0	\$1,700
	574	Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> )	E	\$44,500	\$0	\$44,500	\$1,500	\$46,000
	898	Elimia, lacy (snail) ( <i>Elimia crenatella</i> )	T	\$5,600	\$0	\$5,600	\$0	\$5,600
	662	Limpet, Banbury Springs ( <i>Lanx</i> sp.)	E	\$19,398	\$1,600	\$20,998	\$4,773	\$25,771
	841	Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )	E	\$8,100	\$1,000	\$9,100	\$0	\$9,100
	730	Marstonia, royal (snail) ( <i>Pyrgulopsis ogmorhapse</i> )	E	\$17,300	\$0	\$17,300	\$0	\$17,300
	1014	Pebblesnail, flat ( <i>Lepyrium showalteri</i> )	E	\$100	\$0	\$100	\$0	\$100
	992	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$0	\$800	\$800	\$0	\$800
	746	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - Entire Range; Except where listed as EXPN	E	\$13,500	\$2,124	\$15,624	\$0	\$15,624
	797	Rocks nail, painted ( <i>Leptoxis taeniata</i> )	T	\$11,600	\$0	\$11,600	\$0	\$11,600
	797	Rocks nail, plicate ( <i>Leptoxis plicata</i> )	E	\$11,600	\$0	\$11,600	\$0	\$11,600
	964	Rocks nail, round ( <i>Leptoxis ampla</i> )	T	\$2,100	\$0	\$2,100	\$0	\$2,100

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	999	Shagreen, Magazine Mountain ( <i>Mesodon magazinensis</i> )	T	\$600	\$0	\$600	\$0	\$600
	975	Snail, armored ( <i>Pyrgulopsis</i> (= <i>Marstonia</i> ) <i>pachyta</i> )	E	\$1,700	\$0	\$1,700	\$0	\$1,700
	287	Snail, Bliss Rapids ( <i>Taylorconcha serpenticola</i> )	T	\$199,779	\$37,516	\$237,295	\$4,773	\$242,068
	991	Snail, Chittanooga ovate amber ( <i>Succinea chittanoogaensis</i> )	T	\$0	\$183	\$183	\$650	\$833
	972	Snail, flat-spined three-toothed ( <i>Triodopsis platysayoides</i> )	T	\$500	\$162	\$662	\$1,200	\$1,862
	708	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )	E	\$16,200	\$2,000	\$18,200	\$1,500	\$19,700
	396	Snail, Morro shoulderband (=Banded dune) ( <i>Helminthoglypta walkeriana</i> )	E	\$105,084	\$1,000	\$106,084	\$0	\$106,084
	869	Snail, Newcomb's ( <i>Erinna newcombi</i> )	T	\$7,300	\$0	\$7,300	\$0	\$7,300
	937	Snail, noonday ( <i>Mesodon clarki nantahala</i> )	T	\$3,600	\$0	\$3,600	\$0	\$3,600
	636	Snail, painted snake coiled forest ( <i>Anguispira picta</i> )	T	\$29,500	\$0	\$29,500	\$0	\$29,500
	937	Snail, Pecos assiminea ( <i>Assiminea pecos</i> )	E	\$2,600	\$0	\$2,600	\$1,000	\$3,600
	230	Snail, Snake River physa ( <i>Physa natricina</i> )	E	\$90,995	\$267,400	\$358,395	\$4,773	\$363,168
	859	Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. <i>nesodryas</i> ))	T	\$6,600	\$1,276	\$7,876	\$0	\$7,876
	854	Snail, tulotoma ( <i>Tulotoma magnifica</i> )	E	\$6,100	\$2,000	\$8,100	\$0	\$8,100
	241	Snail, Utah valvata ( <i>Valvata utahensis</i> )	E	\$210,080	\$118,373	\$328,453	\$4,773	\$333,226
	562	Snail, Virginia fringed mountain ( <i>Polygyriscus virginianus</i> )	E	\$49,400	\$200	\$49,600	\$0	\$49,600
	327	Snails, Oahu tree ( <i>Achatinella</i> spp.)	E*	\$20,500	\$161,678	\$182,178	\$0	\$182,178
	979	Springsnail, Alamosa ( <i>Tryonia alamosae</i> )	E	\$500	\$0	\$500	\$1,000	\$1,500
	325	Springsnail, Bruneau Hot ( <i>Pyrgulopsis bruneauensis</i> )	E	\$177,674	\$4,000	\$181,674	\$5,431	\$187,105
	937	Springsnail, Koster's ( <i>Jurnia kosteri</i> )	E	\$2,600	\$0	\$2,600	\$1,000	\$3,600
	845	Springsnail, Roswell ( <i>Pyrgulopsis roswellensis</i> )	E	\$7,800	\$0	\$7,800	\$1,000	\$8,800
	979	Springsnail, Socorro ( <i>Pyrgulopsis neomexicana</i> )	E	\$500	\$0	\$500	\$1,000	\$1,500
Snails subtotal				\$1,080,110	\$966,495	\$2,046,605	\$61,473	\$2,108,078
Insects	142	Beetle, American burying ( <i>Nicrophorus americanus</i> )	E	\$226,412	\$491,408	\$717,820	\$73,600	\$791,420





Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	805	Pomace fly, [unnamed] ( <i>Drosophila obatai</i> )	E	\$10,820	\$0	\$10,820	\$0	\$10,820
	835	Pomace fly, [unnamed] ( <i>Drosophila ochrobasis</i> )	E	\$9,420	\$0	\$9,420	\$0	\$9,420
	721	Pomace fly, [unnamed] ( <i>Drosophila substenoptera</i> )	E	\$9,620	\$8,729	\$18,349	\$0	\$18,349
	831	Pomace fly, [unnamed] ( <i>Drosophila tarphytrichia</i> )	E	\$9,620	\$0	\$9,620	\$0	\$9,620
	317	Skipper, Carson wandering ( <i>Pseudocopaedes eunus obscurus</i> )	E	\$79,500	\$116,000	\$195,500	\$0	\$195,500
	620	Skipper, Pawnee montane ( <i>Hesperia leonardus montana</i> )	T	\$10,187	\$22,050	\$32,237	\$0	\$32,237
	352	Tiger beetle, northeastern beach ( <i>Cicindela dorsalis dorsalis</i> )	T	\$95,915	\$47,725	\$143,640	\$1,500	\$145,140
	619	Tiger beetle, Ohlone ( <i>Cicindela ohlone</i> )	E	\$33,043	\$0	\$33,043	\$0	\$33,043
	455	Tiger beetle, Puritan ( <i>Cicindela puritana</i> )	T	\$44,101	\$37,523	\$81,624	\$2,000	\$83,624
	411	Tiger beetle, Salt Creek ( <i>Cicindela nevadica lincolniana</i> )	E	\$41,090	\$4,000	\$45,090	\$55,500	\$100,590
Insects subtotal				\$3,874,705	\$11,750,198	\$15,624,903	\$482,030	\$16,106,933
Arachnids	961	Harvestman, Bee Creek Cave ( <i>Texella reddelli</i> )	E	\$2,000	\$300	\$2,300	\$0	\$2,300
	963	Harvestman, Bone Cave ( <i>Texella reyesi</i> )	E	\$2,000	\$200	\$2,200	\$0	\$2,200
	979	Harvestman, Cokendolpher Cave ( <i>Texella cokendolpheri</i> )	E	\$1,500	\$0	\$1,500	\$0	\$1,500
	979	Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> )	E	\$1,500	\$0	\$1,500	\$0	\$1,500
	983	Meshweaver, Government Canyon Bat Cave ( <i>Cicurina vespera</i> )	E	\$1,000	\$200	\$1,200	\$0	\$1,200
	286	Meshweaver, Madla's Cave ( <i>Cicurina madla</i> )	E	\$1,000	\$242,100	\$243,100	\$0	\$243,100
	994	Meshweaver, Robber Baron Cave ( <i>Cicurina baronia</i> )	E	\$500	\$200	\$700	\$0	\$700
	994	Pseudoscorpion, Tooth Cave ( <i>Tartarocreagris texana</i> )	E	\$500	\$200	\$700	\$0	\$700
	963	Spider, Government Canyon Bat Cave ( <i>Neoleptoneta microps</i> )	E	\$2,000	\$200	\$2,200	\$0	\$2,200
	747	Spider, Kauai cave wolf or pe'e pe'e maka 'ole ( <i>Adelocosa anops</i> )	E	\$15,500	\$0	\$15,500	\$0	\$15,500
	862	Spider, spruce-fir moss ( <i>Microhexura montivaga</i> )	E	\$7,700	\$0	\$7,700	\$0	\$7,700
	963	Spider, Tooth Cave ( <i>Leptoneta myopica</i> )	E	\$2,000	\$200	\$2,200	\$0	\$2,200
Arachnids subtotal				\$37,200	\$243,600	\$280,800	\$0	\$280,800
Crustaceans	810	Amphipod, Hay's Spring ( <i>Stygobromus hayi</i> )	E	\$10,584	\$0	\$10,584	\$0	\$10,584

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	600	Amphipod, Illinois cave ( <i>Gammarus acherondytes</i> )	E	\$6,500	\$0	\$6,500	\$33,020	\$39,520
	754	Amphipod, Kauai cave ( <i>Spelaorchestia koloana</i> )	E	\$15,000	\$0	\$15,000	\$0	\$15,000
	937	Amphipod, Noel's ( <i>Gammarus desperatus</i> )	E	\$2,600	\$0	\$2,600	\$1,000	\$3,600
	700	Amphipod, Peck's cave ( <i>Stygobromus (=Stygonectes) pecki</i> )	E	\$20,926	\$200	\$21,126	\$0	\$21,126
	645	Crayfish, cave ( <i>Cambarus aculabrum</i> )	E	\$28,000	\$0	\$28,000	\$0	\$28,000
	866	Crayfish, cave ( <i>Cambarus zophonastes</i> )	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	560	Crayfish, Nashville ( <i>Orconectes shoupi</i> )	E	\$47,000	\$4,000	\$51,000	\$0	\$51,000
	861	Crayfish, Shasta ( <i>Pacifastacus fortis</i> )	E	\$6,768	\$1,000	\$7,768	\$0	\$7,768
	385	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )	E	\$86,277	\$32,400	\$118,677	\$0	\$118,677
	141	Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> )	E	\$767,743	\$24,500	\$792,243	\$0	\$792,243
	162	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	\$427,806	\$200,310	\$628,116	\$0	\$628,116
	137	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	\$452,076	\$389,081	\$841,157	\$0	\$841,157
	84	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	\$1,140,507	\$495,393	\$1,635,900	\$0	\$1,635,900
	689	Isopod, Lee County cave ( <i>Lirceus usdagalun</i> )	E	\$22,000	\$0	\$22,000	\$0	\$22,000
	479	Isopod, Madison Cave ( <i>Antrolana lira</i> )	T	\$53,400	\$17,262	\$70,662	\$88	\$70,750
	871	Isopod, Socorro ( <i>Thermosphaeroma thermophilus</i> )	E	\$4,000	\$2,000	\$6,000	\$1,250	\$7,250
	576	Shrimp, Alabama cave ( <i>Palaemonias alabamae</i> )	E	\$0	\$45,833	\$45,833	\$0	\$45,833
	555	Shrimp, California freshwater ( <i>Syncaris pacifica</i> )	E	\$6,811	\$44,565	\$51,376	\$0	\$51,376
	808	Shrimp, Kentucky cave ( <i>Palaemonias ganteri</i> )	E	\$7,500	\$3,150	\$10,650	\$0	\$10,650
	878	Shrimp, Squirrel Chimney Cave ( <i>Palaemonetes cummingi</i> )	T	\$7,000	\$0	\$7,000	\$0	\$7,000
	103	Tadpole shrimp, vernal pool ( <i>Lepidurus packardii</i> )	E	\$932,377	\$262,700	\$1,195,077	\$0	\$1,195,077
Crustaceans subtotal				\$4,052,375	\$1,522,394	\$5,574,769	\$35,358	\$5,610,127
Corals	323	Coral, elkhorn ( <i>Acropora palmata</i> )	T	\$0	\$189,076	\$189,076	\$0	\$189,076
	427	Coral, staghorn ( <i>Acropora cervicornis</i> )	T	\$0	\$93,942	\$93,942	\$0	\$93,942
Corals subtotal				\$0	\$283,018	\$283,018	\$0	\$283,018

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Flowering Plants	875	Alani ( <i>Melicope adscendens</i> )	E	\$7,100	\$0	\$7,100	\$0	\$7,100
	723	Alani ( <i>Melicope balloui</i> )	E	\$5,000	\$13,300	\$18,300	\$0	\$18,300
	898	Alani ( <i>Melicope haupuensis</i> )	E	\$5,600	\$0	\$5,600	\$0	\$5,600
	858	Alani ( <i>Melicope knudsenii</i> )	E	\$7,900	\$0	\$7,900	\$0	\$7,900
	727	Alani ( <i>Melicope lydgatei</i> )	E	\$9,000	\$8,729	\$17,729	\$0	\$17,729
	925	Alani ( <i>Melicope mucronulata</i> )	E	\$4,100	\$0	\$4,100	\$0	\$4,100
	937	Alani ( <i>Melicope munroi</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	668	Alani ( <i>Melicope ovalis</i> )	E	\$3,500	\$21,300	\$24,800	\$0	\$24,800
	844	Alani ( <i>Melicope pallida</i> )	E	\$8,000	\$961	\$8,961	\$0	\$8,961
	940	Alani ( <i>Melicope quadrangularis</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	940	Alani ( <i>Melicope reflexa</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	937	Alani ( <i>Melicope saint-johnii</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	729	Alani ( <i>Melicope zahlbruckneri</i> )	E	\$3,600	\$14,000	\$17,600	\$0	\$17,600
	1000	Allocarya, Calistoga ( <i>Plagiobothrys strictus</i> )	E	\$576	\$0	\$576	\$0	\$576
	784	Alopecurus, Sonoma ( <i>Alopecurus aequalis</i> var. <i>sonomensis</i> )	E	\$0	\$12,475	\$12,475	\$0	\$12,475
	233	Amaranth, seabeach ( <i>Amaranthus pumilus</i> )	T	\$61,471	\$290,149	\$351,620	\$5,240	\$356,860
	213	Ambrosia, San Diego ( <i>Ambrosia pumila</i> )	E	\$423,653	\$1,000	\$424,653	\$0	\$424,653
	282	Ambrosia, south Texas ( <i>Ambrosia cheiranthifolia</i> )	E	\$40,600	\$213,500	\$254,100	\$0	\$254,100
	243	Amole, purple ( <i>Chlorogalum purpureum</i> )	T	\$22,414	\$307,491	\$329,905	\$0	\$329,905
	777	Amphianthus, little ( <i>Amphianthus pusillus</i> )	T	\$3,000	\$8,360	\$11,360	\$1,500	\$12,860
812	Arrowhead, bunched ( <i>Sagittaria fasciculata</i> )	E	\$4,450	\$0	\$4,450	\$6,060	\$10,510	
487	Aster, decurrent false ( <i>Boltonia decurrens</i> )	T	\$33,500	\$31,811	\$65,311	\$2,666	\$67,977	
858	Aster, Florida golden ( <i>Chrysopsis floridana</i> )	E	\$7,900	\$0	\$7,900	\$0	\$7,900	
701	Aster, Ruth's golden ( <i>Pityopsis ruthii</i> )	E	\$13,000	\$8,000	\$21,000	\$0	\$21,000	
201	Aupaka ( <i>Isodendron hosakae</i> )	E	\$4,500	\$449,010	\$453,510	\$0	\$453,510	
782	Aupaka ( <i>Isodendron laurifolium</i> )	E	\$12,600	\$0	\$12,600	\$0	\$12,600	
804	Aupaka ( <i>Isodendron longifolium</i> )	T	\$10,000	\$961	\$10,961	\$0	\$10,961	
811	Avens, spreading ( <i>Geum radiatum</i> )	E	\$3,850	\$4,210	\$8,060	\$2,520	\$10,580	
913	Awiwi ( <i>Centaurium sebaeoides</i> )	E	\$4,600	\$0	\$4,600	\$0	\$4,600	
937	Awiwi ( <i>Hedyotis cookiana</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600	
273	Ayenia, Texas ( <i>Ayenia limitaris</i> )	E	\$59,600	\$213,500	\$273,100	\$0	\$273,100	
868	A'e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> )	E	\$7,400	\$0	\$7,400	\$0	\$7,400	

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	197	A'e ( <i>Zanthoxylum hawaiiense</i> )	E	\$10,500	\$449,010	\$459,510	\$0	\$459,510
	795	Barberry, island ( <i>Berberis pinnata</i> ssp. <i>insularis</i> )	E	\$4,685	\$7,000	\$11,685	\$0	\$11,685
	606	Barberry, Nevin's ( <i>Berberis nevinii</i> )	E	\$30,890	\$6,000	\$36,890	\$0	\$36,890
	979	Bariaco ( <i>Trichilia triacantha</i> )	E	\$1,500	\$0	\$1,500	\$0	\$1,500
	838	Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> )	T	\$9,150	\$200	\$9,350	\$0	\$9,350
	656	Bear-poppy, dwarf ( <i>Arctomecon humilis</i> )	E	\$5,000	\$21,000	\$26,000	\$700	\$26,700
	905	Beardtongue, Penland ( <i>Penstemon penlandii</i> )	E	\$600	\$4,500	\$5,100	\$0	\$5,100
	1003	Beargrass, Britton's ( <i>Nolina brittoniana</i> )	E	\$500	\$0	\$500	\$0	\$500
	568	Beauty, Harper's ( <i>Harperocalis flava</i> )	E	\$14,000	\$34,000	\$48,000	\$0	\$48,000
	613	Bedstraw, El Dorado ( <i>Galium californicum</i> ssp. <i>sierrae</i> )	E	\$3,984	\$31,700	\$35,684	\$0	\$35,684
	878	Bedstraw, island ( <i>Galium buxifolium</i> )	E	\$0	\$7,000	\$7,000	\$0	\$7,000
	707	Birch, Virginia round-leaf ( <i>Betula uber</i> )	T	\$20,000	\$0	\$20,000	\$0	\$20,000
	393	Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )	E	\$19,440	\$89,300	\$108,740	\$0	\$108,740
	945	Bird's-beak, Pennell's ( <i>Cordylanthus tenuis</i> ssp. <i>capillaris</i> )	E	\$3,120	\$0	\$3,120	\$0	\$3,120
	320	Bird's-beak, salt marsh ( <i>Cordylanthus maritimus</i> ssp. <i>maritimus</i> )	E	\$125,013	\$66,652	\$191,665	\$0	\$191,665
	957	Bird's-beak, soft ( <i>Cordylanthus mollis</i> ssp. <i>mollis</i> )	E	\$2,555	\$0	\$2,555	\$0	\$2,555
	635	Birds-in-a-nest, white ( <i>Macbridea alba</i> )	T	\$16,000	\$13,600	\$29,600	\$0	\$29,600
	998	Bittercress, small-anthered ( <i>Cardamine micranthera</i> )	E	\$400	\$0	\$400	\$240	\$640
	684	Bladderpod, Dudley Bluffs ( <i>Lesquerella congesta</i> )	T	\$11,442	\$11,200	\$22,642	\$0	\$22,642
	603	Bladderpod, kodachrome ( <i>Lesquerella tumulosa</i> )	E	\$17,000	\$20,750	\$37,750	\$0	\$37,750
	541	Bladderpod, Missouri ( <i>Lesquerella filiformis</i> )	T	\$31,900	\$17,108	\$49,008	\$4,800	\$53,808
	955	Bladderpod, San Bernardino Mountains ( <i>Lesquerella kingii</i> ssp. <i>bernardina</i> )	E	\$2,675	\$0	\$2,675	\$0	\$2,675
	683	Bladderpod, Spring Creek ( <i>Lesquerella perforata</i> )	E	\$18,500	\$4,256	\$22,756	\$0	\$22,756
	908	Bladderpod, white ( <i>Lesquerella pallida</i> )	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	298	Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> )	E	\$12,500	\$216,500	\$229,000	\$0	\$229,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	703	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )	T	\$20,400	\$0	\$20,400	\$0	\$20,400
	922	Blazingstar, Heller's ( <i>Liatris helleri</i> )	T	\$0	\$2,560	\$2,560	\$1,710	\$4,270
	846	Blazingstar, scrub ( <i>Liatris ohlingerae</i> )	E	\$8,600	\$0	\$8,600	\$0	\$8,600
	959	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> )	E	\$500	\$1,000	\$1,500	\$900	\$2,400
	937	Bluegrass, Hawaiian ( <i>Poa sandvicensis</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	927	Bluegrass, Mann's ( <i>Poa mannii</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	1008	Bluegrass, Napa ( <i>Poa napensis</i> )	E	\$385	\$0	\$385	\$0	\$385
	460	Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> )	E	\$63,885	\$16,000	\$79,885	\$0	\$79,885
	974	Bluet, Roan Mountain ( <i>Hedyotis purpurea</i> var. <i>montana</i> )	E	\$1,000	\$0	\$1,000	\$720	\$1,720
	892	Bonamia, Florida ( <i>Bonamia grandiflora</i> )	T	\$6,100	\$0	\$6,100	\$0	\$6,100
	963	Boxwood, Vahl's ( <i>Buxus vahlII</i> )	E	\$2,200	\$0	\$2,200	\$0	\$2,200
	726	Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> )	T	\$16,860	\$1,000	\$17,860	\$0	\$17,860
	374	Brodiaea, thread-leaved ( <i>Brodiaea filifolia</i> )	T	\$21,720	\$104,072	\$125,792	\$0	\$125,792
	510	Broom, San Clemente Island ( <i>Lotus dendroideus</i> ssp. <i>traskiae</i> )	E	\$0	\$61,937	\$61,937	\$0	\$61,937
	1012	Buckwheat, cushionbury ( <i>Eriogonum ovalifolium</i> var. <i>vineum</i> )	E	\$135	\$0	\$135	\$0	\$135
	1005	Buckwheat, Ione (incl. Irish Hill) ( <i>Eriogonum apricum</i> (incl. var. <i>prostratum</i> ))	E	\$145	\$300	\$445	\$0	\$445
	493	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> )	T	\$26,400	\$40,000	\$66,400	\$0	\$66,400
	467	Buckwheat, steamboat ( <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> )	E	\$10,500	\$67,000	\$77,500	\$0	\$77,500
	743	Bulrush, Northeastern ( <i>Scirpus ancistrochaetus</i> )	E	\$9,300	\$5,137	\$14,437	\$1,404	\$15,841
	587	Bush-clover, prairie ( <i>Lespedeza leptostachya</i> )	T	\$6,500	\$27,455	\$33,955	\$9,212	\$43,167
	500	Bush-mallow, San Clemente Island ( <i>Malacothamnus clementinus</i> )	E	\$2,567	\$61,937	\$64,504	\$0	\$64,504
	878	Bush-mallow, Santa Cruz Island ( <i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i> )	E	\$0	\$7,000	\$7,000	\$0	\$7,000
	751	Buttercup, autumn ( <i>Ranunculus aestivalis</i> (= <i>acrifomis</i> ))	E	\$15,000	\$250	\$15,250	\$0	\$15,250
	312	Butterfly plant, Colorado ( <i>Gaura neomexicana</i> var. <i>coloradensis</i> )	T	\$6,904	\$187,271	\$194,175	\$6,000	\$200,175



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	695	Cactus, Siler pincushion ( <i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i> ) <i>sileri</i> )	T	\$1,200	\$19,500	\$20,700	\$900	\$21,600
	345	Cactus, Sneed pincushion ( <i>Coryphantha sneedii</i> var. <i>sneedii</i> )	E	\$1,000	\$149,900	\$150,900	\$0	\$150,900
	176	Cactus, star ( <i>Astrophytum asterias</i> )	E	\$66,000	\$213,500	\$279,500	\$257,656	\$537,156
	791	Cactus, Tobusch fishhook ( <i>Ancistrocactus tobuschii</i> )	E	\$10,000	\$0	\$10,000	\$2,000	\$12,000
	623	Cactus, Winkler ( <i>Pediocactus winkleri</i> )	T	\$5,000	\$26,828	\$31,828	\$0	\$31,828
	681	Cactus, Wright fishhook ( <i>Sclerocactus wrightiae</i> )	E	\$5,000	\$17,878	\$22,878	\$0	\$22,878
	860	Campion, fringed ( <i>Silene polypetala</i> )	E	\$3,300	\$3,000	\$6,300	\$1,500	\$7,800
	1003	Capa rosa ( <i>Callicarpa ampla</i> )	E	\$500	\$0	\$500	\$0	\$500
	1003	Cat's-eye, Terlingua Creek ( <i>Cryptantha crassipes</i> )	E	\$500	\$0	\$500	\$0	\$500
	221	Catchfly, Spalding's ( <i>Silene spaldingii</i> )	T	\$218,899	\$163,346	\$382,245	\$15,880	\$398,125
	910	Ceanothus, coyote ( <i>Ceanothus ferrisiae</i> )	E	\$4,895	\$0	\$4,895	\$0	\$4,895
	618	Ceanothus, Pine Hill ( <i>Ceanothus roderickii</i> )	E	\$5,135	\$28,200	\$33,335	\$0	\$33,335
	625	Centauray, spring-loving ( <i>Centaureum namophilum</i> )	T	\$31,000	\$0	\$31,000	\$0	\$31,000
	742	Chaff-flower, round-leaved ( <i>Achyranthes splendens</i> var. <i>rotundata</i> )	E	\$16,100	\$0	\$16,100	\$0	\$16,100
	274	Chaffseed, American ( <i>Schwalbea americana</i> )	E	\$49,735	\$218,159	\$267,894	\$5,200	\$273,094
	753	Checker-mallow, Keck's ( <i>Sidalcea keckii</i> )	E	\$15,040	\$0	\$15,040	\$0	\$15,040
	906	Checker-mallow, Kenwood Marsh ( <i>Sidalcea oregana</i> ssp. <i>valida</i> )	E	\$5,090	\$0	\$5,090	\$0	\$5,090
	253	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> )	T	\$237,102	\$47,353	\$284,455	\$21,429	\$305,884
	237	Checkermallow, Wenatchee Mts ( <i>Sidalcea oregana</i> var. <i>calva</i> )	E	\$306,400	\$44,371	\$350,771	\$0	\$350,771
	941	Chumbo, Higo ( <i>Harrisia portoricensis</i> )	T	\$3,400	\$0	\$3,400	\$0	\$3,400
	1003	Chupacallos ( <i>Pleodendron macranthum</i> )	E	\$500	\$0	\$500	\$0	\$500
	944	Clarkia, Pismo ( <i>Clarkia speciosa</i> ssp. <i>immaculata</i> )	E	\$3,155	\$0	\$3,155	\$0	\$3,155
	657	Clarkia, Presidio ( <i>Clarkia franciscana</i> )	E	\$770	\$25,910	\$26,680	\$0	\$26,680
	960	Clarkia, Springville ( <i>Clarkia springvillensis</i> )	T	\$2,305	\$0	\$2,305	\$0	\$2,305
	880	Cliff-rose, Arizona ( <i>Purshia</i> (= <i>Cowania</i> ) <i>subintegra</i> )	E	\$500	\$5,500	\$6,000	\$900	\$6,900

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	379	Clover, running buffalo ( <i>Trifolium stoloniferum</i> )	E	\$56,500	\$61,923	\$118,423	\$4,700	\$123,123
	827	Clover, showy Indian ( <i>Trifolium amoenum</i> )	E	\$2,880	\$6,900	\$9,780	\$0	\$9,780
	772	Cobana negra ( <i>Stahlia monosperma</i> )	T	\$13,300	\$0	\$13,300	\$0	\$13,300
	324	Coneflower, smooth ( <i>Echinacea laevigata</i> )	E	\$36,700	\$125,561	\$162,261	\$26,780	\$189,041
	523	Coneflower, Tennessee purple ( <i>Echinacea tennesseensis</i> )	E	\$57,500	\$200	\$57,700	\$0	\$57,700
	987	Cory cactus, bunched ( <i>Coryphantha ramillosa</i> )	T	\$1,000	\$0	\$1,000	\$0	\$1,000
	923	Crownscale, San Jacinto Valley ( <i>Artriplex coronata</i> var. <i>notatior</i> )	E	\$4,220	\$0	\$4,220	\$0	\$4,220
	630	Cycladenia, Jones ( <i>Cycladenia jonesii</i> (= <i>humilis</i> ))	T	\$5,000	\$24,660	\$29,660	\$900	\$30,560
	952	Daisy, lakeside ( <i>Hymenoxys herbacea</i> )	T	\$2,500	\$283	\$2,783	\$0	\$2,783
	738	Daisy, Maguire ( <i>Erigeron maguirei</i> )	T	\$5,000	\$11,260	\$16,260	\$0	\$16,260
	643	Daisy, Parish's ( <i>Erigeron parishii</i> )	T	\$135	\$28,305	\$28,440	\$0	\$28,440
	292	Daisy, Willamette ( <i>Erigeron decumbens</i> var. <i>decumbens</i> )	E	\$200,280	\$38,340	\$238,620	\$0	\$238,620
	511	Dawn-flower, Texas prairie ( <i>Hymenoxys texana</i> )	E	\$6,000	\$54,600	\$60,600	\$0	\$60,600
	256	Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> )	E	\$233,263	\$66,853	\$300,116	\$0	\$300,116
	791	Dogweed, ashy ( <i>Thymophylla tephroleuca</i> )	E	\$12,000	\$0	\$12,000	\$0	\$12,000
	637	Dropwort, Canby's ( <i>Oxypolis canbyi</i> )	E	\$22,100	\$4,629	\$26,729	\$2,500	\$29,229
	745	Dudleya, Conejo ( <i>Dudleya abramsii</i> ssp. <i>parva</i> )	T	\$14,730	\$1,000	\$15,730	\$0	\$15,730
	781	Dudleya, marcescent ( <i>Dudleya cymosa</i> ssp. <i>marcescens</i> )	T	\$11,685	\$1,000	\$12,685	\$0	\$12,685
	832	Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> )	E	\$9,600	\$0	\$9,600	\$0	\$9,600
	878	Dudleya, Santa Cruz Island ( <i>Dudleya nesiotica</i> )	T	\$0	\$7,000	\$7,000	\$0	\$7,000
	774	Dudleya, Verity's ( <i>Dudleya verityi</i> )	T	\$12,037	\$1,000	\$13,037	\$0	\$13,037
	775	Dudleya, Santa Monica Mountains ( <i>Dudleya cymosa</i> ssp. <i>ovatifolia</i> )	T	\$12,010	\$1,000	\$13,010	\$0	\$13,010
	696	Dwarf-flax, Marin ( <i>Hesperolinon congestum</i> )	T	\$0	\$21,400	\$21,400	\$0	\$21,400
	1003	Erubia ( <i>Solanum drymophilum</i> )	E	\$500	\$0	\$500	\$0	\$500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	814	Evening-primrose, Antioch Dunes ( <i>Oenothera deltooides</i> ssp. <i>howellii</i> )	E	\$4,260	\$6,200	\$10,460	\$0	\$10,460
	634	Evening-primrose, Eureka Valley ( <i>Oenothera avita</i> ssp. <i>eurekensis</i> )	E	\$12,810	\$17,000	\$29,810	\$0	\$29,810
	507	Evening-primrose, San Benito ( <i>Camissonia benitensis</i> )	T	\$26,170	\$36,000	\$62,170	\$0	\$62,170
	759	Fiddleneck, large-flowered ( <i>Amsinckia grandiflora</i> )	E	\$2,555	\$11,905	\$14,460	\$0	\$14,460
	565	Flannelbush, Mexican ( <i>Fremontodendron mexicanum</i> )	E	\$14,915	\$34,000	\$48,915	\$0	\$48,915
	736	Flannelbush, Pine Hill ( <i>Fremontodendron californicum</i> ssp. <i>decumbens</i> )	E	\$2,975	\$13,700	\$16,675	\$0	\$16,675
	949	Fleabane, Zuni ( <i>Erigeron rhizomatus</i> )	T	\$0	\$2,000	\$2,000	\$900	\$2,900
	264	Four-o'clock, MacFarlane's ( <i>Mirabilis macfarlanei</i> )	T	\$215,586	\$67,212	\$282,798	\$2,623	\$285,421
	294	Frankenia, Johnston's ( <i>Frankenia johnstonii</i> )	E	\$20,000	\$213,500	\$233,500	\$0	\$233,500
	776	Fringe-tree, pygmy ( <i>Chionanthus pygmaeus</i> )	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	825	Fringepod, Santa Cruz Island ( <i>Thysanocarpus conchuliferus</i> )	E	\$2,805	\$7,000	\$9,805	\$0	\$9,805
	182	Fritillary, Gentner's ( <i>Fritillaria gentneri</i> )	E	\$88,500	\$399,680	\$488,180	\$21,429	\$509,609
	826	Gardenia (=Na`u), Hawaiian ( <i>Gardenia brighamii</i> )	E	\$9,800	\$0	\$9,800	\$0	\$9,800
	551	Geranium, Hawaiian red-flowered ( <i>Geranium arboreum</i> )	E	\$8,000	\$44,153	\$52,153	\$0	\$52,153
	897	Gerardia, sandplain ( <i>Agalinis acuta</i> )	E	\$0	\$123	\$123	\$5,550	\$5,673
	878	Gilia, Hoffmann's slender-flowered ( <i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i> )	E	\$0	\$7,000	\$7,000	\$0	\$7,000
	496	Gilia, Monterey ( <i>Gilia tenuiflora</i> ssp. <i>arenaria</i> )	E	\$6,650	\$58,482	\$65,132	\$0	\$65,132
	806	Goetzea, beautiful ( <i>Goetzea elegans</i> )	E	\$10,800	\$0	\$10,800	\$0	\$10,800
	1001	Goldenrod, Blue Ridge ( <i>Solidago spithamaea</i> )	T	\$0	\$0	\$0	\$560	\$560
	661	Goldenrod, Houghton's ( <i>Solidago houghtonii</i> )	T	\$24,500	\$1,283	\$25,783	\$0	\$25,783
	483	Goldenrod, Short's ( <i>Solidago shortii</i> )	E	\$69,100	\$400	\$69,500	\$0	\$69,500
	703	Goldenrod, white-haired ( <i>Solidago albopilosa</i> )	T	\$4,000	\$16,400	\$20,400	\$0	\$20,400
	509	Goldfields, Burke's ( <i>Lasthenia burkei</i> )	E	\$61,470	\$496	\$61,966	\$0	\$61,966
	347	Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> )	E	\$95,375	\$52,600	\$147,975	\$0	\$147,975

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	609	Gooseberry, Miccosukee ( <i>Ribes echinellum</i> )	T	\$14,400	\$22,000	\$36,400	\$0	\$36,400
	890	Gourd, Okeechobee ( <i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i> )	E	\$3,700	\$2,524	\$6,224	\$0	\$6,224
	468	Grass, Colusa ( <i>Neostapfia colusana</i> )	T	\$38,280	\$38,800	\$77,080	\$0	\$77,080
	648	Grass, Eureka Dune ( <i>Swallenia alexandrae</i> )	E	\$10,650	\$17,000	\$27,650	\$0	\$27,650
	470	Grass, Solano ( <i>Tuctoria mucronata</i> )	E	\$31,585	\$45,200	\$76,785	\$0	\$76,785
	801	Grass, Tennessee yellow-eyed ( <i>Xyris tennesseensis</i> )	E	\$6,900	\$4,200	\$11,100	\$0	\$11,100
	667	Ground-plum, Guthrie's (=Pyne's) ( <i>Astragalus bibullatus</i> )	E	\$22,000	\$3,100	\$25,100	\$0	\$25,100
	919	Groundsel, San Francisco Peaks ( <i>Senecio franciscanus</i> )	T	\$500	\$3,000	\$3,500	\$900	\$4,400
	644	Gumplant, Ash Meadows ( <i>Grindelia fraxinopratensis</i> )	T	\$28,255	\$0	\$28,255	\$0	\$28,255
	711	Haha ( <i>Cyanea acuminata</i> )	E	\$10,600	\$8,729	\$19,329	\$0	\$19,329
	894	Haha ( <i>Cyanea asarifolia</i> )	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	940	Haha ( <i>Cyanea copelandii</i> ssp. <i>copelandii</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	734	Haha ( <i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i> )	E	\$3,500	\$13,300	\$16,800	\$0	\$16,800
	937	Haha ( <i>Cyanea dunbarii</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	708	Haha ( <i>Cyanea glabra</i> )	E	\$6,400	\$13,300	\$19,700	\$0	\$19,700
	829	Haha ( <i>Cyanea grimesiana</i> ssp. <i>grimesiana</i> )	E	\$9,500	\$200	\$9,700	\$0	\$9,700
	417	Haha ( <i>Cyanea grimesiana</i> ssp. <i>obatae</i> )	E	\$10,000	\$86,977	\$96,977	\$0	\$96,977
	885	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i> )	E	\$6,600	\$0	\$6,600	\$0	\$6,600
	614	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i> )	E	\$5,500	\$30,000	\$35,500	\$0	\$35,500
	785	Haha ( <i>Cyanea humboldtiana</i> )	E	\$3,600	\$8,729	\$12,329	\$0	\$12,329
	773	Haha ( <i>Cyanea koolauensis</i> )	E	\$4,500	\$8,729	\$13,229	\$0	\$13,229
	878	Haha ( <i>Cyanea lobata</i> )	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	429	Haha ( <i>Cyanea longiflora</i> )	E	\$6,500	\$86,977	\$93,477	\$0	\$93,477
	940	Haha ( <i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	937	Haha ( <i>Cyanea mannii</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	908	Haha ( <i>Cyanea mceldowneyi</i> )	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	937	Haha ( <i>Cyanea pinnatifida</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	940	Haha ( <i>Cyanea platyphylla</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	940	Haha ( <i>Cyanea procera</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	940	Haha ( <i>Cyanea recta</i> )	T	\$3,500	\$0	\$3,500	\$0	\$3,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	940	Haha ( <i>Cyanea remyi</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	516	Haha ( <i>Cyanea shipmanii</i> )	E	\$54,500	\$5,000	\$59,500	\$0	\$59,500
	787	Haha ( <i>Cyanea st.-johnii</i> )	E	\$3,500	\$8,729	\$12,229	\$0	\$12,229
	937	Haha ( <i>Cyanea stictophylla</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	430	Haha ( <i>Cyanea superba</i> )	E	\$6,300	\$86,977	\$93,277	\$0	\$93,277
	846	Haha ( <i>Cyanea truncata</i> )	E	\$8,600	\$0	\$8,600	\$0	\$8,600
	927	Haha ( <i>Cyanea undulata</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	563	Hala pepe ( <i>Pleomele hawaiiensis</i> )	E	\$7,400	\$41,954	\$49,354	\$0	\$49,354
	801	Harebells, Avon Park ( <i>Crotalaria avonensis</i> )	E	\$11,100	\$0	\$11,100	\$0	\$11,100
	547	Harperella ( <i>Ptilimnium nodosum</i> )	E	\$34,200	\$11,085	\$45,285	\$7,490	\$52,775
	729	Hau kuahiwi ( <i>Hibiscadelphus giffardianus</i> )	E	\$3,600	\$14,000	\$17,600	\$0	\$17,600
	809	Hau kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> )	E	\$5,600	\$5,000	\$10,600	\$0	\$10,600
	940	Hau kuahiwi ( <i>Hibiscadelphus woodii</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	940	Ha`iwale ( <i>Cyrtandra crenata</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	439	Ha`iwale ( <i>Cyrtandra dentata</i> )	E	\$4,000	\$86,977	\$90,977	\$0	\$90,977
	729	Ha`iwale ( <i>Cyrtandra giffardii</i> )	E	\$3,600	\$14,000	\$17,600	\$0	\$17,600
	918	Ha`iwale ( <i>Cyrtandra limahuliensis</i> )	T	\$3,500	\$961	\$4,461	\$0	\$4,461
	725	Ha`iwale ( <i>Cyrtandra munroi</i> )	E	\$17,900	\$0	\$17,900	\$0	\$17,900
	854	Ha`iwale ( <i>Cyrtandra polyantha</i> )	E	\$8,100	\$0	\$8,100	\$0	\$8,100
	787	Ha`iwale ( <i>Cyrtandra subumbellata</i> )	E	\$3,500	\$8,729	\$12,229	\$0	\$12,229
	677	Ha`iwale ( <i>Cyrtandra tintinnabula</i> )	E	\$9,200	\$14,000	\$23,200	\$0	\$23,200
	739	Ha`iwale ( <i>Cyrtandra viridiflora</i> )	E	\$7,500	\$8,729	\$16,229	\$0	\$16,229
	605	Heartleaf, dwarf-flowered ( <i>Hexastylis naniflora</i> )	T	\$15,600	\$9,200	\$24,800	\$12,240	\$37,040
	998	Heather, mountain golden ( <i>Hudsonia montana</i> )	T	\$0	\$0	\$0	\$640	\$640
	913	Heau ( <i>Exocarpos luteolus</i> )	E	\$4,600	\$0	\$4,600	\$0	\$4,600
	892	Hedyotis, Na Pali beach ( <i>Hedyotis st.-johnii</i> )	E	\$6,100	\$0	\$6,100	\$0	\$6,100
	937	Hibiscus, Clay's ( <i>Hibiscus clayi</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	866	Higuero de sierra ( <i>Crescentia portoricensis</i> )	E	\$7,500	\$0	\$7,500	\$0	\$7,500
	937	Holei ( <i>Ochrosia kilauaeensis</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	1003	Holly, Cook's ( <i>Ilex cookii</i> )	E	\$500	\$0	\$500	\$0	\$500
	200	Honohono ( <i>Haplostachys haplostachya</i> )	E	\$4,900	\$449,010	\$453,910	\$0	\$453,910
	316	Howellia, water ( <i>Howellia aquatilis</i> )	T	\$32,995	\$147,428	\$180,423	\$16,459	\$196,882

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	776	Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	927	Iagu, Hayun (=Guam), Tronkon guafi (Rota) ( <i>Serianthes nelsonii</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	937	Iliau, dwarf ( <i>Wilkesia hobyi</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	510	Indian paintbrush, San Clemente Island ( <i>Castilleja grisea</i> )	E	\$0	\$61,937	\$61,937	\$0	\$61,937
	822	Ipomopsis, Holy Ghost ( <i>Ipomopsis sancti-spiritus</i> )	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	646	Iris, dwarf lake ( <i>Iris lacustris</i> )	T	\$26,500	\$400	\$26,900	\$1,000	\$27,900
	712	Irisette, white ( <i>Sisyrinchium dichotomum</i> )	E	\$11,700	\$0	\$11,700	\$7,580	\$19,280
	733	Ischaemum, Hilo ( <i>Ischaemum byrone</i> )	E	\$3,600	\$13,300	\$16,900	\$0	\$16,900
	675	Ivesia, Ash Meadows ( <i>Ivesia kingii</i> var. <i>eremica</i> )	T	\$23,400	\$0	\$23,400	\$0	\$23,400
	798	Jacquemontia, beach ( <i>Jacquemontia reclinata</i> )	E	\$7,700	\$3,666	\$11,366	\$0	\$11,366
	578	Jewelflower, California ( <i>Caulanthus californicus</i> )	E	\$29,440	\$15,500	\$44,940	\$0	\$44,940
	886	Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus</i> ssp. <i>albidus</i> )	E	\$6,575	\$0	\$6,575	\$0	\$6,575
	901	Jewelflower, Tiburon ( <i>Streptanthus niger</i> )	E	\$5,280	\$0	\$5,280	\$0	\$5,280
	694	Joint-vetch, sensitive ( <i>Aeschynomene virginica</i> )	T	\$16,863	\$3,322	\$20,185	\$1,500	\$21,685
	785	Kamakahala ( <i>Labordia cyrtandrae</i> )	E	\$3,600	\$8,729	\$12,329	\$0	\$12,329
	894	Kamakahala ( <i>Labordia lydgatei</i> )	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	937	Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	940	Kamakahala ( <i>Labordia tinifolia</i> var. <i>wahiawaensis</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	940	Kamakahala ( <i>Labordia triflora</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	426	Kamanomano ( <i>Cenchrus agrimonoides</i> )	E	\$7,300	\$86,977	\$94,277	\$0	\$94,277
	898	Kauai hau kuahiwi ( <i>Hibiscadelphus distans</i> )	E	\$5,600	\$0	\$5,600	\$0	\$5,600
	546	Kauila ( <i>Colubrina oppositifolia</i> )	E	\$13,000	\$40,000	\$53,000	\$0	\$53,000
	782	Kaulu ( <i>Pteralyxia kauaiensis</i> )	E	\$12,600	\$0	\$12,600	\$0	\$12,600
	170	Kio'ele ( <i>Hedyotis coriacea</i> )	E	\$3,800	\$581,421	\$585,221	\$0	\$585,221
	517	Kiponapona ( <i>Phyllostegia racemosa</i> )	E	\$54,100	\$5,000	\$59,100	\$0	\$59,100
	937	Kohe malama malama o kanaloa ( <i>Kanaloa kahoowawensis</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	937	Koki`o ( <i>Kokia kauaiensis</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	905	Koki`o ke`oke`o ( <i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i> )	E	\$3,600	\$1,500	\$5,100	\$0	\$5,100
	918	Koki`o ke`oke`o ( <i>Hibiscus waimeae</i> ssp. <i>hannerae</i> )	E	\$3,500	\$961	\$4,461	\$0	\$4,461
	940	Koki`o, Cooke's ( <i>Kokia cookei</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	785	Kolea ( <i>Myrsine juddii</i> )	E	\$3,600	\$8,729	\$12,329	\$0	\$12,329
	918	Kolea ( <i>Myrsine linearifolia</i> )	T	\$3,500	\$961	\$4,461	\$0	\$4,461
	937	Kopa ( <i>Hedyotis schlechtendahlana</i> var. <i>remyi</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	678	Ko`oko`olau ( <i>Bidens micrantha</i> ssp. <i>kalealaha</i> )	E	\$7,100	\$16,000	\$23,100	\$0	\$23,100
	937	Ko`oko`olau ( <i>Bidens wiebkei</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	369	Ko`oloa`ula ( <i>Abutilon menziesii</i> )	E	\$105,000	\$23,350	\$128,350	\$0	\$128,350
	937	Kuahiwi laukahi ( <i>Plantago hawaiiensis</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	387	Kuahiwi laukahi ( <i>Plantago princeps</i> )	E	\$7,500	\$108,277	\$115,777	\$0	\$115,777
	940	Kuawawaenohu ( <i>Alsinidendron lychnoides</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	927	Kula wahine noho ( <i>Isodendron pyriformium</i> )	E	\$3,600	\$400	\$4,000	\$0	\$4,000
	412	Kulu`i ( <i>Nototrichium humile</i> )	E	\$8,000	\$91,846	\$99,846	\$0	\$99,846
	959	Ladies'-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> )	E	\$1,000	\$500	\$1,500	\$900	\$2,400
	729	Ladies'-tresses, Navasota ( <i>Spiranthes parksii</i> )	E	\$0	\$17,600	\$17,600	\$0	\$17,600
	203	Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> )	T	\$120,431	\$315,695	\$436,126	\$15,132	\$451,258
	1014	Larkspur, Baker's ( <i>Delphinium bakeri</i> )	E	\$100	\$0	\$100	\$0	\$100
	480	Larkspur, San Clemente Island ( <i>Delphinium variegatum</i> ssp. <i>kinkiense</i> )	E	\$3,235	\$67,372	\$70,607	\$0	\$70,607
	1014	Larkspur, yellow ( <i>Delphinium luteum</i> )	E	\$100	\$0	\$100	\$0	\$100
	899	Lau`ehu ( <i>Panicum niihauense</i> )	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	940	Laulihilihi ( <i>Schiedea stellarioides</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	340	Layia, beach ( <i>Layia carnosa</i> )	E	\$25,000	\$136,141	\$161,141	\$0	\$161,141
	1007	Lead-plant, Crenulate ( <i>Amorpha crenulata</i> )	E	\$400	\$0	\$400	\$0	\$400
	852	Leather flower, Alabama ( <i>Clematis socialis</i> )	E	\$5,700	\$0	\$5,700	\$2,500	\$8,200
	640	Leather flower, Morefield's ( <i>Clematis morefieldii</i> )	E	\$26,900	\$2,124	\$29,024	\$0	\$29,024
	940	Liliwai ( <i>Acaena exigua</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	971	Lily, Minnesota dwarf trout ( <i>Erythronium propullans</i> )	E	\$700	\$1,173	\$1,873	\$0	\$1,873
	1011	Lily, Pitkin Marsh ( <i>Lilium pardalinum</i> ssp. <i>pitkinense</i> )	E	\$240	\$0	\$240	\$0	\$240
	339	Lily, Western ( <i>Lilium occidentale</i> )	E	\$140,780	\$20,460	\$161,240	\$0	\$161,240
	987	Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> )	E	\$0	\$1,000	\$1,000	\$0	\$1,000
	789	Locoweed, Fassett's ( <i>Oxytropis campestris</i> var. <i>chartacea</i> )	T	\$10,100	\$0	\$10,100	\$2,000	\$12,100
	300	Lomatium, Cook's ( <i>Lomatium cookii</i> )	E	\$78,500	\$128,300	\$206,800	\$21,429	\$228,229
	215	Loosestrife, rough-leaved ( <i>Lysimachia asperulaefolia</i> )	E	\$9,000	\$399,133	\$408,133	\$10,720	\$418,853
	874	Lousewort, Furbish ( <i>Pedicularis furbishiae</i> )	E	\$4,640	\$0	\$4,640	\$2,500	\$7,140
	937	Love grass, Fosberg's ( <i>Eragrostis fosbergii</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	872	Lo`ulu ( <i>Pritchardia affinis</i> )	E	\$3,700	\$3,525	\$7,225	\$0	\$7,225
	434	Lo`ulu ( <i>Pritchardia kaalae</i> )	E	\$5,100	\$86,977	\$92,077	\$0	\$92,077
	921	Lo`ulu ( <i>Pritchardia munroi</i> )	E	\$4,300	\$0	\$4,300	\$0	\$4,300
	699	Lo`ulu ( <i>Pritchardia napaliensis</i> )	E	\$4,500	\$16,700	\$21,200	\$0	\$21,200
	686	Lo`ulu ( <i>Pritchardia remota</i> )	E	\$19,750	\$2,407	\$22,157	\$0	\$22,157
	913	Lo`ulu ( <i>Pritchardia schattaueri</i> )	E	\$4,600	\$0	\$4,600	\$0	\$4,600
	940	Lo`ulu ( <i>Pritchardia viscosa</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	802	Lupine, clover ( <i>Lupinus tidestromii</i> )	E	\$0	\$11,075	\$11,075	\$0	\$11,075
	188	Lupine, Kincaid's ( <i>Lupinus sulphureus</i> (= <i>oreganus</i> ) ssp. <i>kincaidii</i> )	T	\$307,442	\$167,555	\$474,997	\$0	\$474,997
	996	Lupine, Nipomo Mesa ( <i>Lupinus nipomensis</i> )	E	\$675	\$0	\$675	\$0	\$675
	476	Lupine, scrub ( <i>Lupinus aridorum</i> )	E	\$73,000	\$0	\$73,000	\$0	\$73,000
	392	Mahoe ( <i>Alectryon macrococcus</i> )	E	\$17,000	\$91,846	\$108,846	\$0	\$108,846
	908	Makou ( <i>Peucedanum sandwicense</i> )	T	\$4,500	\$500	\$5,000	\$0	\$5,000
	878	Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> )	E	\$0	\$7,000	\$7,000	\$0	\$7,000
	752	Mallow, Kern ( <i>Eremalche kernensis</i> )	E	\$13,165	\$2,000	\$15,165	\$0	\$15,165
	880	Mallow, Peter's Mountain ( <i>Iliamna corei</i> )	E	\$6,900	\$0	\$6,900	\$0	\$6,900
	866	Manaca, palma de ( <i>Calyptronoma rivalis</i> )	T	\$7,500	\$0	\$7,500	\$0	\$7,500
	281	Manioc, Walker's ( <i>Manihot walkerae</i> )	E	\$42,100	\$213,500	\$255,600	\$0	\$255,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	597	Manzanita, Del Mar ( <i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i> )	E	\$0	\$40,380	\$40,380	\$0	\$40,380
	598	Manzanita, Ione ( <i>Arctostaphylos myrtifolia</i> )	T	\$240	\$40,000	\$40,240	\$0	\$40,240
	466	Manzanita, Morro ( <i>Arctostaphylos morroensis</i> )	T	\$77,055	\$500	\$77,555	\$0	\$77,555
	965	Manzanita, pallid ( <i>Arctostaphylos pallida</i> )	T	\$2,065	\$0	\$2,065	\$0	\$2,065
	943	Manzanita, Presidio ( <i>Arctostaphylos hookeri</i> var. <i>ravenii</i> )	E	\$190	\$3,000	\$3,190	\$0	\$3,190
	732	Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> )	E	\$0	\$17,000	\$17,000	\$0	\$17,000
	940	Mapele ( <i>Cyrtandra cyaneoides</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	1006	Mariposa lily, Tiburon ( <i>Calochortus tiburonensis</i> )	T	\$430	\$0	\$430	\$0	\$430
	306	Ma' o hau hele, (=native yellow hibiscus) ( <i>Hibiscus brackenridgei</i> )	E	\$115,000	\$93,531	\$208,531	\$0	\$208,531
	937	Ma' oli' oli ( <i>Schiedea apokremnos</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	908	Ma' oli' oli ( <i>Schiedea kealiae</i> )	E	\$5,000	\$0	\$5,000	\$0	\$5,000
	521	Meadowfoam, Butte County ( <i>Limnanthes floccosa</i> ssp. <i>californica</i> )	E	\$47,360	\$10,500	\$57,860	\$0	\$57,860
	337	Meadowfoam, large-flowered woolly ( <i>Limnanthes floccosa</i> ssp. <i>grandiflora</i> )	E	\$137,000	\$4,800	\$141,800	\$21,429	\$163,229
	596	Meadowfoam, Sebastopol ( <i>Limnanthes vinculans</i> )	E	\$40,535	\$0	\$40,535	\$0	\$40,535
	863	Meadowrue, Cooley's ( <i>Thalictrum cooleyi</i> )	E	\$5,300	\$1,140	\$6,440	\$1,220	\$7,660
	401	Mehamehame ( <i>Flueggea neowawraea</i> )	E	\$11,200	\$92,807	\$104,007	\$0	\$104,007
	218	Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )	E	\$409,835	\$0	\$409,835	\$0	\$409,835
	617	Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )	E	\$0	\$33,405	\$33,405	\$0	\$33,405
	454	Milk-vetch, Applegate's ( <i>Astragalus applegatei</i> )	E	\$75,555	\$8,650	\$84,205	\$0	\$84,205
	653	Milk-vetch, Ash meadows ( <i>Astragalus phoenix</i> )	T	\$27,200	\$0	\$27,200	\$0	\$27,200
	741	Milk-vetch, Braunton's ( <i>Astragalus brauntonii</i> )	E	\$10,160	\$6,000	\$16,160	\$0	\$16,160
	879	Milk-vetch, Clara Hunt's ( <i>Astragalus clarianus</i> )	E	\$6,960	\$0	\$6,960	\$0	\$6,960
	650	Milk-vetch, Coachella Valley ( <i>Astragalus lentiginosus</i> var. <i>coachellae</i> )	E	\$18,830	\$8,500	\$27,330	\$0	\$27,330
	690	Milk-vetch, coastal dunes ( <i>Astragalus tener</i> var. <i>titi</i> )	E	\$21,915	\$0	\$21,915	\$0	\$21,915

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	1012	Milk-vetch, Cushenbury ( <i>Astragalus albens</i> )	E	\$135	\$0	\$135	\$0	\$135
	948	Milk-vetch, Deseret ( <i>Astragalus desereticus</i> )	T	\$3,000	\$0	\$3,000	\$0	\$3,000
	716	Milk-vetch, Fish Slough ( <i>Astragalus lentiginos</i> var. <i>piscinensis</i> )	T	\$12,655	\$6,000	\$18,655	\$0	\$18,655
	947	Milk-vetch, heliotrope ( <i>Astragalus montii</i> )	T	\$3,000	\$100	\$3,100	\$0	\$3,100
	553	Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> )	E	\$2,000	\$48,950	\$50,950	\$900	\$51,850
	904	Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>jesupi</i> )	E	\$4,310	\$0	\$4,310	\$800	\$5,110
	284	Milk-vetch, Lane Mountain ( <i>Astragalus jaegerianus</i> )	E	\$26,485	\$223,810	\$250,295	\$0	\$250,295
	941	Milk-vetch, Mancos ( <i>Astragalus humillimus</i> )	E	\$1,000	\$2,400	\$3,400	\$0	\$3,400
	728	Milk-vetch, Osterhout ( <i>Astragalus osterhoutii</i> )	E	\$550	\$17,150	\$17,700	\$0	\$17,700
	206	Milk-vetch, Peirson's ( <i>Astragalus magdalenae</i> var. <i>peirsonii</i> )	T	\$164,030	\$276,000	\$440,030	\$900	\$440,930
	592	Milk-vetch, Sentry ( <i>Astragalus cremnophylax</i> var. <i>cremnophylax</i> )	E	\$31,000	\$10,000	\$41,000	\$900	\$41,900
	571	Milk-vetch, Shivwits ( <i>Astragalus ampullarioides</i> )	E	\$3,000	\$44,000	\$47,000	\$0	\$47,000
	223	Milk-vetch, triple-ribbed ( <i>Astragalus tricarinatus</i> )	E	\$375,000	\$9,450	\$384,450	\$0	\$384,450
	1010	Milk-vetch, Ventura Marsh ( <i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> )	E	\$340	\$0	\$340	\$0	\$340
	992	Milkpea, Small's ( <i>Galactia smallii</i> )	E	\$800	\$0	\$800	\$0	\$800
	423	Milkweed, Mead's ( <i>Asclepias meadii</i> )	T	\$46,475	\$24,574	\$71,049	\$23,500	\$94,549
	771	Milkweed, Welsh's ( <i>Asclepias welshii</i> )	T	\$0	\$11,500	\$11,500	\$1,900	\$13,400
	994	Mint, Garrett's ( <i>Dicerandra christmanii</i> )	E	\$700	\$0	\$700	\$0	\$700
	674	Mint, Lakela's ( <i>Dicerandra immaculata</i> )	E	\$19,400	\$4,800	\$24,200	\$0	\$24,200
	920	Mint, longspurred ( <i>Dicerandra cornutissima</i> )	E	\$3,000	\$1,312	\$4,312	\$0	\$4,312
	1004	Mint, scrub ( <i>Dicerandra frutescens</i> )	E	\$450	\$0	\$450	\$0	\$450
	173	Monardella, willow ( <i>Monardella linoides</i> ssp. <i>viminea</i> )	E	\$417,920	\$156,405	\$574,325	\$0	\$574,325
	899	Monkey-flower, Michigan ( <i>Mimulus glabratus</i> var. <i>michiganensis</i> )	E	\$4,000	\$1,500	\$5,500	\$0	\$5,500
	749	Monkshood, northern wild ( <i>Aconitum noveboracense</i> )	T	\$13,000	\$383	\$13,383	\$2,000	\$15,383

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	621	Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> )	E	\$3,360	\$28,700	\$32,060	\$0	\$32,060
	459	Mountain balm, Indian Knob ( <i>Eriodictyon altissimum</i> )	E	\$82,255	\$0	\$82,255	\$0	\$82,255
	728	Mustard, Carter's ( <i>Warea carteri</i> )	E	\$17,700	\$0	\$17,700	\$0	\$17,700
	939	Mustard, Penland alpine fen ( <i>Eutrema penlandii</i> )	T	\$3,509	\$0	\$3,509	\$0	\$3,509
	899	Nani wai'ale'ale ( <i>Viola kauaiensis</i> var. <i>wahiawaensis</i> )	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	757	Nanu ( <i>Gardenia mannii</i> )	E	\$6,000	\$8,729	\$14,729	\$0	\$14,729
	911	Naupaka, dwarf ( <i>Scaevola coriacea</i> )	E	\$4,700	\$0	\$4,700	\$0	\$4,700
	870	Navarretia, few-flowered ( <i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i> ))	E	\$7,260	\$0	\$7,260	\$0	\$7,260
	893	Navarretia, many-flowered ( <i>Navarretia leucocephala</i> ssp. <i>pliantha</i> )	E	\$6,010	\$0	\$6,010	\$0	\$6,010
	186	Navarretia, spreading ( <i>Navarretia fossalis</i> )	T	\$426,090	\$65,177	\$491,267	\$0	\$491,267
	439	Na'ena'e ( <i>Dubautia herbstobatae</i> )	E	\$4,000	\$86,977	\$90,977	\$0	\$90,977
	927	Na'ena'e ( <i>Dubautia latifolia</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	927	Na'ena'e ( <i>Dubautia pauciflorula</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	917	Na'ena'e ( <i>Dubautia plantaginea</i> ssp. <i>humilis</i> )	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	783	Nehe ( <i>Lipochaeta fauriei</i> )	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	917	Nehe ( <i>Lipochaeta kamolensis</i> )	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	849	Nehe ( <i>Lipochaeta lobata</i> var. <i>leptophylla</i> )	E	\$3,600	\$4,869	\$8,469	\$0	\$8,469
	927	Nehe ( <i>Lipochaeta micrantha</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	442	Nehe ( <i>Lipochaeta tenuifolia</i> )	E	\$3,500	\$86,977	\$90,477	\$0	\$90,477
	940	Nehe ( <i>Lipochaeta waimaensis</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	735	Nioi ( <i>Eugenia koolauensis</i> )	E	\$8,000	\$8,729	\$16,729	\$0	\$16,729
	580	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )	E	\$44,355	\$200	\$44,555	\$0	\$44,555
	937	<i>Abutilon eremitopetalum</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	720	<i>Abutilon sandwicense</i> (=Sci name)	E	\$13,500	\$4,869	\$18,369	\$0	\$18,369
	899	<i>Achyranthes mutica</i> (=Sci name)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	442	<i>Alsiniendron obovatum</i> (=Sci name)	E	\$3,500	\$86,977	\$90,477	\$0	\$90,477
	735	<i>Alsiniendron trinerve</i> (=Sci name)	E	\$8,000	\$8,729	\$16,729	\$0	\$16,729
	878	<i>Alsiniendron viscosum</i> (=Sci name)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	927	<i>Amaranthus brownii</i> (=Sci name)	E	\$4,000	\$0	\$4,000	\$0	\$4,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	816	<i>Aristida chaseae</i> (=Sci name)	E	\$10,400	\$0	\$10,400	\$0	\$10,400
	980	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$1,400	\$0	\$1,400	\$0	\$1,400
	682	<i>Bonamia menziesii</i> (=Sci name)	E	\$12,000	\$10,830	\$22,830	\$0	\$22,830
	983	<i>Calyptranthes thomasiana</i> (=Sci name)	E	\$1,200	\$0	\$1,200	\$0	\$1,200
	963	<i>Catesbaea melanocarpa</i> (=Sci name)	E	\$2,200	\$0	\$2,200	\$0	\$2,200
	994	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$700	\$0	\$700	\$0	\$700
	776	<i>Chamaesyce halemanui</i> (=Sci name)	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	1003	<i>Cordia bellonis</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
	917	<i>Cranichis ricartii</i> (=Sci name)	E	\$4,500	\$0	\$4,500	\$0	\$4,500
	750	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	\$6,600	\$8,729	\$15,329	\$0	\$15,329
	935	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$3,700	\$0	\$3,700	\$0	\$3,700
	905	<i>Delissea rhytidosperma</i> (=Sci name)	E	\$5,100	\$0	\$5,100	\$0	\$5,100
	921	<i>Delissea undulata</i> (=Sci name)	E	\$4,300	\$0	\$4,300	\$0	\$4,300
	780	<i>Eugenia woodburyana</i> (=Sci name)	E	\$12,700	\$0	\$12,700	\$0	\$12,700
	937	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	853	<i>Geocarpon minimum</i> (=Sci name)	T	\$3,400	\$256	\$3,656	\$4,450	\$8,106
	1003	<i>Gesneria pauciflora</i> (=Sci name)	T	\$500	\$0	\$500	\$0	\$500
	924	<i>Gouania hillebrandii</i> (=Sci name)	E	\$4,200	\$0	\$4,200	\$0	\$4,200
	925	<i>Gouania meyenii</i> (=Sci name)	E	\$4,100	\$0	\$4,100	\$0	\$4,100
	438	<i>Gouania vitifolia</i> (=Sci name)	E	\$4,400	\$86,977	\$91,377	\$0	\$91,377
	435	<i>Hedyotis degeneri</i> (=Sci name)	E	\$5,000	\$86,977	\$91,977	\$0	\$91,977
	420	<i>Hedyotis parvula</i> (=Sci name)	E	\$4,000	\$91,846	\$95,846	\$0	\$95,846
	693	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$13,000	\$8,729	\$21,729	\$0	\$21,729
	425	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$7,400	\$86,977	\$94,377	\$0	\$94,377
	940	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	1003	<i>Ilex sintenisii</i> (Sci name)	E	\$500	\$0	\$500	\$0	\$500
	1003	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
	895	<i>Leptocereus grantianus</i> (=Sci name)	E	\$5,900	\$0	\$5,900	\$0	\$5,900
	202	<i>Lipochaeta venosa</i> (=Sci name)	E	\$3,500	\$449,010	\$452,510	\$0	\$452,510
	773	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$4,500	\$8,729	\$13,229	\$0	\$13,229
	937	<i>Lobelia monostachya</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	817	<i>Lobelia niihauensis</i> (=Sci name)	E	\$5,500	\$4,869	\$10,369	\$0	\$10,369
	925	<i>Lobelia oahuensis</i> (=Sci name)	E	\$4,100	\$0	\$4,100	\$0	\$4,100
	850	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$8,400	\$0	\$8,400	\$0	\$8,400
	940	<i>Lysimachia filifolia</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	932	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$3,800	\$0	\$3,800	\$0	\$3,800
	940	<i>Lysimachia maxima</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	940	<i>Mariscus fauriei</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	756	<i>Mariscus pennatiformis</i> (=Sci name)	E	\$14,750	\$0	\$14,750	\$0	\$14,750
	1003	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
	1003	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
	937	<i>Munroidendron racemosum</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	980	<i>Myrcia paganii</i> (=Sci name)	E	\$1,400	\$0	\$1,400	\$0	\$1,400
	410	<i>Neraudia angulata</i> (=Sci name)	E	\$10,000	\$91,846	\$101,846	\$0	\$101,846
	199	<i>Neraudia ovata</i> (=Sci name)	E	\$5,000	\$449,010	\$454,010	\$0	\$454,010
	932	<i>Neraudia sericea</i> (=Sci name)	E	\$3,800	\$0	\$3,800	\$0	\$3,800
	940	<i>Nesogenes rotensis</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	940	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	940	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	744	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$4,600	\$11,136	\$15,736	\$0	\$15,736
	419	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$9,500	\$86,977	\$96,477	\$0	\$96,477
	899	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	905	<i>Phyllostegia mannii</i> (=Sci name)	E	\$5,100	\$0	\$5,100	\$0	\$5,100
	862	<i>Phyllostegia mollis</i> (=Sci name)	E	\$7,700	\$0	\$7,700	\$0	\$7,700
	778	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$4,100	\$8,729	\$12,829	\$0	\$12,829
	540	<i>Phyllostegia velutina</i> (=Sci name)	E	\$53,900	\$0	\$53,900	\$0	\$53,900
	927	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	937	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	899	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	858	<i>Platanthera holochila</i> (=Sci name)	E	\$7,600	\$300	\$7,900	\$0	\$7,900
	927	<i>Poa siphonoglossa</i> (=Sci name)	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	937	<i>Remya kauaiensis</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	937	<i>Remya montgomeryi</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	437	<i>Sanicula mariversa</i> (=Sci name)	E	\$4,500	\$86,977	\$91,477	\$0	\$91,477
	787	<i>Sanicula purpurea</i> (=Sci name)	E	\$3,500	\$8,729	\$12,229	\$0	\$12,229
	531	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$3,500	\$53,200	\$56,700	\$0	\$56,700
	940	<i>Schiedea helleri</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	763	<i>Schiedea hookeri</i> (=Sci name)	E	\$9,000	\$5,169	\$14,169	\$0	\$14,169
	415	<i>Schiedea kaalae</i> (=Sci name)	E	\$10,700	\$86,977	\$97,677	\$0	\$97,677
	915	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$3,600	\$961	\$4,561	\$0	\$4,561
	937	<i>Schiedea lydgatei</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	782	<i>Schiedea membranacea</i> (=Sci name)	E	\$12,600	\$0	\$12,600	\$0	\$12,600
	404	<i>Schiedea nuttallii</i> (=Sci name)	E	\$15,600	\$86,977	\$102,577	\$0	\$102,577
	937	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	885	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$6,600	\$0	\$6,600	\$0	\$6,600
	917	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$4,500	\$0	\$4,500	\$0	\$4,500
	878	<i>Schiedea verticillata</i> (=Sci name)	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	983	<i>Schoepfia arenaria</i> (=Sci name)	T	\$1,200	\$0	\$1,200	\$0	\$1,200
	925	<i>Silene alexandri</i> (=Sci name)	E	\$4,100	\$0	\$4,100	\$0	\$4,100
	189	<i>Silene hawaiiensis</i> (=Sci name)	T	\$11,500	\$463,010	\$474,510	\$0	\$474,510
	199	<i>Silene lanceolata</i> (=Sci name)	E	\$5,000	\$449,010	\$454,010	\$0	\$454,010
	937	<i>Silene perlmanii</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	198	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$5,400	\$451,417	\$456,817	\$0	\$456,817
	199	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$5,000	\$449,010	\$454,010	\$0	\$454,010
	940	<i>Stenogyne bifida</i> (=Sci name)	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	899	<i>Stenogyne campanulata</i> (=Sci name)	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	785	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$3,600	\$8,729	\$12,329	\$0	\$12,329
	1003	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
	199	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$5,000	\$449,010	\$454,010	\$0	\$454,010
	428	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$4,500	\$89,384	\$93,884	\$0	\$93,884
	892	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (Sci name)	E	\$6,100	\$0	\$6,100	\$0	\$6,100
	924	<i>Tetramolopium remyi</i> (=Sci name)	E	\$4,200	\$0	\$4,200	\$0	\$4,200

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	899	<i>Tetramolopium rockii</i> (=Sci name)	T	\$4,000	\$1,500	\$5,500	\$0	\$5,500
	894	<i>Trematolobelia singularis</i> (=Sci name)	E	\$6,000	\$0	\$6,000	\$0	\$6,000
	800	<i>Vernonia proctorii</i> (=Sci name)	E	\$11,200	\$0	\$11,200	\$0	\$11,200
	194	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$7,900	\$458,917	\$466,817	\$0	\$466,817
	927	<i>Viola helenae</i> (Sci name)	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	937	<i>Viola lanaiensis</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	785	<i>Viola oahuensis</i> (=Sci name)	E	\$3,600	\$8,729	\$12,329	\$0	\$12,329
	885	<i>Xylosma crenatum</i> (=Sci name)	E	\$6,600	\$0	\$6,600	\$0	\$6,600
	615	Nohoanu ( <i>Geranium multiflorum</i> )	E	\$7,100	\$26,600	\$33,700	\$0	\$33,700
	908	Oak, Hinckley ( <i>Quercus hinckleyi</i> )	T	\$5,000	\$0	\$5,000	\$0	\$5,000
	940	Oha ( <i>Delissea rivularis</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	395	Oha ( <i>Delissea subcordata</i> )	E	\$10,500	\$95,706	\$106,206	\$0	\$106,206
	671	Ohai ( <i>Sesbania tomentosa</i> )	E	\$6,200	\$18,307	\$24,507	\$0	\$24,507
	927	Olulu ( <i>Brighamia insignis</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
	748	Onion, Munz's ( <i>Allium munzii</i> )	E	\$15,460	\$0	\$15,460	\$0	\$15,460
	937	Opuhe ( <i>Urera kaalae</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	362	Orchid, eastern prairie fringed ( <i>Platanthera leucophaea</i> )	T	\$64,519	\$66,163	\$130,682	\$4,550	\$135,232
	336	Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )	T	\$114,782	\$41,789	\$156,571	\$7,300	\$163,871
	208	Orcutt grass, California ( <i>Orcuttia californica</i> )	E	\$409,980	\$27,000	\$436,980	\$0	\$436,980
	440	Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )	E	\$47,460	\$43,200	\$90,660	\$0	\$90,660
	588	Orcutt grass, Sacramento ( <i>Orcuttia viscida</i> )	E	\$30,685	\$12,400	\$43,085	\$0	\$43,085
	658	Orcutt grass, San Joaquin ( <i>Orcuttia inaequalis</i> )	T	\$24,680	\$1,700	\$26,380	\$0	\$26,380
	469	Orcutt grass, slender ( <i>Orcuttia tenuis</i> )	T	\$45,268	\$31,700	\$76,968	\$0	\$76,968
	669	Owl's-clover, fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> )	T	\$21,895	\$2,900	\$24,795	\$0	\$24,795
	977	Oxytheca, cushenbury ( <i>Oxytheca parishii</i> var. <i>goodmaniana</i> )	E	\$135	\$1,400	\$1,535	\$0	\$1,535
	627	Paintbrush, ash-grey ( <i>Castilleja cinerea</i> )	T	\$7,640	\$23,000	\$30,640	\$0	\$30,640
	224	Paintbrush, golden ( <i>Castilleja levisecta</i> )	T	\$271,188	\$107,919	\$379,107	\$0	\$379,107
	786	Paintbrush, soft-leaved ( <i>Castilleja mollis</i> )	E	\$4,730	\$7,500	\$12,230	\$0	\$12,230
	962	Paintbrush, Tiburon ( <i>Castilleja affinis</i> ssp. <i>neglecta</i> )	E	\$0	\$2,250	\$2,250	\$0	\$2,250
	1003	Palo Colorado ( <i>Ternstroemia luquillensis</i> )	E	\$500	\$0	\$500	\$0	\$500



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	783	Pitcher-plant, Alabama canebrake ( <i>Sarracenia rubra alabamensis</i> )	E	\$12,500	\$0	\$12,500	\$0	\$12,500
	533	Pitcher-plant, green ( <i>Sarracenia oreophila</i> )	E	\$25,000	\$30,124	\$55,124	\$80	\$55,204
	942	Pitcher-plant, mountain sweet ( <i>Sarracenia rubra</i> ssp. <i>jonesii</i> )	E	\$2,000	\$1,140	\$3,140	\$160	\$3,300
	601	Plum, scrub ( <i>Prunus geniculata</i> )	E	\$39,400	\$0	\$39,400	\$0	\$39,400
	380	Pogonia, small whorled ( <i>Isotria medeoloides</i> )	T	\$37,797	\$83,616	\$121,413	\$380	\$121,793
	899	Polygala, Lewton's ( <i>Polygala lewtonii</i> )	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	994	Polygala, tiny ( <i>Polygala smallii</i> )	E	\$700	\$0	\$700	\$0	\$700
	988	Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )	E	\$970	\$0	\$970	\$0	\$970
	132	Pondberry ( <i>Lindera melissifolia</i> )	E	\$46,000	\$826,267	\$872,267	\$11,580	\$883,847
	490	Popcornflower, rough ( <i>Plagiobothrys hirtus</i> )	E	\$24,000	\$21,500	\$45,500	\$21,429	\$66,929
	196	Popolo ku mai ( <i>Solanum incompletum</i> )	E	\$11,000	\$449,010	\$460,010	\$0	\$460,010
	903	Poppy, Sacramento prickly ( <i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i> )	E	\$1,150	\$4,000	\$5,150	\$0	\$5,150
	993	Poppy-mallow, Texas ( <i>Callirhoe scabriuscula</i> )	E	\$650	\$100	\$750	\$0	\$750
	405	Potato-bean, Price's ( <i>Apios priceana</i> )	T	\$35,300	\$64,805	\$100,105	\$2,400	\$102,505
	702	Potentilla, Hickman's ( <i>Potentilla hickmanii</i> )	E	\$20,570	\$0	\$20,570	\$0	\$20,570
	193	Po`e ( <i>Portulaca sclerocarpa</i> )	E	\$5,500	\$463,010	\$468,510	\$0	\$468,510
	514	Prairie-clover, leafy ( <i>Dalea foliosa</i> )	E	\$47,900	\$12,100	\$60,000	\$0	\$60,000
	873	Prickly-apple, fragrant ( <i>Cereus eriophorus</i> var. <i>fragrans</i> )	E	\$2,400	\$4,800	\$7,200	\$0	\$7,200
	976	Prickly-ash, St. Thomas ( <i>Zanthoxylum thomasianum</i> )	E	\$1,600	\$0	\$1,600	\$0	\$1,600
	714	Primrose, Maguire ( <i>Primula maguirei</i> )	T	\$4,000	\$15,010	\$19,010	\$0	\$19,010
	803	Pua`ala ( <i>Brighamia rockii</i> )	E	\$3,500	\$7,500	\$11,000	\$0	\$11,000
	907	Pussypaws, Mariposa ( <i>Calyptidium pulchellum</i> )	T	\$5,050	\$0	\$5,050	\$0	\$5,050
	418	Pu`uka`a ( <i>Cyperus trachysanthos</i> )	E	\$96,500	\$0	\$96,500	\$0	\$96,500
	179	Rattleweed, hairy ( <i>Baptisia arachnifera</i> )	E	\$517,000	\$0	\$517,000	\$4,000	\$521,000
	815	Reed-mustard, Barneby ( <i>Schoenocrambe barnebyi</i> )	E	\$10,000	\$410	\$10,410	\$0	\$10,410
	830	Reed-mustard, clay ( <i>Schoenocrambe argillacea</i> )	T	\$2,000	\$7,693	\$9,693	\$0	\$9,693

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	830	Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )	E	\$2,000	\$7,693	\$9,693	\$0	\$9,693
	892	Remya, Maui ( <i>Remya mauiensis</i> )	E	\$6,100	\$0	\$6,100	\$0	\$6,100
	963	Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> )	E	\$1,000	\$1,200	\$2,200	\$0	\$2,200
	967	Ridge-cress, Barneby ( <i>Lepidium barnebyanum</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
	822	Rock-cress, Braun's ( <i>Arabis perstellata</i> )	E	\$10,000	\$0	\$10,000	\$0	\$10,000
	641	Rock-cress, McDonald's ( <i>Arabis macdonaldiana</i> )	E	\$22,800	\$6,000	\$28,800	\$0	\$28,800
	865	Rock-cress, shale barren ( <i>Arabis serotina</i> )	E	\$6,200	\$162	\$6,362	\$1,200	\$7,562
	607	Rock-cress, Santa Cruz Island ( <i>Sibara filifolia</i> )	E	\$0	\$36,608	\$36,608	\$0	\$36,608
	981	Rosemary, Apalachicola ( <i>Conradina glabra</i> )	E	\$1,300	\$0	\$1,300	\$0	\$1,300
	823	Rosemary, Cumberland ( <i>Conradina verticillata</i> )	T	\$8,900	\$1,000	\$9,900	\$0	\$9,900
	973	Rosemary, Etonia ( <i>Conradina etonia</i> )	E	\$1,800	\$0	\$1,800	\$0	\$1,800
	676	Rosemary, short-leaved ( <i>Conradina brevifolia</i> )	E	\$23,300	\$0	\$23,300	\$0	\$23,300
	995	Roseroot, Leedy's ( <i>Sedum integrifolium</i> ssp. <i>leedyi</i> )	T	\$500	\$183	\$683	\$0	\$683
	579	Rush-pea, slender ( <i>Hoffmannseggia tenella</i> )	E	\$44,800	\$0	\$44,800	\$0	\$44,800
	864	Rush-rose, island ( <i>Helianthemum greenei</i> )	T	\$600	\$7,000	\$7,600	\$0	\$7,600
	449	Sand-verbena, large-fruited ( <i>Abronia macrocarpa</i> )	E	\$0	\$100	\$100	\$86,454	\$86,554
	869	Sandalwood, Lanai (= iliahi) ( <i>Santalum freycinetianum</i> var. <i>lanaiense</i> )	E	\$7,300	\$0	\$7,300	\$0	\$7,300
	473	Sandlace ( <i>Polygonella myriophylla</i> )	E	\$75,700	\$0	\$75,700	\$0	\$75,700
	876	Sandwort, Bear Valley ( <i>Arenaria ursina</i> )	T	\$7,070	\$0	\$7,070	\$0	\$7,070
	554	Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> )	E	\$50,400	\$1,000	\$51,400	\$0	\$51,400
	431	Sandwort, Marsh ( <i>Arenaria paludicola</i> )	E	\$66,150	\$26,713	\$92,863	\$0	\$92,863
	416	Schiedea, Diamond Head ( <i>Schiedea adamantis</i> )	E	\$97,100	\$0	\$97,100	\$0	\$97,100
	472	Seablite, California ( <i>Suaeda californica</i> )	E	\$75,515	\$225	\$75,740	\$0	\$75,740
	153	Seagrass, Johnson's ( <i>Halophila johnsonii</i> )	T	\$0	\$679,860	\$679,860	\$0	\$679,860
	847	Sedge, golden ( <i>Carex lutea</i> )	E	\$8,000	\$0	\$8,000	\$560	\$8,560
	888	Sedge, Navajo ( <i>Carex specuicola</i> )	T	\$750	\$4,750	\$5,500	\$900	\$6,400
	1011	Sedge, white ( <i>Carex albida</i> )	E	\$240	\$0	\$240	\$0	\$240
	492	Silversword, Mauna Loa (=Ka'u) ( <i>Argyroxiphium kauense</i> )	E	\$18,000	\$48,522	\$66,522	\$0	\$66,522

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	636	Skullcap, Florida ( <i>Scutellaria floridana</i> )	T	\$15,000	\$14,500	\$29,500	\$0	\$29,500
	400	Skullcap, large-flowered ( <i>Scutellaria montana</i> )	T	\$42,700	\$60,378	\$103,078	\$1,000	\$104,078
	921	Snakeroot ( <i>Eryngium cuneifolium</i> )	E	\$4,300	\$0	\$4,300	\$0	\$4,300
	705	Sneezeweed, Virginia ( <i>Helenium virginicum</i> )	T	\$19,100	\$0	\$19,100	\$1,200	\$20,300
	570	Snowbells, Texas ( <i>Stryax texanus</i> )	E	\$4,700	\$0	\$4,700	\$43,028	\$47,728
	796	Spineflower, Ben Lomond ( <i>Chorizanthe pungens</i> var. <i>hartwegiana</i> )	E	\$11,670	\$0	\$11,670	\$0	\$11,670
	297	Spineflower, Howell's ( <i>Chorizanthe howellii</i> )	E	\$231,080	\$0	\$231,080	\$0	\$231,080
	353	Spineflower, Monterey ( <i>Chorizanthe pungens</i> var. <i>pungens</i> )	T	\$103,685	\$41,322	\$145,007	\$0	\$145,007
	561	Spineflower, Orcutt's ( <i>Chorizanthe orcuttiana</i> )	E	\$0	\$50,004	\$50,004	\$0	\$50,004
	518	Spineflower, Robust (incl. Scotts Valley) ( <i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i> ))	E	\$21,750	\$36,982	\$58,732	\$0	\$58,732
	867	Spineflower, slender-horned ( <i>Dodecahema leptoceras</i> )	E	\$1,410	\$6,000	\$7,410	\$0	\$7,410
	889	Spineflower, Sonoma ( <i>Chorizanthe valida</i> )	E	\$0	\$6,280	\$6,280	\$0	\$6,280
	85	Spiraea, Virginia ( <i>Spiraea virginiana</i> )	T	\$1,608,100	\$13,129	\$1,621,229	\$1,231	\$1,622,460
	950	Spurge, deltoid ( <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> )	E	\$2,700	\$148	\$2,848	\$0	\$2,848
	930	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	\$2,090	\$1,816	\$3,906	\$0	\$3,906
	610	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> )	T	\$29,600	\$6,200	\$35,800	\$0	\$35,800
	678	Spurge, telephus ( <i>Euphorbia telephioides</i> )	T	\$23,100	\$0	\$23,100	\$0	\$23,100
	594	Stickseed, showy ( <i>Hackelia venusta</i> )	E	\$11,460	\$29,793	\$41,253	\$0	\$41,253
	926	Stonecrop, Lake County ( <i>Parvisedum leiocarpum</i> )	E	\$4,080	\$0	\$4,080	\$0	\$4,080
	331	Sumac, Michaux's ( <i>Rhus michauxii</i> )	E	\$16,300	\$142,267	\$158,567	\$17,260	\$175,827
	478	Sunburst, Hartweg's golden ( <i>Pseudobahia bahiifolia</i> )	E	\$55,120	\$17,510	\$72,630	\$0	\$72,630
	624	Sunburst, San Joaquin adobe ( <i>Pseudobahia peirsonii</i> )	T	\$19,075	\$12,210	\$31,285	\$0	\$31,285
	361	Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> )	T	\$108,000	\$27,900	\$135,900	\$0	\$135,900
	985	Sunflower, San Mateo woolly ( <i>Eriophyllum latilobum</i> )	E	\$960	\$115	\$1,075	\$0	\$1,075
	474	Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> )	E	\$35,400	\$15,611	\$51,011	\$23,780	\$74,791

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	685	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )	T	\$22,200	\$0	\$22,200	\$0	\$22,200
	489	Sunshine, Sonoma ( <i>Blennosperma bakeri</i> )	E	\$66,935	\$0	\$66,935	\$0	\$66,935
	443	Taraxacum, California ( <i>Taraxacum californicum</i> )	E	\$66,370	\$23,000	\$89,370	\$0	\$89,370
	447	Tarplant, Gaviota ( <i>Deinandra increscens</i> ssp. <i>villosa</i> )	E	\$12,140	\$75,066	\$87,206	\$0	\$87,206
	195	Tarplant, Otay ( <i>Deinandra</i> (= <i>Hemizonia</i> ) <i>conjugens</i> )	T	\$429,560	\$31,000	\$460,560	\$0	\$460,560
	632	Tarplant, Santa Cruz ( <i>Holocarpha macradenia</i> )	T	\$30,015	\$0	\$30,015	\$0	\$30,015
	495	Thelypody, Howell's spectacular ( <i>Thelypodium howellii spectabilis</i> )	T	\$35,000	\$9,100	\$44,100	\$21,429	\$65,529
	1009	Thistle, Chorro Creek bog ( <i>Cirsium fontinale</i> var. <i>obispoense</i> )	E	\$375	\$0	\$375	\$0	\$375
	1013	Thistle, fountain ( <i>Cirsium fontinale</i> var. <i>fontinale</i> )	E	\$0	\$115	\$115	\$0	\$115
	581	Thistle, La Graciosa ( <i>Cirsium loncholepis</i> )	E	\$44,505	\$0	\$44,505	\$0	\$44,505
	819	Thistle, Loch Lomond coyote ( <i>Eryngium constancei</i> )	E	\$10,235	\$0	\$10,235	\$0	\$10,235
	503	Thistle, Pitcher's ( <i>Cirsium pitcheri</i> )	T	\$40,100	\$21,900	\$62,000	\$1,000	\$63,000
	764	Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> )	T	\$8,000	\$6,000	\$14,000	\$0	\$14,000
	792	Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> )	E	\$11,915	\$0	\$11,915	\$0	\$11,915
	175	Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> )	T	\$538,320	\$5,000	\$543,320	\$0	\$543,320
	969	Thornmint, San Mateo ( <i>Acanthomintha obovata</i> ssp. <i>duttonii</i> )	E	\$1,870	\$115	\$1,985	\$0	\$1,985
	564	Townsendia, Last Chance ( <i>Townsendia aprica</i> )	T	\$1,000	\$48,290	\$49,290	\$0	\$49,290
	631	Trillium, persistent ( <i>Trillium persistens</i> )	E	\$18,700	\$2,200	\$20,900	\$9,350	\$30,250
	505	Trillium, relict ( <i>Trillium reliquum</i> )	E	\$20,500	\$37,190	\$57,690	\$5,000	\$62,690
	482	Tuctoria, Greene's ( <i>Tuctoria greenei</i> )	E	\$63,410	\$6,200	\$69,610	\$0	\$69,610
	697	Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> )	T	\$10,196	\$11,200	\$21,396	\$0	\$21,396
	602	Uhiuhi ( <i>Caesalpinia kavaense</i> )	E	\$11,000	\$26,954	\$37,954	\$0	\$37,954
	1003	Uvillo ( <i>Eugenia haematocarpa</i> )	E	\$500	\$0	\$500	\$0	\$500
	931	Vervain, Red Hills ( <i>Verbena californica</i> )	T	\$3,900	\$0	\$3,900	\$0	\$3,900
	931	Vetch, Hawaiian ( <i>Vicia menziesii</i> )	E	\$3,900	\$0	\$3,900	\$0	\$3,900
	908	Wahane ( <i>Pritchardia aylmer-robinsonii</i> )	E	\$5,000	\$0	\$5,000	\$0	\$5,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	828	Wallflower, Ben Lomond ( <i>Erysimum teretifolium</i> )	E	\$9,740	\$0	\$9,740	\$0	\$9,740
	715	Wallflower, Contra Costa ( <i>Erysimum capitatum</i> var. <i>angustatum</i> )	E	\$18,760	\$0	\$18,760	\$0	\$18,760
	244	Wallflower, Menzies' ( <i>Erysimum menziesii</i> )	E	\$242,180	\$85,000	\$327,180	\$0	\$327,180
	1003	Walnut (=Nogal), West Indian ( <i>Juglans jamaicensis</i> )	E	\$500	\$0	\$500	\$0	\$500
	987	Warea, wide-leaf ( <i>Warea amplexifolia</i> )	E	\$1,000	\$0	\$1,000	\$0	\$1,000
	983	Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> )	T	\$200	\$1,000	\$1,200	\$0	\$1,200
	152	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. <i>recurva</i> )	E	\$89,000	\$602,800	\$691,800	\$10,400	\$702,200
	522	Watercress, Gambel's ( <i>Rorippa gambellii</i> )	E	\$57,800	\$0	\$57,800	\$0	\$57,800
	732	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	\$17,000	\$0	\$17,000	\$0	\$17,000
	616	Wild-buckwheat, clay-loving ( <i>Eriogonum pelinophilum</i> )	E	\$3,850	\$29,727	\$33,577	\$0	\$33,577
	916	Wild-buckwheat, southern mountain ( <i>Eriogonum kennedyi</i> var. <i>austromontanum</i> )	T	\$4,515	\$0	\$4,515	\$0	\$4,515
	225	Wild-rice, Texas ( <i>Zizania texana</i> )	E	\$373,618	\$4,100	\$377,718	\$0	\$377,718
	486	Wire-lettuce, Malheur ( <i>Stephanomeria malheurenensis</i> )	E	\$41,707	\$5,750	\$47,457	\$21,429	\$68,886
	664	Wireweed ( <i>Polygonella basiramia</i> )	E	\$15,400	\$10,000	\$25,400	\$0	\$25,400
	510	Woodland-star, San Clemente Island ( <i>Lithophragma maximum</i> )	E	\$0	\$61,937	\$61,937	\$0	\$61,937
	843	Woolly-star, Santa Ana River ( <i>Eriastrum densifolium</i> ssp. <i>sanctorum</i> )	E	\$0	\$9,000	\$9,000	\$0	\$9,000
	680	Woolly-threads, San Joaquin ( <i>Monolopia</i> (= <i>Lembertia</i> ) <i>congdonii</i> )	E	\$3,700	\$19,305	\$23,005	\$0	\$23,005
	986	Yellowhead, desert ( <i>Yermo xanthocephalus</i> )	T	\$1,074	\$0	\$1,074	\$0	\$1,074
	691	Yerba santa, Lompoc ( <i>Eriodictyon capitatum</i> )	E	\$825	\$21,066	\$21,891	\$0	\$21,891
	638	Ziziphus, Florida ( <i>Ziziphus celata</i> )	E	\$29,100	\$0	\$29,100	\$0	\$29,100
	734	`Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i> )	T	\$3,500	\$13,300	\$16,800	\$0	\$16,800
	899	`Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i> )	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	878	`Aiakeakua, popolo ( <i>Solanum sandwicense</i> )	E	\$7,000	\$0	\$7,000	\$0	\$7,000
	240	`Aiea ( <i>Nothoestrum breviflorum</i> )	E	\$6,100	\$333,794	\$339,894	\$0	\$339,894

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	899	`Aiea ( <i>Nothocestrum peltatum</i> )	E	\$5,500	\$0	\$5,500	\$0	\$5,500
	435	`Akoko ( <i>Chamaesyce celastroides</i> var. <i>kaenana</i> )	E	\$5,000	\$86,977	\$91,977	\$0	\$91,977
	940	`Akoko ( <i>Chamaesyce deppeana</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	439	`Akoko ( <i>Chamaesyce herbstii</i> )	E	\$4,000	\$86,977	\$90,977	\$0	\$90,977
	877	`Akoko ( <i>Chamaesyce kuwaleana</i> )	E	\$4,600	\$2,407	\$7,007	\$0	\$7,007
	779	`Akoko ( <i>Chamaesyce rockii</i> )	E	\$4,000	\$8,729	\$12,729	\$0	\$12,729
	612	`Akoko ( <i>Euphorbia haeleleana</i> )	E	\$19,000	\$16,700	\$35,700	\$0	\$35,700
	636	`Akoko, Ewa Plains ( <i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i> )	E	\$29,500	\$0	\$29,500	\$0	\$29,500
	836	`Anaunau ( <i>Lepidium arbuscula</i> )	E	\$7,000	\$2,407	\$9,407	\$0	\$9,407
	724	`Anunu ( <i>Sicyos alba</i> )	E	\$4,100	\$14,000	\$18,100	\$0	\$18,100
	848	`Awikiwiki ( <i>Canavalia molokaiensis</i> )	E	\$3,500	\$5,000	\$8,500	\$0	\$8,500
	940	`Oha wai ( <i>Clermontia drepanomorpha</i> )	E	\$3,500	\$0	\$3,500	\$0	\$3,500
	513	`Oha wai ( <i>Clermontia lindseyana</i> )	E	\$55,200	\$5,300	\$60,500	\$0	\$60,500
	937	`Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>brevipes</i> )	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	932	`Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i> )	E	\$3,500	\$300	\$3,800	\$0	\$3,800
	924	`Oha wai ( <i>Clermontia peleana</i> )	E	\$3,900	\$300	\$4,200	\$0	\$4,200
	499	`Oha wai ( <i>Clermontia pyrularia</i> )	E	\$59,600	\$5,000	\$64,600	\$0	\$64,600
	921	`Oha wai ( <i>Clermontia samuelii</i> )	E	\$4,000	\$300	\$4,300	\$0	\$4,300
	927	`Ohe`ohe ( <i>Tetraplasandra gymnocarpa</i> )	E	\$4,000	\$0	\$4,000	\$0	\$4,000
Flowering Plants subtotal				\$17,645,249	\$23,827,316	\$41,472,565	\$891,328	\$42,363,893
Conifers and Cycads	840	Cypress, Gowen ( <i>Cupressus goveniana</i> ssp. <i>goveniana</i> )	T	\$6,815	\$2,500	\$9,315	\$0	\$9,315
	799	Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> )	E	\$11,250	\$0	\$11,250	\$0	\$11,250
	666	Torreya, Florida ( <i>Torreya taxifolia</i> )	E	\$20,000	\$5,150	\$25,150	\$0	\$25,150
Conifers and Cycads subtotal				\$38,065	\$7,650	\$45,715	\$0	\$45,715
Ferns and Allies	895	Diellia, asplenium-leaved ( <i>Diellia erecta</i> )	E	\$5,900	\$0	\$5,900	\$0	\$5,900
	881	Fern, American hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> )	T	\$3,500	\$3,219	\$6,719	\$0	\$6,719
	909	Fern, pendant kahi ( <i>Adenophorus periens</i> )	E	\$4,000	\$960	\$4,960	\$0	\$4,960

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	856	Ihi' ihi ( <i>Marsilea villosa</i> )	E	\$5,600	\$2,407	\$8,007	\$0	\$8,007
	1003	<i>Adiantum vivesii</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
	190	<i>Asplenium fragile</i> var. <i>insulare</i> (=Sci name)	E	\$7,900	\$462,710	\$470,610	\$0	\$470,610
	913	<i>Diellia falcata</i> (=Sci name)	E	\$4,600	\$0	\$4,600	\$0	\$4,600
	776	<i>Diellia pallida</i> (=Sci name)	E	\$13,000	\$0	\$13,000	\$0	\$13,000
	937	<i>Diellia unisora</i> (=Sci name)	E	\$3,600	\$0	\$3,600	\$0	\$3,600
	761	<i>Diplazium molokaiense</i> (=Sci name)	E	\$11,700	\$2,600	\$14,300	\$0	\$14,300
	1003	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
	1003	<i>Polystichum calderonense</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
	757	<i>Pteris lidgatei</i> (Sci name)	E	\$6,000	\$8,729	\$14,729	\$0	\$14,729
	1003	<i>Tectaria estremarana</i> (=Sci name)	E	\$500	\$0	\$500	\$0	\$500
	958	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	958	<i>Thelypteris verecunda</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	958	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$2,500	\$0	\$2,500	\$0	\$2,500
	651	Pauoa ( <i>Ctenitis squamigera</i> )	E	\$27,000	\$300	\$27,300	\$0	\$27,300
	938	Quillwort, black spored ( <i>Isoetes melanospora</i> )	E	\$2,500	\$1,050	\$3,550	\$0	\$3,550
	446	Quillwort, Louisiana ( <i>Isoetes louisianensis</i> )	E	\$0	\$86,558	\$86,558	\$1,200	\$87,758
	945	Quillwort, mat-forming ( <i>Isoetes tegetiformans</i> )	E	\$2,500	\$620	\$3,120	\$0	\$3,120
	891	Wawae'iole ( <i>Huperzia mannii</i> )	E	\$5,900	\$300	\$6,200	\$0	\$6,200
	767	Wawae'iole ( <i>Lycopodium (=Phlegmariurus) nutans</i> )	E	\$5,000	\$8,729	\$13,729	\$0	\$13,729
Ferns and Allies subtotal				\$118,200	\$578,182	\$696,382	\$1,200	\$697,582
Lichens	432	Cladonia, Florida perforate ( <i>Cladonia perforata</i> )	E	\$5,800	\$86,810	\$92,610	\$0	\$92,610
	713	Lichen, rock gnome ( <i>Gymnoderma lineare</i> )	E	\$11,700	\$6,520	\$18,220	\$880	\$19,100
Lichens subtotal				\$17,500	\$93,330	\$110,830	\$880	\$111,710
Total Species Expenditures				\$144,040,839	\$711,038,202	\$855,079,041	\$51,608,005	\$906,687,046

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2008 REPORTED EXPENDITURES**

Species are arranged in descending rank order by total identifiable expenditures (Table 1). Cumulative totals of the expenditures totals are provided. The cumulative total column is the sum of all higher ranked Species Totals (from Table 1) and the selected species entry. This table does not include costs for land acquisition.

The species list in the report follows the same breakdown as in 50 CFR 17.11 and 17.12. All populations are itemized separately, not just Evolutionarily Significant Units (ESUs). Thus, it appears as if there are more listed species. Populations of the same species may be ranked differently.

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2008 REPORTED EXPENDITURES, NOT INCLUDING LAND ACQUISITION COSTS**

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	\$42,169,058	\$42,169,058
2	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - middle Columbia R.	T	\$37,583,914	\$79,752,972
3	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - spring/summer Snake R.	T	\$37,065,552	\$116,818,524
4	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Snake R. Basin	T	\$36,806,099	\$153,624,623
5	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - fall Snake R.	T	\$32,264,925	\$185,889,548
6	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - western pop.	E	\$29,995,549	\$215,885,097
7	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - spring upper Columbia R.	E	\$27,682,212	\$243,567,309
8	Trout, bull ( <i>Salvelinus confluentus</i> ) - U.S.A., conterminous, lower 48 states	T	\$26,160,927	\$269,728,236
9	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - upper Columbia R. Basin	T	\$23,531,191	\$293,259,427
10	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - OR, CA pop.	T	\$20,330,578	\$313,590,005
11	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	\$19,565,078	\$333,155,083
12	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) <i>nerka</i> ) - U.S.A. (Snake River, ID stock wherever found.)	E	\$18,747,067	\$351,902,150
13	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - lower Columbia R.	T	\$17,216,337	\$369,118,487
14	Bat, Indiana ( <i>Myotis sodalis</i> )	E	\$16,543,137	\$385,661,624
15	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - Puget Sound	T	\$16,499,919	\$402,161,543
16	Whale, right ( <i>Balaena glacialis</i> (incl. <i>australis</i> ))	E	\$14,519,869	\$416,681,412
17	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - lower Columbia R.	T	\$11,181,740	\$427,863,152
18	Manatee, West Indian ( <i>Trichechus manatus</i> )	E	\$11,041,018	\$438,904,170
19	Tortoise, desert ( <i>Gopherus agassizii</i> ) - U.S.A., except in Sonoran Desert	T	\$10,687,159	\$449,591,329
20	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )	E	\$9,852,399	\$459,443,728
21	Sucker, razorback ( <i>Xyrauchen texanus</i> ) - entire	E	\$9,407,562	\$468,851,290
22	Owl, northern spotted ( <i>Strix occidentalis caurina</i> )	T	\$9,234,162	\$478,085,452
23	Salmon, Atlantic ( <i>Salmo salar</i> ) - Gulf of Maine Atlantic Salmon DPS	E	\$9,165,516	\$487,250,968
24	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> )	E	\$9,080,841	\$496,331,809
25	Plover, piping ( <i>Charadrius melodus</i> ) - except Great Lakes watershed	T	\$9,005,406	\$505,337,215
26	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	\$8,952,149	\$514,289,364
27	Sturgeon, white ( <i>Acipenser transmontanus</i> ) - U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	E	\$8,925,631	\$523,214,995
28	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - winter Sacramento R.	E	\$8,738,470	\$531,953,465
29	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - upper Willamette R.	T	\$8,345,378	\$540,298,843
30	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	\$8,205,663	\$548,504,506
31	Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )	T	\$7,714,084	\$556,218,590
32	Chub, humpback ( <i>Gila cypha</i> ) - entire	E	\$7,403,220	\$563,621,810
33	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - Lower Columbia River	T	\$6,792,885	\$570,414,695
34	Tern, least ( <i>Sterna antillarum</i> ) - interior pop.	E	\$6,630,914	\$577,045,609
35	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - eastern pop.	T	\$6,085,258	\$583,130,867
36	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - except Salt and Verde R. drainages, AZ	E	\$5,521,823	\$588,652,690
37	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) - lower 48 States, except where listed as an experimental population or delisted	T	\$5,294,603	\$593,947,293
38	Frog, California red-legged ( <i>Rana aurora draytonii</i> )	T	\$5,166,141	\$599,113,434
39	Crane, whooping ( <i>Grus americana</i> ) - except where EXPN	E	\$5,138,575	\$604,252,009
40	Sucker, Lost River ( <i>Deltistes luxatus</i> )	E	\$5,117,413	\$609,369,422

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
41	Sucker, shortnose ( <i>Chasmistes brevirostris</i> )	E	\$5,032,853	\$614,402,275
42	Murrelet, marbled ( <i>Brachyramphus marmoratus</i> ) - CA, OR, WA	T	\$4,820,134	\$619,222,409
43	Lynx, Canada ( <i>Lynx canadensis</i> ) - (Contiguous U.S. DPS)	T	\$4,711,016	\$623,933,425
44	Sea turtle, green ( <i>Chelonia mydas</i> ) - except where endangered	T	\$4,700,732	\$628,634,157
45	Trout, Lahontan cutthroat ( <i>Oncorhynchus clarki henshawi</i> )	T	\$4,694,459	\$633,328,616
46	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	\$4,561,037	\$637,889,653
47	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempii</i> )	E	\$4,397,903	\$642,287,556
48	Chub, bonytail ( <i>Gila elegans</i> ) - entire	E	\$4,105,097	\$646,392,653
49	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Central Valley CA	T	\$4,088,328	\$650,480,981
50	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	\$4,004,190	\$654,485,171
51	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - upper Willamette R.	T	\$3,962,012	\$658,447,183
52	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> ) - Columbia R.	T	\$3,878,687	\$662,325,870
53	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> )	E	\$3,810,389	\$666,136,259
54	Plover, western snowy ( <i>Charadrius alexandrinus nivosus</i> ) - Pacific coastal pop.	T	\$3,684,999	\$669,821,258
55	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - CA Central Valley spring-run	T	\$3,304,300	\$673,125,558
56	Tortoise, desert ( <i>Gopherus agassizii</i> ) - outside/taken from Sonoran Desert	SAT	\$3,243,433	\$676,368,991
57	Condor, California ( <i>Gymnogyps californianus</i> ) - U.S.A. only	E	\$3,052,563	\$679,421,554
58	Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> )	E	\$2,865,374	\$682,286,928
59	Bear, polar ( <i>Ursus maritimus</i> )	T	\$2,705,785	\$684,992,713
60	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) <i>kisutch</i> ) - central CA coast	E	\$2,695,547	\$687,688,260
61	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - U.S.A. (Central CA DPS)	T	\$2,432,216	\$690,120,476
62	Smelt, delta ( <i>Hypomesus transpacificus</i> )	T	\$2,419,450	\$692,539,926
63	Panther, Florida ( <i>Puma</i> (=Felis) <i>concolor coryi</i> )	E	\$2,412,170	\$694,952,096
64	Wolf, gray ( <i>Canis lupus</i> ) - Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$2,399,692	\$697,351,788
65	Ferret, black-footed ( <i>Mustela nigripes</i> ) - U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	EXPN	\$2,247,579	\$699,599,367
66	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - Puget Sound DPS	T	\$2,236,502	\$701,835,869
67	Crocodile, American ( <i>Crocodylus acutus</i> ) - FL pop.	T	\$2,236,345	\$704,072,214
68	Pronghorn, Sonoran ( <i>Antilocapra americana sonoriensis</i> )	E	\$2,208,800	\$706,281,014
69	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	\$2,191,955	\$708,472,969
70	Whale, humpback ( <i>Megaptera novaeangliae</i> )	E	\$2,158,378	\$710,631,347
71	Owl, Mexican spotted ( <i>Strix occidentalis lucida</i> )	T	\$2,133,069	\$712,764,416
72	Shrike, San Clemente loggerhead ( <i>Lanius ludovicianus mearnsi</i> )	E	\$1,986,521	\$714,750,937
73	Whale, bowhead ( <i>Balaena mysticetus</i> )	E	\$1,950,827	\$716,701,764
74	Eider, Steller's ( <i>Polysticta stelleri</i> ) - AK breeding pop.	T	\$1,890,855	\$718,592,619
75	Salamander, Santa Cruz long-toed ( <i>Ambystoma macrodactylum croceum</i> )	E	\$1,828,507	\$720,421,126
76	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	\$1,825,764	\$722,246,890
77	Trout, Gila ( <i>Oncorhynchus gilae</i> )	T	\$1,817,900	\$724,064,790
78	Tern, California least ( <i>Sterna antillarum browni</i> )	E	\$1,788,578	\$725,853,368
79	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - northeast U.S. nesting pop.	E	\$1,716,614	\$727,569,982
80	Wolf, gray ( <i>Canis lupus</i> ) - WY, ID, MT	EXPN	\$1,715,779	\$729,285,761
81	Gnatcatcher, coastal California ( <i>Polioptila californica californica</i> )	T	\$1,680,149	\$730,965,910
82	scrub-jay, Florida ( <i>Aphelocoma coerulescens</i> )	T	\$1,659,253	\$732,625,163
83	Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus</i> (=microscaphus))	E	\$1,644,669	\$734,269,832
84	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	\$1,635,900	\$735,905,732
85	Spiraea, Virginia ( <i>Spiraea virginiana</i> )	T	\$1,622,460	\$737,528,192
86	Wolf, gray ( <i>Canis lupus</i> ) - Mexican gray wolf, EXPN population	EXPN	\$1,615,300	\$739,143,492
87	Stork, wood ( <i>Mycteria americana</i> ) - AL, FL, GA, SC	E	\$1,608,979	\$740,752,471
88	Sturgeon, gulf ( <i>Acipenser oxyrinchus desotoi</i> )	T	\$1,606,376	\$742,358,847
89	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) except where Endang.	T	\$1,534,992	\$743,893,839

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
90	Parrot, Puerto Rican ( <i>Amazona vittata</i> )	E	\$1,511,534	\$745,405,373
91	Butterfly, Oregon silverspot ( <i>Speyeria zerene hippolyta</i> )	T	\$1,506,725	\$746,912,098
92	Prairie-chicken, Attwater's greater ( <i>Tympanuchus cupido attwateri</i> )	E	\$1,453,372	\$748,365,470
93	Butterfly, Quino checkerspot ( <i>Euphydryas editha quino</i> (=E. e. wrightii))	E	\$1,438,813	\$749,804,283
94	Wolf, gray ( <i>Canis lupus</i> ) - Western Great Lakes DPS	E	\$1,405,900	\$751,210,183
95	Sea turtle, green ( <i>Chelonia mydas</i> ) - FL, Mexico nesting pops.	E	\$1,390,526	\$752,600,709
96	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> )	E	\$1,379,300	\$753,980,009
97	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	\$1,373,887	\$755,353,896
98	Woundfin ( <i>Plagopterus argentissimus</i> ) - Gila R. drainage, AZ, NM	EXPN	\$1,284,143	\$756,638,039
99	Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> ) - U.S.A., north-central CO	T	\$1,245,230	\$757,883,269
100	Goose, Hawaiian ( <i>Branta</i> (=Nesochen) sandvicensis)	E	\$1,224,349	\$759,107,618
101	Minnow, loach ( <i>Tiaroga cobitis</i> )	T	\$1,218,875	\$760,326,493
102	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> ) - entire	E	\$1,211,339	\$761,537,832
103	Tadpole shrimp, vernal pool ( <i>Lepidurus packardii</i> )	E	\$1,195,077	\$762,732,909
104	Spikedace ( <i>Meda fulgida</i> )	T	\$1,191,125	\$763,924,034
105	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	\$1,179,927	\$765,103,961
106	Logperch, Roanoke ( <i>Percina rex</i> )	E	\$1,178,195	\$766,282,156
107	Bat, gray ( <i>Myotis grisescens</i> )	E	\$1,159,647	\$767,441,803
108	Palila (honeycreeper) ( <i>Loxioides bailleui</i> )	E	\$1,150,765	\$768,592,568
109	Condor, California ( <i>Gymnogyps californianus</i> ) - U.S.A. (specific portions of Arizona, Nevada, and Utah)	EXPN	\$1,138,274	\$769,730,842
110	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - northern	T	\$1,128,226	\$770,859,068
111	Whale, killer ( <i>Orcinus orca</i> ) - Southern Resident DPS	E	\$1,118,103	\$771,977,171
112	Cactus, Kuenzler hedgehog ( <i>Echinocereus fendleri</i> var. kuenzleri)	E	\$1,117,150	\$773,094,321
113	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	\$1,115,800	\$774,210,121
114	Eagle, bald ( <i>Haliaeetus leucocephalus</i> ) - Sonoran Desert DPS	T	\$1,109,382	\$775,319,503
115	Sparrow, Cape Sable seaside ( <i>Ammodramus maritimus mirabilis</i> )	E	\$1,095,197	\$776,414,700
116	Cui-ui ( <i>Chasmistes cujus</i> )	E	\$1,083,434	\$777,498,134
117	Chub, Gila ( <i>Gila intermedia</i> )	E	\$1,058,700	\$778,556,834
118	Sturgeon, North American green ( <i>Acipenser medirostris</i> ) - U.S.A. (CA) Southern Distinct Population Segment	T	\$1,045,586	\$779,602,420
119	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) keta) - summer-run Hood Canal	T	\$1,042,845	\$780,645,265
120	Otter, southern sea ( <i>Enhydra lutris nereis</i> ) - except where EXPN	T	\$1,039,549	\$781,684,814
121	Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> )	E	\$1,038,902	\$782,723,716
122	Kite, Everglade snail ( <i>Rostrhamus sociabilis plumbeus</i> ) - FL pop.	E	\$1,030,882	\$783,754,598
123	Trout, Apache ( <i>Oncorhynchus apache</i> )	T	\$1,003,194	\$784,757,792
124	Frog, Chiricahua leopard ( <i>Rana chiricahuensis</i> )	T	\$995,700	\$785,753,492
125	Sheep, Peninsular bighorn ( <i>Ovis canadensis nelsoni</i> ) - Peninsular CA pop.	E	\$970,357	\$786,723,849
126	Butterfly, Karner blue ( <i>Lycaeides melissa samuelis</i> )	E	\$942,887	\$787,666,736
127	Crane, whooping ( <i>Grus americana</i> ) - U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	EXPN	\$936,407	\$788,603,143
128	Whale, finback ( <i>Balaenoptera physalus</i> )	E	\$918,674	\$789,521,817
129	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - central CA coast	T	\$911,024	\$790,432,841
130	Whale, sperm ( <i>Physeter catodon</i> (=macrocephalus))	E	\$909,448	\$791,342,289
131	Ferret, black-footed ( <i>Mustela nigripes</i> ) - entire; except where EXPN	E	\$904,746	\$792,247,035
132	Pondberry ( <i>Lindera melissifolia</i> )	E	\$883,847	\$793,130,882
133	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) nerka) - U.S.A. (Ozette Lake, WA)	T	\$882,458	\$794,013,340
134	Warbler (=wood), Kirtland's ( <i>Dendroica kirtlandii</i> )	E	\$880,962	\$794,894,302
135	Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )	T	\$868,446	\$795,762,748
136	Ocelot ( <i>Leopardus</i> (=Felis) pardalis)	E	\$853,263	\$796,616,011
137	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	\$841,157	\$797,457,168
138	Plover, piping ( <i>Charadrius melodus</i> ) - Great Lakes watershed	E	\$821,832	\$798,279,000

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
139	Rabbit, pygmy ( <i>Brachylagus idahoensis</i> ) - Columbia Basin DPS	E	\$808,098	\$799,087,098
140	Jaguar ( <i>Panthera onca</i> )	E	\$803,685	\$799,890,783
141	Fairy shrimp, longhorn ( <i>Branchinecta longiantenna</i> )	E	\$792,243	\$800,683,026
142	Beetle, American burying ( <i>Nicrophorus americanus</i> )	E	\$791,420	\$801,474,446
143	Rail, Yuma clapper ( <i>Rallus longirostris yumanensis</i> ) - U.S.A. only	E	\$786,766	\$802,261,212
144	Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )	T	\$786,652	\$803,047,864
145	Pelican, brown ( <i>Pelecanus occidentalis</i> ) - except U.S. Atlantic coast, FL, AL	E	\$786,270	\$803,834,134
146	Coot, Hawaiian ( <i>Fulica americana alai</i> )	E	\$764,854	\$804,598,988
147	Bat, Hawaiian hoary ( <i>Lasiurus cinereus semotus</i> )	E	\$763,195	\$805,362,183
148	Sturgeon, shortnose ( <i>Acipenser brevirostrum</i> )	E	\$746,514	\$806,108,697
149	Chub, Virgin River ( <i>Gila seminuda (=robusta)</i> )	E	\$743,930	\$806,852,627
150	Woundfin ( <i>Plagopterus argentissimus</i> ) - except Gila R. drainage, AZ, NM	E	\$740,771	\$807,593,398
151	Wolf, red ( <i>Canis rufus</i> ) - U.S.A. (portions of NC and TN)	EXPN	\$715,248	\$808,308,646
152	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana var. recurva</i> )	E	\$702,200	\$809,010,846
153	Seagrass, Johnson's ( <i>Halophila johnsonii</i> )	T	\$679,860	\$809,690,706
154	Sea turtle, olive ridley ( <i>Lepidochelys olivacea</i> ) - Mexican nesting pop.	E	\$679,828	\$810,370,534
155	Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )	E	\$671,177	\$811,041,711
156	Deer, Columbian white-tailed ( <i>Odocoileus virginianus leucurus</i> ) - Columbia River DPS	E	\$668,709	\$811,710,420
157	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) - FL pop.	T	\$662,673	\$812,373,093
158	Sucker, June ( <i>Chasmistes liorus</i> )	E	\$651,100	\$813,024,193
159	Crow, Hawaiian (=alala) ( <i>Corvus hawaiiensis</i> )	E	\$649,690	\$813,673,883
160	Button-celery, San Diego ( <i>Eryngium aristulatum var. parishii</i> )	E	\$643,915	\$814,317,798
161	Bat, lesser long-nosed ( <i>Leptonycteris curasoae yerbabuena</i> )	E	\$642,500	\$814,960,298
162	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	\$628,116	\$815,588,414
163	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )	E	\$625,205	\$816,213,619
164	Sparrow, Florida grasshopper ( <i>Ammodramus savannarum floridanus</i> )	E	\$622,620	\$816,836,239
165	Albatross, short-tailed ( <i>Phoebastria (=Diomedea) albatrus</i> )	E	\$618,979	\$817,455,218
166	Salamander, frosted flatwoods ( <i>Ambystoma cingulatum</i> )	T	\$618,840	\$818,074,058
167	Crow, Mariana (=aga) ( <i>Corvus kubaryi</i> )	E	\$611,730	\$818,685,788
168	Caribou, woodland ( <i>Rangifer tarandus caribou</i> ) - Selkirk Mountain population	E	\$605,862	\$819,291,650
169	Shearwater, Newell's Townsend's ( <i>Puffinus auricularis newelli</i> )	T	\$587,826	\$819,879,476
170	Kio'ele ( <i>Hedyotis coriacea</i> )	E	\$585,221	\$820,464,697
171	Shiner, Topeka ( <i>Notropis topeka (=tristis)</i> )	E	\$578,577	\$821,043,274
172	Rail, California clapper ( <i>Rallus longirostris obsoletus</i> )	E	\$578,036	\$821,621,310
173	Monardella, willowy ( <i>Monardella linoidea</i> ssp. <i>viminea</i> )	E	\$574,325	\$822,195,635
174	Whale, blue ( <i>Balaenoptera musculus</i> )	E	\$554,542	\$822,750,177
175	Thornmint, San Diego ( <i>Acanthomintha ilicifolia</i> )	T	\$543,320	\$823,293,497
176	Cactus, star ( <i>Astrophytum asterias</i> )	E	\$537,156	\$823,830,653
177	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	\$528,444	\$824,359,097
178	Rail, Guam ( <i>Rallus owstoni</i> ) - except Rota	E	\$525,600	\$824,884,697
179	Rattleweed, hairy ( <i>Baptisia arachnifera</i> )	E	\$521,000	\$825,405,697
180	Butterfly, Fender's blue ( <i>Icaricia icarioides fenderi</i> )	E	\$518,740	\$825,924,437
181	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )	E	\$513,548	\$826,437,985
182	Fritillary, Gentner's ( <i>Fritillaria gentneri</i> )	E	\$509,609	\$826,947,594
183	Minnnow, Devils River ( <i>Dionda diaboli</i> )	T	\$501,577	\$827,449,171
184	Chub, Oregon ( <i>Oregonichthys crameri</i> )	E	\$500,675	\$827,949,846
185	Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )	E	\$491,515	\$828,441,361
186	Navarretia, spreading ( <i>Navarretia fossalis</i> )	T	\$491,267	\$828,932,628
187	Squirrel, northern Idaho ground ( <i>Spermophilus brunneus brunneus</i> )	T	\$486,142	\$829,418,770
188	Lupine, Kincaid's ( <i>Lupinus sulphureus (=oreganus)</i> ssp. <i>kincaidii</i> (=var. <i>kincaidii</i> ))	T	\$474,997	\$829,893,767

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
189	<i>Silene hawaiiensis</i> (=Sci name)	T	\$474,510	\$830,368,277
190	<i>Asplenium fragile</i> var. <i>insulare</i> (=Sci name)	E	\$470,610	\$830,838,887
191	Whale, Sei ( <i>Balaenoptera borealis</i> )	E	\$470,079	\$831,308,966
192	Mouse, salt marsh harvest ( <i>Reithrodontomys raviventris</i> )	E	\$469,888	\$831,778,854
193	Po'e ( <i>Portulaca sclerocarpa</i> )	E	\$468,510	\$832,247,364
194	<i>Vigna o-wahuensis</i> (=Sci name)	E	\$466,817	\$832,714,181
195	Tarplant, Otay ( <i>Deinandra</i> (=Hemizonia) <i>conjugens</i> )	T	\$460,560	\$833,174,741
196	Popolo ku mai ( <i>Solanum incompletum</i> )	E	\$460,010	\$833,634,751
197	A'e ( <i>Zanthoxylum hawaiiense</i> )	E	\$459,510	\$834,094,261
198	<i>Spermolepis hawaiiensis</i> (=Sci name)	E	\$456,817	\$834,551,078
199	<i>Neraudia ovata</i> (=Sci name)	E	\$454,010	\$835,005,088
199	<i>Silene lanceolata</i> (=Sci name)	E	\$454,010	\$835,459,098
199	<i>Stenogyne angustifolia</i> var. <i>angustifolia</i> (=Sci name)	E	\$454,010	\$835,913,108
199	<i>Tetramolopium arenarium</i> (=Sci name)	E	\$454,010	\$836,367,118
200	Honohono ( <i>Haplostachys haplostachya</i> )	E	\$453,910	\$836,821,028
201	Aupaka ( <i>Isodendron hosakae</i> )	E	\$453,510	\$837,274,538
202	<i>Lipochaeta venosa</i> (=Sci name)	E	\$452,510	\$837,727,048
203	Ladies'-tresses, Ute ( <i>Spiranthes diluvialis</i> )	T	\$451,258	\$838,178,306
204	Pupfish, desert ( <i>Cyprinodon macularius</i> )	E	\$449,969	\$838,628,275
205	Tortoise, gopher ( <i>Gopherus polyphemus</i> ) - W of of Mobile/Tombigbee Rs.	T	\$444,401	\$839,072,676
206	Milk-vetch, Peirson's ( <i>Astragalus magdalenae</i> var. <i>peirsonii</i> )	T	\$440,930	\$839,513,606
207	Kangaroo rat, Stephens' ( <i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> ))	E	\$438,321	\$839,951,927
208	Orcutt grass, California ( <i>Orcuttia californica</i> )	E	\$436,980	\$840,388,907
209	Eider, spectacled ( <i>Somateria fischeri</i> )	T	\$433,600	\$840,822,507
210	Spinedace, Big Spring ( <i>Lepidomeda mollispinis pratensis</i> )	T	\$430,000	\$841,252,507
211	Whale, gray ( <i>Eschrichtius robustus</i> ) - W Pacific Ocean	E	\$429,556	\$841,682,063
212	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) - U.S.A. only	E	\$426,250	\$842,108,313
213	Ambrosia, San Diego ( <i>Ambrosia pumila</i> )	E	\$424,653	\$842,532,966
214	Petrel, Hawaiian dark-rumped ( <i>Pterodroma phaeopygia sandwichensis</i> )	E	\$422,481	\$842,955,447
215	Loosestrife, rough-leaved ( <i>Lysimachia asperulaefolia</i> )	E	\$418,853	\$843,374,300
216	Cactus, Pima pineapple ( <i>Coryphantha scheeri</i> var. <i>robustispina</i> )	E	\$417,000	\$843,791,300
217	Rail, light-footed clapper ( <i>Rallus longirostris levipes</i> ) - U.S.A. only	E	\$414,731	\$844,206,031
218	Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )	E	\$409,835	\$844,615,866
219	Akepa, Hawaii (honeycreeper) ( <i>Loxops coccineus coccineus</i> )	E	\$406,339	\$845,022,205
220	Hawk, Hawaiian (=lo) ( <i>Buteo solitarius</i> )	E	\$404,103	\$845,426,308
221	Catchfly, Spalding's ( <i>Silene spaldingii</i> )	T	\$398,125	\$845,824,433
222	Wartyback, white (pearlymussel) ( <i>Plethobasus cicatricosus</i> )	E	\$397,100	\$846,221,533
223	Milk-vetch, triple-ribbed ( <i>Astragalus tricarinatus</i> )	E	\$384,450	\$846,605,983
224	Paintbrush, golden ( <i>Castilleja levisecta</i> )	T	\$379,107	\$846,985,090
225	Wild-rice, Texas ( <i>Zizania texana</i> )	E	\$377,718	\$847,362,808
226	Darter, boulder ( <i>Etheostoma wapiti</i> )	E	\$375,395	\$847,738,203
227	Salamander, desert slender ( <i>Batrachoseps aridus</i> )	E	\$375,000	\$848,113,203
228	Wolf, gray ( <i>Canis lupus</i> ) - Northern Rocky Mountain DPS	E	\$373,400	\$848,486,603
229	Sheep, Sierra Nevada bighorn ( <i>Ovis canadensis sierrae</i> ) - Sierra Nevada	E	\$366,848	\$848,853,451
230	Snail, Snake River physa ( <i>Physa natricina</i> )	E	\$363,168	\$849,216,619
231	Trout, greenback cutthroat ( <i>Oncorhynchus clarki stomias</i> )	T	\$361,132	\$849,577,751
232	Crane, Mississippi sandhill ( <i>Grus canadensis pulla</i> )	E	\$358,025	\$849,935,776
233	Amaranth, seabeach ( <i>Amaranthus pumilus</i> )	T	\$356,860	\$850,292,636
234	Jaguarundi, Gulf Coast ( <i>Herpailurus</i> (=Felis) <i>yagouaroundi cacomitli</i> )	E	\$355,600	\$850,648,236
235	Wolf, red ( <i>Canis rufus</i> ) - except where EXPN	E	\$354,500	\$851,002,736
236	Chub, Mohave tui ( <i>Gila bicolor mohavensis</i> )	E	\$350,897	\$851,353,633
237	Checkermallow, Wenatchee Mountains ( <i>Sidalcea oregana</i> var. <i>calva</i> )	E	\$350,771	\$851,704,404

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
238	Darter, fountain ( <i>Etheostoma fonticola</i> )	E	\$344,898	\$852,049,302
239	Pimpleback, orangefoot (pearlymussel) ( <i>Plethobasus cooperianus</i> )	E	\$341,200	\$852,390,502
240	ʻAiea ( <i>Nothocestrum breviflorum</i> )	E	\$339,894	\$852,730,396
241	Snail, Utah valvata ( <i>Valvata utahensis</i> )	E	\$333,226	\$853,063,622
242	Abalone, White ( <i>Haliotis sorenseni</i> ) - North America (West Coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	E	\$330,883	\$853,394,505
243	Amole, purple ( <i>Chlorogalum purpureum</i> )	T	\$329,905	\$853,724,410
244	Wallflower, Menzies' ( <i>Erysimum menziesii</i> )	E	\$327,180	\$854,051,590
245	Clubshell ( <i>Pleurobema clava</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$326,782	\$854,378,372
246	Goby, tidewater ( <i>Eucyclogobius newberryi</i> ) - Entire	E	\$325,262	\$854,703,634
247	Fox, Santa Cruz Island ( <i>Urocyon littoralis santacruzae</i> )	E	\$323,342	\$855,026,976
248	Kangaroo rat, giant ( <i>Dipodomys ingens</i> )	E	\$320,321	\$855,347,297
249	Wedgemussel, dwarf ( <i>Alasmidonta heterodon</i> )	E	\$315,852	\$855,663,149
250	Chub, Sonora ( <i>Gila ditaenia</i> )	T	\$314,400	\$855,977,549
251	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - northern CA	T	\$312,100	\$856,289,649
252	Salamander, Sonora tiger ( <i>Ambystoma tigrinum stebbinsi</i> )	E	\$305,900	\$856,595,549
253	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> )	T	\$305,884	\$856,901,433
254	Riffleshell, northern ( <i>Epioblasma torulosa rangiana</i> )	E	\$304,048	\$857,205,481
255	Three-ridge, fat (mussel) ( <i>Amblema neislerii</i> )	E	\$301,110	\$857,506,591
256	Desert-parsley, Bradshaw's ( <i>Lomatium bradshawii</i> )	E	\$300,116	\$857,806,707
257	Bobwhite, masked (quail) ( <i>Colinus virginianus ridgwayi</i> )	E	\$297,500	\$858,104,207
258	Darter, Niangua ( <i>Etheostoma nianguae</i> )	T	\$297,080	\$858,401,287
259	Pearlymussel, cracking ( <i>Hemistena lata</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$296,816	\$858,698,103
260	Trout, Paiute cutthroat ( <i>Oncorhynchus clarki seleniris</i> )	T	\$295,610	\$858,993,713
261	Rattlesnake, New Mexican ridge-nosed ( <i>Crotalus willardi obscurus</i> )	T	\$290,550	\$859,284,263
262	Darter, Okaloosa ( <i>Etheostoma okaloosae</i> )	E	\$289,745	\$859,574,008
263	Prairie dog, Utah ( <i>Cynomys parvidens</i> )	T	\$288,110	\$859,862,118
264	Four-o'clock, MacFarlane's ( <i>Mirabilis macfarlanei</i> )	T	\$285,421	\$860,147,539
265	Frog, Mississippi gopher ( <i>Rana capito sevosa</i> ) - Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$285,400	\$860,432,939
266	Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> )	E	\$284,986	\$860,717,925
267	Bat, Ozark big-eared ( <i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i> )	E	\$281,400	\$860,999,325
268	Fox, San Miguel Island ( <i>Urocyon littoralis littoralis</i> )	E	\$280,690	\$861,280,015
268	Fox, Santa Rosa Island ( <i>Urocyon littoralis santarosae</i> )	E	\$280,690	\$861,560,705
269	Swiftlet, Mariana gray ( <i>Aerodramus vanikorensis bartschi</i> )	E	\$278,200	\$861,838,905
270	Crane, whooping ( <i>Grus americana</i> ) - U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	EXPN	\$276,853	\$862,115,758
271	Chub, spotfin ( <i>Erimonax monachus</i> ) - Entire	T	\$276,166	\$862,391,924
272	Pocketbook, fat ( <i>Potamilus capax</i> )	E	\$273,792	\$862,665,716
273	Ayenia, Texas ( <i>Ayenia limitaris</i> )	E	\$273,100	\$862,938,816
274	Chaffseed, American ( <i>Schwalbea americana</i> )	E	\$273,094	\$863,211,910
275	Thrush, small Kauai (=puaiohi) ( <i>Myadestes palmeri</i> )	E	\$272,090	\$863,484,000
276	Bankclimber, purple (mussel) ( <i>Elliotoideus sloatianus</i> )	T	\$266,010	\$863,750,010
277	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - southern CA coast	E	\$260,788	\$864,010,798
278	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - Entire, except Sussex Co., DE	E	\$259,849	\$864,270,647
279	Kangaroo rat, San Bernardino Merriam's ( <i>Dipodomys merriami parvus</i> )	E	\$256,623	\$864,527,270
280	Duck, Laysan ( <i>Anas laysanensis</i> )	E	\$255,937	\$864,783,207
281	Manioc, Walker's ( <i>Manihot walkerae</i> )	E	\$255,600	\$865,038,807
282	Ambrosia, south Texas ( <i>Ambrosia cheiranthifolia</i> )	E	\$254,100	\$865,292,907
283	Butterfly, mission blue ( <i>Icaricia icarioides missionensis</i> )	E	\$252,032	\$865,544,939
284	Milk-vetch, Lane Mountain ( <i>Astragalus jaegerianus</i> )	E	\$250,295	\$865,795,234
285	Heelsplitter, Carolina ( <i>Lasmigona decorata</i> )	E	\$249,410	\$866,044,644

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
286	Meshweaver, Madla's Cave ( <i>Cicurina madla</i> )	E	\$243,100	\$866,287,744
287	Snail, Bliss Rapids ( <i>Taylorconcha serpenticola</i> )	T	\$242,068	\$866,529,812
288	Ground beetle, [unnamed] ( <i>Rhadine infernalis</i> )	E	\$241,400	\$866,771,212
288	Ground beetle, [unnamed] ( <i>Rhadine exilis</i> )	E	\$241,400	\$867,012,612
289	Otter, Northern Sea ( <i>Enhydra lutris kenyoni</i> ) southwest Alaska DPS	T	\$240,825	\$867,253,437
290	Sucker, Warner ( <i>Catostomus warnerensis</i> )	T	\$240,773	\$867,494,210
291	Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> )	E	\$240,000	\$867,734,210
292	Daisy, Willamette ( <i>Erigeron decumbens</i> var. <i>decumbens</i> )	E	\$238,620	\$867,972,830
293	Springfish, White River ( <i>Crenichthys baileyi baileyi</i> )	E	\$237,981	\$868,210,811
294	Frankenia, Johnston's ( <i>Frankenia johnstonii</i> )	E	\$233,500	\$868,444,311
295	Butterfly, Palos Verdes blue ( <i>Glaucopsyche lygdamus palosverdesensis</i> )	E	\$232,555	\$868,676,866
296	Butterfly, Saint Francis' satyr ( <i>Neonympha mitchellii francisci</i> )	E	\$231,133	\$868,907,999
297	Spineflower, Howell's ( <i>Chorizanthe howellii</i> )	E	\$231,080	\$869,139,079
298	Bladderpod, Zapata ( <i>Lesquerella thamnophila</i> )	E	\$229,000	\$869,368,079
299	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )	E	\$228,625	\$869,596,704
300	Lomatium, Cook's ( <i>Lomatium cookii</i> )	E	\$228,229	\$869,824,933
301	Dragonfly, Hine's emerald ( <i>Somatochlora hineana</i> )	E	\$217,196	\$870,042,129
302	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) - Entire; except where EXPN	E	\$217,173	\$870,259,302
303	Mouse, Perdido Key beach ( <i>Peromyscus polionotus trissyllepsis</i> )	E	\$215,198	\$870,474,500
304	Mouse, Pacific pocket ( <i>Perognathus longimembris pacificus</i> )	E	\$214,483	\$870,688,983
305	Blackbird, yellow-shouldered ( <i>Agelaius xanthomus</i> )	E	\$208,888	\$870,897,871
306	Ma' o hau hele, (=native yellow hibiscus) ( <i>Hibiscus brackenridgei</i> )	E	\$208,531	\$871,106,402
307	Pocketbook, shinyrayed ( <i>Lampsilis subangulata</i> )	E	\$207,710	\$871,314,112
308	Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )	E	\$207,342	\$871,521,454
309	Frog, mountain yellow-legged ( <i>Rana muscosa</i> ) – southern California DPS	E	\$205,663	\$871,727,117
310	Woodrat, Key Largo ( <i>Neotoma floridana smalli</i> )	E	\$204,931	\$871,932,048
311	Sawfish, smalltooth ( <i>Pristis pectinata</i> )	E	\$201,128	\$872,133,176
312	Butterfly plant, Colorado ( <i>Gaura neomexicana</i> var. <i>coloradensis</i> )	T	\$200,175	\$872,333,351
313	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> ) - MI, OH, IN N of 400 N. Lat.	T	\$199,756	\$872,533,107
314	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> )	E	\$197,863	\$872,730,970
315	Bat, Mexican long-nosed ( <i>Leptonycteris nivalis</i> )	E	\$197,100	\$872,928,070
316	Howellia, water ( <i>Howellia aquatilis</i> )	T	\$196,882	\$873,124,952
317	Skipper, Carson wandering ( <i>Pseudocopaodes eumus obscurus</i> )	E	\$195,500	\$873,320,452
318	Creeper, Hawaii ( <i>Oreomystis mana</i> )	E	\$194,390	\$873,514,842
319	Slabshell, Chipola ( <i>Elliptio chipolaensis</i> )	T	\$193,200	\$873,708,042
320	Bird's-beak, salt marsh ( <i>Cordylanthus maritimus</i> ssp. <i>maritimus</i> )	E	\$191,665	\$873,899,707
321	Darter, bluemark (=jewel) ( <i>Etheostoma</i> sp.)	E	\$191,000	\$874,090,707
322	Sturgeon, Alabama ( <i>Scaphirhynchus suttkusi</i> )	E	\$189,606	\$874,280,313
323	Coral, elkhorn ( <i>Acropora palmata</i> )	T	\$189,076	\$874,469,389
324	Coneflower, smooth ( <i>Echinacea laevigata</i> )	E	\$189,041	\$874,658,430
325	Springsnail, Bruneau Hot ( <i>Pyrgulopsis bruneauensis</i> )	E	\$187,105	\$874,845,535
326	Warbler, nightingale reed (old world warbler) ( <i>Acrocephalus luscini</i> )	E	\$184,100	\$875,029,635
327	Snails, Oahu tree ( <i>Achatinella</i> spp.)	E*	\$182,178	\$875,211,813
328	Fanshell ( <i>Cyprogenia stegaria</i> )	E	\$182,128	\$875,393,941
329	Akiapola'au (honeycreeper) ( <i>Hemignathus munroi</i> )	E	\$177,725	\$875,571,666
330	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - CA coastal	T	\$176,466	\$875,748,132
331	Sumac, Michaux's ( <i>Rhus michauxii</i> )	E	\$175,827	\$875,923,959
332	Dace, Moapa ( <i>Moapa coriacea</i> )	E	\$175,443	\$876,099,402
333	Butterfly, Lange's metalmark ( <i>Apodemia mormo langei</i> )	E	\$169,940	\$876,269,342
334	Salamander, Texas blind ( <i>Typhlomolge rathbuni</i> )	E	\$169,693	\$876,439,035
335	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) - experimental, non-essential, portions of ID and MT	EXPN	\$169,514	\$876,608,549

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
336	Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )	T	\$163,871	\$876,772,420
337	Meadowfoam, large-flowered woolly ( <i>Limnanthes floccosa</i> ssp. <i>grandiflora</i> )	E	\$163,229	\$876,935,649
338	Beetle, Hungerford's crawling water ( <i>Brychius hungerfordi</i> )	E	\$163,100	\$877,098,749
339	Lily, Western ( <i>Lilium occidentale</i> )	E	\$161,240	\$877,259,989
340	Layia, beach ( <i>Layia carnosa</i> )	E	\$161,141	\$877,421,130
341	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$157,724	\$877,578,854
342	Pigtoe, finerayed ( <i>Fusconaia cuneolus</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$155,024	\$877,733,878
343	Darter, leopard ( <i>Percina pantherina</i> )	T	\$153,820	\$877,887,698
344	Catfish, Yaqui ( <i>Ictalurus pricei</i> )	T	\$151,900	\$878,039,598
345	Cactus, Sneed pincushion ( <i>Coryphantha sneedii</i> var. <i>sneedii</i> )	E	\$150,900	\$878,190,498
346	Skink, sand ( <i>Neoseps reynoldsi</i> )	T	\$148,397	\$878,338,895
347	Goldfields, Contra Costa ( <i>Lasthenia conjugens</i> )	E	\$147,975	\$878,486,870
348	Bat, Mariana fruit (=Mariana flying fox) ( <i>Pteropus mariannus mariannus</i> ) - entire	T	\$147,160	\$878,634,030
349	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$146,800	\$878,780,830
350	Elepaio, Oahu ( <i>Chasiempis sandwichensis ibidis</i> )	E	\$145,765	\$878,926,595
351	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )	E	\$145,304	\$879,071,899
352	Tiger beetle, northeastern beach ( <i>Cicindela dorsalis dorsalis</i> )	T	\$145,140	\$879,217,039
353	Spineflower, Monterey ( <i>Chorizanthe pungens</i> var. <i>pungens</i> )	T	\$145,007	\$879,362,046
354	Monkeyface, Cumberland (pearlymussel) ( <i>Quadrula intermedia</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$144,800	\$879,506,846
355	Penstemon, blowout ( <i>Penstemon haydenii</i> )	E	\$144,331	\$879,651,177
356	Dace, blackside ( <i>Phoxinus cumberlandensis</i> )	T	\$143,000	\$879,794,177
357	Spiny mussel, James ( <i>Pleurobema collina</i> )	E	\$138,216	\$879,932,393
358	Steelhead ( <i>Oncorhynchus</i> (=Salmo) <i>mykiss</i> ) - south central CA coast	T	\$138,000	\$880,070,393
359	Megapode, Micronesian ( <i>Megapodius laperouse</i> )	E	\$137,238	\$880,207,631
360	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )	E	\$136,388	\$880,344,019
361	Sunflower, Pecos (=puzzle, =paradox) ( <i>Helianthus paradoxus</i> )	T	\$135,900	\$880,479,919
362	Orchid, eastern prairie fringed ( <i>Platanthera leucophaea</i> )	T	\$135,232	\$880,615,151
363	Toad, Houston ( <i>Bufo houstonensis</i> )	E	\$134,271	\$880,749,422
364	Elktoe, Appalachian ( <i>Alasmidonta raveneliana</i> )	E	\$132,566	\$880,881,988
365	Mouse, Choctawhatchee beach ( <i>Peromyscus polionotus allophrys</i> )	E	\$130,375	\$881,012,363
366	Mouse, southeastern beach ( <i>Peromyscus polionotus niveiventris</i> )	T	\$130,171	\$881,142,534
367	Kangaroo rat, Fresno ( <i>Dipodomys nitratoideis exilis</i> )	E	\$129,147	\$881,271,681
368	Mussel, scaleshell ( <i>Leptodea leptodon</i> )	E	\$129,085	\$881,400,766
369	Ko'oloa'ula ( <i>Abutilon menziesii</i> )	E	\$128,350	\$881,529,116
370	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - U.S.A. (CA - Santa Barbara County)	E	\$128,022	\$881,657,138
371	Rabbit, Lower Keys marsh ( <i>Sylvilagus palustris hefneri</i> )	E	\$127,028	\$881,784,166
372	Clubshell, southern ( <i>Pleurobema decisum</i> )	E	\$125,934	\$881,910,100
373	Butterfly, bay checkerspot ( <i>Euphydryas editha bayensis</i> )	T	\$125,932	\$882,036,032
374	Brodiaea, thread-leaved ( <i>Brodiaea filifolia</i> )	T	\$125,792	\$882,161,824
375	Kangaroo rat, Tipton ( <i>Dipodomys nitratoideis nitratoideis</i> )	E	\$124,816	\$882,286,640
376	Hawk, Puerto Rican sharp-shinned ( <i>Accipiter striatus venator</i> )	E	\$124,500	\$882,411,140
377	Riffleshell, tan ( <i>Epioblasma florentina walkeri</i> (=E. <i>walkeri</i> ))	E	\$124,165	\$882,535,305
378	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	T	\$123,256	\$882,658,561
379	Clover, running buffalo ( <i>Trifolium stoloniferum</i> )	E	\$123,123	\$882,781,684
380	Pogonia, small whorled ( <i>Isotria medeoloides</i> )	T	\$121,793	\$882,903,477
381	Spiny mussel, Tar River ( <i>Elliptio steinstansana</i> )	E	\$121,657	\$883,025,134
382	Parrotbill, Maui (honeycreeper) ( <i>Pseudonestor xanthophrys</i> )	E	\$121,100	\$883,146,234
383	Pearlshell, Louisiana ( <i>Margaritifera hembeli</i> )	T	\$120,850	\$883,267,084
384	Pigtoe, oval ( <i>Pleurobema pyriforme</i> )	E	\$119,100	\$883,386,184
385	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )	E	\$118,677	\$883,504,861

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
386	Chub, Yaqui ( <i>Gila purpurea</i> )	E	\$116,300	\$883,621,161
387	Kuahiwi laukahi ( <i>Plantago princeps</i> )	E	\$115,777	\$883,736,938
388	Squirrel, Virginia northern flying ( <i>Glaucomys sabrinus fuscus</i> )	DM	\$113,900	\$883,850,838
389	Butterfly, El Segundo blue ( <i>Euphilotes battoides allyni</i> )	E	\$112,002	\$883,962,840
390	Catspaw, white (pearlymussel) ( <i>Epioblasma obliquata perobliqua</i> )	E	\$111,600	\$884,074,440
391	Shiner, Cape Fear ( <i>Notropis mekistocholas</i> )	E	\$108,960	\$884,183,400
392	Mahoe ( <i>Alectryon macrococcus</i> )	E	\$108,846	\$884,292,246
393	Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )	E	\$108,740	\$884,400,986
394	Piperia, Yadon's ( <i>Piperia yadonii</i> )	E	\$107,493	\$884,508,479
395	Oha ( <i>Delissea subcordata</i> )	E	\$106,206	\$884,614,685
396	Snail, Morro shoulderband (=Banded dune) ( <i>Helminthoglypta walkeriana</i> )	E	\$106,084	\$884,720,769
397	Salamander, Shenandoah ( <i>Plethodon shenandoah</i> )	E	\$105,275	\$884,826,044
398	Pink, swamp ( <i>Helonias bullata</i> )	T	\$105,192	\$884,931,236
399	Poolfish, Pahrump ( <i>Empetrichthys latos</i> )	E	\$104,233	\$885,035,469
400	Skullcap, large-flowered ( <i>Scutellaria montana</i> )	T	\$104,078	\$885,139,547
401	Mehamehame ( <i>Flueggea neowawraea</i> )	E	\$104,007	\$885,243,554
402	Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> )	E	\$103,000	\$885,346,554
403	Salamander, San Marcos ( <i>Eurycea nana</i> )	T	\$102,805	\$885,449,359
404	<i>Schiedea nuttallii</i> (=Sci name)	E	\$102,577	\$885,551,936
405	Potato-bean, Price's ( <i>Apios priceana</i> )	T	\$102,505	\$885,654,441
406	Chub, Owens tui ( <i>Gila bicolor snyderi</i> )	E	\$102,226	\$885,756,667
407	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	\$102,210	\$885,858,877
408	Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> )	E	\$102,000	\$885,960,877
409	Mouse, St. Andrew beach ( <i>Peromyscus polionotus peninsularis</i> )	E	\$101,961	\$886,062,838
410	<i>Neraudia angulata</i> (=Sci name)	E	\$101,846	\$886,164,684
411	Tiger beetle, Salt Creek ( <i>Cicindela nevadica lincolniiana</i> )	E	\$100,590	\$886,265,274
412	Kulu`i ( <i>Nototrichium humile</i> )	E	\$99,846	\$886,365,120
413	Kingfisher, Guam Micronesian ( <i>Halcyon cinnamomina cinnamomina</i> )	E	\$98,070	\$886,463,190
414	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - Salt and Verde R. drainages, AZ	EXPN	\$97,947	\$886,561,137
415	<i>Schiedea kaalae</i> (=Sci name)	E	\$97,677	\$886,658,814
416	Schiedea, Diamond Head ( <i>Schiedea adamantis</i> )	E	\$97,100	\$886,755,914
417	Haha ( <i>Cyanea grimesiana</i> ssp. <i>obatae</i> )	E	\$96,977	\$886,852,891
418	Pu`uka`a ( <i>Cyperus trachysanthos</i> )	E	\$96,500	\$886,949,391
419	<i>Phyllostegia kaalaensis</i> (=Sci name)	E	\$96,477	\$887,045,868
420	<i>Hedyotis parvula</i> (=Sci name)	E	\$95,846	\$887,141,714
421	Pamakani ( <i>Viola chamissoniana</i> ssp. <i>chamissoniana</i> )	E	\$95,446	\$887,237,160
422	Cactus, Colorado hookless ( <i>Sclerocactus glaucus</i> )	T	\$94,666	\$887,331,826
423	Milkweed, Mead's ( <i>Asclepias meadii</i> )	T	\$94,549	\$887,426,375
424	Toad, Wyoming ( <i>Bufo baxteri</i> (=hemiophrys))	E	\$94,519	\$887,520,894
425	<i>Hesperomannia arbuscula</i> (=Sci name)	E	\$94,377	\$887,615,271
426	Kamanomano ( <i>Cenchrus agrimonioides</i> )	E	\$94,277	\$887,709,548
427	Coral, staghorn ( <i>Acropora cervicornis</i> )	T	\$93,942	\$887,803,490
428	<i>Tetramolopium filiforme</i> (=Sci name)	E	\$93,884	\$887,897,374
429	Haha ( <i>Cyanea longiflora</i> )	E	\$93,477	\$887,990,851
430	Haha ( <i>Cyanea superba</i> )	E	\$93,277	\$888,084,128
431	Sandwort, Marsh ( <i>Arenaria paludicola</i> )	E	\$92,863	\$888,176,991
432	Cladonia, Florida perforate ( <i>Cladonia perforata</i> )	E	\$92,610	\$888,269,601
433	Pupfish, Leon Springs ( <i>Cyprinodon bovinus</i> )	E	\$92,150	\$888,361,751
434	Lo`ulu ( <i>Pritchardia kaalae</i> )	E	\$92,077	\$888,453,828
435	`Akoko ( <i>Chamaesyce celastroides</i> var. <i>kaenana</i> )	E	\$91,977	\$888,545,805
435	<i>Hedyotis degeneri</i> (=Sci name)	E	\$91,977	\$888,637,782
436	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$91,500	\$888,729,282
437	<i>Sanicula marivera</i> (=Sci name)	E	\$91,477	\$888,820,759

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
438	<i>Gouania vitifolia</i> (=Sci name)	E	\$91,377	\$888,912,136
439	Ha`iwale ( <i>Cyrtandra dentata</i> )	E	\$90,977	\$889,003,113
439	Na`ena`e ( <i>Dubautia herbstobatae</i> )	E	\$90,977	\$889,094,090
439	`Akoko ( <i>Chamaesyce herbstii</i> )	E	\$90,977	\$889,185,067
440	Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )	E	\$90,660	\$889,275,727
441	Towhee, Inyo California ( <i>Pipilo crissalis eremophilus</i> )	T	\$90,488	\$889,366,215
442	<i>Alsinidendron obovatum</i> (=Sci name)	E	\$90,477	\$889,456,692
442	Nehe ( <i>Lipochaeta tenuifolia</i> )	E	\$90,477	\$889,547,169
443	Taraxacum, California ( <i>Taraxacum californicum</i> )	E	\$89,370	\$889,636,539
444	Chub, Pahrnagat roundtail ( <i>Gila robusta jordani</i> )	E	\$89,131	\$889,725,670
445	Darter, duskytail ( <i>Etheostoma percunurum</i> ) - Entire	E	\$88,246	\$889,813,916
446	Quillwort, Louisiana ( <i>Isoetes louisianensis</i> )	E	\$87,758	\$889,901,674
447	Tarplant, Gaviota ( <i>Deinandra increscens</i> ssp. <i>villosa</i> )	E	\$87,206	\$889,988,880
448	Bat, Virginia big-eared ( <i>Corynorhinus</i> (= <i>Plecotus</i> ) <i>townsendii virginianus</i> )	E	\$86,862	\$890,075,742
449	Sand-verbena, large-fruited ( <i>Abronia macrocarpa</i> )	E	\$86,554	\$890,162,296
450	Bean, purple ( <i>Villosa perpurpurea</i> )	E	\$85,256	\$890,247,552
451	Salamander, Barton Springs ( <i>Eurycea sosorum</i> )	E	\$85,163	\$890,332,715
452	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )	T	\$85,022	\$890,417,737
453	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$84,966	\$890,502,703
454	Milk-vetch, Applegate's ( <i>Astragalus applegatei</i> )	E	\$84,205	\$890,586,908
455	Tiger beetle, Puritan ( <i>Cicindela puritana</i> )	T	\$83,624	\$890,670,532
456	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - southern	SAT	\$83,600	\$890,754,132
457	Mountain beaver, Point Arena ( <i>Aplodontia rufa nigra</i> )	E	\$83,410	\$890,837,542
457	Boa, Puerto Rican ( <i>Epicrates inornatus</i> )	E	\$83,410	\$890,920,952
458	Madtom, smoky ( <i>Noturus baileyi</i> ) - Entire	E	\$82,746	\$891,003,698
459	Mountain balm, Indian Knob ( <i>Eriodictyon altissimum</i> )	E	\$82,255	\$891,085,953
460	Bluegrass, San Bernardino ( <i>Poa atropurpurea</i> )	E	\$79,885	\$891,165,838
461	Chub, Borax Lake ( <i>Gila boraxobius</i> )	E	\$79,000	\$891,244,838
462	Pearlymussel, littlewing ( <i>Pegias fabula</i> )	E	\$78,955	\$891,323,793
463	Sparrow, San Clemente sage ( <i>Amphispiza belli clementeae</i> )	T	\$78,824	\$891,402,617
464	Madtom, Neosho ( <i>Noturus placidus</i> )	T	\$78,339	\$891,480,956
465	Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )	E	\$78,286	\$891,559,242
466	Manzanita, Morro ( <i>Arctostaphylos morroensis</i> )	T	\$77,555	\$891,636,797
467	Dace, Foskett speckled ( <i>Rhinichthys osculus</i> ssp.) - Foskett	T	\$77,500	\$891,714,297
467	Buckwheat, steamboat ( <i>Eriogonum ovalifolium</i> var. <i>williamsiae</i> )	E	\$77,500	\$891,791,797
468	Grass, Colusa ( <i>Neostapfia colusana</i> )	T	\$77,080	\$891,868,877
469	Orcutt grass, slender ( <i>Orcuttia tenuis</i> )	T	\$76,968	\$891,945,845
470	Grass, Solano ( <i>Tuctoria mucronata</i> )	E	\$76,785	\$892,022,630
471	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - Entire; Except where listed as Experimental Populations	E	\$76,150	\$892,098,780
472	Seablite, California ( <i>Suaeda californica</i> )	E	\$75,740	\$892,174,520
473	Sandlace ( <i>Polygonella myriophylla</i> )	E	\$75,700	\$892,250,220
474	Sunflower, Schweinitz's ( <i>Helianthus schweinitzii</i> )	E	\$74,791	\$892,325,011
475	Madtom, yellowfin ( <i>Noturus flavipinnis</i> ) - except where EXPN	T	\$73,246	\$892,398,257
476	Lupine, scrub ( <i>Lupinus aridorum</i> )	E	\$73,000	\$892,471,257
477	Shiner, blue ( <i>Cyprinella caerulea</i> )	T	\$72,700	\$892,543,957
478	Sunburst, Hartweg's golden ( <i>Pseudobahia bahiifolia</i> )	E	\$72,630	\$892,616,587
479	Isopod, Madison Cave ( <i>Antrolana lira</i> )	T	\$70,750	\$892,687,337
480	Larkspur, San Clemente Island ( <i>Delphinium variegatum</i> ssp. <i>kinkiense</i> )	E	\$70,607	\$892,757,944
481	Spinedace, Little Colorado ( <i>Lepidomeda vittata</i> )	T	\$69,800	\$892,827,744
482	Tuctoria, Greene's ( <i>Tuctoria greenei</i> )	E	\$69,610	\$892,897,354
483	Goldenrod, Short's ( <i>Solidago shortii</i> )	E	\$69,500	\$892,966,854
484	Turtle, Alabama red-belly ( <i>Pseudemys alabamensis</i> )	E	\$69,255	\$893,036,109

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
485	Squirrel, Mount Graham red ( <i>Tamiasciurus hudsonicus grahamensis</i> )	E	\$68,900	\$893,105,009
486	Wire-lettuce, Malheur ( <i>Stephanomeria malheurenensis</i> )	E	\$68,886	\$893,173,895
487	Aster, decurrent false ( <i>Boltonia decurrens</i> )	T	\$67,977	\$893,241,872
488	Darter, Etowah ( <i>Etheostoma etowahae</i> )	E	\$67,500	\$893,309,372
489	Sunshine, Sonoma ( <i>Blennosperma bakeri</i> )	E	\$66,935	\$893,376,307
490	Popcornflower, rough ( <i>Plagiobothrys hirtus</i> )	E	\$66,929	\$893,443,236
491	Bear, American black ( <i>Ursus americanus</i> ) County range of LA b.bear	SAT	\$66,580	\$893,509,816
492	Silversword, Mauna Loa (=Ka'u) ( <i>Argyroxiphium kauense</i> )	E	\$66,522	\$893,576,338
493	Ambersnail, Kanab ( <i>Oxyloma haydeni kanabensis</i> )	E	\$66,400	\$893,642,738
493	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> )	T	\$66,400	\$893,709,138
494	Darter, Cherokee ( <i>Etheostoma scotti</i> )	T	\$65,600	\$893,774,738
495	Thelypody, Howell's spectacular ( <i>Thelypodium howellii spectabilis</i> )	T	\$65,529	\$893,840,267
496	Gilia, Monterey ( <i>Gilia tenuiflora</i> ssp. <i>arenaria</i> )	E	\$65,132	\$893,905,399
497	Salamander, California tiger ( <i>Ambystoma californiense</i> ) - U.S.A. (CA - Sonoma County)	E	\$64,900	\$893,970,299
498	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	\$64,850	\$894,035,149
499	`Oha wai ( <i>Clermontia pyricularia</i> )	E	\$64,600	\$894,099,749
500	Bush-mallow, San Clemente Island ( <i>Malacothamnus clementinus</i> )	E	\$64,504	\$894,164,253
501	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )	T	\$64,321	\$894,228,574
502	Sucker, Santa Ana ( <i>Catostomus santaanae</i> ) - 3 CA river basins	T	\$63,625	\$894,292,199
503	Thistle, Pitcher's ( <i>Cirsium pitcheri</i> )	T	\$63,000	\$894,355,199
504	Chub, Chihuahua ( <i>Gila nigrescens</i> )	T	\$62,750	\$894,417,949
505	Trillium, relict ( <i>Trillium reliquum</i> )	E	\$62,690	\$894,480,639
506	Shiner, beautiful ( <i>Cyprinella formosa</i> )	T	\$62,550	\$894,543,189
507	Evening-primrose, San Benito ( <i>Camissonia benitensis</i> )	T	\$62,170	\$894,605,359
508	Falcon, northern aplomado ( <i>Falco femoralis septentrionalis</i> ) - Southwestern population	EXPN	\$62,000	\$894,667,359
509	Goldfields, Burke's ( <i>Lasthenia burkei</i> )	E	\$61,966	\$894,729,325
510	Woodland-star, San Clemente Island ( <i>Lithophragma maximum</i> )	E	\$61,937	\$894,791,262
510	Indian paintbrush, San Clemente Island ( <i>Castilleja grisea</i> )	E	\$61,937	\$894,853,199
510	Broom, San Clemente Island ( <i>Lotus dendroideus</i> ssp. <i>traskiae</i> )	E	\$61,937	\$894,915,136
511	Dawn-flower, Texas prairie ( <i>Hymenoxys texana</i> )	E	\$60,600	\$894,975,736
512	Wolf, gray ( <i>Canis lupus</i> ) - MN	T	\$60,599	\$895,036,335
513	`Oha wai ( <i>Clermontia lindseyana</i> )	E	\$60,500	\$895,096,835
514	Prairie-clover, leafy ( <i>Dalea foliosa</i> )	E	\$60,000	\$895,156,835
515	Fox, Santa Catalina Island ( <i>Urocyon littoralis catalinae</i> )	E	\$59,523	\$895,216,358
516	Haha ( <i>Cyanea shipmanii</i> )	E	\$59,500	\$895,275,858
517	Kiponapona ( <i>Phyllostegia racemosa</i> )	E	\$59,100	\$895,334,958
518	Spineflower, Robust (incl. Scotts Valley) ( <i>Chorizanthe robusta</i> (incl. vars. <i>robusta</i> and <i>hartwegii</i> ))	E	\$58,732	\$895,393,690
519	Stickleback, unarmored threespine ( <i>Gasterosteus aculeatus williamsoni</i> )	E	\$58,485	\$895,452,175
520	Ring pink (mussel) ( <i>Obovaria retusa</i> )	E	\$57,950	\$895,510,125
521	Meadowfoam, Butte County ( <i>Limnanthes floccosa</i> ssp. <i>californica</i> )	E	\$57,860	\$895,567,985
522	Watercress, Gambel's ( <i>Rorippa gambellii</i> )	E	\$57,800	\$895,625,785
523	Coneflower, Tennessee purple ( <i>Echinacea tennesseensis</i> )	E	\$57,700	\$895,683,485
524	Butterfly, Smith's blue ( <i>Euphilotes enoptes smithi</i> )	E	\$57,672	\$895,741,157
525	Lizard, Island night ( <i>Xantusia riversiana</i> )	T	\$57,402	\$895,798,559
526	Darter, amber ( <i>Percina antesella</i> )	E	\$57,117	\$895,855,676
527	Moccasinshell, Ochlockonee ( <i>Medionidus simpsonianus</i> )	E	\$57,000	\$895,912,676
528	Pigtoe, rough ( <i>Pleurobema plenum</i> )	E	\$56,950	\$895,969,626
529	Honeycreeper, crested ( <i>Palmeria dolei</i> )	E	\$56,890	\$896,026,516
530	Snake, Lake Erie water ( <i>Nerodia sipedon insularum</i> ) - subspecies range clarified	T	\$56,854	\$896,083,370
531	<i>Schiedea haleakalensis</i> (=Sci name)	E	\$56,700	\$896,140,070

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
532	Iguana, Mona ground ( <i>Cyclura cornuta stejnegeri</i> )	T	\$55,380	\$896,195,450
533	Pitcher-plant, green ( <i>Sarracenia oreophila</i> )	E	\$55,204	\$896,250,654
534	Salamander, Red Hills ( <i>Phaeognathus hubrichti</i> )	T	\$55,000	\$896,305,654
535	Beetle, Mount Hermon June ( <i>Polyphylla barbata</i> )	E	\$54,973	\$896,360,627
536	Akepa, Maui (honeycreeper) ( <i>Loxops coccineus ochraceus</i> )	E	\$54,925	\$896,415,552
537	Dace, Independence Valley speckled ( <i>Rhinichthys osculus lethoporus</i> )	E	\$54,733	\$896,470,285
538	Mouse, Key Largo cotton ( <i>Peromyscus gossypinus allapaticola</i> )	E	\$54,731	\$896,525,016
539	Catspaw (=purple cat's paw pearl mussel) ( <i>Epioblasma obliquata obliquata</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$54,076	\$896,579,092
540	<i>Phyllostegia velutina</i> (=Sci name)	E	\$53,900	\$896,632,992
541	Bladderpod, Missouri ( <i>Lesquerella filiformis</i> )	T	\$53,808	\$896,686,800
542	Sucker, Modoc ( <i>Catostomus microps</i> )	E	\$53,555	\$896,740,355
543	Pupfish, Owens ( <i>Cyprinodon radiosus</i> )	E	\$53,351	\$896,793,706
544	Snake, San Francisco garter ( <i>Thamnophis sirtalis tetrataenia</i> )	E	\$53,160	\$896,846,866
545	Nukupu`u (honeycreeper) ( <i>Hemignathus lucidus</i> )	E	\$53,090	\$896,899,956
546	Kauiha ( <i>Colubrina oppositifolia</i> )	E	\$53,000	\$896,952,956
547	Harperella ( <i>Ptilimnium nodosum</i> )	E	\$52,775	\$897,005,731
548	Rabbitsfoot, rough ( <i>Quadrula cylindrica strigillata</i> )	E	\$52,390	\$897,058,121
549	Puma (=cougar), eastern ( <i>Puma</i> (=Felis) <i>concolor cougar</i> )	E	\$52,308	\$897,110,429
550	Pearl mussel, dromedary ( <i>Dromus dromas</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$52,216	\$897,162,645
551	Geranium, Hawaiian red-flowered ( <i>Geranium arboreum</i> )	E	\$52,153	\$897,214,798
552	Logperch, Conasauga ( <i>Percina jenkinsi</i> )	E	\$51,900	\$897,266,698
553	Milk-vetch, Holmgren ( <i>Astragalus holmgreniorum</i> )	E	\$51,850	\$897,318,548
554	Sandwort, Cumberland ( <i>Arenaria cumberlandensis</i> )	E	\$51,400	\$897,369,948
555	Shrimp, California freshwater ( <i>Syncaris pacifica</i> )	E	\$51,376	\$897,421,324
556	Po`ouli (honeycreeper) ( <i>Melamprosops phaeosoma</i> )	E	\$51,300	\$897,472,624
557	Butterfly, callippe silverspot ( <i>Speyeria callippe callippe</i> )	E	\$51,216	\$897,523,840
558	Koki`o ( <i>Kokia drynarioides</i> )	E	\$51,054	\$897,574,894
559	White-eye, Rota bridled ( <i>Zosterops rotensis</i> )	E	\$51,040	\$897,625,934
560	Crayfish, Nashville ( <i>Orconectes shoupi</i> )	E	\$51,000	\$897,676,934
560	Cactus, Mesa Verde ( <i>Sclerocactus mesae-verdae</i> )	T	\$51,000	\$897,727,934
561	Spineflower, Orcutt's ( <i>Chorizanthe orcuttiana</i> )	E	\$50,004	\$897,777,938
562	Snail, Virginia fringed mountain ( <i>Polygyris virginiensis</i> )	E	\$49,600	\$897,827,538
563	Hala pepe ( <i>Pleomele hawaiiensis</i> )	E	\$49,354	\$897,876,892
564	Townsendia, Last Chance ( <i>Townsendia aprica</i> )	T	\$49,290	\$897,926,182
565	Flannelbush, Mexican ( <i>Fremontodendron mexicanum</i> )	E	\$48,915	\$897,975,097
566	Gambusia, Big Bend ( <i>Gambusia gaigei</i> )	E	\$48,750	\$898,023,847
567	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - U.S.A. (DE, Sussex Co.)	EXPN	\$48,410	\$898,072,257
568	Chub, Hutton tui ( <i>Gila bicolor</i> ssp.) - Hutton	T	\$48,000	\$898,120,257
568	Beauty, Harper's ( <i>Harperocallis flava</i> )	E	\$48,000	\$898,168,257
569	Spinedace, White River ( <i>Lepidomeda albivallis</i> )	E	\$47,799	\$898,216,056
570	Snowbells, Texas ( <i>Stryax texanus</i> )	E	\$47,728	\$898,263,784
571	Milk-vetch, Shivwits ( <i>Astragalus ampullarioides</i> )	E	\$47,000	\$898,310,784
572	Shiner, Arkansas River ( <i>Notropis girardi</i> ) - Arkansas R. Basin	T	\$46,969	\$898,357,753
573	Butterfly, Behren's silverspot ( <i>Speyeria zerene behrensii</i> )	E	\$46,070	\$898,403,823
574	Cavesnail, Tumbling Creek ( <i>Antrobia culveri</i> )	E	\$46,000	\$898,449,823
575	Butterfly, Mitchell's satyr ( <i>Neonympha mitchellii mitchellii</i> )	E	\$45,841	\$898,495,664
576	Shrimp, Alabama cave ( <i>Palaemonias alabamiae</i> )	E	\$45,833	\$898,541,497
577	Millerbird, Nihoa (old world warbler) ( <i>Acrocephalus familiaris kingi</i> )	E	\$45,250	\$898,586,747
578	Jewelflower, California ( <i>Caulanthus californicus</i> )	E	\$44,940	\$898,631,687
579	Rush-pea, slender ( <i>Hoffmannseggia tenella</i> )	E	\$44,800	\$898,676,487
580	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )	E	\$44,555	\$898,721,042

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
581	Thistle, La Graciosa ( <i>Cirsium loncholepis</i> )	E	\$44,505	\$898,765,547
582	Hawk, Puerto Rican broad-winged ( <i>Buteo platypterus brunnescens</i> )	E	\$44,500	\$898,810,047
583	Turtle, yellow-blotched map ( <i>Graptemys flavimaculata</i> )	T	\$44,392	\$898,854,439
584	Lizard, Coachella Valley fringe-toed ( <i>Uma inornata</i> )	T	\$43,623	\$898,898,062
585	Lizard, St. Croix ground ( <i>Ameiva polops</i> )	E	\$43,600	\$898,941,662
586	Beetle, delta green ground ( <i>Elaphrus viridis</i> )	T	\$43,563	\$898,985,225
587	Bush-clover, prairie ( <i>Lespedeza leptostachya</i> )	T	\$43,167	\$899,028,392
588	Orcutt grass, Sacramento ( <i>Orcuttia viscida</i> )	E	\$43,085	\$899,071,477
589	Pentachaeta, Lyon's ( <i>Pentachaeta lyonii</i> )	E	\$43,065	\$899,114,542
590	Toad, Puerto Rican crested ( <i>Peltophryne lemur</i> )	T	\$42,633	\$899,157,175
591	Pigeon, Puerto Rican plain ( <i>Columba inornata wetmorei</i> )	E	\$42,500	\$899,199,675
592	Milk-vetch, Sentry ( <i>Astragalus cremnophylax</i> var. <i>cremnophylax</i> )	E	\$41,900	\$899,241,575
593	Phlox, Yreka ( <i>Phlox hirsuta</i> )	E	\$41,295	\$899,282,870
594	Stickseed, showy ( <i>Hackelia venusta</i> )	E	\$41,253	\$899,324,123
595	Darter, snail ( <i>Percina tanasi</i> )	T	\$40,900	\$899,365,023
596	Meadowfoam, Sebastopol ( <i>Limnanthes vinculans</i> )	E	\$40,535	\$899,405,558
597	Manzanita, Del Mar ( <i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i> )	E	\$40,380	\$899,445,938
598	Manzanita, Ione ( <i>Arctostaphylos myrtifolia</i> )	T	\$40,240	\$899,486,178
599	Pigeon wings ( <i>Clitoria fragrans</i> )	T	\$39,900	\$899,526,078
600	Amphipod, Illinois cave ( <i>Gammarus acherondytes</i> )	E	\$39,520	\$899,565,598
601	Plum, scrub ( <i>Prunus geniculata</i> )	E	\$39,400	\$899,604,998
602	Uhiuhi ( <i>Caesalpinia kavaense</i> )	E	\$37,954	\$899,642,952
603	Bladderpod, kodachrome ( <i>Lesquerella tumulosa</i> )	E	\$37,750	\$899,680,702
604	Moth, Blackburn's sphinx ( <i>Manduca blackburni</i> )	E	\$37,653	\$899,718,355
605	Heartleaf, dwarf-flowered ( <i>Hexastylis naniflora</i> )	T	\$37,040	\$899,755,395
606	Barberry, Nevin's ( <i>Berberis nevinii</i> )	E	\$36,890	\$899,792,285
607	Rockcress, Santa Cruz Island ( <i>Sibara filifolia</i> )	E	\$36,608	\$899,828,893
608	Monkeyface, Appalachian (pearlymussel) ( <i>Quadrula sparsa</i> )	E	\$36,580	\$899,865,473
609	Gooseberry, Miccosukee ( <i>Ribes echinellum</i> )	T	\$36,400	\$899,901,873
610	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> )	T	\$35,800	\$899,937,673
611	Butterweed, Layne's ( <i>Senecio layneae</i> )	T	\$35,770	\$899,973,443
612	`Akoko ( <i>Euphorbia haeleleana</i> )	E	\$35,700	\$900,009,143
613	Bedstraw, El Dorado ( <i>Galium californicum</i> ssp. <i>sierrae</i> )	E	\$35,684	\$900,044,827
614	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i> )	E	\$35,500	\$900,080,327
615	Nohoanu ( <i>Geranium multiflorum</i> )	E	\$33,700	\$900,114,027
616	Wild-buckwheat, clay-loving ( <i>Eriogonum pelinophilum</i> )	E	\$33,577	\$900,147,604
617	Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )	E	\$33,405	\$900,181,009
618	Ceanothus, Pine Hill ( <i>Ceanothus roderickii</i> )	E	\$33,335	\$900,214,344
619	Tiger beetle, Ohlone ( <i>Cicindela ohlone</i> )	E	\$33,043	\$900,247,387
620	Skipper, Pawnee montane ( <i>Hesperia leonardus montana</i> )	T	\$32,237	\$900,279,624
621	Morning-glory, Stebbins' ( <i>Calystegia stebbinsii</i> )	E	\$32,060	\$900,311,684
622	Puma (=mountain lion) ( <i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i> )) - FL	SAT	\$31,865	\$900,343,549
623	Cactus, Winkler ( <i>Pediocactus winkleri</i> )	T	\$31,828	\$900,375,377
624	Sunburst, San Joaquin adobe ( <i>Pseudobahia peirsonii</i> )	T	\$31,285	\$900,406,662
625	Centaury, spring-loving ( <i>Centaureium namophilum</i> )	T	\$31,000	\$900,437,662
625	Butterwort, Godfrey's ( <i>Pinguicula ionantha</i> )	T	\$31,000	\$900,468,662
626	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - Western Hemisphere except NE U.S.	T	\$30,803	\$900,499,465
627	Paintbrush, ash-grey ( <i>Castilleja cinerea</i> )	T	\$30,640	\$900,530,105
628	Moorhen, Mariana common ( <i>Gallinula chloropus guami</i> )	E	\$30,638	\$900,560,743
629	Squirrel, Carolina northern flying ( <i>Glaucomyz sabrinus coloratus</i> )	E	\$30,600	\$900,591,343
629	Cactus, Key tree ( <i>Pilosocereus robinii</i> )	E	\$30,600	\$900,621,943
630	Cycladenia, Jones ( <i>Cycladenia jonesii (=humilis)</i> )	T	\$30,560	\$900,652,503
631	Trillium, persistent ( <i>Trillium persistens</i> )	E	\$30,250	\$900,682,753
632	Tarplant, Santa Cruz ( <i>Holocarpha macradenia</i> )	T	\$30,015	\$900,712,768

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
633	Moccasinshell, Alabama ( <i>Medionidus acutissimus</i> )	T	\$30,000	\$900,742,768
634	Evening-primrose, Eureka Valley ( <i>Oenothera avita</i> ssp. <i>eurekensis</i> )	E	\$29,810	\$900,772,578
635	Birds-in-a-nest, white ( <i>Macbridea alba</i> )	T	\$29,600	\$900,802,178
636	Snail, painted snake coiled forest ( <i>Anguispira picta</i> )	T	\$29,500	\$900,831,678
636	`Akoko, Ewa Plains ( <i>Chamaesyce skottsbergii</i> var. <i>kalaeloana</i> )	E	\$29,500	\$900,861,178
636	Skullcap, Florida ( <i>Scutellaria floridana</i> )	T	\$29,500	\$900,890,678
637	Dropwort, Canby's ( <i>Oxypolis canbyi</i> )	E	\$29,229	\$900,919,907
638	Ziziphus, Florida ( <i>Ziziphus celata</i> )	E	\$29,100	\$900,949,007
639	Kidneyshell, triangular ( <i>Ptychobranthus greenii</i> )	E	\$29,029	\$900,978,036
640	Leather flower, Morefield's ( <i>Clematis morefieldii</i> )	E	\$29,024	\$901,007,060
641	Rock-cress, McDonald's ( <i>Arabis macdonaldiana</i> )	E	\$28,800	\$901,035,860
642	Pinkroot, gentian ( <i>Spigelia gentianoides</i> )	E	\$28,700	\$901,064,560
643	Daisy, Parish's ( <i>Erigeron parishii</i> )	T	\$28,440	\$901,093,000
644	Gumplant, Ash Meadows ( <i>Grindelia fraxino-pratensis</i> )	T	\$28,255	\$901,121,255
645	Crayfish, cave ( <i>Cambarus aculabrum</i> )	E	\$28,000	\$901,149,255
646	Iris, dwarf lake ( <i>Iris lacustris</i> )	T	\$27,900	\$901,177,155
647	Clubshell, ovate ( <i>Pleurobema perovatum</i> )	E	\$27,800	\$901,204,955
648	Grass, Eureka Dune ( <i>Swallenia alexandrae</i> )	E	\$27,650	\$901,232,605
649	Boa, Mona ( <i>Epicrates monensis monensis</i> )	T	\$27,500	\$901,260,105
649	Elktoe, Cumberland ( <i>Alasmidonta atropurpurea</i> )	E	\$27,500	\$901,287,605
650	Milk-vetch, Coachella Valley ( <i>Astragalus lentiginosus</i> var. <i>coachellae</i> )	E	\$27,330	\$901,314,935
651	Pauoa ( <i>Ctenitis squamigera</i> )	E	\$27,300	\$901,342,235
652	Pearlymussel, birdwing ( <i>Conradilla caelata</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	EXPN	\$27,234	\$901,369,469
653	Milk-vetch, Ash meadows ( <i>Astragalus phoenix</i> )	T	\$27,200	\$901,396,669
654	Pocketbook, Ouachita rock ( <i>Arkansia wheeleri</i> )	E	\$26,986	\$901,423,655
655	Akialoa, Kauai (honeycreeper) ( <i>Hemignathus procerus</i> )	E	\$26,725	\$901,450,380
656	Bear-poppy, dwarf ( <i>Arctomecon humilis</i> )	E	\$26,700	\$901,477,080
657	Clarkia, Presidio ( <i>Clarkia franciscana</i> )	E	\$26,680	\$901,503,760
658	Orcutt grass, San Joaquin ( <i>Orcuttia inaequalis</i> )	T	\$26,380	\$901,530,140
659	Pocketbook, finelined ( <i>Lampsilis altilis</i> )	T	\$25,900	\$901,556,040
660	Boa, Virgin Islands tree ( <i>Epicrates monensis granti</i> )	E	\$25,828	\$901,581,868
661	Goldenrod, Houghton's ( <i>Solidago houghtonii</i> )	T	\$25,783	\$901,607,651
662	Limpet, Banbury Springs ( <i>Lanx</i> sp.)	E	\$25,771	\$901,633,422
663	Cactus, Bakersfield ( <i>Opuntia treleasei</i> )	E	\$25,419	\$901,658,841
664	Wireweed ( <i>Polygonella basiramia</i> )	E	\$25,400	\$901,684,241
665	Pigtoe, southern ( <i>Pleurobema georgianum</i> )	E	\$25,300	\$901,709,541
666	Torreya, Florida ( <i>Torreya taxifolia</i> )	E	\$25,150	\$901,734,691
667	Ground-plum, Guthrie's (=Pyne's) ( <i>Astragalus bibullatus</i> )	E	\$25,100	\$901,759,791
668	Alani (Melicope ovalis)	E	\$24,800	\$901,784,591
669	Owl's-clover, fleshy ( <i>Castilleja campestris</i> ssp. <i>succulenta</i> )	T	\$24,795	\$901,809,386
670	Dace, desert ( <i>Eremichthys acros</i> )	T	\$24,555	\$901,833,941
671	Ohai ( <i>Sesbania tomentosa</i> )	E	\$24,507	\$901,858,448
672	Ring pink (mussel) ( <i>Obovaria retusa</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers	EXPN	\$24,400	\$901,882,848
673	Grasshopper, Zayante band-winged ( <i>Trimerotropis infantilis</i> )	E	\$24,328	\$901,907,176
674	Mint, Lakela's ( <i>Dicerandra immaculata</i> )	E	\$24,200	\$901,931,376
675	Ivesia, Ash Meadows ( <i>Ivesia kingii</i> var. <i>eremica</i> )	T	\$23,400	\$901,954,776
676	Rosemary, short-leaved ( <i>Conradina brevifolia</i> )	E	\$23,300	\$901,978,076
677	Ha`iwale ( <i>Cyrtandra tintinnabula</i> )	E	\$23,200	\$902,001,276
678	Ko`oko`olau ( <i>Bidens micrantha</i> ssp. <i>kalealaha</i> )	E	\$23,100	\$902,024,376
678	Spurge, telephus ( <i>Euphorbia telephioides</i> )	T	\$23,100	\$902,047,476
679	Moth, Kern primrose sphinx ( <i>Euprosperinus euterpe</i> )	T	\$23,053	\$902,070,529
680	Woolly-threads, San Joaquin ( <i>Monolopia (=Lembertia) condonii</i> )	E	\$23,005	\$902,093,534
681	Cactus, Wright fishhook ( <i>Sclerocactus wrightiae</i> )	E	\$22,878	\$902,116,412

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
682	<i>Bonamia menziesii</i> (=Sci name)	E	\$22,830	\$902,139,242
683	Bladderpod, Spring Creek ( <i>Lesquerella perforata</i> )	E	\$22,756	\$902,161,998
684	Bladderpod, Dudley Bluffs ( <i>Lesquerella congesta</i> )	T	\$22,642	\$902,184,640
685	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )	T	\$22,200	\$902,206,840
686	Lo`ulu ( <i>Pritchardia remota</i> )	E	\$22,157	\$902,228,997
687	Sculpin, pygmy ( <i>Cottus paulus</i> (=pygmaeus))	T	\$22,100	\$902,251,097
688	Kangaroo rat, Morro Bay ( <i>Dipodomys heermanni morroensis</i> )	E	\$22,040	\$902,273,137
689	Isopod, Lee County cave ( <i>Lirceus usdagalun</i> )	E	\$22,000	\$902,295,137
690	Milk-vetch, coastal dunes ( <i>Astragalus tener</i> var. <i>titi</i> )	E	\$21,915	\$902,317,052
691	Yerba santa, Lompoc ( <i>Eriodictyon capitatum</i> )	E	\$21,891	\$902,338,943
692	Finch, Laysan (honeycreeper) ( <i>Telespyza cantans</i> )	E	\$21,805	\$902,360,748
693	<i>Hesperomannia arborescens</i> (=Sci name)	E	\$21,729	\$902,382,477
694	Joint-vetch, sensitive ( <i>Aeschynomene virginica</i> )	T	\$21,685	\$902,404,162
695	Cactus, Siler pincushion ( <i>Pediocactus</i> (=Echinocactus,=Utahia) <i>sileri</i> )	T	\$21,600	\$902,425,762
696	Dwarf-flax, Marin ( <i>Hesperolinon congestum</i> )	T	\$21,400	\$902,447,162
697	Twinpod, Dudley Bluffs ( <i>Physaria obcordata</i> )	T	\$21,396	\$902,468,558
698	Shrew, Buena Vista Lake ornate ( <i>Sorex ornatus relictus</i> )	E	\$21,380	\$902,489,938
699	Lo`ulu ( <i>Pritchardia napaliensis</i> )	E	\$21,200	\$902,511,138
700	Amphipod, Peck's cave ( <i>Stygobromus</i> (=Stygonectes) <i>pecki</i> )	E	\$21,126	\$902,532,264
701	Aster, Ruth's golden ( <i>Pityopsis ruthii</i> )	E	\$21,000	\$902,553,264
702	Potentilla, Hickman's ( <i>Potentilla hickmanii</i> )	E	\$20,570	\$902,573,834
703	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )	T	\$20,400	\$902,594,234
703	Goldenrod, white-haired ( <i>Solidago albopilosa</i> )	T	\$20,400	\$902,614,634
704	Springfish, Hiko White River ( <i>Crenichthys baileyi grandis</i> )	E	\$20,381	\$902,635,015
705	Sneezeweed, Virginia ( <i>Helonium virginicum</i> )	T	\$20,300	\$902,655,315
706	Chub, spotfin ( <i>Erimonax monachus</i> ) - Tellico River, TN	EXPN	\$20,100	\$902,675,415
706	Chub, spotfin ( <i>Erimonax monachus</i> ) - Shoal Creek	EXPN	\$20,100	\$902,695,515
707	Birch, Virginia round-leaf ( <i>Betula uber</i> )	T	\$20,000	\$902,715,515
707	Phlox, Texas trailing ( <i>Phlox nivalis</i> ssp. <i>texensis</i> )	E	\$20,000	\$902,735,515
707	Pennyroyal, Todsen's ( <i>Hedeoma todsenii</i> )	E	\$20,000	\$902,755,515
708	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )	E	\$19,700	\$902,775,215
708	Haha ( <i>Cyanea glabra</i> )	E	\$19,700	\$902,794,915
709	Vole, Amargosa ( <i>Microtus californicus scirpensis</i> )	E	\$19,695	\$902,814,610
710	Cactus, Knowlton ( <i>Pediocactus knowltonii</i> )	E	\$19,440	\$902,834,050
711	Haha ( <i>Cyanea acuminata</i> )	E	\$19,329	\$902,853,379
712	Irisette, white ( <i>Sisyrinchium dichotomum</i> )	E	\$19,280	\$902,872,659
713	Darter, relict ( <i>Etheostoma chienense</i> )	E	\$19,100	\$902,891,759
713	Lichen, rock gnome ( <i>Gymnoderma lineare</i> )	E	\$19,100	\$902,910,859
714	Primrose, Maguire ( <i>Primula maguirei</i> )	T	\$19,010	\$902,929,869
715	Wallflower, Contra Costa ( <i>Erysimum capitatum</i> var. <i>angustatum</i> )	E	\$18,760	\$902,948,629
716	Milk-vetch, Fish Slough ( <i>Astragalus lentiginosus</i> var. <i>piscinensis</i> )	T	\$18,655	\$902,967,284
717	Dace, Kendall Warm Springs ( <i>Rhinichthys osculus thermalis</i> )	E	\$18,607	\$902,985,891
718	Skink, bluetail mole ( <i>Eumeces egregius lividus</i> )	T	\$18,600	\$903,004,491
719	Butterfly, Uncompahgre fritillary ( <i>Boloria acrocneuma</i> )	E	\$18,590	\$903,023,081
720	<i>Abutilon sandwicense</i> (=Sci name)	E	\$18,369	\$903,041,450
721	Pomace fly, [unnamed] ( <i>Drosophila montgomeryi</i> )	E	\$18,349	\$903,059,799
721	Pomace fly, [unnamed] ( <i>Drosophila substenoptera</i> )	E	\$18,349	\$903,078,148
722	Darter, slackwater ( <i>Etheostoma boschungii</i> )	T	\$18,346	\$903,096,494
723	Alani ( <i>Melicope balloui</i> )	E	\$18,300	\$903,114,794
724	`Anunu ( <i>Sicyos alba</i> )	E	\$18,100	\$903,132,894
725	Ha`iwale ( <i>Cyrtandra munroi</i> )	E	\$17,900	\$903,150,794
726	Brodiaea, Chinese Camp ( <i>Brodiaea pallida</i> )	T	\$17,860	\$903,168,654
727	Alani ( <i>Melicope lydgatei</i> )	E	\$17,729	\$903,186,383
728	Milk-vetch, Osterhout ( <i>Astragalus osterhoutii</i> )	E	\$17,700	\$903,204,083
728	Mustard, Carter's ( <i>Warea carteri</i> )	E	\$17,700	\$903,221,783

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
729	Mouse, Anastasia Island beach ( <i>Peromyscus polionotus phasma</i> )	E	\$17,600	\$903,239,383
729	Hau kuahiwi ( <i>Hibiscadelphus giffardianus</i> )	E	\$17,600	\$903,256,983
729	Alani ( <i>Melicope zahlbruckneri</i> )	E	\$17,600	\$903,274,583
729	Ladies'-tresses, Navasota ( <i>Spiranthes parksii</i> )	E	\$17,600	\$903,292,183
729	Ha`iwale ( <i>Cyrtandra giffardii</i> )	E	\$17,600	\$903,309,783
730	Marstonia, royal (snail) ( <i>Pyrgulopsis ogmorhappe</i> )	E	\$17,300	\$903,327,083
731	Moccasinshell, Coosa ( <i>Medionidus parvulus</i> )	E	\$17,050	\$903,344,133
732	Manzanita, Santa Rosa Island ( <i>Arctostaphylos confertiflora</i> )	E	\$17,000	\$903,361,133
732	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	\$17,000	\$903,378,133
733	Ischaemum, Hilo ( <i>Ischaemum byrone</i> )	E	\$16,900	\$903,395,033
734	`Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>macrocephalum</i> )	T	\$16,800	\$903,411,833
734	Haha ( <i>Cyanea copelandii</i> ssp. <i>haleakalaensis</i> )	E	\$16,800	\$903,428,633
735	<i>Alsinidendron trinerve</i> (=Sci name)	E	\$16,729	\$903,445,362
735	Nioi ( <i>Eugenia koolauensis</i> )	E	\$16,729	\$903,462,091
736	Flannelbush, Pine Hill ( <i>Fremontodendron californicum</i> ssp. <i>decumbens</i> )	E	\$16,675	\$903,478,766
737	Lilliput, pale (pearlymussel) ( <i>Toxolasma cylindrellus</i> )	E	\$16,424	\$903,495,190
738	Daisy, Maguire ( <i>Erigeron maguirei</i> )	T	\$16,260	\$903,511,450
739	Ha`iwale ( <i>Cyrtandra viridiflora</i> )	E	\$16,229	\$903,527,679
740	Beetle, Comal Springs riffle ( <i>Heterelmis comalensis</i> )	E	\$16,226	\$903,543,905
741	Milk-vetch, Braunton's ( <i>Astragalus brauntonii</i> )	E	\$16,160	\$903,560,065
742	Chaff-flower, round-leaved ( <i>Achyranthes splendens</i> var. <i>rotundata</i> )	E	\$16,100	\$903,576,165
743	Bulrush, Northeastern ( <i>Scirpus ancistrochaetus</i> )	E	\$15,841	\$903,592,006
744	<i>Phyllostegia hirsuta</i> (=Sci name)	E	\$15,736	\$903,607,742
745	Dudleya, Conejo ( <i>Dudleya abramsii</i> ssp. <i>parva</i> )	T	\$15,730	\$903,623,472
746	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$15,624	\$903,639,096
747	Spider, Kauai cave wolf or pe'e pe'e maka 'ole ( <i>Adelocosa anops</i> )	E	\$15,500	\$903,654,596
748	Onion, Munz's ( <i>Allium munzii</i> )	E	\$15,460	\$903,670,056
749	Monkshood, northern wild ( <i>Aconitum noveboracense</i> )	T	\$15,383	\$903,685,439
750	<i>Cyanea</i> (=Rollandia) <i>crispa</i> (=Sci name)	E	\$15,329	\$903,700,768
751	Buttercup, autumn ( <i>Ranunculus aestivalis</i> (=acriformis))	E	\$15,250	\$903,716,018
752	Mallow, Kern ( <i>Eremalche kernensis</i> )	E	\$15,165	\$903,731,183
753	Checker-mallow, Keck's ( <i>Sidalcea keckii</i> )	E	\$15,040	\$903,746,223
754	Amphipod, Kauai cave ( <i>Spelaeorchestia koloana</i> )	E	\$15,000	\$903,761,223
755	Pocketbook, speckled ( <i>Lampsilis streckeri</i> )	E	\$14,756	\$903,775,979
756	<i>Mariscus pennatiformis</i> (=Sci name)	E	\$14,750	\$903,790,729
757	Nanu ( <i>Gardenia mannii</i> )	E	\$14,729	\$903,805,458
757	<i>Pteris lidgatei</i> (=Sci name)	E	\$14,729	\$903,820,187
758	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.85(b)(1))	EXPN	\$14,500	\$903,834,687
759	Fiddleneck, large-flowered ( <i>Amsinckia grandiflora</i> )	E	\$14,460	\$903,849,147
760	Otter, southern sea ( <i>Enhydra lutris nereis</i> ) - south of Pt. Conception, CA	EXPN	\$14,450	\$903,863,597
761	<i>Diplazium molokaiense</i> (=Sci name)	E	\$14,300	\$903,877,897
762	Lessingia, San Francisco ( <i>Lessingia germanorum</i> (=L.g. var. <i>germanorum</i> ))	E	\$14,270	\$903,892,167
763	<i>Schiedea hookeri</i> (=Sci name)	E	\$14,169	\$903,906,336
764	Thistle, Sacramento Mountains ( <i>Cirsium vinaceum</i> )	T	\$14,000	\$903,920,336
765	Mucket, orangenacre ( <i>Lampsilis perovalis</i> )	T	\$13,929	\$903,934,265
766	Butterfly, Schaus swallowtail ( <i>Heraclides aristodemus ponceanus</i> )	E	\$13,841	\$903,948,106
767	Wawae`iole ( <i>Lycopodium</i> (=Phlegmariurus) <i>nutans</i> )	E	\$13,729	\$903,961,835
768	White-eye, bridled ( <i>Zosterops conspicillatus conspicillatus</i> )	E	\$13,600	\$903,975,435
769	Madtom, pygmy ( <i>Noturus stanauli</i> )	E	\$13,500	\$903,988,935
770	Butterfly, Myrtle's silverspot ( <i>Speyeria zerene myrtleae</i> )	E	\$13,451	\$904,002,386
771	Milkweed, Welsh's ( <i>Asclepias welshii</i> )	T	\$13,400	\$904,015,786
772	Cobana negra ( <i>Stahlia monosperma</i> )	T	\$13,300	\$904,029,086

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
773	<i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> (=Sci name)	E	\$13,229	\$904,042,315
773	Haha ( <i>Cyanea koolauensis</i> )	E	\$13,229	\$904,055,544
774	Dudleya, Verity's ( <i>Dudleya verityi</i> )	T	\$13,037	\$904,068,581
775	Dudleyea, Santa Monica Mountains ( <i>Dudleya cymosa</i> ssp. <i>ovatifolia</i> )	T	\$13,010	\$904,081,591
776	<i>Chamaesyce halemanui</i> (=Sci name)	E	\$13,000	\$904,094,591
776	Cactus, black lace ( <i>Echinocereus reichenbachii</i> var. <i>albertii</i> )	E	\$13,000	\$904,107,591
776	Hypericum, highlands scrub ( <i>Hypericum cumulicola</i> )	E	\$13,000	\$904,120,591
776	Fringe-tree, pygmy ( <i>Chionanthus pygmaeus</i> )	E	\$13,000	\$904,133,591
776	<i>Diellia pallida</i> (=Sci name)	E	\$13,000	\$904,146,591
777	Amphianthus, little ( <i>Amphianthus pusillus</i> )	T	\$12,860	\$904,159,451
778	<i>Phyllostegia parviflora</i> (=Sci name)	E	\$12,829	\$904,172,280
779	`Akoko ( <i>Chamaesyce rockii</i> )	E	\$12,729	\$904,185,009
780	<i>Eugenia woodburyana</i> (=Sci name)	E	\$12,700	\$904,197,709
781	Dudleya, marcescent ( <i>Dudleya cymosa</i> ssp. <i>marcescens</i> )	T	\$12,685	\$904,210,394
782	Aupaka ( <i>Isodendrion laurifolium</i> )	E	\$12,600	\$904,222,994
782	<i>Schiedea membranacea</i> (=Sci name)	E	\$12,600	\$904,235,594
782	Kaulu ( <i>Pteralyxia kauaiensis</i> )	E	\$12,600	\$904,248,194
783	Naucorid, Ash Meadows ( <i>Ambrysius amargosus</i> )	T	\$12,500	\$904,260,694
783	Nehe ( <i>Lipochaeta fauriei</i> )	E	\$12,500	\$904,273,194
783	Pitcher-plant, Alabama canebrake ( <i>Sarracenia rubra alabamensis</i> )	E	\$12,500	\$904,285,694
784	Alopecurus, Sonoma ( <i>Alopecurus aequalis</i> var. <i>sonomensis</i> )	E	\$12,475	\$904,298,169
785	Haha ( <i>Cyanea humboldtiana</i> )	E	\$12,329	\$904,310,498
785	<i>Stenogyne kanehoana</i> (=Sci name)	E	\$12,329	\$904,322,827
785	<i>Viola oahuensis</i> (=Sci name)	E	\$12,329	\$904,335,156
785	Kamakahala ( <i>Labordia cyrtandrae</i> )	E	\$12,329	\$904,347,485
785	Kolea ( <i>Myrsine juddii</i> )	E	\$12,329	\$904,359,814
786	Paintbrush, soft-leaved ( <i>Castilleja mollis</i> )	E	\$12,230	\$904,372,044
787	<i>Sanicula purpurea</i> (=Sci name)	E	\$12,229	\$904,384,273
787	Haha ( <i>Cyanea st.-johnii</i> )	E	\$12,229	\$904,396,502
787	Ha`iwale ( <i>Cyrtandra subumbellata</i> )	E	\$12,229	\$904,408,731
788	Rice rat ( <i>Oryzomys palustris natator</i> ) - lower FL Keys	E	\$12,200	\$904,420,931
789	Locoweed, Fassett's ( <i>Oxytropis campestris</i> var. <i>chartacea</i> )	T	\$12,100	\$904,433,031
790	Nightjar, Puerto Rican ( <i>Caprimulgus noctitherus</i> )	E	\$12,072	\$904,445,103
791	Dogweed, ashy ( <i>Thymophylla tephroleuca</i> )	E	\$12,000	\$904,457,103
791	Cactus, Tobusch fishhook ( <i>Ancistrocactus tobuschii</i> )	E	\$12,000	\$904,469,103
792	Thistle, Suisun ( <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i> )	E	\$11,915	\$904,481,018
793	Peperomia, Wheeler's ( <i>Peperomia wheeleri</i> )	E	\$11,900	\$904,492,918
794	Turtle, ringed map ( <i>Graptemys oculifera</i> )	T	\$11,800	\$904,504,718
795	Barberry, island ( <i>Berberis pinnata</i> ssp. <i>insularis</i> )	E	\$11,685	\$904,516,403
795	Phacelia, island ( <i>Phacelia insularis</i> ssp. <i>insularis</i> )	E	\$11,685	\$904,528,088
796	Spineflower, Ben Lomond ( <i>Chorizanthe pungens</i> var. <i>hartwegiana</i> )	E	\$11,670	\$904,539,758
797	Rocksnailed, painted ( <i>Leptoxis taeniata</i> )	T	\$11,600	\$904,551,358
797	Rocksnailed, plicate ( <i>Leptoxis plicata</i> )	E	\$11,600	\$904,562,958
798	Jacquemontia, beach ( <i>Jacquemontia reclinata</i> )	E	\$11,366	\$904,574,324
799	Cypress, Santa Cruz ( <i>Cupressus abramsiana</i> )	E	\$11,250	\$904,585,574
800	<i>Vernonia proctorii</i> (=Sci name)	E	\$11,200	\$904,596,774
801	Grass, Tennessee yellow-eyed ( <i>Xyris tennesseensis</i> )	E	\$11,100	\$904,607,874
801	Harebells, Avon Park ( <i>Crotalaria avonensis</i> )	E	\$11,100	\$904,618,974
802	Lupine, clover ( <i>Lupinus tidestromii</i> )	E	\$11,075	\$904,630,049
803	Pua `ala ( <i>Brighamia rockii</i> )	E	\$11,000	\$904,641,049
804	Aupaka ( <i>Isodendrion longifolium</i> )	T	\$10,961	\$904,652,010
805	Pomace fly, [unnamed] ( <i>Drosophila obatai</i> )	E	\$10,820	\$904,662,830
806	Goetzea, beautiful ( <i>Goetzea elegans</i> )	E	\$10,800	\$904,673,630
807	Anole, Culebra Island giant ( <i>Anolis roosevelti</i> )	E	\$10,700	\$904,684,330
808	Shrimp, Kentucky cave ( <i>Palaemonias ganteri</i> )	E	\$10,650	\$904,694,980
809	Hau kuahiwi ( <i>Hibiscadelphus hualalaiensis</i> )	E	\$10,600	\$904,705,580

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
810	Amphipod, Hay's Spring ( <i>Stygobromus hayi</i> )	E	\$10,584	\$904,716,164
811	Avens, spreading ( <i>Geum radiatum</i> )	E	\$10,580	\$904,726,744
812	Arrowhead, bunched ( <i>Sagittaria fasciculata</i> )	E	\$10,510	\$904,737,254
813	Dace, Clover Valley speckled ( <i>Rhinichthys osculus oligoporus</i> )	E	\$10,500	\$904,747,754
814	Evening-primrose, Antioch Dunes ( <i>Oenothera deltooides</i> ssp. <i>howellii</i> )	E	\$10,460	\$904,758,214
815	Reed-mustard, Barneby ( <i>Schoenocrambe barnebyi</i> )	E	\$10,410	\$904,768,624
816	fatmucket, Arkansas ( <i>Lampsilis powellii</i> )	T	\$10,400	\$904,779,024
816	<i>Aristida chaseae</i> (=Sci name)	E	\$10,400	\$904,789,424
817	<i>Lobelia niihauensis</i> (=Sci name)	E	\$10,369	\$904,799,793
818	Pomace fly, [unnamed] ( <i>Drosophila aglaia</i> )	E	\$10,320	\$904,810,113
819	Thistle, Loch Lomond coyote ( <i>Eryngium constancei</i> )	E	\$10,235	\$904,820,348
820	Pearlymussel, Curtis ( <i>Epioblasma florentina curtisii</i> )	E	\$10,111	\$904,830,459
821	Catspaw (=purple cat's paw pearlymussel) ( <i>Epioblasma obliquata obliquata</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$10,100	\$904,840,559
822	Rock-cress, Braun's ( <i>Arabis perstellata</i> )	E	\$10,000	\$904,850,559
822	Ipomopsis, Holy Ghost ( <i>Ipomopsis sancti-spiritus</i> )	E	\$10,000	\$904,860,559
823	Rosemary, Cumberland ( <i>Conradina verticillata</i> )	T	\$9,900	\$904,870,459
823	Cactus, Brady pincushion ( <i>Pediocactus bradyi</i> )	E	\$9,900	\$904,880,359
824	Pomace fly, [unnamed] ( <i>Drosophila musaphila</i> )	E	\$9,820	\$904,890,179
825	Fringepod, Santa Cruz Island ( <i>Thysanocarpus conchuliferus</i> )	E	\$9,805	\$904,899,984
826	Gardenia (=Na'u), Hawaiian ( <i>Gardenia brighamii</i> )	E	\$9,800	\$904,909,784
827	Clover, showy Indian ( <i>Trifolium amoenum</i> )	E	\$9,780	\$904,919,564
828	Wallflower, Ben Lomond ( <i>Erysimum teretifolium</i> )	E	\$9,740	\$904,929,304
829	Haha ( <i>Cyanea grimesiana</i> ssp. <i>grimesiana</i> )	E	\$9,700	\$904,939,004
830	Reed-mustard, shrubby ( <i>Schoenocrambe suffrutescens</i> )	E	\$9,693	\$904,948,697
830	Reed-mustard, clay ( <i>Schoenocrambe argillacea</i> )	T	\$9,693	\$904,958,390
831	Pomace fly, [unnamed] ( <i>Drosophila tarphytrichia</i> )	E	\$9,620	\$904,968,010
831	Pomace fly, [unnamed] ( <i>Drosophila hemipeza</i> )	E	\$9,620	\$904,977,630
832	Dudleya, Santa Clara Valley ( <i>Dudleya setchellii</i> )	E	\$9,600	\$904,987,230
833	`O`u (honeycreeper) ( <i>Psittirostra psittacea</i> )	E	\$9,490	\$904,996,720
834	Plymouth Red-Bellied Turtle ( <i>Pseudemys rubriventris bangsi</i> )	E	\$9,423	\$905,006,143
835	Pomace fly, [unnamed] ( <i>Drosophila heteroneura</i> )	E	\$9,420	\$905,015,563
835	Pomace fly, [unnamed] ( <i>Drosophila ochrobasis</i> )	E	\$9,420	\$905,024,983
836	`Anaunau ( <i>Lepidium arbuscula</i> )	E	\$9,407	\$905,034,390
837	Chub, slender ( <i>Erimystax cahni</i> )	T	\$9,400	\$905,043,790
838	Beaked-rush, Knieskern's ( <i>Rhynchospora knieskernii</i> )	T	\$9,350	\$905,053,140
839	Pomace fly, [unnamed] ( <i>Drosophila mulli</i> )	T	\$9,320	\$905,062,460
839	Pomace fly, [unnamed] ( <i>Drosophila neoclavisetae</i> )	E	\$9,320	\$905,071,780
839	Pomace fly, [unnamed] ( <i>Drosophila differens</i> )	E	\$9,320	\$905,081,100
840	Cypress, Gowen ( <i>Cupressus goveniana</i> ssp. <i>goveniana</i> )	T	\$9,315	\$905,090,415
841	Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )	E	\$9,100	\$905,099,515
842	Lampmussel, Alabama ( <i>Lampsilis virescens</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$9,024	\$905,108,539
843	Finch, Nihoa (honeycreeper) ( <i>Telespyza ultima</i> )	E	\$9,000	\$905,117,539
843	Woolly-star, Santa Ana River ( <i>Eriastrum densifolium</i> ssp. <i>sanctorum</i> )	E	\$9,000	\$905,126,539
844	Alani ( <i>Melicope pallida</i> )	E	\$8,961	\$905,135,500
845	Springsnail, Roswell ( <i>Pyrgulopsis roswellensis</i> )	E	\$8,800	\$905,144,300
846	Blazingstar, scrub ( <i>Liatis ohlingerae</i> )	E	\$8,600	\$905,152,900
846	Haha ( <i>Cyanea truncata</i> )	E	\$8,600	\$905,161,500
847	Sedge, golden ( <i>Carex lutea</i> )	E	\$8,560	\$905,170,060
848	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers)	EXPN	\$8,500	\$905,178,560
848	`Awikiwiki ( <i>Canavalia molokaiensis</i> )	E	\$8,500	\$905,187,060
849	Nehe (Lipochaeta lobata var. leptophylla)	E	\$8,469	\$905,195,529

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
850	<i>Lyonia truncata</i> var. <i>proctorii</i> (=Sci name)	E	\$8,400	\$905,203,929
851	Snake, Atlantic salt marsh ( <i>Nerodia clarkii taeniata</i> )	T	\$8,250	\$905,212,179
852	Leather flower, Alabama ( <i>Clematis socialis</i> )	E	\$8,200	\$905,220,379
853	<i>Geocarpon minimum</i> (=Sci name)	T	\$8,106	\$905,228,485
854	Snail, tulotoma ( <i>Tulotoma magnifica</i> )	E	\$8,100	\$905,236,585
854	Ha`iwale ( <i>Cyrtandra polyantha</i> )	E	\$8,100	\$905,244,685
855	Fly, Delhi Sands flower-loving ( <i>Rhaphiomidas terminatus abdominalis</i> )	E	\$8,084	\$905,252,769
856	Ihi`ihi ( <i>Marsilea villosa</i> )	E	\$8,007	\$905,260,776
857	Bean, Cumberland (pearlymussel) ( <i>Villosa trabalis</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$8,000	\$905,268,776
858	Alani ( <i>Melicope knudsenii</i> )	E	\$7,900	\$905,276,676
858	Aster, Florida golden ( <i>Chrysopsis floridana</i> )	E	\$7,900	\$905,284,576
858	<i>Platanthera holochila</i> (=Sci name)	E	\$7,900	\$905,292,476
859	Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. <i>nesodryas</i> ))	T	\$7,876	\$905,300,352
860	Campion, fringed ( <i>Silene polypetala</i> )	E	\$7,800	\$905,308,152
861	Crayfish, Shasta ( <i>Pacifastacus fortis</i> )	E	\$7,768	\$905,315,920
862	Spider, spruce-fir moss ( <i>Microhexura montivaga</i> )	E	\$7,700	\$905,323,620
862	<i>Phyllostegia mollis</i> (=Sci name)	E	\$7,700	\$905,331,320
863	Meadowrue, Cooley's ( <i>Thalictrum cooleyi</i> )	E	\$7,660	\$905,338,980
864	Rush-rose, island ( <i>Helianthemum greenei</i> )	T	\$7,600	\$905,346,580
865	Rock-cress, shale barren ( <i>Arabis serotina</i> )	E	\$7,562	\$905,354,142
866	Rail, Guam ( <i>Rallus owstoni</i> ) - Rota	EXPN	\$7,500	\$905,361,642
866	Gecko, Monito ( <i>Sphaerodactylus micropithecus</i> )	E	\$7,500	\$905,369,142
866	Guajon ( <i>Eleutherodactylus cooki</i> )	T	\$7,500	\$905,376,642
866	Crayfish, cave ( <i>Cambarus zophonastes</i> )	E	\$7,500	\$905,384,142
866	Phacelia, North Park ( <i>Phacelia formosula</i> )	E	\$7,500	\$905,391,642
866	Manaca, palma de ( <i>Calyptronoma rivalis</i> )	T	\$7,500	\$905,399,142
866	Higuero de sierra ( <i>Crescentia portoricensis</i> )	E	\$7,500	\$905,406,642
867	Spineflower, slender-horned ( <i>Dodecahema leptoceras</i> )	E	\$7,410	\$905,414,052
868	Silverside, Waccamaw ( <i>Menidia extensa</i> )	T	\$7,400	\$905,421,452
868	A`e ( <i>Zanthoxylum dipetalum</i> var. <i>tomentosum</i> )	E	\$7,400	\$905,428,852
869	Snail, Newcomb's ( <i>Erinna newcombi</i> )	T	\$7,300	\$905,436,152
869	Sandalwood, Lanai (= `iliahi) ( <i>Santalum freycinetianum</i> var. <i>lanaiense</i> )	E	\$7,300	\$905,443,452
870	Navarretia, few-flowered ( <i>Navarretia leucocephala</i> ssp. <i>pauciflora</i> (=N. <i>pauciflora</i> ))	E	\$7,260	\$905,450,712
871	Isopod, Socorro ( <i>Thermosphaeroma thermophilus</i> )	E	\$7,250	\$905,457,962
872	Lo`ulu ( <i>Pritchardia affinis</i> )	E	\$7,225	\$905,465,187
873	Prickly-apple, fragrant ( <i>Cereus eriophorus</i> var. <i>fragrans</i> )	E	\$7,200	\$905,472,387
874	Lousewort, Furbish ( <i>Pedicularis furbishiae</i> )	E	\$7,140	\$905,479,527
875	Alani ( <i>Melicope adscendens</i> )	E	\$7,100	\$905,486,627
876	Sandwort, Bear Valley ( <i>Arenaria ursina</i> )	T	\$7,070	\$905,493,697
877	`Akoko ( <i>Chamaesyce kuwaleana</i> )	E	\$7,007	\$905,500,704
878	Shrimp, Squirrel Chimney Cave ( <i>Palaemonetes cummingsi</i> )	T	\$7,000	\$905,507,704
878	Dudleya, Santa Cruz Island ( <i>Dudleya nesiotica</i> )	T	\$7,000	\$905,514,704
878	Bedstraw, island ( <i>Galium buxifolium</i> )	E	\$7,000	\$905,521,704
878	Gilia, Hoffmann's slender-flowered ( <i>Gilia tenuiflora</i> ssp. <i>hoffmannii</i> )	E	\$7,000	\$905,528,704
878	Bush-mallow, Santa Cruz Island ( <i>Malacothamnus fasciculatus</i> var. <i>nesioticus</i> )	E	\$7,000	\$905,535,704
878	<i>Schiedea verticillata</i> (=Sci name)	E	\$7,000	\$905,542,704
878	`Aiakeakua, popolo ( <i>Solanum sandwicense</i> )	E	\$7,000	\$905,549,704
878	Haha ( <i>Cyanea lobata</i> )	E	\$7,000	\$905,556,704
878	<i>Alsiniendron viscosum</i> (=Sci name)	E	\$7,000	\$905,563,704
878	Malacothrix, Santa Cruz Island ( <i>Malacothrix indecora</i> )	E	\$7,000	\$905,570,704
879	Milk-vetch, Clara Hunt's ( <i>Astragalus clarianus</i> )	E	\$6,960	\$905,577,664

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
880	Cliff-rose, Arizona ( <i>Purshia</i> (=Cowania) <i>subintegra</i> )	E	\$6,900	\$905,584,564
880	Pelos del diablo ( <i>Aristida portoricensis</i> )	E	\$6,900	\$905,591,464
880	Mallow, Peter's Mountain ( <i>Iliamna corei</i> )	E	\$6,900	\$905,598,364
881	Fern, American hart's-tongue ( <i>Asplenium scolopendrium</i> var. <i>americanum</i> )	T	\$6,719	\$905,605,083
882	Palo de rosa ( <i>Ottoschulzia rhodoxylon</i> )	E	\$6,700	\$905,611,783
883	Beetle, Comal Springs dryopid ( <i>Stygoparnus comalensis</i> )	E	\$6,670	\$905,618,453
884	Blossom, tubercled (pearlymussel) ( <i>Epioblasma torulosa torulosa</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$6,612	\$905,625,065
885	<i>Xylosma crenatum</i> (=Sci name)	E	\$6,600	\$905,631,665
885	Haha ( <i>Cyanea hamatiflora</i> ssp. <i>carlsonii</i> )	E	\$6,600	\$905,638,265
885	<i>Schiedea spergulina</i> var. <i>leiopoda</i> (=Sci name)	E	\$6,600	\$905,644,865
886	Jewelflower, Metcalf Canyon ( <i>Streptanthus albidus</i> ssp. <i>albidus</i> )	E	\$6,575	\$905,651,440
887	Phacelia, clay ( <i>Phacelia argillacea</i> )	E	\$6,467	\$905,657,907
888	Sedge, Navajo ( <i>Carex specuicola</i> )	T	\$6,400	\$905,664,307
888	Cactus, Nichol's Turk's head ( <i>Echinocactus horzonthalonius</i> var. <i>nicholii</i> )	E	\$6,400	\$905,670,707
889	Spineflower, Sonoma ( <i>Chorizanthe valida</i> )	E	\$6,280	\$905,676,987
890	Gourd, Okeechobee ( <i>Cucurbita okeechobeensis</i> ssp. <i>okeechobeensis</i> )	E	\$6,224	\$905,683,211
891	Wawae`iole ( <i>Huperzia mannii</i> )	E	\$6,200	\$905,689,411
892	Hedyotis, Na Pali beach ( <i>Hedyotis st.-johnii</i> )	E	\$6,100	\$905,695,511
892	Panicgrass, Carter's ( <i>Panicum fauriei</i> var. <i>carteri</i> )	E	\$6,100	\$905,701,611
892	Remya, Maui ( <i>Remya mauiensis</i> )	E	\$6,100	\$905,707,711
892	<i>Tetramolopium lepidotum</i> ssp. <i>lepidotum</i> (=Sci name)	E	\$6,100	\$905,713,811
892	Bonamia, Florida ( <i>Bonamia grandiflora</i> )	T	\$6,100	\$905,719,911
893	Navarretia, many-flowered ( <i>Navarretia leucocephala</i> ssp. <i>plieantha</i> )	E	\$6,010	\$905,725,921
894	Vole, Florida salt marsh ( <i>Microtus pennsylvanicus dukecampbelli</i> )	E	\$6,000	\$905,731,921
894	Kamakahala ( <i>Labordia lydgatei</i> )	E	\$6,000	\$905,737,921
894	Haha ( <i>Cyanea asarifolia</i> )	E	\$6,000	\$905,743,921
894	<i>Trematolobelia singularis</i> (=Sci name)	E	\$6,000	\$905,749,921
895	Cactus, Peebles Navajo ( <i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i> )	E	\$5,900	\$905,755,821
895	<i>Leptocereus grantianus</i> (=Sci name)	E	\$5,900	\$905,761,721
895	Diellia, asplenium-leaved ( <i>Diellia erecta</i> )	E	\$5,900	\$905,767,621
896	Cactus, Chisos Mountain hedgehog ( <i>Echinocereus chisoensis</i> var. <i>chisoensis</i> )	T	\$5,800	\$905,773,421
897	Gerardia, sandplain ( <i>Agalinis acuta</i> )	E	\$5,673	\$905,779,094
898	Elimia, lacy (snail) ( <i>Elimia crenatella</i> )	T	\$5,600	\$905,784,694
898	Kauai hau kuahiwi ( <i>Hibiscadelphus distans</i> )	E	\$5,600	\$905,790,294
898	Alani ( <i>Melicope haupuensis</i> )	E	\$5,600	\$905,795,894
899	Turtle, flattened musk ( <i>Sternotherus depressus</i> ) - species range clarified	T	\$5,500	\$905,801,394
899	Coqui, golden ( <i>Eleutherodactylus jasperi</i> )	T	\$5,500	\$905,806,894
899	<i>Achyranthes mutica</i> (=Sci name)	E	\$5,500	\$905,812,394
899	Lau `ehu ( <i>Panicum niihauense</i> )	E	\$5,500	\$905,817,894
899	<i>Phyllostegia knudsenii</i> (=Sci name)	E	\$5,500	\$905,823,394
899	`Aiea ( <i>Nothoctrum peltatum</i> )	E	\$5,500	\$905,828,894
899	Polygala, Lewton's ( <i>Polygala lewtonii</i> )	E	\$5,500	\$905,834,394
899	<i>Tetramolopium rockii</i> (=Sci name)	T	\$5,500	\$905,839,894
899	Nani wai`ale`ale ( <i>Viola kauaiensis</i> var. <i>wahiawaensis</i> )	E	\$5,500	\$905,845,394
899	`Ahinahina ( <i>Argyroxiphium sandwicense</i> ssp. <i>sandwicense</i> )	E	\$5,500	\$905,850,894
899	Monkey-flower, Michigan ( <i>Mimulus glabratus</i> var. <i>michiganensis</i> )	E	\$5,500	\$905,856,394
899	<i>Phyllostegia wawrana</i> (=Sci name)	E	\$5,500	\$905,861,894
899	<i>Stenogyne campanulata</i> (=Sci name)	E	\$5,500	\$905,867,394
900	Darter, Maryland ( <i>Etheostoma sellare</i> )	E	\$5,292	\$905,872,686
901	Jewelflower, Tiburon ( <i>Streptanthus niger</i> )	E	\$5,280	\$905,877,966
902	Darter, goldline ( <i>Percina aurolineata</i> )	T	\$5,200	\$905,883,166
903	Poppy, Sacramento prickly ( <i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i> )	E	\$5,150	\$905,888,316

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
904	Milk-vetch, Jesup's ( <i>Astragalus robbinsii</i> var. <i>jesupi</i> )	E	\$5,110	\$905,893,426
905	<i>Delissea rhytidosperra</i> (=Sci name)	E	\$5,100	\$905,898,526
905	Koki'o ke'oke'o ( <i>Hibiscus arnottianus</i> ssp. <i>immaculatus</i> )	E	\$5,100	\$905,903,626
905	Beardtongue, Penland ( <i>Penstemon penlandii</i> )	E	\$5,100	\$905,908,726
905	<i>Phyllostegia mannii</i> (=Sci name)	E	\$5,100	\$905,913,826
906	Checker-mallow, Kenwood Marsh ( <i>Sidalcea oregana</i> ssp. <i>valida</i> )	E	\$5,090	\$905,918,916
907	Pussypaws, Mariposa ( <i>Calyptridium pulchellum</i> )	T	\$5,050	\$905,923,966
908	Cavefish, Alabama ( <i>Speoplatyrhinus poulsoni</i> )	E	\$5,000	\$905,928,966
908	Wahane ( <i>Pritchardia aylmer-robinsonii</i> )	E	\$5,000	\$905,933,966
908	Ma'oli'oli ( <i>Schiedea kealiae</i> )	E	\$5,000	\$905,938,966
908	Haha ( <i>Cyanea mcelandoneyi</i> )	E	\$5,000	\$905,943,966
908	Makou ( <i>Peucedanum sandwicense</i> )	T	\$5,000	\$905,948,966
908	Oak, Hinckley ( <i>Quercus hinckleyi</i> )	T	\$5,000	\$905,953,966
908	Bladderpod, white ( <i>Lesquerella pallida</i> )	E	\$5,000	\$905,958,966
909	Fern, pendant kihi ( <i>Adenophorus periens</i> )	E	\$4,960	\$905,963,926
910	Ceanothus, coyote ( <i>Ceanothus ferrisiae</i> )	E	\$4,895	\$905,968,821
911	Naupaka, dwarf ( <i>Scaevola coriacea</i> )	E	\$4,700	\$905,973,521
912	Shiner, palezone ( <i>Notropis albizonatus</i> )	E	\$4,624	\$905,978,145
913	Heau ( <i>Exocarpos luteolus</i> )	E	\$4,600	\$905,982,745
913	Lo'ulu ( <i>Pritchardia schattaueri</i> )	E	\$4,600	\$905,987,345
913	Awiwi ( <i>Centaurium sebaeoides</i> )	E	\$4,600	\$905,991,945
913	<i>Diellia falcata</i> (=Sci name)	E	\$4,600	\$905,996,545
914	Heelsplitter, Alabama (=inflated) ( <i>Potamilus inflatus</i> )	T	\$4,584	\$906,001,129
915	<i>Schiedea kauaiensis</i> (=Sci name)	E	\$4,561	\$906,005,690
916	Wild-buckwheat, southern mountain ( <i>Eriogonum kennedyi</i> var. <i>austromontanum</i> )	T	\$4,515	\$906,010,205
917	Nehe ( <i>Lipochaeta kamolensis</i> )	E	\$4,500	\$906,014,705
917	<i>Schiedea spergulina</i> var. <i>spergulina</i> (=Sci name)	T	\$4,500	\$906,019,205
917	Na'ena'e ( <i>Dubautia plantaginea</i> ssp. <i>humilis</i> )	E	\$4,500	\$906,023,705
917	<i>Cranichis ricartii</i> (=Sci name)	E	\$4,500	\$906,028,205
918	Kolea ( <i>Myrsine linearifolia</i> )	T	\$4,461	\$906,032,666
918	Koki'o ke'oke'o ( <i>Hibiscus waimeae</i> ssp. <i>hannerae</i> )	E	\$4,461	\$906,037,127
918	Ha'iwale ( <i>Cyrtandra limahuliensis</i> )	T	\$4,461	\$906,041,588
919	Groundsel, San Francisco Peaks ( <i>Senecio franciscanus</i> )	T	\$4,400	\$906,045,988
920	Mint, longspurred ( <i>Dicerandra cornutissima</i> )	E	\$4,312	\$906,050,300
921	<i>Delissea undulata</i> (=Sci name)	E	\$4,300	\$906,054,600
921	Lo'ulu ( <i>Pritchardia munroi</i> )	E	\$4,300	\$906,058,900
921	Snakeroot ( <i>Eryngium cuneifolium</i> )	E	\$4,300	\$906,063,200
921	'Oha wai ( <i>Clermontia samuelii</i> )	E	\$4,300	\$906,067,500
922	Blazingstar, Heller's ( <i>Liatris helleri</i> )	T	\$4,270	\$906,071,770
923	Crownscale, San Jacinto Valley ( <i>Atriplex coronata</i> var. <i>notatior</i> )	E	\$4,220	\$906,075,990
924	'Oha wai ( <i>Clermontia peleana</i> )	E	\$4,200	\$906,080,190
924	<i>Gouania hillebrandii</i> (=Sci name)	E	\$4,200	\$906,084,390
924	Pamakani ( <i>Tetramolopium capillare</i> )	E	\$4,200	\$906,088,590
924	<i>Tetramolopium remyi</i> (=Sci name)	E	\$4,200	\$906,092,790
925	<i>Gouania meyenii</i> (=Sci name)	E	\$4,100	\$906,096,890
925	<i>Lobelia oahuensis</i> (=Sci name)	E	\$4,100	\$906,100,990
925	Alani ( <i>Melicope mucronulata</i> )	E	\$4,100	\$906,105,090
925	<i>Silene alexandri</i> (=Sci name)	E	\$4,100	\$906,109,190
926	Stonecrop, Lake County ( <i>Parvisedum leiocarpum</i> )	E	\$4,080	\$906,113,270
927	Combshell, upland ( <i>Epioblasma metastrata</i> )	E	\$4,000	\$906,117,270
927	<i>Amaranthus brownii</i> (=Sci name)	E	\$4,000	\$906,121,270
927	Olulu ( <i>Brighamia insignis</i> )	E	\$4,000	\$906,125,270
927	Na'ena'e ( <i>Dubautia latifolia</i> )	E	\$4,000	\$906,129,270
927	Kula wahine noho ( <i>Isodendrion pyriformium</i> )	E	\$4,000	\$906,133,270
927	'Ohe'ohe ( <i>Tetraplasandra gymnocarpa</i> )	E	\$4,000	\$906,137,270

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
927	<i>Viola helenae</i> (=Sci name)	E	\$4,000	\$906,141,270
927	Nehe ( <i>Lipochaeta micrantha</i> )	E	\$4,000	\$906,145,270
927	Bluegrass, Mann's ( <i>Poa mannii</i> )	E	\$4,000	\$906,149,270
927	<i>Poa siphonoglossa</i> (=Sci name)	E	\$4,000	\$906,153,270
927	Iagu, Hayun (=Guam), Tronkon guafi (Rota) ( <i>Serianthes nelsonii</i> )	E	\$4,000	\$906,157,270
927	Haha ( <i>Cyanea undulata</i> )	E	\$4,000	\$906,161,270
927	Na`ena`e ( <i>Dubautia pauciflora</i> )	E	\$4,000	\$906,165,270
927	<i>Phyllostegia waimeae</i> (=Sci name)	E	\$4,000	\$906,169,270
928	Snake, Concho water ( <i>Nerodia paucimaculata</i> )	T	\$3,971	\$906,173,241
929	Darter, bayou ( <i>Etheostoma rubrum</i> )	T	\$3,908	\$906,177,149
930	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	\$3,906	\$906,181,055
931	Vetch, Hawaiian ( <i>Vicia menziesii</i> )	E	\$3,900	\$906,184,955
931	Vervain, Red Hills ( <i>Verbena californica</i> )	T	\$3,900	\$906,188,855
932	Pigtoe, Cumberland ( <i>Pleurobema gibberum</i> )	E	\$3,800	\$906,192,655
932	<i>Neraudia sericea</i> (=Sci name)	E	\$3,800	\$906,196,455
932	`Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i> )	E	\$3,800	\$906,200,255
932	<i>Lysimachia lydgatei</i> (=Sci name)	E	\$3,800	\$906,204,055
933	`O`o, Kauai (honeyeater) ( <i>Moho braccatus</i> )	E	\$3,790	\$906,207,845
933	Creeper, Oahu ( <i>Paroreomyza maculata</i> )	E	\$3,790	\$906,211,635
934	Cactus, San Rafael ( <i>Pediocactus despainii</i> )	E	\$3,710	\$906,215,345
935	<i>Daphnopsis hellerana</i> (=Sci name)	E	\$3,700	\$906,219,045
936	Butterfly, San Bruno elfin ( <i>Callophrys mossii bayensis</i> )	E	\$3,696	\$906,222,741
937	Thrush, large Kauai (=kamao) ( <i>Myadestes myadestinus</i> )	E	\$3,600	\$906,226,341
937	Thrush, Molokai ( <i>Myadestes lanaiensis rutha</i> )	E	\$3,600	\$906,229,941
937	Creeper, Molokai ( <i>Paroreomyza flammea</i> )	E	\$3,600	\$906,233,541
937	Blossom, green (pearlymussel) ( <i>Epioblasma torulosa gubernaculum</i> )	E	\$3,600	\$906,237,141
937	Snail, noonday ( <i>Mesodon clarki nantahala</i> )	T	\$3,600	\$906,240,741
937	Snail, Pecos assiminea ( <i>Assiminea pecos</i> )	E	\$3,600	\$906,244,341
937	Springsnail, Koster's ( <i>Juturnia kosteri</i> )	E	\$3,600	\$906,247,941
937	Amphipod, Noel's ( <i>Gammarus desperatus</i> )	E	\$3,600	\$906,251,541
937	Love grass, Fosberg's ( <i>Eragrostis fosbergii</i> )	E	\$3,600	\$906,255,141
937	Alani ( <i>Melicope saint-johnii</i> )	E	\$3,600	\$906,258,741
937	<i>Schiedea sarmentosa</i> (=Sci name)	E	\$3,600	\$906,262,341
937	<i>Abutilon eremitopetalum</i> (=Sci name)	E	\$3,600	\$906,265,941
937	Ko`oko`olau ( <i>Bidens wiebkei</i> )	E	\$3,600	\$906,269,541
937	<i>Gahnia lanaiensis</i> (=Sci name)	E	\$3,600	\$906,273,141
937	Awiwi ( <i>Hedyotis cookiana</i> )	E	\$3,600	\$906,276,741
937	Pilo ( <i>Hedyotis mannii</i> )	E	\$3,600	\$906,280,341
937	Hibiscus, Clay's ( <i>Hibiscus clayi</i> )	E	\$3,600	\$906,283,941
937	Koki`o ( <i>Kokia kauaiensis</i> )	E	\$3,600	\$906,287,541
937	Alani ( <i>Melicope munroi</i> )	E	\$3,600	\$906,291,141
937	<i>Munroidendron racemosum</i> (=Sci name)	E	\$3,600	\$906,294,741
937	Bluegrass, Hawaiian ( <i>Poa sandvicensis</i> )	E	\$3,600	\$906,298,341
937	<i>Remya kauaiensis</i> (=Sci name)	E	\$3,600	\$906,301,941
937	Opuhe ( <i>Urera kaalae</i> )	E	\$3,600	\$906,305,541
937	<i>Viola lanaiensis</i> (=Sci name)	E	\$3,600	\$906,309,141
937	Iliau, dwarf ( <i>Wilkesia hobdyi</i> )	E	\$3,600	\$906,312,741
937	Haha ( <i>Cyanea pinnatifida</i> )	E	\$3,600	\$906,316,341
937	Haha ( <i>Cyanea stictophylla</i> )	E	\$3,600	\$906,319,941
937	Kamakahala ( <i>Labordia tinifolia</i> var. <i>lanaiensis</i> )	E	\$3,600	\$906,323,541
937	<i>Lobelia monostachya</i> (=Sci name)	E	\$3,600	\$906,327,141
937	Holei ( <i>Ochrosia kilaueaensis</i> )	E	\$3,600	\$906,330,741
937	Ma`oli`oli ( <i>Schiedea apokremnos</i> )	E	\$3,600	\$906,334,341
937	<i>Schiedea lydgatei</i> (=Sci name)	E	\$3,600	\$906,337,941
937	<i>Remya montgomeryi</i> (=Sci name)	E	\$3,600	\$906,341,541
937	`Oha wai ( <i>Clermontia oblongifolia</i> ssp. <i>brevipes</i> )	E	\$3,600	\$906,345,141

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
937	Haha ( <i>Cyanea dunbarii</i> )	E	\$3,600	\$906,348,741
937	Haha ( <i>Cyanea mannii</i> )	E	\$3,600	\$906,352,341
937	Kopa ( <i>Hedyotis schlechtendahliana</i> var. <i>remyi</i> )	E	\$3,600	\$906,355,941
937	<i>Phyllostegia warshaueri</i> (=Sci name)	E	\$3,600	\$906,359,541
937	Kuahiwi laukahi ( <i>Plantago hawaiiensis</i> )	E	\$3,600	\$906,363,141
937	<i>Silene perlmanii</i> (=Sci name)	E	\$3,600	\$906,366,741
937	Kohe malama malama o kanaloa ( <i>Kanaloa kahoowawensis</i> )	E	\$3,600	\$906,370,341
937	<i>Diellia unisora</i> (=Sci name)	E	\$3,600	\$906,373,941
938	Quillwort, black spored ( <i>Isoetes melanospora</i> )	E	\$3,550	\$906,377,491
939	Mustard, Penland alpine fen ( <i>Eutrema penlandii</i> )	T	\$3,509	\$906,381,000
940	Bat, little Mariana fruit ( <i>Pteropus tokudae</i> )	E	\$3,500	\$906,384,500
940	`Oha wai ( <i>Clermontia drepanomorpha</i> )	E	\$3,500	\$906,388,000
940	Oha ( <i>Delissea rivularis</i> )	E	\$3,500	\$906,391,500
940	Kamakahala ( <i>Labordia triflora</i> )	E	\$3,500	\$906,395,000
940	Liliwai ( <i>Acaena exigua</i> )	E	\$3,500	\$906,398,500
940	`Akoko ( <i>Chamaesyce deppeana</i> )	E	\$3,500	\$906,402,000
940	<i>Hesperomannia lydgatei</i> (=Sci name)	E	\$3,500	\$906,405,500
940	Koki`o, Cooke's ( <i>Kokia cookei</i> )	E	\$3,500	\$906,409,000
940	Alani ( <i>Melicope quadrangularis</i> )	E	\$3,500	\$906,412,500
940	Alani ( <i>Melicope reflexa</i> )	E	\$3,500	\$906,416,000
940	<i>Phyllostegia glabra</i> var. <i>lanaiensis</i> (=Sci name)	E	\$3,500	\$906,419,500
940	Haha ( <i>Cyanea platyphylla</i> )	E	\$3,500	\$906,423,000
940	Ha`iwale ( <i>Cyrtandra crenata</i> )	E	\$3,500	\$906,426,500
940	Nehe ( <i>Lipochaeta waimeaensis</i> )	E	\$3,500	\$906,430,000
940	<i>Lysimachia filifolia</i> (=Sci name)	E	\$3,500	\$906,433,500
940	Haha ( <i>Cyanea macrostegia</i> ssp. <i>gibsonii</i> )	E	\$3,500	\$906,437,000
940	<i>Schiedea helleri</i> (=Sci name)	E	\$3,500	\$906,440,500
940	Laulihilihi ( <i>Schiedea stellarioides</i> )	E	\$3,500	\$906,444,000
940	Kuawawaenuhu ( <i>Alsinidendron lychnoides</i> )	E	\$3,500	\$906,447,500
940	Haha ( <i>Cyanea copelandii</i> ssp. <i>copelandii</i> )	E	\$3,500	\$906,451,000
940	Haha ( <i>Cyanea procera</i> )	E	\$3,500	\$906,454,500
940	Haha ( <i>Cyanea recta</i> )	T	\$3,500	\$906,458,000
940	Mapele ( <i>Cyrtandra cyaneoides</i> )	E	\$3,500	\$906,461,500
940	<i>Lysimachia maxima</i> (=Sci name)	E	\$3,500	\$906,465,000
940	<i>Mariscus fauriei</i> (=Sci name)	E	\$3,500	\$906,468,500
940	Lo`ulu ( <i>Pritchardia viscosa</i> )	E	\$3,500	\$906,472,000
940	<i>Stenogyne bifida</i> (=Sci name)	E	\$3,500	\$906,475,500
940	Haha ( <i>Cyanea remyi</i> )	E	\$3,500	\$906,479,000
940	Hau kuahiwi ( <i>Hibiscadelphus woodii</i> )	E	\$3,500	\$906,482,500
940	Kamakahala ( <i>Labordia tinifolia</i> var. <i>wahiawaensis</i> )	E	\$3,500	\$906,486,000
940	<i>Nesogenes rotensis</i> (=Sci name)	E	\$3,500	\$906,489,500
940	<i>Osmoxylon mariannense</i> (=Sci name)	E	\$3,500	\$906,493,000
941	Milk-vetch, Mancos ( <i>Astragalus humillimus</i> )	E	\$3,400	\$906,496,400
941	Chumbo, Higo ( <i>Harrisia portoricensis</i> )	T	\$3,400	\$906,499,800
942	Pitcher-plant, mountain sweet ( <i>Sarracenia rubra</i> ssp. <i>jonesii</i> )	E	\$3,300	\$906,503,100
943	Manzanita, Presidio ( <i>Arctostaphylos hookeri</i> var. <i>ravenii</i> )	E	\$3,190	\$906,506,290
944	Clarkia, Pismo ( <i>Clarkia speciosa</i> ssp. <i>immaculata</i> )	E	\$3,155	\$906,509,445
945	Bird's-beak, Pennell's ( <i>Cordylanthus tenuis</i> ssp. <i>capillaris</i> )	E	\$3,120	\$906,512,565
945	Quillwort, mat-forming ( <i>Isoetes tegetiformans</i> )	E	\$3,120	\$906,515,685
946	Butterfly, lotis blue ( <i>Lycaeides argyrognomon lotis</i> )	E	\$3,115	\$906,518,800
947	Milk-vetch, heliotrope ( <i>Astragalus montii</i> )	T	\$3,100	\$906,521,900
948	Milk-vetch, Deseret ( <i>Astragalus desereticus</i> )	T	\$3,000	\$906,524,900
949	Fleabane, Zuni ( <i>Erigeron rhizomatus</i> )	T	\$2,900	\$906,527,800
950	Spurge, deltoid ( <i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i> )	E	\$2,848	\$906,530,648
951	Mussel, oyster ( <i>Epioblasma capsaeformis</i> ) - AL; Free-Flowing Reach of Tenn R. below Wilson Dam, Colbert and Lauderdale Co.	EXPN	\$2,834	\$906,533,482

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
952	Daisy, lakeside ( <i>Hymenoxys herbacea</i> )	T	\$2,783	\$906,536,265
953	Pigtoe, heavy ( <i>Pleurobema taitianum</i> )	E	\$2,734	\$906,538,999
954	Cactus, Lloyd's Mariposa ( <i>Echinomastus mariposensis</i> )	T	\$2,700	\$906,541,699
955	Bladderpod, San Bernardino Mountains ( <i>Lesquerella kingii</i> ssp. <i>bernardina</i> )	E	\$2,675	\$906,544,374
956	Vole, Hualapai Mexican ( <i>Microtus mexicanus hualpaiensis</i> )	E	\$2,600	\$906,546,974
957	Bird's-beak, soft ( <i>Cordylanthus mollis</i> ssp. <i>mollis</i> )	E	\$2,555	\$906,549,529
958	<i>Thelypteris inabonensis</i> (=Sci name)	E	\$2,500	\$906,552,029
958	<i>Thelypteris verecunda</i> (=Sci name)	E	\$2,500	\$906,554,529
958	<i>Thelypteris yaucoensis</i> (=Sci name)	E	\$2,500	\$906,557,029
959	Blue-star, Kearney's ( <i>Amsonia kearneyana</i> )	E	\$2,400	\$906,559,429
959	Ladies'-tresses, Canelo Hills ( <i>Spiranthes delitescens</i> )	E	\$2,400	\$906,561,829
960	Clarkia, Springville ( <i>Clarkia springvillensis</i> )	T	\$2,305	\$906,564,134
961	Harvestman, Bee Creek Cave ( <i>Texella reddelli</i> )	E	\$2,300	\$906,566,434
962	Paintbrush, Tiburon ( <i>Castilleja affinis</i> ssp. <i>neglecta</i> )	E	\$2,250	\$906,568,684
963	Harvestman, Bone Cave ( <i>Texella reyesi</i> )	E	\$2,200	\$906,570,884
963	Spider, Tooth Cave ( <i>Leptoneta myopica</i> )	E	\$2,200	\$906,573,084
963	Spider, Government Canyon Bat Cave ( <i>Neoleptoneta microps</i> )	E	\$2,200	\$906,575,284
963	Rhododendron, Chapman ( <i>Rhododendron chapmanii</i> )	E	\$2,200	\$906,577,484
963	Boxwood, Vahl's ( <i>Buxus vahlii</i> )	E	\$2,200	\$906,579,684
963	<i>Catesbaea melanocarpa</i> (=Sci name)	E	\$2,200	\$906,581,884
964	Rocksail, round ( <i>Leptoxis ampla</i> )	T	\$2,100	\$906,583,984
964	Pawpaw, four-petal ( <i>Asimina tetramera</i> )	E	\$2,100	\$906,586,084
965	Manzanita, pallid ( <i>Arctostaphylos pallida</i> )	T	\$2,065	\$906,588,149
966	Penny-cress, Kneeland Prairie ( <i>Thlaspi californicum</i> )	E	\$2,020	\$906,590,169
967	Ridge-cress, Barneby ( <i>Lepidium barnebyanum</i> )	E	\$2,000	\$906,592,169
968	Darter, watercress ( <i>Etheostoma nuchale</i> )	E	\$1,987	\$906,594,156
969	Thornmint, San Mateo ( <i>Acanthomintha obovata</i> ssp. <i>duttonii</i> )	E	\$1,985	\$906,596,141
970	Blossom, turgid (pearlymussel) ( <i>Epioblasma turgidula</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$1,956	\$906,598,097
971	Lily, Minnesota dwarf trout ( <i>Erythronium propullans</i> )	E	\$1,873	\$906,599,970
972	Snail, flat-spined three-toothed ( <i>Triodopsis platysayoides</i> )	T	\$1,862	\$906,601,832
973	Combshell, southern ( <i>Epioblasma penita</i> )	E	\$1,800	\$906,603,632
973	Rosemary, Etonia ( <i>Conradina etonia</i> )	E	\$1,800	\$906,605,432
974	Bluet, Roan Mountain ( <i>Hedyotis purpurea</i> var. <i>montana</i> )	E	\$1,720	\$906,607,152
975	Blossom, yellow (pearlymussel) ( <i>Epioblasma florentina florentina</i> ) - Entire Range; Except where listed as Experimental Populations	E	\$1,700	\$906,608,852
975	Snail, armored ( <i>Pyrgulopsis</i> (=Marstonia) <i>pachyta</i> )	E	\$1,700	\$906,610,552
975	Campeloma, slender ( <i>Campeloma decampi</i> )	E	\$1,700	\$906,612,252
976	Acornshell, southern ( <i>Epioblasma othcaloogensis</i> )	E	\$1,600	\$906,613,852
976	Prickly-ash, St. Thomas ( <i>Zanthoxylum thomasianum</i> )	E	\$1,600	\$906,615,452
977	Oxytheca, cushenbury ( <i>Oxytheca parishii</i> var. <i>goodmaniana</i> )	E	\$1,535	\$906,616,987
978	Curlew, Eskimo ( <i>Numenius borealis</i> )	E	\$1,512	\$906,618,499
979	Springsnail, Alamosa ( <i>Tryonia alamosae</i> )	E	\$1,500	\$906,619,999
979	Springsnail, Socorro ( <i>Pyrgulopsis neomexicana</i> )	E	\$1,500	\$906,621,499
979	Harvestman, Cokendolpher Cave ( <i>Texella cokendolpheri</i> )	E	\$1,500	\$906,622,999
979	Meshweaver, Braken Bat Cave ( <i>Cicurina venii</i> )	E	\$1,500	\$906,624,499
979	Pawpaw, Rugel's ( <i>Deeringothamnus rugelii</i> )	E	\$1,500	\$906,625,999
979	Bariaco ( <i>Trichilia triacantha</i> )	E	\$1,500	\$906,627,499
980	Cactus, Cochise pincushion ( <i>Coryphantha robbinsorum</i> )	T	\$1,400	\$906,628,899
980	<i>Myrcia paganii</i> (=Sci name)	E	\$1,400	\$906,630,299
980	<i>Auerodendron pauciflorum</i> (=Sci name)	E	\$1,400	\$906,631,699
981	Rosemary, Apalachicola ( <i>Conradina glabra</i> )	E	\$1,300	\$906,632,999
982	Pigtoe, shiny ( <i>Fusconaia cor</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,290	\$906,634,289
983	Meshweaver, Government Canyon Bat Cave ( <i>Cicurina vespera</i> )	E	\$1,200	\$906,635,489

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
983	<i>Calyptanthus thomasiana</i> (=Sci name)	E	\$1,200	\$906,636,689
983	Water-plantain, Kral's ( <i>Sagittaria secundifolia</i> )	T	\$1,200	\$906,637,889
983	<i>Schoepfia arenaria</i> (=Sci name)	T	\$1,200	\$906,639,089
984	Trout, Little Kern golden ( <i>Oncorhynchus aguabonita whitei</i> )	T	\$1,152	\$906,640,241
985	Sunflower, San Mateo woolly ( <i>Eriophyllum latilobum</i> )	E	\$1,075	\$906,641,316
986	Yellowhead, desert ( <i>Yermo xanthocephalus</i> )	T	\$1,074	\$906,642,390
987	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$1,000	\$906,643,390
987	Cactus, Nellie cory ( <i>Coryphantha minima</i> )	E	\$1,000	\$906,644,390
987	Cory cactus, bunched ( <i>Coryphantha ramillosa</i> )	T	\$1,000	\$906,645,390
987	Liveforever, Santa Barbara Island ( <i>Dudleya traskiae</i> )	E	\$1,000	\$906,646,390
987	Warea, wide-leaf ( <i>Warea amplexifolia</i> )	E	\$1,000	\$906,647,390
988	Polygonum, Scotts Valley ( <i>Polygonum hickmanii</i> )	E	\$970	\$906,648,360
989	Cactus, Lee pincushion ( <i>Coryphantha sneedii</i> var. <i>leei</i> )	T	\$900	\$906,649,260
989	Cactus, Arizona hedgehog ( <i>Echinocereus triglochidiatus</i> var. <i>arizonicus</i> )	E	\$900	\$906,650,160
990	Pearlymussel, dromedary ( <i>Dromus dromas</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$834	\$906,650,994
991	Snail, Chittenango ovate amber ( <i>Succinea chittenangoensis</i> )	T	\$833	\$906,651,827
992	Clubshell, black ( <i>Pleurobema curtum</i> )	E	\$800	\$906,652,627
992	Riversnail, Anthony's ( <i>Athearnia anthonyi</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$800	\$906,653,427
992	Beetle, Coffin Cave mold ( <i>Batrissodes texanus</i> )	E	\$800	\$906,654,227
992	Beetle, Kretschmarr Cave mold ( <i>Texamaurops reddelli</i> )	E	\$800	\$906,655,027
992	Beetle, Tooth Cave ground ( <i>Rhadine persephone</i> )	E	\$800	\$906,655,827
992	Beetle, Helotes mold ( <i>Batrissodes venyivi</i> )	E	\$800	\$906,656,627
992	Milkpea, Small's ( <i>Galactia smallii</i> )	E	\$800	\$906,657,427
993	Poppy-mallow, Texas ( <i>Callirhoe scabriuscula</i> )	E	\$750	\$906,658,177
994	Pseudoscorpion, Tooth Cave ( <i>Tartarocreagris texana</i> )	E	\$700	\$906,658,877
994	Meshweaver, Robber Baron Cave ( <i>Cicurina baronia</i> )	E	\$700	\$906,659,577
994	<i>Chamaecrista glandulosa</i> var. <i>mirabilis</i> (=Sci name)	E	\$700	\$906,660,277
994	Polygala, tiny ( <i>Polygala smallii</i> )	E	\$700	\$906,660,977
994	Mint, Garrett's ( <i>Dicerandra christmanii</i> )	E	\$700	\$906,661,677
995	Roseroot, Leedy's ( <i>Sedum integrifolium</i> ssp. <i>leedyi</i> )	T	\$683	\$906,662,360
996	Lupine, Nipomo Mesa ( <i>Lupinus nipomensis</i> )	E	\$675	\$906,663,035
997	Pitaya, Davis' green ( <i>Echinocereus viridiflorus</i> var. <i>davisii</i> )	E	\$650	\$906,663,685
998	Bittercress, small-anthered ( <i>Cardamine micranthera</i> )	E	\$640	\$906,664,325
998	Heather, mountain golden ( <i>Hudsonia montana</i> )	T	\$640	\$906,664,965
999	Shagreen, Magazine Mountain ( <i>Mesodon magazinensis</i> )	T	\$600	\$906,665,565
1000	Allocarya, Calistoga ( <i>Plagiobothrys strictus</i> )	E	\$576	\$906,666,141
1001	Goldenrod, Blue Ridge ( <i>Solidago spithamea</i> )	T	\$560	\$906,666,701
1002	Warbler (=wood), Bachman's ( <i>Vermivora bachmanii</i> )	E	\$520	\$906,667,221
1002	Button, Mohr's Barbara ( <i>Marshallia mohrii</i> )	T	\$520	\$906,667,741
1003	Crow, white-necked ( <i>Corvus leucognaphalus</i> )	E	\$500	\$906,668,241
1003	Madtom, Scioto ( <i>Noturus trautmani</i> )	E	\$500	\$906,668,741
1003	Gambusia, San Marcos ( <i>Gambusia georgei</i> )	E	\$500	\$906,669,241
1003	Palo de ramon ( <i>Banara vanderbiltii</i> )	E	\$500	\$906,669,741
1003	Capa rosa ( <i>Callicarpa ampla</i> )	E	\$500	\$906,670,241
1003	<i>Cordia bellonis</i> (=Sci name)	E	\$500	\$906,670,741
1003	Palo de nigua ( <i>Cornutia obovata</i> )	E	\$500	\$906,671,241
1003	Cat's-eye, Terlingua Creek ( <i>Cryptantha crassipes</i> )	E	\$500	\$906,671,741
1003	Uvillo ( <i>Eugenia haematocarpa</i> )	E	\$500	\$906,672,241
1003	Holly, Cook's ( <i>Ilex cookii</i> )	E	\$500	\$906,672,741
1003	<i>Lepanthes eltoroensis</i> (=Sci name)	E	\$500	\$906,673,241

Rank	Species (50 CFR Part 17)	Status	Species Total	Cumulative Total
1003	<i>Mitracarpus maxwelliae</i> (=Sci name)	E	\$500	\$906,673,741
1003	<i>Mitracarpus polycladus</i> (=Sci name)	E	\$500	\$906,674,241
1003	Beargrass, Britton's ( <i>Nolina brittoniana</i> )	E	\$500	\$906,674,741
1003	Chupacallos ( <i>Pleodendron macranthum</i> )	E	\$500	\$906,675,241
1003	Erubia ( <i>Solanum drymophilum</i> )	E	\$500	\$906,675,741
1003	Palo colorado ( <i>Ternstroemia luquillensis</i> )	E	\$500	\$906,676,241
1003	<i>Ternstroemia subsessilis</i> (=Sci name)	E	\$500	\$906,676,741
1003	Palo de jazmin ( <i>Styrax portoricensis</i> )	E	\$500	\$906,677,241
1003	<i>Gesneria pauciflora</i> (=Sci name)	T	\$500	\$906,677,741
1003	Walnut (=Nogal), West Indian ( <i>Juglans jamaicensis</i> )	E	\$500	\$906,678,241
1003	<i>Ilex sintenisii</i> (=Sci name)	E	\$500	\$906,678,741
1003	<i>Adiantum vivesii</i> (=Sci name)	E	\$500	\$906,679,241
1003	<i>Elaphoglossum serpens</i> (=Sci name)	E	\$500	\$906,679,741
1003	<i>Polystichum calderonense</i> (=Sci name)	E	\$500	\$906,680,241
1003	<i>Tectaria estremezana</i> (=Sci name)	E	\$500	\$906,680,741
1004	Mint, scrub ( <i>Dicerandra frutescens</i> )	E	\$450	\$906,681,191
1005	Buckwheat, Ione (incl. Irish Hill) ( <i>Eriogonum apricum</i> (incl. var. <i>prostratum</i> ))	E	\$445	\$906,681,636
1006	Mariposa lily, Tiburon ( <i>Calochortus tiburonensis</i> )	T	\$430	\$906,682,066
1007	Chub, spotfin ( <i>Erimonax monachus</i> ) - U.S.A. (TN - specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii))	EXPN	\$400	\$906,682,466
1007	Pigtoe, flat ( <i>Pleurobema marshalli</i> )	E	\$400	\$906,682,866
1007	Combshell, Cumberlandian ( <i>Epioblasma brevidens</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$400	\$906,683,266
1007	Stirrupshell ( <i>Quadrula stapes</i> )	E	\$400	\$906,683,666
1007	Lead-plant, Crenulate ( <i>Amorpha crenulata</i> )	E	\$400	\$906,684,066
1008	Bluegrass, Napa ( <i>Poa napensis</i> )	E	\$385	\$906,684,451
1009	Thistle, Chorro Creek bog ( <i>Cirsium fontinale</i> var. <i>obispoense</i> )	E	\$375	\$906,684,826
1010	Milk-vetch, Ventura Marsh ( <i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> )	E	\$340	\$906,685,166
1011	Sedge, white ( <i>Carex albida</i> )	E	\$240	\$906,685,406
1011	Lily, Pitkin Marsh ( <i>Lilium pardalinum</i> ssp. <i>pitkinense</i> )	E	\$240	\$906,685,646
1012	Buckwheat, cushenbury ( <i>Eriogonum ovalifolium</i> var. <i>vineum</i> )	E	\$135	\$906,685,781
1012	Milk-vetch, Cushenbury ( <i>Astragalus albens</i> )	E	\$135	\$906,685,916
1013	Thistle, fountain ( <i>Cirsium fontinale</i> var. <i>fontinale</i> )	E	\$115	\$906,686,031
1013	Pentachaeta, white-rayed ( <i>Pentachaeta bellidiflora</i> )	E	\$115	\$906,686,146
1014	Seal, Caribbean monk ( <i>Monachus tropicalis</i> )	E	\$100	\$906,686,246
1014	Seal, Guadalupe fur ( <i>Arctocephalus townsendi</i> )	T	\$100	\$906,686,346
1014	Darter, boulder ( <i>Etheostoma wapiti</i> ) - Shoal Creek	EXPN	\$100	\$906,686,446
1014	Darter, vermilion ( <i>Etheostoma chermocki</i> )	E	\$100	\$906,686,546
1014	Clubshell ( <i>Pleurobema clava</i> ) - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	EXPN	\$100	\$906,686,646
1014	Pigtoe, dark ( <i>Pleurobema furvum</i> )	E	\$100	\$906,686,746
1014	Pebblesnail, flat ( <i>Lepyrium showalteri</i> )	E	\$100	\$906,686,846
1014	Larkspur, Baker's ( <i>Delphinium bakeri</i> )	E	\$100	\$906,686,946
1014	Larkspur, yellow ( <i>Delphinium luteum</i> )	E	\$100	\$906,687,046

**TABLE 3. FY 2008 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES**

Species are arranged in the same sequence as Table 1. These costs are not included in the expenditures displayed in Tables 1 and 2. Only those species that had land acquisition costs reported for FY 2008 are included here. Land rank is included to show the relative order of the species for which land expenditures are reported.

**TABLE 3. FY 2008 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES**

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
Mammals	55	Bat, gray ( <i>Myotis grisescens</i> )	E	\$210,980	\$0	\$210,980	\$172,000	\$382,980
	35	Bat, Indiana ( <i>Myotis sodalis</i> )	E	\$883,370	\$0	\$883,370	\$5,000	\$888,370
	97	Bat, Ozark big-eared ( <i>Corynorhinus (=Plecotus) townsendii ingens</i> )	E	\$22,400	\$0	\$22,400	\$0	\$22,400
	11	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	\$4,145,860	\$374,184	\$4,520,044	\$0	\$4,520,044
	102	Deer, key ( <i>Odocoileus virginianus clavium</i> )	E	\$13,290	\$0	\$13,290	\$0	\$13,290
	63	Fox, San Joaquin kit ( <i>Vulpes macrotis mutica</i> )	E	\$0	\$303,000	\$303,000	\$0	\$303,000
	100	Jaguar ( <i>Panthera onca</i> )	E	\$19,850	\$0	\$19,850	\$0	\$19,850
	100	Jaguarundi, Gulf Coast ( <i>Herpailurus (=Felis) yagouaroundi cacomitli</i> )	E	\$19,850	\$0	\$19,850	\$0	\$19,850
	28	Lynx, Canada ( <i>Lynx canadensis</i> ) - Contiguous U.S. DPS	T	\$342,910	\$0	\$342,910	\$1,000,000	\$1,342,910
	111	Manatee, West Indian ( <i>Trichechus manatus</i> )	E	\$670	\$0	\$670	\$0	\$670
	93	Mouse, Alabama beach ( <i>Peromyscus polionotus ammobates</i> )	E	\$31,750	\$0	\$31,750	\$0	\$31,750
	47	Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> ) - U.S.A., north-central CO	T	\$0	\$0	\$0	\$600,000	\$600,000
	111	Mouse, southeastern beach ( <i>Peromyscus polionotus niveiventris</i> )	T	\$670	\$0	\$670	\$0	\$670
	72	Ocelot ( <i>Leopardus (=Felis) pardalis</i> )	E	\$19,850	\$0	\$19,850	\$109,740	\$129,590
	73	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> )	E	\$0	\$125,000	\$125,000	\$0	\$125,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	102	Rice rat ( <i>Oryzomys palustris natator</i> ) - lower FL Keys	E	\$13,290	\$0	\$13,290	\$0	\$13,290
	101	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - western pop.	E	\$0	\$13,500	\$13,500	\$0	\$13,500
	107	Sea-lion, Steller ( <i>Eumetopias jubatus</i> ) - eastern pop.	T	\$2,570	\$0	\$2,570	\$0	\$2,570
	32	Squirrel, Delmarva Peninsula fox ( <i>Sciurus niger cinereus</i> ) - Entire, except Sussex Co., DE	E	\$1,179,840	\$0	\$1,179,840	\$0	\$1,179,840
	81	Squirrel, Virginia northern flying ( <i>Glaucomys sabrinus fuscus</i> )	DM	\$69,500	\$0	\$69,500	\$0	\$69,500
	101	Whale, blue ( <i>Balaenoptera musculus</i> )	E	\$0	\$13,500	\$13,500	\$0	\$13,500
	79	Whale, bowhead ( <i>Balaena mysticetus</i> )	E	\$54,000	\$30,000	\$84,000	\$0	\$84,000
	103	Whale, finback ( <i>Balaenoptera physalus</i> )	E	\$5,140	\$0	\$5,140	\$0	\$5,140
	107	Whale, gray ( <i>Eschrichtius robustus</i> ) - W Pacific Ocean	E	\$2,570	\$0	\$2,570	\$0	\$2,570
	107	Whale, humpback ( <i>Megaptera novaeangliae</i> )	E	\$2,570	\$0	\$2,570	\$0	\$2,570
	109	Whale, right ( <i>Balaena glacialis</i> (incl. <i>australis</i> ))	E	\$0	\$1,600	\$1,600	\$0	\$1,600
	107	Whale, Sei ( <i>Balaenoptera borealis</i> )	E	\$2,570	\$0	\$2,570	\$0	\$2,570
	9	Wolf, gray ( <i>Canis lupus</i> ) - Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$370,410	\$0	\$370,410	\$4,384,000	\$4,754,410
	74	Wolf, red ( <i>Canis rufus</i> ) - except where EXPN	E	\$121,500	\$0	\$121,500	\$0	\$121,500
Mammals subtotal				\$7,548,700	\$860,784	\$8,409,484	\$6,270,740	\$14,680,224
Birds	7	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) - FL .	T	\$0	\$5,463,748	\$5,463,748	\$0	\$5,463,748



Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	33	Tern, roseate ( <i>Sterna dougallii dougallii</i> ) - northeast U.S. nesting pop.	E	\$1,127,170	\$0	\$1,127,170	\$0	\$1,127,170
	22	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	\$0	\$0	\$0	\$2,199,150	\$2,199,150
	23	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	\$19,850	\$0	\$19,850	\$2,096,623	\$2,116,473
	110	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> ) - entire	E	\$0	\$0	\$0	\$1,200	\$1,200
	2	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	\$121,500	\$120,000	\$241,500	\$17,326,900	\$17,568,400
Birds subtotal				\$10,638,620	\$30,731,842	\$41,370,462	\$24,729,082	\$66,099,544
Reptiles	7	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	\$0	\$5,463,748	\$5,463,748	\$0	\$5,463,748
	111	Sea turtle, green ( <i>Chelonia mydas</i> ) - FL, Mexico nesting pops.	E	\$670	\$0	\$670	\$0	\$670
	96	Sea turtle, green ( <i>Chelonia mydas</i> ) - except where endangered	T	\$19,850	\$3,125	\$22,975	\$0	\$22,975
	99	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	\$20,520	\$0	\$20,520	\$0	\$20,520
	51	Sea turtle, Kemp's ridley ( <i>Lepidochelys kempii</i> )	E	\$520,520	\$0	\$520,520	\$0	\$520,520
	50	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	\$520,520	\$3,125	\$523,645	\$0	\$523,645
	34	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	\$916,270	\$21,000	\$937,270	\$0	\$937,270
	108	Skink, sand ( <i>Neoseps reynoldsi</i> )	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	111	Snake, Atlantic salt marsh ( <i>Nerodia clarkii taeniata</i> )	T	\$670	\$0	\$670	\$0	\$670
	86	Snake, copperbelly water ( <i>Nerodia erythrogaster neglecta</i> ) - MI, OH, IN	T	\$48,580	\$0	\$48,580	\$0	\$48,580

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	24	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	\$15,960	\$0	\$15,960	\$2,097,880	\$2,113,840
	20	Snake, giant garter ( <i>Thamnophis gigas</i> )	T	\$0	\$2,488,000	\$2,488,000	\$0	\$2,488,000
	25	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - southern	SAT	\$0	\$0	\$0	\$2,097,880	\$2,097,880
	44	Turtle, bog (=Muhlenberg) ( <i>Clemmys muhlenbergii</i> ) - northern	T	\$500,000	\$152,000	\$652,000	\$0	\$652,000
	68	Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )	T	\$0	\$188,000	\$188,000	\$0	\$188,000
Reptiles subtotal				\$2,565,560	\$8,318,998	\$10,884,558	\$4,195,760	\$15,080,318
Amphibians	1	Frog, California red-legged ( <i>Rana aurora draytonii</i> ) - subspecies range clarified	T	\$0	\$19,388,000	\$19,388,000	\$0	\$19,388,000
	49	Frog, Mississippi gopher ( <i>Rana capito sevosa</i> ) - Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	E	\$0	\$535,000	\$535,000	\$0	\$535,000
	42	Salamander, Barton Springs ( <i>Eurycea sosorum</i> )	E	\$0	\$0	\$0	\$702,500	\$702,500
	81	Salamander, Cheat Mountain ( <i>Plethodon nettingi</i> )	T	\$69,500	\$0	\$69,500	\$0	\$69,500
	80	Toad, Houston ( <i>Bufo houstonensis</i> )	E	\$0	\$3,500	\$3,500	\$75,000	\$78,500
Amphibians subtotal				\$69,500	\$19,926,500	\$19,996,000	\$777,500	\$20,773,500
Fishes	82	Cavefish, Ozark ( <i>Amblyopsis rosae</i> )	T	\$64,000	\$0	\$64,000	\$0	\$64,000
	85	Chub, Gila ( <i>Gila intermedia</i> )	E	\$0	\$0	\$0	\$50,800	\$50,800
	5	Darter, Cherokee ( <i>Etheostoma scotti</i> )	T	\$0	\$0	\$0	\$7,559,800	\$7,559,800
	5	Darter, Etowah ( <i>Etheostoma etowahae</i> )	E	\$0	\$0	\$0	\$7,559,800	\$7,559,800
	71	Darter, Niangua ( <i>Etheostoma nianguae</i> )	T	\$0	\$0	\$0	\$172,000	\$172,000

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	98	Gambusia, Pecos ( <i>Gambusia nobilis</i> )	E	\$0	\$22,000	\$22,000	\$0	\$22,000
	18	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> )	E	\$0	\$3,021,000	\$3,021,000	\$0	\$3,021,000
	57	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) - except Salt and Verde R. drainages, AZ	E	\$0	\$369,000	\$369,000	\$0	\$369,000
	98	Pupfish, Comanche Springs ( <i>Cyprinodon elegans</i> )	E	\$0	\$22,000	\$22,000	\$0	\$22,000
	85	Pupfish, desert ( <i>Cyprinodon macularius</i> )	E	\$0	\$0	\$0	\$50,800	\$50,800
	17	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - spring upper Columbia R.	E	\$0	\$2,700,109	\$2,700,109	\$379,000	\$3,079,109
	48	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - lower Columbia R.	T	\$0	\$317,614	\$317,614	\$270,000	\$587,614
	46	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - fall Snake R.	T	\$0	\$612,746	\$612,746	\$0	\$612,746
	30	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - spring/summer Snake R.	T	\$0	\$1,262,366	\$1,262,366	\$0	\$1,262,366
	52	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - winter Sac. R.	E	\$0	\$501,500	\$501,500	\$0	\$501,500
	58	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - CA Central Valley spring-run	T	\$0	\$365,500	\$365,500	\$0	\$365,500
	88	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) - upper Willamette R.	T	\$0	\$37,746	\$37,746	\$0	\$37,746
	92	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) <i>keta</i> ) - Columbia R.	T	\$0	\$32,361	\$32,361	\$0	\$32,361

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	38	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) keta) - summer-run Hood Canal	T	\$0	\$0	\$0	\$842,500	\$842,500
	92	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) kisutch) - Lower Columbia River	T	\$0	\$32,361	\$32,361	\$0	\$32,361
	27	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) kisutch) - OR, CA pop.	T	\$0	\$1,504,000	\$1,504,000	\$0	\$1,504,000
	15	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) nerka) - U.S.A. (Snake River, ID stock wherever found.)	E	\$0	\$3,750,711	\$3,750,711	\$0	\$3,750,711
	41	Shiner, Pecos bluntnose ( <i>Notropis simus pecosensis</i> )	T	\$0	\$740,000	\$740,000	\$0	\$740,000
	78	Shiner, Topeka ( <i>Notropis topeka</i> (=tristis))	E	\$0	\$85,000	\$85,000	\$0	\$85,000
	94	Smelt, delta ( <i>Hypomesus transpacificus</i> )	T	\$0	\$28,800	\$28,800	\$0	\$28,800
	10	Spikedace ( <i>Meda fulgida</i> )	T	\$0	\$0	\$0	\$4,675,108	\$4,675,108
	95	Springfish, Railroad Valley ( <i>Crenichthys nevadae</i> )	T	\$0	\$28,500	\$28,500	\$0	\$28,500
	21	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - upper Columbia R. Basin	T	\$0	\$2,224,977	\$2,224,977	\$0	\$2,224,977
	39	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) Snake R. Basin	T	\$0	\$806,108	\$806,108	\$0	\$806,108
	13	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - middle Columbia R.	T	\$0	\$3,778,094	\$3,778,094	\$0	\$3,778,094
	37	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - Central Valley CA	T	\$0	\$846,500	\$846,500	\$0	\$846,500
	62	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - lower Columbia R.	T	\$0	\$312,229	\$312,229	\$0	\$312,229
	91	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) - upper Willamette R.	T	\$0	\$32,390	\$32,390	\$0	\$32,390

Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	3	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	\$132,210	\$17,140,000	\$17,272,210	\$66,667	\$17,338,877
	57	Sucker, razorback ( <i>Xyrauchen texanus</i> ) - entire	E	\$0	\$369,000	\$369,000	\$0	\$369,000
	26	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) - U.S.A. only	E	\$0	\$0	\$0	\$1,550,795	\$1,550,795
	8	Trout, bull ( <i>Salvelinus confluentus</i> ) - U.S.A., conterminous, lower 48 states	T	\$0	\$5,010,827	\$5,010,827	\$0	\$5,010,827
Fishes subtotal				\$196,210	\$45,953,439	\$46,149,649	\$23,177,270	\$69,326,919
Clams	84	Fanshell ( <i>Cyprogenia stegaria</i> )	E	\$51,250	\$0	\$51,250	\$0	\$51,250
	66	Higgins eye (pearlymussel) ( <i>Lampsilis higginsii</i> )	E	\$252,500	\$0	\$252,500	\$0	\$252,500
	87	Pocketbook, fat ( <i>Potamilus capax</i> )	E	\$45,180	\$0	\$45,180	\$0	\$45,180
Clams subtotal				\$348,930	\$0	\$348,930	\$0	\$348,930
Snails	75	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )	E	\$108,330	\$0	\$108,330	\$0	\$108,330
	102	Snail, Stock Island tree ( <i>Orthalicus reses</i> (not incl. <i>nesodryas</i> ))	T	\$13,290	\$0	\$13,290	\$0	\$13,290
	36	Snail, Utah valvata ( <i>Valvata utahensis</i> )	E	\$0	\$853,000	\$853,000	\$0	\$853,000
Snails subtotal				\$121,620	\$853,000	\$974,620	\$0	\$974,620
Insects	60	Beetle, American burying ( <i>Nicrophorus americanus</i> )	E	\$342,910	\$0	\$342,910	\$0	\$342,910
	29	Beetle, Kretschmarr Cave mold ( <i>Texamaurops reddelli</i> )	E	\$0	\$0	\$0	\$1,312,500	\$1,312,500
	64	Beetle, Tooth Cave ground ( <i>Rhadine persephone</i> )	E	\$0	\$0	\$0	\$301,250	\$301,250
	31	Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )	T	\$0	\$1,180,000	\$1,180,000	\$0	\$1,180,000





Group Name	Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	102	Spurge, Garber's ( <i>Chamaesyce garberi</i> )	T	\$13,290	\$0	\$13,290	\$0	\$13,290
	108	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	\$2,000	\$0	\$2,000	\$0	\$2,000
	108	Wireweed ( <i>Polygonella basiramia</i> )	E	\$2,000	\$0	\$2,000	\$0	\$2,000
Flowering Plants subtotal				\$1,872,630	\$73,535	\$1,946,165	\$982,399	\$2,928,564
Total Land Expenditures				\$24,047,590	\$107,998,898	\$132,046,488	\$63,883,601	\$195,930,089

**TABLE 4. FY 2008 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES**

This table displays species expenditures and land acquisition costs by each reporting Federal agency, the Service, and the States collectively. Expenditures for foreign species are included.

TABLE 4. FY2008 EXPENDITURES REPORTED BY INDIVIDUAL FEDERAL AGENCIES AND THE STATES

Expense Type	Agency	Species Total	Land Total	Grand Total
Federal Domestic Expenditures	DHS Coast Guard	\$35,172,859	\$79,600	\$35,252,459
	DHS Customs and Border Protection	\$8,025,000	\$0	\$8,025,000
	DOC National Oceanic and Atmospheric Administration	\$49,608,520	\$0	\$49,608,520
	DOD Air Force	\$11,041,630	\$0	\$11,041,630
	DOD Army	\$36,274,435	\$0	\$36,274,435
	DOD Army Corps of Engineers	\$193,249,070	\$17,880,000	\$211,129,070
	DOD Defense Logistics Agency	\$230,000	\$0	\$230,000
	DOD Marine Corps	\$4,933,402	\$0	\$4,933,402
	DOD Navy	\$6,163,099	\$0	\$6,163,099
	DOE Bonneville Power Administration	\$134,649,605	\$13,975,639	\$148,625,244
	DOE Southwestern Power Administration	\$30,202	\$0	\$30,202
	DOE Western Area Power Administration	\$9,620,400	\$0	\$9,620,400
	DOI Bureau of Indian Affairs	\$661,900	\$0	\$661,900
	DOI Bureau of Land Management	\$20,325,096	\$3,671,000	\$23,996,096
	DOI Bureau of Reclamation	\$97,318,500	\$18,747,000	\$116,065,500
	DOI Minerals Management Service	\$6,780,000	\$0	\$6,780,000
	DOI National Park Service	\$11,115,817	\$0	\$11,115,817
	DOI US Geological Survey	\$18,223,575	\$0	\$18,223,575
	DOT Federal Aviation Administration	\$293,500	\$0	\$293,500
	DOT Federal Highway Administration	\$29,419,098	\$20,516,850	\$49,935,948
	Environmental Protection Agency	\$1,958,244	\$0	\$1,958,244
	Federal Energy Regulatory Commission	\$249,600	\$0	\$249,600
	Nuclear Regulatory Commission	\$478,073	\$0	\$478,073
	Smithsonian Institution	\$390,099	\$0	\$390,099
	Tennessee Valley Authority	\$1,728,500	\$0	\$1,728,500
	USDA Animal and Plant Health Inspection Service	\$2,319,300	\$0	\$2,319,300
	USDA Forest Service	\$19,802,900	\$0	\$19,802,900
USDA Natural Resources Conservation Service	\$10,975,778	\$33,128,809	\$44,104,587	
US Fish and Wildlife Service	\$144,040,839	\$24,047,590	\$168,088,429	
<b>Federal Domestic Expenditures Total</b>		<b>\$855,079,041</b>	<b>\$132,046,488</b>	<b>\$987,125,529</b>
Federal Foreign Expenditures	DOI US Geological Survey	\$18,900	\$0	\$18,900
	Smithsonian Institution	\$715,255	\$0	\$715,255
	US Fish and Wildlife Service	\$8,421,322	\$0	\$8,421,322
<b>Federal Foreign Expenditures Total</b>		<b>\$9,155,477</b>	<b>\$0</b>	<b>\$9,155,477</b>
<b>Federal Domestic and Foreign Expenditures Subtotal</b>		<b>\$864,234,518</b>	<b>\$132,046,488</b>	<b>\$996,281,006</b>
State Domestic Expenditures	State Governments	\$51,608,005	\$63,883,601	\$115,491,606
<b>Grand Total</b>		<b>\$915,842,523</b>	<b>\$195,930,089</b>	<b>\$1,111,772,612</b>

**Appendix A. Supplemental Guidance for Reporting Expenditures for the Conservation of Endangered and Threatened Species for FY 2008**

To return to the original intent of Congress when amending the Endangered Species Act in 1988, we have eliminated the reporting of data into the category previously known as "Other ESA Expenses" for the FY 2008 Expenditures Report. The Congress requested the information for this report on a species-by-species basis to the extent this information is reasonably available. This revised reporting guidance will provide information on how to report expenditures attributable to individual species.

**Each agency must enter the data directly into a Web-based system and will need to designate a contact person to enter the data (more than one person is permissible) for the agency. The contact person(s) will need to obtain a password before entering the data. This is done by accessing the Environmental Conservation Online System at <https://ecos.fws.gov/ecos/login.do> and clicking on "Register for access here." Fill in the requested information, then request access to the "Expenditures" application at the bottom of the page. Please allow 2 to 3 working days for access approval. Then follow the tutorial for instructions.**

The information below should be used to gather the data.

**BACKGROUND:**

Section 18 of the Endangered Species Act of 1973 (16 U.S. 1531 *et seq.*) reads, in part, "...the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain--

- (1) an accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act; and
- (2) an accounting on a species-by-species basis for all reasonably identifiable expenditures made primarily for the conservation of endangered and threatened species pursuant to this Act by States receiving grants under section 6."

The Conference report for the 1988 amendments made some of the following points concerning section 18 of the Act:

- Provision should not become unduly burdensome or result in diversion of funds from the operation of the program.
- The Secretary of the Interior is to make a good faith effort to develop and obtain data but is not to undertake extensive or extraordinary measures.
- Generalized dollar estimates will suffice.
- Amendment does not apply to monitoring and survey costs for delisted, proposed, and candidate species.
- Amendment is not to require new species-specific time sheets for the Service or other reporting agency.
- Listing, consultation, and law enforcement are to be included to the extent they are "reasonably identifiable."
- Only salary costs that can be reasonably identified as applicable to listed species need be reported.
- For other Federal and State agencies, a good faith effort to collect information is expected.

- Submission of data from any agency is not to be a precondition to receiving any contracts or grants or establishing other arrangements with the Fish and Wildlife Service.
- Only one data set per agency should be submitted for any given fiscal year.

DATA FORMAT:

- Species should be identified by the same scientific name as found in the most current list of endangered and threatened species.
- Amounts should be reported in actual dollars. Amounts above \$2,000 need to be reported only to the nearest \$500 or \$1,000; smaller amounts may be rounded to the nearest \$100. Do not report amounts lower than \$100.

EXPENDITURES TO BE REPORTED:

- Only species on the Federal list of Endangered and Threatened Wildlife and Plants (50 CFR Part 17) at the end of the fiscal year (October 1, 2007 to September 30, 2008) are to be reported. Expenditures made prior to the actual listing date of a species, but still within the same year, may be reported (e.g., costs of public meetings, notices, surveys, initial recovery efforts). Funds expended for unlisted, separate populations of listed vertebrates cannot be included in the report (e.g., southeastern brown pelicans, Atlantic and Gulf coast least terns, Alaska gray wolves). Expenditures for State-listed species are not reportable unless they are also federally listed. Amounts for foreign species on the list (e.g., grants or contracts carried out in another country) are reportable in the same manner as domestic species, but again, to the extent they are reasonably identifiable.
- Only reasonably identifiable expenditures for listed species will be totaled in this report. Extraordinary accounting to track funds expended on listed species is not expected.
- All habitat (land or water) acquisition costs are to be reported separately from all other identifiable expenditures. Such acquisitions must be primarily for the purpose of conserving federally listed species. As with other projects, those portions of habitat acquisition costs that are specifically for a listed species may be prorated out of the total acquisition costs when the other habitat is being acquired for other purposes (e.g., 25 acres of a 250-acre purchase will be set aside).
- Expenditures associated with consultations pursuant to section 7 of the Act should be reported as for the benefit of a specific species to the extent they are readily identifiable to that particular species. Thus, a formal consultation dealing with a single species, or up to several species where the relative costs are easily divisible, would be subject to reporting under that or those species.
- Monitoring and survey costs should be reported when: (1) the cost of the monitoring or survey was incurred during the period the species was under a proposed listing and the species was actually listed in the same fiscal year that the monitoring and surveys were conducted; (2) the monitoring or survey covered both candidates and listed species, and the costs can be prorated to include only the listed species; or (3) the cost was readily identifiable to individual species (and should be reported for those species).
- Salary and benefits of an employee working full-time on a single species or whose time is devoted to particular species that can be readily identified should be reported for those species. Travel costs should be treated similarly.

- Any State or Federal project that incurs increased costs related directly to mitigation or other conservation efforts on behalf of federally listed species should report that added cost, by species, if readily identifiable as such.
- All State agencies (e.g., parks, heritage programs, forests, highways) may report their expenditures, but only a single report from each State should be submitted. For ESA section 6 grants or other Federal grants, States should report **only** the State cost-share portion of each grant. States should not include other sources of a non-Federal cost share, e.g., third-party contributions, unless those contributions are donated to the State as a general donation.
- Examples of reportable expenditures include status surveys, habitat management or acquisition, research, propagation (including surrogate species), recovery plan development or implementation, and mitigation. The project must primarily benefit listed species and not other conservation goals, although if a readily identifiable portion of the expenditure is for the benefit of listed species (either individually or collectively), that portion of the expenditure may be reported.
- Expenditures in a single project devoted to a number of listed species should be prorated by the agency if possible. General surveys or projects that cover a large number of species, some of which may not be listed, are reportable only to extent that the agency can reasonably identify the proportion of the costs that benefit listed species.
- Litigation costs should not be reported.

**Appendix B. Reports Provided by Other Federal Agencies for Fiscal Year 2008**

## Department of Agriculture:

- Animal and Plant Health Inspection Service
- Farm Service Agency\*
- Forest Service
- Natural Resources Conservation Service

## Department of Commerce:

- National Oceanic and Atmospheric Administration

## Department of Defense:

- Office of the Under Secretary  
(representing Air Force, Army, Defense Logistics Agency, Marine Corps, Navy)
- Army Corps of Engineers

## Department of Energy:

- Bonneville Power Administration
- Southeastern Power Administration\*
- Southwestern Power Administration
- Western Area Power Administration

## Department of Homeland Security

- Coast Guard
- Customs and Border Protection

## Department of the Interior:

- Bureau of Indian Affairs
- Bureau of Land Management
- Bureau of Reclamation
- Minerals Management Service
- National Park Service
- Office of Surface Mining\*
- U.S. Geological Survey

## Department of Transportation:

- Federal Aviation Administration
- Federal Highway Administration

## Independent Agencies:

- Environmental Protection Agency
- Federal Communications Commission\*
- Federal Energy Regulatory Commission
- Nuclear Regulatory Commission
- Smithsonian Institution
- Tennessee Valley Authority

\* Indicates agencies reporting no expenditures for FY 2008

USDA Animal and Plant Health Inspection Service FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$200	\$0	\$200
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$49,166	\$0	\$49,166
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$200,000	\$0	\$200,000
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$125,313	\$0	\$125,313
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$22,984	\$0	\$22,984
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$1,355	\$0	\$1,355
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$6,559	\$0	\$6,559
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>		\$2,039	\$0	\$2,039
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$47,127	\$0	\$47,127
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$11,953	\$0	\$11,953
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$2,730	\$0	\$2,730
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$43,516	\$0	\$43,516
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$43,516	\$0	\$43,516
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$279,853	\$0	\$279,853
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$7,500	\$0	\$7,500
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$149,469	\$0	\$149,469
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$200,000	\$0	\$200,000
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$42,768	\$0	\$42,768
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$90,511	\$0	\$90,511
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$90,208	\$0	\$90,208
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$12,500	\$0	\$12,500
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$121,000	\$0	\$121,000
		Tern, California least	<i>Sterna antillarum browni</i>		\$194,320	\$0	\$194,320

		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$13,303	\$0	\$13,303
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$21,495	\$0	\$21,495
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$3,661	\$0	\$3,661
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$2,000	\$0	\$2,000
		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$8,379	\$0	\$8,379
	Birds Total				\$1,793,425	\$0	\$1,793,425
	Fishes						
		Dace, blackside	<i>Phoxinus cumberlandensis</i>		\$10,000	\$0	\$10,000
		Dace, Moapa	<i>Moapa coriacea</i>		\$2,500	\$0	\$2,500
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$6,434	\$0	\$6,434
		Darter, watercress	<i>Etheostoma nuchale</i>		\$320	\$0	\$320
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine Atlantic Salmon DPS	\$240	\$0	\$240
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring-run	\$37,510	\$0	\$37,510
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$37,510	\$0	\$37,510
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$37,510	\$0	\$37,510
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$37,510	\$0	\$37,510
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$37,510	\$0	\$37,510
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$37,510	\$0	\$37,510
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring/summer Snake R.	\$37,510	\$0	\$37,510
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	upper Willamette R.	\$37,510	\$0	\$37,510
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	winter Sacramento R.	\$37,510	\$0	\$37,510
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Snake River, ID stock wherever found.)	\$168,791	\$0	\$168,791
	Fishes Total				\$525,875	\$0	\$525,875
	Domestic Total				\$2,319,300	\$0	\$2,319,300
	Grand Total				\$2,319,300	\$0	\$2,319,300

USDA Forest Service FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$231,000	\$0	\$231,000
		Bat, Indiana	<i>Myotis sodalis</i>		\$883,000	\$0	\$883,000
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$11,000	\$0	\$11,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$200	\$0	\$200
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$59,000	\$0	\$59,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$8,000	\$0	\$8,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where listed as experimental population or delisted	\$417,000	\$0	\$417,000
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$265,000	\$0	\$265,000
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$26,000	\$0	\$26,000
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	\$88,000	\$0	\$88,000
		Jaguar	<i>Panthera onca</i>		\$7,000	\$0	\$7,000
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>		\$17,000	\$0	\$17,000
		Lynx, Canada	<i>Lynx canadensis</i>	(Contiguous U.S. DPS)	\$1,273,000	\$0	\$1,273,000
		Manatee, West Indian	<i>Trichechus manatus</i>		\$8,000	\$0	\$8,000
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>		\$20,000	\$0	\$20,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$100,000	\$0	\$100,000
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$8,000	\$0	\$8,000
		Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>		\$34,000	\$0	\$34,000

		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$100,000	\$0	\$100,000
		Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>		\$46,000	\$0	\$46,000
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except where delisted and where EXPN. Mexico.	\$70,000	\$0	\$70,000
		Wolf, gray	<i>Canis lupus</i>	MN	\$49,000	\$0	\$49,000
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$25,000	\$0	\$25,000
		Wolf, gray	<i>Canis lupus</i>	Northern Rocky Mountain DPS	\$51,000	\$0	\$51,000
		Wolf, gray	<i>Canis lupus</i>	Western Great Lakes DPS	\$837,000	\$0	\$837,000
	Mammals Total				\$4,633,200	\$0	\$4,633,200
	Birds						
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>		\$5,000	\$0	\$5,000
		Akiapola'au (honeycreeper)	<i>Hemignathus munroi</i>		\$5,000	\$0	\$5,000
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$2,000	\$0	\$2,000
		Crane, whooping	<i>Grus americana</i>	U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	\$74,000	\$0	\$74,000
		Creeper, Hawaii	<i>Oreomystis mana</i>		\$5,000	\$0	\$5,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$70,000	\$0	\$70,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$187,000	\$0	\$187,000
		Gnatcatcher, coastal California	<i>Poliptila californica californica</i>		\$18,000	\$0	\$18,000
		Hawk, Hawaiian (=lo)	<i>Buteo solitarius</i>		\$5,000	\$0	\$5,000
		Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>		\$34,000	\$0	\$34,000

		Hawk, Puerto Rican sharp- shinned	<i>Accipiter striatus venator</i>		\$114,000	\$0	\$114,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$494,000	\$0	\$494,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$837,000	\$0	\$837,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$1,780,000	\$0	\$1,780,000
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$1,000	\$0	\$1,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$83,000	\$0	\$83,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$103,000	\$0	\$103,000
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$100	\$0	\$100
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$114,000	\$0	\$114,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$84,000	\$0	\$84,000
		Vireo, black- capped	<i>Vireo atricapilla</i>		\$6,000	\$0	\$6,000
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$104,000	\$0	\$104,000
		Warbler (=wood), golden- cheeked	<i>Dendroica chrysoparia</i>		\$77,000	\$0	\$77,000
		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$602,000	\$0	\$602,000
		Woodpecker, red- cockaded	<i>Picoides borealis</i>		\$3,545,000	\$0	\$3,545,000
	Birds Total				\$8,349,100	\$0	\$8,349,100
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$84,000	\$0	\$84,000
		Boa, Puerto Rican	<i>Epicrates inornatus</i>		\$3,000	\$0	\$3,000
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$26,100	\$0	\$26,100
		Skink, sand	<i>Neoseps reynoldsi</i>		\$103,000	\$0	\$103,000
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$402,000	\$0	\$402,000
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of of Mobile/Tom bigbee Rs.	\$75,000	\$0	\$75,000

	Reptiles Total				\$693,100	\$0	\$693,100
	Amphibians						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$24,000	\$0	\$24,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$121,000	\$0	\$121,000
		Frog, Mississippi gopher	<i>Rana capito sevosa</i>	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	\$127,000	\$0	\$127,000
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$76,000	\$0	\$76,000
		Salamander, Cheat Mountain	<i>Plethodon nettingi</i>		\$56,000	\$0	\$56,000
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$63,000	\$0	\$63,000
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$4,000	\$0	\$4,000
		Toad, arroyo southwestern	<i>Bufo californicus (microscaphus)</i>		\$106,000	\$0	\$106,000
	Amphibians Total				\$577,000	\$0	\$577,000
	Fishes						
		Chub, Gila	<i>Gila intermedia</i>		\$6,000	\$0	\$6,000
		Chub, Sonora	<i>Gila ditaenia</i>		\$2,000	\$0	\$2,000
		Chub, Yaqui	<i>Gila purpurea</i>		\$500	\$0	\$500
		Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>		\$8,000	\$0	\$8,000
		Darter, amber	<i>Percina antesella</i>		\$11,000	\$0	\$11,000
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$11,000	\$0	\$11,000
		Darter, leopard	<i>Percina pantherina</i>		\$45,000	\$0	\$45,000
		Logperch, Conasauga	<i>Percina jenkinsi</i>		\$11,000	\$0	\$11,000
		Madtom, smoky	<i>Noturus baileyi</i>	Entire	\$11,000	\$0	\$11,000
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	except where EXPN	\$11,000	\$0	\$11,000
		Minnnow, loach	<i>Tiaroga cobitis</i>		\$10,000	\$0	\$10,000
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$7,000	\$0	\$7,000
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine	\$75,000	\$0	\$75,000

				Atlantic Salmon DPS			
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	CA Central Valley spring-run	\$118,000	\$0	\$118,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	Puget Sound	\$7,000	\$0	\$7,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	fall Snake R.	\$57,000	\$0	\$57,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	lower Columbia R.	\$1,000	\$0	\$1,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring upper Columbia R.	\$108,000	\$0	\$108,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	spring/summer Snake R.	\$334,000	\$0	\$334,000
		Salmon, chinook	<i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i>	upper Willamette R.	\$124,000	\$0	\$124,000
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	Columbia R.	\$1,000	\$0	\$1,000
		Salmon, chum	<i>Oncorhynchus</i> (=Salmo) <i>keta</i>	summer-run Hood Canal	\$1,000	\$0	\$1,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	Lower Columbia River	\$55,000	\$0	\$55,000
		Salmon, coho	<i>Oncorhynchus</i> (=Salmo) <i>kisutch</i>	OR, CA pop.	\$150,000	\$0	\$150,000
		Salmon, sockeye	<i>Oncorhynchus</i> (=Salmo) <i>nerka</i>	U.S.A. (Ozette Lake, WA)	\$1,000	\$0	\$1,000
		Shiner, blue	<i>Cyprinella caerulea</i>		\$15,000	\$0	\$15,000
		Spinedace	<i>Meda fulgida</i>		\$17,000	\$0	\$17,000
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$6,000	\$0	\$6,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$93,000	\$0	\$93,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Puget Sound DPS	\$11,000	\$0	\$11,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Snake R. Basin	\$351,000	\$0	\$351,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	lower Columbia R.	\$1,000	\$0	\$1,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	northern CA	\$3,000	\$0	\$3,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Columbia R. Basin	\$21,000	\$0	\$21,000
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>		\$10,000	\$0	\$10,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$33,000	\$0	\$33,000

		Sucker, Santa Ana	<i>Catostomus santaanae</i>	3 CA river basins	\$13,000	\$0	\$13,000
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$8,000	\$0	\$8,000
		Trout, Apache	<i>Oncorhynchus apache</i>		\$10,000	\$0	\$10,000
		Trout, bull	<i>Salvelinus confluentus</i>	U.S.A., conterminous lower 48 states	\$1,179,000	\$0	\$1,179,000
		Trout, Gila	<i>Oncorhynchus gilae</i>		\$3,000	\$0	\$3,000
		Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>		\$55,000	\$0	\$55,000
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henschawi</i>		\$115,000	\$0	\$115,000
		Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>		\$13,000	\$0	\$13,000
	Fishes Total				\$3,122,500	\$0	\$3,122,500
	Clams						
		Bean, Cumberland (pearlymus- sel)	<i>Villosa trabalis</i>	Entire; Except where listed as EXPN	\$11,000	\$0	\$11,000
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where listed as EXPN	\$6,000	\$0	\$6,000
		Clubshell, ovate	<i>Pleurobema perovatatum</i>		\$10,000	\$0	\$10,000
		Clubshell, southern	<i>Pleurobema decisum</i>		\$56,000	\$0	\$56,000
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$4,000	\$0	\$4,000
		Fanshell	<i>Cyprogenia stegaria</i>		\$10,000	\$0	\$10,000
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>		\$20,000	\$0	\$20,000
		Kidneyshell, triangular	<i>Prychobranchus greenii</i>		\$10,000	\$0	\$10,000
		Moccasin- shell, Alabama	<i>Medionidus acutissimus</i>		\$10,000	\$0	\$10,000
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$10,000	\$0	\$10,000
		Mucket, pink (pearlymus- sel)	<i>Lampsilis abrupta</i>		\$10,000	\$0	\$10,000
		Pearlshell, Louisiana	<i>Margaritifera hembeli</i>		\$54,000	\$0	\$54,000
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$10,000	\$0	\$10,000
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$10,000	\$0	\$10,000
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$5,000	\$0	\$5,000
	Clams Total				\$236,000	\$0	\$236,000

	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$71,000	\$0	\$71,000
		Butterfly, Karnar blue	<i>Lycaeides melissa samuelis</i>		\$125,000	\$0	\$125,000
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$23,000	\$0	\$23,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>		\$126,000	\$0	\$126,000
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$32,000	\$0	\$32,000
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$5,000	\$0	\$5,000
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$21,000	\$0	\$21,000
	Insects Total				\$403,000	\$0	\$403,000
	Flowering Plants						
		Aster, Ruth's golden	<i>Pityopsis ruthii</i>		\$1,500	\$0	\$1,500
		Avens, spreading	<i>Geum radiatum</i>		\$1,000	\$0	\$1,000
		Barberry, Nevin's	<i>Berberis nevinii</i>		\$6,000	\$0	\$6,000
		Beauty, Harper's	<i>Harperocallis flava</i>		\$13,000	\$0	\$13,000
		Birds-in-a- nest, white	<i>Macbridea alba</i>		\$13,000	\$0	\$13,000
		Bluegrass, San Bernardino	<i>Poa atropurpurea</i>		\$16,000	\$0	\$16,000
		Brodiaea, thread- leaved	<i>Brodiaea filifolia</i>		\$6,000	\$0	\$6,000
		Buckwheat, scrub	<i>Eriogonum longifolium var. gnaphalifolium</i>		\$40,000	\$0	\$40,000
		Butterweed, Layne's	<i>Senecio layneae</i>		\$1,500	\$0	\$1,500
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$13,000	\$0	\$13,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$15,000	\$0	\$15,000
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$100	\$0	\$100
		Chaffseed, American	<i>Schwalbea americana</i>		\$117,000	\$0	\$117,000
		Checker- mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$500	\$0	\$500
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$34,000	\$0	\$34,000

		Coneflower, smooth	<i>Echinacea laevigata</i>		\$101,000	\$0	\$101,000
		Daisy, lakeside	<i>Hymenoxys herbacea</i>		\$100	\$0	\$100
		Daisy, Maguire	<i>Erigeron maguirei</i>		\$10,000	\$0	\$10,000
		Daisy, Parish's	<i>Erigeron parishii</i>		\$23,000	\$0	\$23,000
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$20,000	\$0	\$20,000
		Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$1,100	\$0	\$1,100
		Goldenrod, white-haired	<i>Solidago albopilosa</i>		\$16,000	\$0	\$16,000
		Gooseberry, Miccosukee	<i>Ribes echinellum</i>		\$22,000	\$0	\$22,000
		Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>		\$3,000	\$0	\$3,000
		Haha	<i>Cyanea shipmanii</i>		\$5,000	\$0	\$5,000
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$40,000	\$0	\$40,000
		Harperella	<i>Ptilimnium nodosum</i>		\$3,000	\$0	\$3,000
		Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>		\$5,000	\$0	\$5,000
		Howellia, water	<i>Howellia aquatilis</i>		\$100	\$0	\$100
		Iris, dwarf lake	<i>Iris lacustris</i>		\$400	\$0	\$400
		Kauila	<i>Colubrina oppositifolia</i>		\$40,000	\$0	\$40,000
		Kiponapona	<i>Phyllostegia racemosa</i>		\$5,000	\$0	\$5,000
		Koki'o	<i>Kokia drynarioides</i>		\$40,000	\$0	\$40,000
		Ko'oloa'ula	<i>Abutilon menziesii</i>		\$5,000	\$0	\$5,000
		Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>		\$500	\$0	\$500
		Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>		\$2,000	\$0	\$2,000
		Lily, Western	<i>Lilium occidentale</i>		\$500	\$0	\$500
		Ma'o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$5,000	\$0	\$5,000
		Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>		\$6,000	\$0	\$6,000
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus var. coachellae</i>		\$500	\$0	\$500
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$17,000	\$0	\$17,000
		No common name	<i>Bonamia menziesii</i>		\$5,000	\$0	\$5,000

		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$27,000	\$0	\$27,000
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$1,100	\$0	\$1,100
		Oxytheca, cushenbury	<i>Oxytheca parishii</i> var. <i>goodmaniana</i>		\$1,400	\$0	\$1,400
		Paintbrush, ash-grey	<i>Castilleja cinerea</i>		\$23,000	\$0	\$23,000
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$2,000	\$0	\$2,000
		Phacelia, clay	<i>Phacelia argillacea</i>		\$1,000	\$0	\$1,000
		Pink, swamp	<i>Helonias bullata</i>		\$3,000	\$0	\$3,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$39,300	\$0	\$39,300
		Pondberry	<i>Lindera melissifolia</i>		\$813,000	\$0	\$813,000
		Poppy, Sacramento prickly	<i>Argemone pleiacantha</i> ssp. <i>pinnatisecta</i>		\$4,000	\$0	\$4,000
		Potato-bean, Price's	<i>Apios priceana</i>		\$40,000	\$0	\$40,000
		Prairie- clover, leafy	<i>Dalea foliosa</i>		\$9,000	\$0	\$9,000
		Primrose, Maguire	<i>Primula maguirei</i>		\$15,000	\$0	\$15,000
		Rock-cress, McDonald's	<i>Arabis macdonaldiana</i>		\$4,000	\$0	\$4,000
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$13,000	\$0	\$13,000
		Skullcap, large- flowered	<i>Scutellaria montana</i>		\$1,000	\$0	\$1,000
		Spineflower, slender- horned	<i>Dodecahema leptoceras</i>		\$6,000	\$0	\$6,000
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$8,000	\$0	\$8,000
		Taraxacum, California	<i>Taraxacum californicum</i>		\$23,000	\$0	\$23,000
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$600	\$0	\$600
		Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>		\$6,000	\$0	\$6,000
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$12,000	\$0	\$12,000
		Uhiuhi	<i>Caesalpinia kavaense</i>		\$25,000	\$0	\$25,000
		Water- umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$1,300	\$0	\$1,300
		`Aiea	<i>Nothocestrum breviflorum</i>		\$40,000	\$0	\$40,000
		`Oha wai	<i>Clermontia lindseyana</i>		\$5,000	\$0	\$5,000
		`Oha wai	<i>Clermontia pyrularia</i>		\$5,000	\$0	\$5,000

	Flowering Plants Total				\$1,782,500	\$0	\$1,782,500
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$5,000	\$0	\$5,000
	Lichens						
		Lichen, rock gnome	<i>Gymnoderma lineare</i>		\$1,500	\$0	\$1,500
Domestic Total					\$19,802,900	\$0	\$19,802,900
Grand Total					\$19,802,900	\$0	\$19,802,900

USDA Natural Resources Conservation Service FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$31,462	\$0	\$31,462
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$12,585	\$0	\$12,585
		Bat, Indiana	<i>Myotis sodalis</i>		\$114,268	\$0	\$114,268
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$200	\$0	\$200
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$400	\$0	\$400
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$6,300	\$0	\$6,300
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$2,962	\$0	\$2,962
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where listed as EXPN or delisted	\$21,676	\$0	\$21,676
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$807,657	\$374,184	\$1,181,841
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$4,500	\$0	\$4,500
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$339,642	\$0	\$339,642
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	\$700	\$0	\$700
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$500	\$0	\$500
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$4,800	\$240,000	\$244,800
		Fox, Santa Catalina Island	<i>Urocyon littoralis catalinae</i>		\$650	\$0	\$650
		Jaguar	<i>Panthera onca</i>		\$200	\$0	\$200
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> )		\$1,600	\$0	\$1,600
		Lynx, Canada	<i>Lynx canadensis</i>	(Contiguous U.S. DPS)	\$291,669	\$0	\$291,669
		Manatee, West Indian	<i>Trichechus manatus</i>		\$900	\$0	\$900

		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$500	\$0	\$500
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$200	\$0	\$200
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$162	\$0	\$162
		Puma (=mountain lion)	<i>Puma (=Felis) concolor (all subsp. except coryi)</i>	FL	\$31,865	\$0	\$31,865
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$231,167	\$0	\$231,167
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>		\$100	\$0	\$100
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except where delisted and where EXPN. Mexico.	\$125,894	\$0	\$125,894
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$200	\$0	\$200
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$1,672	\$0	\$1,672
	Mammals Total				\$2,034,431	\$614,184	\$2,648,615
	Birds						
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>		\$248,564	\$0	\$248,564
		Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>		\$1,500	\$0	\$1,500
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$0	\$5,463,748	\$5,463,748
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (specific portions of Arizona, Nevada, and Utah)	\$300	\$0	\$300
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$10,500	\$0	\$10,500
		Crane, whooping	<i>Grus americana</i>	U.S.A. (CO, ID, FL, NM, UT, and the western half of Wyoming)	\$600	\$0	\$600
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$10,100	\$45,100	\$55,200
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$16,765	\$0	\$16,765
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$4,500	\$3,642,499	\$3,646,999

		Flycatcher, southwestern willow	<i>Empidonax traillii eximius</i>		\$394,351	\$60,000	\$454,351
		Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>		\$191,000	\$0	\$191,000
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$16,134	\$0	\$16,134
		Hawk, Hawaiian (=ʻIo)	<i>Buteo solitarius</i>		\$264,064	\$0	\$264,064
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$7,078	\$0	\$7,078
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$224,118	\$0	\$224,118
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$3,400	\$0	\$3,400
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$16,672	\$0	\$16,672
		Palila (honeycreeper)	<i>Loxioides bailleui</i>		\$13,500	\$0	\$13,500
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$1,114	\$0	\$1,114
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$5,046	\$0	\$5,046
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$27,000	\$0	\$27,000
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$1,500	\$0	\$1,500
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$31,865	\$0	\$31,865
		Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>		\$2,789	\$0	\$2,789
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$63,730	\$0	\$63,730
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$33,821	\$0	\$33,821
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$87,000	\$15,269,995	\$15,356,995
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$16,100	\$0	\$16,100
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$123	\$0	\$123
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$200	\$0	\$200
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$9,800	\$0	\$9,800
		Vireo, least	<i>Vireo bellii</i>		\$460,000	\$0	\$460,000

		Bell's	<i>pusillus</i>				
		Warbler (=wood), golden- cheeked	<i>Dendroica chrysoparia</i>		\$1,500	\$0	\$1,500
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$384,450	\$120,000	\$504,450
	Birds Total				\$2,549,184	\$24,601,342	\$27,150,526
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$5,000	\$5,463,748	\$5,468,748
		Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>		\$123	\$0	\$123
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$200	\$0	\$200
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$25,000	\$0	\$25,000
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	MI, OH, IN N of 400 N. Lat.	\$28,354	\$0	\$28,354
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$53,108	\$0	\$53,108
		Snake, giant garter	<i>Thamnophis gigas</i>		\$38,000	\$1,430,000	\$1,468,000
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$850	\$0	\$850
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of of Mobile/Tombi gbee Rs.	\$67,400	\$0	\$67,400
		Turtle, bog (=Muhlen- berg)	<i>Clemmys muhlenbergii</i>	northern	\$73,107	\$152,000	\$225,107
	Reptiles Total				\$291,142	\$7,045,748	\$7,336,890
	Amphibi- ans						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$140,000	\$0	\$140,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$5,000	\$0	\$5,000
		Frog, Mississippi gopher	<i>Rana capito sevosa</i>	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	\$20,000	\$535,000	\$555,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$1,500	\$0	\$1,500
		Salamander, Cheat Mt.	<i>Plethodon nettingi</i>		\$162	\$0	\$162
		Toad, arroyo (arroyo southwestern	<i>Bufo californicus (microscaphus</i>		\$126,000	\$0	\$126,000

		Toad, Houston	<i>Bufo houstonensis</i>		\$5,500	\$3,500	\$9,000
	Amphibi- ans Total				\$298,162	\$538,500	\$836,662
	Fishes						
		Catfish, Yaqui	<i>Ictalurus pricei</i>		\$100	\$0	\$100
		Cavefish, Ozark	<i>Amblyopsis rosae</i>		\$6,000	\$0	\$6,000
		Chub, bonytail	<i>Gila elegans</i>	entire	\$180,000	\$0	\$180,000
		Chub, Gila	<i>Gila intermedia</i>		\$100	\$0	\$100
		Chub, humpback	<i>Gila cypha</i>	entire	\$180,100	\$0	\$180,100
		Chub, Sonora	<i>Gila ditaenia</i>		\$100	\$0	\$100
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>		\$1,200	\$0	\$1,200
		Darter, leopard	<i>Percina pantherina</i>		\$17,300	\$0	\$17,300
		Darter, slackwater	<i>Etheostoma boschungii</i>		\$2,212	\$0	\$2,212
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$12,000	\$0	\$12,000
		Logperch, Roanoke	<i>Percina rex</i>		\$170,000	\$0	\$170,000
		Minnow, loach	<i>Tiaroga cobitis</i>		\$750	\$0	\$750
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where listed as an experimental population	\$500	\$0	\$500
		Pikeminnow (=squawfish) , Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$178,000	\$0	\$178,000
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$500	\$0	\$500
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine Atlantic Salmon DPS	\$633,000	\$0	\$633,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$114,248	\$0	\$114,248
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$122,041	\$0	\$122,041
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$151,287	\$0	\$151,287
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$226,454	\$0	\$226,454
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring/summe r Snake R.	\$143,202	\$0	\$143,202
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	upper Willamette R.	\$14,800	\$0	\$14,800
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	winter Sacramento R.	\$3,200	\$145,000	\$148,200

		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	Columbia R.	\$125,412	\$0	\$125,412
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	summer-run Hood Canal	\$194,854	\$0	\$194,854
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	Lower Columbia River	\$12,054	\$0	\$12,054
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	OR, CA pop.	\$186,500	\$0	\$186,500
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	U.S.A. (Ozette Lake, WA)	\$45,218	\$0	\$45,218
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	U.S.A. (Snake River, ID stock wherever found.)	\$1,200	\$0	\$1,200
		Shiner, Arkansas River	<i>Notropis</i> <i>girardi</i>	Arkansas R. Basin	\$15,700	\$0	\$15,700
		Shiner, Cape Fear	<i>Notropis</i> <i>mekistocholas</i>		\$40,308	\$0	\$40,308
		Shiner, Topeka	<i>Notropis</i> <i>topeka</i> (= <i>tristis</i> )		\$12,564	\$85,000	\$97,564
		Spikedace	<i>Meda fulgida</i>		\$1,500	\$0	\$1,500
		Spinedace, Little Colorado	<i>Lepidomeda</i> <i>vittata</i>		\$500	\$0	\$500
		Springfish, Railroad Valley	<i>Crenichthys</i> <i>nevadae</i>		\$0	\$28,500	\$28,500
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Puget Sound DPS	\$278,124	\$0	\$278,124
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Snake R. Basin	\$145,056	\$0	\$145,056
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	central CA coast	\$61,000	\$0	\$61,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	lower Columbia R.	\$327,180	\$0	\$327,180
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	middle Columbia R.	\$144,350	\$0	\$144,350
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	northern CA	\$200,100	\$0	\$200,100
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	south central CA coast	\$125,000	\$0	\$125,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	southern CA coast	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Columbia R. Basin	\$260,468	\$0	\$260,468
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Willamette R.	\$11,800	\$0	\$11,800

		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$3,452	\$0	\$3,452
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$10,123	\$0	\$10,123
		Sturgeon, white	<i>Acipenser transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$1,252	\$0	\$1,252
		Sucker, June	<i>Chasmistes liorus</i>		\$100	\$0	\$100
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$180,000	\$0	\$180,000
		Trout, bull	<i>Salvelinus confluentus</i>	U.S.A., conterminous, lower 48 states	\$697,781	\$0	\$697,781
		Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>		\$100	\$0	\$100
		Woundfin	<i>Plagopterus argentissimus</i>	except Gila R. drainage, AZ, NM	\$1,200	\$0	\$1,200
	Fishes Total				\$5,241,990	\$258,500	\$5,500,490
	Clams						
		Blossom, tubercled (pearlymus- sel)	<i>Epioblasma torulosa torulosa</i>	Entire Range; Except where listed as Experimental Populations	\$162	\$0	\$162
		Catspaw, white (pearlymus- sel)	<i>Epioblasma obliquata perobliqua</i>		\$5,000	\$0	\$5,000
		Clubshell	<i>Pleurobema clava</i>	Entire Range; Except where listed as EXPN	\$3,184	\$0	\$3,184
		Fanshell	<i>Cyprogenia stegaria</i>		\$162	\$0	\$162
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>		\$900	\$0	\$900
		Higgins eye (pearlymus- sel)	<i>Lampsilis higginsii</i>		\$2,000	\$0	\$2,000
		Mucket, pink (pearlymus- sel)	<i>Lampsilis abrupta</i>		\$1,062	\$0	\$1,062
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$500	\$0	\$500
		Pearlshell, Louisiana	<i>Margaritifera hembeli</i>		\$900	\$0	\$900
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$8,184	\$0	\$8,184
		Spiny mussel, James	<i>Pleurobema collina</i>		\$162	\$0	\$162
		Wedgemus- sel, dwarf	<i>Alasmidonta heterodon</i>		\$873	\$0	\$873
	Clams Total				\$23,089	\$0	\$23,089
	Snails						

		Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>		\$162	\$0	\$162
		Snail, Iowa Pleistocene	<i>Discus macclintocki</i>		\$2,000	\$0	\$2,000
		Snail, Utah valvata	<i>Valvata utahensis</i>		\$100	\$0	\$100
	Snails Total				\$2,262	\$0	\$2,262
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$5,423	\$0	\$5,423
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$28,000	\$0	\$28,000
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$38,500	\$0	\$38,500
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$7,500	\$0	\$7,500
		Moth, Blackburn's sphinx	<i>Manduca blackburni</i>		\$153	\$0	\$153
		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$500	\$0	\$500
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$223	\$0	\$223
		Tiger beetle, Puritan	<i>Cicindela puritana</i>		\$123	\$0	\$123
		Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniana</i>		\$4,000	\$0	\$4,000
	Insects Total				\$84,422	\$0	\$84,422
	Crustaceans						
		Isopod, Madison Cave	<i>Antrolana lira</i>		\$162	\$0	\$162
	Flowering Plants						
		Alani	<i>Melicope pallida</i>		\$961	\$0	\$961
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$200	\$0	\$200
		Aupaka	<i>Isodendron longifolium</i>		\$961	\$0	\$961
		Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>		\$200	\$0	\$200
		Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>		\$250	\$0	\$250
		Bladderpod, Spring Creek	<i>Lesquerella perforata</i>		\$1,756	\$0	\$1,756
		Blue-star, Kearney's	<i>Amsonia kearneyana</i>		\$500	\$0	\$500
		Bulrush, Northeastern	<i>Scirpus ancistroch-aetus</i>		\$285	\$0	\$285

		Bush-clover, prairie	<i>Lespedeza leptostachya</i>		\$25,000	\$0	\$25,000
		Buttercup, autumn	<i>Ranunculus aestivalis (=acrifornis)</i>		\$250	\$0	\$250
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$600	\$0	\$600
		Cactus, Brady pincushion	<i>Pediocactus bradyi</i>		\$500	\$0	\$500
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$2,000	\$0	\$2,000
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$100	\$0	\$100
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$1,500	\$0	\$1,500
		Chaffseed, American	<i>Schwalbea americana</i>		\$200	\$0	\$200
		Checker- mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$1,100	\$0	\$1,100
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$162	\$0	\$162
		Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>		\$250	\$0	\$250
		Daisy, Maguire	<i>Erigeron maguirei</i>		\$250	\$0	\$250
		Daisy, Willamette	<i>Erigeron decumbens var. decumbens</i>		\$300	\$0	\$300
		Desert- parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$300	\$0	\$300
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$180	\$0	\$180
		Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>		\$4,253	\$0	\$4,253
		Gerardia, sandplain	<i>Agalinis acuta</i>		\$123	\$0	\$123
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$1,554	\$0	\$1,554
		Harperella	<i>Ptilimnium nodosum</i>		\$162	\$0	\$162
		Ha`iwale	<i>Cyrtandra limahuliensis</i>		\$961	\$0	\$961
		Howellia, water	<i>Howellia aquatilis</i>		\$550	\$36,547	\$37,097
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$200	\$0	\$200
		Koki'o	<i>Kokia drynarioides</i>		\$1,554	\$0	\$1,554
		Koki'o ke'oke'o	<i>Hibiscus waimeae ssp. hannerae</i>		\$961	\$0	\$961

		Kolea	<i>Myrsine linearifolia</i>		\$961	\$0	\$961
		Ko'oloa'ula	<i>Abutilon menziesii</i>		\$15,543	\$0	\$15,543
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$1,300	\$33,988	\$35,288
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$9,500	\$0	\$9,500
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp. kincaidii (=var. kincaidii)		\$400	\$0	\$400
		Ma'ohau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$1,554	\$0	\$1,554
		Mehamehame	<i>Flueggea neowawraea</i>		\$961	\$0	\$961
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$400	\$0	\$400
		Milk-vetch, heliotrope	<i>Astragalus montii</i>		\$100	\$0	\$100
		Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>		\$450	\$0	\$450
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$4,200	\$0	\$4,200
		No common name	<i>Bonamia menziesii</i>		\$961	\$0	\$961
		No common name	<i>Schiedea kauaiensis</i>		\$961	\$0	\$961
		No common name	<i>Vigna owahuensis</i>		\$9,907	\$0	\$9,907
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$35,000	\$0	\$35,000
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$5,704	\$0	\$5,704
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$700	\$0	\$700
		Pink, swamp	<i>Helonias bullata</i>		\$1,100	\$0	\$1,100
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$323	\$0	\$323
		Potato-bean, Price's	<i>Apios priceana</i>		\$1,756	\$0	\$1,756
		Rock-cress, shale barren	<i>Arabis serotina</i>		\$162	\$0	\$162
		Sedge, Navajo	<i>Carex specuicola</i>		\$250	\$0	\$250
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$162	\$0	\$162
		Spurge, deltoid	<i>Chamaesyce deltoidea</i> ssp. deltoidea		\$148	\$0	\$148

		Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>		\$100	\$0	\$100
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$100	\$0	\$100
		Uhiuhi	<i>Caesalpinia kavaense</i>		\$1,554	\$0	\$1,554
		Wild- buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$300	\$0	\$300
		'Aiea	<i>Nothocestrum breviflorum</i>		\$293,794	\$0	\$293,794
	Flowering Plants Total				\$436,474	\$70,535	\$507,009
	Ferns and Allies						
		Fern, pendant kihi	<i>Adenophorus periens</i>		\$960	\$0	\$960
		No common name	<i>Asplenium fragile var. insulare</i>		\$13,500	\$0	\$13,500
	Ferns and Allies Total				\$14,460	\$0	\$14,460
Domestic Total					\$10,975,778	\$33,128,809	\$44,104,587
Grand Total					\$10,975,778	\$33,128,809	\$44,104,587

DOC National Oceanic and Atmospheric Administration FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$5,947,318	\$0	\$5,947,318
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$5,947,318	\$0	\$5,947,318
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$2,753,571	\$0	\$2,753,571
		Whale, blue	<i>Balaenoptera musculus</i>		\$411,935	\$0	\$411,935
		Whale, bowhead	<i>Balaena mysticetus</i>		\$411,935	\$0	\$411,935
		Whale, finback	<i>Balaenoptera physalus</i>		\$411,935	\$0	\$411,935
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$411,935	\$0	\$411,935
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$522,103	\$0	\$522,103
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$994,000	\$0	\$994,000
		Whale, right	<i>Balaena glacialis</i> (incl. <i>australis</i> )		\$8,124,357	\$0	\$8,124,357
		Whale, Sei	<i>Balaenoptera borealis</i>		\$411,935	\$0	\$411,935
		Whale, sperm	<i>Physeter catodon</i> (= <i>macrocephalus</i> )		\$411,935	\$0	\$411,935
	Mammals Total				\$26,760,277	\$0	\$26,760,277
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$221,372	\$0	\$221,372
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$561,315	\$0	\$561,315
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$2,245,362	\$0	\$2,245,362
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$561,315	\$0	\$561,315
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$1,683,933	\$0	\$1,683,933
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$5,613,142	\$0	\$5,613,142
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$3,367,880	\$0	\$3,367,880
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$561,315	\$0	\$561,315
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$561,315	\$0	\$561,315
	Reptiles Total				\$15,155,577	\$0	\$15,155,577
	Fishes						
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine Atlantic Salmon DPS	\$6,108,605	\$0	\$6,108,605

		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$349,809	\$0	\$349,809
		Sturgeon, North American green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern Distinct Population Segment	\$182,736	\$0	\$182,736
	Fishes Total				\$6,641,150	\$0	\$6,641,150
	Snails						
		Abalone, White	<i>Haliotis sorenseni</i>	North America (West Coast from Point Conception, CA, U.S.A., to Punta Abrejos, Baja California, Mexico)	\$313,262	\$0	\$313,262
	Flowering Plants						
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$516,882	\$0	\$516,882
Domestic Total					\$49,608,520	\$0	\$49,608,520
Grand Total					\$49,608,520	\$0	\$49,608,520

DOD Air Force FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$31,000	\$0	\$31,000
		Bat, Indiana	<i>Myotis sodalis</i>		\$118,018	\$0	\$118,018
		Manatee, West Indian	<i>Trichechus manatus</i>		\$140,000	\$0	\$140,000
		Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>		\$76,375	\$0	\$76,375
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$679,166	\$0	\$679,166
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$10,000	\$0	\$10,000
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$76,375	\$0	\$76,375
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$90,000	\$0	\$90,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$486,500	\$0	\$486,500
	Mammals Total				\$1,707,434	\$0	\$1,707,434
	Birds						
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$100,000	\$0	\$100,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$5,000	\$0	\$5,000
		Flycatcher, southwestern willow	<i>Empidonax traillii eximus</i>		\$32,000	\$0	\$32,000
		Gnatcatcher, coastal California	<i>Poliophtila californica californica</i>		\$29,951	\$0	\$29,951
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$80,000	\$0	\$80,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$50,898	\$0	\$50,898
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$610,974	\$0	\$610,974
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$100,000	\$0	\$100,000
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$861,020	\$0	\$861,020
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$165,445	\$0	\$165,445
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$91,000	\$0	\$91,000

		Tern, California least	<i>Sterna antillarum browni</i>		\$176,000	\$0	\$176,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$39,729	\$0	\$39,729
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$10,000	\$0	\$10,000
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$2,707,255	\$0	\$2,707,255
	Birds Total				\$5,059,272	\$0	\$5,059,272
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$189,686	\$0	\$189,686
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$123,000	\$0	\$123,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$181,686	\$0	\$181,686
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$160,898	\$0	\$160,898
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$1,755,000	\$0	\$1,755,000
	Reptiles Total				\$2,410,270	\$0	\$2,410,270
	Amphibians						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$10,000	\$0	\$10,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (CA - Sonoma County)	\$25,000	\$0	\$25,000
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$101,476	\$0	\$101,476
	Amphibians Total				\$136,476	\$0	\$136,476
	Fishes						
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$210,010	\$0	\$210,010
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring-run	\$12,000	\$0	\$12,000
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$718,415	\$0	\$718,415
	Fishes Total				\$940,425	\$0	\$940,425
	Insects						
		Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>		\$102,784	\$0	\$102,784
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$800	\$0	\$800
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>		\$30,000	\$0	\$30,000
	Insects Total				\$133,584	\$0	\$133,584

	Crustaceans						
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$12,000	\$0	\$12,000
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$30,000	\$0	\$30,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$103,000	\$0	\$103,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>		\$152,000	\$0	\$152,000
	Crustaceans Total				\$297,000	\$0	\$297,000
	Flowering Plants						
		Butterfly plant, Colorado	<i>Gaura neomexicana</i> var. <i>coloradensis</i>		\$54,671	\$0	\$54,671
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$25,000	\$0	\$25,000
		Layia, beach	<i>Layia carnosa</i>		\$39,066	\$0	\$39,066
		Pigeon wings	<i>Clitoria fragrans</i>		\$20,000	\$0	\$20,000
		Tarplant, Gaviota	<i>Deinandra increscens</i> ssp. <i>villosa</i>		\$75,066	\$0	\$75,066
		Tarplant, Otay	<i>Deinandra</i> (= <i>Hemizonia</i> ) <i>conjugens</i>		\$30,000	\$0	\$30,000
		Wireweed	<i>Polygonella basiramia</i>		\$10,000	\$0	\$10,000
		Yerba santa, Lompoc	<i>Eriodictyon capitatum</i>		\$21,066	\$0	\$21,066
	Flowering Plants Total				\$274,869	\$0	\$274,869
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$82,300	\$0	\$82,300
	Domestic Total				\$11,041,630	\$0	\$11,041,630
	Grand Total				\$11,041,630	\$0	\$11,041,630

DOD Army FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$202,301	\$0	\$202,301
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$449,010	\$0	\$449,010
		Bat, Indiana	<i>Myotis sodalis</i>		\$1,644,978	\$0	\$1,644,978
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>		\$100,000	\$0	\$100,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$177,328	\$0	\$177,328
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$10,611	\$0	\$10,611
		Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>		\$19,508	\$0	\$19,508
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> )		\$19,508	\$0	\$19,508
		Lynx, Canada	<i>Lynx canadensis</i>	(Contiguous U.S. DPS)	\$23,750	\$0	\$23,750
		Mouse, Pacific pocket	<i>Perognathus longinembris pacificus</i>		\$19,508	\$0	\$19,508
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$18,542	\$0	\$18,542
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$59,500	\$0	\$59,500
	Mammals Total				\$2,744,544	\$0	\$2,744,544
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$161,443	\$0	\$161,443
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$1,102	\$0	\$1,102
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$1,102	\$0	\$1,102
		Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>		\$95,706	\$0	\$95,706
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$287,000	\$0	\$287,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$87,572	\$0	\$87,572
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$500,000	\$0	\$500,000
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$1,102	\$0	\$1,102

		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$50,000	\$0	\$50,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$138,000	\$0	\$138,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$100,000	\$0	\$100,000
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$29,825	\$0	\$29,825
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$51,500	\$0	\$51,500
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$18,542	\$0	\$18,542
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$1,102	\$0	\$1,102
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$4,100	\$0	\$4,100
		Tern, California least	<i>Sterna antillarum browni</i>		\$23,496	\$0	\$23,496
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$500	\$0	\$500
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$1,119,143	\$0	\$1,119,143
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$75,000	\$0	\$75,000
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$824,000	\$0	\$824,000
		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$5,500	\$0	\$5,500
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$10,252,536	\$0	\$10,252,536
	Birds Total				\$13,828,271	\$0	\$13,828,271
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$2,000	\$0	\$2,000
		Boa, Puerto Rican	<i>Epicrates inornatus</i>		\$400	\$0	\$400
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>		\$5,305	\$0	\$5,305
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$21,161	\$0	\$21,161
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$3,678,790	\$0	\$3,678,790
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from	\$82,000	\$0	\$82,000

				Sonoran Desert			
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of of Mobile/Tom bigbee Rs.	\$90,000	\$0	\$90,000
	Reptiles Total				\$3,879,656	\$0	\$3,879,656
	Amphibians						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$48,496	\$0	\$48,496
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$51,508	\$0	\$51,508
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$9,669	\$0	\$9,669
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$10,000	\$0	\$10,000
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$100,000	\$0	\$100,000
	Amphibians Total				\$219,673	\$0	\$219,673
	Fishes						
		Minnnow, loach	<i>Tiaroga cobitis</i>		\$15,000	\$0	\$15,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$62,152	\$0	\$62,152
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>		\$74,000	\$0	\$74,000
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$25,504	\$0	\$25,504
		Spikedace	<i>Meda fulgida</i>		\$15,000	\$0	\$15,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$96,858	\$0	\$96,858
		Sturgeon, North American green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern Distinct Population Segment	\$25,504	\$0	\$25,504
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$8,433	\$0	\$8,433
		Trout, bull	<i>Salvelinus confluentus</i>	U.S.A., conterminous, lower 48 states	\$31,343	\$0	\$31,343
	Fishes Total				\$353,794	\$0	\$353,794
	Snails						
		Snails, Oahu tree	<i>Achatinella spp.</i>		\$156,809	\$0	\$156,809
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$327,246	\$0	\$327,246

		Butterfly, Kamer blue	<i>Lycaeides melissa samuelis</i>		\$174,890	\$0	\$174,890
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$1,125,000	\$0	\$1,125,000
		Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>		\$225,633	\$0	\$225,633
		Ground beetle, [unnamed]	<i>Rhadine exilis</i>		\$240,000	\$0	\$240,000
		Ground beetle, [unnamed]	<i>Rhadine infernalis</i>		\$240,000	\$0	\$240,000
		Pomace fly, [unnamed]	<i>Drosophila montgomeryi</i>		\$8,729	\$0	\$8,729
		Pomace fly, [unnamed]	<i>Drosophila substenoptera</i>		\$8,729	\$0	\$8,729
		Skipper, Carson wandering	<i>Pseudocopaeode s eunus obscurus</i>		\$5,000	\$0	\$5,000
	Insects Total				\$2,355,227	\$0	\$2,355,227
	Arachnids						
		Meshweav- er, Madla's Cave	<i>Cicurina madla</i>		\$240,000	\$0	\$240,000
	Crusta- ceans						
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$176,508	\$0	\$176,508
		Shrimp, Alabama cave	<i>Palaemonias alabamae</i>		\$45,833	\$0	\$45,833
	Crustacea ns Total				\$222,341	\$0	\$222,341
	Flowering Plants						
		Alani	<i>Melicope lydgatei</i>		\$8,729	\$0	\$8,729
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$5,100	\$0	\$5,100
		Amole, purple	<i>Chlorogalum purpureum</i>		\$307,491	\$0	\$307,491
		Aupaka	<i>Isodendrion hosakae</i>		\$449,010	\$0	\$449,010
		A`e	<i>Zanthoxylum hawaiiense</i>		\$449,010	\$0	\$449,010
		Bear-poppy, dwarf	<i>Arctomecon humilis</i>		\$1,000	\$0	\$1,000
		Brodiaea, thread- leaved	<i>Brodiaea filifolia</i>		\$12,572	\$0	\$12,572
		Cactus, Kuenzler hedgheg	<i>Echinocereus fendleri var. kuenzleri</i>		\$1,042,000	\$0	\$1,042,000
		Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>		\$20,000	\$0	\$20,000
		Chaffseed, American	<i>Schwalbea americana</i>		\$100,168	\$0	\$100,168

		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$10,000	\$0	\$10,000
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$4,759	\$0	\$4,759
		Daisy, Parish's	<i>Erigeron parishii</i>		\$5,305	\$0	\$5,305
		Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>		\$5,305	\$0	\$5,305
		Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>		\$36,982	\$0	\$36,982
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$2,000	\$0	\$2,000
		Haha	<i>Cyanea acuminata</i>		\$8,729	\$0	\$8,729
		Haha	<i>Cyanea grimesiana ssp. obatae</i>		\$86,977	\$0	\$86,977
		Haha	<i>Cyanea humboldtiana</i>		\$8,729	\$0	\$8,729
		Haha	<i>Cyanea koolauensis</i>		\$8,729	\$0	\$8,729
		Haha	<i>Cyanea longiflora</i>		\$86,977	\$0	\$86,977
		Haha	<i>Cyanea st.-johnii</i>		\$8,729	\$0	\$8,729
		Haha	<i>Cyanea superba</i>		\$86,977	\$0	\$86,977
		Ha`iwale	<i>Cyrtandra dentata</i>		\$86,977	\$0	\$86,977
		Ha`iwale	<i>Cyrtandra subumbellata</i>		\$8,729	\$0	\$8,729
		Ha`iwale	<i>Cyrtandra viridiflora</i>		\$8,729	\$0	\$8,729
		Honohono	<i>Haplostachys haplostachya</i>		\$449,010	\$0	\$449,010
		Howellia, water	<i>Howellia aquatilis</i>		\$55,000	\$0	\$55,000
		Kamakaha	<i>Labordia cyrtandrae</i>		\$8,729	\$0	\$8,729
		Kamano-mano	<i>Cenchrus agrimonioides</i>		\$86,977	\$0	\$86,977
		Kio`ele	<i>Hedyotis coriacea</i>		\$581,421	\$0	\$581,421
		Kolea	<i>Myrsine juddii</i>		\$8,729	\$0	\$8,729
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$86,977	\$0	\$86,977
		Kulu`i	<i>Nototrichium humile</i>		\$86,977	\$0	\$86,977
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$129,427	\$0	\$129,427
		Lo`ulu	<i>Pritchardia kaalae</i>		\$86,977	\$0	\$86,977
		Mahoe	<i>Alectryon macrococcus</i>		\$86,977	\$0	\$86,977
		Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>		\$86,977	\$0	\$86,977

		Mehame-hame	<i>Flueggea neowawraea</i>		\$86,977	\$0	\$86,977
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$213,000	\$0	\$213,000
		Nanu	<i>Gardenia mamii</i>		\$8,729	\$0	\$8,729
		Na'ena'e	<i>Dubautia herbstobatae</i>		\$86,977	\$0	\$86,977
		Nehe	<i>Lipochaeta tenuifolia</i>		\$86,977	\$0	\$86,977
		Nioi	<i>Eugenia koolauensis</i>		\$8,729	\$0	\$8,729
		No common name	<i>Alsinidendron obovatum</i>		\$86,977	\$0	\$86,977
		No common name	<i>Alsinidendron trinerve</i>		\$8,729	\$0	\$8,729
		No common name	<i>Cyanea (=Rollandia) crispa</i>		\$8,729	\$0	\$8,729
		No common name	<i>Gouania vitifolia</i>		\$86,977	\$0	\$86,977
		No common name	<i>Hedyotis degeneri</i>		\$86,977	\$0	\$86,977
		No common name	<i>Hedyotis parvula</i>		\$86,977	\$0	\$86,977
		No common name	<i>Hesperomannia arborescens</i>		\$8,729	\$0	\$8,729
		No common name	<i>Hesperomannia arbuscula</i>		\$86,977	\$0	\$86,977
		No common name	<i>Lipochaeta venosa</i>		\$449,010	\$0	\$449,010
		No common name	<i>Lobelia gaudichaudii ssp. koolauensis</i>		\$8,729	\$0	\$8,729
		No common name	<i>Neraudia angulata</i>		\$86,977	\$0	\$86,977
		No common name	<i>Neraudia ovata</i>		\$449,010	\$0	\$449,010
		No common name	<i>Phyllostegia hirsuta</i>		\$8,729	\$0	\$8,729
		No common name	<i>Phyllostegia kaalaensis</i>		\$86,977	\$0	\$86,977
		No common name	<i>Phyllostegia parviflora</i>		\$8,729	\$0	\$8,729
		No common name	<i>Sanicula mariversa</i>		\$86,977	\$0	\$86,977
		No common name	<i>Sanicula purpurea</i>		\$8,729	\$0	\$8,729
		No common name	<i>Schiedea kaalae</i>		\$86,977	\$0	\$86,977
		No common name	<i>Schiedea nuttallii</i>		\$86,977	\$0	\$86,977
		No common name	<i>Silene hawaiiensis</i>		\$449,010	\$0	\$449,010
		No common name	<i>Silene lanceolata</i>		\$449,010	\$0	\$449,010
		No common name	<i>Spermolepis hawaiiensis</i>		\$449,010	\$0	\$449,010
		No common name	<i>Stenogyne angustifolia var. angustifolia</i>		\$449,010	\$0	\$449,010

	No common name	<i>Stenogyne kanehoana</i>		\$8,729	\$0	\$8,729
	No common name	<i>Tetramolopium arenarium</i>		\$449,010	\$0	\$449,010
	No common name	<i>Tetramolopium filiforme</i>		\$86,977	\$0	\$86,977
	No common name	<i>Vigna o-wahuensis</i>		\$449,010	\$0	\$449,010
	No common name	<i>Viola oahuensis</i>		\$8,729	\$0	\$8,729
	Oha	<i>Delissea subcordata</i>		\$95,706	\$0	\$95,706
	Palo de rosa	<i>Ottoschulzia rhodoxylon</i>		\$200	\$0	\$200
	Pamakani	<i>Viola chamissoniana</i> <i>spp.</i> <i>chamissoniana</i>		\$86,977	\$0	\$86,977
	Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>		\$10,000	\$0	\$10,000
	Pink, swamp	<i>Helonias bullata</i>		\$14,993	\$0	\$14,993
	Piperia, Yadon's	<i>Piperia yadonii</i>		\$84,763	\$0	\$84,763
	Pogonia, small whorled	<i>Isotria medeoloides</i>		\$14,993	\$0	\$14,993
	Popolo ku mai	<i>Solanum incompletum</i>		\$449,010	\$0	\$449,010
	Potato-bean, Price's	<i>Apios priceana</i>		\$13,125	\$0	\$13,125
	Po'e	<i>Portulaca sclerocarpa</i>		\$449,010	\$0	\$449,010
	Skullcap, large-flowered	<i>Scutellaria montana</i>		\$15,478	\$0	\$15,478
	Spineflower Monterey	<i>Chorizanthe pungens</i> <i>var.</i> <i>pungens</i>		\$20,822	\$0	\$20,822
	Spineflower Robust (incl. Scotts Valley)	<i>Chorizanthe robusta</i> (incl. <i>vars.</i> <i>robusta</i> <i>and hartwegii</i> )		\$36,982	\$0	\$36,982
	Sumac, Michaux's	<i>Rhus michauxii</i>		\$132,159	\$0	\$132,159
	Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$10,610	\$0	\$10,610
	Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$10,610	\$0	\$10,610
	Trillium, relict	<i>Trillium reliquum</i>		\$30,000	\$0	\$30,000
	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> <i>var.</i> <i>recurva</i>		\$326,000	\$0	\$326,000
	Woolly-threads, San Joaquin	<i>Monolopia</i> (= <i>Lembertia</i> ) <i>congdonii</i>		\$5,305	\$0	\$5,305
	'Akoko	<i>Chamaesyce celastroides</i> <i>var.</i> <i>kaenana</i>		\$86,977	\$0	\$86,977

		`Akoko	<i>Chamaesyce herbstii</i>		\$86,977	\$0	\$86,977
		`Akoko	<i>Chamaesyce rockii</i>		\$8,729	\$0	\$8,729
	Flowering Plants Total				\$11,722,094	\$0	\$11,722,094
	Ferns and Allies						
		No common name	<i>Asplenium fragile var. insulare</i>		\$449,010	\$0	\$449,010
		No common name	<i>Pteris lidgatei</i>		\$8,729	\$0	\$8,729
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$85,558	\$0	\$85,558
		Wawae`iole	<i>Lycopodium (Phlegmariurus) nutans</i>		\$8,729	\$0	\$8,729
	Ferns and Allies Total				\$552,026	\$0	\$552,026
Domestic Total					\$36,274,435	\$0	\$36,274,435
Grand Total					\$36,274,435	\$0	\$36,274,435

DOD Defense Logistics Agency FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Insects						
		Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>		\$230,000	\$0	\$230,000
Grand Total					\$230,000	\$0	\$230,000

DOD Marine Corps FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> )		\$304,948	\$0	\$304,948
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$187,092	\$0	\$187,092
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$75,000	\$0	\$75,000
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$562	\$0	\$562
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$2,249	\$0	\$2,249
	Mammals Total				\$569,851	\$0	\$569,851
	Birds						
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$3,443	\$0	\$3,443
		Duck, Hawaiian	<i>Anas wyvilliana</i>		\$16,816	\$0	\$16,816
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$495,418	\$0	\$495,418
		Gnatcatcher, coastal California	<i>Poliotilta californica californica</i>		\$465,874	\$0	\$465,874
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$16,816	\$0	\$16,816
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$12,594	\$0	\$12,594
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$19,083	\$0	\$19,083
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$276,038	\$0	\$276,038
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$72,637	\$0	\$72,637
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$16,816	\$0	\$16,816
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$400	\$0	\$400
		Tern, California least	<i>Sterna antillarum browni</i>		\$310,795	\$0	\$310,795
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$517,971	\$0	\$517,971
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$409,054	\$0	\$409,054
	Birds Total				\$2,633,755	\$0	\$2,633,755
	Reptiles						

		Sea turtle, green	<i>Chelonia mydas</i>	except where Endg	\$3,374	\$0	\$3,374
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$212,075	\$0	\$212,075
	Reptiles Total				\$215,449	\$0	\$215,449
	Amphibians						
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$15,354	\$0	\$15,354
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus</i> (= <i>microscaphus</i> )		\$437,900	\$0	\$437,900
	Amphibians Total				\$453,254	\$0	\$453,254
	Fishes						
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$89,862	\$0	\$89,862
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	southern CA coast	\$86,455	\$0	\$86,455
	Fishes Total				\$176,317	\$0	\$176,317
	Crustaceans						
		Fairy shrimp, Riverside	<i>Streptocephalus wootoni</i>		\$30,000	\$0	\$30,000
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$86,000	\$0	\$86,000
	Crustaceans Total				\$116,000	\$0	\$116,000
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$38,165	\$0	\$38,165
		Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>		\$85,000	\$0	\$85,000
		Button-celery, San Diego	<i>Eryngium aristulatum</i> var. <i>parishii</i>		\$64,177	\$0	\$64,177
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$258,343	\$0	\$258,343
		Manzanita, Del Mar	<i>Arctostaphylos glandulosa</i> ssp. <i>crassifolia</i>		\$40,380	\$0	\$40,380
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$26,000	\$0	\$26,000
		Monardella, willow	<i>Monardella linoides</i> ssp. <i>viminea</i>		\$150,000	\$0	\$150,000
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$64,177	\$0	\$64,177
		Orcutt grass, California	<i>Orcuttia californica</i>		\$26,000	\$0	\$26,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$6,000	\$0	\$6,000
		Pondberry	<i>Lindera melissifolia</i>		\$10,534	\$0	\$10,534
	Flowering Plants Total				\$768,776	\$0	\$768,776
	Domestic Total				\$4,933,402	\$0	\$4,933,402
	Grand Total				\$4,933,402	\$0	\$4,933,402

DOD Navy FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land	Grand Total
Domestic							
	Mammals						
		Bat, Mariana fruit (=Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	entire	\$5,000	\$0	\$5,000
		Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>		\$49,000	\$0	\$49,000
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> )		\$82,049	\$0	\$82,049
		Manatee, West Indian	<i>Trichechus manatus</i>		\$5,995	\$0	\$5,995
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$49,431	\$0	\$49,431
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$39,241	\$0	\$39,241
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$37,710	\$0	\$37,710
		Whale, blue	<i>Balaenoptera musculus</i>		\$103,367	\$0	\$103,367
		Whale, finback	<i>Balaenoptera physalus</i>		\$17,621	\$0	\$17,621
		Whale, gray	<i>Eschrichtius robustus</i>	W Pacific Ocean	\$17,621	\$0	\$17,621
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$106,843	\$0	\$106,843
		Whale, right	<i>Balaena glacialis</i> (incl. <i>australis</i> )		\$254,960	\$0	\$254,960
		Whale, Sei	<i>Balaenoptera borealis</i>		\$17,621	\$0	\$17,621
	Mammals Total				\$786,459	\$0	\$786,459
	Birds						
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$19,292	\$0	\$19,292
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$19,292	\$0	\$19,292
		Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i>		\$37,869	\$0	\$37,869
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$53,795	\$0	\$53,795
		Gnatcatcher, coastal California	<i>Poliptila californica californica</i>		\$184,136	\$0	\$184,136
		Goose, Hawaiian	<i>Branta</i> (=Nesochen) <i>sandvicensis</i>		\$6,080	\$0	\$6,080
		Megapode, Micronesian	<i>Megapodius laperouse</i>		\$15,138	\$0	\$15,138





		Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>		\$61,937	\$0	\$61,937
		Button-celery, San Diego	<i>Eryngium aristulatum</i> var. <i>parishii</i>		\$6,405	\$0	\$6,405
		Gilia, Monterey	<i>Gilia tenuiflora</i> ssp. <i>arenaria</i>		\$7,500	\$0	\$7,500
		Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>		\$61,937	\$0	\$61,937
		Ko'oloa'ula	<i>Abutilon menziesii</i>		\$2,407	\$0	\$2,407
		Kulu'i	<i>Nototrichium humile</i>		\$4,869	\$0	\$4,869
		Larkspur, San Clemente Island	<i>Delphinium variegatum</i> ssp. <i>kinkiense</i>		\$67,372	\$0	\$67,372
		Lo'ulu	<i>Pritchardia remota</i>		\$2,407	\$0	\$2,407
		Mahoe	<i>Alectryon macrococcus</i>		\$4,869	\$0	\$4,869
		Mehamehame	<i>Flueggea neowawraea</i>		\$4,869	\$0	\$4,869
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$6,405	\$0	\$6,405
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$10,210	\$0	\$10,210
		Monardella, willow	<i>Monardella linoidea</i> ssp. <i>viminea</i>		\$6,405	\$0	\$6,405
		Nehe	<i>Lipochaeta lobata</i> var. <i>leptophylla</i>		\$4,869	\$0	\$4,869
		No common name	<i>Abutilon sandwicense</i>		\$4,869	\$0	\$4,869
		No common name	<i>Bonamia menziesii</i>		\$4,869	\$0	\$4,869
		No common name	<i>Hedyotis parvula</i>		\$4,869	\$0	\$4,869
		No common name	<i>Lobelia niihauensis</i>		\$4,869	\$0	\$4,869
		No common name	<i>Neraudia angulata</i>		\$4,869	\$0	\$4,869
		No common name	<i>Phyllostegia hirsuta</i>		\$2,407	\$0	\$2,407
		No common name	<i>Schiedea hookeri</i>		\$4,869	\$0	\$4,869
		No common name	<i>Spermolepis hawaiiensis</i>		\$2,407	\$0	\$2,407
		No common name	<i>Tetramolopium filiforme</i>		\$2,407	\$0	\$2,407
		Ohai	<i>Sesbania tomentosa</i>		\$2,407	\$0	\$2,407
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$26,000	\$0	\$26,000
		Pamakani	<i>Viola chamissoniana</i> ssp. <i>chamissoniana</i>		\$4,869	\$0	\$4,869

		Piperia, Yadon's	<i>Piperia yadonii</i>		\$7,500	\$0	\$7,500
		Rockcress, Santa Cruz Island	<i>Sibara filifolia</i>		\$36,608	\$0	\$36,608
		Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>		\$7,500	\$0	\$7,500
		Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>		\$49,504	\$0	\$49,504
		Woodland- star, San Clemente Island	<i>Lithophragma maximum</i>		\$61,937	\$0	\$61,937
		`Akoko	<i>Chamaesyce kuwaleana</i>		\$2,407	\$0	\$2,407
		`Anaunau	<i>Lepidium arbuscula</i>		\$2,407	\$0	\$2,407
	Flowering Plants Total				\$618,624	\$0	\$618,624
	Ferns and Allies						
		Ihi`ihi	<i>Marsilea villosa</i>		\$2,407	\$0	\$2,407
Domestic Total					\$6,163,099	\$0	\$6,163,099
Grand Total					\$6,163,099	\$0	\$6,163,099

DOD Army Corps of Engineers FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$31,850	\$0	\$31,850
		Bat, Indiana	<i>Myotis sodalis</i>		\$154,198	\$0	\$154,198
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$500	\$0	\$500
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where listed as EXPN or delisted	\$4,793	\$0	\$4,793
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$12,900	\$0	\$12,900
		Bear, polar	<i>Ursus maritimus</i>		\$7,200	\$0	\$7,200
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$2,793	\$0	\$2,793
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$3,093	\$0	\$3,093
		Deer, key	<i>Odocoileus virginianus clavium</i>		\$510	\$0	\$510
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$2,500	\$0	\$2,500
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$20,000	\$0	\$20,000
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomilii</i>		\$10,600	\$0	\$10,600
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$800	\$0	\$800
		Lynx, Canada	<i>Lynx canadensis</i>	(Contiguous U.S. DPS)	\$12,076	\$0	\$12,076
		Manatee, West Indian	<i>Trichechus manatus</i>		\$676,906	\$0	\$676,906
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$2,400	\$0	\$2,400
		Mouse, Choctawhattee beach	<i>Peromyscus polionotus allophrys</i>		\$200	\$0	\$200
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>		\$1,531	\$0	\$1,531
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$2,131	\$0	\$2,131

		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$33,650	\$0	\$33,650
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$6,300	\$0	\$6,300
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$1,021	\$0	\$1,021
		Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>		\$1,786	\$0	\$1,786
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$15,300	\$0	\$15,300
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$24,600	\$0	\$24,600
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$101,599	\$0	\$101,599
		Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>		\$2,297	\$0	\$2,297
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$6,293	\$0	\$6,293
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>		\$3,200	\$0	\$3,200
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$61,140	\$0	\$61,140
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$89,036	\$0	\$89,036
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$2,000	\$0	\$2,000
		Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	Entire, except Sussex Co., DE	\$1,041	\$0	\$1,041
		Whale, blue	<i>Balaenoptera musculus</i>		\$5,373	\$0	\$5,373
		Whale, bowhead	<i>Balaena mysticetus</i>		\$3,400	\$0	\$3,400
		Whale, finback	<i>Balaenoptera physalus</i>		\$6,184	\$0	\$6,184
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$14,807	\$0	\$14,807
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$13,461	\$0	\$13,461
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$275,378	\$0	\$275,378
		Whale, Sei	<i>Balaenoptera borealis</i>		\$5,884	\$0	\$5,884
		Whale, sperm	<i>Physeter catodon (macrocephalus)</i>		\$5,373	\$0	\$5,373
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except where delisted and where EXPN. Mexico.	\$15,462	\$0	\$15,462

		Wolf, gray	<i>Canis lupus</i>	Western Great Lakes DPS	\$4,293	\$0	\$4,293
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$1,531	\$0	\$1,531
		Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>		\$2,400	\$0	\$2,400
	Mammals Total				\$1,649,790	\$0	\$1,649,790
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$5,593	\$0	\$5,593
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$158,573	\$0	\$158,573
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$2,000	\$0	\$2,000
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$200	\$0	\$200
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$1,512,700	\$0	\$1,512,700
		Duck, Hawaiian (=koloa)	<i>Anas wyvilliana</i>		\$2,000	\$0	\$2,000
		Eider, spectacled	<i>Somateria fischeri</i>		\$59,200	\$0	\$59,200
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$195,900	\$0	\$195,900
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$10,100	\$0	\$10,100
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$317,837	\$0	\$317,837
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$2,000	\$0	\$2,000
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$591,012	\$0	\$591,012
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$2,000	\$0	\$2,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$16,826	\$0	\$16,826
		Nightjar, Puerto Rican	<i>Caprimulgus noctitherus</i>		\$3,572	\$0	\$3,572
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$100	\$0	\$100
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$5,071	\$0	\$5,071
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$27,403	\$0	\$27,403
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$130,723	\$0	\$130,723

		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$3,105,728	\$0	\$3,105,728
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$83,137	\$0	\$83,137
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$17,700	\$0	\$17,700
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$6,300	\$0	\$6,300
		Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. only	\$43,000	\$0	\$43,000
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$400	\$0	\$400
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$281,497	\$0	\$281,497
		Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>		\$1,531	\$0	\$1,531
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$2,000	\$0	\$2,000
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$730,412	\$0	\$730,412
		Tern, California least	<i>Sterna antillarum browni</i>		\$57,560	\$0	\$57,560
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$3,829,863	\$0	\$3,829,863
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$2,612	\$0	\$2,612
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$1,800	\$0	\$1,800
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$1,973,299	\$0	\$1,973,299
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$7,932	\$0	\$7,932
		Woodpecker, ivory-billed	<i>Campephilus principalis</i>	entire	\$9,750	\$0	\$9,750
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$121,778	\$0	\$121,778
	Birds Total				\$13,319,109	\$0	\$13,319,109
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$2,928	\$0	\$2,928
		Boa, Puerto Rican	<i>Epicrates inornatus</i>		\$8,510	\$0	\$8,510
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$4,593	\$0	\$4,593
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$3,600	\$0	\$3,600

		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$66,969	\$0	\$66,969
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$429,506	\$0	\$429,506
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$260,368	\$0	\$260,368
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$634,783	\$0	\$634,783
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$404,030	\$0	\$404,030
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$1,428,311	\$0	\$1,428,311
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$24,993	\$0	\$24,993
		Skink, sand	<i>Neoseps reynoldsi</i>		\$2,297	\$0	\$2,297
		Snake, Concho water	<i>Nerodia paucimaculata</i>		\$900	\$0	\$900
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	MI, OH, IN N of 400 N. Lat.	\$383	\$0	\$383
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$146,334	\$0	\$146,334
		Snake, giant garter	<i>Thamnophis gigas</i>		\$115,400	\$0	\$115,400
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$8,800	\$0	\$8,800
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of of Mobile/Tombigbee Rs.	\$18,600	\$0	\$18,600
		Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>		\$200	\$0	\$200
		Turtle, bog (Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$97,709	\$0	\$97,709
		Turtle, bog (Muhlenberg)	<i>Clemmys muhlenbergii</i>	southern	\$1,140	\$0	\$1,140
		Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>		\$6,200	\$0	\$6,200
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$8,000	\$0	\$8,000
	Reptiles Total				\$3,674,554	\$0	\$3,674,554
	Amphibians						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$67,795	\$0	\$67,795
		Frog, Mississippi gopher	<i>Rana capito sevosa</i>	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	\$8,200	\$0	\$8,200
		Salamander, Barton Sprgs	<i>Eurycea sosorum</i>		\$400	\$0	\$400

		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$47,600	\$0	\$47,600
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$2,031	\$0	\$2,031
		Salamander, Red Hills	<i>Phaeognathus hubrichti</i>		\$500	\$0	\$500
		Salamander, San Marcos	<i>Eurycea nana</i>		\$1,600	\$0	\$1,600
		Salamander, Texas blind	<i>Typhlomolge rathbuni</i>		\$400	\$0	\$400
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (microscaphus)</i>		\$77,000	\$0	\$77,000
		Toad, Houston	<i>Bufo houstonensis</i>		\$2,100	\$0	\$2,100
	Amphibians Total				\$207,626	\$0	\$207,626
	Fishes						
		Cavefish, Ozark	<i>Amblyopsis rosae</i>		\$500	\$0	\$500
		Chub, bonytail	<i>Gila elegans</i>	entire	\$2,800	\$0	\$2,800
		Chub, humpback	<i>Gila cypha</i>	entire	\$1,600	\$0	\$1,600
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$35	\$0	\$35
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$3,420	\$0	\$3,420
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>		\$4,800	\$0	\$4,800
		Cui-ui	<i>Chasmistes cujus</i>		\$17,400	\$0	\$17,400
		Dace, Moapa	<i>Moapa coriacea</i>		\$4,740	\$0	\$4,740
		Darter, Cherokee	<i>Etheostoma scotti</i>		\$10,000	\$0	\$10,000
		Darter, Etowah	<i>Etheostoma etowahae</i>		\$500	\$0	\$500
		Darter, fountain	<i>Etheostoma fonticola</i>		\$4,200	\$0	\$4,200
		Darter, goldline	<i>Percina aurolineata</i>		\$1,000	\$0	\$1,000
		Darter, leopard	<i>Percina pantherina</i>		\$500	\$0	\$500
		Darter, snail	<i>Percina tanasi</i>		\$800	\$0	\$800
		Gambusia, San Marcos	<i>Gambusia georgei</i>		\$500	\$0	\$500
		Logperch, Roanoke	<i>Percina rex</i>		\$910,815	\$0	\$910,815
		Minnnow, loach	<i>Tiaroga cobitis</i>		\$7,825	\$0	\$7,825
		Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where listed as EXPN	\$275,514	\$0	\$275,514
		Pikeminnow (=squawfish) Colorado	<i>Ptychocheilus lucius</i>	Salt & Verde River drainages,AZ	\$12,825	\$0	\$12,825
		Pikeminnow (=squawfish) Colorado	<i>Ptychocheilus lucius</i>	except Salt & Verde R. drainages,AZ	\$12,400	\$0	\$12,400

		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine Atlantic Salmon DPS	\$1,077,368	\$0	\$1,077,368
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring-run	\$809,611	\$0	\$809,611
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$13,774	\$0	\$13,774
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$6,326,498	\$0	\$6,326,498
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$15,408,052	\$0	\$15,408,052
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$4,769,162	\$0	\$4,769,162
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$14,986,781	\$0	\$14,986,781
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring/summer Snake R.	\$14,867,842	\$0	\$14,867,842
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	upper Willamette R.	\$1,772,963	\$0	\$1,772,963
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	winter Sacramento R.	\$676,800	\$0	\$676,800
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$600,412	\$0	\$600,412
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	summer-run Hood Canal	\$6,600	\$0	\$6,600
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River	\$1,758,185	\$0	\$1,758,185
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	OR, CA pop.	\$189,936	\$0	\$189,936
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	central CA coast	\$735,847	\$0	\$735,847
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Ozette Lake, WA)	\$1,793	\$0	\$1,793
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Snake River, ID stock)	\$12,405,823	\$0	\$12,405,823
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$168,787	\$0	\$168,787
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$2,000	\$0	\$2,000
		Shiner, Cape Fear	<i>Notropis mekistocholas</i>		\$500	\$0	\$500
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>		\$9,552	\$0	\$9,552
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>		\$10,790	\$0	\$10,790
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$735,800	\$0	\$735,800
		Spikedace	<i>Meda fulgida</i>		\$7,825	\$0	\$7,825

		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Central Valley CA	\$831,749	\$0	\$831,749
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Puget Sound DPS	\$882,285	\$0	\$882,285
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Snake R. Basin	\$15,011,033	\$0	\$15,011,033
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	central CA coast	\$826,024	\$0	\$826,024
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	lower Columbia R.	\$4,287,849	\$0	\$4,287,849
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	middle Columbia R.	\$14,928,181	\$0	\$14,928,181
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	southern CA coast	\$105,000	\$0	\$105,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Columbia R. Basin	\$14,988,537	\$0	\$14,988,537
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Willamette R.	\$1,201,233	\$0	\$1,201,233
		Sturgeon, Alabama	<i>Scaphirhynchus</i> <i>suttkusi</i>		\$50,011	\$0	\$50,011
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus</i> <i>desotoi</i>		\$170,498	\$0	\$170,498
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	U.S.A. (CA) Southern DPS	\$89,696	\$0	\$89,696
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$34,672,300	\$17,140,000	\$51,812,300
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$73,770	\$0	\$73,770
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$420,000	\$0	\$420,000
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	entire	\$26,825	\$0	\$26,825
		Sucker, Santa Ana	<i>Catostomus</i> <i>santaanae</i>	3 CA river basins	\$40,000	\$0	\$40,000
		Sucker, Warner	<i>Catostomus</i> <i>warnerensis</i>		\$44,993	\$0	\$44,993
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis</i> <i>occidentalis</i>	U.S.A. only	\$90,000	\$0	\$90,000
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	U.S.A., conterminous lower 48	\$1,081,235	\$0	\$1,081,235
		Trout, Lahontan cutthroat	<i>Oncorhynchus</i> <i>clarki henshawi</i>		\$44,600	\$0	\$44,600
		Woundfin	<i>Plagopterus</i> <i>argentissimus</i>	except Gila R. drainage, AZ, NM	\$2,400	\$0	\$2,400

	Fishes Total				\$168,483,094	\$17,140,000	\$185,623,094
	Clams						
		Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>		\$144,010	\$0	\$144,010
		Catspaw (=purple cat's paw pearlymussel)	<i>Epioblasma obliquata obliquata</i>	Entire Range; Except where listed as Experimental Populations	\$183	\$0	\$183
		Clubshell	<i>Pleurobema clava</i>	Entire Range; Except where listed as Experimental Populations	\$1,997	\$0	\$1,997
		Clubshell, southern	<i>Pleurobema decisum</i>		\$800	\$0	\$800
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire Range; Except where listed as Experimental Populations	\$800	\$0	\$800
		Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>		\$3,840	\$0	\$3,840
		Fanshell	<i>Cyrogenia stegaria</i>		\$17,200	\$0	\$17,200
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$532,343	\$0	\$532,343
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where listed as EXPN	\$150,000	\$0	\$150,000
		Moccasinshell, AL	<i>Medionidus acutissimus</i>		\$800	\$0	\$800
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$800	\$0	\$800
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$32,000	\$0	\$32,000
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire Range; Except where listed as Experimental Populations	\$800	\$0	\$800
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$15,600	\$0	\$15,600
		Pearlymussel cracking	<i>Hemistena lata</i>	Entire Range; Except where listed as Experimental Populations	\$800	\$0	\$800
		Pearlymussel dromedary	<i>Dromus dromas</i>	Entire Range; Except where listed as Experimental Populations	\$800	\$0	\$800
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$800	\$0	\$800
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$297,200	\$0	\$297,200

		Pocketbook, fat	<i>Potamilus capax</i>		\$59,440	\$0	\$59,440
		Pocketbook, finelined	<i>Lampsilis atilis</i>		\$500	\$0	\$500
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>		\$3,186	\$0	\$3,186
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$510	\$0	\$510
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$15,200	\$0	\$15,200
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$797	\$0	\$797
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$18,000	\$0	\$18,000
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$143,500	\$0	\$143,500
		Three-ridge, fat (mussel)	<i>Amblema neislerii</i>		\$144,010	\$0	\$144,010
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>		\$1,800	\$0	\$1,800
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$4,070	\$0	\$4,070
	Clams Total				\$1,591,786	\$0	\$1,591,786
	Snails						
		Riversnail, Anthony's	<i>Athearnia anthonyi</i>	AL; Free-Flowing Reach of Tenn. River below Wilson Dam, Colbert & Lauderdale Counties, AL	\$800	\$0	\$800
		Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>		\$183	\$0	\$183
		Snail, Stock Island tree	<i>Orthalicus reses (not incl. nesodryas)</i>		\$1,276	\$0	\$1,276
		Snail, Utah valvata	<i>Valvata utahensis</i>		\$10,373	\$0	\$10,373
	Snails Total				\$12,632	\$0	\$12,632
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$7,000	\$0	\$7,000
		Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>		\$300	\$0	\$300
		Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>		\$300	\$0	\$300
		Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>		\$300	\$0	\$300

		Beetle, delta green ground	<i>Elaphrus viridis</i>		\$2,000	\$0	\$2,000
		Beetle, Helotes mold	<i>Batrissodes venyivi</i>		\$300	\$0	\$300
		Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>		\$300	\$0	\$300
		Beetle, Tooth Cave ground	<i>Rhadine persephone</i>		\$300	\$0	\$300
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$3,492,193	\$740,000	\$4,232,193
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$18,210	\$0	\$18,210
		Butterfly, Karner blue	<i>Lycæides melissa samuelis</i>		\$183	\$0	\$183
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$183	\$0	\$183
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$4,253	\$0	\$4,253
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>		\$2,041	\$0	\$2,041
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$3,500	\$0	\$3,500
		Ground beetle	<i>Rhadine exilis</i>		\$900	\$0	\$900
		Ground beetle	<i>Rhadine infernalis</i>		\$900	\$0	\$900
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$4,000	\$0	\$4,000
	Insects Total				\$3,537,163	\$740,000	\$4,277,163
	Arachnids						
		Harvestman, Bee Creek Cave	<i>Texella reddelli</i>		\$300	\$0	\$300
		Harvestman, Bone Cave	<i>Texella reyesi</i>		\$200	\$0	\$200
		Meshweaver, Government Canyon Bat Cave	<i>Cicurina vespera</i>		\$200	\$0	\$200
		Meshweaver, Madla's Cave	<i>Cicurina madla</i>		\$2,100	\$0	\$2,100
		Meshweaver, Robber Baron Cave	<i>Cicurina baronia</i>		\$200	\$0	\$200
		Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>		\$200	\$0	\$200
		Spider, Govt. Canyon Bat Cave	<i>Neoleptoneta microps</i>		\$200	\$0	\$200
		Spider, Tooth Cave	<i>Leptoneta myopica</i>		\$200	\$0	\$200
	Arachnids Total				\$3,600	\$0	\$3,600

	Crustaceans						
		Amphipod, Peck's cave	<i>Stygobromus (=Stygonectes) pecki</i>		\$200	\$0	\$200
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$12,800	\$0	\$12,800
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$13,200	\$0	\$13,200
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$87,200	\$0	\$87,200
		Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>		\$400	\$0	\$400
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>		\$84,800	\$0	\$84,800
	Crustaceans Total				\$198,600	\$0	\$198,600
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$16,661	\$0	\$16,661
		Coral, staghorn	<i>Acropora cervicornis</i>		\$16,661	\$0	\$16,661
	Corals Total				\$33,322	\$0	\$33,322
	Flowering Plants						
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$127,116	\$0	\$127,116
		Aster, decurrent false	<i>Boltonia decurrens</i>		\$29,811	\$0	\$29,811
		Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>		\$1,200	\$0	\$1,200
		Bladderpod, Missouri	<i>Lesquerella filiformis</i>		\$586	\$0	\$586
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$500	\$0	\$500
		Butterweed, Layne's	<i>Senecio layneae</i>		\$1,220	\$0	\$1,220
		Cactus, Bakersfield	<i>Opuntia treleasei</i>		\$400	\$0	\$400
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$5,256	\$0	\$5,256
		Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>		\$1,200	\$0	\$1,200
		Chaffseed, American	<i>Schwalbea americana</i>		\$780	\$0	\$780
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$3,453	\$0	\$3,453
		Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana var. calva</i>		\$1,793	\$0	\$1,793
		Clover, showy Indian	<i>Trifolium amoenum</i>		\$2,400	\$0	\$2,400
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$800	\$0	\$800
		Daisy, lakeside	<i>Hymenoxys herbacea</i>		\$183	\$0	\$183

	Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$6,940	\$0	\$6,940
	Dawn- flower, Texas prairie	<i>Hymenoxys texana</i>		\$54,600	\$0	\$54,600
	Desert- parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$11,253	\$0	\$11,253
	Fiddleneck, large- flowered	<i>Amsinckia grandiflora</i>		\$400	\$0	\$400
	Flannelbush, Pine Hill	<i>Fremontodendr on californicum</i> <i>ssp. decumbens</i>		\$1,200	\$0	\$1,200
	Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$2,962	\$0	\$2,962
	Goldenrod, Houghton's	<i>Solidago houghtonii</i>		\$183	\$0	\$183
	Goldenrod, Short's	<i>Solidago shortii</i>		\$400	\$0	\$400
	Goldenrod, white-haired	<i>Solidago albopilosa</i>		\$400	\$0	\$400
	Goldfields, Burke's	<i>Lasthenia burkei</i>		\$496	\$0	\$496
	Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$2,400	\$0	\$2,400
	Gourd, Okeechobee	<i>Cucurbita okeechobeensis</i> <i>ssp.</i> <i>okeechobeensis</i>		\$2,524	\$0	\$2,524
	Grass, Colusa	<i>Neostapfia colusana</i>		\$1,200	\$0	\$1,200
	Grass, Solano	<i>Tuctoria mucronata</i>		\$2,000	\$0	\$2,000
	Haha	<i>Cyanea hamatiflora</i> ssp. <i>hamatiflora</i>		\$16,700	\$0	\$16,700
	Howellia, water	<i>Howellia aquatilis</i>		\$3,453	\$0	\$3,453
	Jacquemon- tia, beach	<i>Jacquemontia reclinata</i>		\$3,666	\$0	\$3,666
	Ladies'- tresses, Navasota	<i>Spiranthes parksii</i>		\$15,600	\$0	\$15,600
	Ladies'- tresses, Ute	<i>Spiranthes diluvalis</i>		\$6,843	\$0	\$6,843
	Lily, Western	<i>Lilium occidentale</i>		\$1,660	\$0	\$1,660
	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$1,140	\$0	\$1,140
	Lo`ulu	<i>Pritchardia napaliensis</i>		\$16,700	\$0	\$16,700
	Lupine, Kincaid's	<i>Lupinus sulphureus</i> (= <i>oreganus</i> ) <i>ssp. kincaidii</i> (= <i>var. kincaidii</i> )		\$23,678	\$0	\$23,678
	Meadow- foam, Butte County	<i>Limnanthes floccosa</i> ssp. <i>californica</i>		\$3,600	\$0	\$3,600

	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>		\$1,140	\$0	\$1,140
	Mint, Lakela's	<i>Dicerandra immaculata</i>		\$4,800	\$0	\$4,800
	Monkshood, northern wild	<i>Aconitum noveboracense</i>		\$383	\$0	\$383
	Morning- glory, Stebbins'	<i>Calystegia stebbinsii</i>		\$1,200	\$0	\$1,200
	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$183	\$0	\$183
	Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$4,185	\$0	\$4,185
	Orcutt grass, Sacramento	<i>Orcuttia viscida</i>		\$12,400	\$0	\$12,400
	Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$1,200	\$0	\$1,200
	Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$20,400	\$0	\$20,400
	Owl's-clover, fleshy	<i>Castilleja campestris</i> ssp. <i>succulenta</i>		\$2,400	\$0	\$2,400
	Paintbrush, golden	<i>Castilleja levisecta</i>		\$3,453	\$0	\$3,453
	Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>		\$500	\$0	\$500
	Pinkroot, gentian	<i>Spigelia gentianoides</i>		\$200	\$0	\$200
	Pitcher-plant, mountain sweet	<i>Sarracenia rubra</i> ssp. <i>jonesii</i>		\$1,140	\$0	\$1,140
	Pogonia, small whorled	<i>Isotria medeoloides</i>		\$183	\$0	\$183
	Pondberry	<i>Lindera melissifolia</i>		\$780	\$0	\$780
	Poppy- mallow, Texas	<i>Callirhoe scabriuscula</i>		\$100	\$0	\$100
	Potato-bean, Price's	<i>Apios priceana</i>		\$800	\$0	\$800
	Prickly- apple, fragrant	<i>Cereus eriophorus</i> var. <i>fragrans</i>		\$4,800	\$0	\$4,800
	Roseroot, Leedy's	<i>Sedum integrifolium</i> ssp. <i>leedyi</i>		\$183	\$0	\$183
	Sand- verbena, large-fruited	<i>Abronia macrocarpa</i>		\$100	\$0	\$100
	Sandwort, Marsh	<i>Arenaria paludicola</i>		\$1,793	\$0	\$1,793
	Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$71,978	\$0	\$71,978
	Skullcap, large- flowered	<i>Scutellaria montana</i>		\$500	\$0	\$500
	Spiraea, Virginia	<i>Spiraea virginiana</i>		\$1,660	\$0	\$1,660

		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$510	\$0	\$510
		Stickseed, showy	<i>Hackelia venusta</i>		\$1,793	\$0	\$1,793
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$2,230	\$0	\$2,230
		Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>		\$1,600	\$0	\$1,600
		Sunflower, Pecos (puzzle,parad ox)	<i>Helianthus paradoxus</i>		\$2,200	\$0	\$2,200
		Trillium, relict	Trillium reliquum		\$661	\$0	\$661
		Wild-rice, Texas	<i>Zizania texana</i>		\$4,100	\$0	\$4,100
		Woolly-star, Santa Ana River	<i>Eriastrum densifolium ssp. sanctorum</i>		\$9,000	\$0	\$9,000
		`Akoko	<i>Euphorbia haeleleana</i>		\$16,700	\$0	\$16,700
	Flowering Plants Total				\$531,951	\$0	\$531,951
	Conifers and Cycads						
		Torreya, Florida	<i>Torreya taxifolia</i>		\$150	\$0	\$150
	Ferns and Allies						
		Fern, American hart's-tongue	<i>Asplenium scolopendrium v. americanum</i>		\$183	\$0	\$183
		Quillwort, Louisiana	<i>Isoetes louisianensis</i>		\$1,000	\$0	\$1,000
	Ferns and Allies Total				\$1,183	\$0	\$1,183
	Lichens						
		Cladonia, Florida perforate	<i>Cladonia perforata</i>		\$4,510	\$0	\$4,510
Domestic Total					\$193,249,070	\$17,880,000	\$211,129,070
Grand Total					\$193,249,070	\$17,880,000	\$211,129,070

DOE Bonneville Power Administration FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Fishes						
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$193,360	\$0	\$193,360
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$13,950,104	\$37,746	\$13,987,850
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$7,318,151	\$317,614	\$7,635,765
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$8,096,827	\$519,109	\$8,615,936
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring/summer Snake R.	\$18,886,059	\$879,366	\$19,765,425
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	upper Willamette R.	\$5,684,602	\$37,746	\$5,722,348
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$1,874,220	\$32,361	\$1,906,581
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	Lower Columbia River	\$2,597,126	\$32,361	\$2,629,487
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Snake River, ID stock wherever found.)	\$5,035,928	\$3,675,711	\$8,711,639
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$18,898,897	\$423,108	\$19,322,005
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia R.	\$4,236,237	\$312,229	\$4,548,466
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$18,226,867	\$2,448,094	\$20,674,961
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$6,368,335	\$216,977	\$6,585,312
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$2,296,395	\$32,390	\$2,328,785
		Sturgeon, white	<i>Acipenser transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$8,115,403	\$0	\$8,115,403
		Trout, bull	<i>Salvelinus confluentus</i>	U.S.A., conterminous, lower 48 states	\$11,331,348	\$5,010,827	\$16,342,175
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$1,539,746	\$0	\$1,539,746
	Fishes Total				\$134,649,605	\$13,975,639	\$148,625,244
Domestic Total					\$134,649,605	\$13,975,639	\$148,625,244
Grand Total					\$134,649,605	\$13,975,639	\$148,625,244

DOE Southwestern Power Administration FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$1,789	\$0	\$1,789
		Bat, Indiana	<i>Myotis sodalis</i>		\$767	\$0	\$767
	Mammals Total				\$2,556	\$0	\$2,556
	Birds						
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$21,000	\$0	\$21,000
	Fishes						
		Cavefish, Ozark	<i>Amblyopsis rosae</i>		\$256	\$0	\$256
	Clams						
		Blossom, turgid (pearlymussel)	<i>Epioblasma turgidula</i>	Entire Range; Except where listed as Experimental Populations	\$256	\$0	\$256
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$1,533	\$0	\$1,533
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$511	\$0	\$511
		Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>		\$511	\$0	\$511
		Pocketbook, fat	<i>Potamilus capax</i>		\$511	\$0	\$511
		Pocketbook, speckled	<i>Lampsilis streckeri</i>		\$256	\$0	\$256
	Clams Total				\$3,578	\$0	\$3,578
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$256	\$0	\$256
	Flowering Plants						
		Bladderpod, Missouri	<i>Lesquerella filiformis</i>		\$1,022	\$0	\$1,022
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$256	\$0	\$256
		No common name	<i>Geocarpon minimum</i>		\$256	\$0	\$256
		Pondberry	<i>Lindera melissifolia</i>		\$1,022	\$0	\$1,022
	Flowering Plants Total				\$2,556	\$0	\$2,556
Domestic Total					\$30,202	\$0	\$30,202
Grand Total					\$30,202	\$0	\$30,202

DOE Western Area Power Administration FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$6,800	\$0	\$6,800
		Lynx, Canada	<i>Lynx canadensis</i>	(Contiguous U.S. DPS)	\$220,000	\$0	\$220,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$10,000	\$0	\$10,000
	Mammals Total				\$236,800	\$0	\$236,800
	Birds						
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$9,000	\$0	\$9,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$25,000	\$0	\$25,000
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$8,200	\$0	\$8,200
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$5,000	\$0	\$5,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$5,000	\$0	\$5,000
	Birds Total				\$52,200	\$0	\$52,200
	Reptiles						
		Snake, giant garter	<i>Thamnophis gigas</i>		\$7,300	\$0	\$7,300
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$330,200	\$0	\$330,200
		Whipsnake (=striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$6,200	\$0	\$6,200
	Reptiles Total				\$343,700	\$0	\$343,700
	Amphibians						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$7,100	\$0	\$7,100
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$7,000	\$0	\$7,000
	Amphibians Total				\$14,100	\$0	\$14,100
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$506,500	\$0	\$506,500
		Chub, humpback	<i>Gila cypha</i>	entire	\$3,185,500	\$0	\$3,185,500
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$1,772,800	\$0	\$1,772,800

		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$7,900	\$0	\$7,900
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	winter Sacramento R.	\$7,900	\$0	\$7,900
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	OR, CA pop.	\$7,900	\$0	\$7,900
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$7,900	\$0	\$7,900
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$8,500	\$0	\$8,500
		Sturgeon, North American green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern DPS	\$6,500	\$0	\$6,500
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$448,000	\$0	\$448,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$6,400	\$0	\$6,400
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$2,026,000	\$0	\$2,026,000
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$6,400	\$0	\$6,400
	Fishes Total				\$7,998,200	\$0	\$7,998,200
	Snails						
		Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>		\$34,300	\$0	\$34,300
	Insects						
		Beetle, delta green ground	<i>Elaphrus viridis</i>		\$6,800	\$0	\$6,800
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$730,800	\$0	\$730,800
	Insects Total				\$737,600	\$0	\$737,600
	Crustaceans						
		Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>		\$7,600	\$0	\$7,600
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$6,300	\$0	\$6,300
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$8,900	\$0	\$8,900
		Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>		\$8,900	\$0	\$8,900
	Crustaceans Total				\$31,700	\$0	\$31,700
	Flowering Plants						
		Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>		\$6,800	\$0	\$6,800
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$25,000	\$0	\$25,000
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$35,000	\$0	\$35,000

		Evening-primrose, Antioch Dunes	<i>Oenothera deltooides ssp. howellii</i>		\$6,200	\$0	\$6,200
		Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>		\$6,200	\$0	\$6,200
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$6,200	\$0	\$6,200
		Grass, Colusa	<i>Neostapfia colusana</i>		\$600	\$0	\$600
		Grass, Solano	<i>Tuctoria mucronata</i>		\$6,200	\$0	\$6,200
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$40,000	\$0	\$40,000
		Meadowfoam, Butte County	<i>Limnanthes floccosa ssp. californica</i>		\$6,900	\$0	\$6,900
		Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>		\$1,000	\$0	\$1,000
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$6,200	\$0	\$6,200
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$6,200	\$0	\$6,200
		Spurge, Hoover's	<i>Chamaesyce hooveri</i>		\$6,200	\$0	\$6,200
		Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>		\$6,900	\$0	\$6,900
		Tuctoria, Greene's	<i>Tuctoria greenei</i>		\$6,200	\$0	\$6,200
	Flowering Plants Total				\$171,800	\$0	\$171,800
Domestic Total					\$9,620,400	\$0	\$9,620,400
Grand Total					\$9,620,400	\$0	\$9,620,400

DHS Coast Guard FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bear, polar	<i>Ursus maritimus</i>		\$298,308	\$0	\$298,308
		Manatee, West Indian	<i>Trichechus manatus</i>		\$633,245	\$0	\$633,245
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$150	\$0	\$150
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$23,705,894	\$13,500	\$23,719,394
		Seal, Caribbean monk	<i>Monachus tropicalis</i>		\$100	\$0	\$100
		Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>		\$100	\$0	\$100
		Whale, blue	<i>Balaenoptera musculus</i>		\$31,867	\$13,500	\$45,367
		Whale, bowhead	<i>Balaena mysticetus</i>		\$35,492	\$30,000	\$65,492
		Whale, finback	<i>Balaenoptera physalus</i>		\$58,778	\$0	\$58,778
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$515,192	\$0	\$515,192
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$33,842	\$0	\$33,842
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$3,607,065	\$1,600	\$3,608,665
		Whale, Sei	<i>Balaenoptera borealis</i>		\$31,567	\$0	\$31,567
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$33,317	\$0	\$33,317
	Mammals Total				\$28,984,917	\$58,600	\$29,043,517
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$310	\$0	\$310
		Eider, spectacled	<i>Somateria fischeri</i>		\$2,200	\$0	\$2,200
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$4,600	\$0	\$4,600
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$19,684	\$0	\$19,684
	Birds Total				\$26,794	\$0	\$26,794
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$940,455	\$0	\$940,455
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$939,205	\$0	\$939,205
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$939,205	\$0	\$939,205

		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$939,455	\$0	\$939,455
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$959,830	\$21,000	\$980,830
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$939,305	\$0	\$939,305
	Reptiles Total				\$5,657,455	\$21,000	\$5,678,455
	Fishes						
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$76,982	\$0	\$76,982
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$76,982	\$0	\$76,982
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	OR, CA pop.	\$76,982	\$0	\$76,982
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Ozette Lake, WA)	\$76,982	\$0	\$76,982
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	northern CA	\$70,000	\$0	\$70,000
	Fishes Total				\$377,928	\$0	\$377,928
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$52,950	\$0	\$52,950
		Coral, staghorn	<i>Acropora cervicornis</i>		\$52,815	\$0	\$52,815
	Corals Total				\$105,765	\$0	\$105,765
	Flowering Plants						
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$20,000	\$0	\$20,000
	Domestic Total				\$35,172,859	\$79,600	\$35,252,459
	Grand Total				\$35,172,859	\$79,600	\$35,252,459

DHS Customs and Border Protection FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$352,000	\$0	\$352,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$139,000	\$0	\$139,000
		Jaguar	<i>Panthera onca</i>		\$736,500	\$0	\$736,500
		Jaguarundi, Gulf Coast	<i>Herpailurus (=Felis) yagouaroundi cacomilti</i>		\$248,500	\$0	\$248,500
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$453,000	\$0	\$453,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$1,015,000	\$0	\$1,015,000
	Mammals Total				\$2,944,000	\$0	\$2,944,000
	Birds						
		Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>		\$6,000	\$0	\$6,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$292,500	\$0	\$292,500
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$294,000	\$0	\$294,000
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>		\$135,000	\$0	\$135,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$272,000	\$0	\$272,000
		Tern, least	<i>Sterna antillarum</i>	interior population	\$28,500	\$0	\$28,500
	Birds Total				\$1,028,000	\$0	\$1,028,000
	Reptiles						
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$259,500	\$0	\$259,500
	Amphibians						
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$290,500	\$0	\$290,500
		Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>		\$252,500	\$0	\$252,500
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$129,500	\$0	\$129,500
	Amphibians Total				\$672,500	\$0	\$672,500
	Fishes						
		Chub, Sonora	<i>Gila ditaenia</i>		\$279,500	\$0	\$279,500
		Topminnow, Gila (Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$4,000	\$0	\$4,000

	Fishes Total				\$283,500	\$0	\$283,500
	Insects						
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrighti</i> )		\$141,000	\$0	\$141,000
	Crustaceans						
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$162,500	\$0	\$162,500
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$162,500	\$0	\$162,500
	Crustaceans Total				\$325,000	\$0	\$325,000
	Flowering Plants						
		Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>		\$213,500	\$0	\$213,500
		Ayenia, Texas	<i>Ayenia limitaris</i>		\$213,500	\$0	\$213,500
		Bladderpod, Zapata	<i>Lesquerella thamnophila</i>		\$213,500	\$0	\$213,500
		Button-celery, San Diego	<i>Eryngium aristulatum</i> var. <i>parishii</i>		\$162,500	\$0	\$162,500
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$296,000	\$0	\$296,000
		Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>		\$124,000	\$0	\$124,000
		Cactus, star	<i>Astrophytum asterias</i>		\$213,500	\$0	\$213,500
		Frankenia, Johnston's	<i>Frankenia johnstonii</i>		\$213,500	\$0	\$213,500
		Manioc, Walker's	<i>Manihot walkerae</i>		\$213,500	\$0	\$213,500
		Milk-vetch, Peirson's	<i>Astragalus magdalenae</i> var. <i>peirsonii</i>		\$235,000	\$0	\$235,000
		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>		\$273,000	\$0	\$273,000
	Flowering Plants Total				\$2,371,500	\$0	\$2,371,500
Domestic Total					\$8,025,000	\$0	\$8,025,000
Grand Total					\$8,025,000	\$0	\$8,025,000

DOI Bureau of Indian Affairs FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where listed as EXPN or delisted	\$45,000	\$0	\$45,000
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	\$83,000	\$0	\$83,000
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except where delisted and where EXPN. Mexico.	\$15,000	\$0	\$15,000
	Mammals Total				\$143,000	\$0	\$143,000
	Birds						
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$64,000	\$0	\$64,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$70,800	\$0	\$70,800
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$70,800	\$0	\$70,800
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$37,500	\$0	\$37,500
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$37,500	\$0	\$37,500
	Birds Total				\$280,600	\$0	\$280,600
	Fishes						
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$3,300	\$0	\$3,300
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$10,000	\$0	\$10,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$160,000	\$0	\$160,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$17,500	\$0	\$17,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$10,000	\$0	\$10,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	lower Columbia River	\$20,000	\$0	\$20,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$17,500	\$0	\$17,500
	Fishes Total				\$238,300	\$0	\$238,300
Domestic Total					\$661,900	\$0	\$661,900
Grand Total					\$661,900	\$0	\$661,900

DOI Bureau of Land Management FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$1,000	\$0	\$1,000
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$53,000	\$0	\$53,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$29,000	\$0	\$29,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where listed as EXPN or delisted	\$105,778	\$0	\$105,778
		Bear, polar	<i>Ursus maritimus</i>		\$2,450	\$0	\$2,450
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$83,000	\$0	\$83,000
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$383,942	\$0	\$383,942
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$20,000	\$0	\$20,000
		Jaguar	<i>Panthera onca</i>		\$11,000	\$0	\$11,000
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$44,000	\$0	\$44,000
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i> )		\$18,000	\$0	\$18,000
		Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>		\$8,000	\$0	\$8,000
		Lynx, Canada	<i>Lynx canadensis</i>	(Contiguous U.S. DPS)	\$355,202	\$0	\$355,202
		Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>		\$7,200	\$0	\$7,200
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$5,600	\$0	\$5,600
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$46,610	\$0	\$46,610
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$50,000	\$0	\$50,000
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$2,800	\$0	\$2,800
		Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	Peninsular CA pop.	\$15,000	\$0	\$15,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$25,000	\$0	\$25,000

		Shrew, Buena Vista Lake ornate	<i>Sorex ornatus relictus</i>		\$1,500	\$0	\$1,500
		Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>		\$2,500	\$0	\$2,500
		Vole, Amargosa	<i>Microtus californicus scirpensis</i>		\$700	\$0	\$700
		Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>		\$2,500	\$0	\$2,500
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, expt where delisted and EXPN; Mexico.	\$81,088	\$0	\$81,088
	Mammals Total				\$1,354,870	\$0	\$1,354,870
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$56,200	\$0	\$56,200
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$14,600	\$0	\$14,600
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$377,948	\$0	\$377,948
		Eider, spectacled	<i>Somateria fischeri</i>		\$31,200	\$0	\$31,200
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$43,200	\$0	\$43,200
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$625,000	\$0	\$625,000
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$454,366	\$2,235,000	\$2,689,366
		Gnatcatcher, coastal California	<i>Poliptila californica californica</i>		\$22,000	\$0	\$22,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$969,400	\$0	\$969,400
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$270,122	\$0	\$270,122
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$2,356,380	\$0	\$2,356,380
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$1,500	\$0	\$1,500
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$30,200	\$0	\$30,200
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$441,800	\$0	\$441,800
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$172,466	\$0	\$172,466

		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$28,100	\$0	\$28,100
		Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>		\$3,500	\$0	\$3,500
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$22,900	\$0	\$22,900
	Birds Total				\$5,920,882	\$2,235,000	\$8,155,882
	Reptiles						
		Lizard, blunt-nosed leopard	<i>Gambelia silus</i>		\$28,000	\$0	\$28,000
		Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>		\$14,000	\$0	\$14,000
		Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>		\$3,000	\$0	\$3,000
		Tortoise, desert	<i>Gopherus agassizii</i>	outside/taken from Sonoran Desert	\$3,161,433	\$0	\$3,161,433
	Reptiles Total				\$3,206,433	\$0	\$3,206,433
	Amphibians						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$2,100	\$0	\$2,100
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$95,750	\$0	\$95,750
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (CA - Santa Barbara County)	\$25,000	\$0	\$25,000
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (microscaphus)</i>		\$25,000	\$0	\$25,000
		Toad, Wyoming	<i>Bufo baxteri (hemiophrys)</i>		\$4,000	\$0	\$4,000
	Amphibians Total				\$151,850	\$0	\$151,850
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$64,622	\$0	\$64,622
		Chub, Borax Lake	<i>Gila boraxobius</i>		\$10,000	\$0	\$10,000
		Chub, Gila	<i>Gila intermedia</i>		\$39,500	\$0	\$39,500
		Chub, humpback	<i>Gila cypha</i>	entire	\$39,122	\$0	\$39,122
		Chub, Hutton tui	<i>Gila bicolor ssp.</i>	Hutton	\$4,000	\$0	\$4,000
		Chub, Mohave tui	<i>Gila bicolor mohavensis</i>		\$600	\$0	\$600
		Chub, Owens tui	<i>Gila bicolor snyderi</i>		\$4,000	\$0	\$4,000
		Chub, Virgin River	<i>Gila seminuda (=robusta)</i>		\$11,000	\$0	\$11,000
		Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	Foskett	\$18,000	\$0	\$18,000

		Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>		\$4,500	\$0	\$4,500
		Dace, Moapa	<i>Moapa coriacea</i>		\$2,143	\$0	\$2,143
		Minnow, loach	<i>Tiaroga cobitis</i>		\$70,000	\$0	\$70,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where listed as EXPN	\$2,400	\$0	\$2,400
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$50,622	\$0	\$50,622
		Poolfish, Pahrump	<i>Empetrichthys latos</i>		\$39,000	\$0	\$39,000
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$89,000	\$0	\$89,000
		Pupfish, Owens	<i>Cyprinodon radiosus</i>		\$6,000	\$0	\$6,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$522,600	\$500,000	\$1,022,600
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	central CA coast	\$1,766,200	\$0	\$1,766,200
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Snake River, ID stock wherever found.)	\$9,800	\$0	\$9,800
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$9,000	\$0	\$9,000
		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>		\$10,400	\$0	\$10,400
		Spikedace	<i>Meda fulgida</i>		\$70,000	\$0	\$70,000
		Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>		\$412,000	\$0	\$412,000
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$5,000	\$0	\$5,000
		Springfish, Railroad Valley	<i>Crenichthys nevadae</i>		\$1,000	\$0	\$1,000
		Springfish, White River	<i>Crenichthys baileyi baileyi</i>		\$213,000	\$0	\$213,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$701,000	\$80,000	\$781,000
		Sturgeon, North American green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern DPS	\$1,000	\$0	\$1,000
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$18,700	\$0	\$18,700
		Sturgeon, white	<i>Acipenser transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$28,000	\$0	\$28,000

		Sucker, June	<i>Chasmistes liorus</i>		\$1,000	\$0	\$1,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$47,000	\$0	\$47,000
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$108,522	\$0	\$108,522
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$47,000	\$0	\$47,000
		Sucker, Warner	<i>Catostomus warnerensis</i>		\$52,500	\$0	\$52,500
		Topminnow, Gila (incl. Yaqui)	<i>Poeciliopsis occidentalis</i>	U.S.A. only	\$53,000	\$0	\$53,000
		Trout, bull	<i>Salvelinus confluentus</i>	U.S.A., lower 48 states	\$458,193	\$0	\$458,193
		Trout, Gila	<i>Oncorhynchus gilae</i>		\$2,000	\$0	\$2,000
		Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>		\$16,800	\$0	\$16,800
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$655,500	\$0	\$655,500
		Woundfin	<i>Plagopterus argentissimus</i>	Gila R. drainage, AZ, NM	\$1,284,143	\$0	\$1,284,143
	Fishes Total				\$6,947,867	\$580,000	\$7,527,867
	Snails						
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$1,000	\$0	\$1,000
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$12,000	\$0	\$12,000
		Snail, Morro shoulderband (=Banded dune)	<i>Helminthoglypta walkeriana</i>		\$1,000	\$0	\$1,000
		Snail, Snake River physa	<i>Physa natricina</i>		\$12,300	\$0	\$12,300
		Snail, Utah valvata	<i>Valvata utahensis</i>		\$32,800	\$853,000	\$885,800
		Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>		\$4,000	\$0	\$4,000
	Snails Total				\$63,100	\$853,000	\$916,100
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$1,500	\$0	\$1,500
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$13,600	\$0	\$13,600
		Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>		\$5,500	\$0	\$5,500
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$67,500	\$0	\$67,500
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino (E. e. wrightii)</i>		\$45,000	\$0	\$45,000

		Butterfly, Uncompahgre fritillary	<i>Boloria acrocynema</i>		\$14,000	\$0	\$14,000
		Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>		\$16,000	\$0	\$16,000
		Skipper, Carson wandering	<i>Pseudocopaeodes eunus obscurus</i>		\$111,000	\$0	\$111,000
	Insects Total				\$274,100	\$0	\$274,100
	Crustaceans						
		Crayfish, Shasta	<i>Pacifastacus fortis</i>		\$1,000	\$0	\$1,000
		Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>		\$5,000	\$0	\$5,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$4,500	\$0	\$4,500
		Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>		\$2,000	\$0	\$2,000
		Tadpole shrimp vernal pool	<i>Lepidurus packardii</i>		\$2,000	\$0	\$2,000
	Crustaceans Total				\$14,500	\$0	\$14,500
	Flowering Plants						
		Ambrosia, San Diego	<i>Ambrosia pumila</i>		\$1,000	\$0	\$1,000
		Bear-poppy, dwarf	<i>Arctomecon humilis</i>		\$20,000	\$0	\$20,000
		Beardtongue, Penland	<i>Penstemon penlandii</i>		\$4,500	\$0	\$4,500
		Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>		\$16,500	\$0	\$16,500
		Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>		\$11,000	\$0	\$11,000
		Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>		\$20,500	\$0	\$20,500
		Bladderpod, Zapata	<i>Lesquerella thamnophila</i>		\$3,000	\$0	\$3,000
		Blue-star, Kearney's	<i>Amsonia kearneyana</i>		\$500	\$0	\$500
		Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>		\$500	\$0	\$500
		Buckwheat, Ione (incl. Irish Hill)	<i>Eriogonum apricum (incl. var. prostratum)</i>		\$300	\$0	\$300
		Buckwheat, steamboat	<i>Eriogonum ovalifolium var. williamsiae</i>		\$66,000	\$0	\$66,000
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$98,000	\$0	\$98,000
		Butterweed, Layne's	<i>Senecio layneae</i>		\$10,000	\$0	\$10,000
		Button-celery, San Diego	<i>Eryngium aristulatum var. parishii</i>		\$1,000	\$0	\$1,000

		Cactus, Brady pincushion	<i>Pediocactus bradyi</i>		\$3,500	\$0	\$3,500
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$59,166	\$0	\$59,166
		Cactus, Knowlton	<i>Pediocactus knowltonii</i>		\$12,500	\$0	\$12,500
		Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>		\$74,650	\$0	\$74,650
		Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>		\$15,500	\$0	\$15,500
		Cactus, Nichol's Turk's head	<i>Echinocactus horizontalis</i> var. <i>nicholii</i>		\$5,500	\$0	\$5,500
		Cactus, Peebles Navajo	<i>Pediocactus peeblesianus</i> var. <i>peeblesianus</i>		\$4,500	\$0	\$4,500
		Cactus, Pima pineapple	<i>Coryphantha scheeri</i> var. <i>robustispina</i>		\$4,000	\$0	\$4,000
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$1,700	\$0	\$1,700
		Cactus, Siler pincushion	<i>Pediocactus</i> (= <i>Echinocactus</i> , = <i>Utahia</i> ) <i>sileri</i>		\$19,500	\$0	\$19,500
		Cactus, Sneed pincushion	<i>Coryphantha sneedii</i> var. <i>sneedii</i>		\$5,000	\$0	\$5,000
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$16,085	\$0	\$16,085
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$16,585	\$0	\$16,585
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$110,000	\$0	\$110,000
		Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>		\$12,500	\$0	\$12,500
		Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$500	\$0	\$500
		Cliff-rose, Arizona	<i>Purshia</i> (= <i>Cowania</i> ) <i>subintegra</i>		\$5,500	\$0	\$5,500
		Cycladenia, Jones	<i>Cycladenia jonesii</i> (= <i>humilis</i> )		\$23,200	\$0	\$23,200
		Daisy, Willamette	<i>Erigeron decumbens</i> var. <i>decumbens</i>		\$20,000	\$0	\$20,000
		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$14,000	\$0	\$14,000
		Evening-primrose, San Benito	<i>Camissonia benitensis</i>		\$36,000	\$0	\$36,000
		Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>		\$34,000	\$0	\$34,000
		Flannelbush, Pine Hill	<i>Fremontodendron californicum</i>		\$12,500	\$0	\$12,500

			<i>ssp. decumbens</i>				
		Fleabane, Zuni	<i>Erigeron rhizomatus</i>		\$2,000	\$0	\$2,000
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$55,000	\$0	\$55,000
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$376,000	\$0	\$376,000
		Gilia, Monterey	<i>Gilia tenuiflora ssp. arenaria</i>		\$14,000	\$0	\$14,000
		Goldfields, Contra Costa	<i>Lasthenia conjugens</i>		\$19,000	\$0	\$19,000
		Howellia, water	<i>Howellia aquatilis</i>		\$3,000	\$0	\$3,000
		Jewelflower, California	<i>Caulanthus californicus</i>		\$15,500	\$3,000	\$18,500
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$208,142	\$0	\$208,142
		Layia, beach	<i>Layia carnosa</i>		\$85,000	\$0	\$85,000
		Lily, Western	<i>Lilium occidentale</i>		\$12,000	\$0	\$12,000
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$122,000	\$0	\$122,000
		Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>		\$97,000	\$0	\$97,000
		Mallow, Kern	<i>Eremalche kernensis</i>		\$2,000	\$0	\$2,000
		Manzanita, Ione	<i>Arctostaphylo s myrtifolia</i>		\$40,000	\$0	\$40,000
		Manzanita, Morro	<i>Arctostaphylo s morroensis</i>		\$500	\$0	\$500
		Mesa-mint, San Diego	<i>Pogogyne abramsii</i>		\$1,000	\$0	\$1,000
		Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus var. coachellae</i>		\$8,000	\$0	\$8,000
		Milk-vetch, Fish Slough	<i>Astragalus lentiginosus var. piscinensis</i>		\$6,000	\$0	\$6,000
		Milk-vetch, Holmgren	<i>Astragalus holmgrenioru m</i>		\$48,500	\$0	\$48,500
		Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>		\$600	\$0	\$600
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$1,000	\$0	\$1,000
		Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>		\$16,000	\$0	\$16,000
		Milk-vetch, Peirson's	<i>Astragalus magdalenae var. peirsonii</i>		\$41,000	\$0	\$41,000
		Milk-vetch, Shivwits	<i>Astragalus ampullari- oides</i>		\$17,000	\$0	\$17,000
		Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>		\$6,000	\$0	\$6,000

		Milkweed, Welsh's	<i>Asclepias welshii</i>		\$11,500	\$0	\$11,500
		Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>		\$13,500	\$0	\$13,500
		Navarretia, spreading	<i>Navarretia fossalis</i>		\$1,000	\$0	\$1,000
		Niterwort, Amargosa	<i>Nitrophila mohavensis</i>		\$200	\$0	\$200
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$15,600	\$0	\$15,600
		Orcutt grass, California	<i>Orcuttia californica</i>		\$1,000	\$0	\$1,000
		Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>		\$500	\$0	\$500
		Orcutt grass, slender	<i>Orcuttia tenuis</i>		\$4,000	\$0	\$4,000
		Owl's-clover, fleshy	<i>Castilleja campestris ssp. succulenta</i>		\$500	\$0	\$500
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$1,400	\$0	\$1,400
		Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>		\$10,000	\$0	\$10,000
		Penstemon, blowout	<i>Penstemon haydenii</i>		\$113,400	\$0	\$113,400
		Phacelia, clay	<i>Phacelia argillacea</i>		\$200	\$0	\$200
		Phacelia, North Park	<i>Phacelia formosula</i>		\$7,500	\$0	\$7,500
		Piperia, Yadon's	<i>Piperia yadonii</i>		\$1,000	\$0	\$1,000
		Popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$18,000	\$0	\$18,000
		Reed-mustard, Barneby	<i>Schoenocramb e barnebyi</i>		\$400	\$0	\$400
		Reed-mustard, clay	<i>Schoenocramb e argillacea</i>		\$7,693	\$0	\$7,693
		Reed-mustard, shrubby	<i>Schoenocramb e suffrutescens</i>		\$7,693	\$0	\$7,693
		Rock-cress, McDonald's	<i>Arabis macdonald- iana</i>		\$2,000	\$0	\$2,000
		Spineflower, Monterey	<i>Chorizanthe pungens var. pungens</i>		\$13,000	\$0	\$13,000
		Sunflower, Pecos (=puzzle, =paradox)	<i>Helianthus paradoxus</i>		\$25,700	\$0	\$25,700
		Tarplant, Otay	<i>Deinandra (=Hemizonia) conjugens</i>		\$1,000	\$0	\$1,000
		Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>		\$600	\$0	\$600
		Thornmint, San Diego	<i>Acanthominth a ilicifolia</i>		\$5,000	\$0	\$5,000
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$36,180	\$0	\$36,180
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$11,000	\$0	\$11,000
		Wallflower, Menzies'	<i>Erysimum menziesii</i>		\$85,000	\$0	\$85,000

		Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana var. recurva</i>		\$2,500	\$0	\$2,500
		Wild- buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$20,000	\$0	\$20,000
		Wire-lettuce, Malheur	<i>Stephanom- eria malheurensis</i>		\$5,000	\$0	\$5,000
		Wooly-threads, San Joaquin	<i>Monolopia (=Lembertia) congdonii</i>		\$14,000	\$0	\$14,000
	Flowering Plants Total				\$2,391,494	\$3,000	\$2,394,494
Domestic Total					\$20,325,096	\$3,671,000	\$23,996,096
Grand Total					\$20,325,096	\$3,671,000	\$23,996,096

DOI Bureau of Reclamation FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$507,500	\$63,000	\$570,500
		Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>		\$23,500	\$0	\$23,500
		Kangaroo rat, giant	<i>Dipodomys ingens</i>		\$56,500	\$0	\$56,500
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$17,500	\$0	\$17,500
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$192,000	\$0	\$192,000
		Ocelot	<i>Leopardus (=Felis) pardalis</i>		\$125,000	\$0	\$125,000
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>		\$100,500	\$125,000	\$225,500
		Woodrat, riparian (=San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>		\$125,000	\$0	\$125,000
	Mammals Total				\$1,147,500	\$188,000	\$1,335,500
	Birds						
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$1,825,000	\$0	\$1,825,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$108,500	\$0	\$108,500
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$6,739,000	\$3,645,500	\$10,384,500
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$1,825,000	\$0	\$1,825,000
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$192,000	\$0	\$192,000
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$405,500	\$0	\$405,500
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$1,837,000	\$0	\$1,837,000
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$388,500	\$0	\$388,500
	Birds Total				\$13,320,500	\$3,645,500	\$16,966,000
	Reptiles						
		Snake, giant garter	<i>Thamnophis gigas</i>		\$930,000	\$440,000	\$1,370,000
	Amphibians						

		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$92,500	\$0	\$92,500
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$82,500	\$0	\$82,500
	Amphibi- ans Total				\$175,000	\$0	\$175,000
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$2,118,000	\$0	\$2,118,000
		Chub, Gila	<i>Gila intermedia</i>		\$930,000	\$0	\$930,000
		Chub, humpback	<i>Gila cypha</i>	entire	\$2,624,000	\$0	\$2,624,000
		Chub, Oregon	<i>Oregonichthys crameri</i>		\$5,000	\$0	\$5,000
		Cui-ui	<i>Chasmistes cujus</i>		\$785,500	\$0	\$785,500
		Gambusia, Pecos	<i>Gambusia nobilis</i>		\$55,000	\$22,000	\$77,000
		Minnow, loach	<i>Tiaroga cobitis</i>		\$930,000	\$0	\$930,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where EXPN	\$7,506,000	\$3,021,000	\$10,527,000
		Pikeminnow (=squawfish) Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde River drainages, AZ	\$2,688,000	\$369,000	\$3,057,000
		Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>		\$5,500	\$22,000	\$27,500
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$87,000	\$0	\$87,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring-run	\$2,182,500	\$365,500	\$2,548,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$843,000	\$75,000	\$918,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$2,058,000	\$2,181,000	\$4,239,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring/sum mer Snake R.	\$892,000	\$383,000	\$1,275,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	upper Willamette R.	\$78,000	\$0	\$78,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	winter Sacramento R.	\$7,938,500	\$356,500	\$8,295,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	OR, CA pop.	\$19,009,000	\$1,504,000	\$20,513,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Snake River, ID stock wherever found.)	\$843,000	\$75,000	\$918,000

		Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>		\$630,000	\$740,000	\$1,370,000
		Smelt, delta	<i>Hypomesus transpacificus</i>		\$1,237,500	\$0	\$1,237,500
		Spikedace	<i>Meda fulgida</i>		\$930,000	\$0	\$930,000
		Spinedace, Little Colorado	<i>Lepidomeda vittata</i>		\$4,500	\$0	\$4,500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$2,020,500	\$766,500	\$2,787,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Snake R. Basin	\$1,132,000	\$383,000	\$1,515,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	middle Columbia R.	\$3,089,000	\$1,330,000	\$4,419,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Columbia R. Basin	\$1,106,000	\$2,008,000	\$3,114,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	upper Willamette R.	\$115,000	\$0	\$115,000
		Sturgeon, North American green	<i>Acipenser medirostris</i>	U.S.A. (CA) Southern DPS	\$675,000	\$0	\$675,000
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$2,716,500	\$0	\$2,716,500
		Sucker, June	<i>Chasmistes liorus</i>		\$270,000	\$0	\$270,000
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$3,198,500	\$0	\$3,198,500
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$4,942,000	\$369,000	\$5,311,000
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$3,198,500	\$0	\$3,198,500
		Trout, bull	<i>Salvelinus confluentus</i>	U.S.A., contermino us, lower 48 states	\$795,500	\$0	\$795,500
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$250,000	\$0	\$250,000
	Fishes Total				\$77,888,500	\$13,970,500	\$91,859,000
	Snails						
		Snail, Snake River physa	<i>Physa natricina</i>		\$250,000	\$0	\$250,000
		Snail, Utah valvata	<i>Valvata utahensis</i>		\$50,000	\$0	\$50,000
	Snails Total				\$300,000	\$0	\$300,000
	Insects						
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$3,015,500	\$440,000	\$3,455,500
		Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>		\$148,000	\$0	\$148,000

	Insects Total				\$3,163,500	\$440,000	\$3,603,500
	Crustaceans						
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$56,000	\$63,000	\$119,000
		Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>		\$15,000	\$0	\$15,000
	Crustaceans Total				\$71,000	\$63,000	\$134,000
	Flowering Plants						
		Bedstraw, El Dorado	<i>Galium californicum ssp. sierrae</i>		\$14,000	\$0	\$14,000
		Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>		\$82,500	\$0	\$82,500
		Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>		\$9,000	\$0	\$9,000
		Butterweed, Layne's	<i>Senecio layneae</i>		\$14,000	\$0	\$14,000
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$1,000	\$0	\$1,000
		Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>		\$49,000	\$0	\$49,000
		Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>		\$14,000	\$0	\$14,000
		Grass, Colusa	<i>Neostapfia colusana</i>		\$37,000	\$0	\$37,000
		Grass, Solano	<i>Tuctoria mucronata</i>		\$37,000	\$0	\$37,000
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$10,000	\$0	\$10,000
		Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>		\$14,000	\$0	\$14,000
		Orcutt grass, hairy	<i>Orcuttia pilosa</i>		\$37,000	\$0	\$37,000
		Wild-buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$4,000	\$0	\$4,000
	Flowering Plants Total				\$322,500	\$0	\$322,500
Domestic Total					\$97,318,500	\$18,747,000	\$116,065,500
Grand Total					\$97,318,500	\$18,747,000	\$116,065,500

DOI Minerals Management Service FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bear, polar	<i>Ursus maritimus</i>		\$650,000	\$0	\$650,000
		Manatee, West Indian	<i>Trichechus manatus</i>		\$10,000	\$0	\$10,000
		Whale, bowhead	<i>Balaena mysticetus</i>		\$1,500,000	\$0	\$1,500,000
		Whale, finback	<i>Balaenoptera physalus</i>		\$400,000	\$0	\$400,000
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$800,000	\$0	\$800,000
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$1,700,000	\$0	\$1,700,000
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$450,000	\$0	\$450,000
	Mammals Total				\$5,510,000	\$0	\$5,510,000
	Birds						
		Eider, spectacled	<i>Somateria fischeri</i>		\$120,000	\$0	\$120,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$120,000	\$0	\$120,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$450,000	\$0	\$450,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$450,000	\$0	\$450,000
	Birds Total				\$1,140,000	\$0	\$1,140,000
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$30,000	\$0	\$30,000
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$30,000	\$0	\$30,000
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$30,000	\$0	\$30,000
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$10,000	\$0	\$10,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$30,000	\$0	\$30,000
	Reptiles Total				\$130,000	\$0	\$130,000
Domestic Total					\$6,780,000	\$0	\$6,780,000
Grand Total					\$6,780,000	\$0	\$6,780,000

DOI National Park Service FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$34,550	\$0	\$34,550
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$600	\$0	\$600
		Bat, Indiana	<i>Myotis sodalis</i>		\$119,579	\$0	\$119,579
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$44,200	\$0	\$44,200
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$22,500	\$0	\$22,500
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$600	\$0	\$600
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where listed as EXPN or delisted	\$896,523	\$0	\$896,523
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$4,800	\$0	\$4,800
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (specific portions of AZ, CO, MT, SD, UT, WY)	\$125,000	\$0	\$125,000
		Ferret, black-footed	<i>Mustela nigripes</i>	entire population, except where EXPN	\$38,200	\$0	\$38,200
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$220,000	\$0	\$220,000
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>		\$10,000	\$0	\$10,000
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>		\$220,000	\$0	\$220,000
		Lynx, Canada	<i>Lynx canadensis</i>	(Contiguous U.S. DPS)	\$59,500	\$0	\$59,500
		Manatee, West Indian	<i>Trichechus manatus</i>		\$16,942	\$0	\$16,942
		Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>		\$200	\$0	\$200
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$10,000	\$0	\$10,000
		Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>		\$7,300	\$0	\$7,300

		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$300,300	\$0	\$300,300
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$20,000	\$0	\$20,000
		Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>		\$70,000	\$0	\$70,000
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$2,200	\$0	\$2,200
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$11,000	\$0	\$11,000
		Seal, Hawaiian monk	<i>Monachus schauinslandi</i>		\$37,000	\$0	\$37,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$3,700	\$0	\$3,700
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$12,000	\$0	\$12,000
		Whale, blue	<i>Balaenoptera musculus</i>		\$1,000	\$0	\$1,000
		Whale, finback	<i>Balaenoptera physalus</i>		\$300	\$0	\$300
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$167,300	\$0	\$167,300
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$300	\$0	\$300
		Whale, sperm	<i>Physeter catodon (=macrocephalus)</i>		\$5,000	\$0	\$5,000
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except where delisted and where EXPN. Mexico.	\$8,200	\$0	\$8,200
		Wolf, gray	<i>Canis lupus</i>	Northern Rocky Mountain DPS	\$223,000	\$0	\$223,000
	Mammals Total				\$2,691,794	\$0	\$2,691,794
	Birds						
		Akepa, Maui (honeycreeper)	<i>Loxops coccineus ochraceus</i>		\$1,000	\$0	\$1,000
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (specific portions of AZ, NV, and UT)	\$67,000	\$0	\$67,000
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$375,000	\$0	\$375,000
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$500	\$0	\$500
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$80,000	\$0	\$80,000

		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$79,205	\$0	\$79,205
		Gnatcatcher, coastal California	<i>Polioptila californica californica</i>		\$700	\$0	\$700
		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$209,086	\$0	\$209,086
		Honeycreeper, crested	<i>Palmeria dolei</i>		\$1,000	\$0	\$1,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$90,120	\$0	\$90,120
		Nukupu`u (honeycreeper)	<i>Hemignathus lucidus</i>		\$1,000	\$0	\$1,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$390,310	\$0	\$390,310
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$639,086	\$0	\$639,086
		Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>		\$1,000	\$0	\$1,000
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$13,000	\$0	\$13,000
		Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>		\$84,586	\$0	\$84,586
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$41,800	\$0	\$41,800
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$963,402	\$0	\$963,402
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$166,300	\$0	\$166,300
		Po'ouli (honeycreeper)	<i>Melamprosops phaeosoma</i>		\$1,000	\$0	\$1,000
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$6,500	\$0	\$6,500
		Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>		\$300,000	\$0	\$300,000
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$500	\$0	\$500
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$6,250	\$0	\$6,250
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$62,000	\$0	\$62,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$500	\$0	\$500
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$20,651	\$0	\$20,651
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$2,500	\$0	\$2,500

		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$500	\$0	\$500
		Warbler, nightingale reed (old world)	<i>Acrocephalus luscini</i>		\$1,500	\$0	\$1,500
		Woodpecker ivory-billed	<i>Campephilus principalis</i>	entire	\$25,000	\$0	\$25,000
		Woodpecker red-cockaded	<i>Picoides borealis</i>		\$71,150	\$0	\$71,150
	Birds Total				\$3,702,146	\$0	\$3,702,146
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$51,000	\$0	\$51,000
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$29,200	\$0	\$29,200
		Lizard, St. Croix ground	<i>Ameiva polops</i>		\$20,000	\$0	\$20,000
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$17,600	\$0	\$17,600
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$222,485	\$0	\$222,485
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$178,570	\$0	\$178,570
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$20,416	\$0	\$20,416
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$210,035	\$0	\$210,035
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$392,223	\$0	\$392,223
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$13,300	\$0	\$13,300
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$5,000	\$0	\$5,000
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except Sonoran Dst.	\$322,800	\$0	\$322,800
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of of Mobile/Tombigbee Rs.	\$12,000	\$0	\$12,000
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$14,400	\$0	\$14,400
		Turtle, ringed map	<i>Graptemys oculifera</i>		\$2,800	\$0	\$2,800
	Reptiles Total				\$1,511,829	\$0	\$1,511,829
	Amphibians						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$10,000	\$0	\$10,000
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$69,000	\$0	\$69,000

		Salamander, Shenandoah	<i>Plethodon shenandoah</i>		\$30,000	\$0	\$30,000
	Amphibi- ans Total				\$109,000	\$0	\$109,000
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$8,750	\$0	\$8,750
		Chub, humpback	<i>Gila cypha</i>	entire	\$116,750	\$0	\$116,750
		Chub, Mohave tui	<i>Gila bicolor mohavensis</i>		\$119,500	\$0	\$119,500
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$11,351	\$0	\$11,351
		Dace, blackside	<i>Phoxinus cumberlanden sis</i>		\$1,900	\$0	\$1,900
		Darter, duskytail	<i>Etheostoma percnurum</i>	Entire	\$12,351	\$0	\$12,351
		Darter, slackwater	<i>Etheostoma boschungii</i>		\$2,800	\$0	\$2,800
		Gambusia, Big Bend	<i>Gambusia gaigei</i>		\$5,000	\$0	\$5,000
		Goby, tidewater	<i>Eucyclogobius newberryi</i>	Entire	\$46,000	\$0	\$46,000
		Madtom, smoky	<i>Noturus baileyi</i>	Entire	\$11,351	\$0	\$11,351
		Madtom, yellowfin	<i>Noturus flavipinnis</i>	except where EXPN	\$11,351	\$0	\$11,351
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where listed as an EXPN	\$1,000	\$0	\$1,000
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$45,720	\$0	\$45,720
		Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>		\$635,072	\$0	\$635,072
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring- run	\$3,000	\$0	\$3,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$35,000	\$0	\$35,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$11,500	\$0	\$11,500
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	OR, CA pop.	\$35,000	\$0	\$35,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	central CA coast	\$90,000	\$0	\$90,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Ozette Lake, WA)	\$15,000	\$0	\$15,000
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$1,600	\$0	\$1,600
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$300	\$0	\$300
		Shiner, palezone	<i>Notropis albizonatus</i>		\$1,000	\$0	\$1,000
		Shiner, Topeka	<i>Notropis topeka (tristis)</i>		\$23,190	\$0	\$23,190

		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	Central Valley CA	\$73,000	\$0	\$73,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	central CA coast	\$10,000	\$0	\$10,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	middle Columbia R.	\$11,999	\$0	\$11,999
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	northern CA	\$37,000	\$0	\$37,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	southern CA coast	\$50,000	\$0	\$50,000
		Steelhead	<i>Oncorhynchus</i> (=Salmo) <i>mykiss</i>	upper Columbia R. Basin	\$2,000	\$0	\$2,000
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$30,055	\$0	\$30,055
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$200	\$0	\$200
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	entire	\$80,000	\$0	\$80,000
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	U.S.A., conterminous, lower 48 states	\$242,499	\$0	\$242,499
		Trout, greenback cutthroat	<i>Oncorhynchus</i> <i>clarki stomias</i>		\$70,000	\$0	\$70,000
	Fishes Total				\$1,851,239	\$0	\$1,851,239
	Clams						
		Bean, Cumberland (pearlymus- sel)	<i>Villosa</i> <i>trabalis</i>	Entire Range; Except where listed as EXPN	\$1,000	\$0	\$1,000
		Blossom, tubercled (pearlymus- sel)	<i>Epioblasma</i> <i>torulosa</i>	Entire Range; Except where listed as EXPN	\$2,750	\$0	\$2,750
		Catspaw (=purple cat's paw pearlymus- sel)	<i>Epioblasma</i> <i>obliquata</i>	Entire Range; Except where listed as EXPN	\$5,500	\$0	\$5,500
		Clubshell	<i>Pleurobema</i> <i>clava</i>	Entire Range; Except where listed as EXPN	\$2,750	\$0	\$2,750
		Combshell, Cumberlan- dian	<i>Epioblasma</i> <i>brevidens</i>	Entire Range; Except where listed as EXPN	\$3,800	\$0	\$3,800
		Elktoe, Cumberland	<i>Alasmidonta</i> <i>atropurpurea</i>		\$1,000	\$0	\$1,000
		Fanshell	<i>Cyprogenia</i> <i>stegaria</i>		\$2,750	\$0	\$2,750
		Higgins eye (pearlymus- sel)	<i>Lampsilis</i> <i>higginsii</i>		\$11,900	\$0	\$11,900

		Mucket, pink (pearly mussel)	<i>Lampsilis abrupta</i>		\$2,750	\$0	\$2,750
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire Range; Except where listed as EXPN	\$4,450	\$0	\$4,450
		Pearly mussel, cracking	<i>Hemistena lata</i>	Entire Range; Except where listed as EXPN	\$2,750	\$0	\$2,750
		Pearly mussel, dromedary	<i>Dromus dromas</i>	Entire Range; Except where listed as EXPN	\$1,650	\$0	\$1,650
		Pearly mussel, littlewing	<i>Pegias fabula</i>		\$1,000	\$0	\$1,000
		Pigtoe, rough	<i>Pleurobema plenum</i>		\$2,750	\$0	\$2,750
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$2,750	\$0	\$2,750
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i>		\$1,000	\$0	\$1,000
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$2,750	\$0	\$2,750
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$8,000	\$0	\$8,000
	Clams Total				\$61,300	\$0	\$61,300
	Insects						
		Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>		\$70,300	\$0	\$70,300
		Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>		\$200,000	\$0	\$200,000
		Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>		\$100	\$0	\$100
		Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>		\$500	\$0	\$500
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$100	\$0	\$100
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$1,500	\$0	\$1,500
	Insects Total				\$272,500	\$0	\$272,500
	Crustaceans						
		Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>		\$2,750	\$0	\$2,750
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$20,000	\$0	\$20,000
		Coral, staghorn	<i>Acropora cervicornis</i>		\$18,500	\$0	\$18,500

	Corals Total				\$38,500	\$0	\$38,500
	Flowering Plants						
		Alani	<i>Melicope balloui</i>		\$13,300	\$0	\$13,300
		Alani	<i>Melicope ovalis</i>		\$21,300	\$0	\$21,300
		Alopecurus, Sonoma	<i>Alopecurus aequalis var. sonomensis</i>		\$12,475	\$0	\$12,475
		Amaranth, seabeach	<i>Amaranthus pumilus</i>		\$119,568	\$0	\$119,568
		Avens, spreading	<i>Geum radiatum</i>		\$3,210	\$0	\$3,210
		Bladderpod, Missouri	<i>Lesquerella filiformis</i>		\$15,500	\$0	\$15,500
		Blazingstar, Heller's	<i>Liatris helleri</i>		\$2,560	\$0	\$2,560
		Cactus, Chisos Mountain hedgehog	<i>Echinocereus chisoensis var. chisoensis</i>		\$4,800	\$0	\$4,800
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$750	\$0	\$750
		Cactus, Lee pincushion	<i>Coryphantha sneedii var. leei</i>		\$900	\$0	\$900
		Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>		\$2,200	\$0	\$2,200
		Cactus, Sneed pincushion	<i>Coryphantha sneedii var. sneedii</i>		\$900	\$0	\$900
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$10,733	\$0	\$10,733
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$1,183	\$0	\$1,183
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$4,100	\$0	\$4,100
		Clarkia, Presidio	<i>Clarkia franciscana</i>		\$25,910	\$0	\$25,910
		Clover, showy Indian	<i>Trifolium amoenum</i>		\$4,500	\$0	\$4,500
		Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>		\$100	\$0	\$100
		Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>		\$1,200	\$0	\$1,200
		Daisy, Maguire	<i>Erigeron maguirei</i>		\$1,000	\$0	\$1,000
		Dudleya, Conejo	<i>Dudleya abramsii ssp. parva</i>		\$1,000	\$0	\$1,000
		Dudleya, marcescent	<i>Dudleya cymosa ssp. marcescens</i>		\$1,000	\$0	\$1,000
		Dudleya, Verity's	<i>Dudleya verityi</i>		\$1,000	\$0	\$1,000

		Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa ssp. ovatifolia</i>		\$1,000	\$0	\$1,000
		Dwarf-flax, Marin	<i>Hesperolinon congestum</i>		\$21,400	\$0	\$21,400
		Evening- primrose, Eureka Valley	<i>Oenothera avita ssp. eurekaensis</i>		\$17,000	\$0	\$17,000
		Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>		\$39,900	\$0	\$39,900
		Grass, Eureka Dune	<i>Swallenia alexandrae</i>		\$17,000	\$0	\$17,000
		Ground- plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$100	\$0	\$100
		Haha	<i>Cyanea copelandii ssp. haleakalaensis</i>		\$13,300	\$0	\$13,300
		Haha	<i>Cyanea glabra</i>		\$13,300	\$0	\$13,300
		Haha	<i>Cyanea grimesiana ssp. grimesiana</i>		\$200	\$0	\$200
		Haha	<i>Cyanea hamatiflora ssp. hamatiflora</i>		\$13,300	\$0	\$13,300
		Hala pepe	<i>Pleomele hawaiiensis</i>		\$400	\$0	\$400
		Harperella	<i>Ptilimnium nodosum</i>		\$5,380	\$0	\$5,380
		Heartleaf, dwarf- flowered	<i>Hexastylis naniflora</i>		\$2,700	\$0	\$2,700
		Ischaemum, Hilo	<i>Ischaemum byrone</i>		\$13,300	\$0	\$13,300
		Koki'o ke'oke'o	<i>Hibiscus arnottianus ssp. immaculatus</i>		\$1,500	\$0	\$1,500
		Ko'oko'olau	<i>Bidens micrantha ssp. kalealaha</i>		\$16,000	\$0	\$16,000
		Ko'oloa'ula	<i>Abutilon menziesii</i>		\$400	\$0	\$400
		Kuahiwi laukahi	<i>Plantago princeps</i>		\$21,300	\$0	\$21,300
		Kula wahine noho	<i>Isodendron pyrifolium</i>		\$400	\$0	\$400
		Layia, beach	<i>Layia carnosae</i>		\$12,075	\$0	\$12,075
		Lessingia, San Francisco	<i>Lessingia germanorum (=L.g. var. germanorum)</i>		\$7,500	\$0	\$7,500
		Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>		\$1,000	\$0	\$1,000
		Lo'ulu	<i>Pritchardia affinis</i>		\$3,525	\$0	\$3,525

		Lupine, clover	<i>Lupinus tidedstromii</i>		\$11,075	\$0	\$11,075
		Makou	<i>Peucedanum sandwicense</i>		\$500	\$0	\$500
		Manzanita, Presidio	<i>Arctostaphylos hookeri</i> var. <i>ravenii</i>		\$3,000	\$0	\$3,000
		Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>		\$10,000	\$0	\$10,000
		Milk-vetch, Sentry	<i>Astragalus cremnophylax</i> var. <i>cremnophylax</i>		\$10,000	\$0	\$10,000
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$17,000	\$0	\$17,000
		Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>		\$3,450	\$0	\$3,450
		Monkey- flower, Michigan	<i>Mimulus glabratus</i> var. <i>michiganensis</i>		\$1,500	\$0	\$1,500
		No common name	<i>Platanthera holochila</i>		\$300	\$0	\$300
		No common name	<i>Schiedea haleakalensis</i>		\$53,200	\$0	\$53,200
		No common name	<i>Schiedea hookeri</i>		\$300	\$0	\$300
		No common name	<i>Tetramolopiu m rockii</i>		\$1,500	\$0	\$1,500
		Nohoanu	<i>Geranium multiflorum</i>		\$26,600	\$0	\$26,600
		Ohai	<i>Sesbania tomentosa</i>		\$900	\$0	\$900
		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$15,900	\$0	\$15,900
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$32,697	\$0	\$32,697
		Paintbrush, soft-leaved	<i>Castilleja mollis</i>		\$500	\$0	\$500
		Paintbrush, Tiburon	<i>Castilleja affinis</i> ssp. <i>neglecta</i>		\$2,250	\$0	\$2,250
		Panicgrass, Carter's	<i>Panicum fauriei</i> var. <i>carteri</i>		\$2,000	\$0	\$2,000
		Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>		\$30,000	\$0	\$30,000
		Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>		\$115	\$0	\$115
		Phlox, Texas trailing	<i>Phlox nivalis</i> ssp. <i>texensis</i>		\$15,000	\$0	\$15,000
		Pink, swamp	<i>Helonias bullata</i>		\$2,080	\$0	\$2,080
		Pitcher- plant, green	<i>Sarracenia oreophila</i>		\$22,000	\$0	\$22,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$14,625	\$0	\$14,625
		Potato-bean, Price's	<i>Apios priceana</i>		\$2,800	\$0	\$2,800

		Pua `ala	<i>Brighamia rockii</i>		\$7,500	\$0	\$7,500
		Rosemary, Cumberland	<i>Conradina verticillata</i>		\$1,000	\$0	\$1,000
		Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>		\$1,000	\$0	\$1,000
		Seablite, California	<i>Suaeda californica</i>		\$225	\$0	\$225
		Sedge, Navajo	<i>Carex specuicola</i>		\$4,500	\$0	\$4,500
		Silversword, Mauna Loa (=Ka'u)	<i>Argyroxiphium kauense</i>		\$48,522	\$0	\$48,522
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$3,000	\$0	\$3,000
		Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>		\$500	\$0	\$500
		Spineflower, Sonoma	<i>Chorizanthe valida</i>		\$6,280	\$0	\$6,280
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$5,500	\$0	\$5,500
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$806	\$0	\$806
		Sunflower, San Mateo woolly	<i>Eriophyllum latilobum</i>		\$115	\$0	\$115
		Thistle, fountain	<i>Cirsium fontinale</i> var. <i>fontinale</i>		\$115	\$0	\$115
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$14,300	\$0	\$14,300
		Thornmint, San Mateo	<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>		\$115	\$0	\$115
		Uhiuhi	<i>Caesalpinia kavaiense</i>		\$400	\$0	\$400
		`Ahinahina	<i>Argyroxiphium sandwicense</i> ssp. <i>Macrocephalum</i>		\$13,300	\$0	\$13,300
		`Awikiwiki	<i>Canavalia molokaiensis</i>		\$5,000	\$0	\$5,000
		`Oha wai	<i>Clermontia lindseyana</i>		\$300	\$0	\$300
		`Oha wai	<i>Clermontia oblongifolia</i> ssp. <i>mauiensis</i>		\$300	\$0	\$300
		`Oha wai	<i>Clermontia peleana</i>		\$300	\$0	\$300
		`Oha wai	<i>Clermontia samuelii</i>		\$300	\$0	\$300
	Flowering Plants Total				\$863,839	\$0	\$863,839
	Conifers and Cycads						
		Cypress, Gowen	<i>Cupressus goveniana</i> ssp. <i>goveniana</i>		\$2,500	\$0	\$2,500

	Ferns and Allies						
		No common name	<i>Asplenium fragile var. insulare</i>		\$200	\$0	\$200
		No common name	<i>Diplazium molokaiense</i>		\$2,600	\$0	\$2,600
		Pauoa	<i>Ctenitis squamigera</i>		\$300	\$0	\$300
		Wawae`iole	<i>Huperzia mannii</i>		\$300	\$0	\$300
	Ferns and Allies Total				\$3,400	\$0	\$3,400
	Lichens						
		Lichen, rock gnome	<i>Gymnoderma lineare</i>		\$5,020	\$0	\$5,020
Domestic Total					\$11,115,817	\$0	\$11,115,817
Grand Total					\$11,115,817	\$0	\$11,115,817

DOI US Geological Survey FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$900	\$0	\$900
		Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>		\$116,300	\$0	\$116,300
		Bat, Indiana	<i>Myotis sodalis</i>		\$65,300	\$0	\$65,300
		Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>		\$5,000	\$0	\$5,000
		Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>		\$5,000	\$0	\$5,000
		Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>		\$2,400	\$0	\$2,400
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$300	\$0	\$300
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where listed as EXPN or delisted	\$782,112	\$0	\$782,112
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$52,997	\$0	\$52,997
		Bear, polar	<i>Ursus maritimus</i>		\$745,791	\$0	\$745,791
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (AZ, CO, MT, SD, UT, and WY)	\$283,714	\$0	\$283,714
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$8,117	\$0	\$8,117
		Fox, Santa Catalina Island	<i>Urocyon littoralis catalinae</i>		\$8,117	\$0	\$8,117
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>		\$8,117	\$0	\$8,117
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>		\$8,117	\$0	\$8,117
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$4,000	\$0	\$4,000
		Manatee, West Indian	<i>Trichechus manatus</i>		\$1,156,760	\$0	\$1,156,760
		Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>		\$4,000	\$0	\$4,000
		Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>		\$300	\$0	\$300

		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$2,400	\$0	\$2,400
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$43,825	\$0	\$43,825
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$642,867	\$0	\$642,867
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$10,599	\$0	\$10,599
		Prairie dog, Utah	<i>Cynomys parvidens</i>		\$1,500	\$0	\$1,500
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$42,350	\$0	\$42,350
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$61,750	\$0	\$61,750
		Wolf, gray	<i>Canis lupus</i>	Western Great Lakes DPS	\$474,607	\$0	\$474,607
		Wolf, red	<i>Canis rufus</i>	U.S.A. (portions of NC and TN)	\$1,500	\$0	\$1,500
		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$34,100	\$0	\$34,100
	Mammals Total				\$4,572,840	\$0	\$4,572,840
	Birds						
		Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>		\$3,125	\$0	\$3,125
		Akepa, Maui (honeycreeper)	<i>Loxops coccineus ochraceus</i>		\$3,125	\$0	\$3,125
		Akialoa, Kauai (honeycreeper)	<i>Hemignathus procerus</i>		\$3,125	\$0	\$3,125
		Akiapola`au (honeycreeper)	<i>Hemignathus munroi</i>		\$3,125	\$0	\$3,125
		Coot, Hawaiian	<i>Fulica americana alai</i>		\$1,500	\$0	\$1,500
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$16,325	\$0	\$16,325
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$1,405,737	\$0	\$1,405,737
		Duck, Hawaiian	<i>Anas wyvilliana</i>		\$21,800	\$0	\$21,800
		Duck, Laysan	<i>Anas laysanensis</i>		\$161,187	\$0	\$161,187
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$7,500	\$0	\$7,500
		Eider, spectacled	<i>Somateria fischeri</i>		\$21,000	\$0	\$21,000
		Eider, Steller's	<i>Polysticta stelleri</i>	AK breeding pop.	\$25,100	\$0	\$25,100
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$120,812	\$0	\$120,812

		Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>		\$60,000	\$0	\$60,000
		Hawk, Hawaiian (=ʻIo)	<i>Buteo solitarius</i>		\$32,600	\$0	\$32,600
		Megapode, Micronesian	<i>Megapodius laperouse</i>		\$6,000	\$0	\$6,000
		Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>		\$600	\$0	\$600
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$12,500	\$0	\$12,500
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$126,652	\$0	\$126,652
		Palila (honeycreeper)	<i>Loxioides bailleui</i>		\$169,875	\$0	\$169,875
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$43,915	\$0	\$43,915
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$703,370	\$0	\$703,370
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$71,553	\$0	\$71,553
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$54,712	\$0	\$54,712
		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$1,300	\$0	\$1,300
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$4,477	\$0	\$4,477
		Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>		\$900	\$0	\$900
		Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>		\$6,000	\$0	\$6,000
		Tern, California least	<i>Sterna antillarum browni</i>		\$1,000	\$0	\$1,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$113,085	\$0	\$113,085
		Tern, roseate	<i>Sterna dougallii dougallii</i>	Western Hemisphere except NE U.S.	\$1,980	\$0	\$1,980
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$1,980	\$0	\$1,980
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$82,551	\$0	\$82,551
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$79,965	\$0	\$79,965
		Warbler, nightingale reed (old world warbler)	<i>Acrocephalus luscini</i>		\$7,000	\$0	\$7,000

		White-eye, bridled	<i>Zosterops conspicillatus conspicillatus</i>		\$600	\$0	\$600
		Woodpecker, ivory-billed	<i>Campephilus principalis</i>	entire	\$4,746	\$0	\$4,746
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$15,400	\$0	\$15,400
	Birds Total				\$3,396,222	\$0	\$3,396,222
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$127,937	\$0	\$127,937
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$118,092	\$0	\$118,092
		Lizard, Island night	<i>Xantusia riversiana</i>		\$28,632	\$0	\$28,632
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$16,682	\$0	\$16,682
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$58,589	\$0	\$58,589
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$97,277	\$0	\$97,277
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$300	\$0	\$300
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$6,389	\$0	\$6,389
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$2,000	\$0	\$2,000
		Snake, Concho water	<i>Nerodia paucimaculata</i>		\$2,571	\$0	\$2,571
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$2,000	\$0	\$2,000
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$576,994	\$0	\$576,994
		Whipsnake (striped racer), Alameda	<i>Masticophis lateralis euryxanthus</i>		\$43,478	\$0	\$43,478
	Reptiles Total				\$1,080,941	\$0	\$1,080,941
	Amphibians						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$60,710	\$0	\$60,710
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$57,850	\$0	\$57,850
		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$42,000	\$0	\$42,000
		Salamander, Shenandoah	<i>Plethodon shenandoah</i>		\$55,175	\$0	\$55,175
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$19,000	\$0	\$19,000
	Amphibians Total				\$234,735	\$0	\$234,735

Fishes							
		Cavefish, Ozark	<i>Amblyopsis rosae</i>		\$400	\$0	\$400
		Chub, bonytail	<i>Gila elegans</i>	entire	\$130,503	\$0	\$130,503
		Cui-ui	<i>Chasmistes cujus</i>		\$28,424	\$0	\$28,424
		Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>		\$35,286	\$0	\$35,286
		Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>		\$37,678	\$0	\$37,678
		Darter, Okaloosa	<i>Etheostoma okaloosae</i>		\$55,501	\$0	\$55,501
		Madtom, Neosho	<i>Noturus placidus</i>		\$40,000	\$0	\$40,000
		Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where listed as EXPN	\$30,000	\$0	\$30,000
		Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>		\$35,286	\$0	\$35,286
		Pupfish, desert	<i>Cyprinodon macularius</i>		\$79,405	\$0	\$79,405
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of Maine Atlantic Salmon DPS	\$424,311	\$0	\$424,311
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$277,663	\$0	\$277,663
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	lower Columbia R.	\$52,779	\$0	\$52,779
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	OR, CA pop.	\$85,700	\$0	\$85,700
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Ozette Lake, WA)	\$136,878	\$0	\$136,878
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$16,569	\$0	\$16,569
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>		\$52,778	\$0	\$52,778
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	central CA coast	\$11,000	\$0	\$11,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	south central CA coast	\$11,000	\$0	\$11,000
		Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>		\$10,000	\$0	\$10,000
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$51,007	\$0	\$51,007
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$3,144,746	\$0	\$3,144,746
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$209,000	\$0	\$209,000

		Sturgeon, white	<i>Acipenser transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$90,916	\$0	\$90,916
		Sucker, Lost River	<i>Delistes luxatus</i>		\$1,303,558	\$0	\$1,303,558
		Sucker, razorback	<i>Xyrauchen texanus</i>	entire	\$151,514	\$0	\$151,514
		Sucker, shortnose	<i>Chasmistes brevirostris</i>		\$1,303,558	\$0	\$1,303,558
		Trout, bull	<i>Salvelinus confluentus</i>	U.S.A., lower 48 states	\$214,044	\$0	\$214,044
		Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>		\$27,376	\$0	\$27,376
	Fishes Total				\$8,046,880	\$0	\$8,046,880
	Clams						
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where listed as EXPN	\$91,600	\$0	\$91,600
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where listed as EXPN	\$23,300	\$0	\$23,300
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	U.S.A. (TN - specified portions of the French Broad and Holston Rivers	\$10,000	\$0	\$10,000
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$91,600	\$0	\$91,600
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$201,000	\$0	\$201,000
	Clams Total				\$417,500	\$0	\$417,500
	Snails						
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$20,000	\$0	\$20,000
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$58,000	\$0	\$58,000
		Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i> (= <i>E. e. wrightii</i> )		\$12,513	\$0	\$12,513
	Insects Total				\$70,513	\$0	\$70,513
	Crustaceans						
		Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>		\$7,810	\$0	\$7,810
		Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>		\$38,542	\$0	\$38,542
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$46,235	\$0	\$46,235

		Isopod, Madison Cave	<i>Antrolana lira</i>		\$17,100	\$0	\$17,100
		Shrimp, California freshwater	<i>Syncaris pacifica</i>		\$44,565	\$0	\$44,565
	Crusta- ceans Total				\$154,252	\$0	\$154,252
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$5,232	\$0	\$5,232
		Coral, staghorn	<i>Acropora cervicornis</i>		\$5,233	\$0	\$5,233
	Corals Total				\$10,465	\$0	\$10,465
	Flowering Plants						
		Alani	<i>Melicope zahlbruckneri</i>		\$14,000	\$0	\$14,000
		Barberry, island	<i>Berberis pinnata ssp. insularis</i>		\$7,000	\$0	\$7,000
		Bedstraw, island	<i>Galium buxifolium</i>		\$7,000	\$0	\$7,000
		Bush-mallow, Santa Cruz Island	<i>Malacotham- nus fasciculatus var. nesioticus</i>		\$7,000	\$0	\$7,000
		Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>		\$7,000	\$0	\$7,000
		Fringepod, Santa Cruz Island	<i>Thysanocar- pus conchuliferus</i>		\$7,000	\$0	\$7,000
		Gilia, Hoffmann's slender- flowered	<i>Gilia tenuiflora ssp. hoffmannii</i>		\$7,000	\$0	\$7,000
		Hau kuahiwi	<i>Hibiscade- lphus giffardianus</i>		\$14,000	\$0	\$14,000
		Ha`iwale	<i>Cyrtandra giffardii</i>		\$14,000	\$0	\$14,000
		Ha`iwale	<i>Cyrtandra tintinnabula</i>		\$14,000	\$0	\$14,000
		Lupine, Kincaid's	<i>Lupinus sulphureus (=oreganus) ssp. kincaidii (=var. kincaidii)</i>		\$12,227	\$0	\$12,227
		Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>		\$7,000	\$0	\$7,000
		Manzanita, Santa Rosa Island	<i>Arctostaphylo s confertiflora</i>		\$7,000	\$0	\$7,000
		Milk-vetch, Shivwits	<i>Astragalus ampullarioides</i>		\$10,000	\$0	\$10,000
		No common name	<i>Silene hawaiiensis</i>		\$14,000	\$0	\$14,000
		Ohai	<i>Sesbania tomentosa</i>		\$15,000	\$0	\$15,000

		Paintbrush, soft-leaved	<i>Castilleja mollis</i>		\$7,000	\$0	\$7,000
		Phacelia, island	<i>Phacelia insularis ssp. insularis</i>		\$7,000	\$0	\$7,000
		Po'e	<i>Portulaca sclerocarpa</i>		\$14,000	\$0	\$14,000
		Rush-rose, island	<i>Helianthemum greenei</i>		\$7,000	\$0	\$7,000
		Thistle, Pitcher's	<i>Cirsium pitcheri</i>		\$7,000	\$0	\$7,000
		'Anunu	<i>Sicyos alba</i>		\$14,000	\$0	\$14,000
	Flowering Plants Total				\$219,227	\$0	\$219,227
Domestic Total					\$18,223,575	\$0	\$18,223,575
Foreign							
	Birds						
		Crane, black- necked	<i>Grus nigricollis</i>		\$200	\$0	\$200
		Crane, hooded	<i>Grus monacha</i>		\$100	\$0	\$100
		Crane, Japanese	<i>Grus japonensis</i>		\$200	\$0	\$200
		Crane, Siberian white	<i>Grus leucogeranus</i>		\$300	\$0	\$300
		Crane, white- naped	<i>Grus vipio</i>		\$100	\$0	\$100
	Birds Total				\$900	\$0	\$900
	Reptiles						
		Iguana, Fiji banded	<i>Brachylophus fasciatus</i>		\$18,000	\$0	\$18,000
Foreign Total					\$18,900	\$0	\$18,900
Grand Total					\$18,242,475	\$0	\$18,242,475

DOT Federal Aviation Administration FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$34,500	\$0	\$34,500
		Otter, Northern Sea	<i>Enhydra lutris kenyoni</i>	southwest Alaska DPS	\$10,000	\$0	\$10,000
		Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	Sierra Nevada	\$48,000	\$0	\$48,000
	Mammals Total				\$92,500	\$0	\$92,500
	Birds						
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$48,000	\$0	\$48,000
		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$5,000	\$0	\$5,000
	Birds Total				\$53,000	\$0	\$53,000
	Reptiles						
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$100,000	\$0	\$100,000
	Fishes						
		Chub, Owens tui	<i>Gila bicolor snyderi</i>		\$48,000	\$0	\$48,000
Domestic Total					\$293,500	\$0	\$293,500
Grand Total					\$293,500	\$0	\$293,500

DOT Federal Highway Administration FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$1,200	\$0	\$1,200
		Bat, Indiana	<i>Myotis sodalis</i>		\$11,130,350	\$0	\$11,130,350
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$52,507	\$0	\$52,507
		Caribou, woodland	<i>Rangifer tarandus caribou</i>	Selkirk Mountain population	\$24,238	\$0	\$24,238
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$25,661	\$0	\$25,661
		Deer, key	<i>Odocoileus virginianus clavium</i>		\$14,000	\$0	\$14,000
		Ferret, black-footed	<i>Mustela nigripes</i>	U.S.A. (AZ, CO, MT, SD, UT, WY)	\$1,000	\$0	\$1,000
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$1,715,000	\$0	\$1,715,000
		Lynx, Canada	<i>Lynx canadensis</i>	(Contiguous U.S. DPS)	\$366,451	\$0	\$366,451
		Manatee, West Indian	<i>Trichechus manatus</i>		\$2,160,000	\$0	\$2,160,000
		Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>		\$10,500	\$0	\$10,500
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$214,376	\$0	\$214,376
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$34,300	\$0	\$34,300
		Rabbit, pygmy	<i>Brachylagus idahoensis</i>	Columbia Basin DPS	\$81,094	\$0	\$81,094
		Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>		\$4,000	\$0	\$4,000
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	western pop.	\$169,150	\$0	\$169,150
		Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>		\$1,000	\$0	\$1,000
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$39,100	\$0	\$39,100
		Wolf, gray	<i>Canis lupus</i>	Lower 48, except where delisted and EXPN. Mexico.	\$60,604	\$0	\$60,604
		Wolf, gray	<i>Canis lupus</i>	WY, ID, MT	\$20,890	\$0	\$20,890

		Woodrat, Key Largo	<i>Neotoma floridana smalli</i>		\$80,000	\$0	\$80,000
	Mammals Total				\$16,205,421	\$0	\$16,205,421
	Birds						
		Albatross, short-tailed	<i>Phoebastria (Diomedea) albatrus</i>		\$30,272	\$0	\$30,272
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$63,500	\$0	\$63,500
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$95,000	\$0	\$95,000
		Gnatcatcher, coastal California	<i>Poliptila californica californica</i>		\$73,000	\$250,000	\$323,000
		Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	FL pop.	\$1,000	\$0	\$1,000
		Murrelet, marbled	<i>Brachyram- phus marmoratus</i>	CA, OR, WA	\$30,000	\$0	\$30,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$750	\$0	\$750
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$71,080	\$0	\$71,080
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$45,523	\$0	\$45,523
		Pigeon, Puerto Rican plain	<i>Columba inornata wetmorei</i>		\$30,000	\$0	\$30,000
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$3,000	\$0	\$3,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$30,161	\$0	\$30,161
		Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	U.S.A. only	\$8,500	\$0	\$8,500
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$14,500	\$0	\$14,500
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$34,000	\$0	\$34,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$100	\$0	\$100
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$7,000	\$0	\$7,000
	Birds Total				\$537,386	\$250,000	\$787,386
	Reptiles						
		Alligator, American	<i>Alligator mississippi- ensis</i>		\$1,300	\$0	\$1,300
		Boa, Puerto Rican	<i>Epicrates inornatus</i>		\$36,000	\$0	\$36,000

		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$2,023,500	\$0	\$2,023,500
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$168,500	\$0	\$168,500
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$0	\$3,125	\$3,125
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$58,200	\$0	\$58,200
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$49,100	\$0	\$49,100
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$83,300	\$3,125	\$86,425
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$313,600	\$0	\$313,600
		Skink, sand	<i>Neoseps reynoldsi</i>		\$14,000	\$0	\$14,000
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$31,000	\$0	\$31,000
		Snake, giant garter	<i>Thamnophis gigas</i>		\$7,000	\$618,000	\$625,000
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except Sonoran Desert	\$770,000	\$0	\$770,000
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of of Mobile/Tom bigbee Rs.	\$92,000	\$0	\$92,000
		Turtle, bog (Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$115,715	\$0	\$115,715
		Turtle, flattened musk	<i>Sternotherus depressus</i>	species range clarified	\$2,500	\$0	\$2,500
		Whipsnake (striped racer) Alameda	<i>Masticophis lateralis euryxanthus</i>		\$0	\$188,000	\$188,000
	Reptiles Total				\$3,765,715	\$812,250	\$4,577,965
	Amphibians						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$856,000	\$19,388,000	\$20,244,000
		Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>		\$10,000	\$0	\$10,000
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (Central CA DPS)	\$568,000	\$0	\$568,000
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$4,000	\$0	\$4,000
	Amphibians Total				\$1,438,000	\$19,388,000	\$20,826,000
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$580	\$0	\$580
		Chub, humpback	<i>Gila cypha</i>	entire	\$600	\$0	\$600
		Chub, Oregon	<i>Oregonichthys cramerii</i>		\$54,060	\$0	\$54,060
		Chub, slender	<i>Erimystax cahni</i>		\$400	\$0	\$400
		Chub, spotfin	<i>Erimonax monachus</i>	Entire	\$150,000	\$0	\$150,000

	Chub, Virgin River	<i>Gila seminuda</i> (= <i>robusta</i> )		\$10,000	\$0	\$10,000
	Cui-ui	<i>Chasmistes</i> <i>cujus</i>		\$8,000	\$0	\$8,000
	Darter, amber	<i>Percina</i> <i>antesella</i>		\$1,517	\$0	\$1,517
	Darter, bluemask (=jewel)	<i>Etheostoma</i> sp.		\$4,000	\$0	\$4,000
	Darter, Cherokee	<i>Etheostoma</i> <i>scotti</i>		\$3,100	\$0	\$3,100
	Darter, duskytail	<i>Etheostoma</i> <i>percnurum</i>	Entire	\$300	\$0	\$300
	Darter, goldline	<i>Percina</i> <i>aurolineata</i>		\$1,600	\$0	\$1,600
	Darter, snail	<i>Percina</i> <i>tanasi</i>		\$1,900	\$0	\$1,900
	Logperch, Conasauga	<i>Percina</i> <i>jenkinsi</i>		\$1,500	\$0	\$1,500
	Madtom, pygmy	<i>Noturus</i> <i>stanauli</i>		\$2,000	\$0	\$2,000
	Madtom, yellowfin	<i>Noturus</i> <i>flavipinnis</i>	except where EXPN	\$800	\$0	\$800
	Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus</i> <i>lucius</i>	except Salt & Verde R. drainages, AZ	\$15,600	\$0	\$15,600
	Salmon, Atlantic	<i>Salmo salar</i>	Gulf of ME Atlantic Salmon DPS	\$417,000	\$0	\$417,000
	Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	Puget Sound	\$488,795	\$0	\$488,795
	Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	fall Snake R.	\$129,750	\$0	\$129,750
	Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	lower Columbia R.	\$741,162	\$0	\$741,162
	Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring upper Columbia R.	\$40,300	\$0	\$40,300
	Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring/summer Snake R.	\$129,750	\$0	\$129,750
	Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	Columbia R.	\$483,410	\$0	\$483,410
	Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	Lower Columbia River	\$773,162	\$0	\$773,162
	Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	U.S.A. (Ozette Lake, WA)	\$270,280	\$0	\$270,280
	Sawfish, smalltooth	<i>Pristis</i> <i>pectinata</i>		\$9,500	\$0	\$9,500
	Shiner, blue	<i>Cyprinella</i> <i>caerulea</i>		\$2,900	\$0	\$2,900
	Shiner, Topeka	<i>Notropis</i> <i>topeka</i> (= <i>tristis</i> )		\$152,000	\$0	\$152,000
	Smelt, delta	<i>Hypomesus</i> <i>transpacificus</i>		\$10,000	\$28,800	\$38,800
	Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Central Valley CA	\$205,000	\$0	\$205,000

		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	lower Columbia R.	\$1,150,212	\$0	\$1,150,212
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	middle Columbia R.	\$394,400	\$0	\$394,400
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus</i> <i>desotoi</i>		\$6,400	\$0	\$6,400
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	U.S.A. (CA) Southern Distinct Population Segment	\$58,500	\$0	\$58,500
		Sturgeon, pallid	<i>Scaphirhyn-</i> <i>chus albus</i>		\$580	\$0	\$580
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$720	\$0	\$720
		Sucker, Lost River	<i>Deltistes</i> <i>luxatus</i>		\$23,060	\$0	\$23,060
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	entire	\$15,600	\$0	\$15,600
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	U.S.A., contermin- ous, lower 48 states	\$327,540	\$0	\$327,540
		Trout, greenback cutthroat	<i>Oncorhynchus</i> <i>clarki stomias</i>		\$14,700	\$0	\$14,700
		Trout, Lahontan cutthroat	<i>Oncorhynchus</i> <i>clarki</i> <i>henshawi</i>		\$8,000	\$0	\$8,000
		Woundfin	<i>Plagopterus</i> <i>argentissimus</i>	except Gila R. drainage, AZ, NM	\$12,000	\$0	\$12,000
	Fishes Total				\$6,120,678	\$28,800	\$6,149,478
	Clams						
		Acornshell, southern	<i>Epioblasma</i> <i>othcaloogensis</i>		\$1,300	\$0	\$1,300
		Bankclimber, purple (mussel)	<i>Elliptioideus</i> <i>sloatianus</i>		\$600	\$0	\$600
		Bean, purple	<i>Villosa</i> <i>perpurpurea</i>		\$1,290	\$0	\$1,290
		Blossom, green (pearlymus- sel)	<i>Epioblasma</i> <i>torulosa</i> <i>gubernaculum</i>		\$400	\$0	\$400
		Catspaw (=purple cat's paw pearlymussel)	<i>Epioblasma</i> <i>obliquata</i> <i>obliquata</i>	Entire; Except where listed as EXPN	\$34,293	\$0	\$34,293
		Clubshell	<i>Pleurobema</i> <i>clava</i>	Entire; Except where listed as EXPN	\$121,293	\$0	\$121,293
		Clubshell, ovate	<i>Pleurobema</i> <i>perovatun</i>		\$1,500	\$0	\$1,500
		Clubshell, southern	<i>Pleurobema</i> <i>decisum</i>		\$40,000	\$0	\$40,000
		Combshell, Cumberlan- dian	<i>Epioblasma</i> <i>brevidens</i>	AL; Free- Flowing Reach of the	\$400	\$0	\$400

				Tenn. River below the Wilson Dam, Colbert and Lauderdale Counties, AL			
		Combsshell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire; Except where listed as EXPN	\$10,500	\$0	\$10,500
		Combsshell, upland	<i>Epioblasma metastrata</i>		\$1,300	\$0	\$1,300
		Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>		\$400	\$0	\$400
		Fanshell	<i>Cyprogenia stegaria</i>		\$400	\$0	\$400
		Kidneyshell, triangular	<i>Ptychobranchus greenii</i>		\$2,800	\$0	\$2,800
		Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>		\$200	\$0	\$200
		Moccasin-shell, Alabama	<i>Medionidus acutissimus</i>		\$2,700	\$0	\$2,700
		Moccasin-shell, Coosa	<i>Medionidus parvulus</i>		\$1,750	\$0	\$1,750
		Moccasin-shell, Gulf	<i>Medionidus penicillatus</i>		\$2,700	\$0	\$2,700
		Moccasin-shell, Ochlockonee	<i>Medionidus simpsonianus</i>		\$300	\$0	\$300
		Monkeyface, Appalachian (pearlymussel)	<i>Quadrula sparsa</i>		\$10,500	\$0	\$10,500
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	Entire; Except where listed as EXPN	\$1,800	\$0	\$1,800
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$35,293	\$0	\$35,293
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	AL; Free-Flowing Reach of the Tenn. River below the Wilson Dam, Colbert and Lauderdale Counties, AL	\$2,000	\$0	\$2,000
		Pearlymussel, birdwing	<i>Conradilla caelata</i>	Entire; Except where listed as EXPN	\$1,800	\$0	\$1,800
		Pearlymussel, cracking	<i>Hemistena lata</i>	Entire; Except where listed as EXPN	\$400	\$0	\$400
		Pearlymussel, dromedary	<i>Dromus dromas</i>	Entire; Except where EXPN	\$400	\$0	\$400
		Pearlymussel, littlewing	<i>Pegias fabula</i>		\$890	\$0	\$890
		Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	Entire; except where EXPN	\$400	\$0	\$400

		Pigtoe, rough	<i>Pleurobema plenum</i>		\$10,000	\$0	\$10,000
		Pigtoe, shiny	<i>Fusconaia cor</i>	AL; Free-Flowing Reach of Tenn. River below Wilson Dam, Colbert and Lauderdale Counties, AL	\$1,290	\$0	\$1,290
		Pigtoe, southern	<i>Pleurobema georgianum</i>		\$2,500	\$0	\$2,500
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$600	\$0	\$600
		Pocketbook, fat	<i>Potamilus capax</i>		\$23,800	\$0	\$23,800
		Pocketbook, finelined	<i>Lampsilis altilis</i>		\$1,600	\$0	\$1,600
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$3,700	\$0	\$3,700
		Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>		\$1,290	\$0	\$1,290
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$121,293	\$0	\$121,293
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)		\$2,290	\$0	\$2,290
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$2,100	\$0	\$2,100
		Spnymussel, James	<i>Pleurobema collina</i>		\$23,840	\$0	\$23,840
		Wedgemussel dwarf	<i>Alasmidonta heterodon</i>		\$7,557	\$0	\$7,557
	Clams Total				\$479,469	\$0	\$479,469
	Snails						
		Lioplax, cylindrical (snail)	<i>Lioplax cyclostoma-formis</i>		\$1,000	\$0	\$1,000
		Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>		\$5,000	\$0	\$5,000
		Snail, Snake River physa	<i>Physa natricina</i>		\$5,000	\$0	\$5,000
		Snail, Utah valvata	<i>Valvata utahensis</i>		\$25,000	\$0	\$25,000
	Snails Total				\$36,000	\$0	\$36,000
	Insects						
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$92,000	\$0	\$92,000
		Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>		\$18,750	\$0	\$18,750
		Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>		\$21,600	\$0	\$21,600

		Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>		\$550	\$0	\$550
	Insects Total				\$132,900	\$0	\$132,900
	Crusta- ceans						
		Crayfish, Nashville	<i>Orconectes shoupi</i>		\$4,000	\$0	\$4,000
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$12,550	\$37,800	\$50,350
	Crusta- ceans Total				\$16,550	\$37,800	\$54,350
	Flowering Plants						
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$1,700	\$0	\$1,700
		Aster, decurent false	<i>Boltonia decurrens</i>		\$1,600	\$0	\$1,600
		Beauty, Harper's	<i>Harperocallis flava</i>		\$21,000	\$0	\$21,000
		Birds-in-a- nest, white	<i>Macbridea alba</i>		\$600	\$0	\$600
		Bladderpod, Spring Creek	<i>Lesquerella perforata</i>		\$1,000	\$0	\$1,000
		Buckwheat, steamboat	<i>Eriogonum ovalifolium var. williamsiae</i>		\$1,000	\$0	\$1,000
		Butterwort, Godfrey's	<i>Pinguicula ionantha</i>		\$2,000	\$0	\$2,000
		Button, Mohr's Barbara	<i>Marshallia mohrii</i>		\$120	\$0	\$120
		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$500	\$0	\$500
		Cactus, Knowlton	<i>Pediocactus knowltonii</i>		\$1,400	\$0	\$1,400
		Campion, fringed	<i>Silene polypetala</i>		\$3,000	\$0	\$3,000
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$42,380	\$0	\$42,380
		Checker- mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$41,400	\$0	\$41,400
		Checkermal- low, Wenatchee Mountains	<i>Sidalcea oregana var. calva</i>		\$42,578	\$0	\$42,578
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$14,400	\$0	\$14,400
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$14,678	\$0	\$14,678
		Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>		\$100	\$0	\$100
		Daisy, Willamette	<i>Erigeron decumbens var decumbens</i>		\$11,100	\$0	\$11,100

		Desert-parsley, Bradshaw's	<i>Lomatium bradshawii</i>		\$41,300	\$0	\$41,300
		Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>		\$9,250	\$0	\$9,250
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$3,000	\$0	\$3,000
		Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>		\$2,200	\$0	\$2,200
		Harperella	<i>Ptilimnium nodosum</i>		\$1,600	\$0	\$1,600
		Howellia, water	<i>Howellia aquatilis</i>		\$84,700	\$0	\$84,700
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$49,000	\$0	\$49,000
		Lily, Western	<i>Lilium occidentale</i>		\$5,800	\$0	\$5,800
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$5,800	\$0	\$5,800
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (=oreganus) ssp.(=va r.) kincaidii)		\$33,450	\$0	\$33,450
		Meadowfoam large-flowered woolly	<i>Limnanthes floccosa</i> ssp. grandiflora		\$4,300	\$0	\$4,300
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$7,750	\$0	\$7,750
		Milk-vetch, Mancos	<i>Astragalus humillimus</i>		\$1,400	\$0	\$1,400
		Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>		\$150	\$0	\$150
		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$1,700	\$0	\$1,700
		Paintbrush, golden	<i>Castilleja levisecta</i>		\$44,369	\$0	\$44,369
		Pink, swamp	<i>Helonias bullata</i>		\$1,000	\$0	\$1,000
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$4,000	\$0	\$4,000
		Pondberry	<i>Lindera melissifolia</i>		\$500	\$0	\$500
		Popcornflower, rough	<i>Plagiobothrys hirtus</i>		\$3,000	\$0	\$3,000
		Potato-bean, Price's	<i>Apios priceana</i>		\$1,700	\$0	\$1,700
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$100	\$0	\$100
		Rhododendron, Chapman	<i>Rhododendron chapmanii</i>		\$1,200	\$0	\$1,200
		Sandwort, Marsh	<i>Arenaria paludicola</i>		\$24,920	\$0	\$24,920
		Seagrass, Johnson's	<i>Halophila johnsonii</i>		\$71,000	\$0	\$71,000
		Skullcap, Florida	<i>Scutellaria floridana</i>		\$1,500	\$0	\$1,500

		Skullcap, large- flowered	<i>Scutellaria montana</i>		\$25,400	\$0	\$25,400
		Spiraea, Virginia	<i>Spiraea virginiana</i>		\$5,807	\$0	\$5,807
		Spurge, Garber's	<i>Chamaesyce garberi</i>		\$500	\$0	\$500
		Stickseed, showy	<i>Hackelia venusta</i>		\$28,000	\$0	\$28,000
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$1,000	\$0	\$1,000
		Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>		\$8,400	\$0	\$8,400
		Trillium, persistent	<i>Trillium persistens</i>		\$2,000	\$0	\$2,000
		Trillium, relict	<i>Trillium reliquum</i>		\$2,000	\$0	\$2,000
		Water- plantain, Kral's	<i>Sagittaria secundifolia</i>		\$1,000	\$0	\$1,000
		Wild- buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>		\$5,427	\$0	\$5,427
		Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>		\$750	\$0	\$750
	Flowering Plants Total				\$685,529	\$0	\$685,529
	Ferns and Allies						
		Quillwort, black spored	<i>Isoetes melanospora</i>		\$1,050	\$0	\$1,050
		Quillwort, mat-forming	<i>Isoetes tegetiformans</i>		\$400	\$0	\$400
	Ferns and Allies Total				\$1,450	\$0	\$1,450
Domestic Total					\$29,419,098	\$20,516,850	\$49,935,948
Grand Total					\$29,419,098	\$20,516,850	\$49,935,948

Environmental Protection Agency FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, Indiana	<i>Myotis sodalis</i>		\$8,092	\$0	\$8,092
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$50	\$0	\$50
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$41	\$0	\$41
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$32,000	\$0	\$32,000
		Lynx, Canada	<i>Lynx canadensis</i>	Contiguous U.S. DPS	\$2,096	\$0	\$2,096
		Manatee, West Indian	<i>Trichechus manatus</i>		\$3,008	\$0	\$3,008
		Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>		\$26,000	\$0	\$26,000
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$2,800	\$0	\$2,800
		Whale, finback	<i>Balaenoptera physalus</i>		\$184	\$0	\$184
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$184	\$0	\$184
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$184	\$0	\$184
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except where delisted and EXPN. Mexico.	\$2,072	\$0	\$2,072
	Mammals Total				\$76,711	\$0	\$76,711
	Birds						
		Crane, whooping	<i>Grus americana</i>	U.S.A.(CO, ID, FL, NM, UT, western WY	\$33	\$0	\$33
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$5,017	\$0	\$5,017
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$3,033	\$0	\$3,033
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$5,157	\$0	\$5,157
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$476	\$0	\$476

		Rail, California clapper	<i>Rallus longirostris obsoletus</i>		\$26,000	\$0	\$26,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$33	\$0	\$33
		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$2,063	\$0	\$2,063
	Birds Total				\$41,812	\$0	\$41,812
	Reptiles						
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$184	\$0	\$184
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$184	\$0	\$184
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$184	\$0	\$184
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$184	\$0	\$184
		Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	MI, OH, IN N of 400 N. Lat.	\$619	\$0	\$619
		Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>		\$26,000	\$0	\$26,000
		Turtle, bog (Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$1,030	\$0	\$1,030
	Reptiles Total				\$28,385	\$0	\$28,385
	Amphibians						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$1,605,000	\$0	\$1,605,000
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$10	\$0	\$10
		Chub, humpback	<i>Gila cypha</i>	entire	\$10	\$0	\$10
		Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	Entire, except where EXPN	\$10,000	\$0	\$10,000
		Pikeminnow (=squawfish) Colorado	<i>Ptychocheilus lucius</i>	Salt and Verde R. drainages, AZ	\$10,000	\$0	\$10,000
		Pikeminnow (=squawfish) Colorado	<i>Ptychocheilus lucius</i>	except Salt and Verde R. drainages, AZ	\$17	\$0	\$17
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA Central Valley spring-run	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	CA coastal	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$2,000	\$0	\$2,000

		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	lower Columbia R.	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring upper Columbia R.	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	spring/sum mer Snake R.	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	upper Willamette R.	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>tshawytscha</i>	winter Sacramento R.	\$2,000	\$0	\$2,000
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	Columbia R.	\$2,000	\$0	\$2,000
		Salmon, chum	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>keta</i>	summer- run Hood Canal	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	Lower Columbia River	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	OR, CA pop.	\$2,000	\$0	\$2,000
		Salmon, coho	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>kisutch</i>	central CA coast	\$2,000	\$0	\$2,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	U.S.A. (Ozette Lake, WA)	\$2,000	\$0	\$2,000
		Salmon, sockeye	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>nerka</i>	U.S.A. (Snake River, ID stock)	\$2,000	\$0	\$2,000
		Shiner, Arkansas River	<i>Notropis girardi</i>	Arkansas R. Basin	\$10,000	\$0	\$10,000
		Shiner, Pecos bluntnose	<i>Notropis simus</i> <i>pecosensis</i>		\$10,000	\$0	\$10,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Central Valley CA	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	Snake R. Basin	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	central CA coast	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	lower Columbia R.	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	middle Columbia R.	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	northern CA	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	south central CA coast	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	southern CA coast	\$2,000	\$0	\$2,000
		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Columbia R. Basin	\$2,000	\$0	\$2,000

		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Willamette R.	\$2,000	\$0	\$2,000
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$41	\$0	\$41
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$7,624	\$0	\$7,624
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$10	\$0	\$10
		Sucker, razorback	<i>Xyrauchen</i> <i>texasus</i>	entire	\$5,017	\$0	\$5,017
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	U.S.A., contermino us, lower 48 states	\$33	\$0	\$33
		Trout, greenback cutthroat	<i>Oncorhynchus</i> <i>clarki stomias</i>		\$25	\$0	\$25
	Fishes Total				\$102,787	\$0	\$102,787
	Clams						
		Wedgemusse l, dwarf	<i>Alasmidonta</i> <i>heterodon</i>		\$1,928	\$0	\$1,928
	Snails						
		Snail, Bliss Rapids	<i>Taylorconcha</i> <i>serpenticola</i>		\$516	\$0	\$516
	Insects						
		Beetle, valley elderberry longhorn	<i>Desmocerus</i> <i>californicus</i> <i>dimorphus</i>		\$32,000	\$0	\$32,000
		Butterfly, bay checkerspot	<i>Euphydryas</i> <i>editha</i> <i>bayensis</i>		\$58,000	\$0	\$58,000
		Butterfly, Karner blue	<i>Lycaeides</i> <i>melissa</i> <i>samuelis</i>		\$7,000	\$0	\$7,000
		Butterfly, Mitchell's satyr	<i>Neonympha</i> <i>mitchellii</i> <i>mitchellii</i>		\$258	\$0	\$258
		Butterfly, Uncom- pahgre fritillary	<i>Boloria</i> <i>acrocneema</i>		\$10	\$0	\$10
		Tiger beetle, northeastern beach	<i>Cicindela</i> <i>dorsalis</i> <i>dorsalis</i>		\$377	\$0	\$377
	Insects Total				\$97,645	\$0	\$97,645
	Corals						
		Coral, elkhorn	<i>Acropora</i> <i>palmata</i>		\$533	\$0	\$533
		Coral, staghorn	<i>Acropora</i> <i>cervicornis</i>		\$533	\$0	\$533
	Corals Total				\$1,066	\$0	\$1,066
	Flowering Plants						
		Bush-clover, prairie	<i>Lespedeza</i> <i>leptostachya</i>		\$1,282	\$0	\$1,282

		Cactus, Colorado hookless	<i>Sclerocactus glaucus</i>		\$10	\$0	\$10
		Cactus, San Rafael	<i>Pediocactus despainii</i>		\$10	\$0	\$10
		Cactus, Winkler	<i>Pediocactus winkleri</i>		\$10	\$0	\$10
		Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>		\$10	\$0	\$10
		Catchfly, Spalding's	<i>Silene spaldingii</i>		\$10	\$0	\$10
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$825	\$0	\$825
		Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>		\$10	\$0	\$10
		Daisy, Maguire	<i>Erigeron maguirei</i>		\$10	\$0	\$10
		Howellia, water	<i>Howellia aquatilis</i>		\$25	\$0	\$25
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$142	\$0	\$142
		Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>		\$10	\$0	\$10
		Phacelia, clay	<i>Phacelia argillacea</i>		\$10	\$0	\$10
		Primrose, Maguire	<i>Primula maguirei</i>		\$10	\$0	\$10
		Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>		\$10	\$0	\$10
		Townsendia, Last Chance	<i>Townsendia aprica</i>		\$10	\$0	\$10
	Flowering Plants Total				\$2,394	\$0	\$2,394
Domestic Total					\$1,958,244	\$0	\$1,958,244
Grand Total					\$1,958,244	\$0	\$1,958,244

Federal Energy Regulatory Commission FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$2,500	\$0	\$2,500
		Bat, Indiana	<i>Myotis sodalis</i>		\$12,000	\$0	\$12,000
		Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>		\$2,000	\$0	\$2,000
		Bear, grizzly	<i>Ursus arctos horribilis</i>	lower 48 States, except where EXPN or delisted	\$1,000	\$0	\$1,000
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$1,500	\$0	\$1,500
		Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	Columbia River DPS	\$1,000	\$0	\$1,000
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$1,000	\$0	\$1,000
		Kangaroo rat, Stephens'	<i>Dipodomys stephensi (incl. D. cascus)</i>		\$500	\$0	\$500
		Lynx, Canada	<i>Lynx canadensis</i>	(Contig.US. DPS)	\$1,000	\$0	\$1,000
		Manatee, West Indian	<i>Trichechus manatus</i>		\$1,000	\$0	\$1,000
		Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A., north-central CO	\$300	\$0	\$300
		Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>		\$1,000	\$0	\$1,000
		Sea-lion, Steller	<i>Eumetopias jubatus</i>	eastern pop.	\$1,000	\$0	\$1,000
		Whale, blue	<i>Balaenoptera musculus</i>		\$1,000	\$0	\$1,000
		Whale, finback	<i>Balaenoptera physalus</i>		\$2,000	\$0	\$2,000
		Whale, humpback	<i>Megaptera novaeangliae</i>		\$2,000	\$0	\$2,000
		Whale, killer	<i>Orcinus orca</i>	Southern Resident DPS	\$700	\$0	\$700
		Whale, right	<i>Balaena glacialis (incl. australis)</i>		\$2,000	\$0	\$2,000
		Whale, Sei	<i>Balaenoptera borealis</i>		\$2,000	\$0	\$2,000
		Whale, sperm	<i>Physeter catodon (macrocephalus)</i>		\$1,500	\$0	\$1,500
		Wolf, gray	<i>Canis lupus</i>	Lower 48 States, except	\$2,000	\$0	\$2,000

				where delisted and where EXPN. Mexico.			
	Mammals Total				\$39,000	\$0	\$39,000
	Birds						
		Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>		\$600	\$0	\$600
		Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	FL pop.	\$300	\$0	\$300
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$700	\$0	\$700
		Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>		\$800	\$0	\$800
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$2,000	\$0	\$2,000
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$10,000	\$0	\$10,000
		Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		\$200	\$0	\$200
		Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		\$2,000	\$0	\$2,000
		Murrelet, marbled	<i>Brachyramphus marmoratus</i>	CA, OR, WA	\$3,000	\$0	\$3,000
		Owl, Mexican spotted	<i>Strix occidentalis lucida</i>		\$100	\$0	\$100
		Owl, northern spotted	<i>Strix occidentalis caurina</i>		\$5,000	\$0	\$5,000
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$700	\$0	\$700
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$1,000	\$0	\$1,000
		Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	Pacific coastal pop.	\$1,000	\$0	\$1,000
		scrub-jay, Florida	<i>Aphelocoma coerulescens</i>		\$300	\$0	\$300
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$1,000	\$0	\$1,000
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$3,000	\$0	\$3,000
		Tern, roseate	<i>Sterna dougallii dougallii</i>	northeast U.S. nesting pop.	\$200	\$0	\$200
		Vireo, least Bell's	<i>Vireo bellii pusillus</i>		\$1,000	\$0	\$1,000
		Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>		\$300	\$0	\$300
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$1,000	\$0	\$1,000

	Birds Total				\$34,200	\$0	\$34,200
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$500	\$0	\$500
		Sea turtle, green	<i>Chelonia mydas</i>	FL, Mexico nesting pops.	\$2,000	\$0	\$2,000
		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$600	\$0	\$600
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$900	\$0	\$900
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$1,000	\$0	\$1,000
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$3,000	\$0	\$3,000
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$2,000	\$0	\$2,000
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Mexican nesting pop.	\$200	\$0	\$200
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$1,000	\$0	\$1,000
		Skink, bluetail mole	<i>Eumeces egregius lividus</i>		\$200	\$0	\$200
		Skink, sand	<i>Neoseps reynoldsi</i>		\$200	\$0	\$200
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$1,000	\$0	\$1,000
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$400	\$0	\$400
		Tortoise, gopher	<i>Gopherus polyphemus</i>	W of of Mobile/To mbigbee Rivers	\$4,000	\$0	\$4,000
		Turtle, Alabama red- belly	<i>Pseudemys alabamensis</i>		\$100	\$0	\$100
		Turtle, bog (Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$1,000	\$0	\$1,000
		Turtle, ringed map	<i>Graptemys oculifera</i>		\$300	\$0	\$300
		Turtle, yellow- blotched map	<i>Graptemys flavimaculata</i>		\$400	\$0	\$400
	Reptiles Total				\$18,800	\$0	\$18,800
	Amphibi- ans						
		Frog, California red-legged	<i>Rana aurora draytonii</i>	subspecies range clarified	\$5,000	\$0	\$5,000
		Frog, Mississippi gopher	<i>Rana capito sevosa</i>	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	\$200	\$0	\$200

		Frog, mountain yellow-legged	<i>Rana muscosa</i>	southern California DPS	\$1,500	\$0	\$1,500
		Salamander, California tiger	<i>Ambystoma californiense</i>	U.S.A. (CA - Sonoma County)	\$900	\$0	\$900
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$500	\$0	\$500
		Toad, arroyo (=arroyo southwestern)	<i>Bufo californicus (=microscaphus)</i>		\$2,000	\$0	\$2,000
	Amphibians Total				\$10,100	\$0	\$10,100
	Fishes						
		Chub, bonytail	<i>Gila elegans</i>	entire	\$200	\$0	\$200
		Chub, humpback	<i>Gila cypha</i>	entire	\$200	\$0	\$200
		Darter, bayou	<i>Etheostoma rubrum</i>		\$700	\$0	\$700
		Darter, leopard	<i>Percina pantherina</i>		\$900	\$0	\$900
		Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	except Salt & Verde R. drainages, AZ	\$200	\$0	\$200
		Salmon, Atlantic	<i>Salmo salar</i>	Gulf of ME Atlantic Salmon DPS	\$1,000	\$0	\$1,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	Puget Sound	\$2,000	\$0	\$2,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	fall Snake R.	\$15,000	\$0	\$15,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	spring upper Columbia R.	\$6,000	\$0	\$6,000
		Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha</i>	upper Willamette R.	\$11,000	\$0	\$11,000
		Salmon, chum	<i>Oncorhynchus (=Salmo) keta</i>	Columbia R.	\$4,000	\$0	\$4,000
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	OR, CA pop.	\$700	\$0	\$700
		Salmon, coho	<i>Oncorhynchus (=Salmo) kisutch</i>	central CA coast	\$7,000	\$0	\$7,000
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Ozette Lake, WA)	\$100	\$0	\$100
		Salmon, sockeye	<i>Oncorhynchus (=Salmo) nerka</i>	U.S.A. (Snake River, ID)	\$4,000	\$0	\$4,000
		Spikedace	<i>Meda fulgida</i>		\$300	\$0	\$300
		Springfish, White River	<i>Crenichthys baileyi baileyi</i>		\$500	\$0	\$500
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Central Valley CA	\$14,000	\$0	\$14,000
		Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	Puget Sound DPS	\$800	\$0	\$800

		Steelhead	<i>Oncorhynchus</i> (= <i>Salmo</i> ) <i>mykiss</i>	upper Columbia R. Basin	\$6,000	\$0	\$6,000
		Sturgeon, gulf	<i>Acipenser</i> <i>oxyrinchus</i> <i>desotoi</i>		\$600	\$0	\$600
		Sturgeon, North American green	<i>Acipenser</i> <i>medirostris</i>	U.S.A. (CA) Southern Distinct Population Segment	\$5,000	\$0	\$5,000
		Sturgeon, pallid	<i>Scaphirhynchus</i> <i>albus</i>		\$700	\$0	\$700
		Sturgeon, shortnose	<i>Acipenser</i> <i>brevirostrum</i>		\$1,000	\$0	\$1,000
		Sturgeon, white	<i>Acipenser</i> <i>transmontanus</i>	U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	\$400	\$0	\$400
		Sucker, Lost River	<i>Deltistes luxatus</i>		\$500	\$0	\$500
		Sucker, razorback	<i>Xyrauchen</i> <i>texanus</i>	entire	\$200	\$0	\$200
		Sucker, shortnose	<i>Chasmistes</i> <i>brevirostris</i>		\$1,000	\$0	\$1,000
		Trout, Apache	<i>Oncorhynchus</i> <i>apache</i>		\$200	\$0	\$200
		Trout, bull	<i>Salvelinus</i> <i>confluentus</i>	U.S.A., contermino us, lower 48 states	\$14,000	\$0	\$14,000
	Fishes Total				\$98,200	\$0	\$98,200
	Clams						
		Bankclimber, purple (mussel)	<i>Elliptoideus</i> <i>sloatianus</i>		\$3,000	\$0	\$3,000
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$2,000	\$0	\$2,000
		Clubshell, black	<i>Pleurobema</i> <i>curtum</i>		\$300	\$0	\$300
		Clubshell, ovate	<i>Pleurobema</i> <i>perovatum</i>		\$300	\$0	\$300
		Clubshell, southern	<i>Pleurobema</i> <i>decisum</i>		\$300	\$0	\$300
		Combshell, southern	<i>Epioblasma</i> <i>penita</i>		\$300	\$0	\$300
		Fanshell	<i>Cyprogenia</i> <i>stegaria</i>		\$900	\$0	\$900
		Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>		\$300	\$0	\$300
		Heelsplitter, Carolina	<i>Lasmigona</i> <i>decorata</i>		\$200	\$0	\$200
		Higgins eye (pearlymussel)	<i>Lampsilis</i> <i>higginsii</i>		\$200	\$0	\$200
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except EXPN	\$600	\$0	\$600

		Moccasinshell Alabama	<i>Medionidus acutissimus</i>		\$300	\$0	\$300
		Moccasinshell Gulf	<i>Medionidus penicillatus</i>		\$800	\$0	\$800
		Moccasinshell Ochlockonee	<i>Medionidus simpsonianus</i>		\$100	\$0	\$100
		Mucket, orangenacre	<i>Lampsilis perovalis</i>		\$300	\$0	\$300
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$2,000	\$0	\$2,000
		Mussel, scaleshell	<i>Leptodea leptodon</i>		\$600	\$0	\$600
		Pigtoe, heavy	<i>Pleurobema taitianum</i>		\$300	\$0	\$300
		Pigtoe, oval	<i>Pleurobema pyriforme</i>		\$800	\$0	\$800
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$400	\$0	\$400
		Pocketbook, fat	<i>Potamilus capax</i>		\$1,000	\$0	\$1,000
		Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>		\$1,000	\$0	\$1,000
		Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>		\$500	\$0	\$500
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$1,500	\$0	\$1,500
		Ring pink (mussel)	<i>Obovaria retusa</i>		\$400	\$0	\$400
		Slabshell, Chipola	<i>Elliptio chipolaensis</i>		\$100	\$0	\$100
		Spinymussel, James	<i>Pleurobema collina</i>		\$900	\$0	\$900
		Three-ridge, fat (mussel)	<i>Ambelma neislerii</i>		\$300	\$0	\$300
	Clams Total				\$19,700	\$0	\$19,700
	Snails						
		Limpet, Banbury Springs	<i>Lanx sp.</i>		\$600	\$0	\$600
		Snail, Snake River physa	<i>Physa natricina</i>		\$100	\$0	\$100
		Snail, tulotoma	<i>Tulotoma magnifica</i>		\$2,000	\$0	\$2,000
		Snail, Utah valvata	<i>Valvata utahensis</i>		\$100	\$0	\$100
		Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>		\$200	\$0	\$200
	Snails Total				\$3,000	\$0	\$3,000
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$3,000	\$0	\$3,000
		Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>		\$7,000	\$0	\$7,000
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis</i>		\$300	\$0	\$300

		Tiger beetle, Puritan	<i>Cicindela puritana</i>		\$200	\$0	\$200
	Insects Total				\$10,500	\$0	\$10,500
	Crustaceans						
		Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>		\$500	\$0	\$500
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$200	\$0	\$200
		Coral, staghorn	<i>Acropora cervicornis</i>		\$200	\$0	\$200
	Corals Total				\$400	\$0	\$400
	Flowering Plants						
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$200	\$0	\$200
		Aster, decurent false	<i>Boltonia decurrens</i>		\$400	\$0	\$400
		Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>		\$200	\$0	\$200
		Brodiaea, Chinese Camp	<i>Brodiaea pallida</i>		\$1,000	\$0	\$1,000
		Butterweed, Layne's	<i>Senecio layneae</i>		\$3,000	\$0	\$3,000
		Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>		\$500	\$0	\$500
		Checker- mallow, Nelson's	<i>Sidalcea nelsoniana</i>		\$400	\$0	\$400
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$200	\$0	\$200
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$100	\$0	\$100
		Fritillary, Gentner's	<i>Fritillaria gentneri</i>		\$500	\$0	\$500
		Heartleaf, dwarf- flowered	<i>Hexastylis naniflora</i>		\$900	\$0	\$900
		Howellia, water	<i>Howellia aquatilis</i>		\$600	\$0	\$600
		Ladies'- tresses, Ute	<i>Spiranthes diluvialis</i>		\$400	\$0	\$400
		Lily, Western	<i>Lilium occidentale</i>		\$500	\$0	\$500
		Lomatium, Cook's	<i>Lomatium cookii</i>		\$500	\$0	\$500
		Lupine, Kincaid's	<i>Lupinus sulphureus</i> (= <i>oreganus</i> ) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i> )		\$800	\$0	\$800
		Meadowfoam, large-flowered woolly	<i>Limnanthes floccosa</i> ssp. <i>grandiflora</i>		\$500	\$0	\$500
		Milk-vetch, Applegate's	<i>Astragalus applegatei</i>		\$500	\$0	\$500
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$200	\$0	\$200

		Orchid, western prairie fringed	<i>Platanthera praeclara</i>		\$400	\$0	\$400
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$300	\$0	\$300
		Pondberry	<i>Lindera melissifolia</i>		\$200	\$0	\$200
		Popcornflow- er, rough	<i>Plagiobothrys hirtus</i>		\$500	\$0	\$500
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$2,000	\$0	\$2,000
		Trillium, persistent	<i>Trillium persistens</i>		\$200	\$0	\$200
		Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>		\$200	\$0	\$200
	Flower- ing Plants Total				\$15,200	\$0	\$15,200
Domestic Total					\$249,600	\$0	\$249,600
Grand Total					\$249,600	\$0	\$249,600

Nuclear Regulatory Commission FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$4,204	\$0	\$4,204
		Bat, Indiana	<i>Myotis sodalis</i>		\$18,869	\$0	\$18,869
		Bear, Louisiana black	<i>Ursus americanus luteolus</i>		\$10,560	\$0	\$10,560
		Manatee, West Indian	<i>Trichechus manatus</i>		\$3,812	\$0	\$3,812
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$4,552	\$0	\$4,552
	Mammals Total				\$41,997	\$0	\$41,997
	Birds						
		Crane, whooping	<i>Grus americana</i>	except where EXPN	\$7,572	\$0	\$7,572
		Curlew, Eskimo	<i>Numenius borealis</i>		\$1,512	\$0	\$1,512
		Eagle, bald	<i>Haliaeetus leucocephalus</i>	Sonoran Desert DPS	\$2,739	\$0	\$2,739
		Pelican, brown	<i>Pelecanus occidentalis</i>	except U.S. Atlantic coast, FL, AL	\$8,840	\$0	\$8,840
		Plover, piping	<i>Charadrius melodus</i>	Great Lakes watershed	\$912	\$0	\$912
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$7,499	\$0	\$7,499
		Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>		\$6,060	\$0	\$6,060
		Stork, wood	<i>Mycteria americana</i>	AL, FL, GA, SC	\$5,841	\$0	\$5,841
		Tern, least	<i>Sterna antillarum</i>	interior pop.	\$3,174	\$0	\$3,174
		Vireo, black-capped	<i>Vireo atricapilla</i>		\$1,268	\$0	\$1,268
		Warbler (=wood), Bachman's	<i>Vermivora bachmanii</i>		\$220	\$0	\$220
		Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>		\$2,280	\$0	\$2,280
		Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>		\$220	\$0	\$220
		Woodpecker, red-cockaded	<i>Picoides borealis</i>		\$22,752	\$0	\$22,752
	Birds Total				\$70,889	\$0	\$70,889
	Reptiles						
		Alligator, American	<i>Alligator mississippiensis</i>		\$6,180	\$0	\$6,180
		Crocodile, American	<i>Crocodylus acutus</i>	FL pop.	\$4,560	\$0	\$4,560

		Sea turtle, green	<i>Chelonia mydas</i>	except where endangered	\$5,312	\$0	\$5,312
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>		\$4,928	\$0	\$4,928
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>		\$12,208	\$0	\$12,208
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>		\$12,336	\$0	\$12,336
		Sea turtle, loggerhead	<i>Caretta caretta</i>		\$12,592	\$0	\$12,592
		Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	except where endangered	\$384	\$0	\$384
		Snake, eastern indigo	<i>Drymarchon corais couperi</i>		\$5,380	\$0	\$5,380
		Turtle, bog (=Muhlenberg)	<i>Clemmys muhlenbergii</i>	northern	\$10,557	\$0	\$10,557
	Reptiles Total				\$74,437	\$0	\$74,437
	Amphibians						
		Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>		\$3,817	\$0	\$3,817
	Fishes						
		Darter, bayou	<i>Etheostoma rubrum</i>		\$2,708	\$0	\$2,708
		Darter, Niangua	<i>Etheostoma nianguae</i>		\$2,080	\$0	\$2,080
		Madtom, Neosho	<i>Noturus placidus</i>		\$3,174	\$0	\$3,174
		Sawfish, smalltooth	<i>Pristis pectinata</i>		\$4,672	\$0	\$4,672
		Shiner, Cape Fear	<i>Notropis mekistocholas</i>		\$8,678	\$0	\$8,678
		Shiner, palezone	<i>Notropis albizonatus</i>		\$2,124	\$0	\$2,124
		Shiner, Topeka	<i>Notropis topeka (=tristis)</i>		\$3,174	\$0	\$3,174
		Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>		\$2,752	\$0	\$2,752
		Sturgeon, pallid	<i>Scaphirhynchus albus</i>		\$4,432	\$0	\$4,432
		Sturgeon, shortnose	<i>Acipenser brevirostrum</i>		\$61,714	\$0	\$61,714
	Fishes Total				\$95,508	\$0	\$95,508
	Clams						
		Clubshell	<i>Pleurobema clava</i>	Entire; Except where EXPN	\$384	\$0	\$384
		Heelsplitter, Carolina	<i>Lasmigona decorata</i>		\$712	\$0	\$712
		Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>		\$10,560	\$0	\$10,560
		Lampmussel, Alabama	<i>Lampsilis virescens</i>	Entire; except where EXPN	\$2,124	\$0	\$2,124
		Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>		\$2,124	\$0	\$2,124
		Mapleleaf, winged	<i>Quadrula fragosa</i>	Entire; except where EXPN	\$1,173	\$0	\$1,173
		Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>		\$4,204	\$0	\$4,204

		Pigtoe, finereyed	<i>Fusconaia cuneolus</i>	Entire;except where EXPN	\$2,124	\$0	\$2,124
		Pigtoe, shiny	<i>Fusconaia cor</i>	Entire;except where EXPN	\$2,124	\$0	\$2,124
		Pocketbook, fat	<i>Potamilus capax</i>		\$1,440	\$0	\$1,440
		Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>		\$2,664	\$0	\$2,664
		Spiny mussel, James	<i>Pleurobema collina</i>		\$2,980	\$0	\$2,980
		Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>		\$10,242	\$0	\$10,242
	Clams Total				\$42,855	\$0	\$42,855
	Snails						
		Riversnail, Anthony's	<i>Athearnia anthonyi</i>	Entire;except where EXPN	\$2,124	\$0	\$2,124
	Insects						
		Beetle, American burying	<i>Nicrophorus americanus</i>		\$17,983	\$0	\$17,983
		Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>		\$2,280	\$0	\$2,280
		Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>		\$14,120	\$0	\$14,120
		Tiger beetle, Puritan	<i>Cicindela puritana</i>		\$37,200	\$0	\$37,200
	Insects Total				\$71,583	\$0	\$71,583
	Flowering Plants						
		Amphianthus, little	<i>Amphianthus pusillus</i>		\$6,460	\$0	\$6,460
		Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>		\$4,352	\$0	\$4,352
		Bush-clover, prairie	<i>Lespedeza leptostachya</i>		\$1,173	\$0	\$1,173
		Chaffseed, American	<i>Schwalbea americana</i>		\$11	\$0	\$11
		Clover, running buffalo	<i>Trifolium stoloniferum</i>		\$2,080	\$0	\$2,080
		Coneflower, smooth	<i>Echinacea laevigata</i>		\$4,324	\$0	\$4,324
		Dropwort, Canby's	<i>Oxypolis canbyi</i>		\$4,529	\$0	\$4,529
		Harperella	<i>Ptilimnium nodosum</i>		\$943	\$0	\$943
		Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>		\$5,600	\$0	\$5,600
		Joint-vetch, sensitive	<i>Aeschynomene virginica</i>		\$2,980	\$0	\$2,980
		Leather flower, Morefield's	<i>Clematis morefieldii</i>		\$2,124	\$0	\$2,124
		Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>		\$1,173	\$0	\$1,173
		Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>		\$723	\$0	\$723
		Milkweed, Mead's	<i>Asclepias meadii</i>		\$3,174	\$0	\$3,174
		Mint, longspurred	<i>Dicerandra cornutissima</i>		\$1,312	\$0	\$1,312

		Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>		\$2,280	\$0	\$2,280
		Pink, swamp	<i>Helonias bullata</i>		\$2,980	\$0	\$2,980
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$2,124	\$0	\$2,124
		Pogonia, small whorled	<i>Isotria medeoloides</i>		\$3,892	\$0	\$3,892
		Pondberry	<i>Lindera melissifolia</i>		\$231	\$0	\$231
		Potato-bean, Price's	<i>Apios priceana</i>		\$2,124	\$0	\$2,124
		Sumac, Michaux's	<i>Rhus michauxii</i>		\$6,878	\$0	\$6,878
		Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>		\$5,611	\$0	\$5,611
		Trillium, relict	<i>Trillium reliquum</i>		\$4,529	\$0	\$4,529
	Flowering Plants Total				\$71,607	\$0	\$71,607
	Ferns and Allies						
		Fern, American hart's-tongue	<i>Asplenium scolopendrium</i> var. <i>americanum</i>		\$3,036	\$0	\$3,036
		Quillwort, mat-forming	<i>Isoetes tegetiformans</i>		\$220	\$0	\$220
	Ferns and Allies Total				\$3,256	\$0	\$3,256
Domestic Total					\$478,073	\$0	\$478,073
Grand Total					\$478,073	\$0	\$478,073

Smithsonian Institution FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Ferret, black-footed	<i>Mustela nigripes</i>	Entire; except where EXPN	\$119,500	\$0	\$119,500
		Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>		\$68,750	\$0	\$68,750
		Fox, San Miguel Island	<i>Urocyon littoralis littoralis</i>		\$1,562	\$0	\$1,562
		Fox, Santa Catalina Island	<i>Urocyon littoralis catalinae</i>		\$1,562	\$0	\$1,562
		Fox, Santa Cruz Island	<i>Urocyon littoralis santacruzae</i>		\$1,563	\$0	\$1,563
		Fox, Santa Rosa Island	<i>Urocyon littoralis santarosae</i>		\$1,562	\$0	\$1,562
		Otter, southern sea	<i>Enhydra lutris nereis</i>	except where EXPN	\$5,000	\$0	\$5,000
		Panther, Florida	<i>Puma (=Felis) concolor coryi</i>		\$1,250	\$0	\$1,250
		Wolf, gray	<i>Canis lupus</i>	Mexican gray wolf, EXPN population	\$21,150	\$0	\$21,150
	Mammals Total				\$221,899	\$0	\$221,899
	Birds						
		Condor, California	<i>Gymnogyps californianus</i>	U.S.A. only	\$23,750	\$0	\$23,750
		Crane, whooping	<i>Grus americana</i>	U.S.A. (AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	\$3,740	\$0	\$3,740
		Crow, Hawaiian (=alala)	<i>Corvus hawaiiensis</i>		\$1,250	\$0	\$1,250
		Crow, Mariana (=aga)	<i>Corvus kubaryi</i>		\$6,230	\$0	\$6,230
		Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>		\$9,930	\$0	\$9,930
		Rail, Guam	<i>Rallus owstoni</i>	except Rota	\$9,340	\$0	\$9,340
		White-eye, Rota bridled	<i>Zosterops rotensis</i>		\$2,480	\$0	\$2,480
	Birds Total				\$56,720	\$0	\$56,720
	Reptiles						
		Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A., except in Sonoran Desert	\$2,480	\$0	\$2,480

	Amphibians						
		Salamander, Shenandoah	<i>Plethodon shenandoah</i>		\$15,500	\$0	\$15,500
	Corals						
		Coral, elkhorn	<i>Acropora palmata</i>		\$93,500	\$0	\$93,500
Domestic Total					\$390,099	\$0	\$390,099
Foreign							
	Mammals						
		Addax	<i>Addax nasomaculatus</i>		\$1,560	\$0	\$1,560
		Cheetah	<i>Acinonyx jubatus</i>		\$78,890	\$0	\$78,890
		Deer, Eld's brow-antlered	<i>Cervus eldi</i>		\$52,250	\$0	\$52,250
		Dhole	<i>Cuon alpinus</i>		\$2,500	\$0	\$2,500
		Dog, African wild	<i>Lycaon pictus</i>		\$13,750	\$0	\$13,750
		Elephant, Asian	<i>Elephas maximus</i>		\$93,250	\$0	\$93,250
		Gazelle, dama	<i>Gazella dama</i>		\$1,560	\$0	\$1,560
		Gazelle, slender-horned	<i>Gazella leptoceros</i>		\$1,560	\$0	\$1,560
		Horse, Przewalski's	<i>Equus przewalskii</i>		\$129,850	\$0	\$129,850
		Leopard, clouded	<i>Neofelis nebulosa</i>		\$62,200	\$0	\$62,200
		Lynx, Spanish	<i>Felis pardina</i>		\$1,250	\$0	\$1,250
		Oryx, scimitar-horned	<i>Oryx dammah</i>		\$1,560	\$0	\$1,560
		Panda, giant	<i>Ailuropoda melanoleuca</i>		\$178,500	\$0	\$178,500
		Tamarin, golden-rumped	<i>Leontopithecus spp.</i>		\$6,250	\$0	\$6,250
		Tiger	<i>Panthera tigris</i>		\$50,000	\$0	\$50,000
		Wolf, maned	<i>Chrysocyon brachyurus</i>		\$39,700	\$0	\$39,700
	Mammals Total				\$714,630	\$0	\$714,630
	Amphibians						
		Frog, Panamanian golden	<i>Atelopus varius zeteki</i>		\$625	\$0	\$625
Foreign Total					\$715,255	\$0	\$715,255
Grand Total					\$1,105,354	\$0	\$1,105,354

Tennessee Valley Authority FY08							
Locality	Group Name	Common Name	Scientific Name	Population	General Expenditures	Land Expenditures	Grand Total
Domestic							
	Mammals						
		Bat, gray	<i>Myotis grisescens</i>		\$10,000	\$0	\$10,000
		Bat, Indiana	<i>Myotis sodalis</i>		\$32,000	\$0	\$32,000
	Mammals Total				\$42,000	\$0	\$42,000
	Birds						
		Plover, piping	<i>Charadrius melodus</i>	except Great Lakes watershed	\$3,000	\$0	\$3,000
	Fishes						
		Darter, bluemask (=jewel)	<i>Etheostoma sp.</i>		\$150,000	\$0	\$150,000
		Darter, boulder	<i>Etheostoma wapiti</i>		\$343,000	\$0	\$343,000
		Darter, snail	<i>Percina tanasi</i>		\$17,000	\$0	\$17,000
		Madtom, pygmy	<i>Noturus stanauli</i>		\$4,500	\$0	\$4,500
	Fishes Total				\$514,500	\$0	\$514,500
	Clams						
		Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	Entire; except EXPN	\$4,500	\$0	\$4,500
		Lilliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>		\$4,500	\$0	\$4,500
		Monkeyface, Cumberland (pearlymussel)	<i>Quadrula intermedia</i>	Entire; Except EXPN	\$101,500	\$0	\$101,500
		Mussel, oyster	<i>Epioblasma capsaeformis</i>	Entire; Except EXPN	\$4,500	\$0	\$4,500
		Pearlymussel, birdwing	<i>Conradilla caelata</i>	Entire; Except EXPN	\$125,500	\$0	\$125,500
		Pearlymussel, cracking	<i>Hemistena lata</i>	Entire; Except EXPN	\$245,500	\$0	\$245,500
		Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	Entire; Except EXPN	\$125,500	\$0	\$125,500
		Pigtoe, shiny	<i>Fusconaia cor</i>	Entire; Except EXPN	\$121,000	\$0	\$121,000
		Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>		\$4,500	\$0	\$4,500
		Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)		\$4,500	\$0	\$4,500
		Wartyback, white (pearlymussel)	<i>Plethobasus cicatricosus</i>		\$390,000	\$0	\$390,000
	Clams Total				\$1,131,500	\$0	\$1,131,500

	Flowering Plants						
		Aster, Ruth's golden	<i>Pityopsis ruthii</i>		\$6,500	\$0	\$6,500
		Bladderpod, Spring Creek	<i>Lesquerella perforata</i>		\$1,500	\$0	\$1,500
		Ground-plum, Guthrie's (=Pyne's)	<i>Astragalus bibullatus</i>		\$3,000	\$0	\$3,000
		Pitcher-plant, green	<i>Sarracenia oreophila</i>		\$6,000	\$0	\$6,000
		Potato-bean, Price's	<i>Apios priceana</i>		\$2,500	\$0	\$2,500
		Prairie-clover, leafy	<i>Dalea foliosa</i>		\$3,000	\$0	\$3,000
		Skullcap, large-flowered	<i>Scutellaria montana</i>		\$15,000	\$0	\$15,000
	Flowering Plants Total				\$37,500	\$0	\$37,500
Domestic Total					\$1,728,500	\$0	\$1,728,500
Grand Total					\$1,728,500	\$0	\$1,728,500

## Appendix C. Expenditures Reported by the States for FY2008

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Mammals	Bat, gray	<i>Myotis grisescens</i>	\$35,754	\$172,000
	Bat, Indiana	<i>Myotis sodalis</i>	\$745,919	\$5,000
	Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuena</i>	\$72,100	\$0
	Bat, Ozark big-eared	<i>Corynorhinus (=Plecotus) townsendii ingens</i>	\$3,800	\$0
	Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	\$9,100	\$0
	Bear, American black -- County range of LA b.bear	<i>Ursus americanus</i>	\$34,500	\$0
	Bear, grizzly -- lower 48 States, except where listed as an experimental population or delisted	<i>Ursus arctos horribilis</i>	\$1,719,639	\$0
	Bear, Louisiana black	<i>Ursus americanus luteolus</i>	\$210,650	\$0
	Bear, polar	<i>Ursus maritimus</i>	\$12,500	\$0
	Caribou, woodland -- Selkirk Mountain population	<i>Rangifer tarandus caribou</i>	\$27,054	\$0
	Deer, Columbian white-tailed -- Columbia River DPS	<i>Odocoileus virginianus leucurus</i>	\$15,000	\$0
	Ferret, black-footed -- U.S.A. (specific portions of AZ, CO, MT, SD, UT, and WY)	<i>Mustela nigripes</i>	\$172,585	\$0
	Ferret, black-footed -- entire population, except where EXPN	<i>Mustela nigripes</i>	\$359,063	\$0
	Jaguar	<i>Panthera onca</i>	\$32,200	\$0
	Lynx, Canada -- (Contiguous U.S. DPS)	<i>Lynx canadensis</i>	\$697,245	\$1,000,000
	Manatee, West Indian	<i>Trichechus manatus</i>	\$4,795,450	\$0
	Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	\$15,767	\$0
	Mouse, Preble's meadow jumping -- U.S.A., north-central CO	<i>Zapus hudsonius preblei</i>	\$2,894	\$600,000
	Ocelot	<i>Leopardus (=Felis) pardalis</i>	\$80,150	\$109,740
	Otter, Northern Sea -- southwest Alaska DPS	<i>Enhydra lutris kenyoni</i>	\$3,000	\$0
	Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	\$1,265,370	\$0
	Prairie dog, Utah	<i>Cynomys parvidens</i>	\$100,000	\$0
	Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	\$247,300	\$0
	Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	\$2,050	\$0
	Rabbit, pygmy -- Columbia Basin DPS	<i>Brachylagus idahoensis</i>	\$250,900	\$0
	Sea-lion, Steller -- eastern pop.	<i>Eumetopias jubatus</i>	\$64,800	\$0
	Sea-lion, Steller -- western pop.	<i>Eumetopias jubatus</i>	\$72,399	\$0
	Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	\$11,000	\$0
	Squirrel, Delmarva Peninsula fox -- U.S.A. (DE, Sussex Co.)	<i>Sciurus niger cinereus</i>	\$35,000	\$0
	Squirrel, Delmarva Peninsula fox -- Entire, except Sussex Co., DE	<i>Sciurus niger cinereus</i>	\$2,000	\$0
	Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	\$34,400	\$0
	Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	\$15,268	\$0
	Whale, finback	<i>Balaenoptera physalus</i>	\$20,100	\$0
	Whale, humpback	<i>Megaptera novaeangliae</i>	\$27,700	\$0
	Whale, killer -- Southern Resident DPS	<i>Orcinus orca</i>	\$35,000	\$0
	Whale, right	<i>Balaena glacialis (incl. australis)</i>	\$555,125	\$0
	Wolf, gray -- Lower 48 States, except where delisted and where EXPN. Mexico.	<i>Canis lupus</i>	\$283,440	\$4,384,000
	Wolf, gray -- WY, ID, MT	<i>Canis lupus</i>	\$1,693,217	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Wolf, gray -- Mexican gray wolf, EXPN population	<i>Canis lupus</i>	\$187,700	\$0
	Wolf, gray -- Western Great Lakes DPS	<i>Canis lupus</i>	\$90,000	\$0
	Wolf, red -- U.S.A. (portions of NC and TN)	<i>Canis rufus</i>	\$1,200	\$0
Mammals subtotal			\$14,038,339	\$6,270,740
Birds	Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	\$49,888	\$0
	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	\$10,000	\$0
	Condor, California -- U.S.A. (specific portions of Arizona, Nevada, and Utah)	<i>Gymnogyps californianus</i>	\$282,700	\$0
	Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	\$700	\$0
	Crane, whooping -- except where EXPN	<i>Grus americana</i>	\$134,866	\$204,375
	Crane, whooping -- U.S.A.(AL, AR, GA, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, OH, SC, TN, VA, WI, WV)	<i>Grus americana</i>	\$5,413	\$0
	Eagle, bald -- Sonoran Desert DPS	<i>Haliaeetus leucocephalus</i>	\$311,195	\$0
	Eider, Steller's -- AK breeding pop.	<i>Polysticta stelleri</i>	\$16,071	\$0
	Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	\$16,500	\$0
	Falcon, northern aplomado -- Southwestern population	<i>Falco femoralis septentrionalis</i>	\$1,000	\$0
	Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	\$249,974	\$92,500
	Kite, Everglade snail -- FL pop.	<i>Rostrhamus sociabilis plumbeus</i>	\$470	\$0
	Murrelet, marbled -- CA, OR, WA	<i>Brachyramphus marmoratus</i>	\$1,130,031	\$0
	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	\$102,300	\$0
	Owl, northern spotted	<i>Strix occidentalis caurina</i>	\$756,166	\$0
	Parrot, Puerto Rican	<i>Amazona vittata</i>	\$197,434	\$0
	Pelican, brown -- except U.S. Atlantic coast, FL, AL	<i>Pelecanus occidentalis</i>	\$15,350	\$0
	Plover, piping -- except Great Lakes watershed	<i>Charadrius melodus</i>	\$1,008,719	\$66,667
	Plover, piping -- Great Lakes watershed	<i>Charadrius melodus</i>	\$43,026	\$0
	Plover, western snowy -- Pacific coastal pop.	<i>Charadrius alexandrinus nivosus</i>	\$34,000	\$0
	Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	\$177,400	\$0
	Rail, Yuma clapper -- U.S.A. only	<i>Rallus longirostris yumanensis</i>	\$101,800	\$2,675,000
	scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	\$51,491	\$0
	Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	\$18,203	\$0
	Stork, wood -- AL, FL, GA, SC	<i>Mycteria americana</i>	\$28,081	\$0
	Tern, least -- interior pop.	<i>Sterna antillarum</i>	\$142,487	\$66,667
	Tern, roseate -- northeast U.S. nesting pop.	<i>Sterna dougallii dougallii</i>	\$53,422	\$0
	Vireo, black-capped	<i>Vireo atricapilla</i>	\$0	\$2,199,150
	Warbler (=wood), golden-cheeked	<i>Dendroica chrysoparia</i>	\$169,210	\$2,096,623
	Warbler (=wood), Kirtland's	<i>Dendroica kirtlandii</i>	\$30,500	\$0
	Woodpecker, ivory-billed -- entire	<i>Campephilus principalis</i>	\$5,043	\$1,200
	Woodpecker, red-cockaded	<i>Picoides borealis</i>	\$501,358	\$17,326,900
Birds subtotal			\$5,644,798	\$24,729,082
Reptiles	Alligator, American	<i>Alligator mississippiensis</i>	\$110,400	\$0
	Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	\$7,128	\$0
	Crocodile, American -- FL pop.	<i>Crocodylus acutus</i>	\$18,000	\$0
	Iguana, Mona ground	<i>Cyclura cornuta stejnegeri</i>	\$32,880	\$0
	Plymouth Red-Bellied Turtle	<i>Pseudemys rubriventris bangsi</i>	\$3,800	\$0
	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	\$1,250	\$0
	Sea turtle, green -- except where endangered	<i>Chelonia mydas</i>	\$53,500	\$0
	Sea turtle, green -- FL, Mexico nesting pops.	<i>Chelonia mydas</i>	\$148,674	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	\$183,374	\$0
	Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	\$597,274	\$0
	Sea turtle, leatherback	<i>Dermochelys coriacea</i>	\$161,774	\$0
	Sea turtle, loggerhead	<i>Caretta caretta</i>	\$193,274	\$0
	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	\$54,324	\$2,097,880
	Snake, Lake Erie water -- subspecies range clarified	<i>Nerodia sipedon insularum</i>	\$20,254	\$0
	Tortoise, desert -- U.S.A., except in Sonoran Desert	<i>Gopherus agassizii</i>	\$100,700	\$0
	Tortoise, gopher -- W of of Mobile/Tombigbee Rs.	<i>Gopherus polyphemus</i>	\$9,650	\$0
	Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	\$15,955	\$0
	Turtle, bog (=Muhlenberg) -- northern	<i>Clemmys muhlenbergii</i>	\$39,484	\$0
	Turtle, bog (=Muhlenberg) -- southern	<i>Clemmys muhlenbergii</i>	\$72,660	\$2,097,880
	Turtle, ringed map	<i>Graptemys oculifera</i>	\$4,700	\$0
	Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	\$800	\$0
Reptiles subtotal			\$1,829,855	\$4,195,760
Amphibians	Frog, Chiricahua leopard	<i>Rana chiricahuensis</i>	\$280,400	\$0
	Frog, Mississippi gopher -- Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	<i>Rana capito sevosa</i>	\$20,000	\$0
	Salamander, Barton Springs	<i>Eurycea sosorum</i>	\$24,763	\$702,500
	Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	\$760	\$0
	Salamander, frosted flatwoods	<i>Ambystoma cingulatum</i>	\$7,225	\$0
	Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	\$54,500	\$0
	Salamander, San Marcos	<i>Eurycea nana</i>	\$24,763	\$0
	Salamander, Sonora tiger	<i>Ambystoma tigrinum stebbinsi</i>	\$34,400	\$0
	Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	\$137,443	\$0
	Toad, Houston	<i>Bufo houstonensis</i>	\$121,671	\$75,000
	Toad, Puerto Rican crested	<i>Peltophryne lemur</i>	\$11,233	\$0
	Toad, Wyoming	<i>Bufo baxteri</i> (=hemiophrys)	\$6,991	\$0
Amphibians subtotal			\$724,149	\$777,500
Fishes	Catfish, Yaqui	<i>Ictalurus pricei</i>	\$18,800	\$0
	Cavefish, Ozark	<i>Amblyopsis rosae</i>	\$40,400	\$0
	Chub, bonytail -- entire	<i>Gila elegans</i>	\$300,084	\$0
	Chub, Chihuahua	<i>Gila nigrescens</i>	\$500	\$0
	Chub, Gila	<i>Gila intermedia</i>	\$23,100	\$50,800
	Chub, humpback -- entire	<i>Gila cypha</i>	\$478,084	\$0
	Chub, Hutton tui -- Hutton	<i>Gila bicolor ssp.</i>	\$8,000	\$0
	Chub, Pahrnagat roundtail	<i>Gila robusta jordani</i>	\$500	\$0
	Chub, Sonora	<i>Gila ditaenia</i>	\$30,800	\$0
	Chub, spotfin -- Entire	<i>Erimonax monachus</i>	\$26,695	\$0
	Chub, Virgin River	<i>Gila seminuda</i> (=robusta)	\$275,000	\$0
	Chub, Yaqui	<i>Gila purpurea</i>	\$25,800	\$0
	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	\$2,500	\$0
	Dace, desert	<i>Eremichthys acros</i>	\$1,500	\$0
	Dace, Foscett speckled -- Foscett	<i>Rhinichthys osculus ssp.</i>	\$8,000	\$0
	Dace, Moapa	<i>Moapa coriacea</i>	\$1,500	\$0
	Darter, amber	<i>Percina antesella</i>	\$6,000	\$0
	Darter, bayou	<i>Etheostoma rubrum</i>	\$500	\$0
	Darter, boulder	<i>Etheostoma wapiti</i>	\$395	\$0
	Darter, Cherokee	<i>Etheostoma scotti</i>	\$8,500	\$7,559,800
	Darter, duskytail -- Entire	<i>Etheostoma percnurum</i>	\$395	\$0
	Darter, Etowah	<i>Etheostoma etowahae</i>	\$8,500	\$7,559,800
	Darter, Niangua	<i>Etheostoma nianguae</i>	\$229,000	\$172,000
	Darter, slackwater	<i>Etheostoma boschungii</i>	\$8,334	\$0
	Darter, watercress	<i>Etheostoma nuchale</i>	\$1,667	\$0
	Gambusia, Pecos	<i>Gambusia nobilis</i>	\$2,000	\$0
	Logperch, Conasauga	<i>Percina jenkinsi</i>	\$5,500	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Madtom, Neosho	<i>Noturus placidus</i>	\$14,200	\$0
	Madtom, smoky -- Entire	<i>Noturus baileyi</i>	\$395	\$0
	Madtom, yellowfin -- except where EXPN	<i>Noturus flavipinnis</i>	\$395	\$0
	Minnow, Devils River	<i>Dionda diaboli</i>	\$47,395	\$0
	Minnow, loach	<i>Tiaroga cobitis</i>	\$144,800	\$0
	Minnow, Rio Grande silvery -- Entire, except where listed as an experimental population	<i>Hybognathus amarus</i>	\$136,000	\$0
	Pikeminnow (=squawfish), Colorado -- except Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$259,384	\$0
	Pikeminnow (=squawfish), Colorado -- Salt and Verde R. drainages, AZ	<i>Ptychocheilus lucius</i>	\$24,500	\$0
	Poolfish, Pahrump	<i>Empetrichthys latos</i>	\$5,000	\$0
	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	\$2,500	\$0
	Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	\$39,375	\$0
	Pupfish, desert	<i>Cyprinodon macularius</i>	\$80,500	\$50,800
	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	\$5,100	\$0
	Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	\$48,400	\$0
	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	\$2,000	\$0
	Salmon, Atlantic -- Gulf of Maine Atlantic Salmon DPS	<i>Salmo salar</i>	\$336,200	\$0
	Salmon, chinook -- Puget Sound	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$8,186,219	\$0
	Salmon, chinook -- upper Willamette R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$84,503	\$0
	Salmon, chinook -- spring/summer Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,073,009	\$0
	Salmon, chinook -- fall Snake R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$517,794	\$0
	Salmon, chinook -- spring upper Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,362,529	\$379,000
	Salmon, chinook -- lower Columbia R.	<i>Oncorhynchus (=Salmo) tshawytscha</i>	\$1,654,701	\$270,000
	Salmon, chum -- summer-run Hood Canal	<i>Oncorhynchus (=Salmo) keta</i>	\$782,255	\$842,500
	Salmon, chum -- Columbia R.	<i>Oncorhynchus (=Salmo) keta</i>	\$710,251	\$0
	Salmon, coho -- OR, CA pop.	<i>Oncorhynchus (=Salmo) kisutch</i>	\$80,800	\$0
	Salmon, coho -- Lower Columbia River	<i>Oncorhynchus (=Salmo) kisutch</i>	\$1,429,744	\$0
	Salmon, sockeye -- U.S.A. (Snake River, ID stock wherever found.)	<i>Oncorhynchus (=Salmo) nerka</i>	\$276,525	\$0
	Salmon, sockeye -- U.S.A. (Ozette Lake, WA)	<i>Oncorhynchus (=Salmo) nerka</i>	\$311,771	\$0
	Shiner, Arkansas River -- Arkansas R. Basin	<i>Notropis girardi</i>	\$500	\$0
	Shiner, beautiful	<i>Cyprinella formosa</i>	\$18,800	\$0
	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	\$18,074	\$0
	Shiner, Topeka	<i>Notropis topeka (=tristis)</i>	\$62,500	\$0
	Spikedace	<i>Meda fulgida</i>	\$147,500	\$4,675,108
	Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	\$4,000	\$0
	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	\$38,800	\$0
	Spinedace, White River	<i>Lepidomeda albivallis</i>	\$2,300	\$0
	Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	\$500	\$0
	Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	\$4,000	\$0
	Springfish, White River	<i>Crenichthys baileyi baileyi</i>	\$500	\$0
	Steelhead -- upper Columbia R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$476,493	\$0
	Steelhead -- upper Willamette R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$220,784	\$0
	Steelhead -- middle Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$556,737	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Steelhead -- Snake R. Basin	<i>Oncorhynchus (=Salmo) mykiss</i>	\$893,174	\$0
	Steelhead -- Puget Sound DPS	<i>Oncorhynchus (=Salmo) mykiss</i>	\$877,107	\$0
	Steelhead -- lower Columbia R.	<i>Oncorhynchus (=Salmo) mykiss</i>	\$785,172	\$0
	Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	\$50,495	\$0
	Sturgeon, gulf	<i>Acipenser oxyrinchus desotoi</i>	\$61,495	\$0
	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	\$256,009	\$66,667
	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	\$28,800	\$0
	Sturgeon, white -- U.S.A. (ID, MT), Canada (B.C.), Kootenai R. system	<i>Acipenser transmontanus</i>	\$28,410	\$0
	Sucker, June	<i>Chasmistes liorus</i>	\$315,000	\$0
	Sucker, Lost River	<i>Deltistes luxatus</i>	\$29,000	\$0
	Sucker, razorback -- entire	<i>Xyrauchen texanus</i>	\$237,200	\$0
	Sucker, Warner	<i>Catostomus warnerensis</i>	\$8,000	\$0
	Topminnow, Gila (incl. Yaqui) -- U.S.A. only	<i>Poeciliopsis occidentalis</i>	\$147,500	\$1,550,795
	Trout, Apache	<i>Oncorhynchus apache</i>	\$165,300	\$0
	Trout, bull -- U.S.A., conterminous, lower 48 states	<i>Salvelinus confluentus</i>	\$2,177,264	\$0
	Trout, Gila	<i>Oncorhynchus gilae</i>	\$123,700	\$0
	Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	\$188,217	\$0
	Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	\$90,500	\$0
	Woundfin -- except Gila R. drainage, AZ, NM	<i>Plagopterus argentissimus</i>	\$253,500	\$0
Fishes subtotal			\$27,395,630	\$23,177,270
Clams	Bankclimber, purple (mussel)	<i>Elliptoideus sloatianus</i>	\$2,500	\$0
	Bean, Cumberland (pearlymussel) -- Entire Range; Except where listed as Experimental Populations	<i>Villosa trabalis</i>	\$22,000	\$0
	Bean, Cumberland (pearlymussel) -- AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Villosa trabalis</i>	\$8,000	\$0
	Bean, purple	<i>Villosa perpurpurea</i>	\$966	\$0
	Blossom, tubercled (pearlymussel) -- Entire Range; Except where listed as Experimental Populations	<i>Epioblasma torulosa torulosa</i>	\$1,000	\$0
	Catspaw (=purple cat's paw pearlymussel) - - AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma obliquata obliquata</i>	\$10,000	\$0
	Clubshell -- Entire Range; Except where listed as Experimental Populations	<i>Pleurobema clava</i>	\$24,574	\$0
	Clubshell, black	<i>Pleurobema curtum</i>	\$400	\$0
	Clubshell, ovate	<i>Pleurobema perovatum</i>	\$2,400	\$0
	Clubshell, southern	<i>Pleurobema decisum</i>	\$3,734	\$0
	Combshell, Cumberlandian -- Entire Range; Except where listed as Experimental Populations	<i>Epioblasma brevidens</i>	\$1,866	\$0
	Combshell, southern	<i>Epioblasma penita</i>	\$400	\$0
	Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	\$64,326	\$0
	Fanshell	<i>Cyprogenia stegaria</i>	\$5,366	\$0
	fatmucket, Arkansas	<i>Lampsilis powellii</i>	\$6,000	\$0
	Heelsplitter, Alabama (=inflated)	<i>Potamilus inflatus</i>	\$2,384	\$0
	Heelsplitter, Carolina	<i>Lasmigona decorata</i>	\$58,098	\$0
	Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	\$36,174	\$0
	Kidneyshell, triangular	<i>Ptychobranthus greenii</i>	\$4,429	\$0
	Mapleleaf, winged -- AL; Free-Flowing Reach of Tenn. River below the Wilson Dam; Colbert and Lauderdale Counties, AL	<i>Quadrula fragosa</i>	\$1,000	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Mapleleaf, winged -- Entire; except where listed as experimental populations	<i>Quadrula fragosa</i>	\$10,100	\$0
	Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	\$1,900	\$0
	Moccasinshell, Coosa	<i>Medionidus parvulus</i>	\$2,500	\$0
	Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	\$3,500	\$0
	Mucket, orangenacre	<i>Lampsilis perovalis</i>	\$2,829	\$0
	Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	\$26,000	\$0
	Mussel, oyster -- AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Epioblasma capsaeformis</i>	\$834	\$0
	Mussel, scaleshell	<i>Leptodea leptodon</i>	\$20,000	\$0
	Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	\$8,650	\$0
	Pearlymussel, birdwing -- AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert, and Lauderdale Counties, AL	<i>Conradilla caelata</i>	\$834	\$0
	Pearlymussel, cracking -- Entire Range; Except where listed as Experimental Populations	<i>Hemistena lata</i>	\$966	\$0
	Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	\$700	\$0
	Pearlymussel, dromedary -- AL; Free-Flowing Reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale Counties, AL	<i>Dromus dromas</i>	\$834	\$0
	Pearlymussel, dromedary -- Entire Range; Except where listed as EXPN	<i>Dromus dromas</i>	\$966	\$0
	Pearlymussel, littlewing	<i>Pegias fabula</i>	\$23,565	\$0
	Pigtoe, flat	<i>Pleurobema marshalli</i>	\$400	\$0
	Pigtoe, heavy	<i>Pleurobema taitianum</i>	\$1,334	\$0
	Pigtoe, oval	<i>Pleurobema pyriforme</i>	\$2,500	\$0
	Pigtoe, rough	<i>Pleurobema plenum</i>	\$2,000	\$0
	Pigtoe, southern	<i>Pleurobema georgianum</i>	\$2,000	\$0
	Pimpleback, orangefoot (pearlymussel)	<i>Plethobasus cooperianus</i>	\$5,000	\$0
	Pocketbook, fat	<i>Potamilus capax</i>	\$21,401	\$0
	Pocketbook, finelined	<i>Lampsilis altilis</i>	\$2,500	\$0
	Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	\$1,200	\$0
	Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	\$3,500	\$0
	Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	\$20,660	\$0
	Riffleshell, tan	<i>Epioblasma florentina walkeri</i> (=E. walkeri)	\$966	\$0
	Spinymussel, James	<i>Pleurobema collina</i>	\$22,000	\$0
	Spinymussel, Tar River	<i>Elliptio steinstansana</i>	\$26,957	\$0
	Stirrupshell	<i>Quadrula stapes</i>	\$400	\$0
	Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	\$30,352	\$0
Clams subtotal			\$502,965	\$0
Snails	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	\$27,100	\$0
	Cavesnail, Tumbling Creek	<i>Antrobia culveri</i>	\$1,500	\$0
	Limpet, Banbury Springs	<i>Lanx sp.</i>	\$4,773	\$0
	Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	\$4,773	\$0
	Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	\$650	\$0
	Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>	\$1,200	\$0
	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	\$1,500	\$0
	Snail, Pecos assiminea	<i>Assiminea pecos</i>	\$1,000	\$0
	Snail, Snake River physa	<i>Physa natricina</i>	\$4,773	\$0
	Snail, Utah valvata	<i>Valvata utahensis</i>	\$4,773	\$0
	Springsnail, Alamosa	<i>Tryonia alamosae</i>	\$1,000	\$0
	Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	\$5,431	\$0
	Springsnail, Koster's	<i>Juturnia kosteri</i>	\$1,000	\$0
	Springsnail, Roswell	<i>Pyrgulopsis roswellensis</i>	\$1,000	\$0
	Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	\$1,000	\$0
Snails subtotal			\$61,473	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
Insects	Beetle, American burying	<i>Nicrophorus americanus</i>	\$73,600	\$0
	Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	\$0	\$1,312,500
	Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	\$0	\$301,250
	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	\$310,414	\$0
	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	\$3,000	\$0
	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	\$0	\$270,000
	Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>	\$0	\$379,000
	Butterfly, Quino checkerspot	<i>Euphydryas editha quino (=E. e. wrighti)</i>	\$0	\$91,300
	Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	\$1,500	\$842,500
	Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	\$0	\$470,300
	Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	\$34,516	\$0
	Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	\$1,500	\$0
	Tiger beetle, Puritan	<i>Cicindela puritana</i>	\$2,000	\$0
	Tiger beetle, Salt Creek	<i>Cicindela nevadica lincolniiana</i>	\$55,500	\$84,000
Insects subtotal			\$482,030	\$3,750,850
Crustaceans	Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	\$33,020	\$0
	Amphipod, Noel's	<i>Gammarus desperatus</i>	\$1,000	\$0
	Isopod, Madison Cave	<i>Antrolana lira</i>	\$88	\$0
	Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	\$1,250	\$0
Crustaceans subtotal			\$35,358	\$0
Flowering Plants	Amaranth, seabeach	<i>Amaranthus pumilus</i>	\$5,240	\$0
	Amphanthus, little	<i>Amphanthus pusillus</i>	\$1,500	\$0
	Arrowhead, bunched	<i>Sagittaria fasciculata</i>	\$6,060	\$0
	Aster, decurrent false	<i>Boltonia decurrens</i>	\$2,666	\$0
	Avens, spreading	<i>Geum radiatum</i>	\$2,520	\$0
	Bear-poppy, dwarf	<i>Arctomecon humilis</i>	\$700	\$0
	Bittercress, small-anthered	<i>Cardamine micranthera</i>	\$240	\$0
	Bladderpod, Missouri	<i>Lesquerella filiformis</i>	\$4,800	\$0
	Blazingstar, Heller's	<i>Liatris helleri</i>	\$1,710	\$0
	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	\$900	\$0
	Bluet, Roan Mountain	<i>Hedyotis purpurea var. montana</i>	\$720	\$0
	Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	\$1,404	\$0
	Bush-clover, prairie	<i>Lespedeza leptostachya</i>	\$9,212	\$0
	Butterfly plant, Colorado	<i>Gaura neomexicana var. coloradensis</i>	\$6,000	\$0
	Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus var. arizonicus</i>	\$900	\$0
	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	\$900	\$0
	Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	\$900	\$0
	Cactus, Nichol's Turk's head	<i>Echinocactus horizontalonius var. nicholii</i>	\$900	\$0
	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus var. peeblesianus</i>	\$900	\$0
	Cactus, Pima pineapple	<i>Coryphantha scheeri var. robustispina</i>	\$6,000	\$0
	Cactus, Siler pincushion	<i>Pediocactus (=Echinocactus, =Utahia) sileri</i>	\$900	\$0
	Cactus, star	<i>Astrophytum asterias</i>	\$257,656	\$0
	Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	\$2,000	\$0
	Campion, fringed	<i>Silene polypetala</i>	\$1,500	\$0
	Catchfly, Spalding's	<i>Silene spaldingii</i>	\$15,880	\$0
	Chaffseed, American	<i>Schwalbea americana</i>	\$5,200	\$0
	Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	\$21,429	\$0

Group Name	Common Name	Scientific Name	General Expenditures	Land Expenditures
	Cliff-rose, Arizona	<i>Purshia (=Cowania) subintegra</i>	\$900	\$0
	Clover, running buffalo	<i>Trifolium stoloniferum</i>	\$4,700	\$0
	Coneflower, smooth	<i>Echinacea laevigata</i>	\$26,780	\$354,711
	Cycladenia, Jones	<i>Cycladenia jonesii (=humilis)</i>	\$900	\$0
	Dropwort, Canby's	<i>Oxypolis canbyi</i>	\$2,500	\$0
	Fleabane, Zuni	<i>Erigeron rhizomatus</i>	\$900	\$0
	Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	\$2,623	\$0
	Fritillary, Gentner's	<i>Fritillaria gentneri</i>	\$21,429	\$0
	Gerardia, sandplain	<i>Agalinis acuta</i>	\$5,550	\$0
	Goldenrod, Blue Ridge	<i>Solidago spithamaea</i>	\$560	\$0
	Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	\$900	\$0
	Harperella	<i>Ptilimnium nodosum</i>	\$7,490	\$0
	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	\$12,240	\$0
	Heather, mountain golden	<i>Hudsonia montana</i>	\$640	\$0
	Howellia, water	<i>Howellia aquatilis</i>	\$16,459	\$0
	Iris, dwarf lake	<i>Iris lacustris</i>	\$1,000	\$0
	Irisette, white	<i>Sisyrinchium dichotomum</i>	\$7,580	\$0
	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	\$1,500	\$0
	Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	\$900	\$0
	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	\$15,132	\$0
	Leather flower, Alabama	<i>Clematis socialis</i>	\$2,500	\$0
	Locoweed, Fassett's	<i>Oxytropis campestris var. chartacea</i>	\$2,000	\$0
	Lomatium, Cook's	<i>Lomatium cookii</i>	\$21,429	\$0
	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	\$10,720	\$0
	Lousewort, Furbish	<i>Pedicularis furbishiae</i>	\$2,500	\$0
	Meadowfoam, large-flowered woolly	<i>Limnanthes floccosa ssp. grandiflora</i>	\$21,429	\$0
	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	\$1,220	\$0
	Milk-vetch, Holmgren	<i>Astragalus holmgreniorum</i>	\$900	\$0
	Milk-vetch, Jesup's	<i>Astragalus robbinsii var. jesupi</i>	\$800	\$0
	Milk-vetch, Peirson's	<i>Astragalus magdalenae var. peirsonii</i>	\$900	\$0
	Milk-vetch, Sentry	<i>Astragalus cremnophylax var. cremnophylax</i>	\$900	\$0
	Milkweed, Mead's	<i>Asclepias meadii</i>	\$23,500	\$0
	Milkweed, Welsh's	<i>Asclepias welshii</i>	\$1,900	\$0
	Monkshood, northern wild	<i>Aconitum noveboracense</i>	\$2,000	\$0
	No common name	<i>Geocarpon minimum</i>	\$4,450	\$0
	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	\$4,550	\$0
	Orchid, western prairie fringed	<i>Platanthera praeclara</i>	\$7,300	\$0
	Pink, swamp	<i>Helonias bullata</i>	\$7,660	\$627,688
	Pitcher-plant, green	<i>Sarracenia oreophila</i>	\$80	\$0
	Pitcher-plant, mountain sweet	<i>Sarracenia rubra ssp. jonesii</i>	\$160	\$0
	Pogonia, small whorled	<i>Isotria medeoloides</i>	\$380	\$0
	Pondberry	<i>Lindera melissifolia</i>	\$11,580	\$0
	Popcornflower, rough	<i>Plagiobothrys hirtus</i>	\$21,429	\$0
	Potato-bean, Price's	<i>Apios priceana</i>	\$2,400	\$0
	Rattleweed, hairy	<i>Baptisia arachnifera</i>	\$4,000	\$0
	Rock-cress, shale barren	<i>Arabis serotina</i>	\$1,200	\$0
	Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	\$86,454	\$0
	Sedge, golden	<i>Carex lutea</i>	\$560	\$0
	Sedge, Navajo	<i>Carex specuicola</i>	\$900	\$0
	Skullcap, large-flowered	<i>Scutellaria montana</i>	\$1,000	\$0
	Sneezeweed, Virginia	<i>Helenium virginicum</i>	\$1,200	\$0
	Snowbells, Texas	<i>Styrax texanus</i>	\$43,028	\$0
	Spiraea, Virginia	<i>Spiraea virginiana</i>	\$1,231	\$0
	Sumac, Michaux's	<i>Rhus michauxii</i>	\$17,260	\$0
	Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	\$23,780	\$0
	Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>	\$21,429	\$0

<b>Group Name</b>	<b>Common Name</b>	<b>Scientific Name</b>	<b>General Expenditures</b>	<b>Land Expenditures</b>
	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	\$1,000	\$0
	Trillium, persistent	<i>Trillium persistens</i>	\$9,350	\$0
	Trillium, relict	<i>Trillium reliquum</i>	\$5,000	\$0
	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana</i> var. <i>recurva</i>	\$10,400	\$0
	Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>	\$21,429	\$0
Flowering Plants subtotal			\$891,328	\$982,399
Ferns and Allies	Quillwort, Louisiana	<i>Isoetes louisianensis</i>	\$1,200	\$0
Ferns and Allies subtotal			\$1,200	\$0
Lichens	Lichen, rock gnome	<i>Gymnoderma lineare</i>	\$880	\$0
Lichens subtotal			\$880	\$0
<b>Grand Total</b>			<b>\$51,608,005</b>	<b>\$63,883,601</b>

U.S. Fish and Wildlife Service  
Endangered Species Program  
1849 C Street NW (MS-420-ARLSQ)  
Washington, D.C. 20240  
<http://www.fws.gov/endangered>

**Photo Credits:**

Chiricahua leopard frog (*Rana chiricahuensis*) - Jim Rorabaugh/USFWS

Karner blue butterfly (*Lycaeides melissa samuelis*) - USFWS

Gray wolf (*Canis lupus*) - USFWS

Yellow-shouldered blackbird (*Agelaius xanthomus*) - **USFWS**

Green sea turtle (*Chelonia mydas*) - Stephan Kerkhofs

Bull trout (*Salvelinus confluentus*) - Roger Peters/USFWS

Running buffalo clover (*Trifolium stoloniferum*) - USFWS

Grizzly bear (*Ursus arctos horribilis*) - USFWS