

## Colorado Field Office County List Updated June 2009

<p>Symbols:</p> <p>* Water depletions in the Upper Colorado River and San Juan River Basins, may affect the species and/or critical habitat in downstream reaches in other states.</p> <p>▲ Water depletions in the South Platte River may affect the species and/or critical habitat in downstream reaches in other states.</p> <p>© There is designated critical habitat for the species within the county.</p> <p># Recent genetic tests identified cutthroat population as GB lineage, therefore, consultation is an interim measure until genetic and taxonomic issues are resolved.</p> <p>T Threatened</p> <p>E Endangered</p> <p>P Proposed</p> <p>X Experimental</p> <p>C Candidate</p>		
<p><i>For additional information contact: U.S. Fish and Wildlife Service, Colorado Field Office, PO Box 25486 DFC (MS 65412), Denver, Colorado 80225-0486, telephone 303-236-4773</i></p> <p><i>U.S. Fish and Wildlife Service, Western Colorado Field Office, 764 Horizon Drive, Building B, Grand Junction, Colorado 81506, telephone 970-243-2778</i></p>		
<b>Species</b>	<b>Scientific Name</b>	<b>Status</b>
<b>ADAMS</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse	<i>Zapus hudsonius preblei</i>	T
Ute ladies'-tresses orchid	<i>Spiranthes diluvialis</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>ALAMOSA</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Rio Grande cutthroat trout	<i>Oncorhynchus clarki virginalis</i>	C
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>ARAPAHOE</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse	<i>Zapus hudsonius preblei</i>	T

Ute ladies' -tresses orchid	<i>Spiranthes diluvialis</i>	T
Whooping crane ▲	<i>Grus americana</i>	E
<b>ARCHULETA</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
New Mexico meadow jumping mouse	<i>Zapus hudsonius luteus</i>	C
Pagosa skyrocket	<i>Ipomopsis polyantha</i>	C
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Rio Grande cutthroat trout	<i>Oncorhynchus clarki virginalis</i>	C
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>BACA</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Lesser prairie chicken	<i>Tympanuchus pallidicinctus</i>	C
<b>BENT</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Least tern (interior population)	<i>Sternula antillarum</i>	E
Lesser prairie chicken	<i>Tympanuchus pallidicinctus</i>	C
Piping plover	<i>Charadrius melodus</i>	T
<b>BOULDER</b>		
Canada lynx	<i>Lynx canadensis</i>	T
Colorado butterfly plant	<i>Gaura neomexicana</i> spp. <i>coloradensis</i>	T
Greenback cutthroat trout	<i>Oncorhynchus clarki stomias</i>	T
Least tern (interior population) ▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Pallid sturgeon ▲	<i>Scaphirhynchus albus</i>	E
Piping plover ▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse	<i>Zapus hudsonius preblei</i>	T
Ute ladies' -tresses	<i>Spiranthes diluvialis</i>	T
Whooping crane ▲	<i>Grus americana</i>	E
<b>BROOMFIELD</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Colorado butterfly plant	<i>Gaura neomexicana</i> spp. <i>coloradensis</i>	T
Least tern (interior population) ▲	<i>Sternula antillarum</i>	E
Pallid sturgeon ▲	<i>Scaphirhynchus albus</i>	E
Piping plover ▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse	<i>Zapus hudsonius preblei</i>	T
Ute ladies' -tresses orchid	<i>Spiranthes diluvialis</i>	T
Whooping crane ▲	<i>Grus americana</i>	E

<b>CHAFFEE</b>		
Canada lynx	<i>Lynx canadensis</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
<b>CHEYENNE</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Lesser prairie chicken	<i>Tympanuchus pallidicinctus</i>	C
<b>CLEAR CREEK</b>		
Canada lynx	<i>Lynx canadensis</i>	T
Greenback cutthroat trout	<i>Oncorhynchus clarki stomias</i>	T
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>CONEJOS</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
New Mexico meadow jumping mouse	<i>Zapus hudsonius luteus</i>	C
Rio Grande cutthroat trout	<i>Oncorhynchus clarki virginalis</i>	C
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>COSTILLA</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
New Mexico meadow jumping mouse	<i>Zapus hudsonius luteus</i>	C
Rio Grande cutthroat trout	<i>Oncorhynchus clarki virginalis</i>	C
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>CROWLEY</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Least tern (interior population)	<i>Sternula antillarum</i>	E
Lesser prairie chicken	<i>Tympanuchus pallidicinctus</i>	C
Piping plover	<i>Charadrius melodus</i>	T
<b>CUSTER</b>		
Canada lynx	<i>Lynx canadensis</i>	T

Greenback cutthroat trout	<i>Oncorhynchus clarki stomias</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
<b>DELTA</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Bonytail	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Clay-loving wild buckwheat	<i>Eriogonum pelinophilum</i>	E
Colorado pikeminnow©	<i>Ptychocheilus lucius</i>	E
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Humpback chub	<i>Gila cypha</i>	E
Razorback sucker©	<i>Xyrauchen texanus</i>	E
Uinta Basin hookless cactus	<i>Sclerocactus glaucus</i>	T
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>DENVER</b>		
Least tern (interior population) ▲	<i>Sternula antillarum</i>	E
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse	<i>Zapus hudsonius preblei</i>	T
Ute ladies'-tresses orchid	<i>Spiranthes diluvialis</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>DOLORES</b>		
Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Humpback chub*	<i>Gila cypha</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>DOUGLAS</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Colorado butterfly plant	<i>Gaura neomexicana</i> spp. <i>coloradensis</i>	T
Greenback cutthroat trout	<i>Oncorhynchus clarki stomias</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Pawnee montane skipper	<i>Hesperia leonardus montana</i>	T
Piping plover▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse©	<i>Zapus hudsonius preblei</i>	T
Ute ladies'-tresses orchid	<i>Spiranthes diluvialis</i>	T
Whooping crane▲	<i>Grus americana</i>	E

<b>EAGLE</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Humpback chub*	<i>Gila cypha</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Ute ladies' -tresses orchid	<i>Spiranthes diluvialis</i>	T
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>ELBERT</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Least tern (interior population) ▲	<i>Sternula antillarum</i>	E
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse	<i>Zapus hudsonius preblei</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>EL PASO</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Greenback cutthroat trout	<i>Oncorhynchus clarki stomias</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Least tern (interior population) ▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse	<i>Zapus hudsonius preblei</i>	T
Ute ladies'-tresses orchid	<i>Spiranthes diluvialis</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>FREMONT</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
<b>GARFIELD</b>		
Bonytail	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow©	<i>Ptychocheilus lucius</i>	E
De Beque phacelia	<i>Phacelia submutica</i>	C
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Humpback chub	<i>Gila cypha</i>	E

Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Parachute beardtongue	<i>Penstemon debilis</i>	C
Razorback sucker©	<i>Xyrauchen texanus</i>	E
Uinta Basin hookless cactus	<i>Sclerocactus glaucus</i>	T
Ute ladies' -tresses orchid	<i>Spiranthes diluvialis</i>	T
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>GILPIN</b>		
Canada lynx	<i>Lynx canadensis</i>	T
Least tern (interior population) ▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>GRAND</b>		
Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Humpback chub*	<i>Gila cypha</i>	E
Osterhout milkvetch	<i>Astragalus osterhoutii</i>	E
Penland beardtongue	<i>Penstemon penlandii</i>	E
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>GUNNISON</b>		
Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Humpback chub*	<i>Gila cypha</i>	E
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>HINSDALE</b>		
Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Humpback chub*	<i>Gila cypha</i>	E
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Rio Grande cutthroat trout	<i>Oncorhynchus clarki virginalis</i>	C
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C

<b>HUERFANO</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Canada lynx	<i>Lynx canadensis</i>	T
Greenback cutthroat trout	<i>Oncorhynchus clarki stomias</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
<b>JACKSON</b>		
Canada lynx	<i>Lynx canadensis</i>	T
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
North Park phacelia	<i>Phacelia formosula</i>	E
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>JEFFERSON</b>		
Canada lynx	<i>Lynx canadensis</i>	T
Colorado butterfly plant	<i>Gaura neomexicana</i> spp. <i>coloradensis</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Pawnee montane skipper	<i>Hesperia leonardus montana</i>	T
Piping plover▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse©	<i>Zapus hudsonius preblei</i>	T
Ute ladies'-tresses orchid	<i>Spiranthes diluvialis</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>KIOWA</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Least tern (interior population)	<i>Sternula antillarum</i>	E
Lesser prairie chicken	<i>Tympanuchus pallidicinctus</i>	C
Piping plover	<i>Charadrius melodus</i>	T
<b>KIT CARSON</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
<b>LAKE</b>		
Canada lynx	<i>Lynx canadensis</i>	T
Greenback cutthroat trout	<i>Oncorhynchus clarki stomias</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Penland alpine fen mustard	<i>Eutrema penlandii</i>	T
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
<b>LA PLATA</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E

Knowlton cactus	<i>Pediocactus knowltonii</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
New Mexico meadow jumping mouse	<i>Zapus hudsonius luteus</i>	C
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocne</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>LARIMER</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado butterfly plant	<i>Gaura neomexicana</i> spp. <i>coloradensis</i>	T
Greenback cutthroat trout	<i>Oncorhynchus clarki stomias</i>	T
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
North Park phacelia	<i>Phacelia formosula</i>	E
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse©	<i>Zapus hudsonius preblei</i>	T
Ute ladies'-tresses orchid	<i>Spiranthes diluvialis</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>LAS ANIMAS</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
New Mexico meadow jumping mouse	<i>Zapus hudsonius luteus</i>	C
<b>LINCOLN</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Lesser prairie chicken	<i>Tympanuchus pallidicinctus</i>	C
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>LOGAN</b>		
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover	<i>Charadrius melodus</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>MESA</b>		
Bonytail©	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow©	<i>Ptychocheilus lucius</i>	E

De Beque phacelia	<i>Phacelia submutica</i>	C
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Humpback chub©	<i>Gila cypha</i>	E
Razorback sucker©	<i>Xyrauchen texanus</i>	E
Uinta Basin hookless cactus	<i>Sclerocactus glaucus</i>	T
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>MINERAL</b>		
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Rio Grande cutthroat trout	<i>Oncorhynchus clarki virginalis</i>	C
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>MOFFAT</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Bonytail©	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow©	<i>Ptychocheilus lucius</i>	E
Humpback chub©	<i>Gila cypha</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Razorback sucker©	<i>Xyrauchen texanus</i>	E
Ute ladies' -tresses orchid (Yampa River floodplain)	<i>Spiranthes diluvialis</i>	T
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>MONTEZUMA</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Mancos milkvetch	<i>Astragalus humillimus</i>	E
Mesa Verde cactus	<i>Sclerocactus mesae-verdae</i>	T
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
New Mexico meadow jumping mouse	<i>Zapus hudsonius luteus</i>	C
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Sleeping Ute milkvetch	<i>Astragalus tortipes</i>	C
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>MONTROSE</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Clay-loving wild buckwheat	<i>Eriogonum pelinophilum</i>	E
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E

Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Humpback chub*	<i>Gila cypha</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Uinta Basin hookless cactus	<i>Sclerocactus glaucus</i>	T
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>MORGAN</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Least tern (interior population)	<i>Sternula antillarum</i>	E
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse	<i>Zapus hudsonius preblei</i>	T
Ute ladies' -tresses orchid	<i>Spiranthes diluvialis</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>OTERO</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Least tern (interior population)	<i>Sternula antillarum</i>	E
Piping plover	<i>Charadrius melodus</i>	T
<b>OURAY</b>		
Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Humpback chub*	<i>Gila cypha</i>	E
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>PARK</b>		
Canada lynx	<i>Lynx canadensis</i>	T
Greenback cutthroat trout	<i>Oncorhynchus clarki stomias</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Pawnee montane skipper	<i>Hesperia leonardus montana</i>	T
Penland alpine fen mustard	<i>Eutrema penlandii</i>	T
Piping plover▲	<i>Charadrius melodus</i>	T
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Whooping crane▲	<i>Grus americana</i>	E
<b>PHILLIPS</b>		
None		
<b>PITKIN</b>		

Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Humpback chub*	<i>Gila cypha</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Ute ladies'-tresses orchid	<i>Spiranthes diluvialis</i>	T
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>PROWERS</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Least tern (interior population)	<i>Sternula antillarum</i>	E
Lesser prairie chicken	<i>Tympanuchus pallidicinctus</i>	C
Piping plover	<i>Charadrius melodus</i>	T
<b>PUEBLO</b>		
Arkansas darter	<i>Etheostoma cragini</i>	C
Black-footed ferret	<i>Mustela nigripes</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Greenback cutthroat trout	<i>Oncorhynchus clarki stomias</i>	T
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
<b>RIO BLANCO</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow©	<i>Ptychocheilus lucius</i>	E
Dudley Bluffs bladderpod	<i>Lesquerella congesta</i>	T
Dudley Bluffs twinpod	<i>Physaria obcordata</i>	T
Humpback chub*	<i>Gila cypha</i>	E
Razorback sucker*	<i>Xyrauchen texanus</i>	E
White River beardtongue	<i>Penstemon scariosus</i> var. <i>albifluvis</i>	C
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>RIO GRANDE</b>		
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Rio Grande cutthroat trout	<i>Oncorhynchus clarki virginalis</i>	C
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>ROUTT</b>		

Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Humpback chub*	<i>Gila cypha</i>	E
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>SAGUACHE</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Humpback chub*	<i>Gila cypha</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Rio Grande cutthroat trout	<i>Oncorhynchus clarki virginalis</i>	C
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>SAN JUAN</b>		
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Rio Grande cutthroat trout	<i>Oncorhynchus clarki virginalis</i>	C
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>SAN MIGUEL</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Humpback chub*	<i>Gila cypha</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Southwestern willow flycatcher	<i>Empidonax traillii extimus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocnema</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>SEDGWICK</b>		
Least tern (interior population)	<i>Sternula antillarum</i>	E
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover	<i>Charadrius melodus</i>	T
Whooping crane▲	<i>Grus americana</i>	E

<b>SUMMIT</b>		
Bonytail*	<i>Gila elegans</i>	E
Canada lynx	<i>Lynx canadensis</i>	T
Colorado pikeminnow*	<i>Ptychocheilus lucius</i>	E
Greenback cutthroat trout#	<i>Oncorhynchus clarki stomias</i>	T
Humpback chub*	<i>Gila cypha</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Penland alpine fen mustard	<i>Eutrema penlandii</i>	T
Razorback sucker*	<i>Xyrauchen texanus</i>	E
Uncompahgre fritillary butterfly	<i>Boloria acrocne</i>	E
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	C
<b>TELLER</b>		
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	C
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Pawnee montane skipper	<i>Hesperia leonardus montana</i>	T
Piping plover▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse©	<i>Zapus hudsonius preblei</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>WASHINGTON</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>WELD</b>		
Black-footed ferret	<i>Mustela nigripes</i>	E
Colorado butterfly plant	<i>Gaura neomexicana</i> spp. <i>coloradensis</i>	T
Least tern (interior population)▲	<i>Sternula antillarum</i>	E
Mexican spotted owl	<i>Strix occidentalis lucida</i>	T
Pallid sturgeon▲	<i>Scaphirhynchus albus</i>	E
Piping plover▲	<i>Charadrius melodus</i>	T
Preble's meadow jumping mouse	<i>Zapus hudsonius preblei</i>	T
Ute ladies' -tresses orchid	<i>Spiranthes diluvialis</i>	T
Whooping crane▲	<i>Grus americana</i>	E
<b>YUMA</b>		
None		