


Legend


Wetlands and Deepwater Habitats

-  Estuarine Deepwater Habitats
-  Estuarine Nonvegetated Wetlands
-  Estuarine Vegetated Wetlands
-  Lacustrine Deepwater Habitats
-  Palustrine Emergent Wetlands
-  Palustrine Mixed Forested Wetlands
-  Palustrine Tidal Wetlands
-  Palustrine Deciduous Forested/Scrub-Shrub Wetlands
-  Palustrine Deciduous Forested Wetlands
-  Palustrine Evergreen Forested Wetlands
-  Palustrine Deciduous Scrub-Shrub Wetlands
-  Palustrine Mixed Scrub-Shrub Wetlands
-  Palustrine Evergreen Scrub-Shrub Wetlands
-  Palustrine Open Water
-  Palustrine Farmed Wetlands
-  Riverine Tidal Wetlands
-  Riverine Deepwater Habitats


-  Uplands
-  Nanticoke Watershed Boundary
-  Roads
-  Streams and Ditches



Locus Map



Nanticoke Watershed



Projection: UTM
 Units: Meters
 Zone: 18
 Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
 National Wetlands Inventory
 Northeast Region
 300 Westgate Center Drive
 Hadley, Massachusetts 01035






Legend

Wetlands and Deepwater Habitats

-  Deepwater Habitats
-  Estuarine Wetlands
-  Lentic Wetlands
-  Lotic River Wetlands
-  Lotic Stream Wetlands
-  Terrene Wetlands

-  Uplands
-  Nanticoke Watershed Boundary
-  Roads
-  Streams and Ditches



Projection: UTM
 Units: Meters
 Zone: 18
 Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.


Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
 National Wetlands Inventory
 Northeast Region
 300 Westgate Center Drive
 Hadley, Massachusetts 01035







Legend

Wetlands and Deepwater Habitats

- Deepwater Habitats
- Fringe Wetlands
- Island Wetlands
- Flat Wetlands
- Floodplain Wetlands
- Basin Wetlands
- Interfluve Wetlands
- Uplands
- Nanticoke Watershed Boundary
- Roads
- Streams and Ditches



Projection: UTM
 Units: Meters
 Zone: 18
 Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.

Legend



Wetlands and Deepwater Habitats

- Estuarine Deepwater Habitats
- Estuarine Fringe Wetlands
- Estuarine Island Wetlands
- Lentic Basin Wetlands
- Fresh Deepwater Habitats
- Lotic River Floodplain Wetlands
- Lotic River Fringe Wetlands
- Lotic Stream Basin Wetlands
- Lotic Stream Flat Wetlands
- Lotic Stream Floodplain Wetlands
- Terrene Basin Wetlands
- Terrene Flat Wetlands
- Terrene Interfluvial Wetlands

- Uplands
- Nanticoke Watershed Boundary
- Roads
- Streams and Ditches



1:110,000



Projection: UTM
 Units: Meters
 Zone: 18
 Datum: NAD83

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
 National Wetlands Inventory
 Northeast Region
 300 Wasque Center Drive
 Hadley, Massachusetts 01035



Potential Wetlands of Significance for Surface Water Detention
Nanticoke Watershed, Maryland




Map 5NW

Legend

Potential for Surface Water Detention

- High Potential
- Moderate to High Potential
- Some Potential

- Other Wetlands and Deepwater Habitats
- Uplands
- Nanticoke Watershed Boundary
- Roads
- ~ Streams and Ditches



Projection: UTM
Units: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035



Potential Wetlands of Significance for Streamflow Maintenance
Nanticoke Watershed, Maryland




Map 6NW

Legend

Potential for Streamflow Maintenance

- High Potential
- Some Potential

- Other Wetlands and Deepwater Habitats
- Uplands
- Nanticoke Watershed Boundary
- Roads
- ~ Streams and Ditches



Projection: UTM
Units: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1988.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035



Potential Wetlands of Significance for Nutrient Transformation
Nanticoke Watershed, Maryland


Map 7NW

Legend


Potential for Nutrient Transformation

- High Potential
- Some Potential


- Other Wetlands and Deepwater Habitats
- Uplands
- Nanticoke Watershed Boundary
- Roads
- ~ Streams and Ditches



Locus Map



Nanticoke Watershed



Projection: UTM
Units: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035



Potential Wetlands of Significance for Sediment and Other Particulate Retention
Nanticoke Watershed, Maryland

Map 8NW




Legend

Potential for Sediment and Other Particulate Retention

- High Potential
- Some Potential
- Local Potential

Other Wetlands and Deepwater Habitats

- Uplands
- Nanticoke Watershed Boundary
- Roads
- Streams and Ditches



Projection: UTM
Units: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035






Legend

Potential for Coastal Storm Surge Protection

- High Potential
- Moderate to High Potential
- Some Potential

- Other Wetlands and Deepwater Habitats
- Uplands
- Nanticoke Watershed Boundary
- Roads
- ~ Streams and Ditches



Projection: UTM
Units: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01025



Potential Wetlands of Significance for Inland Shoreline Stabilization
Nanticoke Watershed, Maryland *

Map 10NW

Legend

Potential for Inland Shoreline Stabilization

■ High Potential

Other Wetlands and Deepwater Habitats

Uplands

Nanticoke Watershed Boundary

Roads

~ Streams and Ditches

* Estuarine Wetlands have been designated as important for Shoreline Stabilization on the Coastal Storm Surge Detention/Shoreline Stabilization that emphasizes freshwater wetlands.




1:110,000



Locus Map



Nanticoke Watershed



Projection: UTM
Units: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035



Potential Wetlands of Significance for Fish and Shellfish Habitat
Nanticoke Watershed, Maryland




Map 11NW

Legend

Potential for Fish and Shellfish Habitat

- High Potential for Estuarine Species
- High Potential for Freshwater Species
- Moderate to High Potential for Freshwater Species
- Some Potential for Freshwater Species

- Other Wetlands and Deepwater Habitats
- Uplands
- Nanticoke Watershed Boundary
- Roads
- Streams and Ditches



Projection: UTM
Units: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hudley, Massachusetts 01035



Potential Wetlands of Significance for Waterfowl and Waterbird Habitat
Nanticoke Watershed, Maryland




Map 12NW

Legend

Potential for Waterfowl and Waterbird Habitat

- High Potential
- Some Potential
- Wood Duck Habitat Potential

- Other Wetlands and Deepwater Habitats
- Uplands
- Nanticoke Watershed Boundary
- Roads
- Streams and Ditches



Projection: UTM
Unit: Meters
Zone: 18
Datum: NAD83

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035






Legend

Potentially Significant for Other Wildlife Habitat

- Large Wetlands
- Small Diverse Wetlands

Other Wetlands and Deepwater Habitats

- Uplands
- Nanticoke Watershed Boundary
- Roads
- Streams and Ditches



Projection: UTM
Units: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035



Potential Wetlands of Significance for Biodiversity
Nanticoke Watershed, Maryland




Map 14NW

Legend

Potential Areas for Biodiversity

- Important for Forest Breeding Regional Avifauna
- Large Wetland Complexes
- Oligohaline Wetlands
- Uncommon Wetland Types
- Riverine Tidal Marshes

- Other Wetlands and Deepwater Habitats
- Uplands
- Nanticoke Watershed Boundary
- Roads
- Streams and Ditches



Projection: UTM
Units: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035



Legend


Type 1 Potential Restoration Sites (Formerly Vegetated Wetlands)

- Farmed
- Impounded Deepwater Habitats

Type 2 Potential Restoration Sites (Existing Altered Wetlands)

- Partially Drained Palustrine Wetlands
- Impoundments and Ponds (Mostly Former Vegetated Wetlands)
- Tidally Restricted Wetlands
- Excavated Wetlands


- Other Wetlands and Deepwater Habitats
- Uplands
- Nanticoke Watershed Boundary
- Roads
- ~ Streams and Ditches



Locus Map



Nanticoke Watershed



Projection: UTM
Units: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035



Condition of Wetland and Waterbody Buffers* (100m)
Nanticoke Watershed, Maryland

Map 16NW




Legend

Landuse/Landcover Within the Buffer Zone

- Developed Areas
- Agricultural Areas
- Natural Vegetation Areas
- Water
- Wetlands

- Area Outside Buffer Zone
- Nanticoke Watershed Boundary
- Roads
- Streams and Ditches

*Includes buffers around ditches



Projection: UTM
Unit: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035



Legend




Landuse/Landcover

- Developed Areas
- Agricultural Areas
- Natural Vegetation Areas
- Water

Nanticoke Watershed Boundary

Roads

Streams and Ditches



Projection: UTM
Unit: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035



Extent of Ditches and Condition of Streams
Nanticoke Watershed, Maryland

Map 18NW




Legend

Linear Water Features

-  Ditches
-  Natural Streams
-  Channelized Streams
-  Dammed Streams

Other Wetlands and Deepwater Habitats

-  Other Wetlands and Deepwater Habitats
-  Uplands
-  Nanticoke Watershed Boundary
-  Roads



Projection: UTM
Units: Meters
Zone: 18
Datum: NAD27

This map is a product of the U.S. Fish and Wildlife Service's National Wetlands Inventory Program, Region 5, and was produced for the State of Maryland, Department of Natural Resources. It was compiled from source material dated February and March 1998.

Wetland digital data were derived by photointerpretation of 1:40,000-scale color infrared photography. Landuse/landcover data were originally obtained from the State of Maryland, Dept. of Natural Resources, and updated by the USFWS for this project. U.S. Geological Survey (USGS) Digital Line Graphs (1:24,000-scale) were used to create a more complete hydrologic data set. National Resources Conservation Service digital county soil survey data and USGS Digital Raster Graphics were also used as collateral information where available.

This map was produced with the intent that it be used or displayed at a scale of 1:110,000. There are no warranties made as to the fitness of this map for any unlisted purpose or reproduction at any other than the original scale.



U.S. Fish and Wildlife Service
National Wetlands Inventory
Northeast Region
300 Westgate Center Drive
Hadley, Massachusetts 01035

