


Tucannon Lakes Fishery Monitoring Report for 2003




by Glen Mendel and Jeremy Trump



Washington Department of
FISH AND WILDLIFE
Fish Program
Management Division

Tucannon Lakes Fishery Monitoring Report for 2003



Washington
Department of
**FISH and
WILDLIFE**

By

Glen Mendel and Jeremy Trump
Washington Department of Fish and
Wildlife
Fish Program - Fish Management
Division
529 West Main Street, Dayton, WA
99328

November 2008

Acknowledgements

We are grateful for assistance provided in collecting fishery information, data entry and critical reviews of draft reports. Mike Gembala, Derek Gloyn, Justin Steinhoff, Larabee Miller, Rob Martin, Joe Zelinski, and Stephen Jeffers assisted by conducting angler counts, angler interviews and data entry or processing. Jon Lovrak (Lyons Ferry Fish Hatchery) and Doug Maxey (Tucannon Fish Hatchery), and other hatchery staff, provided fish stocking numbers and fish production cost estimates. Joe Bumgarner, Mark Schuck, Jon Lovrak, Kari Dingman and Doug Maxey of WDFW reviewed parts of the draft reports and provided comments. Bill Horton and Scott Grunder of Idaho Fish and Game were very helpful by providing the Idaho fishing economic data and summary report. The contributions of all these folks substantially assisted in completion of this study and we greatly appreciate their efforts and cooperation.

Table of Contents

List of Tables	iii
List of Figures	iv
Introduction.....	1
Methods.....	4
Results and Discussion	5
Angler Effort, Catch and Harvest	5
Fishing Gear, Angler Satisfaction, and Other Species Harvested	11
Comparison of 2003 results with 1985 creel results.....	14
Residence of Anglers Interviewed.....	16
Summary and Conclusions	19
Future Outlook.....	19
Literature Cited.....	21
Appendix A. Creel Instructions/Questions and Creel Survey Form for the Tucannon Lakes, 2003.....	22
Appendix B. Angler Effort and Harvest for Spring, Blue, Rainbow and Deer Lakes, 2003.....	26
Appendix C. Angler Residence Data from all Interviews Conducted During the Sampling Season for the Tucannon Lakes Creel Surveys, 2003.....	47

List of Tables

Table 1	Comparison of opening day, the first week, the first two weeks, and monthly effort and harvest during the Tucannon Lakes creel surveys, 2003.	6
Table 2	Rainbow trout caught per angler for anglers with completed fishing trips for the season, or by month, during Tucannon Lakes creel, 2003.....	7
Table 3	Monthly rainbow trout stocked (including jumbo trout), expanded harvest and release, and percent cumulative exploitation rates during the Tucannon Lakes creel, 2003.	9
Table 4	Numbers of harvested and released rainbow trout, and number of catchable (< 33.0cm) and jumbo (\geq 33.0cm) rainbow trout harvested (and percent of total harvested) derived from Tucannon Lakes creel survey interviews, 2003.	10
Table 5	Summary of gear type used by anglers interviewed during Tucannon Lakes creel surveys, and catch success (in numbers of fish caught and released and catch rates) for each gear type, 2003.....	12
Table 6	Angler satisfaction with the number of rainbow trout and quality of trout caught during the Tucannon Lakes creel surveys, 2003.....	13
Table 7	Number and average size (number of fish per pound, or per 0.45 kg) of catchable-sized trout released into four of the Tucannon Lakes in 2003 from the Tucannon Fish Hatchery (TFH) and Lyons Ferry Hatchery (LFH) (information from Jon Lovrak, pers. comm. 2008).....	14
Table 8	Species of fish other than Rainbow Trout observed during Tucannon Lakes creel surveys, 2003.	14
Table 9	Angler residence data from one interview period per day for the entire season of Tucannon Lakes creel surveys, 2003.....	17
Table 10	Angler residence data from one interview period per day during the first month of the Tucannon Lakes creel surveys, 2003.....	18

List of Figures

Figure 1	Map of the four sampled Tucannon Lakes in the WDFW Wooten Wildlife Area, within Columbia County, southeast Washington.....	2
Figure 2	An example of observed angling effort on Blue Lake in 2003.....	7
Figure 3	An example of the size range of harvested fish (one “jumbo” and two “catchable-sized” trout) observed in angler creels in 2003.....	10

Introduction

Trout fishing in Washington is a popular pastime. A recent survey found that 78% of all anglers in Washington fish for rainbow trout and that Washington licensed resident anglers prefer (33%) fishing in lowland lakes (Responsive Management 2008).

Eight small man-made impoundments (ponds) are stocked with hatchery rainbow trout annually in the Washington Department of Fish and Wildlife's (WDFW) Wooten Wildlife Area (WWA), along the upper Tucannon River in southeast Washington. These ponds, constructed in the 1950's, are popular fishing areas with the public. Their importance for fish stocking increased because of the need for mitigation trout stocking as part of the Lower Snake River Compensation Program (LSRCP). The LSRCP hatchery trout program is intended to mitigate for lost fishing opportunities associated with the construction and operation of the four lower Snake River dams. The WDFW raises the mitigation fish for the LSRCP and also supplements those "catchable" hatchery trout (fish are usually 7-12 inches, 18-30 cm, long) in the Tucannon Lakes with 100-300 large rainbow trout per lake from a state funded "jumbo" trout program (fish are 12-19 inches, 30-48 cm long, and 1.5-2.5 lbs, 0.67-0.90 kg each). In the late 1990s, WDFW ceased all stocking of catchable trout in southeast Washington streams and rivers to minimize any adverse effects on salmon, steelhead and bull trout that are listed as threatened under the Endangered Species Act (ESA).

The Tucannon "Lakes" range in size from about 1 to 12 acres (0.4-4.8 hectares). Curl Lake, the uppermost of these lakes, does not open for fishing until the last Saturday in April because it is used as an acclimation facility for spring chinook until mid-April. Then it is drained, refilled, and stocked with rainbow trout for anglers. All the other lakes are open for fishing from March 1 to October 31 each year. The daily limit is five trout of any size and fishing is limited to shore anglers only (no floating devices allowed). Anglers can use bait, flies, or lures.

WDFW desired to evaluate the amount of angler use and the success of the LSRCP and jumbo trout releases in these lakes in 2003. Because of a very limited budget and conflicts for staff time with spring chinook salmon fishery monitoring we were unable to monitor more than four of the eight lakes. The four lakes (Spring, Blue, Rainbow and Deer lakes) were selected because they were near each other, which increased efficiency of our monitoring efforts (Figure 1). The uppermost lakes of Watson, Beaver, Big Four and Curl were not sampled as part of this fishery monitoring effort. This is the first time we have surveyed the Tucannon Lakes fisheries since 1985 (Schuck and Mendel, 1987) when all the lakes were monitored during spring and early summer. We terminated the 2003 creel surveys shortly after the July 4th weekend because our past experience indicated that angler effort declined significantly after that time (Schuck and

Mendel 1985) and funding was limited. Therefore, even though these surveys do not include the entire fishing season, we believe that we have captured the majority of angling effort and harvest expected for the entire season.




Figure 1 Map of the four sampled Tucannon Lakes in the WDFW Wooten Wildlife Area, within Columbia County, southeast Washington.

The objectives of this fishery monitoring effort were as follows:

- 1) Determine angler effort, catch, harvest, angler day length and exploitation rates for hatchery rainbow trout in four of the Tucannon Lakes from opening day (March 1) through mid-July, as an indicator of the level of angler use and success in all the Tucannon Lakes.
- 2) Evaluate how opening day angler results compare with results from opening week, and other intervals.

- 3) Compare results of these Tucannon Lakes fishery surveys with similar fishery surveys conducted here in the mid 1980s. Compare results with LSRCP goals for this program.
- 4) Summarize and evaluate other aspects of the fishery (e.g. prevalence of the use of bait, angler satisfaction, etc.).
- 5) Determine the residence of anglers and how far they are traveling to fish these lakes and recreate on the WDFW WWA.

Methods

WDFW Fish Management staff from the Dayton office began conducting angler counts and interviews initially at Spring, Blue and Rainbow lakes. In mid-March, Deer Lake was added to the creel surveys because it was small and very close to Rainbow Lake, and thus it could be included in the surveys with minimal effort. Initially, one weekend day and one weekday were selected each week for monitoring the fisheries at these four lakes. Weekday monitoring was increased to one or two days per week during May through mid-July, except May 1-15 when staff shortages and schedule conflicts prevented us from sampling on weekdays. Weekends during the first two weeks of May were sampled. We applied the averages from the nearest weekday creel surveys and angler counts on either side of the missing creel survey sampling period to estimate the angler effort, catch and harvest for all weekdays during May 1-15, and for use in the total estimates for the sampled season. The last weekday surveyed during the season was Tuesday, July 8, and the last weekend sampled was Saturday, July 12.

Angler counts were completed four to six times per monitoring day, depending on day length and other factors. The first count time was randomly selected (0630, 0700, 0730, 0800 hrs) and subsequent counts were predetermined for every 2.5-3.5 hrs to cover the fishery from daylight until dark. The last count of the day was as late as 2100 hrs (9 pm), depending on day light. The goal was to complete all angler counts in less than one hour so statistically they could be considered “instantaneous” counts. On average, counts of the three largest lakes only took about 15-20 minutes. Angler counts were averaged over a two-week period and multiplied by the number of daylight hours, and days, available during weekends and weekdays for each two-week period. These results were summed per month, and for the entire sampling season, to estimate angler effort. Angler interviews were conducted before or after angler counts. Fish in the angler’s creel were counted and some fish were measured. The angler was asked the number of anglers in their party and when they started fishing so we could estimate angler effort and catch rate (see Appendix A for angler creel instructions and forms). The average catch rate for each two week block was multiplied by angler effort during that period and day type to estimate the number of fish kept, or caught and released. These values were summed over the season to arrive at sampling season totals for angler effort, catch and harvest.

Results and Discussion

Angler Effort, Catch and Harvest

We monitored the fisheries on opening day (March 1) for Rainbow, Blue and Spring lakes and found that catch rates were similar from opening day throughout the first two weeks or more of fishing (Table 1). However, we noticed that catch rates were often highest during weekends throughout the season at all three of these lakes when compared with weekdays (Appendix B). Deer Lake was added to the creel survey and angler counts on 28 March. This lake had few anglers and variable catch rates during the season.

Angler effort was low during the first week of creel surveys in early March because the lakes were partially or mostly ice covered and the temperatures were cold on opening morning. The first weekday surveyed (March 7) had cool temperatures and heavy rain/sleet all day.

The most fishing effort occurred on Rainbow Lake, but it is larger than all the other Tucannon Lakes. Blue Lake actually had the highest estimated trout harvest and nearly the same amount of angling effort as Rainbow Lake (Figure 2). Blue Lake is also the deepest and the most recently dredged and restored lake of all the Tucannon Lakes. Total estimated angler effort for the four sampled lakes for that portion of the fishing season sampled was 38,116.48 angler hours.

Total rainbow trout harvest during the sampling season was estimated to be 27,436 (summed from Table 1). The most trout were removed from Blue Lake (12,066) and Rainbow Lake (9,992). Numbers of released trout comprised 29-48% of the trout harvested per lake, with the highest percentage of released fish in Blue Lake (47.9% of trout harvested).

Interview data from anglers with completed fishing trips indicated that few anglers had caught their limit of five fish, except from Blue Lake in March (Table 2). Sample sizes of anglers with completed trips from Spring and Deer Lakes were too small to partition the data by month, so only totals for the sampling season are shown. Completed fishing trips averaged 1.93 hours per angler (March 1 to mid July) for the four sampled lakes. Therefore, 19,749.5 angler days were completed by trout anglers fishing these four Tucannon Lakes (38,116.48 angler hours / 1.93 hours per completed fishing trip). This estimate of angler days does not include the entire fishing season, nor does it include the fishery results for the early part of March on Deer Lake (we began surveys on Deer Lake on March 28 and expanded the data to provide estimates for the period of March 16-30). The number of angler days also does not include the other four Tucannon Lakes, plus many other ponds or lakes stocked in southeast Washington with hatchery trout. Yet, this estimate of angler days on four Tucannon Lakes slightly exceeds 29% of the

67,500 angler days the LSRCP mitigation program was expected to provide with the hatchery trout program in all of southeast Washington.

Table 1 Comparison of opening day, the first week, the first two weeks, and monthly effort and harvest during the Tucannon Lakes creel surveys, 2003.

	Angler Counts		Angler Interview Data					Expanded Totals		
	Number of Anglers	Average # of Anglers	Total Hours	Rainbow Trout Harvested	Rainbow Trout Released	Average Catch Rate (hrs/fish harvested) ^a	Average Release Rate (hrs/fish released)	Angler Effort (hrs) ^b	Rainbow Trout Harvested	Rainbow Trout Released
Spring Lake										
Opening Day	128	32.00	194.66	77	3	2.528	64.887	368.00	145.57	5.67
1 st Week (March 1-7)	132	16.50	197.84	80	3	2.473	65.947	1,328.25	537.10	20.14
1 st Two Weeks (March 1-15)	175	10.94	240.10	138	3	1.740	80.033	1,886.72	1,084.32	23.57
1 st Month (March 1-31) ^c	277	8.66	378.74	240	41	1.578	9.238	2,501.25	1,686.34	378.94
April (1-30)	289	5.78	399.27	128	60	3.119	6.655	2,058.52	608.95	267.06
May (1-31)	241	3.65	257.83	172	89	1.499	2.897	1,522.91	1,061.43	436.97
June (1-30)	178	2.97	228.69	171	49	1.337	4.667	1,213.58	932.71	419.74
July (1-15) ^d	107	3.69	119.58	58	38	2.062	3.147	764.68	373.11	227.49
Monthly Totals								8,060.94	4,663	1,730
Blue Lake										
Opening Day	236	59.00	184.80	147	27	1.257	6.844	678.50	539.78	99.14
1 st Week (March 1-7)	247	30.88	195.65	151	35	1.296	5.590	2,485.84	1,918.09	444.69
1 st Two Weeks (March 1-15)	324	20.25	294.26	241	46	1.221	6.397	3,493.13	2,860.87	546.06
1 st Month (March 1-31) ^c	566	17.69	566.62	636	168	0.891	3.373	5,134.38	5,742.47	2,786.43
April (1-30)	530	10.60	539.14	330	101	1.634	5.338	4,445.41	2,939.43	854.35
May (1-31)	339	5.14	354.23	339	138	1.045	2.567	2,238.70	2,134.92	921.90
June (1-30)	263	4.38	336.77	207	175	1.627	1.924	1,717.27	1,102.91	1,013.90
July (1-15) ^d	62	2.14	57.17	19	27	3.009	2.117	458.90	146.14	202.87
Monthly Totals								13,994.66	12,066	5,779
Rainbow Lake										
Opening Day	126	31.50	159.11	142	25	1.120	6.364	362.25	323.44	56.92
1 st Week (March 1-7)	145	18.13	180.33	152	25	1.186	7.213	1,459.47	1,230.58	202.34
1 st Two Weeks (March 1-15)	212	13.25	242.28	209	46	1.159	5.267	2,285.63	1,972.07	433.95
1 st Month (March 1-31) ^c	485	15.16	617.78	629	207	0.982	2.984	4,446.88	4,718.02	1,807.96
April (1-30)	514	10.28	539.79	219	79	2.465	6.833	4,162.38	1,757.51	701.87
May (1-31)	479	7.26	599.96	377	176	1.591	3.409	3,021.93	1,863.15	1,032.36
June (1-30)	334	5.57	476.02	249	110	1.912	4.327	2,365.24	1,422.04	585.76
July (1-15) ^d	135	4.66	140.11	30	11	4.670	12.737	980.12	231.22	79.37
Monthly Totals								14,976.55	9,992	4,207
Deer Lake										
Opening Day	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00	0.00	0.00
1 st Week (March 1-7)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00	0.00	0.00
1 st Two Weeks (March 1-15)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00	0.00	0.00
1 st Month (March 16-31) ^{c,c}	11	1.38	17.00	10	5	1.700	3.400	171.88	101.10	50.55
April (1-30)	33	0.66	44.29	26	1	1.703	44.290	255.33	113.26	3.38
May (1-31)	60	0.91	73.55	62	12	1.186	6.129	396.02	337.39	81.83
June (1-30)	29	0.48	10.14	5	3	2.028	3.380	209.80	80.52	45.55
July (1-15) ^d	8	0.28	7.49	9	2	0.832	3.745	51.30	82.63	27.70
Monthly Totals								1,084.33	715	209

^a Average catch rate for the month was calculated for all creels conducted including weekends and weekdays.
^b Average release rate for the month was calculated for all creels conducted including weekends and weekdays.
^c Angler effort for the month was calculated on 12 hour day length, an average of the first two week period (11.5 hrs) and the second two week period (12.5 hrs).
^d July totals only represent July 1-15, no creels were conducted in the second half of July.
^e March totals are calculated from two creels near the end of the month, therefore expanded totals only reflect the March 16-31.



Figure 2 An example of observed angling effort on Blue Lake in 2003.

Table 2 Rainbow trout caught per angler for anglers with completed fishing trips for the season, or by month, during Tucannon Lakes creel, 2003

Two Week Period	Number of Anglers Interviewed	Total Hours Fished	Trout Harvested	Trout Released	Ave. Number of Trout Harvested per Angler	Ave. Hours per Angler Trip
Spring Lake						
Spring Lake Total	66	132.87	106	56	1.61	2.01
Blue Lake						
<u>March</u>	31	60.81	154	0	4.97	1.96
April	14	24.81	28	1	2.00	1.77
<u>May</u>	43	73.28	111	57	2.58	1.70
June	16	28.93	27	23	1.69	1.80
July	0	N/A	N/A	N/A	N/A	N/A
Blue Lake Total	104	187.83	320	81	3.08	1.80
Rainbow Lake						
<u>March</u>	51	89.32	148	2	2.90	1.75
April	33	84.76	64	3	1.94	2.57
<u>May</u>	50	103.24	57	30	1.14	2.06
June	33	71.91	55	33	1.67	2.18
July	20	32.70	4	0	0.20	1.63
Rainbow Lake Total	187	381.93	328	68	1.75	2.04
Deer Lake						
Deer Lake Total	23	30.83	18	3	0.78	1.34
Weighted Average	380	733.46	772	208	2.03	1.93

The range of exploitation rates (percent harvested of the total catchable-sized hatchery trout stocked) were similar to those reported in 1985 for the three larger lakes. In 1985, exploitation rates were 56-77 % for these three lakes (Schuck and Mendel, 1987), but in 2003 they ranged from 58-78% for Spring, Blue and Rainbow Lakes (Table 3). The exploitation rates for individual lakes in 1985 were 69% in Spring Lake, 56.5% in Blue Lake, and 77.7% in Rainbow Lake. The Blue Lake exploitation rate of 78% in 2003 exceeded the 1985 rate, but the other two lakes had lower rates in 2003 than in 1985. The very low exploitation rate (23.56 %) for trout harvest in Deer Lake does not include those fish removed the first two weeks of March because our creel surveys did not begin there until later in March (28 March was first day of creel - expanded for 16-30 March). Exploitation rates in Spring, Rainbow and Deer lakes may be reduced because these lakes have become shallow and weedy and need to be excavated. Fishing is more difficult in these lakes because of the large quantities of aquatic vegetation and angler effort and harvest is probably reduced because of the vegetation. The cold wet opening week of fishing in 2003 also may have contributed to the reduced exploitation rates.

Exploitation rates undoubtedly exceeded those noted in Table 3 because a portion of released trout are expected to have died from hooking and handling, especially when bait is used (Mongillo 1984, Muoneke and Childress 1994). If we apply a conservative hooking mortality rate of 10% to the released trout (Table 3) and include that in total exploitation, the estimates would increase by 2-3% in the three larger lakes, and by only 0.6% in Deer Lake.

Table 3 Monthly rainbow trout stocked (including jumbo trout), expanded harvest and release, and percent cumulative exploitation rates during the Tucannon Lakes creel, 2003.

Lake/ Month	Number of Jumbos Stocked	Number of Catchable-Sized Trout Stocked ^a	Expanded Totals		% Cumulative Exploitation ^b
			Number Harvested	Number Released	
Spring Lake					
March	200	4,022	1,686	379	41.92
April	100	2,024	609	267	37.96
May	0	1,976	1,061	437	41.83
June	0	0	933	420	53.47
July	0	0	373	227	58.13
Season Total	300	8,022	4,663	1,730	58.13
Blue Lake					
March	201	8,295	5,742	2,786	69.22
April	100	1,702	2,939	854	86.84
May	0	4,399	2,135	922	75.14
June	0	1,047	1,103	1014	77.19
July	0	0	146	203	78.13
Season Total	301	15,443	12,065	5,779	78.13
Rainbow Lake					
March	200	7,140	4,718	1,808	66.08
April	100	3,965	1,757	702	58.31
May	0	3,130	1,863	1,032	58.57
June	0	1,762	1,422	586	61.01
July	0	0	231	79	62.46
Season Total	300	15,997	9,991	4,207	62.46
Deer Lake					
March	0	1,002	101	51	10.08
April	0	1,007	113	3	10.65
May	0	1,022	337	82	18.18
June	0	0	81	46	20.82
July	0	0	83	28	23.59
Season Total	0	3,031	715	210	23.59
^a Rainbow trout stocking for the month of March also include fish planted in February for the March 1 st fishing opener.					
^b Exploitation is the percentage of catchable sized rainbow trout harvested divided by the number stocked; calculated cumulatively throughout the season.					

Small numbers of jumbo (> 33 cm fork length and 1.5 lb, 0.67 Kg per fish) rainbow trout were stocked (Table 3) in some of the Tucannon Lakes to create more angler excitement and anticipation of catching a large fish (Figure 3). The total harvest estimate for each lake was partitioned into jumbo trout and “catchable-sized” (about 18-30 cm FL) hatchery trout releases from Lyons Ferry (LFH) and Tucannon (TFH) fish hatcheries. An average of 2.8% of the harvested fish were jumbo trout (Table 4). The jumbo trout harvest rate is higher than the jumbo trout stocking rate and suggests that those large fish were more likely to be retained in the fishery. The jumbo trout harvest is estimated to have been approximately 768 (27,436 total trout harvested x 2.8%). Therefore, the jumbo trout exploitation rate would be 85.2% (768 harvested

divided by 901 stocked), which is well above the average calculated exploitation rate for catchable trout (Table 3).



Figure 3 An example of the size range of harvested fish (one “jumbo” and two “catchable-sized” trout) observed in angler creels in 2003.

Table 4 Numbers of harvested and released rainbow trout, and number of catchable (< 33.0cm) and jumbo (≥ 33.0cm) rainbow trout harvested (and percent of total harvested) derived from Tucannon Lakes creel survey interviews, 2003.

Area	Total Rainbow Trout Kept	Total Rainbow Trout Released	Rainbow kept < 33.0 cm FL	Rainbow kept ≥ 33.0 cm FL
Spring Lake	769	277	749 (97.4%)	20 (2.6%)
Blue Lake	1,531	609	1,490 (97.3%)	41 (2.7%)
Rainbow Lake	1,504	583	1,455 (96.7%)	49 (3.3%)
Deer Lake	112	23	112 (100.0%) ^a	0 (0.0%) ^a
Total for all Lakes	3,916	1,592	3,806 (97.2%)	110 (2.8%)

^a No Jumbo rainbow trout (≥ 33.0cm) were planted in Deer Lake so none were observed during the catch.

Fishing Gear, Angler Satisfaction, and Other Species Harvested

Anglers using the Tucannon Lakes preferred to use bait most of the time (78-82%), based on our angler interviews, but lures and flies often produced better catch rates (Table 5). It may be that more experienced anglers used lures or flies than bait when fishing, and therefore had higher success rates. Bait use at the Tucannon Lakes was much higher than the Washington statewide average (25%) for rainbow trout fishing using bait only (Responsive Management 2008).

We asked anglers whether they were satisfied with the number of fish they were catching and the quality of the fish they caught. Satisfaction levels generally exceeded 65 % except during April and July (Table 6). We had expected, and indeed found, that satisfaction levels would be lower in July because of poorer fishing conditions and fewer fish available for harvest in July. The decrease in satisfaction in April is probably a reflection of the change from Lyons Ferry Hatchery providing the fish during the early part of the season and the Tucannon Hatchery providing the fish later in spring and summer. The Tucannon Fish Hatchery is not able to consistently produce 20-30 cm (8-12 inch) fish by April because of cold winter and early spring water temperatures. Lyons Ferry Hatchery can produce larger trout as early as February or March because of the sole use of constant temperature well water at this facility (Table 7). The catch of smaller fish in April could be alleviated by having additional rainbow trout produced at Lyons Ferry Hatchery for April releases and changing to Tucannon Hatchery releases in late April or May to allow additional growth and increased size at release. In addition, most or all the jumbo trout may have been removed by early April so that probably contributed to angler dissatisfaction with the size of fish caught in April.

Table 5 Summary of gear type used by anglers interviewed during Tucannon Lakes creel surveys, and catch success (in numbers of fish caught and released and catch rates) for each gear type, 2003.

Gear Type	Number of Anglers (% of Total)	Number of Fish Harvested	Number of Fish Released	Catch Rate for Rainbow Trout		
				Harvested (hrs./fish harvested)	Released (hrs./fish released)	Total (hrs./fish caught)
Spring Lake						
Bait	765 (81.9%)	637	138	1.79	8.27	1.47
Lure	50 (5.4%)	35	44	1.67	1.32	0.74
Fly	19 (2.0%)	17	44	1.73	0.67	0.48
Bait/Lure	96 (10.3%)	77	51	1.97	2.97	1.18
Bait/Fly	4 (0.4%)	3	0	1.56	0.0	1.56
Total	934	769	277	1.80	5.00	1.32
Blue Lake						
Bait	1,151 (78.9%)	1,239	214	1.14	6.63	0.98
Lure	56 (3.8%)	40	98	1.56	0.64	0.45
Fly	66 (4.5%)	36	160	2.54	0.57	0.47
Bait/Lure	95 (6.5%)	144	65	1.34	2.08	0.82
Bait/Fly	56 (3.8%)	61	32	1.18	2.25	0.77
Lure/Fly	16 (1.1%)	8	10	1.57	1.25	0.70
Bait/Lure/Fly	19 (1.3%)	3	30	12.87	1.29	1.17
Total	1,459	1,531	609	1.21	3.04	0.87
Rainbow Lake						
Bait	1,309 (79.0%)	1,245	294	1.51	6.39	1.22
Lure	93 (5.6%)	75	124	1.51	0.91	0.57
Fly	61 (3.7%)	38	104	2.49	0.91	0.67
Bait/Lure	152 (9.2%)	131	43	1.92	5.85	1.45
Bait/Fly	37 (2.2%)	15	17	2.03	1.79	0.95
Lure/Fly	2 (0.1%)	0	1	0.00	5.84	5.84
Bait/Lure/Fly	4 (0.2%)	0	0	0.00	0.00	0.00
Total	1,658	1,504	583	1.58	4.07	1.14
Deer Lake						
Bait	112 (81.2%)	93	15	1.28	7.96	1.11
Lure	7 (5.1%)	10	4	0.27	0.67	0.19
Fly	3 (2.2%)	0	2	0.00	7.71	7.71
Bait/Lure	11 (8.0%)	7	1	1.43	10.01	1.25
Bait/Fly	5 (3.6%)	2	1	2.50	5.00	1.67
Total	138	112	23	1.36	6.63	1.13

Table 6 Angler satisfaction with the number of rainbow trout and quality of trout caught during the Tucannon Lakes creel surveys, 2003.

Lake/Month	Satisfied with number of trout?			Satisfied with quality of trout?		
	# Anglers Interviewed	Yes	No	# Anglers Interviewed	Yes	No
Spring Lake						
March	201	155 (77.1%)	46 (22.9%)	188	158 (84.0%)	30 (16.0%)
April	276	117 (42.4%)	159 (57.6%)	228	122 (53.5%)	106 (46.5%)
May	135	91 (67.4%)	44 (32.6%)	89	88 (98.9%)	1 (1.1%)
June	123	94 (76.4%)	29 (23.6%)	123	94 (76.4%)	29 (23.6%)
July	64	40 (62.5%)	24 (37.5%)	64	40 (62.5%)	24 (37.5%)
Total	799	497 (62.2%)	302 (37.8%)	645	507 (78.6%)	138 (21.4%)
Blue Lake						
March	346	308 (89.0%)	38 (11.0%)	346	288 (83.2%)	58 (16.8%)
April	457	163 (35.7%)	294 (64.3%)	390	196 (50.3%)	194 (49.7%)
May	250	200 (80.0%)	50 (20.0%)	150	150 (100.0%)	0 (0.0%)
June	186	132 (71.0%)	54 (29.0%)	145	135 (93.1 %)	10 (6.9%)
July	48	17 (35.4%)	31 (64.6%)	23	23 (100.0%)	0 (0.0%)
Total	1,287	820 (63.7%)	467 (36.3%)	1,054	792 (75.1%)	262 (24.9%)
Rainbow Lake						
March	365	310 (84.9%)	55 (15.1%)	365	300 (82.2 %)	65 (17.8%)
April	385	134 (34.8%)	251 (65.2%)	271	158 (58.3%)	113 (41.7%)
May	320	213 (66.6%)	107 (33.4%)	192	187 (97.4%)	5 (2.6%)
June	251	172 (68.5%)	79 (31.5%)	188	185 (98.4%)	3 (1.6%)
July	109	14 (12.8%)	95 (87.2%)	17	16 (94.1%)	1 (5.9%)
Total	1,430	843 (59.0%)	587 (41.0%)	1,033	846 (81.9%)	187 (18.1%)
Deer Lake						
March	11	9 (81.8%)	2 (18.2%)	11	9 (81.8%)	2 (18.2%)
April	36	20 (55.6%)	16 (44.4%)	30	8 (26.7%)	22 (73.3%)
May	51	43 (84.3%)	8 (15.7%)	32	32 (100.0%)	0 (0.0%)
June	16	6 (37.5%)	10 (62.5%)	8	8 (100.0%)	0 (0.0%)
July	10	3 (30.0%)	7 (70.0%)	3	3 (100.0%)	0 (0.0%)
Total	122	81 (66.4%)	41 (33.6%)	84	60 (71.4%)	24 (28.6%)

Table 7 Number and average size (number of fish per pound, or per 0.45 kg) of catchable-sized trout released into four of the Tucannon Lakes in 2003 from the Tucannon Fish Hatchery (TFH) and Lyons Ferry Hatchery (LFH) (information from Jon Lovrak, pers. comm. 2008).

Lake/ Hatchery	February	March	April	May	June
Spring Lake/ TFH			2,024 (4.4)	1,976 (3.8)	
LFH	2,006 (3.2)	2,016 (2.8)			
Blue Lake/ TFH			1,702 (4.4)	4,399 (4.3)	1,047 (2.3)
LFH	3,978 (3.4)	4,317 (2.7)			
Rainbow Lake/ TFH			3,965 (4.4)	3,130 (4.3)	1,762 (3.1)
LFH	3,060 (3.4)	4,080 (2.8)			
Deer Lake/ TFH			1,007 (4.4)	1,022 (3.8)	
LFH	1,002 (3.0)				

Anglers did catch other species of fish, particularly in Spring and Rainbow lakes (Table 8). Smallmouth bass, a favored gamefish, were harvested from Spring Lake. Redside shiners are a small native fish that seldom exceeds 4-5 inches (10-13 cm). Northern pikeminnows, a species native to the Tucannon River, were commonly caught in Rainbow Lake. No other species were observed or reported during angler interviews.

Table 8 Species of fish other than Rainbow Trout observed during Tucannon Lakes creel surveys, 2003.

Lake	Other Species Caught	Number Caught
Spring Lake	Smallmouth bass	62
Blue Lake	Redside shiner	1
Rainbow Lake	Northern pikeminnow	109
	Redside shiner	6
	Bridgelip sucker	1
Deer Lake	None	

Comparison of 2003 results with 1985 creel results

In 1985, the trout fishing in the Tucannon Lakes opened on April 21 instead of March 1st in 2003. Additionally, the Tucannon River was stocked with hatchery trout and was open for fishing in late May (25th) in 1985, but was not stocked, and did not open until June 1 in 2008. The sampling of anglers on the Tucannon Lakes was stratified between weekends and weekdays, and AM and PM periods per day in 1985. Two or three counts were made each sampling period (half day). The creel surveys extended into August in 1985, but counts were decreased to only one per half day in August because of low numbers of anglers. July and August accounted for a

very small percentage of the season's total angler effort, except at Curl Lake, which did not open until May 25, in 1985. Completed angling trips averaged 1.77 hrs per day (less than the 1.93 hrs/day in 2003), resulting in an estimated 26,094 angler days spent by anglers at the eight Tucannon Lakes during the spring and summer of 1985 (Schuck and Mendel 1987). Anglers caught an average of 2.89 fish each and harvested 52-107 % of the fish stocked into the lakes in 1985, compared with 2.03 fish per angler and 24-78% of the trout stocked in 2003. In 1985, Curl Lake anglers apparently harvested many steelhead smolts that had not left the lake before the trout season opened and the lake had been stocked with rainbow trout, thus accounting for greater than 100% exploitation. Also, Rainbow Lake angling in 1985 may have been artificially low because of a "Hatchery Closed" sign at the bridge that may have deterred anglers from crossing the bridge to access Rainbow Lake. In 1985, bull trout were harvested from Spring Lake, Blue Lake, and Big 4 Lake. No bull trout were caught in the 2003 fishery.

Cost effectiveness estimates for the catchable trout program can be made and compared for 1985 and 2003. In 1985, 79,513 trout weighing 22,664 lbs were produced and stocked at a cost of \$56,660. Those fish provided over 46,186 angling hours of recreation. By applying both a typical Washington State average of 3-4 hours per completed angling day and the 1.77 hours per day for a completed fishing trip at the Tucannon Lakes, estimates of angler expenditures at the Tucannon Lakes was between \$374,246 and \$740,025. The cost/benefit ratio was 1/13.1 or 1/6.6, respectively (Schuck and Mendel 1987).

The total cost to produce the rainbow trout for all trout releases in southeast Washington is estimated at \$440,795 (TFH and LFH average in 2003 was \$2.03 per trout, or \$6.05 per lb with both catchable and jumbo trout combined -derived from information provided by Doug Maxey and Jon Lovrak at TFH and LFH, respectively). A total of 43,393 hatchery trout were stocked in these four lakes at a cost of \$88,088.

In 2003, total angling effort at four of the eight Tucannon Lakes was estimated to be 38,116.5 hrs and 19,749.5 angling days. By applying the average daily angler expenditures for all types of fishing in the state of Washington in 2001 (\$319/day from USFWS 2003) to our estimated angling days that would result in an estimated total economic expenditures of \$6.3 million for the partial fishing season at four of the Tucannon Lakes in 2003. This value seems exceptionally high even without adjusting for inflation from 2001 to 2003, and provided a cost/benefit ratio of 1/71.5, which is 5-11 times greater than estimated in 1985. An economic study in Idaho estimated that an angling day in that state in 2003 was worth \$115.38 per angler (Grunder et al. 2008). By applying that average value to our estimate of angling days on the four Tucannon Lakes provides an economic value of \$2.279 million. This value seems more reasonable and provided a cost/benefit of 1/25.8, which is 2-4 times greater than estimated in 1985.

We were able to further refine our estimate of economic value of the Tucannon Lakes trout fisheries by using specific information from five similar “put and take” hatchery trout lakes in nearby counties of northern Idaho (Latah, Lewis, and Nez Perce counties). Based on their study we were able to extract a range of \$24-67 expended per angler trip (average of \$51.40/trip), or \$18-51 per angler day (based on the statewide average of 1.3 days per trip and 5.1 hrs per day). Applying the average costs (\$39.54 per day) to our estimate of angler days (19,749.5) produced an economic expenditures value for the fisheries at the four Tucannon Lakes of \$780,895. Comparison of the cost of trout production with angler expenditures in the fisheries at the four Tucannon Lakes provides a cost/benefit ratio of 1/8.86, using the lowest estimate of angler expenditures. This cost/benefit ratio falls within the range of values determined in the 1985 creel study, although costs to produce trout seems high in that report (Schuck and Mendel 1987).

Residence of Anglers Interviewed

On March 13, we began asking anglers their residence location (also herein referred to as “origin”) when we did angler interviews for determination of angling effort and catch rate (three earliest creel survey days in March were not available). The results of our query regarding angler residence indicated that anglers from a large geographic area used the Tucannon Lakes in 2003 (Table 9). Because some anglers were interviewed more than once during a sampling day, we evaluated angler origin data by using the total angler interviews (Appendix C) and compared that with randomly selected angler interview periods per sampling day (Table 9). We did not find much difference in the percentage of anglers by geographic origin using these two interview datasets. Local area anglers from Columbia and Garfield Counties comprised about 9% of the anglers with both datasets, while the larger population areas of nearby Asotin and Walla Walla counties comprised about 22%. Anglers from the Tri-Cities and that general geographic areas comprised about 52-54% of the anglers interviewed, depending on whether all anglers are included or only those from one interview period per day.

Some anglers from very distant areas were found fishing the Tucannon Lakes. They were likely visiting friends or family in the local area, as they were usually associated with more local anglers. Anglers from as far away in Washington as Seattle, Hoquiam and Whidbey Island were interviewed, as well as anglers from distant states such as Florida and Wisconsin. Anglers from Oregon and Idaho made up at least 1-2% of the anglers we interviewed at the Tucannon Lakes, except during March. Most anglers during March were from relatively local areas such the Tri-cities (Pasco, Kennewick and Richland -35%), Walla Walla (27%), and nearby areas of Columbia and Garfield counties (19% - Table 10). No anglers from Oregon, Idaho or states other than Washington were contacted in March, but anglers from distant areas comprised over 2.6% of the total anglers over the entire sampled fishing season (Table 9 and Appendix C).

Table 9 Angler residence data from one interview period per day for the entire season of Tucannon Lakes creel surveys, 2003.

Residence	Number of Anglers	% of Anglers	Residence	Number of Anglers	% of Anglers
<u>Washington State Anglers</u>			Ritzville	0	0.00
Columbia and Garfield County Anglers			Sammamish	1	0.11
Blind Grade	4	0.41	Seattle	2	0.21
Dayton	46	4.73	Silverdale	0	0.00
Lyons Ferry	0	0.00	Snohomish	1	0.11
Pomeroy	35	3.60	Soap Lake	2	0.21
Starbuck	4	0.41	Spokane	13	1.37
Tucannon	0	0.00	Sunnyside	3	0.32
Columbia and Garfield County Totals			Tri-Cities	492	51.68
Walla Walla and Asotin County Anglers			Union Town	1	0.11
Asotin	0	0.00	Vancouver	3	0.32
Burbank	4	0.42	Washtucna	3	0.32
Clarkston	4	0.42	Wenatchee	1	0.11
College Place	1	0.11	Whidbey Island	2	0.21
Dixie	0	0.00	Yakima	3	0.32
Prescott	5	0.53	Zillah	0	0.00
Touchet	17	1.79	Washington Totals		
Waitsburg	28	2.94	927 97.37		
Walla Walla	144	15.13	<u>Oregon State Anglers</u>		
Wallula	4	0.42	Glide, OR	0	0.00
Walla Walla and Asotin County Totals			Hermiston, OR	3	0.32
207 21.74			Irrigon, OR	1	0.11
Other Cities in Washington State			Medford, OR	0	0.00
Arlington	0	0.00	Milton-Freewater, OR	5	0.53
Bellevue	0	0.00	Portland, OR	0	0.00
Benton City	10	1.05	Salem, OR	2	0.21
Chehalis	0	0.00	Wallowa, OR	0	0.00
Cheney	1	0.11	Oregon Totals		
Cle-Elum	0	0.00	11 1.16		
Colfax	0	0.00	<u>Idaho State Anglers</u>		
Connell	9	0.95	Bothell, ID	0	0.00
Ellensburg	0	0.00	Lewiston, ID	0	0.00
Eltopia	0	0.00	Peck, ID	0	0.00
Finley	1	0.11	Pocatello, ID	3	0.32
Gig Harbor	8	0.84	Winchester, ID	11	1.16
Goldendale	0	0.00	Idaho Totals		
Grandview	7	0.74	14 1.47		
Hoquiam	0	0.00	<u>Anglers from other U.S. Cities and States</u>		
Ione	0	0.00	Alabama	0	0.00
Kahlotus	9	0.95	Arizona	1	0.11
Lind	4	0.42	Mesa, AZ	0	0.00
Mesa	0	0.00	California	0	0.00
Moses Lake	7	0.74	Sacramento, CA	0	0.00
Olympia	0	0.00	Florida	0	0.00
Othello	11	1.16	Michigan	0	0.00
Prosser	24	2.52	Missouri	0	0.00
Pullman	8	0.84	Nebraska	0	0.00
Puyallup	3	0.32	Las Vegas, NV	0	0.00
Reardon	1	0.11	Carson City, NV	0	0.00
Redman	0	0.00	Texas	0	0.00
Ridgefield	0	0.00	Salt Lake City, UT	0	0.00
			Wisconsin	0	0.00
			Other Totals		
			1 0.11		

Table 10 Angler residence data from one interview period per day during the first month of the Tucannon Lakes creel surveys, 2003.

Residence	Number of Anglers	% of Anglers	Residence	Number of Anglers	% of Anglers
Washington State Anglers			Ritzville	0	0.00
Columbia and Garfield County Anglers			Sammamish	0	0.00
Blind Grade	0	0.00	Seattle	2	0.84
Dayton	23	9.70	Silverdale	0	0.00
Lyons Ferry	0	0.00	Snohomish	0	0.00
Pomeroy	21	8.86	Soap Lake	2	0.84
Starbuck	0	0.00	Spokane	5	2.11
Tucannon	0	0.00	Sunnyside	0	0.00
Columbia and Garfield County Totals			Tri-Cities	83	35.02
Walla Walla and Asotin County Anglers			Union Town	0	0.00
Asotin	0	0.00	Vancouver	2	0.84
Burbank	0	0.00	Washtucna	0	0.00
Clarkston	0	0.00	Wenatchee	0	0.00
College Place	0	0.00	Whidbey Island	0	0.00
Dixie	0	0.00	Yakima	0	0.00
Prescott	0	0.00	Zillah	0	0.00
Touchet	8	3.38	Washington Totals		
Waitsburg	9	3.80		113	47.68
Walla Walla	63	26.58	Oregon State Anglers		
Wallula	0	0.00	Glide, OR	0	0.00
Walla Walla and Asotin County Totals			Hermiston, OR	0	0.00
	80	33.76	Irrigon, OR	0	0.00
Other Cities in Washington State			Medford, OR	0	0.00
Arlington	0	0.00	Milton-Freewater, OR	0	0.00
Bellevue	0	0.00	Portland, OR	0	0.00
Benton City	0	0.00	Salem, OR	0	0.00
Chehalis	0	0.00	Wallowa, OR	0	0.00
Cheney	0	0.0	Oregon Totals		
Cle-Elum	0	0.00		0	0.00
Colfax	0	0.00	Idaho State Anglers		
Connell	5	2.11	Bothell, ID	0	0.00
Ellensburg	0	0.00	Lewiston, ID	0	0.00
Eltopia	0	0.00	Peck, ID	0	0.00
Finley	0	0.00	Pocatello, ID	0	0.00
Gig Harbor	0	0.00	Whinchester, ID	0	0.00
Goldendale	0	0.00	Idaho Totals		
Grandview	0	0.00		0	0.00
Hoquiam	0	0.00	Anglers from other U.S. Cities and States		
Ione	0	0.00	Alabama	0	0.00
Kahlotus	1	0.42	Arizona	0	0.00
Lind	0	0.00	Mesa, AZ	0	0.00
Mesa	0	0.00	California	0	0.00
Moses Lake	7	2.95	Sacramento, CA	0	0.00
Olympia	0	0.00	Florida	0	0.00
Othello	6	2.53	Michigan	0	0.00
Prosser	0	0.00	Missouri	0	0.00
Pullman	0	0.00	Nebraska	0	0.00
Puyallup	0	0.00	Las Vegas, NV	0	0.00
Reardon	0	0.00	Carson City, NV	0	0.00
Redman	0	0.00	Texas	0	0.00
Ridgefield	0	0.00	Salt Lake City, UT	0	0.00
			Wisconsin	0	0.00
			Other Totals		
				0	0.00

Summary and Conclusions

This study provided valuable information regarding the trout fisheries in the Tucannon Lakes in 2003. The angler effort on four of the Tucannon Lakes was estimated to be 38,116 angler hours and 19,749 angler days (with a completed angler day of 1.93 hrs). This partial fishing season estimate of angler days on only four of the Tucannon Lakes exceeded 29% of the LSRCP mitigation goal of 67,500 angler days for all of southeast Washington. An estimated 27,436 rainbow trout were harvested during the first 4.5 months of the fishing season (March 1 to mid-July). Approximately 58-78% of hatchery trout were removed from the lakes by anglers, excluding hooking mortalities for released fish. Jumbo trout were apparently retained in the fishery at a higher rate than catchable-sized trout. Most anglers (79-82%) used bait when fishing the Tucannon Lakes. Anglers were generally satisfied with the numbers and quality of trout they caught, but satisfaction levels decreased temporarily in April as the size of hatchery trout available decreased. Anglers in March were mostly from relatively nearby areas of southeast Washington, but later in the season a portion of anglers were from very distant areas. The Tri-cities area was the origin of the largest percentage (>50%) of anglers using the Tucannon Lakes, but some anglers from distant states also used these lakes.

Estimated angling expenditures for fishing at these four lakes was \$780,895 using the most conservative estimate (derived from nearby areas of northern Idaho) of expenditures per angler day. Cost to produce the trout was \$88,088. Therefore, the estimated cost/benefit ratio was 1/8.9.

Future Outlook

It is obvious from the information provided by this evaluation of the Tucannon Lakes fisheries that these lakes provide valuable fishing opportunities to anglers from a wide area. Based on the economic analysis documented for the four Tucannon Lakes sampled, all eight Tucannon Lakes likely provide more than \$1 million annually to the economy of the local area and southeast Washington. Unfortunately, the lake structure, habitat and fishing conditions in all eight of the Tucannon Lakes are deteriorating. These lakes need to be maintained by dredging (to increase depth and reduce aquatic vegetation) and the dams are in need of repair. Hatchery trout stocking rates have been reduced since 2003 in Rainbow, Spring and Deer lakes because of less lake volume, depth and fishing access, or fishing success. WDFW may be forced to close some of these lakes in the near future if the lakes are not adequately maintained. Also, the Washington Department of Ecology (DOE) has notified WDFW that these lakes are in violation of DOE dam safety regulations and they must be brought into compliance, or dewatered. WDFW, the legislature and the public should make maintenance of at least the larger of the Tucannon Lakes a priority and assist with securing funding for maintenance activities soon. Preliminary estimates

are available regarding repairs needed and estimated costs (Thomas, Dean and Hoskins, 2003). It has been estimated that some of these lakes will require \$500,000 to over \$1 million each for needed repairs, and costs will increase in the future. WDFW should begin the evaluation of the maintenance needed, the priorities for maintenance, and whether some of these lakes should be decommissioned. The public must be engaged during this evaluation and their assistance should be solicited.

The fishery monitoring results summarized in this report provide a valuable “snapshot” in time regarding the Tucannon Lakes fisheries and the level of achievement of WDFW fishery management goals for southeast Washington and LSRCP mitigation goals for replacing angler days lost to the Snake River dams and reservoirs. Other southeast Washington resident trout fisheries should be monitored in the future to provide additional insight regarding their fisheries and the level of contribution to achieving LSRCP and WDFW fishery management goals. We recommend that Bennington Lake, the largest lake in southeast Washington stocked with hatchery trout, should be the next site for detailed fishery monitoring in the near future.

Literature Cited

- Grunder, S. A., T. J McArthur, S. Clark, V.K. Moore. 2008. Idaho Department of Fish and Game 2003 Economic Survey Report. IDFG 08-129, Boise, ID
- Responsive Management, 2008. Washington Angler Survey. Conducted for the Washington Dept. of Fish and Wildlife.
- Mongillo, P. 1984. A summary of salmonid hooking mortality. Washington Dept. of Game, Olympia, WA.
- Muoneke, M. I., and W. M. Childress. 1994. Hooking Mortality: A Review for Recreational Fisheries. *Reviews in Fishery Science* 2(2):123-156.
- Schuck, M. and G. Mendel, 1987. Lyons Ferry Evaluation Study Part II: 1985-86. Washington Department of Wildlife, Rept 88-4, to USFWS LSRCP Office (FRI/LSR-87-8. 110 pages.
- Thomas, Dean and Hoskins. 2003. Tucannon Lakes Preliminary Dam Repair Options. Presented to WDFW and DOE.
- USFWS, 2003. 2001 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation: Washington. (Revised March 2003).

**Appendix A. Creel Instructions/Questions and Creel
Survey Form for the Tucannon Lakes, 2003.**

Instructions

Count 1: starts at 06:00 and ends by 07:00
Interviews 1: starts at end of count 1 finished by 10:00
Count 2: starts at 10:00 and ends by 11:00
Interviews 2: starts at end of count 2 finished by 13:00
Count 3: starts at 13:00 and ends by 14:00
Interviews 3: starts at end of count 3 finished by 16:00
Count 4: starts at 16:00 ends by 17:00

First count begins at Spring Lk., then Blue Lk., then Rainbow Lk. have one hour to complete the count. At the end of the count write something in the comments section of the creel form about the weather (cold, warm, sunny, rainy, etc.). Once count is finished begin interviews (at least 10 groups per lake).

Questions

1. Number of people in party (adults/kids)?
2. What time did you start fishing? (Quit time is time interviewed)
3. Are you done fishing?
4. What are you using for bait? (Bait, Lure, Fly)
- 5a. How many trout have you caught?
- 5b. How many trout did you keep/how many did you release?
- 6a. Have you caught anything other than trout?
- 6b. Were the other species kept or released?
- 7a. Are you satisfied with the # of fish available?
- 7b. Are you satisfied with the quality of the fish you are catching? (take extra notes on any specific comments)
8. Take measurements on some or all of the fish (at least ½ of the groups surveyed)

**Appendix B. Angler Effort and Harvest for Spring,
Blue, Rainbow and Deer Lakes, 2003.**

Appendix B. Table 1. Spring Lake Angler Effort and Harvest, 2003.

			Angler Counts			Angler Interview Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
March 1-15 Weekday Totals				23	2.88	38.53	54	0	0.714	0.000	330.63	463.38	0.00
3	7	WD	7:00	0	1.00								
3	7	WD	10:00	0									
3	7	WD	13:00	2									
3	7	WD	16:00	2									
3	13	WD	8:00	4	4.75								
3	13	WD	11:00	3									
3	13	WD	14:00	5									
3	13	WD	17:00	7									
March 16-31 Weekday Totals				30	3.75	42.10	27	22	1.559	1.914	515.63	330.68	269.45
3	19	WD	7:00	2	4.50								
3	19	WD	10:00	7									
3	19	WD	13:00	4									
3	19	WD	16:00	5									
3	28	WD	7:00	0	3.00								
3	28	WD	10:30	6									
3	28	WD	14:00	6									
3	28	WD	17:30	0									
April 1-15 Weekday Totals				59	5.90	77.64	15	6	5.176	12.940	854.73	165.13	66.05
4	1	WD	7:00	5	2.25								
4	1	WD	10:30	2									
4	1	WD	14:00	2									
4	1	WD	17:30	0									
4	11	WD	7:00	2	8.33								
4	11	WD	9:30	9									
4	11	WD	12:00	6									
4	11	WD	14:30	17									
4	11	WD	17:00	14									
4	11	WD	19:30	2									
April 16-30 Weekday Totals				17	0.94	24.09	17	3	1.417	8.030	145.44	102.64	18.11
4	17	WD	6:30	1	2.00								
4	17	WD	9:00	1									
4	17	WD	11:30	5									
4	17	WD	14:30	3									
4	17	WD	17:00	0									
4	17	WD	19:00	2									
4	24	WD	6:30	0	0.50								
4	24	WD	9:00	0									
4	24	WD	11:30	0									
4	24	WD	14:00	3									
4	24	WD	16:30	0									
4	24	WD	19:00	0									
4	29	WD	7:00	0	0.33								
4	29	WD	9:30	0									
4	29	WD	12:00	0									
4	29	WD	14:30	2									
4	29	WD	17:00	0									
4	29	WD	19:30	0									
May 1-15 Weekday Totals				0	1.75	N/A	N/A	N/A	1.251	11.680	282.40	225.67	24.18

No weekday creel surveys conducted during this period, data was determined by averaging the number of anglers from 4/29 and 5/16 and by calculating a combined catch and release rate for 4/29 and 5/16.

Appendix B. Table 1. Spring Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow Trout Harvested	Rainbow Trout Released
May 16-31 Weekday Totals				43	1.43	65.71	58	36	1.133	1.825	241.70	213.35	132.42
5	16	WD	7:30	5	3.17								
5	16	WD	10:00	1									
5	16	WD	12:30	6									
5	16	WD	15:00	4									
5	16	WD	17:30	3									
5	16	WD	20:00	0									
5	20	WD	7:30	2	0.83								
5	20	WD	10:00	2									
5	20	WD	12:30	0									
5	20	WD	15:00	1									
5	20	WD	17:30	0									
5	20	WD	20:00	0									
5	21	WD	7:30	1	2.33								
5	21	WD	10:00	0									
5	21	WD	12:30	2									
5	21	WD	15:00	1									
5	21	WD	17:30	4									
5	21	WD	20:00	6									
5	28	WD	7:00	0	0.00								
5	28	WD	9:30	0									
5	28	WD	12:00	0									
5	28	WD	14:30	0									
5	28	WD	17:00	0									
5	28	WD	19:30	0									
5	29	WD	7:30	0	0.83								
5	29	WD	10:00	0									
5	29	WD	12:30	1									
5	29	WD	15:00	2									
5	29	WD	17:30	0									
5	29	WD	20:00	2									
June 1-15 Weekday Totals				20	1.67	16.67	17	16	0.981	1.042	261.17	266.33	250.66
6	3	WD	7:30	0	1.33								
6	3	WD	10:00	4									
6	3	WD	12:30	0									
6	3	WD	15:00	2									
6	3	WD	17:30	2									
6	3	WD	20:00	0									
6	10	WD	7:00	0	2.00								
6	10	WD	9:30	2									
6	10	WD	12:00	4									
6	10	WD	14:30	0									
6	10	WD	17:00	0									
6	10	WD	19:30	6									
June 16-30 Weekday Totals				52	2.17	78.72	69	7	1.141	11.246	342.98	300.63	30.50
6	18	WD	7:30	0	2.33								
6	18	WD	10:00	0									
6	18	WD	12:30	6									
6	18	WD	15:00	4									
6	18	WD	17:30	4									
6	18	WD	20:00	0									
6	20	WD	7:00	0	2.00								
6	20	WD	9:30	2									
6	20	WD	12:00	4									
6	20	WD	14:30	4									
6	20	WD	17:00	2									
6	20	WD	19:30	0									

Appendix B. Table 1. Spring Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
June 16-30 Weekday Totals Continued													
6	25	WD	7:00	0	1.50								
6	25	WD	9:30	0									
6	25	WD	12:00	6									
6	25	WD	14:30	0									
6	25	WD	17:00	3									
6	25	WD	19:30	0									
6	26	WD	8:00	0	2.83								
6	26	WD	10:30	5									
6	26	WD	13:00	8									
6	26	WD	15:30	0									
6	26	WD	18:00	0									
6	26	WD	20:30	4									
July 1-15 Weekday Totals				53	2.94	66.25	35	8	1.949	8.281	458.74	235.43	55.40
7	1	WD	7:00	0	2.33								
7	1	WD	9:30	0									
7	1	WD	12:00	2									
7	1	WD	14:30	6									
7	1	WD	17:00	6									
7	1	WD	19:30	0									
7	3	WD	6:30	0	4.33								
7	3	WD	9:00	8									
7	3	WD	11:30	0									
7	3	WD	14:00	7									
7	3	WD	16:30	4									
7	3	WD	19:00	7									
7	8	WD	7:00	0	2.17								
7	8	WD	9:30	3									
7	8	WD	12:00	4									
7	8	WD	14:30	4									
7	8	WD	17:00	2									
7	8	WD	19:30	0									
Spring Lake Weekday Sub-totals				297		409.71	291	98			3,433.42	2,303.24	846.77
March 1-15 Weekend Totals				152	19.00	201.57	84	3	2.400	67.190	1,092.50	455.28	16.26
3	1	WE	7:00	22	32.00								
3	1	WE	10:00	39									
3	1	WE	13:00	36									
3	1	WE	16:00	31									
3	8	WE	7:00	0	6.00								
3	8	WE	10:00	14									
3	8	WE	13:00	3									
3	8	WE	16:00	7									
March 16-31 Weekend Totals				72	9.00	96.54	75	16	1.287	6.034	562.50	437.00	93.22
3	16	WE	7:30	4	10.25								
3	16	WE	11:00	20									
3	16	WE	14:30	14									
3	16	WE	17:30	3									
3	30	WE	7:00	2	7.75								
3	30	WE	10:30	15									
3	30	WE	14:00	12									
3	30	WE	17:30	2									

Appendix B. Table 1. Spring Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
April 1-15 Weekend Totals				107	10.70	162.00	54	19	3.000	8.526	563.68	187.89	66.11
4	5	WE	7:00	8	13.50								
4	5	WE	10:30	18									
4	5	WE	14:30	10									
4	5	WE	17:30	18									
4	13	WE	7:00	3	8.83								
4	13	WE	9:30	14									
4	13	WE	11:30	17									
4	13	WE	14:30	15									
4	13	WE	17:00	4									
4	13	WE	19:30	0									
April 16-30 Weekend Totals				106	8.83	135.54	42	32	3.227	4.236	494.67	153.29	116.79
4	19	WE	7:00	0	11.17								
4	19	WE	9:00	11									
4	19	WE	11:30	16									
4	19	WE	14:30	18									
4	19	WE	16:30	22									
4	19	WE	19:00	0									
4	27	WE	7:00	4	6.50								
4	27	WE	9:30	17									
4	27	WE	12:00	6									
4	27	WE	14:00	7									
4	27	WE	17:00	5									
4	27	WE	19:30	0									
May 1-15 Weekend Totals				88	7.33	92.59	27	21	3.429	4.409	430.32	125.48	97.60
5	3	WE	7:00	1	8.83								
5	3	WE	9:30	5									
5	3	WE	12:00	18									
5	3	WE	14:30	7									
5	3	WE	17:00	17									
5	3	WE	19:30	5									
5	11	WE	6:30	0	5.83								
5	11	WE	9:30	2									
5	11	WE	12:30	18									
5	11	WE	14:30	0									
5	11	WE	17:00	8									
5	11	WE	19:00	7									
May 16-31 Weekend Totals				89	7.42	99.53	87	32	1.144	3.110	568.49	496.93	182.78
5	17	WE	7:00	0	3.00								
5	17	WE	10:00	7									
5	17	WE	12:30	7									
5	17	WE	15:00	1									
5	17	WE	17:30	3									
5	17	WE	20:00	0									
5	25	WE	7:00	3	11.83								
5	25	WE	10:00	21									
5	25	WE	12:30	12									
5	25	WE	15:00	20									
5	25	WE	17:30	12									
5	25	WE	20:00	3									
June 1-15 Weekend Totals				40	3.33	83.07	59	11	1.408	7.552	261.17	185.49	34.58
6	7	WE	6:30	2	2.17								
6	7	WE	9:00	0									
6	7	WE	12:00	3									
6	7	WE	14:00	2									
6	7	WE	16:30	0									
6	7	WE	19:00	6									

Appendix B. Table 1. Spring Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
June 1-15 Weekend Totals Continued													
6	15	WE	6:30	1	4.50								
6	15	WE	9:00	3									
6	15	WE	11:30	15									
6	15	WE	14:00	6									
6	15	WE	16:30	0									
6	15	WE	19:00	2									
June 16-30 Weekend Totals				66	5.50	50.23	26	15	1.932	3.349	348.26	180.27	104.00
6	21	WE	6:30	0	5.00								
6	21	WE	9:00	2									
6	21	WE	11:30	1									
6	21	WE	14:00	7									
6	21	WE	17:00	17									
6	21	WE	19:00	3									
6	29	WE	6:30	4	6.00								
6	29	WE	9:00	4									
6	29	WE	11:30	8									
6	29	WE	14:00	8									
6	29	WE	16:30	6									
6	29	WE	19:00	6									
July 1-15 Weekend Totals				54	4.91	53.33	24	30	2.222	1.778	305.93	137.68	172.10
7	6	WE	7:00	0	4.50								
7	6	WE	9:30	1									
7	6	WE	12:00	10									
7	6	WE	14:30	6									
7	6	WE	17:00	7									
7	6	WE	19:30	3									
7	12	WE	7:00	3	5.40								
7	12	WE	10:00	2									
7	12	WE	13:00	4									
7	12	WE	16:00	6									
7	12	WE	19:00	12									
Spring Lake Weekend Sub-total				774		974.40	478	179			4,627.51	2,359.30	883.44
Spring Lake Season Totals				1,071		1,384.11	769	277			8,060.93	4,662.54	1,730.21

Appendix B. Table 2. Blue Lake Angler Effort and Harvest, 2003.

Month	Day	WE/WD	Time	Angler Counts		Creel Data			Expanded Totals				
				# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
March 1-15 Weekday Totals				36	4.50	48.10	46	18	1.046	0.408	517.50	494.88	1,269.63
3	7	WD	7:00	0	2.75								
3	7	WD	10:00	7									
3	7	WD	13:00	4									
3	7	WD	16:00	0									
3	13	WD	8:00	2	6.25								
3	13	WD	11:00	7									
3	13	WD	14:00	8									
3	13	WD	17:00	8									
March 16-31 Weekday Totals				70	8.75	97.59	123	74	0.793	1.319	1,203.13	1,516.42	912.29
3	19	WD	7:00	4	6.50								
3	19	WD	10:00	12									
3	19	WD	13:00	4									
3	19	WD	16:00	6									
3	28	WD	7:00	2	11.00								
3	28	WD	10:30	19									
3	28	WD	14:00	16									
3	28	WD	17:30	7									
April 1-15 Weekday Totals				181	18.10	189.11	132	32	1.433	5.910	2,622.15	1,830.21	443.70
4	1	WD	7:00	2	4.75								
4	1	WD	10:30	8									
4	1	WD	14:00	7									
4	1	WD	17:30	2									
4	11	WD	7:00	14	27.00								
4	11	WD	9:30	29									
4	11	WD	12:00	31									
4	11	WD	14:30	34									
4	11	WD	17:00	38									
4	11	WD	19:30	16									
April 16-30 Weekday Totals				27	1.50	25.02	33	18	0.758	1.390	231.00	304.67	166.19
4	17	WD	6:30	0	1.33								
4	17	WD	9:00	0									
4	17	WD	11:30	3									
4	17	WD	14:30	2									
4	17	WD	17:00	0									
4	17	WD	19:00	3									
4	24	WD	6:30	0	0.83								
4	24	WD	9:00	3									
4	24	WD	11:30	0									
4	24	WD	14:00	2									
4	24	WD	16:30	0									
4	24	WD	19:00	0									
4	29	WD	7:00	2	2.33								
4	29	WD	9:30	2									
4	29	WD	12:00	4									
4	29	WD	14:30	6									
4	29	WD	17:00	0									
4	29	WD	19:30	0									
May 1-15 Weekday Totals				0	2.58	N/A	N/A	N/A	1.059	1.959	416.87	393.68	212.80

No weekday creel surveys conducted during this period, data was determined by averaging the number of anglers from 4/29 and 5/16 and by calculating a combined catch and release rate for 4/29 and 5/16.

Appendix B. Table 2. Blue Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
May 16-31 Weekday Totals				57	1.90	66.94	84	56	0.797	1.195	320.40	402.05	268.02
5	16	WD	7:30	0	2.83								
5	16	WD	10:00	2									
5	16	WD	12:30	2									
5	16	WD	15:00	7									
5	16	WD	17:30	2									
5	16	WD	20:00	4									
5	20	WD	7:30	0	2.50								
5	20	WD	10:00	3									
5	20	WD	12:30	2									
5	20	WD	15:00	2									
5	20	WD	17:30	4									
5	20	WD	20:00	4									
5	21	WD	7:30	0	2.00								
5	21	WD	10:00	0									
5	21	WD	12:30	2									
5	21	WD	15:00	5									
5	21	WD	17:30	5									
5	21	WD	20:00	0									
5	28	WD	7:00	0	0.00								
5	28	WD	9:30	0									
5	28	WD	12:00	0									
5	28	WD	14:30	0									
5	28	WD	17:00	0									
5	28	WD	19:30	0									
5	29	WD	7:30	0	21.7								
5	29	WD	10:00	4									
5	29	WD	12:30	4									
5	29	WD	15:00	5									
5	29	WD	17:30	0									
5	29	WD	20:00	0									
June 1-15 Weekday Totals				17	1.42	26.60	14	37	1.900	0.719	221.99	116.84	308.79
6	3	WD	7:30	4	2.33								
6	3	WD	10:00	0									
6	3	WD	12:30	3									
6	3	WD	15:00	4									
6	3	WD	17:30	2									
6	3	WD	20:00	1									
6	10	WD	7:00	0	0.50								
6	10	WD	9:30	1									
6	10	WD	12:00	2									
6	10	WD	14:30	0									
6	10	WD	17:00	0									
6	10	WD	19:30	0									
June 16-30 Weekday Totals				65	2.71	54.13	32	25	1.692	2.165	428.73	253.45	198.01
6	18	WD	7:30	0	2.00								
6	18	WD	10:00	3									
6	18	WD	12:30	9									
6	18	WD	15:00	0									
6	18	WD	17:30	0									
6	18	WD	20:00	0									
6	20	WD	7:00	14	4.17								
6	20	WD	9:30	2									
6	20	WD	12:00	8									
6	20	WD	14:30	0									
6	20	WD	17:00	0									
6	20	WD	19:30	1									

Appendix B. Table 2. Blue Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
June 16-30 Weekday Totals Continued													
6	25	WD	7:00	0	2.33								
6	25	WD	9:30	2									
6	25	WD	12:00	6									
6	25	WD	14:30	5									
6	25	WD	17:00	1									
6	25	WD	19:30	0									
6	26	WD	8:00	0	2.33								
6	26	WD	10:30	8									
6	26	WD	13:00	4									
6	26	WD	15:30	0									
6	26	WD	18:00	2									
6	26	WD	20:30	0									
July 1-15 Weekday Totals				36	2.00	34.23	9	11	3.803	3.112	311.60	81.93	100.13
7	1	WD	7:00	0	2.17								
7	1	WD	9:30	2									
7	1	WD	12:00	4									
7	1	WD	14:30	2									
7	1	WD	17:00	5									
7	1	WD	19:30	0									
7	3	WD	6:30	0	2.67								
7	3	WD	9:00	6									
7	3	WD	11:30	9									
7	3	WD	14:00	0									
7	3	WD	16:30	1									
7	3	WD	19:00	0									
7	8	WD	7:00	0	1.17								
7	8	WD	9:30	5									
7	8	WD	12:00	1									
7	8	WD	14:30	0									
7	8	WD	17:00	0									
7	8	WD	19:30	1									
Blue Lake Weekday Sub-totals				489		541.72	473	271			6,273.36	5,394.13	3,879.57
March 1-15 Weekend Totals				288	36.00	246.16	195	28	1.262	8.791	2,070.00	1,639.73	235.46
3	1	WE	7:00	42	59.00								
3	1	WE	10:00	78									
3	1	WE	13:00	80									
3	1	WE	16:00	36									
3	8	WE	7:00	4	13.00								
3	8	WE	10:00	21									
3	8	WE	13:00	13									
3	8	WE	16:00	14									
March 16-31 Weekend Totals				172	21.50	174.77	272	48	0.643	3.641	1,343.75	2,091.44	369.06
3	16	WE	7:30	14	24.25								
3	16	WE	11:00	41									
3	16	WE	14:30	36									
3	16	WE	17:30	6									
3	30	WE	7:00	0	18.75								
3	30	WE	10:30	25									
3	30	WE	14:00	36									
3	30	WE	17:30	14									

Appendix B. Table 2. Blue Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
April 1-15 Weekend Totals				149	14.90	147.90	70	16	2.113	9.244	784.93	371.50	84.91
4	5	WE	7:00	2	17.00								
4	5	WE	10:30	24									
4	5	WE	14:30	27									
4	5	WE	17:30	15									
4	13	WE	7:00	2	13.50								
4	13	WE	9:30	24									
4	13	WE	11:30	18									
4	13	WE	14:30	21									
4	13	WE	17:00	11									
4	13	WE	19:30	5									
April 16-30 Weekend Totals				173	14.42	177.11	95	35	1.864	5.060	807.33	433.05	159.54
4	19	WE	7:00	6	18.67								
4	19	WE	9:00	11									
4	19	WE	11:30	44									
4	19	WE	14:30	25									
4	19	WE	16:30	11									
4	19	WE	19:00	15									
4	27	WE	7:00	0	10.17								
4	27	WE	9:30	14									
4	27	WE	12:00	23									
4	27	WE	14:00	11									
4	27	WE	17:00	10									
4	27	WE	19:30	3									
May 1-15 Weekend Totals				68	5.67	76.13	62	11	1.228	6.921	332.52	270.80	48.05
5	3	WE	7:00	0	6.50								
5	3	WE	9:30	8									
5	3	WE	12:00	13									
5	3	WE	14:30	2									
5	3	WE	17:00	12									
5	3	WE	19:30	4									
5	11	WE	6:30	0	4.83								
5	11	WE	9:30	5									
5	11	WE	12:30	11									
5	11	WE	14:30	4									
5	11	WE	17:00	6									
5	11	WE	19:00	3									
May 16-31 Weekend Totals				183	15.25	211.16	193	71	1.094	2.974	1,168.91	1,068.38	393.03
5	17	WE	7:00	0	8.17								
5	17	WE	10:00	8									
5	17	WE	12:30	13									
5	17	WE	15:00	6									
5	17	WE	17:30	20									
5	17	WE	20:00	2									
5	25	WE	7:00	7	22.33								
5	25	WE	10:00	40									
5	25	WE	12:30	18									
5	25	WE	15:00	24									
5	25	WE	17:30	23									
5	25	WE	20:00	22									
June 1-15 Weekend Totals				89	7.42	101.64	88	59	1.155	1.723	581.10	503.11	337.32
6	7	WE	6:30	0	4.50								
6	7	WE	9:00	3									
6	7	WE	12:00	5									
6	7	WE	14:00	8									
6	7	WE	16:30	5									
6	7	WE	19:00	6									

Appendix B. Table 2. Blue Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
June 1-15 Weekend Totals Continued													
6	15	WE	6:30	0	10.33								
6	15	WE	9:00	8									
6	15	WE	11:30	18									
6	15	WE	14:00	20									
6	15	WE	16:30	11									
6	15	WE	19:00	5									
June 16-30 Weekend Totals				92	7.67	154.40	73	54	2.115	2.859	485.45	229.52	169.78
6	21	WE	6:30	0	10.33								
6	21	WE	9:00	13									
6	21	WE	11:30	10									
6	21	WE	14:00	12									
6	21	WE	17:00	12									
6	21	WE	19:00	15									
6	29	WE	6:30	2	5.00								
6	29	WE	9:00	11									
6	29	WE	11:30	5									
6	29	WE	14:00	2									
6	29	WE	16:30	8									
6	29	WE	19:00	2									
July 1-15 Weekend Totals				26	2.36	22.94	10	16	2.294	1.434	147.30	64.21	102.74
7	6	WE	7:00	1	1.00								
7	6	WE	9:30	0									
7	6	WE	12:00	2									
7	6	WE	14:30	3									
7	6	WE	17:00	0									
7	6	WE	19:30	0									
7	12	WE	7:00	8	4.00								
7	12	WE	10:00	0									
7	12	WE	13:00	4									
7	12	WE	16:00	4									
7	12	WE	19:00	4									
Blue Lake Weekend Sub-total				1,240		1,312.21	1,058	338			7,721.30	6,671.74	1,899.88
Blue Lake Season Totals				1,729		1,853.93	1,531	609			13,994.66	12,065.88	5,779.45

Appendix B. Table 3. Rainbow Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
March 1-15 Weekday Totals				33	4.13	41.47	28	16	1.481	2.592	474.38	320.29	183.02
3	7	WD	7:00	0	4.75								
3	7	WD	10:00	13									
3	7	WD	13:00	5									
3	7	WD	16:00	1									
3	13	WD	8:00	0	3.50								
3	13	WD	11:00	7									
3	13	WD	14:00	6									
3	13	WD	17:00	1									
March 16-31 Weekday Totals				59	7.38	75.39	114	68	0.661	1.109	1,014.06	1,533.44	914.64
3	19	WD	7:00	2	6.25								
3	19	WD	10:00	12									
3	19	WD	13:00	4									
3	19	WD	16:00	7									
3	28	WD	7:00	0	8.50								
3	28	WD	10:30	18									
3	28	WD	14:00	9									
3	28	WD	17:30	7									
April 1-15 Weekday Totals				148	14.80	140.87	60	29	2.348	4.858	2,144.08	913.23	441.39
4	1	WD	7:00	0	4.00								
4	1	WD	10:30	7									
4	1	WD	14:00	2									
4	1	WD	17:30	7									
4	11	WD	7:00	0	22.00								
4	11	WD	9:30	34									
4	11	WD	12:00	40									
4	11	WD	14:30	28									
4	11	WD	17:00	18									
4	11	WD	19:30	12									
April 16-30 Weekday Totals				60	3.33	48.81	24	8	2.034	6.101	513.33	252.40	84.14
4	17	WD	6:30	0	4.83								
4	17	WD	9:00	8									
4	17	WD	11:30	7									
4	17	WD	14:30	3									
4	17	WD	17:00	2									
4	17	WD	19:00	9									
4	24	WD	6:30	0	1.67								
4	24	WD	9:00	3									
4	24	WD	11:30	7									
4	24	WD	14:00	0									
4	24	WD	16:30	0									
4	24	WD	19:00	0									
4	29	WD	7:00	2	3.50								
4	29	WD	9:30	4									
4	29	WD	12:00	8									
4	29	WD	14:30	4									
4	29	WD	17:00	1									
4	29	WD	19:30	2									
May 1-15 Weekday Totals				0	2.83	N/A	N/A	N/A	1.744	1.642	457.22	262.10	278.48

No weekday creel surveys conducted during this period, data was determined by averaging the number of anglers from 4/29 and 5/16 and by calculating a combined catch and release rate for 4/29 and 5/16.

Appendix B. Table 3. Rainbow Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
May 16-31 Weekday Totals				81	2.70	96.04	88	61	1.091	1.574	455.30	417.17	289.19
5	16	WD	7:30	0	2.17								
5	16	WD	10:00	4									
5	16	WD	12:30	3									
5	16	WD	15:00	4									
5	16	WD	17:30	2									
5	16	WD	20:00	0									
5	20	WD	7:30	0	3.00								
5	20	WD	10:00	0									
5	20	WD	12:30	8									
5	20	WD	15:00	9									
5	20	WD	17:30	1									
5	20	WD	20:00	0									
5	21	WD	7:30	2	2.50								
5	21	WD	10:00	8									
5	21	WD	12:30	0									
5	21	WD	15:00	1									
5	21	WD	17:30	4									
5	21	WD	20:00	0									
5	28	WD	7:00	1	3.67								
5	28	WD	9:30	4									
5	28	WD	12:00	1									
5	28	WD	14:30	5									
5	28	WD	17:00	11									
5	28	WD	19:30	0									
5	29	WD	7:30	1	2.17								
5	29	WD	10:00	0									
5	29	WD	12:30	4									
5	29	WD	15:00	5									
5	29	WD	17:30	3									
5	29	WD	20:00	0									
June 1-15 Weekday Totals				40	3.33	71.46	78	28	0.916	2.552	522.33	570.11	204.67
6	3	WD	7:30	0	3.50								
6	3	WD	10:00	5									
6	3	WD	12:30	8									
6	3	WD	15:00	2									
6	3	WD	17:30	5									
6	3	WD	20:00	1									
6	10	WD	7:00	0	3.17								
6	10	WD	9:30	6									
6	10	WD	12:00	3									
6	10	WD	14:30	0									
6	10	WD	17:00	2									
6	10	WD	19:30	8									
June 16-30 Weekday Totals				90	3.75	87.59	58	17	1.510	5.152	593.63	393.08	115.21
6	18	WD	7:30	0	3.50								
6	18	WD	10:00	5									
6	18	WD	12:30	2									
6	18	WD	15:00	7									
6	18	WD	17:30	7									
6	18	WD	20:00	0									
6	20	WD	7:00	0	4.33								
6	20	WD	9:30	2									
6	20	WD	12:00	5									
6	20	WD	14:30	11									
6	20	WD	17:00	5									
6	20	WD	19:30	3									

Appendix B. Table 3. Rainbow Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
June 16-30 Weekday Totals Continued													
6	25	WD	7:00	0	4.00								
6	25	WD	9:30	3									
6	25	WD	12:00	4									
6	25	WD	14:30	1									
6	25	WD	17:00	6									
6	25	WD	19:30	10									
6	26	WD	8:00	0	3.17								
6	26	WD	10:30	7									
6	26	WD	13:00	7									
6	26	WD	15:30	5									
6	26	WD	18:00	0									
6	26	WD	20:30	0									
July 1-15 Weekday Totals				72	4.00	68.80	20	6	3.440	11.467	623.20	181.16	54.35
7	1	WD	7:00	0	3.67								
7	1	WD	9:30	10									
7	1	WD	12:00	6									
7	1	WD	14:30	2									
7	1	WD	17:00	0									
7	1	WD	19:30	4									
7	3	WD	6:30	5	3.83								
7	3	WD	9:00	1									
7	3	WD	11:30	2									
7	3	WD	14:00	6									
7	3	WD	16:30	3									
7	3	WD	19:00	6									
7	8	WD	7:00	0	4.50								
7	8	WD	9:30	4									
7	8	WD	12:00	5									
7	8	WD	14:30	6									
7	8	WD	17:00	8									
7	8	WD	19:30	4									
Rainbow Lake Weekday Sub-totals				583		630.43	470	233			6,797.52	4,842.98	2,565.09
March 1-15 Weekend Totals				179	22.38	200.81	181	30	1.109	6.694	1,286.56	1,159.69	192.20
3	1	WE	7:00	16	31.50								
3	1	WE	10:00	50									
3	1	WE	13:00	30									
3	1	WE	16:00	30									
3	8	WE	7:00	9	13.25								
3	8	WE	10:00	9									
3	8	WE	13:00	23									
3	8	WE	16:00	12									
March 16-31 Weekend Totals				214	26.75	300.11	306	93	0.981	3.227	1,671.88	1,704.60	518.09
3	16	WE	7:30	8	25.25								
3	16	WE	11:00	68									
3	16	WE	14:30	23									
3	16	WE	17:30	2									
3	30	WE	7:00	12	28.25								
3	30	WE	10:30	49									
3	30	WE	14:00	41									
3	30	WE	17:30	11									
April 1-15 Weekend Totals				128	12.80	139.66	67	12	2.085	11.638	674.30	323.48	57.94
4	5	WE	7:00	3	17.50								
4	5	WE	10:30	30									
4	5	WE	14:30	26									
4	5	WE	17:30	11									

Appendix B. Table 3. Rainbow Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
April 1-15 Weekend Totals Continued													
4	13	WE	7:00	3	9.67								
4	13	WE	9:30	16									
4	13	WE	11:30	28									
4	13	WE	14:30	2									
4	13	WE	17:00	5									
4	13	WE	19:30	4									
April 16-30 Weekend Totals				178	14.83	210.45	68	30	3.095	7.015	830.67	268.40	118.41
4	19	WE	7:00	8	21.00								
4	19	WE	9:00	21									
4	19	WE	11:30	33									
4	19	WE	14:30	33									
4	19	WE	16:30	15									
4	19	WE	19:00	16									
4	27	WE	7:00	3	8.67								
4	27	WE	9:30	16									
4	27	WE	12:00	17									
4	27	WE	14:00	11									
4	27	WE	17:00	4									
4	27	WE	19:30	1									
May 1-15 Weekend Totals				144	12.00	204.80	138	60	1.484	3.413	704.16	474.47	206.30
5	3	WE	7:00	8	17.00								
5	3	WE	9:30	14									
5	3	WE	12:00	25									
5	3	WE	14:30	7									
5	3	WE	17:00	27									
5	3	WE	19:30	21									
5	11	WE	6:30	2	7.00								
5	11	WE	9:30	11									
5	11	WE	12:30	6									
5	11	WE	14:30	7									
5	11	WE	17:00	11									
5	11	WE	19:00	5									
May 16-31 Weekend Totals				220	18.33	299.12	151	55	1.981	5.439	1,405.25	709.40	258.39
5	17	WE	7:00	2	9.17								
5	17	WE	10:00	18									
5	17	WE	12:30	17									
5	17	WE	15:00	8									
5	17	WE	17:30	6									
5	17	WE	20:00	4									
5	25	WE	7:00	8	27.50								
5	25	WE	10:00	44									
5	25	WE	12:30	21									
5	25	WE	15:00	38									
5	25	WE	17:30	30									
5	25	WE	20:00	24									
June 1-15 Weekend Totals				138	11.50	255.82	85	48	3.010	5.330	901.03	299.38	169.06
6	7	WE	6:30	0	11.67								
6	7	WE	9:00	9									
6	7	WE	12:00	13									
6	7	WE	14:00	10									
6	7	WE	16:30	12									
6	7	WE	19:00	26									

Appendix B. Table 3. Rainbow Lake Angler Effort and Harvest, 2003.													
Month	Day	WE/WD	Time	Angler Counts		Creel Data			Expanded Totals				
				# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
June 1-15 Weekend Totals Continued													
6	15	WE	6:30	5	11.33								
6	15	WE	9:00	12									
6	15	WE	11:30	21									
6	15	WE	14:00	14									
6	15	WE	16:30	9									
6	15	WE	19:00	7									
June 16-30 Weekend Totals				66	5.50	61.15	28	17	2.184	3.597	348.26	159.47	96.82
6	21	WE	6:30	2	7.33								
6	21	WE	9:00	2									
6	21	WE	11:30	9									
6	21	WE	14:00	16									
6	21	WE	17:00	13									
6	21	WE	19:00	2									
6	29	WE	6:30	2	3.67								
6	29	WE	9:00	12									
6	29	WE	11:30	6									
6	29	WE	14:00	2									
6	29	WE	16:30	0									
6	29	WE	19:00	0									
July 1-15 Weekend Totals				63	5.73	71.31	10	5	7.131	14.262	356.92	50.05	25.03
7	6	WE	7:00	2	5.17								
7	6	WE	9:30	9									
7	6	WE	12:00	11									
7	6	WE	14:30	5									
7	6	WE	17:00	4									
7	6	WE	19:30	0									
7	12	WE	7:00	7	6.40								
7	12	WE	10:00	7									
7	12	WE	13:00	2									
7	12	WE	16:00	9									
7	12	WE	19:00	7									
Rainbow Lake Weekend Sub-total				1,330		1,743.23	1,034	350			8,179.03	5,148.95	1,642.24
Rainbow Lake Season Totals				1,913		2,373.66	1,504	583			14,976.55	9,991.93	4,207.33

Appendix B. Table 3. Deer Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
March 1-15 Weekday Totals				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
No surveys done this lake was added to the creel in late March													
March 16-31 Weekday Totals				0	0.00	0.00	0	0	0.000	0.000	0.00	0.00	0.00
3	28	WD	7:00	0	0.00								
3	28	WD	10:30	0									
3	28	WD	14:00	0									
3	28	WD	17:30	0									
April 1-15 Weekday Totals				8	0.80	8.00	2	0	4.000	0.000	115.90	28.97	0.00
4	1	WD	7:00	0	0.00								
4	1	WD	10:30	0									
4	1	WD	14:00	0									
4	1	WD	17:30	0									
4	11	WD	7:00	0	1.33								
4	11	WD	9:30	8									
4	11	WD	12:00	0									
4	11	WD	14:30	0									
4	11	WD	17:00	0									
4	11	WD	19:30	0									
April 16-30 Weekday Totals				4	0.22	5.09	1	0	5.090	0.000	34.22	6.72	0.00
4	17	WD	6:30	0	0.00								
4	17	WD	9:00	0									
4	17	WD	11:30	0									
4	17	WD	14:30	0									
4	17	WD	17:00	0									
4	17	WD	19:00	0									
4	24	WD	6:30	0	0.17								
4	24	WD	9:00	1									
4	24	WD	11:30	0									
4	24	WD	14:00	0									
4	24	WD	16:30	0									
4	24	WD	19:00	0									
4	29	WD	7:00	0	0.50								
4	29	WD	9:30	0									
4	29	WD	12:00	0									
4	29	WD	14:30	3									
4	29	WD	17:00	0									
4	29	WD	19:30	0									
May 1-15 Weekday Totals				0	0.42	N/A	N/A	N/A	1.106	2.950	67.24	60.78	22.79
No weekday creel surveys conducted during this period, data was determined by averaging the number of anglers from 4/29 and 5/16 and by calculating a combined catch and release rate for 4/29 and 5/16.													
May 16-31 Weekday Totals				4	0.13	4.84	16	3	0.303	1.163	22.48	74.33	19.33
5	16	WD	7:30	0	0.33								
5	16	WD	10:00	2									
5	16	WD	12:30	0									
5	16	WD	15:00	0									
5	16	WD	17:30	0									
5	16	WD	20:00	0									
5	20	WD	7:30	0	0.00								
5	20	WD	10:00	0									
5	20	WD	12:30	0									
5	20	WD	15:00	0									
5	20	WD	17:30	0									
5	20	WD	20:00	0									

Appendix B. Table 3. Deer Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
May 16-31 Weekday Totals Continued													
5	21	WD	7:30	0	0.00								
5	21	WD	10:00	0									
5	21	WD	12:30	0									
5	21	WD	15:00	0									
5	21	WD	17:30	0									
5	21	WD	20:00	0									
5	28	WD	7:00	0	0.33								
5	28	WD	9:30	2									
5	28	WD	12:00	0									
5	28	WD	14:30	0									
5	28	WD	17:00	0									
5	28	WD	19:30	0									
5	29	WD	7:30	0	0.00								
5	29	WD	10:00	0									
5	29	WD	12:30	0									
5	29	WD	15:00	0									
5	29	WD	17:30	0									
5	29	WD	20:00	0									
June 1-15 Weekday Totals				6	0.50	5.16	4	3	1.290	1.720	78.35	60.74	45.55
6	3	WD	7:30	0	0.67								
6	3	WD	10:00	2									
6	3	WD	12:30	0									
6	3	WD	15:00	0									
6	3	WD	17:30	2									
6	3	WD	20:00	0									
6	10	WD	7:00	0	0.33								
6	10	WD	9:30	0									
6	10	WD	12:00	0									
6	10	WD	14:30	0									
6	10	WD	17:00	2									
6	10	WD	19:30	0									
June 16-30 Weekday Totals				1	0.04	0.34	0	0	0.000	0.000	6.60	0.00	0.00
6	18	WD	7:30	0	0.17								
6	18	WD	10:00	1									
6	18	WD	12:30	0									
6	18	WD	15:00	0									
6	18	WD	17:30	0									
6	18	WD	20:00	0									
6	20	WD	7:00	0	0.00								
6	20	WD	9:30	0									
6	20	WD	12:00	0									
6	20	WD	14:30	0									
6	20	WD	17:00	0									
6	20	WD	19:30	0									
6	25	WD	7:00	0	0.00								
6	25	WD	9:30	0									
6	25	WD	12:00	0									
6	25	WD	14:30	0									
6	25	WD	17:00	0									
6	25	WD	19:30	0									
6	26	WD	8:00	0	0.00								
6	26	WD	10:30	0									
6	26	WD	13:00	0									
6	26	WD	15:30	0									
6	26	WD	18:00	0									
6	26	WD	20:30	0									

Appendix B. Table 3. Deer Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
July 1-15 Weekday Totals				2	0.11	1.25	4	2	0.313	0.625	17.31	55.40	27.70
7	1	WD	7:00	0	0.17								
7	1	WD	9:30	0									
7	1	WD	12:00	0									
7	1	WD	14:30	1									
7	1	WD	17:00	0									
7	1	WD	19:30	0									
7	3	WD	6:30	0	0.17								
7	3	WD	9:00	0									
7	3	WD	11:30	1									
7	3	WD	14:00	0									
7	3	WD	16:30	0									
7	3	WD	19:00	0									
7	8	WD	7:00	0	0.00								
7	8	WD	9:30	0									
7	8	WD	12:00	0									
7	8	WD	14:30	0									
7	8	WD	17:00	0									
7	8	WD	19:30	0									
Deer Lake Weekday Sub-totals				25		24.68	27	8			342.10	286.93	115.37
March 1-15 Weekend Totals				N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
No surveys done this lake was added to the creel in late March													
March 16-31 Weekend Totals				11	2.75	17.00	10	5	1.700	3.400	171.88	101.10	50.55
3	30	WE	7:00	0	2.75								
3	30	WE	10:30	4									
3	30	WE	14:00	4									
3	30	WE	17:30	3									
April 1-15 Weekend Totals				12	1.20	18.73	14	1	1.338	18.730	63.22	47.25	3.38
4	5	WE	7:00	0	1.50								
4	5	WE	10:30	0									
4	5	WE	14:30	6									
4	5	WE	17:30	0									
4	13	WE	7:00	0	1.00								
4	13	WE	9:30	0									
4	13	WE	11:30	3									
4	13	WE	14:30	0									
4	13	WE	17:00	3									
4	13	WE	19:30	0									
April 16-30 Weekend Totals				9	0.75	12.47	9	0	1.386	0.000	42.00	30.31	0.00
4	19	WE	7:00	0	0.50								
4	19	WE	9:00	0									
4	19	WE	11:30	0									
4	19	WE	14:30	3									
4	19	WE	16:30	0									
4	19	WE	19:00	0									
4	27	WE	7:00	0	1.00								
4	27	WE	9:30	1									
4	27	WE	12:00	0									
4	27	WE	14:00	5									
4	27	WE	17:00	0									
4	27	WE	19:30	0									

Appendix B. Table 3. Deer Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
May 1-15 Weekend Totals				13	1.08	12.85	4	1	3.213	12.850	63.57	19.79	4.95
5	3	WE	7:00	0	2.17								
5	3	WE	9:30	8									
5	3	WE	12:00	5									
5	3	WE	14:30	0									
5	3	WE	17:00	0									
5	3	WE	19:30	0									
5	11	WE	6:30	0	0.00								
5	11	WE	9:30	0									
5	11	WE	12:30	0									
5	11	WE	14:30	0									
5	11	WE	17:00	0									
5	11	WE	19:00	0									
May 16-31 Weekend Totals				38	3.17	55.86	42	8	1.330	6.983	242.73	182.50	34.76
5	17	WE	7:00	0	1.00								
5	17	WE	10:00	0									
5	17	WE	12:30	0									
5	17	WE	15:00	6									
5	17	WE	17:30	0									
5	17	WE	20:00	0									
5	25	WE	7:00	4	5.33								
5	25	WE	10:00	7									
5	25	WE	12:30	2									
5	25	WE	15:00	4									
5	25	WE	17:30	9									
5	25	WE	20:00	6									
June 1-15 Weekend Totals				7	0.58	0.64	0	0	0.000	0.000	45.70	0.00	0.00
6	7	WE	6:30	0	0.00								
6	7	WE	9:00	0									
6	7	WE	12:00	0									
6	7	WE	14:00	0									
6	7	WE	16:30	0									
6	7	WE	19:00	0									
6	15	WE	6:30	0	1.17								
6	15	WE	9:00	5									
6	15	WE	11:30	2									
6	15	WE	14:00	0									
6	15	WE	16:30	0									
6	15	WE	19:00	0									
June 16-30 Weekend Totals				15	1.25	4.00	1	0	4.000	0.000	79.15	19.79	0.00
6	21	WE	6:30	0	1.83								
6	21	WE	9:00	0									
6	21	WE	11:30	0									
6	21	WE	14:00	3									
6	21	WE	17:00	4									
6	21	WE	19:00	4									
6	29	WE	6:30	0	0.67								
6	29	WE	9:00	4									
6	29	WE	11:30	0									
6	29	WE	14:00	0									
6	29	WE	16:30	0									
6	29	WE	19:00	0									

Appendix B. Table 3. Deer Lake Angler Effort and Harvest, 2003.

			Angler Counts			Creel Data			Expanded Totals				
Month	Day	WE/WD	Time	# of Anglers	Average # of Anglers	Total Hours	RBT Harvested	RBT Released	Average Catch Rate (hrs/fish harvested)	Average Release Rate (hrs/fish released)	Angler Effort (hrs)	Rainbow trout Harvested	Rainbow trout Released
July 1-15 Weekend Totals				6	0.55	6.24	5	0	1.248	0.000	33.99	27.24	0.00
7	6	WE	7:00	0	0.00								
7	6	WE	9:30	0									
7	6	WE	12:00	0									
7	6	WE	14:30	0									
7	6	WE	17:00	0									
7	6	WE	19:30	0									
7	12	WE	7:00	0	1.20								
7	12	WE	10:00	1									
7	12	WE	13:00	2									
7	12	WE	16:00	3									
7	12	WE	19:00	0									
Deer Lake Weekend Sub-total				111		127.79	85	15			742.23	427.98	93.64
Deer Lake Season Totals				136		152.47	112	23			1,084.33	714.91	209.01

Appendix C. Angler Residence Data from all Interviews Conducted During the Sampling Season for the Tucannon Lakes Creel Surveys, 2003.

Appendix C. Angler residence data from all interviews conducted during the sampling season for the Tucannon Lakes creel surveys, 2003.

Residence	Number of Anglers	% of Anglers	Residence	Number of Anglers	% of Anglers
Washington State Anglers			Ritzville	1	0.03
Columbia and Garfield County Anglers			Sammamish	1	0.03
Blind Grade	4	0.11	Seattle	16	0.44
Dayton	170	4.64	Silverdale	1	0.03
Lyons Ferry	5	0.14	Snohomish	1	0.03
Pomeroy	136	3.71	Soap Lake	2	0.05
Starbuck	7	0.19	Spokane	38	1.04
Tucannon	3	0.08	Sunnyside	3	0.08
Columbia and Garfield County Totals			Tri-Cities	1,928	52.63
Walla Walla and Asotin County Anglers			Union Town	1	0.03
Asotin	2	0.05	Vancouver	10	0.27
Burbank	35	0.96	Washtucna	7	0.19
Clarkston	32	0.87	Wenatchee	1	0.03
College Place	19	0.52	Whidbey Island	4	0.11
Dixie	12	0.33	Yakima	39	1.06
Prescott	18	0.49	Zillah	2	0.05
Touchet	38	1.04	Washington Totals		
Waitsburg	92	2.51		3536	96.53
Walla Walla	537	14.66	Oregon State Anglers		
Wallula	8	0.22	Glide, OR	2	0.05
Walla Walla and Asotin County Totals			Hermiston, OR	8	0.22
	793	21.65	Irrigon, OR	11	0.30
Other Cities in Washington State			Medford, OR	3	0.08
Arlington	1	0.03	Milton-Freewater, OR	33	0.90
Bellevue	1	0.03	Portland, OR	3	0.08
Benton City	42	1.15	Salem, OR	2	0.05
Chehalis	1	0.03	Wallowa, OR	1	0.03
Cheney	5	0.14	Oregon Totals		
Cle-Elum	2	0.05		63	1.72
Colfax	8	0.22	Idaho State Anglers		
Connell	29	0.79	Bothell, ID	4	0.11
Ellensburg	6	0.16	Lewiston, ID	9	0.25
Etopia	4	0.11	Peck, ID	7	0.19
Finley	5	0.14	Pocatello, ID	3	0.08
Gig Harbor	13	0.35	Whinchester, ID	12	0.33
Goldendale	3	0.08	Idaho Totals		
Grandview	54	1.47		35	0.96
Hoquiam	1	0.03	Anglers from other U.S. Cities and States		
Ione	2	0.05	Alabama	1	0.03
Kahlotus	21	0.57	Arizona	3	0.08
Lind	14	0.38	Mesa, AZ	2	0.05
Mesa	6	0.16	California	1	0.03
Moses Lake	13	0.35	Sacramento, CA	2	0.05
Olympia	1	0.03	Florida	1	0.03
Othello	27	0.74	Michigan	1	0.03
Prosser	68	1.86	Missouri	1	0.03
Pullman	23	0.63	Nebraska	5	0.14
Puyallup	5	0.14	Las Vegas, NV	6	0.16
Reardon	1	0.03	Carson City, NV	1	0.03
Redman	3	0.08	Texas	1	0.03
Ridgefield	4	0.11	Salt Lake City, UT	1	0.03
			Wisconsin	3	0.08
			Other Totals		
				29	0.79



This program receives Federal financial assistance from the U.S. Fish and Wildlife Service Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972. The U.S. Department of the Interior and its bureaus prohibit discrimination on the bases of race, color, national origin, age, disability and sex (in educational programs). If you believe that you have been discriminated against in any program, activity or facility, please write to:

U.S. Fish and Wildlife Service
Office of External Programs
4040 N. Fairfax Drive, Suite 130
Arlington, VA 22203