

LITERATURE CITED: Proposed Incidental Harassment Authorization to BlueCrest Alaska Operating LLC, for the Incidental Take of Northern Sea Otters due to Drilling Activities in Cook Inlet, Alaska, 2016.

FOR FURTHER INFORMATION: Regulatory Branch
Marine Mammals Management
U.S. Fish and Wildlife Service
Alaska Region
1011 East Tudor Road, MS 341
Anchorage, Alaska 99503
907-786-3800

- Blackwell, S.B. 2005. Underwater Measurements of Pile Driving Sounds during the Port MacKenize Dock Modifications, 13-16 August 2004 33.
- Bodkin, J.L., D.H. Monson, and G.E. Esslinger. 2003. A report on the results of the 2002 Kenai Peninsula and Lower Cook Inlet aerial sea otter survey. USGS Report. 10pp.
- Bodkin J, G.G. Esslinger, and D.H. Monson. 2004. Foraging depths of sea otters and implications to coastal marine communities. *Mar Mamm Sci* 20:305–321.
- Budelmann, B.U. 1992. Hearing in crustacea. In: Webster, D.B., R.R. Fay, and A.N. Popper, eds. *The evolutionary biology of hearing*. New York: Springer-Verlag. Pp. 131-139.
- Christian, J.R., A. Mathieu, and R.A. Buchanan. 2004. Chronic effects of seismic energy on snow crab (*Chionoecetes opilio*). Environmental Studies Research Funds Report No. 158, Calgary, AB.
- Collins, K. A. MacGillivray, and S. Turner. 2007. Underwater source level measurements of airgun sources from ConocoPhillips' 2007 Beluga 3D seismic survey, Cook Inlet, Alaska. Unpublished report prepared by JASCO Research Ltd., for Veritas DGC. 27 pp.
- Curland, J.M. 1997. Effects of disturbance on sea otters (*Enhydra lutris*) near Monterey, California. Moss Landing Marine Laboratories: San Jose State University.
- Davis, M.A., Wrage, K.J. & Reich, P.B. 1998. Competition between tree seedlings and herbaceous vegetation: support for a theory of resource supply and demand. *Journal of Ecology*, 86, 652–661.
- Doroff, A.M. and O. Badajos. 2010. Monitoring survival and movement patterns of sea otters (*Enhydra lutris kenyoni*) in Kachemak Bay, Alaska, August 2007-April 2010: Final Report. Kachemak Bay Research Reserve, 95 Sterling Highway Suite 2, Homer, Alaska. 18 pp.
- Evans, T.J., D.M. Burn, A.R. DeGange. 1997. Distribution and Relative Abundance of Sea Otters in the Aleutian Archipelago. U.S. Fish and Wildlife Service:1-29.
- Frid, A., L.M. Dill. 2002. Human-Caused Disturbance Stimuli as a Form of Predation Risk. *Ecology and Society* 6(1):11. <http://hdl.handle.net/10535/2697>
- Frost, K., MA Simpkins, LF Lowry. 2001. Diving behavior of subadult and adult harbor seals in Prince William Sound, Alaska. *Marine Mammal Science* 17(4):813-834

- Garshelis, D.L., J.A. Garshelis. 1984. Movements and management of sea otters in Alaska. *Journal of Wildlife Management* 48(3):665-678.
- Ghoul, A., C. Reichmuth. 2012a. Aerial hearing sensitivity in a southern sea otter (*Enhydra lutris nereis*). 164th Meeting of the Acoustical Society of America. Kansas City, Missouri, 22-26 October, p. 2008.
- Ghoul, A., C. Reichmuth. 2014. Hearing in the sea otter (*Enhydra lutris*): auditory profiles for an amphibious marine carnivore. *Journal of Comparative Physiology A* 2014(200):967-981.
- Ghoul, A., C. Reichmuth. 2012b. Sound Production and Reception in Southern Sea Otters (*Enhydra lutris nereis*). In A. N. Popper and A. Hawkins, editor. *The effects of Noise on Aquatic Life, Advances in Experimental Medicine and Biology* Springer Science+Business Media. .
- Gill, V.A., A.M. Doroff, and D.M. Burn. 2009. Aerial surveys of sea otters (*Enhydra lutris*) in Kachemak Bay, Alaska, 2008. Anchorage, Alaska: U.S. Fish and Wildlife Service Marine Mammal Management.
- Goudie, R.I., I.L. Jones. 2004. Dose-response relationships of harlequin duck behaviour to noise from low-level military jet over-flights in central Labrador *Environmental Conservation* 31(4):289-298.
- Greene, C.R., Jr. and W.J. Richardson. 1988. Characteristics of marine seismic survey sounds in the Beaufort Sea. *J. Acoust. Soc. Am.* 83(6):2246-2254. Hansen, D.J. and J.D. Hubbard. 1999. Distribution of Cook Inlet beluga whales (*Delphinapterus leucas*) in winter. Final Report. Outer Continental Shelf Study, U.S. Department of the Interior, Minerals Management Service, 949 East 36th Ave. Suite 300, Anchorage, Alaska 99508. Rept. 99-0024, v.p.
- Harms, C.A., W.J. Fleming, M. Stoskopf, K. 1997. A Technique For Dorsal Subcutaneous Implantation of Heart Rate Biolemetry Transmitters in Black Ducks: Application in an Aircraft Noise Response Study. *The Condor* 99:231-237.
- Hemilä, S.S.N., A. Berta, T. Reuter 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *Journal of the Acoustic Society of America* 120(6):3463–3466.
- Kastak, D., R.J. Schusterman. 1998. Low-frequency amphibious hearing in pinnipeds: Methods, measurements, noise, and ecology. *Journal of the Acoustical Society of America* 103(4):2216-2228.
- Larned, W.W. 2006. Winter distribution and abundance of Steller's eiders (*Polysticta stelleri*) in Cook Inlet, Alaska 2004-2005. Anchorage, Ak. U.S. Fish and Wildlife Service, Waterfowl Management Branch.
- Illingworth & Rodkin, Inc. 2014. 2013 Cook Inlet Exploratory Drilling Program – Underwater Sound Source Verification Assessment. Report prepared for BlueCrest Energy, Inc. Illingworth & Rodkin, Inc., Petaluma, CA. 20 pp.
- Kryter, K.D. 1985. *The Effects of Noise on Man*. 2nd 3 edition. Academic Press, Orlando, FL.

- Larned, W.W. 2006. Winter distribution and abundance of Steller's eiders (*Polysticta stelleri*) in Cook Inlet, Alaska 2004-2005. OCS Study, MMS 2006-066. 37 pp.
- Marine Acoustics, Inc. 2011. Underwater Acoustic Measurement of the Spartan 151 Jack-up Drilling Rig in the Cook Inlet Beluga Whale Critical Habitat. Prepared for Furie Operating Alaska, LLC, Anchorage, AK. 40 pp.
- Mulherin, N.D., W. B. Tucker III, O.P. Smith, W.J. Lee. 2001. Marine Ice Atlas for Cook Inlet, Alaska. Engineer Research and Development Center, Cold Regions Research and Engineering Lab. Hanover, NH. Available: <http://www.dtic.mil/cgi-bin/GetTRDoc?Location=U2&doc=GetTRDoc.pdf&AD=ADA392126>
- McShane, L., J. Estes, M. Riedman, and M. Staedler. 1995. Repertoire, structure, and individual variation of vocalizations in the sea otter. *Journal of Mammalogy*, 76: 414-427.
- Miles, P.R., C.I. Malme, and W.J. Richardson. 1987. Prediction of drilling site-specific interaction of industrial acoustic stimuli and endangered whales in the Alaskan Beaufort Sea. OCS Study MMS 87- 0084. BBN Report No. 6509. BBN Inc., Cambridge, Massachusetts. 341 pp.
- Neff JM, Hillman RE, Waugh JJ. 1988. Bioavailability of Trace Metals from Drilling Mud Barite to Benthic Marine Animals. in *Drilling Wastes, Proceedings of the 1988 International Conference on Drilling Wastes*. Calgary, Alberta, Canada. Elsevier Applied Science Publishers Ltd., London, England. pp. 461-479.
- NOAA (National Oceanic and Atmospheric Administration). 2005. Notice of intent to prepare an Environmental Impact Statement. FR 70(7)1871. January 11, 2005.
- NOAA (National Oceanic and Atmospheric Administration). 2006. Small takes of marine mammals incidental to specified activities; marine geophysical survey in the eastern tropical Pacific. FR 71(13)3260. January 20, 2006.
- NOAA (National Oceanic and Atmospheric Administration). 2008. Small Takes of Marine Mammals Incidental to Specified Activities; Port of Anchorage Marine Terminal Redevelopment Project, Anchorage, Alaska. Federal Register NMFS. 73 (139):41318-41330. July 18, 2008.
- Nixon, M. and J.Z. Young. 2003. *The brains and lives of cephalopods*. Oxford: Oxford University Press.
- Normandeau Associates, Inc. 2012. Effects of Noise on Fish, Fisheries, and Invertebrates in the U.S. Atlantic and Arctic from Energy Industry Sound-Generating Activities. A workshop Report for the U.S. Department of the Interior, Bureau of Ocean Energy Management. <https://www.cbd.int/doc/meetings/mar/mcbem-2014-01/other/mcbem-2014-01-submission-boem-04-en.pdf>
- O'Shea, T.J., R. R. Reeves, A.K. Long. 1999. Marine Mammals and Persistent Ocean Contaminants: Proceedings of the Marine Mammal Commission Workshop Keystone, Colorado, 12-15 October 1998. Marine Mammal Commission. Bethesda, MD. http://www.who.edu/science/B/people/mhahn/Keystone_workshop.pdf
- Owl Ridge NRC. 2014. Cosmopolitan State 2013 Drilling Program Marine Mammal Monitoring And Mitigation 90-day Report. Prepared for BlueCrest Alaska Operating LLC. 74 pp.

- Owl Ridge NRC. 2015. Application for the Incidental Harassment Authorization for the Taking of Sea Otters in Conjunction with the BlueCrest Alaska Operating LLC Activities at Cosmopolitan State Unit, Alaska, 2016. Prepared for BlueCrest.
- Pearson, W.H., J.R. Skalski, S.D. Sulkin, and C.I. Malme. 1994. Effects of seismic energy releases on the survival and development of zoeal-larvae of dungeness-crab (*Cancer magister*). *Marine Environmental Research* 38:93-113.
- Reichmuth, C., A. Ghaul. 2012. Auditory Sensitivity in Sea Otters (*Enhydra lutris*). Santa Cruz, California. University of California Santa Cruz. This report is available for downloading at the Environmental Studies Program Information System (ESPIS) by referencing OCS Study BOEM 2012-103.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. *Marine Mammals and Noise*. Academic Press, Inc., San Diego, CA.
- Richardson, W.J., V.D. Moulton, M. Holst, P. Abgrall, W.E. Cross, M.A. Smultea. 2011. Review of the effects of airgun sounds on marine mammals. Appendix C of West Greenland Seismic and Shallow Coring EIAs, 2012. Center for Marine and Coastal Studies. Eastham, UK.
- Riedman, M.L. 1983. Studies of the effects of experimentally produced noise associated with oil and gas exploration and development on sea otters in California. Rep. by Cent. Coastal Mar. Stud., Univ. Calif. Santa Cruz, CA, for MMS, Anchorage, AK. 92 p. NTIS PB86-218575.
- Riedman, M.L. 1984. Effects of sounds associated with petroleum industry activities on the behavior of sea otters in California. pp. D-1 to D-12 In: Malme, C.I., P.R. Miles, C.W. Clark, P. Tyack, and J.E. Bird, Investigations of the potential effects of underwater noise from petroleum industry activities on migrating gray whale behavior/Phase II: January 1984 migration. BBN Rep. 5586. Rep. by Bolt Beranek & Newman Inc., Cambridge, MA, for MMS. Anchorage, AK. NTIS PB86-218377.
- Riedman, M.L. and J.A. Estes. 1990. The sea otter (*Enhydra lutris*): behavior, ecology, and natural history. Biological Report 90(14). Washington, D.C.: U.S. Fish and Wildlife Service. 126p.
- Rugh, D.J., K.E.W. Shelden, C.L. Sims, B.A. Mahoney, B.K. Smith, L.K. (Litzky) Hoberecht, and R.C. Hobbs. 2005. Aerial surveys of belugas in Cook Inlet, Alaska, June 2001, 2002, 2003, and 2004. NOAA Technical Memorandum NMFS-AFSC-149. 71 pp.
- Schneider, K.B. 1976. Assessment of the distribution and abundance of sea otters along the Kenai Peninsula, Kamishak Bay, and the Kodiak Peninsula. Final Report for the Alaska Department of Fish and Game, Anchorage, AK. 72pp.
- Simmonds, M., S. Dolman, and L. Weilgart. 2004. Oceans of Noise 2004, A WDCS Science Report. The Whale and Dolphin Conservation Society, Brookfield House, 38 St. Paul St., Chippenham, Wiltshire. SN15 1LJ.
- Spence, J., R. Fischer, M. Bahtiarian, L. Boroditsky, N. Jones, and R. Dempsey. 2007. Review of Existing and Future Potential Treatments for Reducing Underwater Sound from Oil and Gas Industry Activities. Prepared for: Joint Industry Programme on E&P Sound and Marine Life, 209-215 Blackfriars Road, London SE1 8NL, UK. NCE Report 07-001.

- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R.G. Jr., D. Kastak, D.R. Ketten, J.H. Miller, P.E. Nachtigall, W.J. Richardson, J.A. Thomas, P.L. Tyack. 2007. Marine Mammal Noise Exposure Criteria: Initial Scientific Recommendations. *Aquatic Mammals* 33(4):1-121.
- Tempel, D.J., R.J. Gutiérrez. 2003. Fecal corticosterone levels in California spotted owls exposed to low-intensity chainsaw sound. *Wildlife Society Bulletin*:31:698-702.
- Udevitz, M.S., J.L. Bodkin, D.P. Costa. 1995. Detection of sea otters in boat based surveys of Prince William Sound, Alaska. *Marine Mammal Science* 11(1):59-71. <Go to ISI>://A1995QG60800003
- USFWS (U.S. Fish and Wildlife Service). 2014a. Northern Sea Otter (*Enhydra lutris kenyoni*): Southcentral Alaska Stock., <http://www.fws.gov/alaska/fisheries/mmm/stock/stock.htm>.
- USFWS (U.S. Fish and Wildlife Service). 2014b. Draft Analysis of Take for Seismic Surveys and Exploratory Drilling in Cook Inlet in 2014. Unpublished Report. Marine Mammals Office, Sea otter program. April 6, 2014.
- van Polanen Petel, T.D.P., J.M. Terhune, M.A. Hindell, M.A. Giese. 2006. An assessment of the audibility of sound from human transport by breeding Weddell seals (*Leptonychotes weddellii*). *Wildlife Research* 33(4):275-291. <http://dx.doi.org/10.1071/WR05001>
- Wartzok, D. and D.R. Ketten. 1999. Marine mammal sensory systems. *in* J.R. Reynolds, III and S. Rommel, eds. *Marine Mammals*. Smithsonian Institution Press, Washington, D.C.
- Weilgart, L.S. 2007. The impacts of anthropogenic ocean noise on cetaceans and implications for management. *Canadian Journal of Zoology* 85:1091–1116.
- Wolt, R.C., Gelwick, F.P., Weltz, F., Davis, R.W. 2012. Foraging behavior and prey of sea otters in a soft- and mixed-sediment benthos in Alaska. *Mammalian Biology* 77:271–280.