

Michigan

Federally-listed Endangered and Threatened Species

Updated October 2016

SPECIES	STATUS	COUNTIES	HABITAT
MAMMALS			
Canada lynx (<i>Lynx canadensis</i>)	Threatened	Current distribution: A Canada lynx was recently documented in the Upper Peninsula. The counties listed here have the highest potential for Lynx presence: Alger, Baraga, Chippewa, Delta, Dickinson, Gogebic, Houghton, Iron, Keweenaw, Luce, Mackinac, Marquette, Menominee, Ontonagon, Schoolcraft.	Northern forests
Gray wolf <i>Canis lupus</i>	Endangered	Alger, Baraga, Chippewa, Delta, Dickinson, Gogebic, Houghton, Iron, Keweenaw, Luce, Mackinac, Marquette, Menominee, Ontonagon, Schoolcraft	Northern forested areas
Indiana bat (<i>Myotis sodalis</i>)	Endangered	Allegan, Barry, Bay, Benzie, Berrien, Branch, Calhoun, Cass, Clinton, Eaton, Genesee, Gratiot, Hillsdale, Huron, Ingham, Ionia, Jackson, Kalamazoo, Kent, Lapeer, Leelanau, Lenawee, Livingston, Macomb, Manistee, Mason, Monroe, Montcalm, Muskegon, Oakland, Oceana, Ottawa, Saginaw, St. Joseph, Sanilac, Shiawassee, St. Clair, Tuscola, Van Buren, Washtenaw, and Wayne	Summer habitat includes small to medium river and stream corridors with well developed riparian woods; woodlots within 1 to 3 miles of small to medium rivers and streams; and upland forests. Caves and mines as hibernacula.
Northern long-eared bat <i>Myotis septentrionalis</i>	Threatened	Statewide	Hibernates in caves and mines - swarming in surrounding wooded areas in autumn. Roosts and forages in upland forests during spring and summer.
BIRDS			
Kirtland's warbler <i>Setophaga kirtlandii</i> = <i>Dendroica kirtlandii</i>	Endangered	Alcona, Alger, Antrim, Baraga, Chippewa, Clare, Crawford, Delta, Grand Traverse, Iosco, Kalkaska, Luce, Marquette, Montmorency, Ogemaw, Oscoda, Otsego, Presque Isle, Roscommon, Schoolcraft	Breeding in jack pine
Piping plover (<i>Chradrius melodus</i>)	Endangered	Alger, Alpena, Benzie, Berrien, Charlevoix, Cheboygan, Chippewa, Delta, Emmet, Leelanau, Luce, Mackinac, Manistee, Mason, Muskegon, Presque Isle, Schoolcraft	Beaches along shorelines of the Great Lakes
Piping plover (<i>Chradrius melodus</i>)	Critical Habitat	Alger, Benzie, Charlevoix, Cheboygan, Chippewa, Emmet, Iosco, Leelanau, Luce, Mackinac, Mason, Muskegon, Presque Isle, Schoolcraft	Beaches along shorelines of the Great Lakes

SPECIES	STATUS	COUNTIES	HABITAT
Rufa Red knot (<i>Calidris canutus rufa</i>)	Threatened	<p>Only actions that occur along coastal areas during the Red Knot migratory window of MAY 1 - SEPTEMBER 30 for the following counties:</p> <p>Alcona, Alger, Allegan, Alpena, Antrim, Arenac, Baraga, Bay, Benzie, Berrien, Charlevoix, Cheboygan, Chippewa, Delta, Emmet, Gogebic, Grand Traverse, Houghton, Huron, Iosco, Keweenaw, Leelanau, Luce, Mackinac, Macomb, Manistee, Marquette, Mason, Menominee, Monroe, Muskegon, Oceana, Ontonagon, Ottawa, Presque Isle, Sanilac, Schoolcraft, St. Clair, Tuscola, Van Buren, Wayne</p> <p>Only actions that occur in large wetland complexes during the Red knot migratory window of MAY 1 - SEPTEMBER 30 for the following counties:</p> <p>Midland, Saginaw, Shiawassee</p>	Coastal areas and large wetland complexes
REPTILES			
Copperbelly water snake (<i>Nerodia erythrogaster neglecta</i>)	Threatened	Branch, Calhoun, Cass, Eaton, Hillsdale, St. Joseph	Wooded and permanently wet areas such as oxbows, sloughs, brushy ditches and floodplain woods
Eastern massasauga (<i>Sistrurus catenatus</i>)	Threatened	Alcona, Allegan, Alpena, Antrim, Arenac, Barry, Berrien, Branch, Calhoun, Cass, Cheboygan, Clare, Clinton, Crawford, Eaton, Emmett, Genesee, Grand Traverse, Hillsdale, Huron, Ingham, Ionia, Iosco, Jackson, Kalamazoo, Kalkaska, Kent, Lake, Lapeer, Lenawee, Livingston, Mackinac, Macomb, Manistee, Mason, Missaukee, Montcalm, Montmorency, Muskegon, Newaygo, Oakland, Oscoda, Presque Isle, Saginaw, St. Joseph, Shiawassee, Van Buren, Washtenaw, Wayne	Graminoid dominated plant communities (fens, sedge meadows, peatlands, wet prairies) open woodlands and shrublands
INSECTS			
Hine's emerald dragonfly (<i>Somatochlora hineana</i>)	Endangered	Alcona, Alpena, Mackinac, Menominee, Presque Isle	Spring fed wetlands, wet meadows and marshes; calcareous streams & associated wetlands overlying dolomite bedrock
Hungerford's crawling water beetle (<i>Brychius hungerfordi</i>)	Endangered	Emmet, Montmorency, Oscoda, Presque Isle	Cool riffles of clean, slightly alkaline streams; known to occur in five streams in northern Michigan.
Karner blue butterfly (<i>Lycaeides melissa samuelis</i>)	Endangered	Allegan, Ionia, Kent, Lake, Mason, Mecosta, Monroe, Montcalm, Muskegon, Newaygo, Oceana	Pine barrens and oak savannas on sandy soils and containing wild lupines (<i>Lupinus perennis</i>), the only known food plant of larvae.
Mitchell's satyr (<i>Neonympha mitchellii mitchellii</i>)	Endangered	Barry, Berrien, Branch, Cass, Jackson, Kalamazoo, St. Joseph, Van Buren, Washtenaw	Fens; wetlands characterized by calcareous soils which are fed by carbonate-rich water from seeps and springs

SPECIES	STATUS	COUNTIES	HABITAT
Poweshiek skipperling (<i>Oarisma poweshiek</i>)	Endangered Critical Habitat	Hillsdale, Jackson, Lenawee, Livingston, Oakland, and Washtenaw Maps of proposed critical habitat in Michigan at www.fws.gov/midwest/endangered/insects/posk/fchmaps/poskchMI.pdf	Wet prairie and fens
MUSSELS			
Clubshell (<i>Pleurobema clava</i>)	Endangered	Hillsdale	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
Northern riffleshell (<i>Epioblasma torulosa rangiana</i>)	Endangered	Monroe, Sanilac, Wayne	Large streams and small rivers in firm sand of riffle areas; also occurs in Lake Erie
Rayed Bean (<i>Villosa fabalis</i>)	Endangered	Oakland, St. Clair	Belle, Black, Clinton and Pine Rivers
Snuffbox (<i>Epioblasma triquetra</i>)	Endangered	Gratiot, Ionia, Kent, Livingston, Oakland, St. Clair, Washtenaw	Small to medium-sized creeks in areas with a swift current and some larger rivers
PLANTS			
American hart's tongue fern (<i>Asplenium scolopendrium</i> var. <i>americanum</i> = <i>Phyllitis japonica</i> ssp. <i>a.</i>)	Threatened	Chippewa, Mackinac	Cool limestone sinkholes in mature hardwood forest
Dwarf lake iris (<i>Iris lacustris</i>)	Threatened	Alpena, Charlevoix, Cheboygan, Chippewa, Delta, Emmet, Mackinac, Menominee, Presque Isle, Schoolcraft	Partially shaded sandy-gravelly soils on lakeshores
Eastern prairie fringed orchid (<i>Plantathera leucophaea</i>)	Threatened	Bay, Cheboygan, Clinton, Eaton, Genesee, Gratiot, Huron, Livingston, Monroe, Saginaw, St. Clair, St. Joseph, Tuscola, Washtenaw, Wayne	Mesic to wet prairies and meadows
Houghton's goldenrod (<i>Solidago houghtonii</i>)	Threatened	Charlevoix, Cheboygan, Chippewa, Crawford, Emmet, Kalkaska, Mackinac, Presque Isle, Schoolcraft	Sandy flats along Great Lakes shores
Lakeside daisy (<i>Hymenoxys acaulis</i> var. <i>glabra</i>)	Threatened	Mackinac	Dry, rocky prairie grassland underlain by limestone
Michigan monkey-flower (<i>Mimulus michiganensis</i>)	Endangered	Benzie, Charlevoix, Cheboygan, Emmet, Leelanau, Mackinac	Soils saturated with cold flowing spring water; found along seepages, streams and lakeshores
Pitcher's thistle (<i>Cirsium pitcheri</i>)	Threatened	Alcona, Alger, Allegan, Alpena, Antrim, Arenac, Benzie, Berrien, Charlevoix, Cheboygan, Chippewa, Delta, Emmet, Grand Traverse, Huron, Iosco, Leelanau, Mackinac, Manistee, Mason, Muskegon, Oceana, Ottawa, Presque Isle, Schoolcraft, Van Buren	Stabilized dunes and blowout areas

SPECIES	STATUS	COUNTIES	HABITAT
Small whorled pogonia (<i>Isotria medeoloides</i>)	Threatened	Berrien	Dry woodland; upland sites in mixed forests (second or third growth stage)