

**New England Cottontail (*Syvilagus transitionalis*)**

**12-Month Petition Finding and  
Policy for the Evaluation of Conservation Efforts Analysis  
Docket Number FWS–R5–ES–2015–0136**

**Literature Cited**

- Ahn, S., W.B. Krohn, A.J. Plantinga, T.J. Dalton and J.A. Hepinstall. 2002. Agricultural land changes in Maine: a compilation and brief analysis of census of agriculture data, 1850-1997. University of Maine.
- Allen, G.M. 1904. Fauna of New England. Occasional papers of the Boston Society of Natural History. 7:19 –20.
- Allendorf, F.W. and G. Luikart. 2006. Conservation and Genetics of Populations. Blackwell Publishing, Malden, Massachusetts. 642 pp.
- American Veterinary Medical Association. 2002. U.S. pet ownership and demographics sourcebook (2002 edition). <http://www.avma.org/membshp/marketstats/sourcebook.asp> (accessed June 2005).
- Askins, R.A. 1998. Restoring forest disturbances to sustain populations of shrubland birds. Restoration and Management Notes. 16:166–173.
- Askins, R.A. 2001. Sustaining biological diversity in early successional communities: the challenge of managing unpopular habitats. Wildlife Society Bulletin. 29:407–412.
- Bachman, J. 1837. Observations, on the different species of hares (genus *Lepus*) inhabiting the United States and Canada. Journal of the Academy of Natural Sciences of Philadelphia. 7(2): 282 –361.
- Bangs, O. 1894. The geographical distribution of the eastern races of the cotton-tail (*Lepus sylvaticus* Bach.) with a description of a new subspecies, and with notes on the distribution of the northern hare (*Lepus americanus* Erxl.) In the east. Proc. Boston Soc. Nat. Hist. 26:404 –414.
- Barbour, M.S. and J.A. Litvaitis. 1993. Niche dimensions of New England cottontails in relation to habitat patch size. Oecologia 95:321–327.
- Bernardos, D., D. Foster, G. Motzkin and J. Cardoza. 2004. Wildlife dynamics in the changing New England landscape. In: Foster, D.R. and J.D. Aber eds. (2004) Forests in time: The environmental consequences of 1,000 years of change in New England. Yale University Press, New Haven, CT, pp. 142–168.

- Brooks, R.T. and T.W. Birch. 1988. Changes in New England forests and forest owners: implications for wildlife habitat resources and management. *Trans. N. Amer. Wildl. Nat. Resour. Conf.* 53:78–87.
- Brooks, R.T. 2003. Abundance, distribution, trends and ownership patterns of early successional forests and native shrublands in the northeastern United States. *Forest Ecology and Management.* 185:65–74.
- Brown, A.L. and J.A. Litvaitis. 1995. Habitat features associated with predation of New England cottontails: what scale is appropriate? *Can. J. Zool.* 73: 1005–1011.
- Cardoza J. 1999. Personal communication. Letter to D.C. Carlton, Biodiversity Legal Foundation. Mass. Div. of Fisheries and Wildlife, Westborough, MA.
- Carlton, D.C., D. Carle, D.L. Wade and M. Senatore. 2000. Petition for a rule to list the New England cottontail (*Sylvilagus transitionalis*) as threatened or endangered under the Endangered Species Act, 16 U.S.C. 1531 *et seq.* (1973 as amended ) in its natural range in the northeastern United States. Unpublished. Biodiversity Legal Foundation, Conservation Action Foundation, Endangered Small Animals Conservation Fund and Defenders of Wildlife. 78 pp.
- Chapman, J.A., J.G. Hockman and W.R. Morgan. 1982. Cottontails (*Sylvilagus floridanus* and Allies). Pp. 83–123 in J.A. Chapman and G.A. Feldhamer, editors. *Wild Mammals of North America.* The John Hopkins University Press, Baltimore, Maryland, USA.
- Chapman, J.A. and G. Ceballos. 1990. Chapter 5: The Cottontails In Rabbits, hares, and pikas -- status survey and conservation action plan. Pp. 95–110. Ed. by J.A. Chapman and J.E. C. Flux. International Union of Conservation and Nature, Gland, Switzerland.
- Chapman, J.A., J.L. Cramer, N.J. Dippenaar and T.J. Robinson. 1992. Systematics and biogeography of the New England cottontail, *Sylvilagus transitionalis* (Bangs 1895), with the description of a new species from the Appalachian Mountains. *Proc. Biol. Soc. Wash.* 105(4):841–866.
- Chapman, J.A. and J.A. Litvaitis. 2003. Eastern cottontail. Pp. 101 – 125 in G.A. Feldhamer, B.C. Thompson and J.A. Chapman, editors. *Wild Mammals of North America.* The John Hopkins University Press, Baltimore, Maryland, USA.
- Coleman, J.S., S.A. Temple and S.R. Craven. 1997. Cats and Wildlife: A conservation dilemma. <http://wildlife.wisc.edu/extension/catfly3.htm> (accessed June 2005).
- Dale, V.H., L.A. Joyce, S. McNulty, R.P. Nelson, M.P. Ayres, M.D. Flannigan, P.J. Hanson, L.C. Irland, A.E. Lugo, C.J. Peterson, D. Simberloff, F.J. Swanson, B.J. Stocks and B.M. Wotton. 2001. Climate change and forest disturbances. *BioScience* 51(9):723–734.

- Dalke, P.D. and P.R. Sime. 1941. Food habits of the eastern and New England cottontails. *Journal of Wildlife Management* 5(2): 216–228.
- deCalesta, D.S. 1994. Effect of white-tailed deer on songbirds within managed forests in Pennsylvania. *The Journal of Wildlife Management*. 58:711–718.
- DeGraaf, R.M. and M. Yamasaki. 2001. *New England Wildlife, Habitat, Natural History and Distribution*. Univ. Press of New England, Hanover, NH. 482 pp.
- Eabry, H.S. 1968. An ecological study of *Sylvilagus transitionalis* and *S. floridanus* of northeastern Connecticut. MS thesis, University of Connecticut, Storrs. 27 pp.
- Eabry, H.S. 1983. The New England cottontail, *Sylvilagus transitionalis*: an annotated bibliography. Unpubl. report. 50 pp.
- Edwards, W.R., S.P. Havera, S.P. Labisky, J.A. Ellis and R.E. Warner. 1981. The abundance of cottontails in relation to agricultural land use in Illinois (USA) 1956–1978, with comments on mechanism of regulation. *In* *Proceeding of the World Lagomorph Conference*. University of Guelph, Guelph, Ontario. Pp. 761–789.
- Fay, F.H. and E.H. Chandler. 1955. The geographical and ecological distribution of cottontail rabbits in Massachusetts. *Journal of Mammalogy*. 36(3): 415–424.
- Fenderson, L.E. 2010. Landscape genetics of the New England cottontail: Effects of habitat fragmentation on population genetic structure and dispersal. MS thesis, University of New Hampshire, Durham. 169 pp.
- Fenderson, L.E., A.I. Kovach, J.A. Litvaitis, K.M. O'Brien, K.M. Boland and W.J. Jakubas. 2014. A multiscale analysis of gene flow for the New England cottontail, an imperiled habitat specialist in a fragmented landscape. *Ecology and Evolution*. 4(10):1–23.
- Fisher, A.K. 1898. The mammals of Sing Sing, New York. *The Observer*. 7:193-200.
- Foote, L.E. 1946. A history of wild game in Vermont. Vermont Fish and Game Service, Pittman-Robertson Series, Bulletin 14, Montpelier.
- Forys, E.A. and S.R. Humphrey. 1999. Use of population viability analysis to evaluate management options for the endangered Lower Keys marsh rabbit. *Journal of Wildlife Management*. 63:251–260.
- Foster, D. R., G. Motzkin, D. Bernardos and J. Cardoza. 2002. Wildlife dynamics in the changing New England landscape. *Journal of Biogeography*. 29(10-11): 1337 – 1357.
- Fuller, S. and A. Tur. 2012. Conservation strategy for the New England cottontail (*Sylvilagus transitionalis*).

- [http://www.newenglandcottontail.org/sites/default/files/conservation\\_strategy\\_final\\_12-3-12.pdf](http://www.newenglandcottontail.org/sites/default/files/conservation_strategy_final_12-3-12.pdf) (accessed May 2015).
- Fuller, S. and A. Tur. 2015. New England cottontail conservation progress. 2014 Annual Performance Report.  
[http://www.newenglandcottontail.org/sites/default/files/research\\_documents/NEC%202014%20Performance%20Report.pdf](http://www.newenglandcottontail.org/sites/default/files/research_documents/NEC%202014%20Performance%20Report.pdf) (accessed May 2015).
- Goodie, T.J., M.A. Gregonis and H.J. Kilpatrick. 2005. Preliminary assessment of New England cottontail (*Sylvilagus transitionalis*) and eastern cottontail (*Sylvilagus floridanus*) distribution in Connecticut. October 2000 – May 2005. Connecticut Department of Environmental Protection. 10 pp.
- Goodwin, G.G. 1932. New records and some observations on Connecticut mammals. *Journal of Mammalogy*. 13(1): 36–40.
- Gottfried, A.E. 2013. Fine-scale assessment of habitat characteristics of two cottontail species in southern New England. MS thesis, University of Rhode Island. 73 pp.
- Hall, E.R. 1981. *The Mammals of North America*. John Wiley and Sons, New York. Vol. 1, 2nd edit. 600 pp.
- Hanski, I. 1998. Metapopulation dynamics. *Nature* 396:41-49.
- Hanski, I. and M.E. Gilpin. 1991. Metapopulation dynamics: brief history and conceptual domain. *Biological Journal of the Linnean Society* 42:3-16.
- Hayhoe, K., C. Wake, B. Anderson, X. Liang, E. Maurer, J. Zhu, J. Bradbury, A. DeGaetano, A.M. Stoner and D. Wuebbles. 2008. Regional climate change projections for the Northeast USA. *Mitigation and Adaptation Strategies for Global Change*. 13:425–436.
- Hellmann, J.A., J.E. Byres, B.G. Bierwagen, and J.S. Dukes. 2008. Five potential consequences of climate change for invasive species. *Conservation Biology* 22(3): 534–543.
- Hickerson, M.J., C. P. Meyer and C. Moritz. 2006. DNA barcoding will often fail to discover new animal species over broad parameter space. *Syst. Biol.* 55:729–739.
- Holman, H. 2015. Personal communication (electronic mail). NH Fish and Game Department. May 18, 2015. Concord, NH.
- Hosley, N.W. 1942. The cottontail rabbits in Connecticut. Connecticut State Geological and Natural History Survey. Bulletin No. 65. 97 pp.
- IPCC 2013: Annex III: Glossary [Planton, S. (ed.)]. Pp. 1147-1465 *In* *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Stocker, T.F., D. Qin, G.-K.

- Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley, editors. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA. [https://www.ipcc.ch/pdf/assessment-report/ar5/wg1/WG1AR5\\_AnnexIII\\_FINAL.pdf](https://www.ipcc.ch/pdf/assessment-report/ar5/wg1/WG1AR5_AnnexIII_FINAL.pdf) (accessed May 2015).
- IPCC 2014: *Climate Change 2014: Synthesis Report*. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Core Writing Team. Pachauri, R.K. and L.A. Meyers editors. 151 pp. [http://www.ipcc.ch/pdf/assessment-report/ar5/syr/SYR\\_AR5\\_FINAL\\_full.pdf](http://www.ipcc.ch/pdf/assessment-report/ar5/syr/SYR_AR5_FINAL_full.pdf) (accessed May 2015).
- Jackson, S.N. 1973. Distribution of cottontail rabbits (*Sylvilagus spp*) in northern New England. MS thesis, University of Connecticut, Storrs. 48 pp.
- Johnston, J.E. 1972. Identification and distribution of cottontail rabbits in southern New England. MS thesis, University of Connecticut, Storrs. 70 pp.
- Kays, R.W. and Amielle A. DeWan. 2004. Ecological impact of inside/outside house cats around a suburban nature preserve. *Animal Conservation*. 7:1-11.
- King, T.L., J.F. Switzer, C.L. Morrison, M.S. Eakles, C.C. Young, B.A. Lubinski and P. Cryan. 2006. Comprehensive genetic analyses reveal evolutionary distinction of a mouse (*Zapus hudsonius preblei*) proposed for delisting from the US Endangered Species Act. *Molecular Ecology* 15:4331–4359.
- Knowles, L.L. and B.C. Carstens. 2007. Delimiting species without monophyletic gene trees. *Syst. Biol.* 56:887–895.
- Latham, R.E. J. Beyea, M. Benner, C.A. Dunn, M.A. Fajvan, R.R. Freed, M. Grund, S.B. Horsley, A.F. Rhoads and B.P. Shissler. 2005. Managing white-tailed deer in forest habitat from an ecosystem perspective: Pennsylvania Case Study. Deer Management Forum, Audubon Pennsylvania and Pennsylvania Habitat Alliance, Harrisburg, PA.
- Leach, K., R. Kelly, A. Cameron, W.I. Montgomery and Neil Reid. 2014. Expertly validated models suggest responses to climate change are related to species traits: a phylogenetically-controlled analysis of the Order Lagomorpha. <http://biorxiv.org/content/early/2014/10/01/001826> (accessed May 2015)
- Linkkila, T.E. 1971. Influence of habitat upon changes within interspecific Connecticut cottontail populations. MS thesis, University of Connecticut, Storrs. 21 pp.
- Litvaitis, J.A., C.L. Stevens and W.W. Mautz. 1984. Age, sex and weight of bobcats in relation to winter diet. *J. of Wildl. Mgt.* 48:632–635.
- Litvaitis, J.A. and D.J. Harrison. 1989. Bobcat-coyote niche relationships during a period of coyote population increase. *Can. J. Zoo.* 67:1180–1188.

- Litvaitis, J.A., D.L. Verbyla and M.K. Litvaitis. 1991. A field method to differentiate New England and eastern cottontails. *Trans. Northeast. Sect. Wildl. Soc.* 48:11–14.
- Litvaitis, J.A. 1993a. Status of the New England cottontail in the Lake Champlain drainage of Vermont. Final rep. to VT Dept. of Fish and Wildlife, Waterbury, VT. Univ. of New Hampshire, Durham. 11 pp.
- Litvaitis, J.A. 1993b. Response of early successional vertebrates to historic changes in land use. *Cons. Biol.* 7: 866–873.
- Litvaitis, J.A. and R. Villafuerte. 1996. Factors affecting the persistence of New England cottontail metapopulations: the role of habitat management. *Wildl. Soc. Bull* 24:686–693.
- Litvaitis, M.K., J.A. Litvaitis, W-J. Lee and T.D. Kocher. 1997. Variation in the mitochondrial DNA of the *Sylvilagus* complex occupying the northeastern United States. *Can. J. Zoo.* 75:595–605.
- Litvaitis, J.A., D.L. Wagner, J.L. Confer, M.D. Tarr and E.J. Snyder. 1999. Early successional forests and shrub-dominated habitats: land-use artifact or critical community in the northeastern United States? *Northeast Wildl.* 54:101–118.
- Litvaitis, J.A. 2001. Importance of early successional habitats to mammals in eastern forests. *Wildl. Soc. Bull.* 29:466–473.
- Litvaitis, J.A. and B. Johnson. 2002. Distribution, status, and monitoring of New England cottontails in Maine. Final report to Maine Dept. of Inland Fish. And Wildl., Dept. of Natural Resources, University of New Hampshire, Durham. 69 pp.
- Litvaitis, J.A. 2003. Are pre-Columbian conditions relevant baselines for managed forests in the Northeast United States? *Forest Ecology and Management.* 185:113–126.
- Litvaitis, J.A., M.N. Marchand, J.P. Tash, M. Oberkrieser, V. Johnson and M. Litvaitis. 2003a. Interim progress report II: a regional inventory of New England cottontails. Dept. of Natural Resources and Zoology, Univ. of New Hampshire, Durham. 37 pp.
- Litvaitis, J.A., B. Johnson, J. Jakubas and K. Morris. 2003b. Distribution and habitat features associated with remnant populations of New England cottontails in Maine. *Canadian Journal of Zoology* 81:877–887.
- Litvaitis, J.A. and W.J. Jakubas. 2004. New England Cottontail (*Sylvilagus transitionalis*) Assessment 2004. 59 pp.
- Litvaitis, J.A., J.P. Tash, M.K. Litvaitis, M.N. Marchand, A.I. Kovach and R. Innes. 2006. A range-wide survey to determine the current distribution of New England cottontails. *Wildlife Society Bulletin.* 34(4):1190–1197.

- Litvaitis, J.A., M.S. Barbour, A.L. Brown, A.I. Kovach, M.K. Litvaitis, J.D. Oehler, B.L. Probert, D.F. Smith, J.P. Tash and R. Villafuerte. 2008. Testing multiple hypotheses to identify the causes of the decline of a lagomorph species: the New England cottontail as a case study. Pp. 167–185. In *Lagomorph Biology: Evolution, Ecology, and Conservation*. P. Alves, N. Ferrand, and K. Hackländer, editors. Springer-Verlag, New York, NY.
- Maine Department of Inland Fisheries and Wildlife. 2004. *State of Maine Hunting and Trapping 2004 Laws and Rules*. Augusta, Maine.
- Maine Department of Inland Fisheries and Wildlife. 2015. *State of Maine Hunting and Trapping 2015 Laws and Rules*. Augusta, Maine.
- Martin, A.C., H.S. Zim and A.L. Nelson. 1951. *American Wildlife and Plants. A guide to wildlife food habitats*. McGraw-Hill, New York. 500 pp.
- Melillo J. M., T.C. Richmond and G. W. Yohe, Eds. 2014. *Climate Change Impacts in the United States: The Third National Climate Assessment*. U.S. Global Change Research Program, 19-67. <http://nca2014.globalchange.gov/downloads> (accessed May 2015).
- NationalWatersheds. ([http://wrc.iewatershed.com/print.php?pagename=ow\\_regionalWatersheds\\_01](http://wrc.iewatershed.com/print.php?pagename=ow_regionalWatersheds_01)) (accessed May 2006).
- Nelson, E.W. 1909. *North American fauna: the rabbits of North America*. U.S. Department of Agriculture, Bureau of Biological Survey. No. 29. 314 pp.
- New Hampshire Fish and Game Department. 2004. *September 2004 to August 2005 New Hampshire Hunting Digest*. Concord, New Hampshire.
- New Hampshire Fish and Game Department. 2014. *September 2014 to August 2015 New Hampshire Hunting Digest*. Concord, New Hampshire.
- Noss, R.F. and R.L. Peters. 1995. *Endangered Ecosystems: A status report on America's Vanishing Habitat and Wildlife*. Defenders of Wildlife. Washington, D.C. 132 pp.
- Oehler, J.D. and J.A. Litvaitis. 1996. The role of spatial scale in understanding responses of medium-sized carnivores to forest fragmentation. *Can. J. Zool.* 74:2070–2079.
- Patterson, W. 2002. *Restoration of degraded pitch pine and scrub oak woodlands. Abstract from shrublands and early successional forests in the northeastern United States: critical habitats dependent on disturbance*. Reg. Conf., Univ. of New Hampshire, Durham.
- Probert, B.P. and J.A. Litvaitis. 1996. Behavioral interactions between invading and endemic lagomorphs: implications for conserving a declining species. *Biol. Cons.* 76:289–295.

- Ronce, O. and I. Olivieri. 2004. Life-history evolution in metapopulations. *In Ecology, Genetics, and Evolution of Metapopulations*. Hanski, I. and O.E. Gaggiotti, editors. Elsevier Academic Press, Burlington, Massachusetts.
- Ruedas, L.A., R.C. Dowler and E. Aita. 1989. Chromosomal variation in the New England cottontail, *Sylvilagus transitionalis*. *J. Mammalogy*. 70:860–864.
- Shaffer, M. L., L.H. Watchman, W.J. Snape and I.K. Latchis. 2002. Population viability analysis and conservation policy. Pages 123-142 in *Population Viability Analysis*, Beissinger, S. R. and D.R. McCullough, editors. University of Chicago Press, Chicago.
- Silver, H. 1957. A history of New Hampshire game and furbearers. New Hampshire Fish and Game Department. Survey Report No. 6. Concord, New Hampshire, USA.
- Smith, D.F. and J.A. Litvaitis. 1999. Differences in eye size and predator-detection distances of New England and eastern cottontails. *Northeast Wildl.* 54:55–60.
- Smith, D.F. and J.A. Litvaitis. 2000. Foraging strategies of sympatric lagomorphs: implications for differential success in fragmented landscapes. *Can. J. Zool.* 78:2134–2141.
- Stolgitis, J. 2000. Personal communication (letter). RI Dept. of Env. Mgt. November 2, 2000. Providence, RI.
- Sundquist, D. and M. Stevens. 1999. New Hampshire's Changing Landscape: Population Growth and Land Use Changes: What they Mean for the Granite State. Concord, New Hampshire. [http://www.spnhf.org/research/papers/nhcl2005es\\_hi.pdf](http://www.spnhf.org/research/papers/nhcl2005es_hi.pdf). (accessed May 2013).
- Tash, J.P. and J.A. Litvaitis. 2007. Characteristics of occupied habitats and identification of sites for restoration and translocation of New England cottontail populations. *Biological Conservation*. 137:584–598.
- Todd, J. B. 1927. Winter food of cottontail rabbits. *Journal of Mammalogy*, 8(3): 222 – 228.
- Tracy, R. S. 1995. Distribution and comparative metabolic physiology of the eastern cottontail (*Sylvilagus floridanus*) and the New England cottontail (*S. transitionalis*) – Implications for a declining species. Ms. of Science thesis. Univ. of Conn., Storrs. 105 pp.
- Trani, M.K., R.T. Brooks, T.L. Schmidt, V.A. Rudis and C.M. Gabbard. 2001. Patterns and trends of early successional forests in the eastern United States. *Wildlife Society Bulletin*. 29:413–424.
- Tur, A. 2005. Memorandum for the Record: The status of New England Cottontail habitat patches in New Hampshire. New England Field Office, U.S. Fish and Wildlife Service. 13 pp.

- U.S. Census Bureau. 2011. Population distribution and change: 2000 to 2010. <https://www.census.gov/prod/cen2010/briefs/c2010br-01.pdf> (accessed May 2015)
- U.S. Census Bureau. 2012. The 2012 Statistical Abstract. <http://www.census.gov/compendia/statab/2012edition.html> (accessed May 2015).
- U.S. Department of the Interior and U.S. Department of Commerce. 2002. U.S. Fish and Wildlife Service and U.S. Dept. of Commerce, Bureau of Census. Preliminary Findings. National survey of fishing, hunting and wildlife-associated recreation U.S. Govt. Printing Office. Washington, D.C.
- U.S. Fish and Wildlife Service. 2013. New England cottontail (*Sylvilagus transitionalis*) Species Assessment and Listing Priority Assignment Form. [http://ecos.fws.gov/docs/candidate/assessments/2013/r5/A09B\\_V01.pdf](http://ecos.fws.gov/docs/candidate/assessments/2013/r5/A09B_V01.pdf) (accessed May 2015).
- Villafuerte, R., J.A. Litvaitis and D.F. Smith. 1997. Physiological responses by lagomorphs to resource limitations imposed by habitat fragmentation: implications for condition-sensitive predation. *Can. J. Zool.* 75:148–151.
- Walter, W. D., M.A. Gregonis and H.J. Kilpatrick. 2001. Preliminary assessment of New England cottontail (*Sylvilagus transitionalis*) and eastern cottontail (*Sylvilagus floridanus*) distribution in Connecticut, October 2000-June 2001. Progr. rep. Connecticut Dept. of Envir. Prot., Bur. Of Natural Resources, Wildl Div. 65 pp.
- Weidman, T. 2010. An evaluation of supplemental food to increase winter survival of cottontail rabbits. MS thesis, University of New Hampshire, Durham. 39 pp.
- Wilson, J.W. 1981. Systematic status of the 2 cottontail rabbit species in 5 New England states, USA. Pp. 99–101. In Proceedings of the World Lagomorph Conf., Guelph, Ontario, 1979. Ed. by K. Myers and C.D. MacInnes. International Union of Nature and Natural Resources, Gland, Switzerland.
- Wilson, D.E. and D.M. Reeder, editors. 2005. Mammal Species of the World. Johns Hopkins University Press, Baltimore, Maryland. 2,142 pp.