# Analytical Results Report TOC

Page 2 - Chapter 1.  : ECDMS Analytical Results Report  4/12/2010

Page 3 - Chapter 2.  : Bulk Data

Page 4 - Chapter 4.  : Contaminant Concentrations

Page 146 - Chapter 5.  : Procedural Blanks

Page 173 - Chapter 6.  : Duplicates

Page 193 - Chapter 7.  : Spike Recoveries

Page 211 - Chapter 9.  : Laboratory Notes

Page 240 - Chapter 10.  : QAQC Summary

Page 241 - Chapter 11.  : QA/QC Anomalies

Page 270 - Chapter 12.  : Analytical Methods

# 1. ECDMS Analytical Results Report 4/12/2010

| Catalog Number | Purchase Order Number | Lab ID | Catalog Submitter | ECDMS User ID |
|---|---|---|---|---|
| 2020128 | 94420-09-Y005 | TDI | Lusk, Joel - Albuquerque, NM | r2alfo |

| | |
|---|---|
| **Catalog Title** | Rio Grande Silvery Minnow Health Study |
| **Lab Name:** | TDI - Brooks International, Inc. |

| **Notes, Symbols and Abbreviations Used** |
|---|
| Based on the report options selected the report should be **printed in landscape mode** |
| Notes, Symbols and Abbreviations Used<br>The following may appear before a reported result (e.g. < 1234).<br>< - Less than symbol indicates that the actual result is less than the reported detection limit.<br>> - Greater than symbol indicates that the actual result is greater than the reported result. |
| All results are reported as 3 significant digits. |
| All results are reported as parts per million (ppm), or percent, unless otherwise noted. |

## 1. Integrity Report

| | | | |
|---|---|---|---|
| **Lab Receipt Date** | 09/03/2009 | **Lab Approval Date** | 09/03/2009 |

| **Catalog Problems** |
|---|
| No problems reported |
| **Problem Resolution** |
| |

## 2. Bulk Data

| Sample Number | Sample Matrix | Sample Weight (grams) | Percent Lipid | Percent Moisture |
|---|---|---|---|---|
| 1-08-1 | Partial Carcass | 31.9 | 4.07 | 76.4 |
| 1-08-2 | Partial Carcass | 52.6 | 4.30 | 73.8 |
| 1-08-3 | Partial Carcass | 50.3 | 4.95 | 72.6 |
| 1-08-4 | Partial Carcass | 47.1 | 6.56 | 74.1 |
| 1-08-6 | Partial Carcass | 55.9 | 7.46 | 73.3 |
| 10-06-1 | Partial Carcass | 38.5 | 7.70 | 73.3 |
| 10-06-2 | Partial Carcass | 77.8 | 5.37 | 74.6 |
| 10-06-3 | Partial Carcass | 79 | 6.56 | 70.0 |
| 10-06-4 | Partial Carcass | 122 | 7.75 | 71.3 |
| 10-06-5 | Partial Carcass | 110.2 | 7.85 | 69.9 |
| 10-07-1 | Partial Carcass | 25.7 | 5.25 | 71.7 |
| 10-07-2 | Partial Carcass | 26.7 | 6.90 | 71.4 |
| 10-07-3 | Partial Carcass | 43.3 | 8.20 | 70.6 |
| 10-07-4 | Partial Carcass | 39.8 | 5.68 | 76.4 |
| 10-07-5 | Partial Carcass | 46.9 | 5.77 | 73.7 |
| 10-07-6 | Partial Carcass | 29 | 6.00 | 74.5 |
| 4-08-1 | Partial Carcass | 33.5 | 7.51 | 76.2 |
| 4-08-2 | Partial Carcass | 47.2 | 6.11 | 74.3 |
| 4-08-3 | Partial Carcass | 189.9 | 7.73 | 72.4 |
| 4-08-4 | Partial Carcass | 134.7 | 5.49 | 73.3 |
| 4-08-6 | Partial Carcass | 32.4 | 5.57 | 74.8 |
| 7-06-1 | Partial Carcass | 79.6 | 5.47 | 73.9 |
| 7-06-2 | Partial Carcass | 83.6 | 6.80 | 74.1 |
| 7-06-3 | Partial Carcass | 32.9 | 5.93 | 74.2 |
| 7-06-4 | Partial Carcass | 59 | 10.8 | 69.0 |
| 7-06-5 | Partial Carcass | 64.5 | 7.73 | 72.1 |
| 7-06-6 | Partial Carcass | 40.3 | 8.00 | 73.5 |
| 06385810 | Water | | | |

# 4. Contaminant Concentrations

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| 1,2,3,4,6,7,8-HpCDD | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| 1,2,3,4,6,7,8-HpCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| 1,2,3,4,7,8,9-HpCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| 1,2,3,4,7,8-HxCDD | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| 1,2,3,4,7,8-HxCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| 1,2,3,4-Tetrachlorobenzene | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.000565 | 0.000565 | < 0.000151 | 0.000151 |
| | *10-06-2 | Partial Carcass | < 0.000592 | 0.000592 | < 0.000151 | 0.000151 |
| | *10-06-3 | Partial Carcass | < 0.000502 | 0.000502 | < 0.000151 | 0.000151 |
| | *10-06-4 | Partial Carcass | < 0.000525 | 0.000525 | < 0.000151 | 0.000151 |
| | *10-06-5 | Partial Carcass | < 0.000501 | 0.000501 | < 0.000151 | 0.000151 |
| | *10-07-1 | Partial Carcass | < 0.000532 | 0.000532 | < 0.000151 | 0.000151 |
| | *10-07-2 | Partial Carcass | < 0.000528 | 0.000528 | < 0.000151 | 0.000151 |
| | *10-07-3 | Partial Carcass | < 0.000513 | 0.000513 | < 0.000151 | 0.000151 |
| | *10-07-4 | Partial Carcass | < 0.000639 | 0.000639 | < 0.000151 | 0.000151 |
| | *10-07-5 | Partial Carcass | < 0.000573 | 0.000573 | < 0.000151 | 0.000151 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-07-6 | Partial Carcass | < 0.000590 | 0.000590 | < 0.000151 | 0.000151 |
| | *4-08-6 | Partial Carcass | < 0.000597 | 0.000597 | < 0.000151 | 0.000151 |
| 1,2,3,6,7,8-HxCDD | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| 1,2,3,6,7,8-HxCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| 1,2,3,7,8,9-HxCDD | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| 1,2,3,7,8,9-HxCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| 1,2,3,7,8-PeCDD | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| 1,2,3,7,8-PeCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| 1,2,4,5-Tetrachlorobenzene | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.00101 | 0.00101 | < 0.000269 | 0.000269 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-06-2 | Partial Carcass | < 0.00106 | 0.00106 | < 0.000269 | 0.000269 |
| | *10-06-3 | Partial Carcass | < 0.000898 | 0.000898 | < 0.000269 | 0.000269 |
| | *10-06-4 | Partial Carcass | < 0.000938 | 0.000938 | < 0.000269 | 0.000269 |
| | *10-06-5 | Partial Carcass | < 0.000895 | 0.000895 | < 0.000269 | 0.000269 |
| | *10-07-1 | Partial Carcass | < 0.000951 | 0.000951 | < 0.000269 | 0.000269 |
| | *10-07-2 | Partial Carcass | < 0.000943 | 0.000943 | < 0.000269 | 0.000269 |
| | *10-07-3 | Partial Carcass | < 0.000917 | 0.000917 | < 0.000269 | 0.000269 |
| | *10-07-4 | Partial Carcass | < 0.00114 | 0.00114 | < 0.000269 | 0.000269 |
| | *10-07-5 | Partial Carcass | < 0.00102 | 0.00102 | < 0.000269 | 0.000269 |
| | *10-07-6 | Partial Carcass | < 0.00106 | 0.00106 | < 0.000269 | 0.000269 |
| | *4-08-6 | Partial Carcass | < 0.00107 | 0.00107 | < 0.000269 | 0.000269 |
| 1,6,7-Trimethyl-naphthalene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00191 | 0.00191 | < 0.000451 | 0.000451 |
| | 1-08-2 | Partial Carcass | < 0.00170 | 0.00170 | < 0.000446 | 0.000446 |
| | 1-08-3 | Partial Carcass | < 0.00163 | 0.00163 | < 0.000447 | 0.000447 |
| | 1-08-4 | Partial Carcass | < 0.00173 | 0.00173 | < 0.000450 | 0.000450 |
| | 1-08-6 | Partial Carcass | < 0.00164 | 0.00164 | < 0.000438 | 0.000438 |
| 1-methylnaphthalene | | | | | | |
| | 1-08-1 | Partial Carcass | 0.0110 | 0.00319 | 0.00260 | 0.000755 |
| | 1-08-2 | Partial Carcass | 0.0141 | 0.00285 | 0.00370 | 0.000747 |
| | 1-08-3 | Partial Carcass | 0.0124 | 0.00274 | 0.00340 | 0.000749 |
| | 1-08-4 | Partial Carcass | 0.0139 | 0.00291 | 0.00360 | 0.000754 |
| | 1-08-6 | Partial Carcass | 0.00787 | 0.00275 | 0.00210 | 0.000735 |
| 1-methylphenanthrene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00216 | 0.00216 | < 0.000511 | 0.000511 |
| | 1-08-2 | Partial Carcass | 0.0298 | 0.00193 | 0.00780 | 0.000506 |
| | 1-08-3 | Partial Carcass | 0.00658 | 0.00185 | 0.00180 | 0.000507 |
| | 1-08-4 | Partial Carcass | < 0.00197 | 0.00197 | < 0.000510 | 0.000510 |
| | 1-08-6 | Partial Carcass | 0.0176 | 0.00187 | 0.00470 | 0.000498 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| 2,3,4,6,7,8-HxCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| 2,3,4,7,8-PeCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| 2,3,7,8-TCDD | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.00000686 | 0.00000686 | < 0.00000183 | 0.00000183 |
| | 10-06-2 | Partial Carcass | < 0.00000743 | 0.00000743 | < 0.00000189 | 0.00000189 |
| | 10-06-3 | Partial Carcass | < 0.00000653 | 0.00000653 | < 0.00000196 | 0.00000196 |
| | 10-06-4 | Partial Carcass | < 0.00000690 | 0.00000690 | < 0.00000198 | 0.00000198 |
| | 10-07-1 | Partial Carcass | < 0.00000702 | 0.00000702 | < 0.00000199 | 0.00000199 |
| | 10-07-2 | Partial Carcass | < 0.00000690 | 0.00000690 | < 0.00000197 | 0.00000197 |
| | 10-07-3 | Partial Carcass | < 0.00000664 | 0.00000664 | < 0.00000195 | 0.00000195 |
| | 10-07-4 | Partial Carcass | < 0.00000797 | 0.00000797 | < 0.00000188 | 0.00000188 |
| 2,3,7,8-TCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.00000686 | 0.00000686 | < 0.00000183 | 0.00000183 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-2 | Partial Carcass | < 0.00000743 | 0.00000743 | < 0.00000189 | 0.00000189 |
| | 10-06-3 | Partial Carcass | < 0.00000653 | 0.00000653 | < 0.00000196 | 0.00000196 |
| | 10-06-4 | Partial Carcass | < 0.00000690 | 0.00000690 | < 0.00000198 | 0.00000198 |
| | 10-07-1 | Partial Carcass | < 0.00000702 | 0.00000702 | < 0.00000199 | 0.00000199 |
| | 10-07-2 | Partial Carcass | < 0.00000690 | 0.00000690 | < 0.00000197 | 0.00000197 |
| | 10-07-3 | Partial Carcass | < 0.00000664 | 0.00000664 | < 0.00000195 | 0.00000195 |
| | 10-07-4 | Partial Carcass | < 0.00000797 | 0.00000797 | < 0.00000188 | 0.00000188 |
| 2,6-dimethylnaphthalene | | | | | | |
| | 1-08-1 | Partial Carcass | 0.00296 | 0.00278 | 0.000700 | 0.000658 |
| | 1-08-2 | Partial Carcass | 0.00382 | 0.00249 | 0.00100 | 0.000651 |
| | 1-08-3 | Partial Carcass | 0.00475 | 0.00238 | 0.00130 | 0.000652 |
| | 1-08-4 | Partial Carcass | 0.00386 | 0.00253 | 0.00100 | 0.000656 |
| | 1-08-6 | Partial Carcass | < 0.00240 | 0.00240 | < 0.000640 | 0.000640 |
| 2-methylnaphthalene | | | | | | |
| | 1-08-1 | Partial Carcass | 0.0216 | 0.00345 | 0.00510 | 0.000816 |
| | 1-08-2 | Partial Carcass | 0.0260 | 0.00308 | 0.00680 | 0.000808 |
| | 1-08-3 | Partial Carcass | 0.0216 | 0.00296 | 0.00590 | 0.000809 |
| | 1-08-4 | Partial Carcass | 0.0220 | 0.00314 | 0.00570 | 0.000814 |
| | 1-08-6 | Partial Carcass | 0.0142 | 0.00298 | 0.00380 | 0.000794 |
| Aldrin | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.000458 | 0.000458 | < 0.000122 | 0.000122 |
| | *10-06-2 | Partial Carcass | < 0.000481 | 0.000481 | < 0.000122 | 0.000122 |
| | *10-06-3 | Partial Carcass | < 0.000408 | 0.000408 | < 0.000122 | 0.000122 |
| | *10-06-4 | Partial Carcass | < 0.000426 | 0.000426 | < 0.000122 | 0.000122 |
| | *10-06-5 | Partial Carcass | < 0.000406 | 0.000406 | < 0.000122 | 0.000122 |
| | *10-07-1 | Partial Carcass | < 0.000432 | 0.000432 | < 0.000122 | 0.000122 |
| | *10-07-2 | Partial Carcass | < 0.000428 | 0.000428 | < 0.000122 | 0.000122 |
| | *10-07-3 | Partial Carcass | < 0.000416 | 0.000416 | < 0.000122 | 0.000122 |
| | *10-07-4 | Partial Carcass | < 0.000518 | 0.000518 | < 0.000122 | 0.000122 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-07-5 | Partial Carcass | < 0.000465 | 0.000465 | < 0.000122 | 0.000122 |
| | *10-07-6 | Partial Carcass | < 0.000479 | 0.000479 | < 0.000122 | 0.000122 |
| | *4-08-6 | Partial Carcass | < 0.000484 | 0.000484 | < 0.000122 | 0.000122 |
| BDE# 1 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 10 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 100 | | | | | | |
| | 4-08-1 | Partial Carcass | 0.00420 | 0.00156 | 0.00100 | 0.000370 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-2 | Partial Carcass | 0.0121 | 0.00141 | 0.00310 | 0.000363 |
| | 4-08-3 | Partial Carcass | 0.0323 | 0.00132 | 0.00890 | 0.000364 |
| | 4-08-4 | Partial Carcass | 0.0604 | 0.00141 | 0.0161 | 0.000376 |
| | 4-08-6 | Partial Carcass | 0.0139 | 0.00142 | 0.00350 | 0.000360 |
| | 7-06-1 | Partial Carcass | 0.0233 | 0.00139 | 0.00610 | 0.000364 |
| | 7-06-2 | Partial Carcass | 0.0263 | 0.00142 | 0.00680 | 0.000367 |
| | 7-06-3 | Partial Carcass | 0.104 | 0.00144 | 0.0269 | 0.000370 |
| | 7-06-4 | Partial Carcass | 0.144 | 0.00114 | 0.0447 | 0.000355 |
| | 7-06-5 | Partial Carcass | 0.0555 | 0.00128 | 0.0155 | 0.000358 |
| | 7-06-6 | Partial Carcass | 0.0343 | 0.00130 | 0.00910 | 0.000345 |
| BDE# 11 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 116 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000190 | 0.000190 |
| | 4-08-2 | Partial Carcass | < 0.000724 | 0.000724 | < 0.000186 | 0.000186 |
| | 4-08-3 | Partial Carcass | < 0.000676 | 0.000676 | < 0.000186 | 0.000186 |
| | 4-08-4 | Partial Carcass | < 0.000722 | 0.000722 | < 0.000192 | 0.000192 |
| | 4-08-6 | Partial Carcass | < 0.000730 | 0.000730 | < 0.000184 | 0.000184 |
| | 7-06-1 | Partial Carcass | < 0.000713 | 0.000713 | < 0.000186 | 0.000186 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 7-06-2 | Partial Carcass | < 0.000726 | 0.000726 | < 0.000188 | 0.000188 |
| | 7-06-3 | Partial Carcass | < 0.000736 | 0.000736 | < 0.000190 | 0.000190 |
| | 7-06-4 | Partial Carcass | < 0.000587 | 0.000587 | < 0.000182 | 0.000182 |
| | 7-06-5 | Partial Carcass | < 0.000657 | 0.000657 | < 0.000183 | 0.000183 |
| | 7-06-6 | Partial Carcass | < 0.000667 | 0.000667 | < 0.000177 | 0.000177 |
| BDE# 118 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000190 | 0.000190 |
| | 4-08-2 | Partial Carcass | < 0.000724 | 0.000724 | < 0.000186 | 0.000186 |
| | 4-08-3 | Partial Carcass | < 0.000676 | 0.000676 | < 0.000186 | 0.000186 |
| | 4-08-4 | Partial Carcass | < 0.000722 | 0.000722 | < 0.000192 | 0.000192 |
| | 4-08-6 | Partial Carcass | < 0.000730 | 0.000730 | < 0.000184 | 0.000184 |
| | 7-06-1 | Partial Carcass | < 0.000713 | 0.000713 | < 0.000186 | 0.000186 |
| | 7-06-2 | Partial Carcass | < 0.000726 | 0.000726 | < 0.000188 | 0.000188 |
| | 7-06-3 | Partial Carcass | < 0.000736 | 0.000736 | < 0.000190 | 0.000190 |
| | 7-06-4 | Partial Carcass | < 0.000587 | 0.000587 | < 0.000182 | 0.000182 |
| | 7-06-5 | Partial Carcass | < 0.000657 | 0.000657 | < 0.000183 | 0.000183 |
| | 7-06-6 | Partial Carcass | < 0.000667 | 0.000667 | < 0.000177 | 0.000177 |
| BDE# 119 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000190 | 0.000190 |
| | 4-08-2 | Partial Carcass | < 0.000724 | 0.000724 | < 0.000186 | 0.000186 |
| | 4-08-3 | Partial Carcass | 0.00109 | 0.000676 | 0.000300 | 0.000186 |
| | 4-08-4 | Partial Carcass | 0.00300 | 0.000722 | 0.000800 | 0.000192 |
| | 4-08-6 | Partial Carcass | < 0.000730 | 0.000730 | < 0.000184 | 0.000184 |
| | 7-06-1 | Partial Carcass | < 0.000713 | 0.000713 | < 0.000186 | 0.000186 |
| | 7-06-2 | Partial Carcass | 0.000772 | 0.000726 | 0.000200 | 0.000188 |
| | 7-06-3 | Partial Carcass | 0.00543 | 0.000736 | 0.00140 | 0.000190 |
| | 7-06-4 | Partial Carcass | 0.00645 | 0.000587 | 0.00200 | 0.000182 |
| | 7-06-5 | Partial Carcass | 0.00287 | 0.000657 | 0.000800 | 0.000183 |
| | 7-06-6 | Partial Carcass | 0.00188 | 0.000667 | 0.000500 | 0.000177 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| BDE# 12 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 126 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000190 | 0.000190 |
| | 4-08-2 | Partial Carcass | < 0.000724 | 0.000724 | < 0.000186 | 0.000186 |
| | 4-08-3 | Partial Carcass | 0.000725 | 0.000676 | 0.000200 | 0.000186 |
| | 4-08-4 | Partial Carcass | 0.00112 | 0.000722 | 0.000300 | 0.000192 |
| | 4-08-6 | Partial Carcass | < 0.000730 | 0.000730 | < 0.000184 | 0.000184 |
| | 7-06-1 | Partial Carcass | < 0.000713 | 0.000713 | < 0.000186 | 0.000186 |
| | 7-06-2 | Partial Carcass | < 0.000726 | 0.000726 | < 0.000188 | 0.000188 |
| | 7-06-3 | Partial Carcass | 0.00155 | 0.000736 | 0.000400 | 0.000190 |
| | 7-06-4 | Partial Carcass | 0.00258 | 0.000587 | 0.000800 | 0.000182 |
| | 7-06-5 | Partial Carcass | < 0.000657 | 0.000657 | < 0.000183 | 0.000183 |
| | 7-06-6 | Partial Carcass | < 0.000667 | 0.000667 | < 0.000177 | 0.000177 |
| BDE# 13 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 138 | | | | | | |
| | 4-08-1 | Partial Carcass | 0.000840 | 0.000593 | 0.000200 | 0.000141 |
| | 4-08-2 | Partial Carcass | < 0.000538 | 0.000538 | < 0.000138 | 0.000138 |
| | 4-08-3 | Partial Carcass | < 0.000503 | 0.000503 | < 0.000139 | 0.000139 |
| | 4-08-4 | Partial Carcass | < 0.000537 | 0.000537 | < 0.000143 | 0.000143 |
| | 4-08-6 | Partial Carcass | < 0.000543 | 0.000543 | < 0.000137 | 0.000137 |
| | 7-06-1 | Partial Carcass | < 0.000531 | 0.000531 | < 0.000139 | 0.000139 |
| | 7-06-2 | Partial Carcass | < 0.000540 | 0.000540 | < 0.000140 | 0.000140 |
| | 7-06-3 | Partial Carcass | < 0.000548 | 0.000548 | < 0.000141 | 0.000141 |
| | 7-06-4 | Partial Carcass | < 0.000436 | 0.000436 | < 0.000135 | 0.000135 |
| | 7-06-5 | Partial Carcass | < 0.000488 | 0.000488 | < 0.000136 | 0.000136 |
| | 7-06-6 | Partial Carcass | < 0.000496 | 0.000496 | < 0.000132 | 0.000132 |
| BDE# 15 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | 0.000750 | 0.000681 | 0.000200 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | 0.00272 | 0.000695 | 0.000700 | 0.000179 |
| | 7-06-4 | Partial Carcass | 0.00258 | 0.000553 | 0.000800 | 0.000172 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 7-06-5 | Partial Carcass | 0.00108 | 0.000620 | 0.000300 | 0.000173 |
| | 7-06-6 | Partial Carcass | 0.000754 | 0.000629 | 0.000200 | 0.000167 |
| BDE# 153 | | | | | | |
| | 4-08-1 | Partial Carcass | 0.000840 | 0.000643 | 0.000200 | 0.000153 |
| | 4-08-2 | Partial Carcass | 0.00156 | 0.000584 | 0.000400 | 0.000150 |
| | 4-08-3 | Partial Carcass | 0.00471 | 0.000546 | 0.00130 | 0.000151 |
| | 4-08-4 | Partial Carcass | 0.00825 | 0.000583 | 0.00220 | 0.000155 |
| | 4-08-6 | Partial Carcass | 0.00198 | 0.000589 | 0.000500 | 0.000149 |
| | 7-06-1 | Partial Carcass | 0.00191 | 0.000576 | 0.000500 | 0.000151 |
| | 7-06-2 | Partial Carcass | 0.00232 | 0.000586 | 0.000600 | 0.000152 |
| | 7-06-3 | Partial Carcass | 0.0128 | 0.000594 | 0.00330 | 0.000153 |
| | 7-06-4 | Partial Carcass | 0.0135 | 0.000474 | 0.00420 | 0.000147 |
| | 7-06-5 | Partial Carcass | 0.00358 | 0.000530 | 0.00100 | 0.000148 |
| | 7-06-6 | Partial Carcass | 0.00264 | 0.000538 | 0.000700 | 0.000143 |
| BDE# 154 | | | | | | |
| | 4-08-1 | Partial Carcass | 0.00168 | 0.000736 | 0.000400 | 0.000175 |
| | 4-08-2 | Partial Carcass | 0.00389 | 0.000668 | 0.00100 | 0.000172 |
| | 4-08-3 | Partial Carcass | 0.00979 | 0.000624 | 0.00270 | 0.000172 |
| | 4-08-4 | Partial Carcass | 0.0184 | 0.000666 | 0.00490 | 0.000178 |
| | 4-08-6 | Partial Carcass | 0.00475 | 0.000674 | 0.00120 | 0.000170 |
| | 7-06-1 | Partial Carcass | 0.00612 | 0.000659 | 0.00160 | 0.000172 |
| | 7-06-2 | Partial Carcass | 0.00734 | 0.000670 | 0.00190 | 0.000173 |
| | 7-06-3 | Partial Carcass | 0.0272 | 0.000680 | 0.00700 | 0.000175 |
| | 7-06-4 | Partial Carcass | 0.0413 | 0.000542 | 0.0128 | 0.000168 |
| | 7-06-5 | Partial Carcass | 0.0150 | 0.000606 | 0.00420 | 0.000169 |
| | 7-06-6 | Partial Carcass | 0.00980 | 0.000616 | 0.00260 | 0.000163 |
| BDE# 155 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000593 | 0.000593 | < 0.000141 | 0.000141 |
| | 4-08-2 | Partial Carcass | < 0.000538 | 0.000538 | < 0.000138 | 0.000138 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-3 | Partial Carcass | < 0.000503 | 0.000503 | < 0.000139 | 0.000139 |
| | 4-08-4 | Partial Carcass | < 0.000537 | 0.000537 | < 0.000143 | 0.000143 |
| | 4-08-6 | Partial Carcass | < 0.000543 | 0.000543 | < 0.000137 | 0.000137 |
| | 7-06-1 | Partial Carcass | < 0.000531 | 0.000531 | < 0.000139 | 0.000139 |
| | 7-06-2 | Partial Carcass | < 0.000540 | 0.000540 | < 0.000140 | 0.000140 |
| | 7-06-3 | Partial Carcass | < 0.000548 | 0.000548 | < 0.000141 | 0.000141 |
| | 7-06-4 | Partial Carcass | < 0.000436 | 0.000436 | < 0.000135 | 0.000135 |
| | 7-06-5 | Partial Carcass | < 0.000488 | 0.000488 | < 0.000136 | 0.000136 |
| | 7-06-6 | Partial Carcass | < 0.000496 | 0.000496 | < 0.000132 | 0.000132 |
| BDE# 166 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000593 | 0.000593 | < 0.000141 | 0.000141 |
| | 4-08-2 | Partial Carcass | < 0.000538 | 0.000538 | < 0.000138 | 0.000138 |
| | 4-08-3 | Partial Carcass | < 0.000503 | 0.000503 | < 0.000139 | 0.000139 |
| | 4-08-4 | Partial Carcass | < 0.000537 | 0.000537 | < 0.000143 | 0.000143 |
| | 4-08-6 | Partial Carcass | < 0.000543 | 0.000543 | < 0.000137 | 0.000137 |
| | 7-06-1 | Partial Carcass | < 0.000531 | 0.000531 | < 0.000139 | 0.000139 |
| | 7-06-2 | Partial Carcass | < 0.000540 | 0.000540 | < 0.000140 | 0.000140 |
| | 7-06-3 | Partial Carcass | < 0.000548 | 0.000548 | < 0.000141 | 0.000141 |
| | 7-06-4 | Partial Carcass | < 0.000436 | 0.000436 | < 0.000135 | 0.000135 |
| | 7-06-5 | Partial Carcass | < 0.000488 | 0.000488 | < 0.000136 | 0.000136 |
| | 7-06-6 | Partial Carcass | < 0.000496 | 0.000496 | < 0.000132 | 0.000132 |
| BDE# 17 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 7-06-3 | Partial Carcass | 0.00233 | 0.000695 | 0.000600 | 0.000179 |
| | 7-06-4 | Partial Carcass | 0.00323 | 0.000553 | 0.00100 | 0.000172 |
| | 7-06-5 | Partial Carcass | 0.00108 | 0.000620 | 0.000300 | 0.000173 |
| | 7-06-6 | Partial Carcass | 0.000754 | 0.000629 | 0.000200 | 0.000167 |
| BDE# 181 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000550 | 0.000550 | < 0.000131 | 0.000131 |
| | 4-08-2 | Partial Carcass | < 0.000500 | 0.000500 | < 0.000128 | 0.000128 |
| | 4-08-3 | Partial Carcass | < 0.000466 | 0.000466 | < 0.000129 | 0.000129 |
| | 4-08-4 | Partial Carcass | < 0.000498 | 0.000498 | < 0.000133 | 0.000133 |
| | 4-08-6 | Partial Carcass | < 0.000504 | 0.000504 | < 0.000127 | 0.000127 |
| | 7-06-1 | Partial Carcass | < 0.000492 | 0.000492 | < 0.000129 | 0.000129 |
| | 7-06-2 | Partial Carcass | < 0.000501 | 0.000501 | < 0.000130 | 0.000130 |
| | 7-06-3 | Partial Carcass | < 0.000508 | 0.000508 | < 0.000131 | 0.000131 |
| | 7-06-4 | Partial Carcass | < 0.000405 | 0.000405 | < 0.000126 | 0.000126 |
| | 7-06-5 | Partial Carcass | < 0.000453 | 0.000453 | < 0.000127 | 0.000127 |
| | 7-06-6 | Partial Carcass | < 0.000460 | 0.000460 | < 0.000122 | 0.000122 |
| BDE# 183 | | | | | | |
| | 4-08-1 | Partial Carcass | 0.000840 | 0.000550 | 0.000200 | 0.000131 |
| | 4-08-2 | Partial Carcass | 0.000778 | 0.000500 | 0.000200 | 0.000128 |
| | 4-08-3 | Partial Carcass | < 0.000466 | 0.000466 | < 0.000129 | 0.000129 |
| | 4-08-4 | Partial Carcass | 0.00112 | 0.000498 | 0.000300 | 0.000133 |
| | 4-08-6 | Partial Carcass | < 0.000504 | 0.000504 | < 0.000127 | 0.000127 |
| | 7-06-1 | Partial Carcass | < 0.000492 | 0.000492 | < 0.000129 | 0.000129 |
| | 7-06-2 | Partial Carcass | < 0.000501 | 0.000501 | < 0.000130 | 0.000130 |
| | 7-06-3 | Partial Carcass | < 0.000508 | 0.000508 | < 0.000131 | 0.000131 |
| | 7-06-4 | Partial Carcass | < 0.000405 | 0.000405 | < 0.000126 | 0.000126 |
| | 7-06-5 | Partial Carcass | < 0.000453 | 0.000453 | < 0.000127 | 0.000127 |
| | 7-06-6 | Partial Carcass | < 0.000460 | 0.000460 | < 0.000122 | 0.000122 |
| BDE# 190 | | | | | | |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-1 | Partial Carcass | 0.00210 | 0.000417 | 0.000500 | 0.0000990 |
| | 4-08-2 | Partial Carcass | 0.00156 | 0.000378 | 0.000400 | 0.0000970 |
| | 4-08-3 | Partial Carcass | < 0.000353 | 0.000353 | < 0.0000970 | 0.0000970 |
| | 4-08-4 | Partial Carcass | 0.000750 | 0.000377 | 0.000200 | 0.000101 |
| | 4-08-6 | Partial Carcass | < 0.000382 | 0.000382 | < 0.0000960 | 0.0000960 |
| | 7-06-1 | Partial Carcass | < 0.000373 | 0.000373 | < 0.0000970 | 0.0000970 |
| | 7-06-2 | Partial Carcass | < 0.000379 | 0.000379 | < 0.0000980 | 0.0000980 |
| | 7-06-3 | Partial Carcass | < 0.000385 | 0.000385 | < 0.0000990 | 0.0000990 |
| | 7-06-4 | Partial Carcass | < 0.000307 | 0.000307 | < 0.0000950 | 0.0000950 |
| | 7-06-5 | Partial Carcass | < 0.000343 | 0.000343 | < 0.0000960 | 0.0000960 |
| | 7-06-6 | Partial Carcass | < 0.000349 | 0.000349 | < 0.0000920 | 0.0000920 |
| BDE# 194 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000417 | 0.000417 | < 0.0000990 | 0.0000990 |
| | 4-08-2 | Partial Carcass | < 0.000378 | 0.000378 | < 0.0000970 | 0.0000970 |
| | 4-08-3 | Partial Carcass | < 0.000353 | 0.000353 | < 0.0000970 | 0.0000970 |
| | 4-08-4 | Partial Carcass | < 0.000377 | 0.000377 | < 0.000101 | 0.000101 |
| | 4-08-6 | Partial Carcass | < 0.000382 | 0.000382 | < 0.0000960 | 0.0000960 |
| | 7-06-1 | Partial Carcass | < 0.000373 | 0.000373 | < 0.0000970 | 0.0000970 |
| | 7-06-2 | Partial Carcass | < 0.000379 | 0.000379 | < 0.0000980 | 0.0000980 |
| | 7-06-3 | Partial Carcass | < 0.000385 | 0.000385 | < 0.0000990 | 0.0000990 |
| | 7-06-4 | Partial Carcass | < 0.000307 | 0.000307 | < 0.0000950 | 0.0000950 |
| | 7-06-5 | Partial Carcass | < 0.000343 | 0.000343 | < 0.0000960 | 0.0000960 |
| | 7-06-6 | Partial Carcass | < 0.000349 | 0.000349 | < 0.0000920 | 0.0000920 |
| BDE# 195 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000417 | 0.000417 | < 0.0000990 | 0.0000990 |
| | 4-08-2 | Partial Carcass | < 0.000378 | 0.000378 | < 0.0000970 | 0.0000970 |
| | 4-08-3 | Partial Carcass | < 0.000353 | 0.000353 | < 0.0000970 | 0.0000970 |
| | 4-08-4 | Partial Carcass | < 0.000377 | 0.000377 | < 0.000101 | 0.000101 |
| | 4-08-6 | Partial Carcass | < 0.000382 | 0.000382 | < 0.0000960 | 0.0000960 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 7-06-1 | Partial Carcass | < 0.000373 | 0.000373 | < 0.0000970 | 0.0000970 |
| | 7-06-2 | Partial Carcass | < 0.000379 | 0.000379 | < 0.0000980 | 0.0000980 |
| | 7-06-3 | Partial Carcass | < 0.000385 | 0.000385 | < 0.0000990 | 0.0000990 |
| | 7-06-4 | Partial Carcass | < 0.000307 | 0.000307 | < 0.0000950 | 0.0000950 |
| | 7-06-5 | Partial Carcass | < 0.000343 | 0.000343 | < 0.0000960 | 0.0000960 |
| | 7-06-6 | Partial Carcass | < 0.000349 | 0.000349 | < 0.0000920 | 0.0000920 |
| BDE# 196 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000417 | 0.000417 | < 0.0000990 | 0.0000990 |
| | 4-08-2 | Partial Carcass | < 0.000378 | 0.000378 | < 0.0000970 | 0.0000970 |
| | 4-08-3 | Partial Carcass | < 0.000353 | 0.000353 | < 0.0000970 | 0.0000970 |
| | 4-08-4 | Partial Carcass | < 0.000377 | 0.000377 | < 0.000101 | 0.000101 |
| | 4-08-6 | Partial Carcass | < 0.000382 | 0.000382 | < 0.0000960 | 0.0000960 |
| | 7-06-1 | Partial Carcass | < 0.000373 | 0.000373 | < 0.0000970 | 0.0000970 |
| | 7-06-2 | Partial Carcass | < 0.000379 | 0.000379 | < 0.0000980 | 0.0000980 |
| | 7-06-3 | Partial Carcass | < 0.000385 | 0.000385 | < 0.0000990 | 0.0000990 |
| | 7-06-4 | Partial Carcass | < 0.000307 | 0.000307 | < 0.0000950 | 0.0000950 |
| | 7-06-5 | Partial Carcass | < 0.000343 | 0.000343 | < 0.0000960 | 0.0000960 |
| | 7-06-6 | Partial Carcass | < 0.000349 | 0.000349 | < 0.0000920 | 0.0000920 |
| BDE# 197 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000417 | 0.000417 | < 0.0000990 | 0.0000990 |
| | 4-08-2 | Partial Carcass | < 0.000378 | 0.000378 | < 0.0000970 | 0.0000970 |
| | 4-08-3 | Partial Carcass | < 0.000353 | 0.000353 | < 0.0000970 | 0.0000970 |
| | 4-08-4 | Partial Carcass | < 0.000377 | 0.000377 | < 0.000101 | 0.000101 |
| | 4-08-6 | Partial Carcass | < 0.000382 | 0.000382 | < 0.0000960 | 0.0000960 |
| | 7-06-1 | Partial Carcass | < 0.000373 | 0.000373 | < 0.0000970 | 0.0000970 |
| | 7-06-2 | Partial Carcass | < 0.000379 | 0.000379 | < 0.0000980 | 0.0000980 |
| | 7-06-3 | Partial Carcass | < 0.000385 | 0.000385 | < 0.0000990 | 0.0000990 |
| | 7-06-4 | Partial Carcass | < 0.000307 | 0.000307 | < 0.0000950 | 0.0000950 |
| | 7-06-5 | Partial Carcass | < 0.000343 | 0.000343 | < 0.0000960 | 0.0000960 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 7-06-6 | Partial Carcass | < 0.000349 | 0.000349 | < 0.0000920 | 0.0000920 |
| BDE# 198/199/203/200 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000417 | 0.000417 | < 0.0000990 | 0.0000990 |
| | 4-08-2 | Partial Carcass | < 0.000378 | 0.000378 | < 0.0000970 | 0.0000970 |
| | 4-08-3 | Partial Carcass | < 0.000353 | 0.000353 | < 0.0000970 | 0.0000970 |
| | 4-08-4 | Partial Carcass | < 0.000377 | 0.000377 | < 0.000101 | 0.000101 |
| | 4-08-6 | Partial Carcass | < 0.000382 | 0.000382 | < 0.0000960 | 0.0000960 |
| | 7-06-1 | Partial Carcass | < 0.000373 | 0.000373 | < 0.0000970 | 0.0000970 |
| | 7-06-2 | Partial Carcass | < 0.000379 | 0.000379 | < 0.0000980 | 0.0000980 |
| | 7-06-3 | Partial Carcass | < 0.000385 | 0.000385 | < 0.0000990 | 0.0000990 |
| | 7-06-4 | Partial Carcass | < 0.000307 | 0.000307 | < 0.0000950 | 0.0000950 |
| | 7-06-5 | Partial Carcass | < 0.000343 | 0.000343 | < 0.0000960 | 0.0000960 |
| | 7-06-6 | Partial Carcass | < 0.000349 | 0.000349 | < 0.0000920 | 0.0000920 |
| BDE# 2 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 201 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000417 | 0.000417 | < 0.0000990 | 0.0000990 |
| | 4-08-2 | Partial Carcass | < 0.000378 | 0.000378 | < 0.0000970 | 0.0000970 |
| | 4-08-3 | Partial Carcass | < 0.000353 | 0.000353 | < 0.0000970 | 0.0000970 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-4 | Partial Carcass | < 0.000377 | 0.000377 | < 0.000101 | 0.000101 |
| | 4-08-6 | Partial Carcass | < 0.000382 | 0.000382 | < 0.0000960 | 0.0000960 |
| | 7-06-1 | Partial Carcass | < 0.000373 | 0.000373 | < 0.0000970 | 0.0000970 |
| | 7-06-2 | Partial Carcass | < 0.000379 | 0.000379 | < 0.0000980 | 0.0000980 |
| | 7-06-3 | Partial Carcass | < 0.000385 | 0.000385 | < 0.0000990 | 0.0000990 |
| | 7-06-4 | Partial Carcass | < 0.000307 | 0.000307 | < 0.0000950 | 0.0000950 |
| | 7-06-5 | Partial Carcass | < 0.000343 | 0.000343 | < 0.0000960 | 0.0000960 |
| | 7-06-6 | Partial Carcass | < 0.000349 | 0.000349 | < 0.0000920 | 0.0000920 |
| BDE# 202 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000417 | 0.000417 | < 0.0000990 | 0.0000990 |
| | 4-08-2 | Partial Carcass | < 0.000378 | 0.000378 | < 0.0000970 | 0.0000970 |
| | 4-08-3 | Partial Carcass | < 0.000353 | 0.000353 | < 0.0000970 | 0.0000970 |
| | 4-08-4 | Partial Carcass | < 0.000377 | 0.000377 | < 0.000101 | 0.000101 |
| | 4-08-6 | Partial Carcass | < 0.000382 | 0.000382 | < 0.0000960 | 0.0000960 |
| | 7-06-1 | Partial Carcass | < 0.000373 | 0.000373 | < 0.0000970 | 0.0000970 |
| | 7-06-2 | Partial Carcass | < 0.000379 | 0.000379 | < 0.0000980 | 0.0000980 |
| | 7-06-3 | Partial Carcass | < 0.000385 | 0.000385 | < 0.0000990 | 0.0000990 |
| | 7-06-4 | Partial Carcass | < 0.000307 | 0.000307 | < 0.0000950 | 0.0000950 |
| | 7-06-5 | Partial Carcass | < 0.000343 | 0.000343 | < 0.0000960 | 0.0000960 |
| | 7-06-6 | Partial Carcass | < 0.000349 | 0.000349 | < 0.0000920 | 0.0000920 |
| BDE# 204 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000417 | 0.000417 | < 0.0000990 | 0.0000990 |
| | 4-08-2 | Partial Carcass | < 0.000378 | 0.000378 | < 0.0000970 | 0.0000970 |
| | 4-08-3 | Partial Carcass | < 0.000353 | 0.000353 | < 0.0000970 | 0.0000970 |
| | 4-08-4 | Partial Carcass | < 0.000377 | 0.000377 | < 0.000101 | 0.000101 |
| | 4-08-6 | Partial Carcass | < 0.000382 | 0.000382 | < 0.0000960 | 0.0000960 |
| | 7-06-1 | Partial Carcass | < 0.000373 | 0.000373 | < 0.0000970 | 0.0000970 |
| | 7-06-2 | Partial Carcass | < 0.000379 | 0.000379 | < 0.0000980 | 0.0000980 |
| | 7-06-3 | Partial Carcass | < 0.000385 | 0.000385 | < 0.0000990 | 0.0000990 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 7-06-4 | Partial Carcass | < 0.000307 | 0.000307 | < 0.0000950 | 0.0000950 |
| | 7-06-5 | Partial Carcass | < 0.000343 | 0.000343 | < 0.0000960 | 0.0000960 |
| | 7-06-6 | Partial Carcass | < 0.000349 | 0.000349 | < 0.0000920 | 0.0000920 |
| BDE# 205 | | | | | | |
| | 4-08-1 | Partial Carcass | 0.00210 | 0.000417 | 0.000500 | 0.0000990 |
| | 4-08-2 | Partial Carcass | 0.00194 | 0.000378 | 0.000500 | 0.0000970 |
| | 4-08-3 | Partial Carcass | 0.00145 | 0.000353 | 0.000400 | 0.0000970 |
| | 4-08-4 | Partial Carcass | 0.00225 | 0.000377 | 0.000600 | 0.000101 |
| | 4-08-6 | Partial Carcass | 0.00277 | 0.000382 | 0.000700 | 0.0000960 |
| | 7-06-1 | Partial Carcass | 0.00153 | 0.000373 | 0.000400 | 0.0000970 |
| | 7-06-2 | Partial Carcass | 0.00193 | 0.000379 | 0.000500 | 0.0000980 |
| | 7-06-3 | Partial Carcass | 0.00233 | 0.000385 | 0.000600 | 0.0000990 |
| | 7-06-4 | Partial Carcass | 0.00129 | 0.000307 | 0.000400 | 0.0000950 |
| | 7-06-5 | Partial Carcass | 0.00179 | 0.000343 | 0.000500 | 0.0000960 |
| | 7-06-6 | Partial Carcass | 0.00188 | 0.000349 | 0.000500 | 0.0000920 |
| BDE# 206 | | | | | | |
| | 4-08-1 | Partial Carcass | 0.00294 | 0.000417 | 0.000700 | 0.0000990 |
| | 4-08-2 | Partial Carcass | 0.00233 | 0.000378 | 0.000600 | 0.0000970 |
| | 4-08-3 | Partial Carcass | < 0.000353 | 0.000353 | < 0.0000970 | 0.0000970 |
| | 4-08-4 | Partial Carcass | 0.00225 | 0.000377 | 0.000600 | 0.000101 |
| | 4-08-6 | Partial Carcass | < 0.000382 | 0.000382 | < 0.0000960 | 0.0000960 |
| | 7-06-1 | Partial Carcass | 0.00230 | 0.000373 | 0.000600 | 0.0000970 |
| | 7-06-2 | Partial Carcass | < 0.000379 | 0.000379 | < 0.0000980 | 0.0000980 |
| | 7-06-3 | Partial Carcass | < 0.000385 | 0.000385 | < 0.0000990 | 0.0000990 |
| | 7-06-4 | Partial Carcass | 0.00129 | 0.000307 | 0.000400 | 0.0000950 |
| | 7-06-5 | Partial Carcass | 0.00179 | 0.000343 | 0.000500 | 0.0000960 |
| | 7-06-6 | Partial Carcass | < 0.000349 | 0.000349 | < 0.0000920 | 0.0000920 |
| BDE# 207 | | | | | | |
| | 4-08-1 | Partial Carcass | 0.00336 | 0.000417 | 0.000800 | 0.0000990 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-2 | Partial Carcass | 0.00311 | 0.000378 | 0.000800 | 0.0000970 |
| | 4-08-3 | Partial Carcass | 0.00254 | 0.000353 | 0.000700 | 0.0000970 |
| | 4-08-4 | Partial Carcass | 0.00262 | 0.000377 | 0.000700 | 0.000101 |
| | 4-08-6 | Partial Carcass | 0.00356 | 0.000382 | 0.000900 | 0.0000960 |
| | 7-06-1 | Partial Carcass | 0.00268 | 0.000373 | 0.000700 | 0.0000970 |
| | 7-06-2 | Partial Carcass | 0.00270 | 0.000379 | 0.000700 | 0.0000980 |
| | 7-06-3 | Partial Carcass | 0.00233 | 0.000385 | 0.000600 | 0.0000990 |
| | 7-06-4 | Partial Carcass | 0.00161 | 0.000307 | 0.000500 | 0.0000950 |
| | 7-06-5 | Partial Carcass | 0.00287 | 0.000343 | 0.000800 | 0.0000960 |
| | 7-06-6 | Partial Carcass | 0.00226 | 0.000349 | 0.000600 | 0.0000920 |
| BDE# 208 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000417 | 0.000417 | < 0.0000990 | 0.0000990 |
| | 4-08-2 | Partial Carcass | 0.00156 | 0.000378 | 0.000400 | 0.0000970 |
| | 4-08-3 | Partial Carcass | 0.00181 | 0.000353 | 0.000500 | 0.0000970 |
| | 4-08-4 | Partial Carcass | 0.00150 | 0.000377 | 0.000400 | 0.000101 |
| | 4-08-6 | Partial Carcass | 0.00238 | 0.000382 | 0.000600 | 0.0000960 |
| | 7-06-1 | Partial Carcass | 0.00153 | 0.000373 | 0.000400 | 0.0000970 |
| | 7-06-2 | Partial Carcass | 0.00116 | 0.000379 | 0.000300 | 0.0000980 |
| | 7-06-3 | Partial Carcass | 0.00194 | 0.000385 | 0.000500 | 0.0000990 |
| | 7-06-4 | Partial Carcass | 0.000968 | 0.000307 | 0.000300 | 0.0000950 |
| | 7-06-5 | Partial Carcass | 0.00143 | 0.000343 | 0.000400 | 0.0000960 |
| | 7-06-6 | Partial Carcass | < 0.000349 | 0.000349 | < 0.0000920 | 0.0000920 |
| BDE# 209 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.00619 | 0.00619 | < 0.00147 | 0.00147 |
| | 4-08-2 | Partial Carcass | < 0.00562 | 0.00562 | < 0.00144 | 0.00144 |
| | 4-08-3 | Partial Carcass | < 0.00525 | 0.00525 | < 0.00145 | 0.00145 |
| | 4-08-4 | Partial Carcass | < 0.00560 | 0.00560 | < 0.00149 | 0.00149 |
| | 4-08-6 | Partial Carcass | < 0.00567 | 0.00567 | < 0.00143 | 0.00143 |
| | 7-06-1 | Partial Carcass | < 0.00554 | 0.00554 | < 0.00145 | 0.00145 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 7-06-2 | Partial Carcass | < 0.00563 | 0.00563 | < 0.00146 | 0.00146 |
| | 7-06-3 | Partial Carcass | < 0.00572 | 0.00572 | < 0.00147 | 0.00147 |
| | 7-06-4 | Partial Carcass | < 0.00455 | 0.00455 | < 0.00141 | 0.00141 |
| | 7-06-5 | Partial Carcass | < 0.00510 | 0.00510 | < 0.00142 | 0.00142 |
| | 7-06-6 | Partial Carcass | < 0.00518 | 0.00518 | < 0.00137 | 0.00137 |
| BDE# 25 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | 0.000645 | 0.000553 | 0.000200 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 28 | | | | | | |
| | 4-08-1 | Partial Carcass | 0.00126 | 0.000805 | 0.000300 | 0.000192 |
| | 4-08-2 | Partial Carcass | 0.00350 | 0.000731 | 0.000900 | 0.000188 |
| | 4-08-3 | Partial Carcass | 0.00616 | 0.000683 | 0.00170 | 0.000188 |
| | 4-08-4 | Partial Carcass | 0.00937 | 0.000729 | 0.00250 | 0.000194 |
| | 4-08-6 | Partial Carcass | 0.00238 | 0.000738 | 0.000600 | 0.000186 |
| | 7-06-1 | Partial Carcass | 0.0103 | 0.000721 | 0.00270 | 0.000188 |
| | 7-06-2 | Partial Carcass | 0.00850 | 0.000733 | 0.00220 | 0.000190 |
| | 7-06-3 | Partial Carcass | 0.0198 | 0.000744 | 0.00510 | 0.000192 |
| | 7-06-4 | Partial Carcass | 0.0274 | 0.000593 | 0.00850 | 0.000184 |
| | 7-06-5 | Partial Carcass | 0.0129 | 0.000663 | 0.00360 | 0.000185 |
| | 7-06-6 | Partial Carcass | 0.00792 | 0.000674 | 0.00210 | 0.000179 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| BDE# 3 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | 0.00218 | 0.000638 | 0.000600 | 0.000176 |
| | 4-08-4 | Partial Carcass | 0.00262 | 0.000681 | 0.000700 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | 0.0128 | 0.000695 | 0.00330 | 0.000179 |
| | 7-06-4 | Partial Carcass | 0.00516 | 0.000553 | 0.00160 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 30 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 32 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 33 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 35 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 37 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | 0.000776 | 0.000695 | 0.000200 | 0.000179 |
| | 7-06-4 | Partial Carcass | 0.00161 | 0.000553 | 0.000500 | 0.000172 |
| | 7-06-5 | Partial Carcass | 0.00108 | 0.000620 | 0.000300 | 0.000173 |
| | 7-06-6 | Partial Carcass | 0.00188 | 0.000629 | 0.000500 | 0.000167 |
| BDE# 47 | | | | | | |
| | 4-08-1 | Partial Carcass | 0.0252 | 0.000876 | 0.00600 | 0.000209 |
| | 4-08-2 | Partial Carcass | 0.0856 | 0.000796 | 0.0220 | 0.000205 |
| | 4-08-3 | Partial Carcass | 0.272 | 0.000743 | 0.0751 | 0.000205 |
| | 4-08-4 | Partial Carcass | 0.484 | 0.000793 | 0.129 | 0.000212 |
| | 4-08-6 | Partial Carcass | 0.105 | 0.000803 | 0.0266 | 0.000203 |
| | 7-06-1 | Partial Carcass | 0.186 | 0.000784 | 0.0487 | 0.000205 |
| | 7-06-2 | Partial Carcass | 0.195 | 0.000798 | 0.0506 | 0.000207 |
| | 7-06-3 | Partial Carcass | 1.03 | 0.000809 | 0.266 | 0.000209 |
| | 7-06-4 | Partial Carcass | 1.24 | 0.000645 | 0.385 | 0.000200 |
| | 7-06-5 | Partial Carcass | 0.455 | 0.000722 | 0.127 | 0.000201 |
| | 7-06-6 | Partial Carcass | 0.265 | 0.000733 | 0.0704 | 0.000194 |
| BDE# 49/71 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000644 | 0.000644 | < 0.000153 | 0.000153 |
| | 4-08-2 | Partial Carcass | 0.00350 | 0.000585 | 0.000900 | 0.000150 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-3 | Partial Carcass | 0.00725 | 0.000546 | 0.00200 | 0.000151 |
| | 4-08-4 | Partial Carcass | 0.0120 | 0.000583 | 0.00320 | 0.000155 |
| | 4-08-6 | Partial Carcass | 0.00396 | 0.000590 | 0.00100 | 0.000149 |
| | 7-06-1 | Partial Carcass | 0.00765 | 0.000576 | 0.00200 | 0.000151 |
| | 7-06-2 | Partial Carcass | 0.00811 | 0.000586 | 0.00210 | 0.000152 |
| | 7-06-3 | Partial Carcass | 0.0221 | 0.000595 | 0.00570 | 0.000153 |
| | 7-06-4 | Partial Carcass | 0.0403 | 0.000474 | 0.0125 | 0.000147 |
| | 7-06-5 | Partial Carcass | 0.0233 | 0.000530 | 0.00650 | 0.000148 |
| | 7-06-6 | Partial Carcass | 0.0151 | 0.000539 | 0.00400 | 0.000143 |
| BDE# 66 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000481 | 0.000481 | < 0.000114 | 0.000114 |
| | 4-08-2 | Partial Carcass | < 0.000436 | 0.000436 | < 0.000112 | 0.000112 |
| | 4-08-3 | Partial Carcass | < 0.000408 | 0.000408 | < 0.000112 | 0.000112 |
| | 4-08-4 | Partial Carcass | < 0.000435 | 0.000435 | < 0.000116 | 0.000116 |
| | 4-08-6 | Partial Carcass | < 0.000440 | 0.000440 | < 0.000111 | 0.000111 |
| | 7-06-1 | Partial Carcass | < 0.000430 | 0.000430 | < 0.000112 | 0.000112 |
| | 7-06-2 | Partial Carcass | < 0.000438 | 0.000438 | < 0.000113 | 0.000113 |
| | 7-06-3 | Partial Carcass | < 0.000444 | 0.000444 | < 0.000114 | 0.000114 |
| | 7-06-4 | Partial Carcass | < 0.000354 | 0.000354 | < 0.000110 | 0.000110 |
| | 7-06-5 | Partial Carcass | < 0.000396 | 0.000396 | < 0.000111 | 0.000111 |
| | 7-06-6 | Partial Carcass | < 0.000402 | 0.000402 | < 0.000107 | 0.000107 |
| BDE# 7 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 75 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000876 | 0.000876 | < 0.000209 | 0.000209 |
| | 4-08-2 | Partial Carcass | < 0.000796 | 0.000796 | < 0.000205 | 0.000205 |
| | 4-08-3 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000205 | 0.000205 |
| | 4-08-4 | Partial Carcass | < 0.000793 | 0.000793 | < 0.000212 | 0.000212 |
| | 4-08-6 | Partial Carcass | < 0.000803 | 0.000803 | < 0.000203 | 0.000203 |
| | 7-06-1 | Partial Carcass | < 0.000784 | 0.000784 | < 0.000205 | 0.000205 |
| | 7-06-2 | Partial Carcass | < 0.000798 | 0.000798 | < 0.000207 | 0.000207 |
| | 7-06-3 | Partial Carcass | < 0.000809 | 0.000809 | < 0.000209 | 0.000209 |
| | 7-06-4 | Partial Carcass | < 0.000645 | 0.000645 | < 0.000200 | 0.000200 |
| | 7-06-5 | Partial Carcass | 0.00143 | 0.000722 | 0.000400 | 0.000201 |
| | 7-06-6 | Partial Carcass | < 0.000733 | 0.000733 | < 0.000194 | 0.000194 |
| BDE# 77 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000876 | 0.000876 | < 0.000209 | 0.000209 |
| | 4-08-2 | Partial Carcass | 0.00117 | 0.000796 | 0.000300 | 0.000205 |
| | 4-08-3 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000205 | 0.000205 |
| | 4-08-4 | Partial Carcass | 0.00188 | 0.000793 | 0.000500 | 0.000212 |
| | 4-08-6 | Partial Carcass | < 0.000803 | 0.000803 | < 0.000203 | 0.000203 |
| | 7-06-1 | Partial Carcass | 0.00153 | 0.000784 | 0.000400 | 0.000205 |
| | 7-06-2 | Partial Carcass | 0.00270 | 0.000798 | 0.000700 | 0.000207 |
| | 7-06-3 | Partial Carcass | < 0.000809 | 0.000809 | < 0.000209 | 0.000209 |
| | 7-06-4 | Partial Carcass | < 0.000645 | 0.000645 | < 0.000200 | 0.000200 |
| | 7-06-5 | Partial Carcass | < 0.000722 | 0.000722 | < 0.000201 | 0.000201 |
| | 7-06-6 | Partial Carcass | 0.00377 | 0.000733 | 0.00100 | 0.000194 |
| BDE# 8 | | | | | | |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-1 | Partial Carcass | < 0.000752 | 0.000752 | < 0.000179 | 0.000179 |
| | 4-08-2 | Partial Carcass | < 0.000683 | 0.000683 | < 0.000176 | 0.000176 |
| | 4-08-3 | Partial Carcass | < 0.000638 | 0.000638 | < 0.000176 | 0.000176 |
| | 4-08-4 | Partial Carcass | < 0.000681 | 0.000681 | < 0.000182 | 0.000182 |
| | 4-08-6 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000174 | 0.000174 |
| | 7-06-1 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000176 | 0.000176 |
| | 7-06-2 | Partial Carcass | < 0.000685 | 0.000685 | < 0.000177 | 0.000177 |
| | 7-06-3 | Partial Carcass | < 0.000695 | 0.000695 | < 0.000179 | 0.000179 |
| | 7-06-4 | Partial Carcass | < 0.000553 | 0.000553 | < 0.000172 | 0.000172 |
| | 7-06-5 | Partial Carcass | < 0.000620 | 0.000620 | < 0.000173 | 0.000173 |
| | 7-06-6 | Partial Carcass | < 0.000629 | 0.000629 | < 0.000167 | 0.000167 |
| BDE# 85 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.00164 | 0.00164 | < 0.000391 | 0.000391 |
| | 4-08-2 | Partial Carcass | < 0.00149 | 0.00149 | < 0.000383 | 0.000383 |
| | 4-08-3 | Partial Carcass | < 0.00139 | 0.00139 | < 0.000384 | 0.000384 |
| | 4-08-4 | Partial Carcass | 0.00150 | 0.00148 | 0.000400 | 0.000396 |
| | 4-08-6 | Partial Carcass | < 0.00150 | 0.00150 | < 0.000380 | 0.000380 |
| | 7-06-1 | Partial Carcass | < 0.00147 | 0.00147 | < 0.000384 | 0.000384 |
| | 7-06-2 | Partial Carcass | < 0.00149 | 0.00149 | < 0.000387 | 0.000387 |
| | 7-06-3 | Partial Carcass | 0.00194 | 0.00152 | 0.000500 | 0.000391 |
| | 7-06-4 | Partial Carcass | 0.00355 | 0.00121 | 0.00110 | 0.000374 |
| | 7-06-5 | Partial Carcass | < 0.00135 | 0.00135 | < 0.000377 | 0.000377 |
| | 7-06-6 | Partial Carcass | < 0.00137 | 0.00137 | < 0.000364 | 0.000364 |
| BDE# 99 | | | | | | |
| | 4-08-1 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000190 | 0.000190 |
| | 4-08-2 | Partial Carcass | < 0.000724 | 0.000724 | < 0.000186 | 0.000186 |
| | 4-08-3 | Partial Carcass | < 0.000676 | 0.000676 | < 0.000186 | 0.000186 |
| | 4-08-4 | Partial Carcass | < 0.000722 | 0.000722 | < 0.000192 | 0.000192 |
| | 4-08-6 | Partial Carcass | < 0.000730 | 0.000730 | < 0.000184 | 0.000184 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 7-06-1 | Partial Carcass | < 0.000713 | 0.000713 | < 0.000186 | 0.000186 |
| | 7-06-2 | Partial Carcass | < 0.000726 | 0.000726 | < 0.000188 | 0.000188 |
| | 7-06-3 | Partial Carcass | < 0.000736 | 0.000736 | < 0.000190 | 0.000190 |
| | 7-06-4 | Partial Carcass | < 0.000587 | 0.000587 | < 0.000182 | 0.000182 |
| | 7-06-5 | Partial Carcass | < 0.000657 | 0.000657 | < 0.000183 | 0.000183 |
| | 7-06-6 | Partial Carcass | < 0.000667 | 0.000667 | < 0.000177 | 0.000177 |
| BDE-TOTAL | | | | | | |
| | 4-08-1 | Partial Carcass | 0.0462 | 0.00729 | 0.0110 | 0.00174 |
| | 4-08-2 | Partial Carcass | 0.123 | 0.00662 | 0.0315 | 0.00170 |
| | 4-08-3 | Partial Carcass | 0.343 | 0.00618 | 0.0946 | 0.00171 |
| | 4-08-4 | Partial Carcass | 0.614 | 0.00660 | 0.164 | 0.00176 |
| | 4-08-6 | Partial Carcass | 0.141 | 0.00668 | 0.0357 | 0.00169 |
| | 7-06-1 | Partial Carcass | 0.246 | 0.00653 | 0.0643 | 0.00171 |
| | 7-06-2 | Partial Carcass | 0.258 | 0.00664 | 0.0667 | 0.00172 |
| | 7-06-3 | Partial Carcass | 1.25 | 0.00674 | 0.323 | 0.00174 |
| | 7-06-4 | Partial Carcass | 1.54 | 0.00537 | 0.477 | 0.00166 |
| | 7-06-5 | Partial Carcass | 0.582 | 0.00601 | 0.162 | 0.00168 |
| | 7-06-6 | Partial Carcass | 0.348 | 0.00610 | 0.0924 | 0.00162 |
| BHC (Total) | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.00135 | 0.00135 | < 0.000359 | 0.000359 |
| | *10-06-2 | Partial Carcass | < 0.00141 | 0.00141 | < 0.000359 | 0.000359 |
| | *10-06-3 | Partial Carcass | < 0.00120 | 0.00120 | < 0.000359 | 0.000359 |
| | *10-06-4 | Partial Carcass | < 0.00125 | 0.00125 | < 0.000359 | 0.000359 |
| | *10-06-5 | Partial Carcass | < 0.00120 | 0.00120 | < 0.000359 | 0.000359 |
| | *10-07-1 | Partial Carcass | < 0.00127 | 0.00127 | < 0.000359 | 0.000359 |
| | *10-07-2 | Partial Carcass | < 0.00126 | 0.00126 | < 0.000359 | 0.000359 |
| | *10-07-3 | Partial Carcass | 0.00900 | 0.00122 | 0.00264 | 0.000359 |
| | *10-07-4 | Partial Carcass | < 0.00152 | 0.00152 | < 0.000359 | 0.000359 |
| | *10-07-5 | Partial Carcass | < 0.00136 | 0.00136 | < 0.000359 | 0.000359 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-07-6 | Partial Carcass | < 0.00141 | 0.00141 | < 0.000359 | 0.000359 |
| | *4-08-6 | Partial Carcass | < 0.00142 | 0.00142 | < 0.000359 | 0.000359 |
| Benzo(a)anthracene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00160 | 0.00160 | < 0.000378 | 0.000378 |
| | 1-08-2 | Partial Carcass | < 0.00143 | 0.00143 | < 0.000374 | 0.000374 |
| | 1-08-3 | Partial Carcass | < 0.00137 | 0.00137 | < 0.000374 | 0.000374 |
| | 1-08-4 | Partial Carcass | < 0.00145 | 0.00145 | < 0.000377 | 0.000377 |
| | 1-08-6 | Partial Carcass | < 0.00138 | 0.00138 | < 0.000367 | 0.000367 |
| C1-Fluoranthenes & Pyrenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00541 | 0.00541 | < 0.00128 | 0.00128 |
| | 1-08-2 | Partial Carcass | < 0.00483 | 0.00483 | < 0.00127 | 0.00127 |
| | 1-08-3 | Partial Carcass | < 0.00464 | 0.00464 | < 0.00127 | 0.00127 |
| | 1-08-4 | Partial Carcass | < 0.00492 | 0.00492 | < 0.00128 | 0.00128 |
| | 1-08-6 | Partial Carcass | < 0.00466 | 0.00466 | < 0.00124 | 0.00124 |
| C1-Phenanthrenes & Anthracenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00252 | 0.00252 | < 0.000597 | 0.000597 |
| | 1-08-2 | Partial Carcass | 0.0302 | 0.00226 | 0.00790 | 0.000591 |
| | 1-08-3 | Partial Carcass | 0.00950 | 0.00216 | 0.00260 | 0.000592 |
| | 1-08-4 | Partial Carcass | < 0.00230 | 0.00230 | < 0.000596 | 0.000596 |
| | 1-08-6 | Partial Carcass | 0.0199 | 0.00218 | 0.00530 | 0.000581 |
| C1-chrysenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00397 | 0.00397 | < 0.000938 | 0.000938 |
| | 1-08-2 | Partial Carcass | < 0.00354 | 0.00354 | < 0.000928 | 0.000928 |
| | 1-08-3 | Partial Carcass | < 0.00340 | 0.00340 | < 0.000930 | 0.000930 |
| | 1-08-4 | Partial Carcass | < 0.00361 | 0.00361 | < 0.000936 | 0.000936 |
| | 1-08-6 | Partial Carcass | < 0.00342 | 0.00342 | < 0.000912 | 0.000912 |
| C1-dibenzothiophenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00288 | 0.00288 | < 0.000682 | 0.000682 |
| | 1-08-2 | Partial Carcass | < 0.00258 | 0.00258 | < 0.000675 | 0.000675 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 1-08-3 | Partial Carcass | 0.0113 | 0.00247 | 0.00310 | 0.000677 |
| | 1-08-4 | Partial Carcass | 0.0158 | 0.00262 | 0.00410 | 0.000681 |
| | 1-08-6 | Partial Carcass | 0.00600 | 0.00249 | 0.00160 | 0.000664 |
| C1-fluorenes | | | | | | |
| | 1-08-1 | Partial Carcass | 0.00719 | 0.00350 | 0.00170 | 0.000828 |
| | 1-08-2 | Partial Carcass | 0.00993 | 0.00313 | 0.00260 | 0.000820 |
| | 1-08-3 | Partial Carcass | < 0.00300 | 0.00300 | < 0.000821 | 0.000821 |
| | 1-08-4 | Partial Carcass | < 0.00319 | 0.00319 | < 0.000826 | 0.000826 |
| | 1-08-6 | Partial Carcass | < 0.00302 | 0.00302 | < 0.000806 | 0.000806 |
| C1-naphthalenes | | | | | | |
| | 1-08-1 | Partial Carcass | 0.0212 | 0.00664 | 0.00500 | 0.00157 |
| | 1-08-2 | Partial Carcass | 0.0260 | 0.00594 | 0.00680 | 0.00156 |
| | 1-08-3 | Partial Carcass | 0.0219 | 0.00570 | 0.00600 | 0.00156 |
| | 1-08-4 | Partial Carcass | 0.0231 | 0.00605 | 0.00600 | 0.00157 |
| | 1-08-6 | Partial Carcass | 0.0142 | 0.00573 | 0.00380 | 0.00153 |
| C2-Phenanthrenes & Anthracenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00252 | 0.00252 | < 0.000597 | 0.000597 |
| | 1-08-2 | Partial Carcass | < 0.00226 | 0.00226 | < 0.000591 | 0.000591 |
| | 1-08-3 | Partial Carcass | < 0.00216 | 0.00216 | < 0.000592 | 0.000592 |
| | 1-08-4 | Partial Carcass | < 0.00230 | 0.00230 | < 0.000596 | 0.000596 |
| | 1-08-6 | Partial Carcass | < 0.00218 | 0.00218 | < 0.000581 | 0.000581 |
| C2-chrysenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00397 | 0.00397 | < 0.000938 | 0.000938 |
| | 1-08-2 | Partial Carcass | < 0.00354 | 0.00354 | < 0.000928 | 0.000928 |
| | 1-08-3 | Partial Carcass | < 0.00340 | 0.00340 | < 0.000930 | 0.000930 |
| | 1-08-4 | Partial Carcass | < 0.00361 | 0.00361 | < 0.000936 | 0.000936 |
| | 1-08-6 | Partial Carcass | < 0.00342 | 0.00342 | < 0.000912 | 0.000912 |
| C2-dibenzothiophenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00288 | 0.00288 | < 0.000682 | 0.000682 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 1-08-2 | Partial Carcass | < 0.00258 | 0.00258 | < 0.000675 | 0.000675 |
| | 1-08-3 | Partial Carcass | < 0.00247 | 0.00247 | < 0.000677 | 0.000677 |
| | 1-08-4 | Partial Carcass | < 0.00262 | 0.00262 | < 0.000681 | 0.000681 |
| | 1-08-6 | Partial Carcass | < 0.00249 | 0.00249 | < 0.000664 | 0.000664 |
| C2-fluorenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00350 | 0.00350 | < 0.000828 | 0.000828 |
| | 1-08-2 | Partial Carcass | < 0.00313 | 0.00313 | < 0.000820 | 0.000820 |
| | 1-08-3 | Partial Carcass | < 0.00300 | 0.00300 | < 0.000821 | 0.000821 |
| | 1-08-4 | Partial Carcass | < 0.00319 | 0.00319 | < 0.000826 | 0.000826 |
| | 1-08-6 | Partial Carcass | < 0.00302 | 0.00302 | < 0.000806 | 0.000806 |
| C2-naphthalenes | | | | | | |
| | 1-08-1 | Partial Carcass | 0.00973 | 0.00845 | 0.00230 | 0.00200 |
| | 1-08-2 | Partial Carcass | 0.0141 | 0.00755 | 0.00370 | 0.00198 |
| | 1-08-3 | Partial Carcass | 0.0139 | 0.00724 | 0.00380 | 0.00198 |
| | 1-08-4 | Partial Carcass | 0.0139 | 0.00769 | 0.00360 | 0.00199 |
| | 1-08-6 | Partial Carcass | 0.0101 | 0.00729 | 0.00270 | 0.00194 |
| C3-Phenanthrenes & Anthracenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00252 | 0.00252 | < 0.000597 | 0.000597 |
| | 1-08-2 | Partial Carcass | < 0.00226 | 0.00226 | < 0.000591 | 0.000591 |
| | 1-08-3 | Partial Carcass | < 0.00216 | 0.00216 | < 0.000592 | 0.000592 |
| | 1-08-4 | Partial Carcass | < 0.00230 | 0.00230 | < 0.000596 | 0.000596 |
| | 1-08-6 | Partial Carcass | < 0.00218 | 0.00218 | < 0.000581 | 0.000581 |
| C3-chrysenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00397 | 0.00397 | < 0.000938 | 0.000938 |
| | 1-08-2 | Partial Carcass | < 0.00354 | 0.00354 | < 0.000928 | 0.000928 |
| | 1-08-3 | Partial Carcass | < 0.00340 | 0.00340 | < 0.000930 | 0.000930 |
| | 1-08-4 | Partial Carcass | < 0.00361 | 0.00361 | < 0.000936 | 0.000936 |
| | 1-08-6 | Partial Carcass | < 0.00342 | 0.00342 | < 0.000912 | 0.000912 |
| C3-dibenzothiophenes | | | | | | |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 1-08-1 | Partial Carcass | < 0.00288 | 0.00288 | < 0.000682 | 0.000682 |
| | 1-08-2 | Partial Carcass | < 0.00258 | 0.00258 | < 0.000675 | 0.000675 |
| | 1-08-3 | Partial Carcass | < 0.00247 | 0.00247 | < 0.000677 | 0.000677 |
| | 1-08-4 | Partial Carcass | < 0.00262 | 0.00262 | < 0.000681 | 0.000681 |
| | 1-08-6 | Partial Carcass | < 0.00249 | 0.00249 | < 0.000664 | 0.000664 |
| C3-fluorenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00350 | 0.00350 | < 0.000828 | 0.000828 |
| | 1-08-2 | Partial Carcass | < 0.00313 | 0.00313 | < 0.000820 | 0.000820 |
| | 1-08-3 | Partial Carcass | < 0.00300 | 0.00300 | < 0.000821 | 0.000821 |
| | 1-08-4 | Partial Carcass | < 0.00319 | 0.00319 | < 0.000826 | 0.000826 |
| | 1-08-6 | Partial Carcass | < 0.00302 | 0.00302 | < 0.000806 | 0.000806 |
| C3-naphthalenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00845 | 0.00845 | < 0.00200 | 0.00200 |
| | 1-08-2 | Partial Carcass | < 0.00755 | 0.00755 | < 0.00198 | 0.00198 |
| | 1-08-3 | Partial Carcass | 0.00950 | 0.00724 | 0.00260 | 0.00198 |
| | 1-08-4 | Partial Carcass | 0.0112 | 0.00769 | 0.00290 | 0.00199 |
| | 1-08-6 | Partial Carcass | < 0.00729 | 0.00729 | < 0.00194 | 0.00194 |
| C4-Phenanthrenes & Anthracenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00252 | 0.00252 | < 0.000597 | 0.000597 |
| | 1-08-2 | Partial Carcass | < 0.00226 | 0.00226 | < 0.000591 | 0.000591 |
| | 1-08-3 | Partial Carcass | < 0.00216 | 0.00216 | < 0.000592 | 0.000592 |
| | 1-08-4 | Partial Carcass | < 0.00230 | 0.00230 | < 0.000596 | 0.000596 |
| | 1-08-6 | Partial Carcass | < 0.00218 | 0.00218 | < 0.000581 | 0.000581 |
| C4-chrysenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00397 | 0.00397 | < 0.000938 | 0.000938 |
| | 1-08-2 | Partial Carcass | < 0.00354 | 0.00354 | < 0.000928 | 0.000928 |
| | 1-08-3 | Partial Carcass | < 0.00340 | 0.00340 | < 0.000930 | 0.000930 |
| | 1-08-4 | Partial Carcass | < 0.00361 | 0.00361 | < 0.000936 | 0.000936 |
| | 1-08-6 | Partial Carcass | < 0.00342 | 0.00342 | < 0.000912 | 0.000912 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| C4-naphthalenes | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00845 | 0.00845 | < 0.00200 | 0.00200 |
| | 1-08-2 | Partial Carcass | < 0.00755 | 0.00755 | < 0.00198 | 0.00198 |
| | 1-08-3 | Partial Carcass | < 0.00724 | 0.00724 | < 0.00198 | 0.00198 |
| | 1-08-4 | Partial Carcass | < 0.00769 | 0.00769 | < 0.00199 | 0.00199 |
| | 1-08-6 | Partial Carcass | < 0.00729 | 0.00729 | < 0.00194 | 0.00194 |
| Cl4-PCDD | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.00000686 | 0.00000686 | < 0.00000183 | 0.00000183 |
| | 10-06-2 | Partial Carcass | < 0.00000743 | 0.00000743 | < 0.00000189 | 0.00000189 |
| | 10-06-3 | Partial Carcass | < 0.00000653 | 0.00000653 | < 0.00000196 | 0.00000196 |
| | 10-06-4 | Partial Carcass | < 0.00000690 | 0.00000690 | < 0.00000198 | 0.00000198 |
| | 10-07-1 | Partial Carcass | < 0.00000702 | 0.00000702 | < 0.00000199 | 0.00000199 |
| | 10-07-2 | Partial Carcass | < 0.00000690 | 0.00000690 | < 0.00000197 | 0.00000197 |
| | 10-07-3 | Partial Carcass | < 0.00000664 | 0.00000664 | < 0.00000195 | 0.00000195 |
| | 10-07-4 | Partial Carcass | < 0.00000797 | 0.00000797 | < 0.00000188 | 0.00000188 |
| Cl4-PCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.00000686 | 0.00000686 | < 0.00000183 | 0.00000183 |
| | 10-06-2 | Partial Carcass | < 0.00000743 | 0.00000743 | < 0.00000189 | 0.00000189 |
| | 10-06-3 | Partial Carcass | < 0.00000653 | 0.00000653 | < 0.00000196 | 0.00000196 |
| | 10-06-4 | Partial Carcass | < 0.00000690 | 0.00000690 | < 0.00000198 | 0.00000198 |
| | 10-07-1 | Partial Carcass | < 0.00000702 | 0.00000702 | < 0.00000199 | 0.00000199 |
| | 10-07-2 | Partial Carcass | < 0.00000690 | 0.00000690 | < 0.00000197 | 0.00000197 |
| | 10-07-3 | Partial Carcass | < 0.00000664 | 0.00000664 | < 0.00000195 | 0.00000195 |
| | 10-07-4 | Partial Carcass | < 0.00000797 | 0.00000797 | < 0.00000188 | 0.00000188 |
| Cl5-PCDD | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| Cl5-PCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| Cl6-PCDD | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| Cl6-PCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| Cl7-PCDD | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| Cl7-PCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| DDMU | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00264 | 0.000481 | 0.000703 | 0.000128 |
| | *10-06-2 | Partial Carcass | 0.00168 | 0.000504 | 0.000427 | 0.000128 |
| | *10-06-3 | Partial Carcass | 0.00213 | 0.000428 | 0.000638 | 0.000128 |
| | *10-06-4 | Partial Carcass | 0.00263 | 0.000447 | 0.000754 | 0.000128 |
| | *10-06-5 | Partial Carcass | 0.000735 | 0.000426 | 0.000221 | 0.000128 |
| | *10-07-1 | Partial Carcass | < 0.000453 | 0.000453 | < 0.000128 | 0.000128 |
| | *10-07-2 | Partial Carcass | < 0.000449 | 0.000449 | < 0.000128 | 0.000128 |
| | *10-07-3 | Partial Carcass | < 0.000437 | 0.000437 | < 0.000128 | 0.000128 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-07-4 | Partial Carcass | 0.00258 | 0.000544 | 0.000609 | 0.000128 |
| | *10-07-5 | Partial Carcass | 0.00129 | 0.000487 | 0.000340 | 0.000128 |
| | *10-07-6 | Partial Carcass | 0.00425 | 0.000502 | 0.00108 | 0.000128 |
| | *4-08-6 | Partial Carcass | 0.00253 | 0.000508 | 0.000639 | 0.000128 |
| Dibenz(a,h)anthracene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00180 | 0.00180 | < 0.000426 | 0.000426 |
| | 1-08-2 | Partial Carcass | < 0.00161 | 0.00161 | < 0.000422 | 0.000422 |
| | 1-08-3 | Partial Carcass | < 0.00154 | 0.00154 | < 0.000423 | 0.000423 |
| | 1-08-4 | Partial Carcass | < 0.00164 | 0.00164 | < 0.000425 | 0.000425 |
| | 1-08-6 | Partial Carcass | < 0.00156 | 0.00156 | < 0.000415 | 0.000415 |
| HCB | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00220 | 0.000846 | 0.000586 | 0.000226 |
| | *10-06-2 | Partial Carcass | 0.000988 | 0.000887 | 0.000251 | 0.000226 |
| | *10-06-3 | Partial Carcass | 0.00238 | 0.000752 | 0.000714 | 0.000226 |
| | *10-06-4 | Partial Carcass | 0.00154 | 0.000786 | 0.000442 | 0.000226 |
| | *10-06-5 | Partial Carcass | 0.00132 | 0.000750 | 0.000398 | 0.000226 |
| | *10-07-1 | Partial Carcass | < 0.000796 | 0.000796 | < 0.000226 | 0.000226 |
| | *10-07-2 | Partial Carcass | 0.00102 | 0.000789 | 0.000290 | 0.000226 |
| | *10-07-3 | Partial Carcass | 0.00274 | 0.000768 | 0.000805 | 0.000226 |
| | *10-07-4 | Partial Carcass | 0.00154 | 0.000957 | 0.000363 | 0.000226 |
| | *10-07-5 | Partial Carcass | < 0.000857 | 0.000857 | < 0.000226 | 0.000226 |
| | *10-07-6 | Partial Carcass | 0.00121 | 0.000883 | 0.000308 | 0.000226 |
| | *4-08-6 | Partial Carcass | 0.00155 | 0.000893 | 0.000391 | 0.000226 |
| Heptachlor | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.000498 | 0.000498 | < 0.000133 | 0.000133 |
| | *10-06-2 | Partial Carcass | < 0.000522 | 0.000522 | < 0.000133 | 0.000133 |
| | *10-06-3 | Partial Carcass | < 0.000443 | 0.000443 | < 0.000133 | 0.000133 |
| | *10-06-4 | Partial Carcass | < 0.000463 | 0.000463 | < 0.000133 | 0.000133 |
| | *10-06-5 | Partial Carcass | < 0.000442 | 0.000442 | < 0.000133 | 0.000133 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-07-1 | Partial Carcass | < 0.000469 | 0.000469 | < 0.000133 | 0.000133 |
| | *10-07-2 | Partial Carcass | < 0.000465 | 0.000465 | < 0.000133 | 0.000133 |
| | *10-07-3 | Partial Carcass | < 0.000452 | 0.000452 | < 0.000133 | 0.000133 |
| | *10-07-4 | Partial Carcass | < 0.000563 | 0.000563 | < 0.000133 | 0.000133 |
| | *10-07-5 | Partial Carcass | < 0.000505 | 0.000505 | < 0.000133 | 0.000133 |
| | *10-07-6 | Partial Carcass | < 0.000520 | 0.000520 | < 0.000133 | 0.000133 |
| | *4-08-6 | Partial Carcass | < 0.000526 | 0.000526 | < 0.000133 | 0.000133 |
| OCDD | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000686 | 0.0000686 | < 0.0000183 | 0.0000183 |
| | 10-06-2 | Partial Carcass | < 0.0000743 | 0.0000743 | < 0.0000189 | 0.0000189 |
| | 10-06-3 | Partial Carcass | < 0.0000653 | 0.0000653 | < 0.0000196 | 0.0000196 |
| | 10-06-4 | Partial Carcass | < 0.0000690 | 0.0000690 | < 0.0000198 | 0.0000198 |
| | 10-07-1 | Partial Carcass | < 0.0000702 | 0.0000702 | < 0.0000199 | 0.0000199 |
| | 10-07-2 | Partial Carcass | < 0.0000690 | 0.0000690 | < 0.0000197 | 0.0000197 |
| | 10-07-3 | Partial Carcass | < 0.0000664 | 0.0000664 | < 0.0000195 | 0.0000195 |
| | 10-07-4 | Partial Carcass | < 0.0000797 | 0.0000797 | < 0.0000188 | 0.0000188 |
| OCDF | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000686 | 0.0000686 | < 0.0000183 | 0.0000183 |
| | 10-06-2 | Partial Carcass | < 0.0000743 | 0.0000743 | < 0.0000189 | 0.0000189 |
| | 10-06-3 | Partial Carcass | < 0.0000653 | 0.0000653 | < 0.0000196 | 0.0000196 |
| | 10-06-4 | Partial Carcass | < 0.0000690 | 0.0000690 | < 0.0000198 | 0.0000198 |
| | 10-07-1 | Partial Carcass | < 0.0000702 | 0.0000702 | < 0.0000199 | 0.0000199 |
| | 10-07-2 | Partial Carcass | < 0.0000690 | 0.0000690 | < 0.0000197 | 0.0000197 |
| | 10-07-3 | Partial Carcass | < 0.0000664 | 0.0000664 | < 0.0000195 | 0.0000195 |
| | 10-07-4 | Partial Carcass | < 0.0000797 | 0.0000797 | < 0.0000188 | 0.0000188 |
| PCB# 1 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 10 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-06-5 | Partial Carcass | < 0.0000271 | 0.0000271 | < 0.00000815 | 0.00000815 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| | 10-07-5 | Partial Carcass | < 0.0000304 | 0.0000304 | < 0.00000801 | 0.00000801 |
| | 10-07-6 | Partial Carcass | < 0.0000304 | 0.0000304 | < 0.00000777 | 0.00000777 |
| | 4-08-6 | Partial Carcass | < 0.0000298 | 0.0000298 | < 0.00000753 | 0.00000753 |
| | 06385810 | Water | | | < 0.0000000649 | 0.0000000649 |
| PCB# 103 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 104 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 105 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000465 | 0.000138 | 0.000124 | 0.0000367 |
| | 10-06-2 | Partial Carcass | 0.000252 | 0.000148 | 0.0000642 | 0.0000377 |
| | 10-06-3 | Partial Carcass | 0.000373 | 0.000131 | 0.000112 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.000676 | 0.000138 | 0.000194 | 0.0000395 |
| | 10-06-5 | Partial Carcass | 0.000416 | 0.000108 | 0.000125 | 0.0000326 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-1 | Partial Carcass | 0.000218 | 0.000140 | 0.0000617 | 0.0000398 |
| | 10-07-2 | Partial Carcass | 0.000431 | 0.000138 | 0.000123 | 0.0000393 |
| | 10-07-3 | Partial Carcass | 0.00214 | 0.000133 | 0.000628 | 0.0000390 |
| | 10-07-4 | Partial Carcass | 0.00151 | 0.000160 | 0.000355 | 0.0000377 |
| | 10-07-5 | Partial Carcass | 0.000483 | 0.000122 | 0.000127 | 0.0000320 |
| | 10-07-6 | Partial Carcass | 0.000205 | 0.000122 | 0.0000524 | 0.0000311 |
| | 4-08-6 | Partial Carcass | 0.000305 | 0.000119 | 0.0000770 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 106 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 107 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 108/124 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 11 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.00230 | 0.000138 | 0.000613 | 0.0000367 |
| | 10-06-2 | Partial Carcass | 0.00250 | 0.000148 | 0.000635 | 0.0000377 |
| | 10-06-3 | Partial Carcass | 0.00220 | 0.000131 | 0.000659 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.00239 | 0.000138 | 0.000687 | 0.0000395 |
| | 10-06-5 | Partial Carcass | 0.00190 | 0.000108 | 0.000571 | 0.0000326 |
| | 10-07-1 | Partial Carcass | 0.00239 | 0.000140 | 0.000676 | 0.0000398 |
| | 10-07-2 | Partial Carcass | 0.00284 | 0.000138 | 0.000810 | 0.0000393 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-3 | Partial Carcass | 0.00247 | 0.000133 | 0.000725 | 0.0000390 |
| | 10-07-4 | Partial Carcass | 0.00277 | 0.000160 | 0.000653 | 0.0000377 |
| | 10-07-5 | Partial Carcass | 0.00248 | 0.000122 | 0.000652 | 0.0000320 |
| | 10-07-6 | Partial Carcass | 0.00233 | 0.000122 | 0.000594 | 0.0000311 |
| | 4-08-6 | Partial Carcass | 0.00209 | 0.000119 | 0.000527 | 0.0000301 |
| | 06385810 | Water | | | 0.00000330 | 0.000000260 |
| PCB# 110/115 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.00129 | 0.000686 | 0.000344 | 0.000183 |
| | 10-06-2 | Partial Carcass | 0.00100 | 0.000743 | 0.000255 | 0.000189 |
| | 10-06-3 | Partial Carcass | 0.00145 | 0.000653 | 0.000434 | 0.000196 |
| | 10-06-4 | Partial Carcass | 0.00252 | 0.000690 | 0.000723 | 0.000198 |
| | 10-06-5 | Partial Carcass | 0.00141 | 0.000542 | 0.000423 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | 0.00128 | 0.000690 | 0.000367 | 0.000197 |
| | 10-07-3 | Partial Carcass | 0.00664 | 0.000664 | 0.00195 | 0.000195 |
| | 10-07-4 | Partial Carcass | 0.00475 | 0.000797 | 0.00112 | 0.000188 |
| | 10-07-5 | Partial Carcass | 0.00168 | 0.000608 | 0.000441 | 0.000160 |
| | 10-07-6 | Partial Carcass | 0.000736 | 0.000607 | 0.000188 | 0.000155 |
| | 4-08-6 | Partial Carcass | 0.00120 | 0.000598 | 0.000303 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 111 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 112 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 114 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 117 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 118 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.00138 | 0.000344 | 0.000367 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000696 | 0.000371 | 0.000177 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.00106 | 0.000327 | 0.000319 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00188 | 0.000344 | 0.000540 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.00112 | 0.000271 | 0.000337 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000512 | 0.000351 | 0.000145 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.00117 | 0.000344 | 0.000333 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00565 | 0.000332 | 0.00166 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00419 | 0.000399 | 0.000987 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.00132 | 0.000304 | 0.000347 | 0.0000801 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-6 | Partial Carcass | 0.000572 | 0.000304 | 0.000146 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000931 | 0.000298 | 0.000235 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 12/13 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000686 | 0.0000686 | < 0.0000183 | 0.0000183 |
| | 10-06-2 | Partial Carcass | < 0.0000743 | 0.0000743 | < 0.0000189 | 0.0000189 |
| | 10-06-3 | Partial Carcass | < 0.0000653 | 0.0000653 | < 0.0000196 | 0.0000196 |
| | 10-06-4 | Partial Carcass | < 0.0000690 | 0.0000690 | < 0.0000198 | 0.0000198 |
| | 10-06-5 | Partial Carcass | < 0.0000542 | 0.0000542 | < 0.0000163 | 0.0000163 |
| | 10-07-1 | Partial Carcass | < 0.0000702 | 0.0000702 | < 0.0000199 | 0.0000199 |
| | 10-07-2 | Partial Carcass | < 0.0000690 | 0.0000690 | < 0.0000197 | 0.0000197 |
| | 10-07-3 | Partial Carcass | < 0.0000664 | 0.0000664 | < 0.0000195 | 0.0000195 |
| | 10-07-4 | Partial Carcass | < 0.0000797 | 0.0000797 | < 0.0000188 | 0.0000188 |
| | 10-07-5 | Partial Carcass | < 0.0000608 | 0.0000608 | < 0.0000160 | 0.0000160 |
| | 10-07-6 | Partial Carcass | < 0.0000607 | 0.0000607 | < 0.0000155 | 0.0000155 |
| | 4-08-6 | Partial Carcass | < 0.0000598 | 0.0000598 | < 0.0000151 | 0.0000151 |
| | 06385810 | Water | | | < 0.000000130 | 0.000000130 |
| PCB# 120 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 121 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 122 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 123 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 126 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| PCB# 127 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 128/166 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000397 | 0.000344 | 0.000106 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000383 | 0.000327 | 0.000115 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000731 | 0.000344 | 0.000210 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000449 | 0.000271 | 0.000135 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00152 | 0.000332 | 0.000446 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00124 | 0.000399 | 0.000293 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000441 | 0.000304 | 0.000116 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000304 | 0.000298 | 0.0000767 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 129/138/163 | | | | | | |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-1 | Partial Carcass | 0.00330 | 0.000344 | 0.000879 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.00349 | 0.000371 | 0.000887 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.00433 | 0.000327 | 0.00130 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00825 | 0.000344 | 0.00237 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.00452 | 0.000271 | 0.00136 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000935 | 0.000351 | 0.000265 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.00228 | 0.000344 | 0.000650 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.0119 | 0.000332 | 0.00350 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.0103 | 0.000399 | 0.00242 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.00395 | 0.000304 | 0.00104 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.00135 | 0.000304 | 0.000345 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.00305 | 0.000298 | 0.000769 | 0.0000753 |
| | 06385810 | Water | | | 0.000000893 | 0.000000649 |
| PCB# 130 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000359 | 0.000344 | 0.000103 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000630 | 0.000332 | 0.000185 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.000526 | 0.000399 | 0.000124 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 131 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 132 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000547 | 0.000344 | 0.000146 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000853 | 0.000371 | 0.000217 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.00102 | 0.000327 | 0.000307 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00184 | 0.000344 | 0.000529 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000964 | 0.000271 | 0.000290 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000578 | 0.000344 | 0.000165 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00300 | 0.000332 | 0.000881 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00238 | 0.000399 | 0.000562 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000935 | 0.000304 | 0.000246 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.000346 | 0.000304 | 0.0000884 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000689 | 0.000298 | 0.000174 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 133 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 134 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000416 | 0.000332 | 0.000122 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 135/151 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000615 | 0.000344 | 0.000164 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.00101 | 0.000371 | 0.000258 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.00114 | 0.000327 | 0.000343 | 0.0000980 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-4 | Partial Carcass | 0.00202 | 0.000344 | 0.000579 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000954 | 0.000271 | 0.000287 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000427 | 0.000344 | 0.000122 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00229 | 0.000332 | 0.000671 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00183 | 0.000399 | 0.000432 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000805 | 0.000304 | 0.000212 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.000305 | 0.000304 | 0.0000778 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000717 | 0.000298 | 0.000181 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 136 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000147 | 0.000138 | 0.0000391 | 0.0000367 |
| | 10-06-2 | Partial Carcass | 0.000285 | 0.000148 | 0.0000724 | 0.0000377 |
| | 10-06-3 | Partial Carcass | 0.000316 | 0.000131 | 0.0000948 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.000529 | 0.000138 | 0.000152 | 0.0000395 |
| | 10-06-5 | Partial Carcass | 0.000247 | 0.000108 | 0.0000744 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | 0.000153 | 0.000138 | 0.0000438 | 0.0000393 |
| | 10-07-3 | Partial Carcass | 0.000725 | 0.000133 | 0.000213 | 0.0000390 |
| | 10-07-4 | Partial Carcass | 0.000530 | 0.000160 | 0.000125 | 0.0000377 |
| | 10-07-5 | Partial Carcass | 0.000233 | 0.000122 | 0.0000612 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | 0.000201 | 0.000119 | 0.0000508 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 137 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 139/140 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 14 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000686 | 0.0000686 | < 0.0000183 | 0.0000183 |
| | 10-06-2 | Partial Carcass | < 0.0000743 | 0.0000743 | < 0.0000189 | 0.0000189 |
| | 10-06-3 | Partial Carcass | < 0.0000653 | 0.0000653 | < 0.0000196 | 0.0000196 |
| | 10-06-4 | Partial Carcass | < 0.0000690 | 0.0000690 | < 0.0000198 | 0.0000198 |
| | 10-06-5 | Partial Carcass | < 0.0000542 | 0.0000542 | < 0.0000163 | 0.0000163 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-1 | Partial Carcass | < 0.0000702 | 0.0000702 | < 0.0000199 | 0.0000199 |
| | 10-07-2 | Partial Carcass | < 0.0000690 | 0.0000690 | < 0.0000197 | 0.0000197 |
| | 10-07-3 | Partial Carcass | < 0.0000664 | 0.0000664 | < 0.0000195 | 0.0000195 |
| | 10-07-4 | Partial Carcass | < 0.0000797 | 0.0000797 | < 0.0000188 | 0.0000188 |
| | 10-07-5 | Partial Carcass | < 0.0000608 | 0.0000608 | < 0.0000160 | 0.0000160 |
| | 10-07-6 | Partial Carcass | < 0.0000607 | 0.0000607 | < 0.0000155 | 0.0000155 |
| | 4-08-6 | Partial Carcass | < 0.0000598 | 0.0000598 | < 0.0000151 | 0.0000151 |
| | 06385810 | Water | | | < 0.000000130 | 0.000000130 |
| PCB# 141 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000351 | 0.000138 | 0.0000937 | 0.0000367 |
| | 10-06-2 | Partial Carcass | 0.000861 | 0.000148 | 0.000219 | 0.0000377 |
| | 10-06-3 | Partial Carcass | 0.00103 | 0.000131 | 0.000309 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.00180 | 0.000138 | 0.000516 | 0.0000395 |
| | 10-06-5 | Partial Carcass | 0.000838 | 0.000108 | 0.000252 | 0.0000326 |
| | 10-07-1 | Partial Carcass | 0.000158 | 0.000140 | 0.0000448 | 0.0000398 |
| | 10-07-2 | Partial Carcass | 0.000396 | 0.000138 | 0.000113 | 0.0000393 |
| | 10-07-3 | Partial Carcass | 0.00221 | 0.000133 | 0.000649 | 0.0000390 |
| | 10-07-4 | Partial Carcass | 0.00191 | 0.000160 | 0.000450 | 0.0000377 |
| | 10-07-5 | Partial Carcass | 0.000748 | 0.000122 | 0.000197 | 0.0000320 |
| | 10-07-6 | Partial Carcass | 0.000228 | 0.000122 | 0.0000582 | 0.0000311 |
| | 4-08-6 | Partial Carcass | 0.000606 | 0.000119 | 0.000153 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 142 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 143 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 144 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-3 | Partial Carcass | 0.000371 | 0.000332 | 0.000109 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 145 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 146 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000709 | 0.000344 | 0.000189 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000519 | 0.000371 | 0.000132 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000607 | 0.000327 | 0.000182 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00119 | 0.000344 | 0.000343 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000652 | 0.000271 | 0.000196 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00144 | 0.000332 | 0.000424 | 0.0000976 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-4 | Partial Carcass | 0.00131 | 0.000399 | 0.000310 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000524 | 0.000304 | 0.000138 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000436 | 0.000298 | 0.000110 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 147/149 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.00171 | 0.000344 | 0.000456 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.00277 | 0.000371 | 0.000705 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.00322 | 0.000327 | 0.000966 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00592 | 0.000344 | 0.00170 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.00280 | 0.000271 | 0.000843 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000561 | 0.000351 | 0.000159 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.00137 | 0.000344 | 0.000390 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00712 | 0.000332 | 0.00209 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00602 | 0.000399 | 0.00142 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.00245 | 0.000304 | 0.000645 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.000866 | 0.000304 | 0.000221 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.00207 | 0.000298 | 0.000522 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 148 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 15 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 150 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 152 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 153/168 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.00364 | 0.000344 | 0.000970 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.00401 | 0.000371 | 0.00102 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.00480 | 0.000327 | 0.00144 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00902 | 0.000344 | 0.00259 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.00475 | 0.000271 | 0.00143 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000875 | 0.000351 | 0.000248 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.00200 | 0.000344 | 0.000571 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.0104 | 0.000332 | 0.00305 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00954 | 0.000399 | 0.00225 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.00380 | 0.000304 | 0.00100 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.00137 | 0.000304 | 0.000351 | 0.0000777 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-6 | Partial Carcass | 0.00321 | 0.000298 | 0.000810 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 154 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 155 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 156/157 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000623 | 0.000344 | 0.000179 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000349 | 0.000271 | 0.000105 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00129 | 0.000332 | 0.000378 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00106 | 0.000399 | 0.000249 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000351 | 0.000304 | 0.0000923 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 158 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000182 | 0.000138 | 0.0000486 | 0.0000367 |
| | 10-06-2 | Partial Carcass | 0.000289 | 0.000148 | 0.0000734 | 0.0000377 |
| | 10-06-3 | Partial Carcass | 0.000367 | 0.000131 | 0.000110 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.000721 | 0.000138 | 0.000207 | 0.0000395 |
| | 10-06-5 | Partial Carcass | 0.000379 | 0.000108 | 0.000114 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | 0.000227 | 0.000138 | 0.0000648 | 0.0000393 |
| | 10-07-3 | Partial Carcass | 0.00115 | 0.000133 | 0.000337 | 0.0000390 |
| | 10-07-4 | Partial Carcass | 0.000963 | 0.000160 | 0.000227 | 0.0000377 |
| | 10-07-5 | Partial Carcass | 0.000353 | 0.000122 | 0.0000930 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | 0.000259 | 0.000119 | 0.0000654 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| PCB# 159 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 16 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000157 | 0.0000686 | 0.0000420 | 0.0000183 |
| | 10-06-2 | Partial Carcass | 0.000133 | 0.0000743 | 0.0000338 | 0.0000189 |
| | 10-06-3 | Partial Carcass | 0.000153 | 0.0000653 | 0.0000458 | 0.0000196 |
| | 10-06-4 | Partial Carcass | 0.000176 | 0.0000690 | 0.0000505 | 0.0000198 |
| | 10-06-5 | Partial Carcass | 0.000100 | 0.0000542 | 0.0000302 | 0.0000163 |
| | 10-07-1 | Partial Carcass | 0.000173 | 0.0000702 | 0.0000490 | 0.0000199 |
| | 10-07-2 | Partial Carcass | 0.000135 | 0.0000690 | 0.0000385 | 0.0000197 |
| | 10-07-3 | Partial Carcass | 0.000156 | 0.0000664 | 0.0000459 | 0.0000195 |
| | 10-07-4 | Partial Carcass | 0.000146 | 0.0000797 | 0.0000345 | 0.0000188 |
| | 10-07-5 | Partial Carcass | 0.000119 | 0.0000608 | 0.0000314 | 0.0000160 |
| | 10-07-6 | Partial Carcass | 0.000112 | 0.0000607 | 0.0000285 | 0.0000155 |
| | 4-08-6 | Partial Carcass | 0.0000915 | 0.0000598 | 0.0000231 | 0.0000151 |
| | 06385810 | Water | | | 0.000000210 | 0.000000130 |
| PCB# 160 | | | | | | |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 161 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 162 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 164 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000522 | 0.000344 | 0.000150 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000287 | 0.000271 | 0.0000862 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000729 | 0.000332 | 0.000214 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.000619 | 0.000399 | 0.000146 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 165 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 167 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000470 | 0.000332 | 0.000138 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 169 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 17 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.000153 | 0.000138 | 0.0000438 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | 0.000137 | 0.000133 | 0.0000403 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 170 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000615 | 0.000344 | 0.000164 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.00136 | 0.000371 | 0.000346 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.00170 | 0.000327 | 0.000511 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00327 | 0.000344 | 0.000940 | 0.0000988 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-5 | Partial Carcass | 0.00157 | 0.000271 | 0.000471 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000445 | 0.000344 | 0.000127 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00329 | 0.000332 | 0.000967 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00325 | 0.000399 | 0.000766 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.00115 | 0.000304 | 0.000303 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000962 | 0.000298 | 0.000243 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 171/173 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | 0.00103 | 0.000690 | 0.000297 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | 0.00101 | 0.000664 | 0.000296 | 0.000195 |
| | 10-07-4 | Partial Carcass | 0.000941 | 0.000797 | 0.000222 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 172 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | 0.000693 | 0.000690 | 0.000199 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 174 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000502 | 0.000344 | 0.000134 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.00145 | 0.000371 | 0.000368 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.00180 | 0.000327 | 0.000539 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00327 | 0.000344 | 0.000938 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.00158 | 0.000271 | 0.000476 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000417 | 0.000344 | 0.000119 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00305 | 0.000332 | 0.000895 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00285 | 0.000399 | 0.000671 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.00118 | 0.000304 | 0.000311 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.00102 | 0.000298 | 0.000258 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 175 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 176 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 177 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000367 | 0.000344 | 0.0000979 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000672 | 0.000371 | 0.000171 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000813 | 0.000327 | 0.000244 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00176 | 0.000344 | 0.000504 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000795 | 0.000271 | 0.000239 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-3 | Partial Carcass | 0.00148 | 0.000332 | 0.000435 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00162 | 0.000399 | 0.000383 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000604 | 0.000304 | 0.000159 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000487 | 0.000298 | 0.000123 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 178 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000627 | 0.000344 | 0.000180 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000321 | 0.000271 | 0.0000967 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000511 | 0.000332 | 0.000150 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.000509 | 0.000399 | 0.000120 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 179 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000425 | 0.000371 | 0.000108 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000487 | 0.000327 | 0.000146 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000878 | 0.000344 | 0.000252 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000422 | 0.000271 | 0.000127 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000773 | 0.000332 | 0.000227 | 0.0000976 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-4 | Partial Carcass | 0.000670 | 0.000399 | 0.000158 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000310 | 0.000304 | 0.0000815 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 18/30 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 180/193 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.00166 | 0.000344 | 0.000444 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.00386 | 0.000371 | 0.000981 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.00467 | 0.000327 | 0.00140 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00927 | 0.000344 | 0.00266 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.00439 | 0.000271 | 0.00132 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000784 | 0.000351 | 0.000222 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.00115 | 0.000344 | 0.000329 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00824 | 0.000332 | 0.00242 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00835 | 0.000399 | 0.00197 | 0.0000942 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-5 | Partial Carcass | 0.00312 | 0.000304 | 0.000821 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.000705 | 0.000304 | 0.000180 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.00270 | 0.000298 | 0.000682 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 181 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 182 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 183 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | 0.000987 | 0.000743 | 0.000251 | 0.000189 |
| | 10-06-3 | Partial Carcass | 0.00116 | 0.000653 | 0.000348 | 0.000196 |
| | 10-06-4 | Partial Carcass | 0.00225 | 0.000690 | 0.000647 | 0.000198 |
| | 10-06-5 | Partial Carcass | 0.00108 | 0.000542 | 0.000324 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | 0.00198 | 0.000664 | 0.000582 | 0.000195 |
| | 10-07-4 | Partial Carcass | 0.00202 | 0.000797 | 0.000476 | 0.000188 |
| | 10-07-5 | Partial Carcass | 0.000790 | 0.000608 | 0.000208 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | 0.000685 | 0.000598 | 0.000173 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 184 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 185 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 186 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 187 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.00143 | 0.000344 | 0.000382 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.00185 | 0.000371 | 0.000470 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.00218 | 0.000327 | 0.000655 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00432 | 0.000344 | 0.00124 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.00223 | 0.000271 | 0.000670 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000392 | 0.000351 | 0.000111 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000550 | 0.000344 | 0.000157 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00347 | 0.000332 | 0.00102 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00364 | 0.000399 | 0.000858 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.00146 | 0.000304 | 0.000384 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.000431 | 0.000304 | 0.000110 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.00134 | 0.000298 | 0.000338 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 188 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| PCB# 189 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 19 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000106 | 0.0000686 | 0.0000284 | 0.0000183 |
| | 10-06-2 | Partial Carcass | < 0.0000743 | 0.0000743 | < 0.0000189 | 0.0000189 |
| | 10-06-3 | Partial Carcass | < 0.0000653 | 0.0000653 | < 0.0000196 | 0.0000196 |
| | 10-06-4 | Partial Carcass | < 0.0000690 | 0.0000690 | < 0.0000198 | 0.0000198 |
| | 10-06-5 | Partial Carcass | < 0.0000542 | 0.0000542 | < 0.0000163 | 0.0000163 |
| | 10-07-1 | Partial Carcass | 0.0000995 | 0.0000702 | 0.0000282 | 0.0000199 |
| | 10-07-2 | Partial Carcass | < 0.0000690 | 0.0000690 | < 0.0000197 | 0.0000197 |
| | 10-07-3 | Partial Carcass | < 0.0000664 | 0.0000664 | < 0.0000195 | 0.0000195 |
| | 10-07-4 | Partial Carcass | < 0.0000797 | 0.0000797 | < 0.0000188 | 0.0000188 |
| | 10-07-5 | Partial Carcass | < 0.0000608 | 0.0000608 | < 0.0000160 | 0.0000160 |
| | 10-07-6 | Partial Carcass | < 0.0000607 | 0.0000607 | < 0.0000155 | 0.0000155 |
| | 4-08-6 | Partial Carcass | < 0.0000598 | 0.0000598 | < 0.0000151 | 0.0000151 |
| | 06385810 | Water | | | < 0.000000130 | 0.000000130 |
| PCB# 190 | | | | | | |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000383 | 0.000327 | 0.000115 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000724 | 0.000344 | 0.000208 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000376 | 0.000271 | 0.000113 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000664 | 0.000332 | 0.000195 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.000700 | 0.000399 | 0.000165 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 191 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 192 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 194 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000378 | 0.000371 | 0.0000962 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000543 | 0.000327 | 0.000163 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000996 | 0.000344 | 0.000286 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000419 | 0.000271 | 0.000126 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000845 | 0.000332 | 0.000248 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00110 | 0.000399 | 0.000260 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000335 | 0.000304 | 0.0000883 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 195 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 196 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | 0.000770 | 0.000690 | 0.000221 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 197 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 198/199 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000547 | 0.000344 | 0.000146 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000680 | 0.000371 | 0.000173 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000840 | 0.000327 | 0.000252 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00167 | 0.000344 | 0.000480 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000911 | 0.000271 | 0.000274 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00137 | 0.000332 | 0.000403 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00152 | 0.000399 | 0.000358 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000581 | 0.000304 | 0.000153 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000495 | 0.000298 | 0.000125 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 2 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.0000115 | 0.00000686 | 0.00000308 | 0.00000183 |
| | 10-06-2 | Partial Carcass | 0.0000112 | 0.00000743 | 0.00000286 | 0.00000189 |
| | 10-06-3 | Partial Carcass | 0.0000121 | 0.00000653 | 0.00000363 | 0.00000196 |
| | 10-06-4 | Partial Carcass | 0.0000140 | 0.00000690 | 0.00000401 | 0.00000198 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-5 | Partial Carcass | 0.00000894 | 0.00000542 | 0.00000269 | 0.00000163 |
| | 10-07-1 | Partial Carcass | 0.0000118 | 0.00000702 | 0.00000335 | 0.00000199 |
| | 10-07-2 | Partial Carcass | 0.0000163 | 0.00000690 | 0.00000467 | 0.00000197 |
| | 10-07-3 | Partial Carcass | 0.0000132 | 0.00000664 | 0.00000387 | 0.00000195 |
| | 10-07-4 | Partial Carcass | 0.0000168 | 0.00000797 | 0.00000397 | 0.00000188 |
| | 10-07-5 | Partial Carcass | 0.0000119 | 0.00000608 | 0.00000314 | 0.00000160 |
| | 10-07-6 | Partial Carcass | 0.0000113 | 0.00000607 | 0.00000289 | 0.00000155 |
| | 4-08-6 | Partial Carcass | 0.00000966 | 0.00000598 | 0.00000244 | 0.00000151 |
| | 06385810 | Water | | | 0.0000000264 | 0.0000000130 |
| PCB# 20/28 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000465 | 0.000344 | 0.000124 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000540 | 0.000327 | 0.000162 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000724 | 0.000344 | 0.000208 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000300 | 0.000271 | 0.0000903 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000582 | 0.000351 | 0.000165 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000508 | 0.000344 | 0.000145 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000896 | 0.000332 | 0.000263 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.000450 | 0.000399 | 0.000106 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000331 | 0.000298 | 0.0000835 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 200 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 201 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 202 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 203 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | 0.00113 | 0.000690 | 0.000323 | 0.000198 |
| | 10-06-5 | Partial Carcass | 0.000602 | 0.000542 | 0.000181 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | 0.000903 | 0.000664 | 0.000265 | 0.000195 |
| | 10-07-4 | Partial Carcass | 0.00103 | 0.000797 | 0.000242 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 204 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 205 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 206 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 207 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 208 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 209 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 21/33 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000248 | 0.000138 | 0.0000661 | 0.0000367 |
| | 10-06-2 | Partial Carcass | 0.000252 | 0.000148 | 0.0000641 | 0.0000377 |
| | 10-06-3 | Partial Carcass | 0.000257 | 0.000131 | 0.0000771 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.000304 | 0.000138 | 0.0000873 | 0.0000395 |
| | 10-06-5 | Partial Carcass | 0.000164 | 0.000108 | 0.0000494 | 0.0000326 |
| | 10-07-1 | Partial Carcass | 0.000257 | 0.000140 | 0.0000727 | 0.0000398 |
| | 10-07-2 | Partial Carcass | 0.000207 | 0.000138 | 0.0000591 | 0.0000393 |
| | 10-07-3 | Partial Carcass | 0.000262 | 0.000133 | 0.0000770 | 0.0000390 |
| | 10-07-4 | Partial Carcass | 0.000227 | 0.000160 | 0.0000535 | 0.0000377 |
| | 10-07-5 | Partial Carcass | 0.000180 | 0.000122 | 0.0000473 | 0.0000320 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-6 | Partial Carcass | 0.000154 | 0.000122 | 0.0000392 | 0.0000311 |
| | 4-08-6 | Partial Carcass | 0.000135 | 0.000119 | 0.0000342 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 22 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000252 | 0.000138 | 0.0000673 | 0.0000367 |
| | 10-06-2 | Partial Carcass | 0.000203 | 0.000148 | 0.0000516 | 0.0000377 |
| | 10-06-3 | Partial Carcass | 0.000271 | 0.000131 | 0.0000814 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.000390 | 0.000138 | 0.000112 | 0.0000395 |
| | 10-06-5 | Partial Carcass | 0.000164 | 0.000108 | 0.0000493 | 0.0000326 |
| | 10-07-1 | Partial Carcass | 0.000279 | 0.000140 | 0.0000790 | 0.0000398 |
| | 10-07-2 | Partial Carcass | 0.000159 | 0.000138 | 0.0000454 | 0.0000393 |
| | 10-07-3 | Partial Carcass | 0.000324 | 0.000133 | 0.0000952 | 0.0000390 |
| | 10-07-4 | Partial Carcass | 0.000207 | 0.000160 | 0.0000487 | 0.0000377 |
| | 10-07-5 | Partial Carcass | 0.000144 | 0.000122 | 0.0000380 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | 0.000125 | 0.000119 | 0.0000316 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 23 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 24 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 25 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 26/29 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 27 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| PCB# 3 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 31 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000454 | 0.000344 | 0.000121 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000387 | 0.000371 | 0.0000985 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000517 | 0.000327 | 0.000155 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000665 | 0.000344 | 0.000191 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000311 | 0.000271 | 0.0000934 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000480 | 0.000351 | 0.000136 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000361 | 0.000344 | 0.000103 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000599 | 0.000332 | 0.000176 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.000405 | 0.000399 | 0.0000954 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 32 | | | | | | |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 34 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 35 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 36 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 37 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 38 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 39 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 4 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 40/41/70 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 42 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.000193 | 0.000138 | 0.0000553 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | 0.000224 | 0.000133 | 0.0000657 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 43/73 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 44/47/65 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000517 | 0.000344 | 0.000138 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000520 | 0.000327 | 0.000156 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000759 | 0.000344 | 0.000218 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000376 | 0.000271 | 0.000113 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000434 | 0.000351 | 0.000123 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000392 | 0.000344 | 0.000112 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00119 | 0.000332 | 0.000348 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.000683 | 0.000399 | 0.000161 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000350 | 0.000304 | 0.0000920 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000301 | 0.000298 | 0.0000761 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 45/51 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 46 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 48 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 49/69 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000346 | 0.000344 | 0.0000922 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000509 | 0.000344 | 0.000146 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000749 | 0.000332 | 0.000220 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.000428 | 0.000399 | 0.000101 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 5 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-06-5 | Partial Carcass | < 0.0000271 | 0.0000271 | < 0.00000815 | 0.00000815 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| | 10-07-5 | Partial Carcass | < 0.0000304 | 0.0000304 | < 0.00000801 | 0.00000801 |
| | 10-07-6 | Partial Carcass | < 0.0000304 | 0.0000304 | < 0.00000777 | 0.00000777 |
| | 4-08-6 | Partial Carcass | < 0.0000298 | 0.0000298 | < 0.00000753 | 0.00000753 |
| | 06385810 | Water | | | < 0.0000000649 | 0.0000000649 |
| PCB# 50/53 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 52 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000686 | 0.000344 | 0.000183 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000483 | 0.000371 | 0.000123 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000760 | 0.000327 | 0.000228 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00103 | 0.000344 | 0.000296 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000515 | 0.000271 | 0.000155 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000537 | 0.000351 | 0.000152 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000623 | 0.000344 | 0.000178 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00235 | 0.000332 | 0.000691 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00124 | 0.000399 | 0.000292 | 0.0000942 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-5 | Partial Carcass | 0.000570 | 0.000304 | 0.000150 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.000356 | 0.000304 | 0.0000908 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000459 | 0.000298 | 0.000116 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 54 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 55 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 56 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000154 | 0.000138 | 0.0000411 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | 0.000193 | 0.000131 | 0.0000580 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.000333 | 0.000138 | 0.0000955 | 0.0000395 |
| | 10-06-5 | Partial Carcass | 0.000137 | 0.000108 | 0.0000413 | 0.0000326 |
| | 10-07-1 | Partial Carcass | 0.000160 | 0.000140 | 0.0000454 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | 0.000422 | 0.000133 | 0.000124 | 0.0000390 |
| | 10-07-4 | Partial Carcass | 0.000251 | 0.000160 | 0.0000593 | 0.0000377 |
| | 10-07-5 | Partial Carcass | 0.000122 | 0.000122 | 0.0000321 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 57 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 58 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 59/62/75 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000367 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | < 0.000131 | 0.000131 | < 0.0000392 | 0.0000392 |
| | 10-06-4 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000395 | 0.0000395 |
| | 10-06-5 | Partial Carcass | < 0.000108 | 0.000108 | < 0.0000326 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | < 0.000138 | 0.000138 | < 0.0000393 | 0.0000393 |
| | 10-07-3 | Partial Carcass | < 0.000133 | 0.000133 | < 0.0000390 | 0.0000390 |
| | 10-07-4 | Partial Carcass | < 0.000160 | 0.000160 | < 0.0000377 | 0.0000377 |
| | 10-07-5 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000320 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | < 0.000119 | 0.000119 | < 0.0000301 | 0.0000301 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 6 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.0000607 | 0.0000344 | 0.0000162 | 0.00000917 |
| | 10-06-2 | Partial Carcass | 0.0000456 | 0.0000371 | 0.0000116 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-06-5 | Partial Carcass | < 0.0000271 | 0.0000271 | < 0.00000815 | 0.00000815 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | 0.0000484 | 0.0000332 | 0.0000142 | 0.00000976 |
| | 10-07-4 | Partial Carcass | 0.0000505 | 0.0000399 | 0.0000119 | 0.00000942 |
| | 10-07-5 | Partial Carcass | 0.0000456 | 0.0000304 | 0.0000120 | 0.00000801 |
| | 10-07-6 | Partial Carcass | 0.0000462 | 0.0000304 | 0.0000118 | 0.00000777 |
| | 4-08-6 | Partial Carcass | < 0.0000298 | 0.0000298 | < 0.00000753 | 0.00000753 |
| | 06385810 | Water | | | 0.0000000769 | 0.0000000649 |
| PCB# 60 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| PCB# 63 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 64 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000207 | 0.000138 | 0.0000552 | 0.0000367 |
| | 10-06-2 | Partial Carcass | 0.000154 | 0.000148 | 0.0000391 | 0.0000377 |
| | 10-06-3 | Partial Carcass | 0.000255 | 0.000131 | 0.0000766 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.000418 | 0.000138 | 0.000120 | 0.0000395 |
| | 10-06-5 | Partial Carcass | 0.000177 | 0.000108 | 0.0000532 | 0.0000326 |
| | 10-07-1 | Partial Carcass | 0.000218 | 0.000140 | 0.0000617 | 0.0000398 |
| | 10-07-2 | Partial Carcass | 0.000162 | 0.000138 | 0.0000462 | 0.0000393 |
| | 10-07-3 | Partial Carcass | 0.000552 | 0.000133 | 0.000162 | 0.0000390 |
| | 10-07-4 | Partial Carcass | 0.000322 | 0.000160 | 0.0000760 | 0.0000377 |
| | 10-07-5 | Partial Carcass | 0.000155 | 0.000122 | 0.0000409 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | 0.000133 | 0.000119 | 0.0000337 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 66 | | | | | | |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-1 | Partial Carcass | 0.000401 | 0.000344 | 0.000107 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000393 | 0.000327 | 0.000118 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000648 | 0.000344 | 0.000186 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000292 | 0.000271 | 0.0000877 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000455 | 0.000351 | 0.000129 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00101 | 0.000332 | 0.000296 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.000585 | 0.000399 | 0.000138 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 67 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 68 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 7 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-06-5 | Partial Carcass | < 0.0000271 | 0.0000271 | < 0.00000815 | 0.00000815 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| | 10-07-5 | Partial Carcass | < 0.0000304 | 0.0000304 | < 0.00000801 | 0.00000801 |
| | 10-07-6 | Partial Carcass | < 0.0000304 | 0.0000304 | < 0.00000777 | 0.00000777 |
| | 4-08-6 | Partial Carcass | < 0.0000298 | 0.0000298 | < 0.00000753 | 0.00000753 |
| | 06385810 | Water | | | < 0.0000000649 | 0.0000000649 |
| PCB# 70/61/74/76 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000799 | 0.000344 | 0.000213 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000531 | 0.000371 | 0.000135 | 0.0000943 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-3 | Partial Carcass | 0.000820 | 0.000327 | 0.000246 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00133 | 0.000344 | 0.000383 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000602 | 0.000271 | 0.000181 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000805 | 0.000351 | 0.000228 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000669 | 0.000344 | 0.000191 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00264 | 0.000332 | 0.000776 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00147 | 0.000399 | 0.000347 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000616 | 0.000304 | 0.000162 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.000327 | 0.000304 | 0.0000834 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000467 | 0.000298 | 0.000118 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 72 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 77 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 78 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 79 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 8 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 80 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 81 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 82 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000463 | 0.000332 | 0.000136 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 83/99 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.00105 | 0.000344 | 0.000281 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000570 | 0.000327 | 0.000171 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000975 | 0.000344 | 0.000280 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000598 | 0.000271 | 0.000180 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000599 | 0.000344 | 0.000171 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00281 | 0.000332 | 0.000826 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00195 | 0.000399 | 0.000460 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000661 | 0.000304 | 0.000174 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.000370 | 0.000304 | 0.0000944 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000511 | 0.000298 | 0.000129 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 84 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-3 | Partial Carcass | 0.000937 | 0.000332 | 0.000275 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.000594 | 0.000399 | 0.000140 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 85/116 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000191 | 0.000138 | 0.0000509 | 0.0000367 |
| | 10-06-2 | Partial Carcass | < 0.000148 | 0.000148 | < 0.0000377 | 0.0000377 |
| | 10-06-3 | Partial Carcass | 0.000157 | 0.000131 | 0.0000471 | 0.0000392 |
| | 10-06-4 | Partial Carcass | 0.000279 | 0.000138 | 0.0000801 | 0.0000395 |
| | 10-06-5 | Partial Carcass | 0.000164 | 0.000108 | 0.0000492 | 0.0000326 |
| | 10-07-1 | Partial Carcass | < 0.000140 | 0.000140 | < 0.0000398 | 0.0000398 |
| | 10-07-2 | Partial Carcass | 0.000162 | 0.000138 | 0.0000462 | 0.0000393 |
| | 10-07-3 | Partial Carcass | 0.000804 | 0.000133 | 0.000236 | 0.0000390 |
| | 10-07-4 | Partial Carcass | 0.000547 | 0.000160 | 0.000129 | 0.0000377 |
| | 10-07-5 | Partial Carcass | 0.000196 | 0.000122 | 0.0000517 | 0.0000320 |
| | 10-07-6 | Partial Carcass | < 0.000122 | 0.000122 | < 0.0000311 | 0.0000311 |
| | 4-08-6 | Partial Carcass | 0.000123 | 0.000119 | 0.0000311 | 0.0000301 |
| | 06385810 | Water | | | < 0.000000260 | 0.000000260 |
| PCB# 86/87/97/109/119/125 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000776 | 0.000344 | 0.000207 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000511 | 0.000371 | 0.000130 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000743 | 0.000327 | 0.000223 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00118 | 0.000344 | 0.000339 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000701 | 0.000271 | 0.000211 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000385 | 0.000351 | 0.000109 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000781 | 0.000344 | 0.000223 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00371 | 0.000332 | 0.00109 | 0.0000976 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-4 | Partial Carcass | 0.00250 | 0.000399 | 0.000590 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000881 | 0.000304 | 0.000232 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.000423 | 0.000304 | 0.000108 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000614 | 0.000298 | 0.000155 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 88/91 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.000548 | 0.000332 | 0.000161 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 89 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 9 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000917 | 0.00000917 |
| | 10-06-2 | Partial Carcass | < 0.0000371 | 0.0000371 | < 0.00000943 | 0.00000943 |
| | 10-06-3 | Partial Carcass | < 0.0000327 | 0.0000327 | < 0.00000980 | 0.00000980 |
| | 10-06-4 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000988 | 0.00000988 |
| | 10-06-5 | Partial Carcass | < 0.0000271 | 0.0000271 | < 0.00000815 | 0.00000815 |
| | 10-07-1 | Partial Carcass | < 0.0000351 | 0.0000351 | < 0.00000994 | 0.00000994 |
| | 10-07-2 | Partial Carcass | < 0.0000344 | 0.0000344 | < 0.00000983 | 0.00000983 |
| | 10-07-3 | Partial Carcass | < 0.0000332 | 0.0000332 | < 0.00000976 | 0.00000976 |
| | 10-07-4 | Partial Carcass | < 0.0000399 | 0.0000399 | < 0.00000942 | 0.00000942 |
| | 10-07-5 | Partial Carcass | < 0.0000304 | 0.0000304 | < 0.00000801 | 0.00000801 |
| | 10-07-6 | Partial Carcass | < 0.0000304 | 0.0000304 | < 0.00000777 | 0.00000777 |
| | 4-08-6 | Partial Carcass | < 0.0000298 | 0.0000298 | < 0.00000753 | 0.00000753 |
| | 06385810 | Water | | | < 0.0000000649 | 0.0000000649 |
| PCB# 90/101/113 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.00160 | 0.000686 | 0.000428 | 0.000183 |
| | 10-06-2 | Partial Carcass | 0.00147 | 0.000743 | 0.000373 | 0.000189 |
| | 10-06-3 | Partial Carcass | 0.00184 | 0.000653 | 0.000551 | 0.000196 |
| | 10-06-4 | Partial Carcass | 0.00296 | 0.000690 | 0.000849 | 0.000198 |
| | 10-06-5 | Partial Carcass | 0.00154 | 0.000542 | 0.000463 | 0.000163 |
| | 10-07-1 | Partial Carcass | < 0.000702 | 0.000702 | < 0.000199 | 0.000199 |
| | 10-07-2 | Partial Carcass | 0.00138 | 0.000690 | 0.000393 | 0.000197 |
| | 10-07-3 | Partial Carcass | 0.00674 | 0.000664 | 0.00198 | 0.000195 |
| | 10-07-4 | Partial Carcass | 0.00483 | 0.000797 | 0.00114 | 0.000188 |
| | 10-07-5 | Partial Carcass | 0.00172 | 0.000608 | 0.000452 | 0.000160 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-07-6 | Partial Carcass | 0.000846 | 0.000607 | 0.000216 | 0.000155 |
| | 4-08-6 | Partial Carcass | 0.00137 | 0.000598 | 0.000346 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB# 92 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.000421 | 0.000344 | 0.000121 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00104 | 0.000332 | 0.000304 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.000708 | 0.000399 | 0.000167 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 94 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 95 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.000675 | 0.000344 | 0.000180 | 0.0000917 |
| | 10-06-2 | Partial Carcass | 0.000727 | 0.000371 | 0.000185 | 0.0000943 |
| | 10-06-3 | Partial Carcass | 0.000900 | 0.000327 | 0.000270 | 0.0000980 |
| | 10-06-4 | Partial Carcass | 0.00131 | 0.000344 | 0.000375 | 0.0000988 |
| | 10-06-5 | Partial Carcass | 0.000622 | 0.000271 | 0.000187 | 0.0000815 |
| | 10-07-1 | Partial Carcass | 0.000364 | 0.000351 | 0.000103 | 0.0000994 |
| | 10-07-2 | Partial Carcass | 0.000700 | 0.000344 | 0.000200 | 0.0000983 |
| | 10-07-3 | Partial Carcass | 0.00307 | 0.000332 | 0.000900 | 0.0000976 |
| | 10-07-4 | Partial Carcass | 0.00196 | 0.000399 | 0.000461 | 0.0000942 |
| | 10-07-5 | Partial Carcass | 0.000802 | 0.000304 | 0.000211 | 0.0000801 |
| | 10-07-6 | Partial Carcass | 0.000423 | 0.000304 | 0.000108 | 0.0000777 |
| | 4-08-6 | Partial Carcass | 0.000681 | 0.000298 | 0.000172 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 96 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 98/100 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |
| PCB# 98/102 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000917 | 0.0000917 |
| | 10-06-2 | Partial Carcass | < 0.000371 | 0.000371 | < 0.0000943 | 0.0000943 |
| | 10-06-3 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000980 | 0.0000980 |
| | 10-06-4 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000988 | 0.0000988 |
| | 10-06-5 | Partial Carcass | < 0.000271 | 0.000271 | < 0.0000815 | 0.0000815 |
| | 10-07-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000994 | 0.0000994 |
| | 10-07-2 | Partial Carcass | < 0.000344 | 0.000344 | < 0.0000983 | 0.0000983 |
| | 10-07-3 | Partial Carcass | < 0.000332 | 0.000332 | < 0.0000976 | 0.0000976 |
| | 10-07-4 | Partial Carcass | < 0.000399 | 0.000399 | < 0.0000942 | 0.0000942 |
| | 10-07-5 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000801 | 0.0000801 |
| | 10-07-6 | Partial Carcass | < 0.000304 | 0.000304 | < 0.0000777 | 0.0000777 |
| | 4-08-6 | Partial Carcass | < 0.000298 | 0.000298 | < 0.0000753 | 0.0000753 |
| | 06385810 | Water | | | < 0.000000649 | 0.000000649 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| PCB-1242 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | 0.00202 | 0.000702 | 0.000571 | 0.000199 |
| | 10-07-2 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000197 | 0.000197 |
| | 10-07-3 | Partial Carcass | < 0.000664 | 0.000664 | < 0.000195 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | 0.00186 | 0.000607 | 0.000475 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | 0.00000180 | 0.00000130 |
| PCB-1248 | | | | | | |
| | 10-06-1 | Partial Carcass | < 0.000686 | 0.000686 | < 0.000183 | 0.000183 |
| | 10-06-2 | Partial Carcass | < 0.000743 | 0.000743 | < 0.000189 | 0.000189 |
| | 10-06-3 | Partial Carcass | < 0.000653 | 0.000653 | < 0.000196 | 0.000196 |
| | 10-06-4 | Partial Carcass | < 0.000690 | 0.000690 | < 0.000198 | 0.000198 |
| | 10-06-5 | Partial Carcass | < 0.000542 | 0.000542 | < 0.000163 | 0.000163 |
| | 10-07-1 | Partial Carcass | 0.00403 | 0.000702 | 0.00114 | 0.000199 |
| | 10-07-2 | Partial Carcass | 0.00883 | 0.000690 | 0.00252 | 0.000197 |
| | 10-07-3 | Partial Carcass | 0.0260 | 0.000664 | 0.00764 | 0.000195 |
| | 10-07-4 | Partial Carcass | < 0.000797 | 0.000797 | < 0.000188 | 0.000188 |
| | 10-07-5 | Partial Carcass | < 0.000608 | 0.000608 | < 0.000160 | 0.000160 |
| | 10-07-6 | Partial Carcass | 0.00372 | 0.000607 | 0.000950 | 0.000155 |
| | 4-08-6 | Partial Carcass | < 0.000598 | 0.000598 | < 0.000151 | 0.000151 |
| | 06385810 | Water | | | 0.00000360 | 0.00000130 |
| PCB-1254 | | | | | | |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-1 | Partial Carcass | 0.0157 | 0.000686 | 0.00420 | 0.000183 |
| | 10-06-2 | Partial Carcass | 0.0131 | 0.000743 | 0.00333 | 0.000189 |
| | 10-06-3 | Partial Carcass | 0.0162 | 0.000653 | 0.00486 | 0.000196 |
| | 10-06-4 | Partial Carcass | 0.0288 | 0.000690 | 0.00828 | 0.000198 |
| | 10-06-5 | Partial Carcass | 0.0150 | 0.000542 | 0.00450 | 0.000163 |
| | 10-07-1 | Partial Carcass | 0.00907 | 0.000702 | 0.00257 | 0.000199 |
| | 10-07-2 | Partial Carcass | 0.0177 | 0.000690 | 0.00505 | 0.000197 |
| | 10-07-3 | Partial Carcass | 0.0911 | 0.000664 | 0.0267 | 0.000195 |
| | 10-07-4 | Partial Carcass | 0.0651 | 0.000797 | 0.0154 | 0.000188 |
| | 10-07-5 | Partial Carcass | 0.0220 | 0.000608 | 0.00580 | 0.000160 |
| | 10-07-6 | Partial Carcass | 0.0130 | 0.000607 | 0.00332 | 0.000155 |
| | 4-08-6 | Partial Carcass | 0.0125 | 0.000598 | 0.00316 | 0.000151 |
| | 06385810 | Water | | | 0.0000126 | 0.00000130 |
| PCB-1260 | | | | | | |
| | 10-06-1 | Partial Carcass | 0.0236 | 0.000686 | 0.00630 | 0.000183 |
| | 10-06-2 | Partial Carcass | 0.0305 | 0.000743 | 0.00777 | 0.000189 |
| | 10-06-3 | Partial Carcass | 0.0378 | 0.000653 | 0.0113 | 0.000196 |
| | 10-06-4 | Partial Carcass | 0.0673 | 0.000690 | 0.0193 | 0.000198 |
| | 10-06-5 | Partial Carcass | 0.0349 | 0.000542 | 0.0105 | 0.000163 |
| | 10-07-1 | Partial Carcass | 0.00504 | 0.000702 | 0.00143 | 0.000199 |
| | 10-07-2 | Partial Carcass | 0.00294 | 0.000690 | 0.000841 | 0.000197 |
| | 10-07-3 | Partial Carcass | 0.0130 | 0.000664 | 0.00382 | 0.000195 |
| | 10-07-4 | Partial Carcass | 0.0434 | 0.000797 | 0.0102 | 0.000188 |
| | 10-07-5 | Partial Carcass | 0.0220 | 0.000608 | 0.00580 | 0.000160 |
| | 10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | 4-08-6 | Partial Carcass | 0.0233 | 0.000598 | 0.00588 | 0.000151 |
| | 06385810 | Water | | | < 0.00000130 | 0.00000130 |
| PCB-TOTAL | | | | | | |
| | 10-06-1 | Partial Carcass | 0.0394 | 0.000686 | 0.0105 | 0.000183 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 10-06-2 | Partial Carcass | 0.0436 | 0.000743 | 0.0111 | 0.000189 |
| | 10-06-3 | Partial Carcass | 0.0540 | 0.000653 | 0.0162 | 0.000196 |
| | 10-06-4 | Partial Carcass | 0.0961 | 0.000690 | 0.0276 | 0.000198 |
| | 10-06-5 | Partial Carcass | 0.0499 | 0.000542 | 0.0150 | 0.000163 |
| | 10-07-1 | Partial Carcass | 0.0202 | 0.000702 | 0.00571 | 0.000199 |
| | 10-07-2 | Partial Carcass | 0.0294 | 0.000690 | 0.00841 | 0.000197 |
| | 10-07-3 | Partial Carcass | 0.130 | 0.000664 | 0.0382 | 0.000195 |
| | 10-07-4 | Partial Carcass | 0.109 | 0.000797 | 0.0256 | 0.000188 |
| | 10-07-5 | Partial Carcass | 0.0441 | 0.000608 | 0.0116 | 0.000160 |
| | 10-07-6 | Partial Carcass | 0.0186 | 0.000607 | 0.00475 | 0.000155 |
| | 4-08-6 | Partial Carcass | 0.0358 | 0.000598 | 0.00904 | 0.000151 |
| | 06385810 | Water | | | 0.0000180 | 0.00000130 |
| Pentachlorobenzene | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00976 | 0.000418 | 0.00260 | 0.000111 |
| | *10-06-2 | Partial Carcass | 0.0102 | 0.000438 | 0.00259 | 0.000111 |
| | *10-06-3 | Partial Carcass | 0.00910 | 0.000372 | 0.00273 | 0.000111 |
| | *10-06-4 | Partial Carcass | 0.0109 | 0.000388 | 0.00313 | 0.000111 |
| | *10-06-5 | Partial Carcass | 0.0126 | 0.000371 | 0.00379 | 0.000111 |
| | *10-07-1 | Partial Carcass | 0.00880 | 0.000394 | 0.00249 | 0.000111 |
| | *10-07-2 | Partial Carcass | 0.00764 | 0.000390 | 0.00218 | 0.000111 |
| | *10-07-3 | Partial Carcass | 0.0107 | 0.000380 | 0.00315 | 0.000111 |
| | *10-07-4 | Partial Carcass | 0.0121 | 0.000473 | 0.00286 | 0.000111 |
| | *10-07-5 | Partial Carcass | 0.00944 | 0.000424 | 0.00249 | 0.000111 |
| | *10-07-6 | Partial Carcass | 0.0118 | 0.000437 | 0.00301 | 0.000111 |
| | *4-08-6 | Partial Carcass | 0.0119 | 0.000442 | 0.00300 | 0.000111 |
| Total DDT's | | | | | | |
| | *10-06-1 | Partial Carcass | 0.0548 | 0.00308 | 0.0146 | 0.000822 |
| | *10-06-2 | Partial Carcass | 0.0671 | 0.00323 | 0.0171 | 0.000822 |
| | *10-06-3 | Partial Carcass | 0.0756 | 0.00274 | 0.0227 | 0.000822 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-06-4 | Partial Carcass | 0.107 | 0.00286 | 0.0307 | 0.000822 |
| | *10-06-5 | Partial Carcass | 0.0579 | 0.00273 | 0.0174 | 0.000822 |
| | *10-07-1 | Partial Carcass | 0.0311 | 0.00290 | 0.00880 | 0.000822 |
| | *10-07-2 | Partial Carcass | 0.0326 | 0.00288 | 0.00932 | 0.000822 |
| | *10-07-3 | Partial Carcass | 0.0723 | 0.00280 | 0.0212 | 0.000822 |
| | *10-07-4 | Partial Carcass | 0.121 | 0.00349 | 0.0284 | 0.000822 |
| | *10-07-5 | Partial Carcass | 0.0438 | 0.00312 | 0.0115 | 0.000822 |
| | *10-07-6 | Partial Carcass | 0.0609 | 0.00322 | 0.0155 | 0.000822 |
| | *4-08-6 | Partial Carcass | 0.0514 | 0.00326 | 0.0130 | 0.000822 |
| acenaphthalene | | | | | | |
| | 1-08-1 | Partial Carcass | 0.00212 | 0.00170 | 0.000500 | 0.000402 |
| | 1-08-2 | Partial Carcass | 0.00153 | 0.00152 | 0.000400 | 0.000398 |
| | 1-08-3 | Partial Carcass | 0.00366 | 0.00146 | 0.00100 | 0.000399 |
| | 1-08-4 | Partial Carcass | 0.00501 | 0.00155 | 0.00130 | 0.000401 |
| | 1-08-6 | Partial Carcass | 0.00262 | 0.00147 | 0.000700 | 0.000391 |
| acenaphthene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00175 | 0.00175 | < 0.000414 | 0.000414 |
| | 1-08-2 | Partial Carcass | < 0.00156 | 0.00156 | < 0.000410 | 0.000410 |
| | 1-08-3 | Partial Carcass | 0.00256 | 0.00150 | 0.000700 | 0.000411 |
| | 1-08-4 | Partial Carcass | 0.00270 | 0.00159 | 0.000700 | 0.000413 |
| | 1-08-6 | Partial Carcass | 0.00188 | 0.00151 | 0.000500 | 0.000403 |
| alpha BHC | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.000785 | 0.000785 | < 0.000209 | 0.000209 |
| | *10-06-2 | Partial Carcass | < 0.000823 | 0.000823 | < 0.000209 | 0.000209 |
| | *10-06-3 | Partial Carcass | < 0.000698 | 0.000698 | < 0.000209 | 0.000209 |
| | *10-06-4 | Partial Carcass | < 0.000729 | 0.000729 | < 0.000209 | 0.000209 |
| | *10-06-5 | Partial Carcass | < 0.000696 | 0.000696 | < 0.000209 | 0.000209 |
| | *10-07-1 | Partial Carcass | < 0.000739 | 0.000739 | < 0.000209 | 0.000209 |
| | *10-07-2 | Partial Carcass | < 0.000733 | 0.000733 | < 0.000209 | 0.000209 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-07-3 | Partial Carcass | < 0.000713 | 0.000713 | < 0.000209 | 0.000209 |
| | *10-07-4 | Partial Carcass | < 0.000888 | 0.000888 | < 0.000209 | 0.000209 |
| | *10-07-5 | Partial Carcass | < 0.000795 | 0.000795 | < 0.000209 | 0.000209 |
| | *10-07-6 | Partial Carcass | < 0.000820 | 0.000820 | < 0.000209 | 0.000209 |
| | *4-08-6 | Partial Carcass | < 0.000829 | 0.000829 | < 0.000209 | 0.000209 |
| alpha chlordane | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00642 | 0.000709 | 0.00171 | 0.000189 |
| | *10-06-2 | Partial Carcass | 0.00998 | 0.000743 | 0.00254 | 0.000189 |
| | *10-06-3 | Partial Carcass | 0.0189 | 0.000630 | 0.00566 | 0.000189 |
| | *10-06-4 | Partial Carcass | 0.0226 | 0.000658 | 0.00649 | 0.000189 |
| | *10-06-5 | Partial Carcass | 0.0105 | 0.000628 | 0.00317 | 0.000189 |
| | *10-07-1 | Partial Carcass | 0.000951 | 0.000667 | 0.000269 | 0.000189 |
| | *10-07-2 | Partial Carcass | 0.00477 | 0.000661 | 0.00136 | 0.000189 |
| | *10-07-3 | Partial Carcass | 0.0320 | 0.000644 | 0.00938 | 0.000189 |
| | *10-07-4 | Partial Carcass | 0.0286 | 0.000801 | 0.00675 | 0.000189 |
| | *10-07-5 | Partial Carcass | 0.0123 | 0.000718 | 0.00323 | 0.000189 |
| | *10-07-6 | Partial Carcass | 0.00164 | 0.000740 | 0.000419 | 0.000189 |
| | *4-08-6 | Partial Carcass | 0.00862 | 0.000748 | 0.00218 | 0.000189 |
| anthracene | | | | | | |
| | 1-08-1 | Partial Carcass | 0.00127 | 0.00103 | 0.000300 | 0.000244 |
| | 1-08-2 | Partial Carcass | 0.00114 | 0.000921 | 0.000300 | 0.000241 |
| | 1-08-3 | Partial Carcass | 0.00146 | 0.000883 | 0.000400 | 0.000242 |
| | 1-08-4 | Partial Carcass | 0.00193 | 0.000937 | 0.000500 | 0.000243 |
| | 1-08-6 | Partial Carcass | 0.00112 | 0.000889 | 0.000300 | 0.000237 |
| benzo(a)pyrene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00191 | 0.00191 | < 0.000451 | 0.000451 |
| | 1-08-2 | Partial Carcass | < 0.00170 | 0.00170 | < 0.000446 | 0.000446 |
| | 1-08-3 | Partial Carcass | < 0.00163 | 0.00163 | < 0.000447 | 0.000447 |
| | 1-08-4 | Partial Carcass | < 0.00173 | 0.00173 | < 0.000450 | 0.000450 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 1-08-6 | Partial Carcass | < 0.00164 | 0.00164 | < 0.000438 | 0.000438 |
| benzo(b)fluoranthene | | | | | | |
| | 1-08-1 | Partial Carcass | 0.00338 | 0.00139 | 0.000800 | 0.000329 |
| | 1-08-2 | Partial Carcass | 0.00153 | 0.00124 | 0.000400 | 0.000326 |
| | 1-08-3 | Partial Carcass | 0.00256 | 0.00119 | 0.000700 | 0.000326 |
| | 1-08-4 | Partial Carcass | 0.00501 | 0.00127 | 0.00130 | 0.000328 |
| | 1-08-6 | Partial Carcass | < 0.00120 | 0.00120 | < 0.000320 | 0.000320 |
| benzo(e)pyrene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00201 | 0.00201 | < 0.000475 | 0.000475 |
| | 1-08-2 | Partial Carcass | < 0.00180 | 0.00180 | < 0.000470 | 0.000470 |
| | 1-08-3 | Partial Carcass | < 0.00172 | 0.00172 | < 0.000471 | 0.000471 |
| | 1-08-4 | Partial Carcass | 0.00231 | 0.00183 | 0.000600 | 0.000474 |
| | 1-08-6 | Partial Carcass | < 0.00173 | 0.00173 | < 0.000462 | 0.000462 |
| benzo(g,h,i)perylene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00227 | 0.00227 | < 0.000536 | 0.000536 |
| | 1-08-2 | Partial Carcass | < 0.00202 | 0.00202 | < 0.000530 | 0.000530 |
| | 1-08-3 | Partial Carcass | < 0.00194 | 0.00194 | < 0.000532 | 0.000532 |
| | 1-08-4 | Partial Carcass | < 0.00206 | 0.00206 | < 0.000535 | 0.000535 |
| | 1-08-6 | Partial Carcass | < 0.00196 | 0.00196 | < 0.000521 | 0.000521 |
| benzo(k)fluoranthene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00175 | 0.00175 | < 0.000414 | 0.000414 |
| | 1-08-2 | Partial Carcass | < 0.00156 | 0.00156 | < 0.000410 | 0.000410 |
| | 1-08-3 | Partial Carcass | < 0.00150 | 0.00150 | < 0.000411 | 0.000411 |
| | 1-08-4 | Partial Carcass | < 0.00159 | 0.00159 | < 0.000413 | 0.000413 |
| | 1-08-6 | Partial Carcass | < 0.00151 | 0.00151 | < 0.000403 | 0.000403 |
| beta BHC | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.000841 | 0.000841 | < 0.000224 | 0.000224 |
| | *10-06-2 | Partial Carcass | < 0.000882 | 0.000882 | < 0.000224 | 0.000224 |
| | *10-06-3 | Partial Carcass | < 0.000748 | 0.000748 | < 0.000224 | 0.000224 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-06-4 | Partial Carcass | < 0.000781 | 0.000781 | < 0.000224 | 0.000224 |
| | *10-06-5 | Partial Carcass | < 0.000746 | 0.000746 | < 0.000224 | 0.000224 |
| | *10-07-1 | Partial Carcass | < 0.000792 | 0.000792 | < 0.000224 | 0.000224 |
| | *10-07-2 | Partial Carcass | < 0.000785 | 0.000785 | < 0.000224 | 0.000224 |
| | *10-07-3 | Partial Carcass | < 0.000764 | 0.000764 | < 0.000224 | 0.000224 |
| | *10-07-4 | Partial Carcass | < 0.000951 | 0.000951 | < 0.000224 | 0.000224 |
| | *10-07-5 | Partial Carcass | < 0.000852 | 0.000852 | < 0.000224 | 0.000224 |
| | *10-07-6 | Partial Carcass | < 0.000879 | 0.000879 | < 0.000224 | 0.000224 |
| | *4-08-6 | Partial Carcass | < 0.000888 | 0.000888 | < 0.000224 | 0.000224 |
| biphenyl | | | | | | |
| | 1-08-1 | Partial Carcass | 0.00465 | 0.00314 | 0.00110 | 0.000743 |
| | 1-08-2 | Partial Carcass | 0.00687 | 0.00281 | 0.00180 | 0.000735 |
| | 1-08-3 | Partial Carcass | 0.0205 | 0.00269 | 0.00560 | 0.000737 |
| | 1-08-4 | Partial Carcass | 0.0108 | 0.00286 | 0.00280 | 0.000741 |
| | 1-08-6 | Partial Carcass | 0.00637 | 0.00271 | 0.00170 | 0.000723 |
| chlorpyrifos | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.00104 | 0.00104 | < 0.000277 | 0.000277 |
| | *10-06-2 | Partial Carcass | < 0.00109 | 0.00109 | < 0.000277 | 0.000277 |
| | *10-06-3 | Partial Carcass | < 0.000923 | 0.000923 | < 0.000277 | 0.000277 |
| | *10-06-4 | Partial Carcass | < 0.000965 | 0.000965 | < 0.000277 | 0.000277 |
| | *10-06-5 | Partial Carcass | < 0.000921 | 0.000921 | < 0.000277 | 0.000277 |
| | *10-07-1 | Partial Carcass | < 0.000978 | 0.000978 | < 0.000277 | 0.000277 |
| | *10-07-2 | Partial Carcass | < 0.000969 | 0.000969 | < 0.000277 | 0.000277 |
| | *10-07-3 | Partial Carcass | < 0.000943 | 0.000943 | < 0.000277 | 0.000277 |
| | *10-07-4 | Partial Carcass | < 0.00118 | 0.00118 | < 0.000277 | 0.000277 |
| | *10-07-5 | Partial Carcass | < 0.00105 | 0.00105 | < 0.000277 | 0.000277 |
| | *10-07-6 | Partial Carcass | < 0.00108 | 0.00108 | < 0.000277 | 0.000277 |
| | *4-08-6 | Partial Carcass | < 0.00110 | 0.00110 | < 0.000277 | 0.000277 |
| chrysene | | | | | | |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 1-08-1 | Partial Carcass | 0.00212 | 0.00201 | 0.000500 | 0.000475 |
| | 1-08-2 | Partial Carcass | 0.00191 | 0.00180 | 0.000500 | 0.000470 |
| | 1-08-3 | Partial Carcass | 0.00183 | 0.00172 | 0.000500 | 0.000471 |
| | 1-08-4 | Partial Carcass | 0.00347 | 0.00183 | 0.000900 | 0.000474 |
| | 1-08-6 | Partial Carcass | < 0.00173 | 0.00173 | < 0.000462 | 0.000462 |
| cis-nonachlor | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00365 | 0.000526 | 0.000973 | 0.000140 |
| | *10-06-2 | Partial Carcass | 0.00455 | 0.000551 | 0.00116 | 0.000140 |
| | *10-06-3 | Partial Carcass | 0.00736 | 0.000467 | 0.00221 | 0.000140 |
| | *10-06-4 | Partial Carcass | 0.00965 | 0.000488 | 0.00277 | 0.000140 |
| | *10-06-5 | Partial Carcass | 0.00529 | 0.000466 | 0.00159 | 0.000140 |
| | *10-07-1 | Partial Carcass | 0.000555 | 0.000495 | 0.000157 | 0.000140 |
| | *10-07-2 | Partial Carcass | 0.00230 | 0.000491 | 0.000656 | 0.000140 |
| | *10-07-3 | Partial Carcass | 0.0117 | 0.000478 | 0.00344 | 0.000140 |
| | *10-07-4 | Partial Carcass | 0.0143 | 0.000595 | 0.00337 | 0.000140 |
| | *10-07-5 | Partial Carcass | 0.00661 | 0.000533 | 0.00174 | 0.000140 |
| | *10-07-6 | Partial Carcass | 0.00101 | 0.000549 | 0.000259 | 0.000140 |
| | *4-08-6 | Partial Carcass | 0.00387 | 0.000555 | 0.000977 | 0.000140 |
| delta BHC | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.000409 | 0.000409 | < 0.000109 | 0.000109 |
| | *10-06-2 | Partial Carcass | < 0.000429 | 0.000429 | < 0.000109 | 0.000109 |
| | *10-06-3 | Partial Carcass | < 0.000363 | 0.000363 | < 0.000109 | 0.000109 |
| | *10-06-4 | Partial Carcass | < 0.000380 | 0.000380 | < 0.000109 | 0.000109 |
| | *10-06-5 | Partial Carcass | < 0.000362 | 0.000362 | < 0.000109 | 0.000109 |
| | *10-07-1 | Partial Carcass | < 0.000385 | 0.000385 | < 0.000109 | 0.000109 |
| | *10-07-2 | Partial Carcass | < 0.000382 | 0.000382 | < 0.000109 | 0.000109 |
| | *10-07-3 | Partial Carcass | < 0.000371 | 0.000371 | < 0.000109 | 0.000109 |
| | *10-07-4 | Partial Carcass | < 0.000462 | 0.000462 | < 0.000109 | 0.000109 |
| | *10-07-5 | Partial Carcass | < 0.000414 | 0.000414 | < 0.000109 | 0.000109 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-07-6 | Partial Carcass | < 0.000427 | 0.000427 | < 0.000109 | 0.000109 |
| | *4-08-6 | Partial Carcass | < 0.000432 | 0.000432 | < 0.000109 | 0.000109 |
| dibenzothiophene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00144 | 0.00144 | < 0.000341 | 0.000341 |
| | 1-08-2 | Partial Carcass | 0.00153 | 0.00129 | 0.000400 | 0.000338 |
| | 1-08-3 | Partial Carcass | 0.00146 | 0.00124 | 0.000400 | 0.000338 |
| | 1-08-4 | Partial Carcass | 0.00193 | 0.00131 | 0.000500 | 0.000340 |
| | 1-08-6 | Partial Carcass | < 0.00124 | 0.00124 | < 0.000332 | 0.000332 |
| dieldrin | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00273 | 0.000707 | 0.000727 | 0.000189 |
| | *10-06-2 | Partial Carcass | 0.00336 | 0.000741 | 0.000855 | 0.000189 |
| | *10-06-3 | Partial Carcass | 0.0138 | 0.000629 | 0.00415 | 0.000189 |
| | *10-06-4 | Partial Carcass | 0.0133 | 0.000657 | 0.00382 | 0.000189 |
| | *10-06-5 | Partial Carcass | 0.00926 | 0.000627 | 0.00278 | 0.000189 |
| | *10-07-1 | Partial Carcass | < 0.000666 | 0.000666 | < 0.000189 | 0.000189 |
| | *10-07-2 | Partial Carcass | 0.00155 | 0.000660 | 0.000442 | 0.000189 |
| | *10-07-3 | Partial Carcass | 0.00970 | 0.000642 | 0.00285 | 0.000189 |
| | *10-07-4 | Partial Carcass | 0.0104 | 0.000800 | 0.00246 | 0.000189 |
| | *10-07-5 | Partial Carcass | 0.00519 | 0.000717 | 0.00137 | 0.000189 |
| | *10-07-6 | Partial Carcass | 0.00164 | 0.000739 | 0.000419 | 0.000189 |
| | *4-08-6 | Partial Carcass | 0.00537 | 0.000747 | 0.00136 | 0.000189 |
| endosulfan I | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00597 | 0.000569 | 0.00159 | 0.000152 |
| | *10-06-2 | Partial Carcass | 0.00652 | 0.000596 | 0.00166 | 0.000152 |
| | *10-06-3 | Partial Carcass | 0.00831 | 0.000506 | 0.00249 | 0.000152 |
| | *10-06-4 | Partial Carcass | 0.0120 | 0.000528 | 0.00345 | 0.000152 |
| | *10-06-5 | Partial Carcass | 0.00782 | 0.000504 | 0.00235 | 0.000152 |
| | *10-07-1 | Partial Carcass | 0.00123 | 0.000536 | 0.000347 | 0.000152 |
| | *10-07-2 | Partial Carcass | 0.00225 | 0.000531 | 0.000642 | 0.000152 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-07-3 | Partial Carcass | 0.0142 | 0.000517 | 0.00418 | 0.000152 |
| | *10-07-4 | Partial Carcass | 0.0172 | 0.000643 | 0.00405 | 0.000152 |
| | *10-07-5 | Partial Carcass | 0.00815 | 0.000576 | 0.00214 | 0.000152 |
| | *10-07-6 | Partial Carcass | 0.00226 | 0.000594 | 0.000577 | 0.000152 |
| | *4-08-6 | Partial Carcass | 0.00502 | 0.000601 | 0.00127 | 0.000152 |
| endosulfan II | | | | | | |
| | *10-06-1 | Partial Carcass | 0.000879 | 0.000557 | 0.000234 | 0.000148 |
| | *10-06-2 | Partial Carcass | < 0.000584 | 0.000584 | < 0.000148 | 0.000148 |
| | *10-06-3 | Partial Carcass | < 0.000495 | 0.000495 | < 0.000148 | 0.000148 |
| | *10-06-4 | Partial Carcass | < 0.000517 | 0.000517 | < 0.000148 | 0.000148 |
| | *10-06-5 | Partial Carcass | 0.00216 | 0.000494 | 0.000648 | 0.000148 |
| | *10-07-1 | Partial Carcass | < 0.000524 | 0.000524 | < 0.000148 | 0.000148 |
| | *10-07-2 | Partial Carcass | < 0.000520 | 0.000520 | < 0.000148 | 0.000148 |
| | *10-07-3 | Partial Carcass | 0.00106 | 0.000506 | 0.000312 | 0.000148 |
| | *10-07-4 | Partial Carcass | < 0.000630 | 0.000630 | < 0.000148 | 0.000148 |
| | *10-07-5 | Partial Carcass | < 0.000564 | 0.000564 | < 0.000148 | 0.000148 |
| | *10-07-6 | Partial Carcass | < 0.000582 | 0.000582 | < 0.000148 | 0.000148 |
| | *4-08-6 | Partial Carcass | < 0.000588 | 0.000588 | < 0.000148 | 0.000148 |
| endosulfan sulfate | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00528 | 0.000579 | 0.00141 | 0.000154 |
| | *10-06-2 | Partial Carcass | 0.00944 | 0.000607 | 0.00240 | 0.000154 |
| | *10-06-3 | Partial Carcass | 0.0145 | 0.000515 | 0.00434 | 0.000154 |
| | *10-06-4 | Partial Carcass | 0.0160 | 0.000538 | 0.00460 | 0.000154 |
| | *10-06-5 | Partial Carcass | 0.00945 | 0.000513 | 0.00284 | 0.000154 |
| | *10-07-1 | Partial Carcass | 0.00150 | 0.000545 | 0.000427 | 0.000154 |
| | *10-07-2 | Partial Carcass | 0.00384 | 0.000541 | 0.00110 | 0.000154 |
| | *10-07-3 | Partial Carcass | 0.0110 | 0.000526 | 0.00322 | 0.000154 |
| | *10-07-4 | Partial Carcass | 0.0183 | 0.000655 | 0.00432 | 0.000154 |
| | *10-07-5 | Partial Carcass | 0.00753 | 0.000587 | 0.00198 | 0.000154 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-07-6 | Partial Carcass | 0.00188 | 0.000605 | 0.000481 | 0.000154 |
| | *4-08-6 | Partial Carcass | 0.00604 | 0.000612 | 0.00152 | 0.000154 |
| endrin | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.000759 | 0.000759 | < 0.000202 | 0.000202 |
| | *10-06-2 | Partial Carcass | < 0.000795 | 0.000795 | < 0.000202 | 0.000202 |
| | *10-06-3 | Partial Carcass | < 0.000675 | 0.000675 | < 0.000202 | 0.000202 |
| | *10-06-4 | Partial Carcass | < 0.000705 | 0.000705 | < 0.000202 | 0.000202 |
| | *10-06-5 | Partial Carcass | < 0.000673 | 0.000673 | < 0.000202 | 0.000202 |
| | *10-07-1 | Partial Carcass | < 0.000714 | 0.000714 | < 0.000202 | 0.000202 |
| | *10-07-2 | Partial Carcass | < 0.000708 | 0.000708 | < 0.000202 | 0.000202 |
| | *10-07-3 | Partial Carcass | < 0.000689 | 0.000689 | < 0.000202 | 0.000202 |
| | *10-07-4 | Partial Carcass | < 0.000858 | 0.000858 | < 0.000202 | 0.000202 |
| | *10-07-5 | Partial Carcass | < 0.000769 | 0.000769 | < 0.000202 | 0.000202 |
| | *10-07-6 | Partial Carcass | < 0.000793 | 0.000793 | < 0.000202 | 0.000202 |
| | *4-08-6 | Partial Carcass | < 0.000801 | 0.000801 | < 0.000202 | 0.000202 |
| fluoranthene | | | | | | |
| | 1-08-1 | Partial Carcass | 0.00423 | 0.00129 | 0.00100 | 0.000304 |
| | 1-08-2 | Partial Carcass | 0.00687 | 0.00115 | 0.00180 | 0.000301 |
| | 1-08-3 | Partial Carcass | 0.00439 | 0.00110 | 0.00120 | 0.000302 |
| | 1-08-4 | Partial Carcass | 0.0108 | 0.00117 | 0.00280 | 0.000304 |
| | 1-08-6 | Partial Carcass | 0.00188 | 0.00111 | 0.000500 | 0.000296 |
| fluorene | | | | | | |
| | 1-08-1 | Partial Carcass | 0.00508 | 0.00175 | 0.00120 | 0.000414 |
| | 1-08-2 | Partial Carcass | 0.00573 | 0.00156 | 0.00150 | 0.000410 |
| | 1-08-3 | Partial Carcass | 0.00804 | 0.00150 | 0.00220 | 0.000411 |
| | 1-08-4 | Partial Carcass | 0.00733 | 0.00159 | 0.00190 | 0.000413 |
| | 1-08-6 | Partial Carcass | 0.00525 | 0.00151 | 0.00140 | 0.000403 |
| gamma BHC | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.000351 | 0.000351 | < 0.0000940 | 0.0000940 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-06-2 | Partial Carcass | < 0.000368 | 0.000368 | < 0.0000940 | 0.0000940 |
| | *10-06-3 | Partial Carcass | < 0.000312 | 0.000312 | < 0.0000940 | 0.0000940 |
| | *10-06-4 | Partial Carcass | < 0.000326 | 0.000326 | < 0.0000940 | 0.0000940 |
| | *10-06-5 | Partial Carcass | < 0.000311 | 0.000311 | < 0.0000940 | 0.0000940 |
| | *10-07-1 | Partial Carcass | < 0.000330 | 0.000330 | < 0.0000940 | 0.0000940 |
| | *10-07-2 | Partial Carcass | < 0.000327 | 0.000327 | < 0.0000940 | 0.0000940 |
| | *10-07-3 | Partial Carcass | 0.00900 | 0.000318 | 0.00264 | 0.0000940 |
| | *10-07-4 | Partial Carcass | 0.000497 | 0.000397 | 0.000117 | 0.0000940 |
| | *10-07-5 | Partial Carcass | < 0.000355 | 0.000355 | < 0.0000940 | 0.0000940 |
| | *10-07-6 | Partial Carcass | < 0.000366 | 0.000366 | < 0.0000940 | 0.0000940 |
| | *4-08-6 | Partial Carcass | < 0.000370 | 0.000370 | < 0.0000940 | 0.0000940 |
| gamma chlordane | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00321 | 0.000581 | 0.000856 | 0.000155 |
| | *10-06-2 | Partial Carcass | 0.00484 | 0.000609 | 0.00123 | 0.000155 |
| | *10-06-3 | Partial Carcass | 0.0107 | 0.000516 | 0.00322 | 0.000155 |
| | *10-06-4 | Partial Carcass | 0.0114 | 0.000539 | 0.00328 | 0.000155 |
| | *10-06-5 | Partial Carcass | 0.00500 | 0.000515 | 0.00150 | 0.000155 |
| | *10-07-1 | Partial Carcass | < 0.000547 | 0.000547 | < 0.000155 | 0.000155 |
| | *10-07-2 | Partial Carcass | 0.00331 | 0.000542 | 0.000946 | 0.000155 |
| | *10-07-3 | Partial Carcass | 0.0186 | 0.000528 | 0.00546 | 0.000155 |
| | *10-07-4 | Partial Carcass | 0.0138 | 0.000657 | 0.00324 | 0.000155 |
| | *10-07-5 | Partial Carcass | 0.00601 | 0.000588 | 0.00158 | 0.000155 |
| | *10-07-6 | Partial Carcass | 0.000676 | 0.000607 | 0.000173 | 0.000155 |
| | *4-08-6 | Partial Carcass | 0.00449 | 0.000613 | 0.00113 | 0.000155 |
| heptachlor epoxide | | | | | | |
| | *10-06-1 | Partial Carcass | 0.000703 | 0.000598 | 0.000188 | 0.000160 |
| | *10-06-2 | Partial Carcass | < 0.000627 | 0.000627 | < 0.000160 | 0.000160 |
| | *10-06-3 | Partial Carcass | 0.00102 | 0.000532 | 0.000306 | 0.000160 |
| | *10-06-4 | Partial Carcass | 0.00150 | 0.000556 | 0.000429 | 0.000160 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-06-5 | Partial Carcass | 0.00108 | 0.000531 | 0.000324 | 0.000160 |
| | *10-07-1 | Partial Carcass | < 0.000563 | 0.000563 | < 0.000160 | 0.000160 |
| | *10-07-2 | Partial Carcass | < 0.000559 | 0.000559 | < 0.000160 | 0.000160 |
| | *10-07-3 | Partial Carcass | 0.00106 | 0.000544 | 0.000312 | 0.000160 |
| | *10-07-4 | Partial Carcass | < 0.000677 | 0.000677 | < 0.000160 | 0.000160 |
| | *10-07-5 | Partial Carcass | 0.000941 | 0.000606 | 0.000248 | 0.000160 |
| | *10-07-6 | Partial Carcass | < 0.000625 | 0.000625 | < 0.000160 | 0.000160 |
| | *4-08-6 | Partial Carcass | < 0.000632 | 0.000632 | < 0.000160 | 0.000160 |
| indeno(1,2,3-cd)pyrene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00294 | 0.00294 | < 0.000694 | 0.000694 |
| | 1-08-2 | Partial Carcass | < 0.00262 | 0.00262 | < 0.000687 | 0.000687 |
| | 1-08-3 | Partial Carcass | < 0.00252 | 0.00252 | < 0.000689 | 0.000689 |
| | 1-08-4 | Partial Carcass | < 0.00267 | 0.00267 | < 0.000693 | 0.000693 |
| | 1-08-6 | Partial Carcass | < 0.00253 | 0.00253 | < 0.000675 | 0.000675 |
| mirex | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.000462 | 0.000462 | < 0.000123 | 0.000123 |
| | *10-06-2 | Partial Carcass | < 0.000485 | 0.000485 | < 0.000123 | 0.000123 |
| | *10-06-3 | Partial Carcass | < 0.000411 | 0.000411 | < 0.000123 | 0.000123 |
| | *10-06-4 | Partial Carcass | 0.000453 | 0.000430 | 0.000130 | 0.000123 |
| | *10-06-5 | Partial Carcass | < 0.000410 | 0.000410 | < 0.000123 | 0.000123 |
| | *10-07-1 | Partial Carcass | < 0.000435 | 0.000435 | < 0.000123 | 0.000123 |
| | *10-07-2 | Partial Carcass | < 0.000432 | 0.000432 | < 0.000123 | 0.000123 |
| | *10-07-3 | Partial Carcass | < 0.000420 | 0.000420 | < 0.000123 | 0.000123 |
| | *10-07-4 | Partial Carcass | < 0.000523 | 0.000523 | < 0.000123 | 0.000123 |
| | *10-07-5 | Partial Carcass | < 0.000469 | 0.000469 | < 0.000123 | 0.000123 |
| | *10-07-6 | Partial Carcass | < 0.000483 | 0.000483 | < 0.000123 | 0.000123 |
| | *4-08-6 | Partial Carcass | < 0.000488 | 0.000488 | < 0.000123 | 0.000123 |
| n-decane | | | | | | |
| | 1-08-1 | Partial Carcass | 0.841 | 0.0548 | 0.199 | 0.0130 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 1-08-2 | Partial Carcass | 0.183 | 0.0490 | 0.0479 | 0.0128 |
| | 1-08-3 | Partial Carcass | 0.241 | 0.0470 | 0.0660 | 0.0128 |
| | 1-08-4 | Partial Carcass | 0.268 | 0.0499 | 0.0695 | 0.0129 |
| | 1-08-6 | Partial Carcass | 0.338 | 0.0473 | 0.0901 | 0.0126 |
| n-docosane | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.0693 | 0.0693 | < 0.0164 | 0.0164 |
| | 1-08-2 | Partial Carcass | < 0.0619 | 0.0619 | < 0.0162 | 0.0162 |
| | 1-08-3 | Partial Carcass | 3.25 | 0.0594 | 0.889 | 0.0163 |
| | 1-08-4 | Partial Carcass | < 0.0631 | 0.0631 | < 0.0164 | 0.0164 |
| | 1-08-6 | Partial Carcass | < 0.0598 | 0.0598 | < 0.0159 | 0.0159 |
| n-dodecane | | | | | | |
| | 1-08-1 | Partial Carcass | 0.0966 | 0.0401 | 0.0228 | 0.00948 |
| | 1-08-2 | Partial Carcass | 0.125 | 0.0358 | 0.0327 | 0.00939 |
| | 1-08-3 | Partial Carcass | 0.208 | 0.0344 | 0.0569 | 0.00940 |
| | 1-08-4 | Partial Carcass | 0.203 | 0.0365 | 0.0526 | 0.00946 |
| | 1-08-6 | Partial Carcass | < 0.0346 | 0.0346 | < 0.00922 | 0.00922 |
| n-dotriacontane | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.0631 | 0.0631 | < 0.0149 | 0.0149 |
| | 1-08-2 | Partial Carcass | < 0.0564 | 0.0564 | < 0.0148 | 0.0148 |
| | 1-08-3 | Partial Carcass | < 0.0541 | 0.0541 | < 0.0148 | 0.0148 |
| | 1-08-4 | Partial Carcass | < 0.0574 | 0.0574 | < 0.0149 | 0.0149 |
| | 1-08-6 | Partial Carcass | < 0.0544 | 0.0544 | < 0.0145 | 0.0145 |
| n-eicosane | | | | | | |
| | *1-08-1 | Partial Carcass | 5.13 | 0.0706 | 1.21 | 0.0167 |
| | 1-08-2 | Partial Carcass | < 0.0631 | 0.0631 | < 0.0165 | 0.0165 |
| | 1-08-3 | Partial Carcass | 0.675 | 0.0605 | 0.185 | 0.0166 |
| | 1-08-4 | Partial Carcass | 1.26 | 0.0642 | 0.327 | 0.0167 |
| | 1-08-6 | Partial Carcass | < 0.0609 | 0.0609 | < 0.0162 | 0.0162 |
| n-heneicosane | | | | | | |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 1-08-1 | Partial Carcass | 0.297 | 0.0742 | 0.0702 | 0.0175 |
| | 1-08-2 | Partial Carcass | < 0.0663 | 0.0663 | < 0.0174 | 0.0174 |
| | 1-08-3 | Partial Carcass | 5.28 | 0.0636 | 1.45 | 0.0174 |
| | 1-08-4 | Partial Carcass | 0.397 | 0.0675 | 0.103 | 0.0175 |
| | 1-08-6 | Partial Carcass | < 0.0640 | 0.0640 | < 0.0171 | 0.0171 |
| n-hentriacontane | | | | | | |
| | 1-08-1 | Partial Carcass | 0.468 | 0.0645 | 0.111 | 0.0152 |
| | 1-08-2 | Partial Carcass | < 0.0576 | 0.0576 | < 0.0151 | 0.0151 |
| | 1-08-3 | Partial Carcass | 21.4 | 0.0553 | 5.85 | 0.0151 |
| | 1-08-4 | Partial Carcass | < 0.0587 | 0.0587 | < 0.0152 | 0.0152 |
| | 1-08-6 | Partial Carcass | < 0.0556 | 0.0556 | < 0.0148 | 0.0148 |
| n-heptacosane | | | | | | |
| | 1-08-1 | Partial Carcass | 1.24 | 0.0615 | 0.294 | 0.0145 |
| | 1-08-2 | Partial Carcass | 0.388 | 0.0550 | 0.102 | 0.0144 |
| | 1-08-3 | Partial Carcass | 1.69 | 0.0527 | 0.463 | 0.0144 |
| | *1-08-4 | Partial Carcass | 4.65 | 0.0560 | 1.21 | 0.0145 |
| | 1-08-6 | Partial Carcass | 0.494 | 0.0530 | 0.132 | 0.0141 |
| n-heptadecane | | | | | | |
| | 1-08-1 | Partial Carcass | 11.5 | 0.0564 | 2.73 | 0.0133 |
| | *1-08-2 | Partial Carcass | 24.8 | 0.0504 | 6.49 | 0.0132 |
| | *1-08-3 | Partial Carcass | 28.0 | 0.0484 | 7.66 | 0.0132 |
| | 1-08-4 | Partial Carcass | 15.9 | 0.0514 | 4.12 | 0.0133 |
| | *1-08-6 | Partial Carcass | 66.1 | 0.0487 | 17.6 | 0.0130 |
| n-hexacosane | | | | | | |
| | 1-08-1 | Partial Carcass | 0.914 | 0.0630 | 0.216 | 0.0149 |
| | 1-08-2 | Partial Carcass | 0.346 | 0.0563 | 0.0907 | 0.0148 |
| | 1-08-3 | Partial Carcass | 1.14 | 0.0540 | 0.312 | 0.0148 |
| | 1-08-4 | Partial Carcass | 2.10 | 0.0573 | 0.545 | 0.0149 |
| | 1-08-6 | Partial Carcass | 2.13 | 0.0544 | 0.567 | 0.0145 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| n-hexadecane | | | | | | |
| | 1-08-1 | Partial Carcass | 1.15 | 0.0694 | 0.271 | 0.0164 |
| | 1-08-2 | Partial Carcass | 1.29 | 0.0620 | 0.337 | 0.0162 |
| | 1-08-3 | Partial Carcass | 2.85 | 0.0595 | 0.780 | 0.0163 |
| | 1-08-4 | Partial Carcass | 3.27 | 0.0631 | 0.849 | 0.0164 |
| | 1-08-6 | Partial Carcass | 1.94 | 0.0598 | 0.517 | 0.0160 |
| n-nonacosane | | | | | | |
| | 1-08-1 | Partial Carcass | 0.248 | 0.0564 | 0.0587 | 0.0133 |
| | 1-08-2 | Partial Carcass | < 0.0504 | 0.0504 | < 0.0132 | 0.0132 |
| | *1-08-3 | Partial Carcass | 25.2 | 0.0484 | 6.88 | 0.0132 |
| | *1-08-4 | Partial Carcass | 31.9 | 0.0514 | 8.26 | 0.0133 |
| | 1-08-6 | Partial Carcass | < 0.0487 | 0.0487 | < 0.0130 | 0.0130 |
| n-nonadecane | | | | | | |
| | 1-08-1 | Partial Carcass | 0.925 | 0.0578 | 0.219 | 0.0137 |
| | 1-08-2 | Partial Carcass | 1.60 | 0.0517 | 0.419 | 0.0135 |
| | *1-08-3 | Partial Carcass | 19.4 | 0.0495 | 5.32 | 0.0136 |
| | 1-08-4 | Partial Carcass | 0.668 | 0.0526 | 0.173 | 0.0136 |
| | 1-08-6 | Partial Carcass | 3.09 | 0.0499 | 0.825 | 0.0133 |
| n-octacosane | | | | | | |
| | 1-08-1 | Partial Carcass | 0.223 | 0.0610 | 0.0528 | 0.0144 |
| | 1-08-2 | Partial Carcass | < 0.0545 | 0.0545 | < 0.0143 | 0.0143 |
| | 1-08-3 | Partial Carcass | 0.689 | 0.0523 | 0.188 | 0.0143 |
| | 1-08-4 | Partial Carcass | < 0.0555 | 0.0555 | < 0.0144 | 0.0144 |
| | 1-08-6 | Partial Carcass | < 0.0526 | 0.0526 | < 0.0140 | 0.0140 |
| n-octadecane | | | | | | |
| | *1-08-1 | Partial Carcass | 11.6 | 0.0681 | 2.75 | 0.0161 |
| | *1-08-2 | Partial Carcass | 12.8 | 0.0608 | 3.36 | 0.0159 |
| | *1-08-3 | Partial Carcass | 25.3 | 0.0584 | 6.92 | 0.0160 |
| | *1-08-4 | Partial Carcass | 18.5 | 0.0620 | 4.79 | 0.0161 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *1-08-6 | Partial Carcass | 17.5 | 0.0587 | 4.66 | 0.0157 |
| n-pentacosane | | | | | | |
| | 1-08-1 | Partial Carcass | 5.20 | 0.0712 | 1.23 | 0.0168 |
| | 1-08-2 | Partial Carcass | 1.25 | 0.0636 | 0.327 | 0.0167 |
| | 1-08-3 | Partial Carcass | 3.09 | 0.0610 | 0.846 | 0.0167 |
| | 1-08-4 | Partial Carcass | 1.67 | 0.0648 | 0.434 | 0.0168 |
| | 1-08-6 | Partial Carcass | 1.32 | 0.0614 | 0.353 | 0.0164 |
| n-pentadecane | | | | | | |
| | *1-08-1 | Partial Carcass | 13.3 | 0.0878 | 3.15 | 0.0208 |
| | *1-08-2 | Partial Carcass | 21.4 | 0.0785 | 5.61 | 0.0205 |
| | *1-08-3 | Partial Carcass | 40.9 | 0.0753 | 11.2 | 0.0206 |
| | *1-08-4 | Partial Carcass | 25.8 | 0.0799 | 6.69 | 0.0207 |
| | *1-08-6 | Partial Carcass | 10.8 | 0.0757 | 2.87 | 0.0202 |
| n-tetracosane | | | | | | |
| | 1-08-1 | Partial Carcass | 2.38 | 0.0560 | 0.562 | 0.0132 |
| | 1-08-2 | Partial Carcass | 0.807 | 0.0500 | 0.211 | 0.0131 |
| | 1-08-3 | Partial Carcass | 0.245 | 0.0480 | 0.0671 | 0.0131 |
| | 1-08-4 | Partial Carcass | 0.348 | 0.0510 | 0.0902 | 0.0132 |
| | 1-08-6 | Partial Carcass | 0.502 | 0.0483 | 0.134 | 0.0129 |
| n-tetradecane | | | | | | |
| | 1-08-1 | Partial Carcass | 0.430 | 0.0696 | 0.102 | 0.0164 |
| | 1-08-2 | Partial Carcass | 0.506 | 0.0622 | 0.132 | 0.0163 |
| | 1-08-3 | Partial Carcass | 1.25 | 0.0596 | 0.343 | 0.0163 |
| | 1-08-4 | Partial Carcass | 0.334 | 0.0633 | 0.0867 | 0.0164 |
| | 1-08-6 | Partial Carcass | 0.512 | 0.0600 | 0.137 | 0.0160 |
| n-tetratriacontane | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.0618 | 0.0618 | < 0.0146 | 0.0146 |
| | 1-08-2 | Partial Carcass | < 0.0552 | 0.0552 | < 0.0145 | 0.0145 |
| | 1-08-3 | Partial Carcass | < 0.0529 | 0.0529 | < 0.0145 | 0.0145 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 1-08-4 | Partial Carcass | < 0.0562 | 0.0562 | < 0.0146 | 0.0146 |
| | 1-08-6 | Partial Carcass | < 0.0533 | 0.0533 | < 0.0142 | 0.0142 |
| n-triacontane | | | | | | |
| | 1-08-1 | Partial Carcass | 0.252 | 0.0598 | 0.0596 | 0.0141 |
| | 1-08-2 | Partial Carcass | < 0.0535 | 0.0535 | < 0.0140 | 0.0140 |
| | 1-08-3 | Partial Carcass | 0.989 | 0.0513 | 0.270 | 0.0140 |
| | 1-08-4 | Partial Carcass | 0.986 | 0.0544 | 0.256 | 0.0141 |
| | 1-08-6 | Partial Carcass | < 0.0516 | 0.0516 | < 0.0138 | 0.0138 |
| n-tricosane | | | | | | |
| | *1-08-1 | Partial Carcass | 46.1 | 0.0674 | 10.9 | 0.0159 |
| | *1-08-2 | Partial Carcass | 24.5 | 0.0602 | 6.42 | 0.0158 |
| | *1-08-3 | Partial Carcass | 11.2 | 0.0577 | 3.07 | 0.0158 |
| | 1-08-4 | Partial Carcass | < 0.0613 | 0.0613 | < 0.0159 | 0.0159 |
| | *1-08-6 | Partial Carcass | 14.4 | 0.0581 | 3.84 | 0.0155 |
| n-tridecane | | | | | | |
| | 1-08-1 | Partial Carcass | 0.713 | 0.0695 | 0.168 | 0.0164 |
| | 1-08-2 | Partial Carcass | 1.27 | 0.0621 | 0.333 | 0.0163 |
| | 1-08-3 | Partial Carcass | 3.33 | 0.0596 | 0.912 | 0.0163 |
| | 1-08-4 | Partial Carcass | 2.23 | 0.0632 | 0.577 | 0.0164 |
| | 1-08-6 | Partial Carcass | 4.09 | 0.0599 | 1.09 | 0.0160 |
| n-tritriacontane | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.0537 | 0.0537 | < 0.0127 | 0.0127 |
| | 1-08-2 | Partial Carcass | < 0.0480 | 0.0480 | < 0.0126 | 0.0126 |
| | 1-08-3 | Partial Carcass | < 0.0460 | 0.0460 | < 0.0126 | 0.0126 |
| | 1-08-4 | Partial Carcass | < 0.0488 | 0.0488 | < 0.0127 | 0.0127 |
| | 1-08-6 | Partial Carcass | < 0.0463 | 0.0463 | < 0.0123 | 0.0123 |
| n-undecane | | | | | | |
| | *1-08-1 | Partial Carcass | 78.4 | 0.0606 | 18.5 | 0.0143 |
| | 1-08-2 | Partial Carcass | 0.157 | 0.0541 | 0.0410 | 0.0142 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 1-08-3 | Partial Carcass | 0.265 | 0.0519 | 0.0725 | 0.0142 |
| | 1-08-4 | Partial Carcass | 0.360 | 0.0551 | 0.0933 | 0.0143 |
| | 1-08-6 | Partial Carcass | 0.341 | 0.0523 | 0.0908 | 0.0139 |
| naphthalene | | | | | | |
| | 1-08-1 | Partial Carcass | 0.0550 | 0.00422 | 0.0130 | 0.000999 |
| | 1-08-2 | Partial Carcass | 0.0531 | 0.00378 | 0.0139 | 0.000989 |
| | 1-08-3 | Partial Carcass | 0.0541 | 0.00362 | 0.0148 | 0.000991 |
| | 1-08-4 | Partial Carcass | 0.0594 | 0.00384 | 0.0154 | 0.000997 |
| | 1-08-6 | Partial Carcass | 0.0649 | 0.00364 | 0.0173 | 0.000972 |
| o,p'-DDD | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00220 | 0.000773 | 0.000586 | 0.000206 |
| | *10-06-2 | Partial Carcass | 0.00193 | 0.000810 | 0.000490 | 0.000206 |
| | *10-06-3 | Partial Carcass | 0.00191 | 0.000687 | 0.000574 | 0.000206 |
| | *10-06-4 | Partial Carcass | 0.00290 | 0.000718 | 0.000832 | 0.000206 |
| | *10-06-5 | Partial Carcass | 0.00220 | 0.000685 | 0.000663 | 0.000206 |
| | *10-07-1 | Partial Carcass | < 0.000728 | 0.000728 | < 0.000206 | 0.000206 |
| | *10-07-2 | Partial Carcass | < 0.000721 | 0.000721 | < 0.000206 | 0.000206 |
| | *10-07-3 | Partial Carcass | 0.00295 | 0.000702 | 0.000865 | 0.000206 |
| | *10-07-4 | Partial Carcass | 0.00452 | 0.000874 | 0.00106 | 0.000206 |
| | *10-07-5 | Partial Carcass | 0.00152 | 0.000783 | 0.000399 | 0.000206 |
| | *10-07-6 | Partial Carcass | < 0.000807 | 0.000807 | < 0.000206 | 0.000206 |
| | *4-08-6 | Partial Carcass | 0.00119 | 0.000816 | 0.000300 | 0.000206 |
| o,p'-DDE | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00154 | 0.000445 | 0.000410 | 0.000119 |
| | *10-06-2 | Partial Carcass | 0.00183 | 0.000466 | 0.000465 | 0.000119 |
| | *10-06-3 | Partial Carcass | 0.00140 | 0.000395 | 0.000421 | 0.000119 |
| | *10-06-4 | Partial Carcass | 0.00258 | 0.000413 | 0.000741 | 0.000119 |
| | *10-06-5 | Partial Carcass | 0.00294 | 0.000394 | 0.000884 | 0.000119 |
| | *10-07-1 | Partial Carcass | < 0.000419 | 0.000419 | < 0.000119 | 0.000119 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-07-2 | Partial Carcass | 0.000574 | 0.000415 | 0.000164 | 0.000119 |
| | *10-07-3 | Partial Carcass | 0.00135 | 0.000404 | 0.000396 | 0.000119 |
| | *10-07-4 | Partial Carcass | 0.00223 | 0.000503 | 0.000527 | 0.000119 |
| | *10-07-5 | Partial Carcass | 0.00142 | 0.000451 | 0.000375 | 0.000119 |
| | *10-07-6 | Partial Carcass | 0.00121 | 0.000465 | 0.000308 | 0.000119 |
| | *4-08-6 | Partial Carcass | 0.000826 | 0.000470 | 0.000209 | 0.000119 |
| o,p'-DDT | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.000582 | 0.000582 | < 0.000155 | 0.000155 |
| | *10-06-2 | Partial Carcass | < 0.000610 | 0.000610 | < 0.000155 | 0.000155 |
| | *10-06-3 | Partial Carcass | < 0.000517 | 0.000517 | < 0.000155 | 0.000155 |
| | *10-06-4 | Partial Carcass | < 0.000540 | 0.000540 | < 0.000155 | 0.000155 |
| | *10-06-5 | Partial Carcass | < 0.000516 | 0.000516 | < 0.000155 | 0.000155 |
| | *10-07-1 | Partial Carcass | < 0.000547 | 0.000547 | < 0.000155 | 0.000155 |
| | *10-07-2 | Partial Carcass | < 0.000543 | 0.000543 | < 0.000155 | 0.000155 |
| | *10-07-3 | Partial Carcass | < 0.000528 | 0.000528 | < 0.000155 | 0.000155 |
| | *10-07-4 | Partial Carcass | < 0.000658 | 0.000658 | < 0.000155 | 0.000155 |
| | *10-07-5 | Partial Carcass | < 0.000589 | 0.000589 | < 0.000155 | 0.000155 |
| | *10-07-6 | Partial Carcass | < 0.000607 | 0.000607 | < 0.000155 | 0.000155 |
| | *4-08-6 | Partial Carcass | < 0.000614 | 0.000614 | < 0.000155 | 0.000155 |
| oxychlordane | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00114 | 0.000455 | 0.000305 | 0.000121 |
| | *10-06-2 | Partial Carcass | 0.000988 | 0.000478 | 0.000251 | 0.000121 |
| | *10-06-3 | Partial Carcass | 0.00111 | 0.000405 | 0.000332 | 0.000121 |
| | *10-06-4 | Partial Carcass | 0.00181 | 0.000423 | 0.000520 | 0.000121 |
| | *10-06-5 | Partial Carcass | 0.00108 | 0.000404 | 0.000324 | 0.000121 |
| | *10-07-1 | Partial Carcass | 0.000713 | 0.000429 | 0.000202 | 0.000121 |
| | *10-07-2 | Partial Carcass | 0.000928 | 0.000425 | 0.000265 | 0.000121 |
| | *10-07-3 | Partial Carcass | 0.00168 | 0.000414 | 0.000493 | 0.000121 |
| | *10-07-4 | Partial Carcass | 0.00169 | 0.000515 | 0.000398 | 0.000121 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-07-5 | Partial Carcass | 0.00119 | 0.000462 | 0.000314 | 0.000121 |
| | *10-07-6 | Partial Carcass | < 0.000476 | 0.000476 | < 0.000121 | 0.000121 |
| | *4-08-6 | Partial Carcass | 0.00108 | 0.000481 | 0.000274 | 0.000121 |
| p,p'-DDD | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00668 | 0.000502 | 0.00178 | 0.000134 |
| | *10-06-2 | Partial Carcass | 0.00628 | 0.000526 | 0.00160 | 0.000134 |
| | *10-06-3 | Partial Carcass | 0.00583 | 0.000446 | 0.00175 | 0.000134 |
| | *10-06-4 | Partial Carcass | 0.0103 | 0.000466 | 0.00295 | 0.000134 |
| | *10-06-5 | Partial Carcass | 0.00519 | 0.000445 | 0.00156 | 0.000134 |
| | *10-07-1 | Partial Carcass | 0.00246 | 0.000472 | 0.000696 | 0.000134 |
| | *10-07-2 | Partial Carcass | 0.00292 | 0.000468 | 0.000833 | 0.000134 |
| | *10-07-3 | Partial Carcass | 0.00663 | 0.000456 | 0.00195 | 0.000134 |
| | *10-07-4 | Partial Carcass | 0.0122 | 0.000568 | 0.00287 | 0.000134 |
| | *10-07-5 | Partial Carcass | 0.00556 | 0.000508 | 0.00146 | 0.000134 |
| | *10-07-6 | Partial Carcass | 0.00295 | 0.000524 | 0.000752 | 0.000134 |
| | *4-08-6 | Partial Carcass | 0.00418 | 0.000530 | 0.00106 | 0.000134 |
| p,p'-DDE | | | | | | |
| | *10-06-1 | Partial Carcass | 0.0409 | 0.000539 | 0.0109 | 0.000144 |
| | *10-06-2 | Partial Carcass | 0.0546 | 0.000565 | 0.0139 | 0.000144 |
| | *10-06-3 | Partial Carcass | 0.0621 | 0.000479 | 0.0186 | 0.000144 |
| | *10-06-4 | Partial Carcass | 0.0858 | 0.000501 | 0.0246 | 0.000144 |
| | *10-06-5 | Partial Carcass | 0.0457 | 0.000478 | 0.0137 | 0.000144 |
| | *10-07-1 | Partial Carcass | 0.0275 | 0.000508 | 0.00778 | 0.000144 |
| | *10-07-2 | Partial Carcass | 0.0281 | 0.000503 | 0.00802 | 0.000144 |
| | *10-07-3 | Partial Carcass | 0.0591 | 0.000490 | 0.0174 | 0.000144 |
| | *10-07-4 | Partial Carcass | 0.0959 | 0.000610 | 0.0226 | 0.000144 |
| | *10-07-5 | Partial Carcass | 0.0329 | 0.000546 | 0.00865 | 0.000144 |
| | *10-07-6 | Partial Carcass | 0.0525 | 0.000563 | 0.0134 | 0.000144 |
| | *4-08-6 | Partial Carcass | 0.0421 | 0.000570 | 0.0106 | 0.000144 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| p,p'-DDT | | | | | | |
| | *10-06-1 | Partial Carcass | 0.000879 | 0.000623 | 0.000234 | 0.000166 |
| | *10-06-2 | Partial Carcass | 0.000790 | 0.000653 | 0.000201 | 0.000166 |
| | *10-06-3 | Partial Carcass | 0.00221 | 0.000554 | 0.000663 | 0.000166 |
| | *10-06-4 | Partial Carcass | 0.00285 | 0.000579 | 0.000819 | 0.000166 |
| | *10-06-5 | Partial Carcass | 0.00113 | 0.000552 | 0.000339 | 0.000166 |
| | *10-07-1 | Partial Carcass | 0.000594 | 0.000586 | 0.000168 | 0.000166 |
| | *10-07-2 | Partial Carcass | 0.00106 | 0.000581 | 0.000303 | 0.000166 |
| | *10-07-3 | Partial Carcass | 0.00229 | 0.000566 | 0.000673 | 0.000166 |
| | *10-07-4 | Partial Carcass | 0.00323 | 0.000704 | 0.000761 | 0.000166 |
| | *10-07-5 | Partial Carcass | 0.00110 | 0.000631 | 0.000290 | 0.000166 |
| | *10-07-6 | Partial Carcass | < 0.000651 | 0.000651 | < 0.000166 | 0.000166 |
| | *4-08-6 | Partial Carcass | < 0.000658 | 0.000658 | < 0.000166 | 0.000166 |
| pentachloro-anisole | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00180 | 0.000569 | 0.000481 | 0.000152 |
| | *10-06-2 | Partial Carcass | 0.000890 | 0.000596 | 0.000226 | 0.000152 |
| | *10-06-3 | Partial Carcass | 0.00328 | 0.000506 | 0.000982 | 0.000152 |
| | *10-06-4 | Partial Carcass | 0.00367 | 0.000528 | 0.00105 | 0.000152 |
| | *10-06-5 | Partial Carcass | 0.00456 | 0.000504 | 0.00137 | 0.000152 |
| | *10-07-1 | Partial Carcass | 0.000594 | 0.000535 | 0.000168 | 0.000152 |
| | *10-07-2 | Partial Carcass | < 0.000531 | 0.000531 | < 0.000152 | 0.000152 |
| | *10-07-3 | Partial Carcass | 0.00295 | 0.000517 | 0.000865 | 0.000152 |
| | *10-07-4 | Partial Carcass | 0.00164 | 0.000643 | 0.000386 | 0.000152 |
| | *10-07-5 | Partial Carcass | 0.00119 | 0.000576 | 0.000314 | 0.000152 |
| | *10-07-6 | Partial Carcass | 0.00116 | 0.000594 | 0.000296 | 0.000152 |
| | *4-08-6 | Partial Carcass | 0.00103 | 0.000601 | 0.000261 | 0.000152 |
| perylene | | | | | | |
| | 1-08-1 | Partial Carcass | < 0.00273 | 0.00273 | < 0.000645 | 0.000645 |
| | 1-08-2 | Partial Carcass | < 0.00244 | 0.00244 | < 0.000639 | 0.000639 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | 1-08-3 | Partial Carcass | < 0.00234 | 0.00234 | < 0.000640 | 0.000640 |
| | 1-08-4 | Partial Carcass | < 0.00248 | 0.00248 | < 0.000644 | 0.000644 |
| | 1-08-6 | Partial Carcass | < 0.00236 | 0.00236 | < 0.000628 | 0.000628 |
| phenanthrene | | | | | | |
| | 1-08-1 | Partial Carcass | 0.0123 | 0.00124 | 0.00290 | 0.000292 |
| | 1-08-2 | Partial Carcass | 0.0179 | 0.00110 | 0.00470 | 0.000289 |
| | 1-08-3 | Partial Carcass | 0.0161 | 0.00106 | 0.00440 | 0.000290 |
| | 1-08-4 | Partial Carcass | 0.0193 | 0.00112 | 0.00500 | 0.000292 |
| | 1-08-6 | Partial Carcass | 0.00712 | 0.00107 | 0.00190 | 0.000284 |
| phytane | | | | | | |
| | 1-08-1 | Partial Carcass | 0.864 | 0.0630 | 0.204 | 0.0149 |
| | 1-08-2 | Partial Carcass | 0.669 | 0.0563 | 0.175 | 0.0148 |
| | 1-08-3 | Partial Carcass | 1.32 | 0.0540 | 0.362 | 0.0148 |
| | 1-08-4 | Partial Carcass | 1.65 | 0.0573 | 0.428 | 0.0149 |
| | 1-08-6 | Partial Carcass | 1.04 | 0.0544 | 0.278 | 0.0145 |
| pristane | | | | | | |
| | *1-08-1 | Partial Carcass | 0.993 | 0.0610 | 0.235 | 0.0144 |
| | 1-08-2 | Partial Carcass | 0.503 | 0.0545 | 0.132 | 0.0143 |
| | 1-08-3 | Partial Carcass | 0.917 | 0.0523 | 0.251 | 0.0143 |
| | 1-08-4 | Partial Carcass | 1.19 | 0.0555 | 0.308 | 0.0144 |
| | 1-08-6 | Partial Carcass | 0.788 | 0.0526 | 0.210 | 0.0140 |
| pyrene | | | | | | |
| | 1-08-1 | Partial Carcass | 0.00254 | 0.00170 | 0.000600 | 0.000402 |
| | 1-08-2 | Partial Carcass | 0.00306 | 0.00152 | 0.000800 | 0.000398 |
| | 1-08-3 | Partial Carcass | 0.00256 | 0.00146 | 0.000700 | 0.000399 |
| | 1-08-4 | Partial Carcass | 0.00694 | 0.00155 | 0.00180 | 0.000401 |
| | 1-08-6 | Partial Carcass | < 0.00147 | 0.00147 | < 0.000391 | 0.000391 |
| toxaphene | | | | | | |
| | *10-06-1 | Partial Carcass | < 0.0396 | 0.0396 | < 0.0105 | 0.0105 |

| Analyte | Sample Number | Sample Matrix | Dry Weight (ppm) | DL Dry Weight (ppm) | Wet Weight (ppm) | DL Wet Weight (ppm) |
|---|---|---|---|---|---|---|
| | *10-06-2 | Partial Carcass | < 0.0415 | 0.0415 | < 0.0105 | 0.0105 |
| | *10-06-3 | Partial Carcass | < 0.0352 | 0.0352 | < 0.0105 | 0.0105 |
| | *10-06-4 | Partial Carcass | < 0.0367 | 0.0367 | < 0.0105 | 0.0105 |
| | *10-06-5 | Partial Carcass | < 0.0351 | 0.0351 | < 0.0105 | 0.0105 |
| | *10-07-1 | Partial Carcass | < 0.0372 | 0.0372 | < 0.0105 | 0.0105 |
| | *10-07-2 | Partial Carcass | < 0.0369 | 0.0369 | < 0.0105 | 0.0105 |
| | *10-07-3 | Partial Carcass | < 0.0359 | 0.0359 | < 0.0105 | 0.0105 |
| | *10-07-4 | Partial Carcass | < 0.0447 | 0.0447 | < 0.0105 | 0.0105 |
| | *10-07-5 | Partial Carcass | < 0.0401 | 0.0401 | < 0.0105 | 0.0105 |
| | *10-07-6 | Partial Carcass | < 0.0413 | 0.0413 | < 0.0105 | 0.0105 |
| | *4-08-6 | Partial Carcass | < 0.0418 | 0.0418 | < 0.0105 | 0.0105 |
| trans-nonachlor | | | | | | |
| | *10-06-1 | Partial Carcass | 0.00857 | 0.000571 | 0.00229 | 0.000152 |
| | *10-06-2 | Partial Carcass | 0.0135 | 0.000599 | 0.00344 | 0.000152 |
| | *10-06-3 | Partial Carcass | 0.0240 | 0.000508 | 0.00721 | 0.000152 |
| | *10-06-4 | Partial Carcass | 0.0280 | 0.000531 | 0.00805 | 0.000152 |
| | *10-06-5 | Partial Carcass | 0.0130 | 0.000507 | 0.00390 | 0.000152 |
| | *10-07-1 | Partial Carcass | 0.00154 | 0.000538 | 0.000438 | 0.000152 |
| | *10-07-2 | Partial Carcass | 0.00768 | 0.000533 | 0.00220 | 0.000152 |
| | *10-07-3 | Partial Carcass | 0.0366 | 0.000519 | 0.0107 | 0.000152 |
| | *10-07-4 | Partial Carcass | 0.0371 | 0.000646 | 0.00876 | 0.000152 |
| | *10-07-5 | Partial Carcass | 0.0156 | 0.000579 | 0.00410 | 0.000152 |
| | *10-07-6 | Partial Carcass | 0.00222 | 0.000597 | 0.000567 | 0.000152 |
| | *4-08-6 | Partial Carcass | 0.00981 | 0.000604 | 0.00248 | 0.000152 |

* See "Laboratory Notes" section.

# 5. Procedural Blanks

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| 1,2,3,4,6,7,8-HpCDD | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 1,2,3,4,6,7,8-HpCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 1,2,3,4,7,8,9-HpCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 1,2,3,4,7,8-HxCDD | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 1,2,3,4,7,8-HxCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 1,2,3,4-Tetrachlorobenzene | | | | | |
| | ENV2176A | Animal Tissue | 0.000700 | < 0.000151 | Wet |
| 1,2,3,6,7,8-HxCDD | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 1,2,3,6,7,8-HxCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 1,2,3,7,8,9-HxCDD | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 1,2,3,7,8,9-HxCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 1,2,3,7,8-PeCDD | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 1,2,3,7,8-PeCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 1,2,4,5-Tetrachlorobenzene | | | | | |
| | ENV2176A | Animal Tissue | 0.00130 | < 0.000269 | Wet |
| 1,6,7-Trimethyl-naphthalene | | | | | |
| | ENV2175A | Animal Tissue | 0.00230 | < 0.000370 | Wet |
| 1-methylnaphthalene | | | | | |
| | ENV2175A | Animal Tissue | 0.00380 | < 0.000620 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| 1-methylphenanthrene | | | | | |
| | ENV2175A | Animal Tissue | 0.00260 | < 0.000420 | Wet |
| 2,3,4,6,7,8-HxCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 2,3,4,7,8-PeCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| 2,3,7,8-TCDD | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.00000200 | Wet |
| 2,3,7,8-TCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.00000200 | Wet |
| 2,6-dimethylnaphthalene | | | | | |
| | ENV2175A | Animal Tissue | 0.00330 | < 0.000540 | Wet |
| 2-methylnaphthalene | | | | | |
| | ENV2175A | Animal Tissue | 0.00410 | < 0.000670 | Wet |
| Aldrin | | | | | |
| | ENV2176A | Animal Tissue | 0.000600 | < 0.000122 | Wet |
| BDE# 1 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 10 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 100 | | | | | |
| | ENV2179A | Animal Tissue | 0.00190 | < 0.000144 | Wet |
| BDE# 11 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 116 | | | | | |
| | ENV2179A | Animal Tissue | 0.00100 | < 0.0000740 | Wet |
| BDE# 118 | | | | | |
| | ENV2179A | Animal Tissue | 0.00100 | < 0.0000740 | Wet |
| BDE# 119 | | | | | |
| | ENV2179A | Animal Tissue | 0.00100 | < 0.0000740 | Wet |
| BDE# 12 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 126 | | | | | |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | ENV2179A | Animal Tissue | 0.00100 | < 0.0000740 | Wet |
| BDE# 13 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 138 | | | | | |
| | ENV2179A | Animal Tissue | 0.000700 | < 0.0000550 | Wet |
| BDE# 15 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 153 | | | | | |
| | ENV2179A | Animal Tissue | 0.000800 | < 0.0000600 | Wet |
| BDE# 154 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000680 | Wet |
| BDE# 155 | | | | | |
| | ENV2179A | Animal Tissue | 0.000700 | < 0.0000550 | Wet |
| BDE# 166 | | | | | |
| | ENV2179A | Animal Tissue | 0.000700 | < 0.0000550 | Wet |
| BDE# 17 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 181 | | | | | |
| | ENV2179A | Animal Tissue | 0.000700 | < 0.0000510 | Wet |
| BDE# 183 | | | | | |
| | ENV2179A | Animal Tissue | 0.000700 | < 0.0000510 | Wet |
| BDE# 190 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 194 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 195 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 196 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 197 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 198/199/203/200 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| BDE# 2 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 201 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 202 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 204 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 205 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 206 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 207 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 208 | | | | | |
| | ENV2179A | Animal Tissue | 0.000500 | < 0.0000390 | Wet |
| BDE# 209 | | | | | |
| | ENV2179A | Animal Tissue | 0.00750 | < 0.000575 | Wet |
| BDE# 25 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 28 | | | | | |
| | ENV2179A | Animal Tissue | 0.00100 | < 0.0000750 | Wet |
| BDE# 3 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 30 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 32 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 33 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 35 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 37 | | | | | |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 47 | | | | | |
| | ENV2179A | Animal Tissue | 0.00110 | < 0.0000810 | Wet |
| BDE# 49/71 | | | | | |
| | ENV2179A | Animal Tissue | 0.000800 | < 0.0000600 | Wet |
| BDE# 66 | | | | | |
| | ENV2179A | Animal Tissue | 0.000600 | < 0.0000450 | Wet |
| BDE# 7 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 75 | | | | | |
| | ENV2179A | Animal Tissue | 0.00110 | < 0.0000810 | Wet |
| BDE# 77 | | | | | |
| | ENV2179A | Animal Tissue | 0.00110 | < 0.0000810 | Wet |
| BDE# 8 | | | | | |
| | ENV2179A | Animal Tissue | 0.000900 | < 0.0000700 | Wet |
| BDE# 85 | | | | | |
| | ENV2179A | Animal Tissue | 0.00200 | < 0.000152 | Wet |
| BDE# 99 | | | | | |
| | ENV2179A | Animal Tissue | 0.00100 | < 0.0000740 | Wet |
| BDE-TOTAL | | | | | |
| | ENV2179A | Animal Tissue | 0.00880 | < 0.000677 | Wet |
| BHC (Total) | | | | | |
| | ENV2176A | Animal Tissue | 0.00170 | < 0.000359 | Wet |
| Benzo(a)anthracene | | | | | |
| | ENV2175A | Animal Tissue | 0.00190 | < 0.000310 | Wet |
| C1-Fluoranthenes & Pyrenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00640 | < 0.00105 | Wet |
| C1-Phenanthrenes & Anthracenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00300 | < 0.000490 | Wet |
| C1-chrysenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00470 | < 0.000770 | Wet |
| C1-dibenzothiophenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00340 | < 0.000560 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| C1-fluorenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00410 | < 0.000680 | Wet |
| C1-naphthalenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00790 | < 0.00129 | Wet |
| C2-Phenanthrenes & Anthracenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00300 | < 0.000490 | Wet |
| C2-chrysenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00470 | < 0.000770 | Wet |
| C2-dibenzothiophenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00340 | < 0.000560 | Wet |
| C2-fluorenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00410 | < 0.000680 | Wet |
| C2-naphthalenes | | | | | |
| | ENV2175A | Animal Tissue | 0.0100 | < 0.00164 | Wet |
| C3-Phenanthrenes & Anthracenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00300 | < 0.000490 | Wet |
| C3-chrysenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00470 | < 0.000770 | Wet |
| C3-dibenzothiophenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00340 | < 0.000560 | Wet |
| C3-fluorenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00410 | < 0.000680 | Wet |
| C3-naphthalenes | | | | | |
| | ENV2175A | Animal Tissue | 0.0100 | < 0.00164 | Wet |
| C4-Phenanthrenes & Anthracenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00300 | < 0.000490 | Wet |
| C4-chrysenes | | | | | |
| | ENV2175A | Animal Tissue | 0.00470 | < 0.000770 | Wet |
| C4-naphthalenes | | | | | |
| | ENV2175A | Animal Tissue | 0.0100 | < 0.00164 | Wet |
| Cl4-PCDD | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.00000200 | Wet |
| Cl4-PCDF | | | | | |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900410-01 | Water | 0.000200 | < 0.00000200 | Wet |
| Cl5-PCDD | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| Cl5-PCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| Cl6-PCDD | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| Cl6-PCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| Cl7-PCDD | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| Cl7-PCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000100 | Wet |
| DDMU | | | | | |
| | ENV2176A | Animal Tissue | 0.000600 | < 0.000128 | Wet |
| Dibenz(a,h)anthracene | | | | | |
| | ENV2175A | Animal Tissue | 0.00210 | < 0.000350 | Wet |
| HCB | | | | | |
| | ENV2176A | Animal Tissue | 0.00110 | < 0.000226 | Wet |
| Heptachlor | | | | | |
| | ENV2176A | Animal Tissue | 0.000600 | < 0.000133 | Wet |
| OCDD | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000200 | Wet |
| OCDF | | | | | |
| | EQ0900410-01 | Water | 0.000200 | < 0.0000200 | Wet |
| PCB# 1 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 10 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000100 | Wet |
| | EQ0900415-01 | Water | 0.0000500 | < 0.0000000500 | Wet |
| PCB# 103 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 104 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 105 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 106 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 107 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 108/124 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 11 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | 0.000581 | Wet |
| | EQ0900415-01 | Water | 0.000832 | 0.000000832 | Wet |
| PCB# 110/115 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 111 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 112 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 114 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 117 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 118 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 12/13 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000200 | Wet |
| | EQ0900415-01 | Water | 0.000100 | < 0.000000100 | Wet |
| PCB# 120 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 121 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 122 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 123 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 126 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 127 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 128/166 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 129/138/163 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 130 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 131 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 132 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 133 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 134 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 135/151 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 136 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 137 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 139/140 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 14 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000200 | Wet |
| | EQ0900415-01 | Water | 0.000100 | < 0.000000100 | Wet |
| PCB# 141 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 142 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 143 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 144 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 145 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 146 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 147/149 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 148 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 15 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 150 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 152 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 153/168 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 154 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 155 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 156/157 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 158 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 159 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 16 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | 0.0000216 | Wet |
| | EQ0900415-01 | Water | 0.000100 | < 0.000000100 | Wet |
| PCB# 160 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 161 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 162 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 164 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 165 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 167 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 169 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 17 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 170 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 171/173 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 172 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 174 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 175 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 176 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 177 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 178 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 179 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 18/30 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 180/193 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 181 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 182 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 183 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 184 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 185 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 186 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 187 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 188 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 189 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 19 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000200 | Wet |
| | EQ0900415-01 | Water | 0.000100 | < 0.000000100 | Wet |
| PCB# 190 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 191 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 192 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 194 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 195 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 196 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 197 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 198/199 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 2 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.00000200 | Wet |
| | EQ0900415-01 | Water | 0.0000100 | < 0.0000000100 | Wet |
| PCB# 20/28 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 200 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 201 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 202 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 203 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 204 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 205 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 206 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 207 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 208 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 209 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 21/33 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 22 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 23 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 24 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 25 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 26/29 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 27 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 3 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 31 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 32 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 34 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 35 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 36 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 37 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 38 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 39 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 4 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 40/41/70 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 42 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 43/73 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 44/47/65 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 45/51 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 46 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 48 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 49/69 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 5 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000100 | Wet |
| | EQ0900415-01 | Water | 0.0000500 | < 0.0000000500 | Wet |
| PCB# 50/53 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 52 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 54 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 55 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 56 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 57 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 58 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 59/62/75 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 6 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000100 | Wet |
| | EQ0900415-01 | Water | 0.0000500 | < 0.0000000500 | Wet |
| PCB# 60 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 63 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 64 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 66 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 67 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 68 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 7 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000100 | Wet |
| | EQ0900415-01 | Water | 0.0000500 | < 0.0000000500 | Wet |
| PCB# 70/61/74/76 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 72 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 77 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 78 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 79 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 8 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 80 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 81 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 82 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 83/99 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 84 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 85/116 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000400 | Wet |
| | EQ0900415-01 | Water | 0.000200 | < 0.000000200 | Wet |
| PCB# 86/87/97/109/119/125 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 88/91 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 89 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 9 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.0000100 | Wet |
| | EQ0900415-01 | Water | 0.0000500 | < 0.0000000500 | Wet |
| PCB# 90/101/113 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000200 | Wet |
| | EQ0900415-01 | Water | 0.00100 | < 0.00000100 | Wet |
| PCB# 92 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 94 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 95 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 96 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 98/100 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB# 98/102 | | | | | |
| | EQ0900409-01 | Water | 0.000200 | < 0.000100 | Wet |
| | EQ0900415-01 | Water | 0.000500 | < 0.000000500 | Wet |
| PCB-TOTAL | | | | | |
| | EQ0900409-01 | Water | 0.000200 | 0.00240 | Wet |
| | EQ0900415-01 | Water | 0.00386 | 0.00000386 | Wet |
| Pentachlorobenzene | | | | | |
| | ENV2176A | Animal Tissue | 0.000500 | < 0.000111 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| Total DDT's | | | | | |
| | ENV2176A | Animal Tissue | 0.00390 | < 0.000822 | Wet |
| acenaphthalene | | | | | |
| | ENV2175A | Animal Tissue | 0.00200 | < 0.000330 | Wet |
| acenaphthene | | | | | |
| | ENV2175A | Animal Tissue | 0.00210 | < 0.000340 | Wet |
| alpha BHC | | | | | |
| | ENV2176A | Animal Tissue | 0.00100 | < 0.000209 | Wet |
| alpha chlordane | | | | | |
| | ENV2176A | Animal Tissue | 0.000900 | < 0.000189 | Wet |
| anthracene | | | | | |
| | ENV2175A | Animal Tissue | 0.00120 | < 0.000200 | Wet |
| benzo(a)pyrene | | | | | |
| | ENV2175A | Animal Tissue | 0.00230 | < 0.000370 | Wet |
| benzo(b)fluoranthene | | | | | |
| | ENV2175A | Animal Tissue | 0.00160 | < 0.000270 | Wet |
| benzo(e)pyrene | | | | | |
| | ENV2175A | Animal Tissue | 0.00240 | < 0.000390 | Wet |
| benzo(g,h,i)perylene | | | | | |
| | ENV2175A | Animal Tissue | 0.00270 | < 0.000440 | Wet |
| benzo(k)fluoranthene | | | | | |
| | ENV2175A | Animal Tissue | 0.00210 | < 0.000340 | Wet |
| beta BHC | | | | | |
| | ENV2176A | Animal Tissue | 0.00110 | < 0.000224 | Wet |
| biphenyl | | | | | |
| | ENV2175A | Animal Tissue | 0.00370 | < 0.000610 | Wet |
| chlorpyrifos | | | | | |
| | ENV2176A | Animal Tissue | 0.00130 | < 0.000277 | Wet |
| chrysene | | | | | |
| | ENV2175A | Animal Tissue | 0.00240 | < 0.000390 | Wet |
| cis-nonachlor | | | | | |
| | ENV2176A | Animal Tissue | 0.000700 | < 0.000140 | Wet |
| delta BHC | | | | | |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | ENV2176A | Animal Tissue | 0.000500 | < 0.000109 | Wet |
| dibenzothiophene | | | | | |
| | ENV2175A | Animal Tissue | 0.00170 | < 0.000280 | Wet |
| dieldrin | | | | | |
| | ENV2176A | Animal Tissue | 0.000900 | < 0.000189 | Wet |
| endosulfan I | | | | | |
| | ENV2176A | Animal Tissue | 0.000700 | < 0.000152 | Wet |
| endosulfan II | | | | | |
| | ENV2176A | Animal Tissue | 0.000700 | < 0.000148 | Wet |
| endosulfan sulfate | | | | | |
| | ENV2176A | Animal Tissue | 0.000700 | < 0.000154 | Wet |
| endrin | | | | | |
| | ENV2176A | Animal Tissue | 0.00100 | < 0.000202 | Wet |
| fluoranthene | | | | | |
| | ENV2175A | Animal Tissue | 0.00150 | < 0.000250 | Wet |
| fluorene | | | | | |
| | ENV2175A | Animal Tissue | 0.00210 | < 0.000340 | Wet |
| gamma BHC | | | | | |
| | ENV2176A | Animal Tissue | 0.000400 | < 0.0000940 | Wet |
| gamma chlordane | | | | | |
| | ENV2176A | Animal Tissue | 0.000700 | < 0.000155 | Wet |
| heptachlor epoxide | | | | | |
| | ENV2176A | Animal Tissue | 0.000800 | < 0.000160 | Wet |
| indeno(1,2,3-cd)pyrene | | | | | |
| | ENV2175A | Animal Tissue | 0.00350 | < 0.000570 | Wet |
| mirex | | | | | |
| | ENV2176A | Animal Tissue | 0.000600 | < 0.000123 | Wet |
| n-decane | | | | | |
| | ENV2175A | Animal Tissue | 0.0649 | < 0.0106 | Wet |
| n-docosane | | | | | |
| | ENV2175A | Animal Tissue | 0.0821 | < 0.0135 | Wet |
| n-dodecane | | | | | |
| | ENV2175A | Animal Tissue | 0.0475 | < 0.00779 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| n-dotriacontane | | | | | |
| | ENV2175A | Animal Tissue | 0.0748 | < 0.0123 | Wet |
| n-eicosane | | | | | |
| | ENV2175A | Animal Tissue | 0.0836 | < 0.0137 | Wet |
| n-heneicosane | | | | | |
| | ENV2175A | Animal Tissue | 0.0879 | < 0.0144 | Wet |
| n-hentriacontane | | | | | |
| | ENV2175A | Animal Tissue | 0.0764 | < 0.0125 | Wet |
| n-heptacosane | | | | | |
| | ENV2175A | Animal Tissue | 0.0728 | < 0.0119 | Wet |
| n-heptadecane | | | | | |
| | ENV2175A | Animal Tissue | 0.0669 | < 0.0110 | Wet |
| n-hexacosane | | | | | |
| | ENV2175A | Animal Tissue | 0.0746 | < 0.0122 | Wet |
| n-hexadecane | | | | | |
| | ENV2175A | Animal Tissue | 0.0822 | < 0.0135 | Wet |
| n-nonacosane | | | | | |
| | ENV2175A | Animal Tissue | 0.0669 | < 0.0110 | Wet |
| n-nonadecane | | | | | |
| | ENV2175A | Animal Tissue | 0.0685 | < 0.0112 | Wet |
| n-octacosane | | | | | |
| | ENV2175A | Animal Tissue | 0.0723 | < 0.0118 | Wet |
| n-octadecane | | | | | |
| | ENV2175A | Animal Tissue | 0.0806 | < 0.0132 | Wet |
| n-pentacosane | | | | | |
| | ENV2175A | Animal Tissue | 0.0843 | < 0.0138 | Wet |
| n-pentadecane | | | | | |
| | ENV2175A | Animal Tissue | 0.104 | < 0.0170 | Wet |
| n-tetracosane | | | | | |
| | ENV2175A | Animal Tissue | 0.0663 | < 0.0109 | Wet |
| n-tetradecane | | | | | |
| | ENV2175A | Animal Tissue | 0.0824 | < 0.0135 | Wet |
| n-tetratriacontane | | | | | |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| | ENV2175A | Animal Tissue | 0.0732 | < 0.0120 | Wet |
| n-triacontane | | | | | |
| | ENV2175A | Animal Tissue | 0.0709 | < 0.0116 | Wet |
| n-tricosane | | | | | |
| | ENV2175A | Animal Tissue | 0.0798 | < 0.0131 | Wet |
| n-tridecane | | | | | |
| | ENV2175A | Animal Tissue | 0.0823 | < 0.0135 | Wet |
| n-tritriacontane | | | | | |
| | ENV2175A | Animal Tissue | 0.0636 | < 0.0104 | Wet |
| n-undecane | | | | | |
| | ENV2175A | Animal Tissue | 0.0718 | < 0.0118 | Wet |
| naphthalene | | | | | |
| | ENV2175A | Animal Tissue | 0.00500 | < 0.000820 | Wet |
| o,p'-DDD | | | | | |
| | ENV2176A | Animal Tissue | 0.00100 | < 0.000206 | Wet |
| o,p'-DDE | | | | | |
| | ENV2176A | Animal Tissue | 0.000600 | < 0.000119 | Wet |
| o,p'-DDT | | | | | |
| | ENV2176A | Animal Tissue | 0.000700 | < 0.000155 | Wet |
| oxychlordane | | | | | |
| | ENV2176A | Animal Tissue | 0.000600 | < 0.000121 | Wet |
| p,p'-DDD | | | | | |
| | ENV2176A | Animal Tissue | 0.000600 | < 0.000134 | Wet |
| p,p'-DDE | | | | | |
| | ENV2176A | Animal Tissue | 0.000700 | < 0.000144 | Wet |
| p,p'-DDT | | | | | |
| | ENV2176A | Animal Tissue | 0.000800 | < 0.000166 | Wet |
| pentachloro-anisole | | | | | |
| | ENV2176A | Animal Tissue | 0.000700 | < 0.000152 | Wet |
| perylene | | | | | |
| | ENV2175A | Animal Tissue | 0.00550 | 0.000900 | Wet |
| phenanthrene | | | | | |
| | ENV2175A | Animal Tissue | 0.00150 | < 0.000240 | Wet |

| Analyte | Lab Sample Number | Lab Sample Matrix | Result Total UG | ** BEC (ppm/%) | Basis |
|---|---|---|---|---|---|
| phytane | | | | | |
| | ENV2175A | Animal Tissue | 0.0746 | < 0.0122 | Wet |
| pristane | | | | | |
| | ENV2175A | Animal Tissue | 0.0723 | < 0.0118 | Wet |
| pyrene | | | | | |
| | ENV2175A | Animal Tissue | 0.00200 | < 0.000330 | Wet |
| toxaphene | | | | | |
| | ENV2176A | Animal Tissue | 0.0500 | < 0.0105 | Wet |
| trans-nonachlor | | | | | |
| | ENV2176A | Animal Tissue | 0.000700 | < 0.000152 | Wet |

** Blank Equivalent Concentration

# 6. Duplicates

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| % Lipid | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Percent | 4.30 | 4.33 | 4.31 | 0.700 |
| | 10-07-5 | | Partial Carcass | Percent | 5.77 | 5.84 | 5.80 | 1.21 |
| | 4-08-4 | | Partial Carcass | Percent | 5.49 | 6.23 | 5.86 | 12.6 |
| % Moisture | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Percent | 73.8 | 73.8 | 73.8 | 0.000 |
| | 10-07-5 | | Partial Carcass | Percent | 73.7 | 73.7 | 73.7 | 0.000 |
| | 4-08-4 | | Partial Carcass | Percent | 73.3 | 73.3 | 73.3 | 0.000 |
| 1,2,3,4,6,7,8-HpCDD | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000206 | 0.000214 | 0.000210 | 3.81 |
| 1,2,3,4,6,7,8-HpCDF | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000204 | 0.000205 | 0.000204 | 0.490 |
| 1,2,3,4,7,8,9-HpCDF | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000194 | 0.000197 | 0.000195 | 1.53 |
| 1,2,3,4,7,8-HxCDD | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000180 | 0.000186 | 0.000183 | 3.28 |
| 1,2,3,4,7,8-HxCDF | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000212 | 0.000212 | 0.000212 | 0.000 |
| 1,2,3,4-Tetrachlorobenzene | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000151 | < 0.000151 | 0.0000755 | 0.000 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| 1,2,3,6,7,8-HxCDD | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000224 | 0.000236 | 0.000230 | 5.22 |
| 1,2,3,6,7,8-HxCDF | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000204 | 0.000213 | 0.000208 | 4.32 |
| 1,2,3,7,8,9-HxCDD | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000188 | 0.000189 | 0.000188 | 0.530 |
| 1,2,3,7,8,9-HxCDF | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000189 | 0.000195 | 0.000192 | 3.12 |
| 1,2,3,7,8-PeCDD | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000199 | 0.000200 | 0.000200 | 0.500 |
| 1,2,3,7,8-PeCDF | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000201 | 0.000205 | 0.000203 | 1.97 |
| 1,2,4,5-Tetrachlorobenzene | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000269 | < 0.000269 | 0.000134 | 0.000 |
| 1,6,7-Trimethyl-naphthalene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000446 | < 0.000450 | 0.000224 | 0.890 |
| 1-methylnaphthalene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00370 | 0.00340 | 0.00355 | 8.45 |
| 1-methylphenanthrene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00780 | 0.00770 | 0.00775 | 1.29 |
| 2,3,4,6,7,8-HxCDF | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000194 | 0.000201 | 0.000198 | 3.54 |
| 2,3,4,7,8-PeCDF | | | | | | | | |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | EQ0900410-02 | SD | Water | Wet | 0.000202 | 0.000210 | 0.000206 | 3.88 |
| 2,3,7,8-TCDD | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.0000402 | 0.0000405 | 0.0000404 | 0.740 |
| 2,3,7,8-TCDF | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.0000400 | 0.0000414 | 0.0000407 | 3.44 |
| 2,6-dimethylnaphthalene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00100 | 0.00120 | 0.00110 | 18.2 |
| 2-methylnaphthalene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00680 | 0.00650 | 0.00665 | 4.51 |
| Aldrin | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000122 | < 0.000122 | 0.0000610 | 0.000 |
| BDE# 1 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 10 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 100 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.0161 | 0.0154 | 0.0158 | 4.44 |
| BDE# 11 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 116 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000192 | < 0.000187 | 0.0000948 | 2.64 |
| BDE# 118 | | | | | | | | |
| | 4-08-4 | | Partial | Wet | < 0.000192 | < 0.000187 | 0.0000948 | 2.64 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | | | Carcass | | | | | |
| BDE# 119 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000800 | 0.000700 | 0.000750 | 13.3 |
| BDE# 12 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 126 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000300 | 0.000300 | 0.000300 | 0.000 |
| BDE# 13 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 138 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000143 | < 0.000139 | 0.0000705 | 2.84 |
| BDE# 15 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000200 | 0.000200 | 0.000200 | 0.000 |
| BDE# 153 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.00220 | 0.00220 | 0.00220 | 0.000 |
| BDE# 154 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.00490 | 0.00500 | 0.00495 | 2.02 |
| BDE# 155 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000143 | < 0.000139 | 0.0000705 | 2.84 |
| BDE# 166 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000143 | < 0.000139 | 0.0000705 | 2.84 |
| BDE# 17 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| BDE# 181 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000133 | < 0.000129 | 0.0000655 | 3.05 |
| BDE# 183 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000300 | 0.000300 | 0.000300 | 0.000 |
| BDE# 190 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000200 | 0.000200 | 0.000200 | 0.000 |
| BDE# 194 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000101 | < 0.0000980 | 0.0000498 | 3.02 |
| BDE# 195 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000101 | < 0.0000980 | 0.0000498 | 3.02 |
| BDE# 196 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000101 | < 0.0000980 | 0.0000498 | 3.02 |
| BDE# 197 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000101 | < 0.0000980 | 0.0000498 | 3.02 |
| BDE# 198/199/203/200 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000101 | < 0.0000980 | 0.0000498 | 3.02 |
| BDE# 2 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 201 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000101 | < 0.0000980 | 0.0000498 | 3.02 |
| BDE# 202 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000101 | < 0.0000980 | 0.0000498 | 3.02 |
| BDE# 204 | | | | | | | | |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | 4-08-4 | | Partial Carcass | Wet | < 0.000101 | < 0.0000980 | 0.0000498 | 3.02 |
| BDE# 205 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000600 | 0.000700 | 0.000650 | 15.4 |
| BDE# 206 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000600 | 0.000500 | 0.000550 | 18.2 |
| BDE# 207 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000700 | 0.000600 | 0.000650 | 15.4 |
| BDE# 208 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000400 | 0.000500 | 0.000450 | 22.2 |
| BDE# 209 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.00149 | < 0.00145 | 0.000737 | 2.78 |
| BDE# 25 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 28 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.00250 | 0.00250 | 0.00250 | 0.000 |
| BDE# 3 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000700 | 0.000800 | 0.000750 | 13.3 |
| BDE# 30 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 32 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 33 | | | | | | | | |
| | 4-08-4 | | Partial | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | | | Carcass | | | | | |
| BDE# 35 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 37 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 47 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.129 | 0.126 | 0.128 | 2.35 |
| BDE# 49/71 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.00320 | 0.00330 | 0.00325 | 3.08 |
| BDE# 66 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000116 | < 0.000113 | 0.0000572 | 2.62 |
| BDE# 7 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 75 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000212 | < 0.000206 | 0.000104 | 2.87 |
| BDE# 77 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000500 | 0.000500 | 0.000500 | 0.000 |
| BDE# 8 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000182 | < 0.000177 | 0.0000898 | 2.79 |
| BDE# 85 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.000400 | < 0.000385 | 0.000296 | 70.0 |
| BDE# 99 | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | < 0.000192 | < 0.000187 | 0.0000948 | 2.64 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| BDE-TOTAL | | | | | | | | |
| | 4-08-4 | | Partial Carcass | Wet | 0.164 | 0.160 | 0.162 | 2.41 |
| BHC (Total) | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000359 | < 0.000359 | 0.000180 | 0.000 |
| Benzo(a)anthracene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000374 | < 0.000377 | 0.000188 | 0.800 |
| C1-Fluoranthenes & Pyrenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.00127 | < 0.00128 | 0.000636 | 0.790 |
| C1-Phenanthrenes & Anthracenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00790 | 0.00780 | 0.00785 | 1.27 |
| C1-chrysenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000928 | < 0.000936 | 0.000466 | 0.860 |
| C1-dibenzothiophenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000675 | < 0.000681 | 0.000339 | 0.880 |
| C1-fluorenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00260 | 0.00240 | 0.00250 | 8.00 |
| C1-naphthalenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00680 | 0.00640 | 0.00660 | 6.06 |
| C2-Phenanthrenes & Anthracenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000591 | < 0.000596 | 0.000297 | 0.840 |
| C2-chrysenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000928 | < 0.000936 | 0.000466 | 0.860 |
| C2-dibenzothiophenes | | | | | | | | |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | 1-08-2 | | Partial Carcass | Wet | < 0.000675 | < 0.000681 | 0.000339 | 0.880 |
| C2-fluorenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000820 | < 0.000826 | 0.000412 | 0.730 |
| C2-naphthalenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00370 | 0.00330 | 0.00350 | 11.4 |
| C3-Phenanthrenes & Anthracenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000591 | < 0.000596 | 0.000297 | 0.840 |
| C3-chrysenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000928 | < 0.000936 | 0.000466 | 0.860 |
| C3-dibenzothiophenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000675 | < 0.000681 | 0.000339 | 0.880 |
| C3-fluorenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000820 | < 0.000826 | 0.000412 | 0.730 |
| C3-naphthalenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.00198 | < 0.00199 | 0.000992 | 0.810 |
| C4-Phenanthrenes & Anthracenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000591 | < 0.000596 | 0.000297 | 0.840 |
| C4-chrysenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000928 | < 0.000936 | 0.000466 | 0.860 |
| C4-naphthalenes | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.00198 | < 0.00199 | 0.000992 | 0.810 |
| DDMU | | | | | | | | |
| | 10-07-5 | | Partial | Wet | 0.000340 | 0.000372 | 0.000356 | 8.99 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | | | Carcass | | | | | |
| Dibenz(a,h)anthracene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000422 | < 0.000425 | 0.000212 | 0.710 |
| HCB | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000226 | < 0.000226 | 0.000113 | 0.000 |
| Heptachlor | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000133 | < 0.000133 | 0.0000665 | 0.000 |
| OCDD | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000464 | 0.000439 | 0.000451 | 5.54 |
| OCDF | | | | | | | | |
| | EQ0900410-02 | SD | Water | Wet | 0.000467 | 0.000468 | 0.000468 | 0.210 |
| PCB# 1 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000185 | 0.000193 | 0.000189 | 4.23 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000906 | 0.000000937 | 0.000000922 | 3.36 |
| PCB# 104 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000181 | 0.000196 | 0.000188 | 7.96 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000940 | 0.000000973 | 0.000000956 | 3.45 |
| PCB# 105 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000227 | 0.000227 | 0.000227 | 0.000 |
| | EQ0900415-02 | SD | Water | Wet | 0.00000102 | 0.00000113 | 0.00000107 | 10.2 |
| PCB# 114 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000188 | 0.000206 | 0.000197 | 9.14 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | EQ0900415-02 | SD | Water | Wet | 0.000000880 | 0.000000964 | 0.000000922 | 9.11 |
| PCB# 118 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000283 | 0.000263 | 0.000273 | 7.33 |
| | EQ0900415-02 | SD | Water | Wet | 0.00000114 | 0.00000122 | 0.00000118 | 6.78 |
| PCB# 123 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000184 | 0.000206 | 0.000195 | 11.3 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000870 | 0.000000950 | 0.000000910 | 8.79 |
| PCB# 126 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000180 | 0.000198 | 0.000189 | 9.52 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000853 | 0.000000921 | 0.000000887 | 7.67 |
| PCB# 15 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000204 | 0.000215 | 0.000210 | 5.25 |
| | EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000107 | 0.00000103 | 6.76 |
| PCB# 155 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | < 0.000200 | 0.000212 | 0.000156 | 71.8 |
| | EQ0900415-02 | SD | Water | Wet | < 0.00000100 | < 0.00000100 | 0.000000500 | 0.000 |
| PCB# 156/157 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000411 | 0.000433 | 0.000422 | 5.21 |
| | EQ0900415-02 | SD | Water | Wet | 0.00000185 | 0.00000202 | 0.00000194 | 8.79 |
| PCB# 167 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000198 | 0.000212 | 0.000205 | 6.83 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | EQ0900415-02 | SD | Water | Wet | 0.000000932 | 0.00000102 | 0.000000976 | 9.02 |
| PCB# 169 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000195 | 0.000220 | 0.000208 | 12.0 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000947 | 0.00000104 | 0.000000993 | 9.36 |
| PCB# 188 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000185 | 0.000206 | 0.000195 | 10.7 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000876 | 0.000000927 | 0.000000902 | 5.66 |
| PCB# 189 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000207 | 0.000225 | 0.000216 | 8.33 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000965 | 0.00000104 | 0.00000100 | 7.48 |
| PCB# 19 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000172 | 0.000192 | 0.000182 | 11.0 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000956 | 0.000000958 | 0.000000957 | 0.210 |
| PCB# 202 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | < 0.000200 | 0.000221 | 0.000160 | 75.4 |
| | EQ0900415-02 | SD | Water | Wet | < 0.00000100 | 0.00000107 | 0.000000785 | 72.6 |
| PCB# 205 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | < 0.000200 | 0.000210 | 0.000155 | 71.0 |
| | EQ0900415-02 | SD | Water | Wet | < 0.00000100 | < 0.00000100 | 0.000000500 | 0.000 |
| PCB# 206 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000220 | 0.000217 | 0.000218 | 1.37 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | EQ0900415-02 | SD | Water | Wet | < 0.00000100 | 0.00000105 | 0.000000775 | 71.0 |
| PCB# 208 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000208 | 0.000220 | 0.000214 | 5.61 |
| | EQ0900415-02 | SD | Water | Wet | < 0.00000100 | 0.00000103 | 0.000000765 | 69.3 |
| PCB# 209 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000180 | 0.000192 | 0.000186 | 6.45 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000930 | 0.000000993 | 0.000000962 | 6.55 |
| PCB# 3 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000194 | 0.000204 | 0.000199 | 5.03 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000913 | 0.000000952 | 0.000000932 | 4.18 |
| PCB# 37 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000199 | 0.000210 | 0.000204 | 5.38 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000950 | 0.00000105 | 0.00000100 | 10.0 |
| PCB# 4 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000190 | 0.000195 | 0.000193 | 2.60 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000928 | 0.00000101 | 0.000000969 | 8.46 |
| PCB# 54 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000181 | 0.000206 | 0.000194 | 12.9 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000881 | 0.000000970 | 0.000000926 | 9.62 |
| PCB# 77 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000198 | 0.000213 | 0.000206 | 7.30 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | EQ0900415-02 | SD | Water | Wet | 0.000000936 | 0.00000101 | 0.000000973 | 7.61 |
| PCB# 81 | | | | | | | | |
| | EQ0900409-02 | SD | Water | Wet | 0.000188 | 0.000205 | 0.000196 | 8.65 |
| | EQ0900415-02 | SD | Water | Wet | 0.000000882 | 0.000000976 | 0.000000929 | 10.1 |
| Pentachlorobenzene | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.00249 | 0.00257 | 0.00253 | 3.17 |
| Total DDT's | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.0115 | 0.0121 | 0.0118 | 5.33 |
| acenaphthalene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.000400 | < 0.000401 | 0.000300 | 66.4 |
| acenaphthene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000410 | < 0.000413 | 0.000206 | 0.730 |
| alpha BHC | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000209 | < 0.000209 | 0.000104 | 0.000 |
| alpha chlordane | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.00323 | 0.00325 | 0.00324 | 0.830 |
| anthracene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.000300 | 0.000300 | 0.000300 | 0.000 |
| benzo(a)pyrene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000446 | < 0.000450 | 0.000224 | 0.890 |
| benzo(b)fluoranthene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.000400 | 0.000400 | 0.000400 | 0.000 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| benzo(e)pyrene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000470 | < 0.000474 | 0.000236 | 0.850 |
| benzo(g,h,i)perylene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000530 | < 0.000535 | 0.000266 | 0.940 |
| benzo(k)fluoranthene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000410 | < 0.000413 | 0.000206 | 0.730 |
| beta BHC | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000224 | < 0.000224 | 0.000112 | 0.000 |
| biphenyl | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00180 | 0.00280 | 0.00230 | 43.5 |
| chlorpyrifos | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000277 | < 0.000277 | 0.000138 | 0.000 |
| chrysene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.000500 | 0.000500 | 0.000500 | 0.000 |
| cis-nonachlor | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.00174 | 0.00183 | 0.00178 | 4.93 |
| delta BHC | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000109 | < 0.000109 | 0.0000545 | 0.000 |
| dibenzothiophene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.000400 | 0.000400 | 0.000400 | 0.000 |
| dieldrin | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.00137 | 0.00144 | 0.00140 | 5.07 |
| endosulfan I | | | | | | | | |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | 10-07-5 | | Partial Carcass | Wet | 0.00214 | 0.00223 | 0.00219 | 3.98 |
| endosulfan II | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000148 | < 0.000148 | 0.0000740 | 0.000 |
| endosulfan sulfate | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.00198 | 0.00193 | 0.00196 | 2.71 |
| endrin | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000202 | < 0.000202 | 0.000101 | 0.000 |
| fluoranthene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00180 | 0.00160 | 0.00170 | 11.8 |
| fluorene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00150 | 0.00160 | 0.00155 | 6.45 |
| gamma BHC | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.0000940 | < 0.0000940 | 0.0000470 | 0.000 |
| gamma chlordane | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.00158 | 0.00159 | 0.00159 | 0.380 |
| heptachlor epoxide | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.000248 | 0.000185 | 0.000216 | 29.1 |
| indeno(1,2,3-cd)pyrene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.000687 | < 0.000693 | 0.000345 | 0.870 |
| mirex | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000123 | < 0.000123 | 0.0000615 | 0.000 |
| n-decane | | | | | | | | |
| | 1-08-2 | | Partial | Wet | 0.0479 | 0.0489 | 0.0484 | 1.89 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | | | Carcass | | | | | |
| n-docosane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.0162 | < 0.0164 | 0.00814 | 0.810 |
| n-dodecane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.0327 | 0.0303 | 0.0315 | 7.52 |
| n-dotriacontane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.0148 | < 0.0149 | 0.00742 | 0.810 |
| n-eicosane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.0165 | < 0.0167 | 0.00830 | 0.800 |
| n-heneicosane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.0174 | < 0.0175 | 0.00872 | 0.810 |
| n-hentriacontane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.0151 | < 0.0152 | 0.00758 | 0.810 |
| n-heptacosane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.102 | 0.0971 | 0.0994 | 4.60 |
| n-heptadecane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 6.49 | 6.07 | 6.28 | 6.68 |
| n-hexacosane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.0907 | 0.0954 | 0.0931 | 5.04 |
| n-hexadecane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.337 | 0.315 | 0.326 | 6.77 |
| n-nonacosane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.0132 | < 0.0133 | 0.00663 | 0.810 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| n-nonadecane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.419 | 0.412 | 0.416 | 1.81 |
| n-octacosane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.0143 | < 0.0144 | 0.00717 | 0.800 |
| n-octadecane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 3.36 | 3.09 | 3.22 | 8.22 |
| n-pentacosane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.327 | 0.352 | 0.340 | 7.35 |
| n-pentadecane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 5.61 | 5.17 | 5.39 | 8.18 |
| n-tetracosane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.211 | 0.216 | 0.213 | 1.91 |
| n-tetradecane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.132 | 0.122 | 0.127 | 7.91 |
| n-tetratriacontane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.0145 | < 0.0146 | 0.00726 | 0.810 |
| n-triacontane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | < 0.0140 | < 0.0141 | 0.00703 | 0.800 |
| n-tricosane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 6.42 | 6.75 | 6.59 | 5.01 |
| n-tridecane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.333 | 0.329 | 0.331 | 1.00 |
| n-tritriacontane | | | | | | | | |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | 1-08-2 | | Partial Carcass | Wet | < 0.0126 | < 0.0127 | 0.00631 | 0.810 |
| n-undecane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.0410 | 0.0419 | 0.0415 | 2.04 |
| naphthalene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.0139 | 0.0118 | 0.0128 | 16.3 |
| o,p'-DDD | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.000399 | 0.000340 | 0.000370 | 16.0 |
| o,p'-DDE | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.000375 | 0.000378 | 0.000376 | 0.800 |
| o,p'-DDT | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.000155 | < 0.000155 | 0.0000775 | 0.000 |
| oxychlordane | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.000314 | 0.000340 | 0.000327 | 7.95 |
| p,p'-DDD | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.00146 | 0.00155 | 0.00151 | 5.91 |
| p,p'-DDE | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.00865 | 0.00925 | 0.00895 | 6.72 |
| p,p'-DDT | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.000290 | 0.000252 | 0.000271 | 14.0 |
| pentachloro-anisole | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.000314 | 0.000366 | 0.000340 | 15.3 |
| perylene | | | | | | | | |
| | 1-08-2 | | Partial | Wet | < 0.000639 | < 0.000644 | 0.000321 | 0.780 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Initial Result (ppm/%) | Duplicate Result (ppm/%) | Average | Relative Percent Diff. |
|---|---|---|---|---|---|---|---|---|
| | | | Carcass | | | | | |
| phenanthrene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.00470 | 0.00480 | 0.00475 | 2.11 |
| phytane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.175 | 0.177 | 0.176 | 0.980 |
| pristane | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.132 | 0.131 | 0.131 | 0.380 |
| pyrene | | | | | | | | |
| | 1-08-2 | | Partial Carcass | Wet | 0.000800 | 0.000700 | 0.000750 | 13.3 |
| toxaphene | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | < 0.0105 | < 0.0105 | 0.00527 | 0.000 |
| trans-nonachlor | | | | | | | | |
| | 10-07-5 | | Partial Carcass | Wet | 0.00410 | 0.00426 | 0.00418 | 3.92 |

* See "Laboratory Notes" section.** SD = Spiked Duplicate Result

# 7. Spike Recoveries

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| 1,2,3,4,6,7,8-HpCDD | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000206 | | 103 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000214 | | 107 |
| 1,2,3,4,6,7,8-HpCDF | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000204 | | 102 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000205 | | 102 |
| 1,2,3,4,7,8,9-HpCDF | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000194 | | 97.0 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000197 | | 98.5 |
| 1,2,3,4,7,8-HxCDD | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000180 | | 90.0 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000186 | | 93.0 |
| 1,2,3,4,7,8-HxCDF | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000212 | | 106 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000212 | | 106 |
| 1,2,3,4-Tetrachlorobenzene | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00745 | 105 | 94.3 |
| 1,2,3,6,7,8-HxCDD | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000224 | | 112 |
| | *EQ0900410- | SD | Water | Wet | 0.000200 | 0.000236 | | 118 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | 02 | | | | | | | |
| 1,2,3,6,7,8-HxCDF | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000204 | | 102 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000213 | | 106 |
| 1,2,3,7,8,9-HxCDD | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000188 | | 94.0 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000189 | | 94.5 |
| 1,2,3,7,8,9-HxCDF | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000189 | | 94.5 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000195 | | 97.5 |
| 1,2,3,7,8-PeCDD | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000199 | | 99.5 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000200 | | 100. |
| 1,2,3,7,8-PeCDF | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000201 | | 100. |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000205 | | 102 |
| 1,2,4,5-Tetrachlorobenzene | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00519 | 58.7 | 65.7 |
| 1,6,7-Trimethyl-naphthalene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0190 | 0.0219 | 86.8 | 115 |
| 1-methylnaphthalene | | | | | | | | |
| | 1-08-6 | | Partial | Wet | 0.0189 | 0.0213 | 9.00 | 113 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | | | Carcass | | | | | |
| 1-methylphenanthrene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0190 | 0.0211 | 4.04 | 111 |
| 2,3,4,6,7,8-HxCDF | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000194 | | 97.0 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000201 | | 100. |
| 2,3,4,7,8-PeCDF | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000200 | 0.000202 | | 101 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000200 | 0.000210 | | 105 |
| 2,3,7,8-TCDD | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.0000400 | 0.0000402 | | 100. |
| | *EQ0900410-02 | SD | Water | Wet | 0.0000400 | 0.0000405 | | 101 |
| 2,3,7,8-TCDF | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.0000400 | 0.0000400 | | 100. |
| | *EQ0900410-02 | SD | Water | Wet | 0.0000400 | 0.0000414 | | 104 |
| 2,6-dimethylnaphthalene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0192 | 0.0202 | 60.0 | 105 |
| 2-methylnaphthalene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0190 | 0.0211 | 5.00 | 111 |
| Aldrin | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00734 | 130. | 92.9 |
| BDE# 100 | | | | | | | | |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | 4-08-3 | | Partial Carcass | Wet | 0.0196 | 0.0226 | 2.20 | 115 |
| BDE# 138 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0197 | 0.0229 | 283 | 116 |
| BDE# 153 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0196 | 0.0229 | 15.1 | 117 |
| BDE# 154 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0197 | 0.0227 | 7.30 | 115 |
| BDE# 17 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0194 | 0.0202 | 220. | 104 |
| BDE# 183 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0196 | 0.0228 | 304 | 117 |
| BDE# 190 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0197 | 0.0233 | 406 | 118 |
| BDE# 209 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0965 | 0.103 | 133 | 107 |
| BDE# 28 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0196 | 0.0198 | 11.5 | 101 |
| BDE# 47 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0196 | 0.0166 | 0.260 | 84.7 |
| BDE# 49/71 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0195 | 0.0203 | 9.75 | 104 |
| BDE# 66 | | | | | | | | |
| | 4-08-3 | | Partial | Wet | 0.0197 | 0.0206 | 352 | 105 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | | | Carcass | | | | | |
| BDE# 85 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0194 | 0.0216 | 101 | 111 |
| BDE# 99 | | | | | | | | |
| | 4-08-3 | | Partial Carcass | Wet | 0.0196 | 0.0220 | 211 | 112 |
| Benzo(a)anthracene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0192 | 0.0204 | 105 | 106 |
| DDMU | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00854 | 12.4 | 108 |
| Dibenz(a,h)anthracene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0192 | 0.0193 | 92.5 | 100. |
| HCB | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00827 | 11.1 | 105 |
| Heptachlor | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00797 | 119 | 101 |
| OCDD | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000400 | 0.000464 | | 116 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000400 | 0.000439 | | 110. |
| OCDF | | | | | | | | |
| | *EQ0900410-02 | | Water | Wet | 0.000400 | 0.000467 | | 117 |
| | *EQ0900410-02 | SD | Water | Wet | 0.000400 | 0.000468 | | 117 |
| PCB# 1 | | | | | | | | |
| | *EQ0900409- | | Water | Wet | 0.000200 | 0.000185 | | 92.5 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | 02 | | | | | | | |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000193 | | 96.5 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000906 | | 90.6 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000937 | | 93.7 |
| PCB# 104 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000181 | | 90.5 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000196 | | 98.0 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000940 | | 94.0 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000973 | | 97.3 |
| PCB# 105 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000227 | | 114 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000227 | | 114 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.00000102 | | 102 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000113 | | 113 |
| PCB# 114 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000188 | | 94.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000206 | | 103 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000880 | | 88.0 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000964 | | 96.4 |
| PCB# 118 | | | | | | | | |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000283 | | 142 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000263 | | 132 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.00000114 | | 114 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000122 | | 122 |
| PCB# 123 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000184 | | 92.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000206 | | 103 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000870 | | 87.0 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000950 | | 95.0 |
| PCB# 126 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000180 | | 90.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000198 | | 99.0 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000853 | | 85.3 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000921 | | 92.1 |
| PCB# 15 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000204 | | 102 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000215 | | 108 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.00000100 | | 100. |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000107 | | 107 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| PCB# 155 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000100 | | 50.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000212 | | 106 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000500 | | 50.0 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000500 | | 50.0 |
| PCB# 156/157 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000400 | 0.000411 | | 103 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000400 | 0.000433 | | 108 |
| | *EQ0900415-02 | | Water | Wet | 0.00000200 | 0.00000185 | | 92.5 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000200 | 0.00000202 | | 101 |
| PCB# 167 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000198 | | 99.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000212 | | 106 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000932 | | 93.2 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000102 | | 102 |
| PCB# 169 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000195 | | 97.5 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000220 | | 110. |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000947 | | 94.7 |
| | *EQ0900415- | SD | Water | Wet | 0.00000100 | 0.00000104 | | 104 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | 02 | | | | | | | |
| PCB# 188 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000185 | | 92.5 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000206 | | 103 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000876 | | 87.6 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000927 | | 92.7 |
| PCB# 189 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000207 | | 104 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000225 | | 112 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000965 | | 96.5 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000104 | | 104 |
| PCB# 19 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000172 | | 86.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000192 | | 96.0 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000956 | | 95.6 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000958 | | 95.8 |
| PCB# 202 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000100 | | 50.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000221 | | 110. |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000500 | | 50.0 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000107 | | 107 |
| PCB# 205 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000100 | | 50.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000210 | | 105 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000500 | | 50.0 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000500 | | 50.0 |
| PCB# 206 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000220 | | 110. |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000217 | | 108 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000500 | | 50.0 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000105 | | 105 |
| PCB# 208 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000208 | | 104 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000220 | | 110. |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000500 | | 50.0 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000103 | | 103 |
| PCB# 209 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000180 | | 90.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000192 | | 96.0 |
| | *EQ0900415- | | Water | Wet | 0.00000100 | 0.000000930 | | 93.0 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | 02 | | | | | | | |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000993 | | 99.3 |
| PCB# 3 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000194 | | 97.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000204 | | 102 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000913 | | 91.3 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000952 | | 95.2 |
| PCB# 37 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000199 | | 99.5 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000210 | | 105 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000950 | | 95.0 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000105 | | 105 |
| PCB# 4 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000190 | | 95.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000195 | | 97.5 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000928 | | 92.8 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000101 | | 101 |
| PCB# 54 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000181 | | 90.5 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000206 | | 103 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000881 | | 88.1 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000970 | | 97.0 |
| PCB# 77 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000198 | | 99.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000213 | | 106 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000936 | | 93.6 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.00000101 | | 101 |
| PCB# 81 | | | | | | | | |
| | *EQ0900409-02 | | Water | Wet | 0.000200 | 0.000188 | | 94.0 |
| | *EQ0900409-02 | SD | Water | Wet | 0.000200 | 0.000205 | | 102 |
| | *EQ0900415-02 | | Water | Wet | 0.00000100 | 0.000000882 | | 88.2 |
| | *EQ0900415-02 | SD | Water | Wet | 0.00000100 | 0.000000976 | | 97.6 |
| Pentachlorobenzene | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00770 | 2.89 | 97.4 |
| acenaphthalene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0189 | 0.0199 | 27.0 | 105 |
| acenaphthene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0192 | 0.0200 | 38.4 | 104 |
| alpha BHC | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00622 | 75.6 | 78.7 |
| alpha chlordane | | | | | | | | |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00836 | 1.39 | 106 |
| anthracene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0191 | 0.0218 | 63.7 | 114 |
| benzo(a)pyrene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0191 | 0.0180 | 87.2 | 94.1 |
| benzo(b)fluoranthene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0192 | 0.0202 | 120. | 105 |
| benzo(e)pyrene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0192 | 0.0223 | 83.1 | 116 |
| benzo(g,h,i)perylene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0190 | 0.0160 | 72.9 | 84.4 |
| benzo(k)fluoranthene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0190 | 0.0211 | 94.3 | 111 |
| beta BHC | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00708 | 70.5 | 89.7 |
| biphenyl | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0190 | 0.0156 | 11.2 | 82.1 |
| chlorpyrifos | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00644 | 57.0 | 81.5 |
| chrysene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0189 | 0.0182 | 81.8 | 96.1 |
| cis-nonachlor | | | | | | | | |
| | 10-06-3 | | Partial | Wet | 0.00790 | 0.00794 | 3.58 | 101 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | | | Carcass | | | | | |
| delta BHC | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00683 | 145 | 86.4 |
| dibenzothiophene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0189 | 0.0199 | 114 | 105 |
| dieldrin | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00821 | 1.90 | 104 |
| endosulfan II | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00227 | 107 | 28.8 |
| endosulfan sulfate | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00742 | 1.82 | 93.9 |
| endrin | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00876 | 78.2 | 111 |
| fluoranthene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0192 | 0.0215 | 38.4 | 112 |
| fluorene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0190 | 0.0221 | 13.6 | 116 |
| gamma BHC | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00686 | 168 | 86.8 |
| gamma chlordane | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00845 | 2.46 | 107 |
| heptachlor epoxide | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00742 | 25.8 | 93.9 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| indeno(1,2,3-cd)pyrene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0189 | 0.0156 | 56.0 | 82.3 |
| mirex | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00816 | 128 | 103 |
| n-decane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.92 | 2.24 | 21.3 | 117 |
| n-docosane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.88 | 1.76 | 236 | 93.4 |
| n-dodecane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.91 | 2.24 | 415 | 117 |
| n-dotriacontane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.89 | 1.59 | 260. | 84.4 |
| n-eicosane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.92 | 2.01 | 236 | 105 |
| n-heneicosane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.92 | 2.08 | 225 | 108 |
| n-hentriacontane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.92 | 1.77 | 259 | 92.4 |
| n-heptacosane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.90 | 1.26 | 14.4 | 66.1 |
| n-heptadecane | | | | | | | | |
| | *1-08-6 | | Partial Carcass | Wet | 1.92 | 1.56 | 0.110 | 81.3 |
| n-hexacosane | | | | | | | | |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | 1-08-6 | | Partial Carcass | Wet | 1.90 | 1.19 | 3.36 | 62.5 |
| n-hexadecane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.91 | 1.92 | 3.69 | 100. |
| n-nonacosane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.92 | 1.96 | 295 | 102 |
| n-nonadecane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.92 | 2.04 | 2.33 | 106 |
| n-octacosane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.91 | 1.55 | 273 | 80.9 |
| n-octadecane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.92 | 1.76 | 0.410 | 92.0 |
| n-pentacosane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.92 | 1.41 | 5.43 | 73.8 |
| n-pentadecane | | | | | | | | |
| | *1-08-6 | | Partial Carcass | Wet | 1.90 | 2.02 | 0.660 | 106 |
| n-tetracosane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.92 | 2.20 | 14.3 | 115 |
| n-tetradecane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.91 | 2.12 | 14.0 | 111 |
| n-tetratriacontane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.91 | 1.75 | 270. | 91.3 |
| n-triacontane | | | | | | | | |
| | 1-08-6 | | Partial | Wet | 1.92 | 1.65 | 279 | 85.8 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| | | | Carcass | | | | | |
| n-tricosane | | | | | | | | |
| | *1-08-6 | | Partial Carcass | Wet | 1.93 | 1.34 | 0.500 | 69.3 |
| n-tridecane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.91 | 1.80 | 1.75 | 94.2 |
| n-tritriacontane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.92 | 1.74 | 311 | 90.7 |
| n-undecane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.93 | 2.30 | 21.2 | 119 |
| naphthalene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0192 | 0.0211 | 1.11 | 110. |
| o,p'-DDD | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00790 | 13.8 | 100. |
| o,p'-DDE | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00757 | 18.8 | 95.8 |
| o,p'-DDT | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00828 | 102 | 105 |
| oxychlordane | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00724 | 23.8 | 91.7 |
| p,p'-DDD | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00812 | 4.52 | 103 |
| p,p'-DDE | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00797 | 0.420 | 101 |

| Analyte | Sample Number | ** | Sample Matrix | Basis | Spike Level (ppm/%) | Amount Recovered (ppm/%) | *** Spike Background | Percent Recovery |
|---|---|---|---|---|---|---|---|---|
| p,p'-DDT | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00824 | 11.9 | 104 |
| pentachloro-anisole | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00853 | 8.04 | 108 |
| perylene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0192 | 0.0194 | 61.2 | 101 |
| phenanthrene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0189 | 0.0211 | 9.95 | 112 |
| phytane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.88 | 2.11 | 6.78 | 112 |
| pristane | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 1.90 | 2.15 | 9.06 | 113 |
| pyrene | | | | | | | | |
| | 1-08-6 | | Partial Carcass | Wet | 0.0189 | 0.0210 | 96.7 | 111 |
| trans-nonachlor | | | | | | | | |
| | 10-06-3 | | Partial Carcass | Wet | 0.00790 | 0.00843 | 1.10 | 107 |

* See "Laboratory Notes" section.** SD = Spiked Duplicate Result; SB = Spike Blank Result*** For a spike to be a valid measure of method accuracy, this ratio must be higher than 1.0.

# 9. Laboratory Notes

| Analyte | Sample Number | Result Modifier |
|---|---|---|
| 1,2,3,4,6,7,8-HpCDD | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 1,2,3,4,6,7,8-HpCDF | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 1,2,3,4,7,8,9-HpCDF | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 1,2,3,4,7,8-HxCDD | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 1,2,3,4,7,8-HxCDF | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 1,2,3,4-Tetrachlorobenzene | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| 1,2,3,6,7,8-HxCDD | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 1,2,3,6,7,8-HxCDF | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 1,2,3,7,8,9-HxCDD | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 1,2,3,7,8,9-HxCDF | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 1,2,3,7,8-PeCDD | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 1,2,3,7,8-PeCDF | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 1,2,4,5-Tetrachlorobenzene | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for |

| | | |
|---|---|---|
| | | performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| 2,3,4,6,7,8-HxCDF | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 2,3,4,7,8-PeCDF | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 2,3,7,8-TCDD | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| 2,3,7,8-TCDF | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| Aldrin | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| BHC (Total) | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| DDMU | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| HCB | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| Heptachlor | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| OCDD | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| OCDF | | |
| | EQ0900410-02 | Lab reported Spike Blank Duplicate. ACF |

| | | |
|---|---|---|
| | | changed it to a Spike Duplicate. |
| PCB# 1 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 104 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 105 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 114 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 118 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 123 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 126 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 15 | | |

| | | |
|---|---|---|
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 155 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 156/157 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 167 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 169 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 188 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 189 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 19 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF |

| | | |
|---|---|---|
| | | changed it to a Spike Duplicate. |
| PCB# 202 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 205 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 206 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 208 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 209 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 3 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 37 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 4 | | |

| | | |
|---|---|---|
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 54 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 77 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| PCB# 81 | | |
| | EQ0900409-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| | EQ0900415-02 | Lab reported Spike Blank Duplicate. ACF changed it to a Spike Duplicate. |
| Pentachlorobenzene | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| Total DDT's | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| alpha BHC | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| alpha chlordane | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| beta BHC | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| chlorpyrifos | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| cis-nonachlor | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| delta BHC | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| dieldrin | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| endosulfan I | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| endosulfan II | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| endosulfan sulfate | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| endrin | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| gamma BHC | | |

| | | |
|---|---|---|
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| gamma chlordane | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| heptachlor epoxide | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| mirex | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| n-eicosane | | |
| | 1-08-1 | I |
| n-heptacosane | | |
| | 1-08-4 | I |
| n-heptadecane | | |
| | 1-08-2 | I |
| | 1-08-3 | I |
| | 1-08-6 | I |
| n-nonacosane | | |
| | 1-08-3 | I |
| | 1-08-4 | I |
| n-nonadecane | | |
| | 1-08-3 | I |
| n-octadecane | | |

| | | |
|---|---|---|
| | 1-08-1 | I |
| | 1-08-2 | I |
| | 1-08-3 | I |
| | 1-08-4 | I |
| | 1-08-6 | I |
| n-pentadecane | | |
| | 1-08-1 | I |
| | 1-08-2 | I |
| | 1-08-3 | I |
| | 1-08-4 | I |
| | 1-08-6 | I |
| n-tricosane | | |
| | 1-08-1 | I |
| | 1-08-2 | I |
| | 1-08-3 | I |
| | 1-08-6 | I |
| n-undecane | | |
| | 1-08-1 | I |
| o,p'-DDD | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| o,p'-DDE | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| o,p'-DDT | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| oxychlordane | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| p,p'-DDD | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| p,p'-DDE | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| p,p'-DDT | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| pentachloro-anisole | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| pristane | | |
| | 1-08-1 | I |
| toxaphene | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |
| trans-nonachlor | | |
| | 10-06-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-06-5 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-1 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-2 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-3 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-4 | The analyte is < detection limit for performing the MS confirmation |
| | 10-07-5 | The analyte is < detection limit for performing the MS confirmation |

| | | |
|---|---|---|
| | 10-07-6 | The analyte is < detection limit for performing the MS confirmation |
| | 4-08-6 | The analyte is < detection limit for performing the MS confirmation |

**Code List**

**If appropriate, labs are instructed to use the following codes when entering laboratory notes. The labs may use one or more of the codes in each note displayed above.**

| Code | Comment |
|---|---|
| A | Values reported based on Aldrin response factor. |
| C | Sample possibly compromised due to improper handling / packaging. |
| D | Sample was deleted from the catalog by the submitter. |
| H | Due to sample characteristics it was difficult to obtain adequate sample homogeneity - precision was impacted. |
| I | Interferences occurred during analysis. |
| L | Sample compromised or destroyed during shipment - sample not analyzed. |
| M | Compound identity was confirmed by GC/MS. |
| N | Sample was not analyzed. |
| P | Sample destroyed during preparation at lab - sample not analyzed. |
| Q | Insufficient sample quantity to perform requested analysis. |
| R | Sample is highly decomposed - results may be impacted. |
| S | Sample was substituted by the submitter. |
| T | Retention time relative to Aldrin. |
| U | GC/MS identifies the unknown compound to be _____ (fill in analyte). |
| W | Insufficient sample quantity to perform duplicate / spike analyses. |
| Y | Sample was analyzed but results may be impacted (see 'C') |

# 10. QAQC Summary

# 1. Procedural Blank Summary

**Procedural Blank Summary of Blank Equivalent Concentration (BEC) Data**

Within a lab sample matrix, there must be three or more Blank results for a given analyte in order to generate a report.

# 10.2. Duplicate Summary

**Duplicate Summary of Relative Percent Difference (RPD) Data**

Within a lab sample matrix and concentration range, there must be three or more Duplicate results for a given analyte in order to generate a report.

# 10.3. Spike Summary

**Spike Summary of Percent Recovery (PR) Data**

Within a lab sample matrix, there must be three or more Spike results for a given analyte in order to generate a report.

# 10.4. SRM Summary

**Standard Reference Material Summary of Percent Recovery (PR) Data**

Within an SRM ID, there must be three or more Recoveries for a given analyte in order to generate a report.

# 11. QA/QC Anomalies

## 1. Blank Frequency Anomalies

| The required number of blank sample analyses were performed with the following exceptions. | | | | |
|---|---|---|---|---|
| **Analyte** | **Number of Samples** | **Number of Blanks** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB-1242 | 13 | 0 | 0 | 1 |
| PCB-1248 | 13 | 0 | 0 | 2 |
| PCB-1254 | 13 | 0 | 0 | 3 |
| PCB-1260 | 13 | 0 | 0 | 4 |

## 11.2. Duplicate Frequency Anomalies

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| 1,2,3,4,6,7,8-HpCDD | Animal Tissue | 8 | 0 | 0 | 5 |
| 1,2,3,4,6,7,8-HpCDF | Animal Tissue | 8 | 0 | 0 | 6 |
| 1,2,3,4,7,8,9-HpCDF | Animal Tissue | 8 | 0 | 0 | 7 |
| 1,2,3,4,7,8-HxCDD | Animal Tissue | 8 | 0 | 0 | 8 |
| 1,2,3,4,7,8-HxCDF | Animal Tissue | 8 | 0 | 0 | 9 |
| 1,2,3,6,7,8-HxCDD | Animal Tissue | 8 | 0 | 0 | 10 |
| 1,2,3,6,7,8-HxCDF | Animal Tissue | 8 | 0 | 0 | 11 |
| 1,2,3,7,8,9-HxCDD | Animal Tissue | 8 | 0 | 0 | 12 |
| 1,2,3,7,8,9-HxCDF | Animal Tissue | 8 | 0 | 0 | 13 |
| 1,2,3,7,8-PeCDD | Animal Tissue | 8 | 0 | 0 | 14 |
| 1,2,3,7,8-PeCDF | Animal Tissue | 8 | 0 | 0 | 15 |
| 2,3,4,6,7,8-HxCDF | Animal Tissue | 8 | 0 | 0 | 16 |
| 2,3,4,7,8-PeCDF | Animal Tissue | 8 | 0 | 0 | 17 |
| 2,3,7,8-TCDD | Animal Tissue | 8 | 0 | 0 | 18 |
| 2,3,7,8-TCDF | Animal Tissue | 8 | 0 | 0 | 19 |
| Cl4-PCDD | Animal Tissue | 8 | 0 | 0 | 20 |
| Cl4-PCDF | Animal Tissue | 8 | 0 | 0 | 21 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| Cl5-PCDD | Animal Tissue | 8 | 0 | 0 | 22 |
| Cl5-PCDF | Animal Tissue | 8 | 0 | 0 | 23 |
| Cl6-PCDD | Animal Tissue | 8 | 0 | 0 | 24 |
| Cl6-PCDF | Animal Tissue | 8 | 0 | 0 | 25 |
| Cl7-PCDD | Animal Tissue | 8 | 0 | 0 | 26 |
| Cl7-PCDF | Animal Tissue | 8 | 0 | 0 | 27 |
| OCDD | Animal Tissue | 8 | 0 | 0 | 28 |
| OCDF | Animal Tissue | 8 | 0 | 0 | 29 |
| PCB# 1 | Animal Tissue | 12 | 0 | 0 | 30 |
| PCB# 1 | Water | 1 | 0 | 0 | 31 |
| PCB# 10 | Animal Tissue | 12 | 0 | 0 | 32 |
| PCB# 10 | Water | 1 | 0 | 0 | 33 |
| PCB# 103 | Animal Tissue | 12 | 0 | 0 | 34 |
| PCB# 103 | Water | 1 | 0 | 0 | 35 |
| PCB# 104 | Animal Tissue | 12 | 0 | 0 | 36 |
| PCB# 104 | Water | 1 | 0 | 0 | 37 |
| PCB# 105 | Animal Tissue | 12 | 0 | 0 | 38 |
| PCB# 105 | Water | 1 | 0 | 0 | 39 |
| PCB# 106 | Animal Tissue | 12 | 0 | 0 | 40 |
| PCB# 106 | Water | 1 | 0 | 0 | 41 |
| PCB# 107 | Animal Tissue | 12 | 0 | 0 | 42 |
| PCB# 107 | Water | 1 | 0 | 0 | 43 |
| PCB# 108/124 | Animal Tissue | 12 | 0 | 0 | 44 |
| PCB# 108/124 | Water | 1 | 0 | 0 | 45 |
| PCB# 11 | Animal Tissue | 12 | 0 | 0 | 46 |
| PCB# 11 | Water | 1 | 0 | 0 | 47 |
| PCB# 110/115 | Animal Tissue | 12 | 0 | 0 | 48 |
| PCB# 110/115 | Water | 1 | 0 | 0 | 49 |
| PCB# 111 | Animal Tissue | 12 | 0 | 0 | 50 |
| PCB# 111 | Water | 1 | 0 | 0 | 51 |
| PCB# 112 | Animal Tissue | 12 | 0 | 0 | 52 |
| PCB# 112 | Water | 1 | 0 | 0 | 53 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 114 | Animal Tissue | 12 | 0 | 0 | 54 |
| PCB# 114 | Water | 1 | 0 | 0 | 55 |
| PCB# 117 | Animal Tissue | 12 | 0 | 0 | 56 |
| PCB# 117 | Water | 1 | 0 | 0 | 57 |
| PCB# 118 | Animal Tissue | 12 | 0 | 0 | 58 |
| PCB# 118 | Water | 1 | 0 | 0 | 59 |
| PCB# 12/13 | Animal Tissue | 12 | 0 | 0 | 60 |
| PCB# 12/13 | Water | 1 | 0 | 0 | 61 |
| PCB# 120 | Animal Tissue | 12 | 0 | 0 | 62 |
| PCB# 120 | Water | 1 | 0 | 0 | 63 |
| PCB# 121 | Animal Tissue | 12 | 0 | 0 | 64 |
| PCB# 121 | Water | 1 | 0 | 0 | 65 |
| PCB# 122 | Animal Tissue | 12 | 0 | 0 | 66 |
| PCB# 122 | Water | 1 | 0 | 0 | 67 |
| PCB# 123 | Animal Tissue | 12 | 0 | 0 | 68 |
| PCB# 123 | Water | 1 | 0 | 0 | 69 |
| PCB# 126 | Animal Tissue | 12 | 0 | 0 | 70 |
| PCB# 126 | Water | 1 | 0 | 0 | 71 |
| PCB# 127 | Animal Tissue | 12 | 0 | 0 | 72 |
| PCB# 127 | Water | 1 | 0 | 0 | 73 |
| PCB# 128/166 | Animal Tissue | 12 | 0 | 0 | 74 |
| PCB# 128/166 | Water | 1 | 0 | 0 | 75 |
| PCB# 129/138/163 | Animal Tissue | 12 | 0 | 0 | 76 |
| PCB# 129/138/163 | Water | 1 | 0 | 0 | 77 |
| PCB# 130 | Animal Tissue | 12 | 0 | 0 | 78 |
| PCB# 130 | Water | 1 | 0 | 0 | 79 |
| PCB# 131 | Animal Tissue | 12 | 0 | 0 | 80 |
| PCB# 131 | Water | 1 | 0 | 0 | 81 |
| PCB# 132 | Animal Tissue | 12 | 0 | 0 | 82 |
| PCB# 132 | Water | 1 | 0 | 0 | 83 |
| PCB# 133 | Animal Tissue | 12 | 0 | 0 | 84 |
| PCB# 133 | Water | 1 | 0 | 0 | 85 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 134 | Animal Tissue | 12 | 0 | 0 | 86 |
| PCB# 134 | Water | 1 | 0 | 0 | 87 |
| PCB# 135/151 | Animal Tissue | 12 | 0 | 0 | 88 |
| PCB# 135/151 | Water | 1 | 0 | 0 | 89 |
| PCB# 136 | Animal Tissue | 12 | 0 | 0 | 90 |
| PCB# 136 | Water | 1 | 0 | 0 | 91 |
| PCB# 137 | Animal Tissue | 12 | 0 | 0 | 92 |
| PCB# 137 | Water | 1 | 0 | 0 | 93 |
| PCB# 139/140 | Animal Tissue | 12 | 0 | 0 | 94 |
| PCB# 139/140 | Water | 1 | 0 | 0 | 95 |
| PCB# 14 | Animal Tissue | 12 | 0 | 0 | 96 |
| PCB# 14 | Water | 1 | 0 | 0 | 97 |
| PCB# 141 | Animal Tissue | 12 | 0 | 0 | 98 |
| PCB# 141 | Water | 1 | 0 | 0 | 99 |
| PCB# 142 | Animal Tissue | 12 | 0 | 0 | 100 |
| PCB# 142 | Water | 1 | 0 | 0 | 101 |
| PCB# 143 | Animal Tissue | 12 | 0 | 0 | 102 |
| PCB# 143 | Water | 1 | 0 | 0 | 103 |
| PCB# 144 | Animal Tissue | 12 | 0 | 0 | 104 |
| PCB# 144 | Water | 1 | 0 | 0 | 105 |
| PCB# 145 | Animal Tissue | 12 | 0 | 0 | 106 |
| PCB# 145 | Water | 1 | 0 | 0 | 107 |
| PCB# 146 | Animal Tissue | 12 | 0 | 0 | 108 |
| PCB# 146 | Water | 1 | 0 | 0 | 109 |
| PCB# 147/149 | Animal Tissue | 12 | 0 | 0 | 110 |
| PCB# 147/149 | Water | 1 | 0 | 0 | 111 |
| PCB# 148 | Animal Tissue | 12 | 0 | 0 | 112 |
| PCB# 148 | Water | 1 | 0 | 0 | 113 |
| PCB# 15 | Animal Tissue | 12 | 0 | 0 | 114 |
| PCB# 15 | Water | 1 | 0 | 0 | 115 |
| PCB# 150 | Animal Tissue | 12 | 0 | 0 | 116 |
| PCB# 150 | Water | 1 | 0 | 0 | 117 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 152 | Animal Tissue | 12 | 0 | 0 | 118 |
| PCB# 152 | Water | 1 | 0 | 0 | 119 |
| PCB# 153/168 | Animal Tissue | 12 | 0 | 0 | 120 |
| PCB# 153/168 | Water | 1 | 0 | 0 | 121 |
| PCB# 154 | Animal Tissue | 12 | 0 | 0 | 122 |
| PCB# 154 | Water | 1 | 0 | 0 | 123 |
| PCB# 155 | Animal Tissue | 12 | 0 | 0 | 124 |
| PCB# 155 | Water | 1 | 0 | 0 | 125 |
| PCB# 156/157 | Animal Tissue | 12 | 0 | 0 | 126 |
| PCB# 156/157 | Water | 1 | 0 | 0 | 127 |
| PCB# 158 | Animal Tissue | 12 | 0 | 0 | 128 |
| PCB# 158 | Water | 1 | 0 | 0 | 129 |
| PCB# 159 | Animal Tissue | 12 | 0 | 0 | 130 |
| PCB# 159 | Water | 1 | 0 | 0 | 131 |
| PCB# 16 | Animal Tissue | 12 | 0 | 0 | 132 |
| PCB# 16 | Water | 1 | 0 | 0 | 133 |
| PCB# 160 | Animal Tissue | 12 | 0 | 0 | 134 |
| PCB# 160 | Water | 1 | 0 | 0 | 135 |
| PCB# 161 | Animal Tissue | 12 | 0 | 0 | 136 |
| PCB# 161 | Water | 1 | 0 | 0 | 137 |
| PCB# 162 | Animal Tissue | 12 | 0 | 0 | 138 |
| PCB# 162 | Water | 1 | 0 | 0 | 139 |
| PCB# 164 | Animal Tissue | 12 | 0 | 0 | 140 |
| PCB# 164 | Water | 1 | 0 | 0 | 141 |
| PCB# 165 | Animal Tissue | 12 | 0 | 0 | 142 |
| PCB# 165 | Water | 1 | 0 | 0 | 143 |
| PCB# 167 | Animal Tissue | 12 | 0 | 0 | 144 |
| PCB# 167 | Water | 1 | 0 | 0 | 145 |
| PCB# 169 | Animal Tissue | 12 | 0 | 0 | 146 |
| PCB# 169 | Water | 1 | 0 | 0 | 147 |
| PCB# 17 | Animal Tissue | 12 | 0 | 0 | 148 |
| PCB# 17 | Water | 1 | 0 | 0 | 149 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 170 | Animal Tissue | 12 | 0 | 0 | 150 |
| PCB# 170 | Water | 1 | 0 | 0 | 151 |
| PCB# 171/173 | Animal Tissue | 12 | 0 | 0 | 152 |
| PCB# 171/173 | Water | 1 | 0 | 0 | 153 |
| PCB# 172 | Animal Tissue | 12 | 0 | 0 | 154 |
| PCB# 172 | Water | 1 | 0 | 0 | 155 |
| PCB# 174 | Animal Tissue | 12 | 0 | 0 | 156 |
| PCB# 174 | Water | 1 | 0 | 0 | 157 |
| PCB# 175 | Animal Tissue | 12 | 0 | 0 | 158 |
| PCB# 175 | Water | 1 | 0 | 0 | 159 |
| PCB# 176 | Animal Tissue | 12 | 0 | 0 | 160 |
| PCB# 176 | Water | 1 | 0 | 0 | 161 |
| PCB# 177 | Animal Tissue | 12 | 0 | 0 | 162 |
| PCB# 177 | Water | 1 | 0 | 0 | 163 |
| PCB# 178 | Animal Tissue | 12 | 0 | 0 | 164 |
| PCB# 178 | Water | 1 | 0 | 0 | 165 |
| PCB# 179 | Animal Tissue | 12 | 0 | 0 | 166 |
| PCB# 179 | Water | 1 | 0 | 0 | 167 |
| PCB# 18/30 | Animal Tissue | 12 | 0 | 0 | 168 |
| PCB# 18/30 | Water | 1 | 0 | 0 | 169 |
| PCB# 180/193 | Animal Tissue | 12 | 0 | 0 | 170 |
| PCB# 180/193 | Water | 1 | 0 | 0 | 171 |
| PCB# 181 | Animal Tissue | 12 | 0 | 0 | 172 |
| PCB# 181 | Water | 1 | 0 | 0 | 173 |
| PCB# 182 | Animal Tissue | 12 | 0 | 0 | 174 |
| PCB# 182 | Water | 1 | 0 | 0 | 175 |
| PCB# 183 | Animal Tissue | 12 | 0 | 0 | 176 |
| PCB# 183 | Water | 1 | 0 | 0 | 177 |
| PCB# 184 | Animal Tissue | 12 | 0 | 0 | 178 |
| PCB# 184 | Water | 1 | 0 | 0 | 179 |
| PCB# 185 | Animal Tissue | 12 | 0 | 0 | 180 |
| PCB# 185 | Water | 1 | 0 | 0 | 181 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 186 | Animal Tissue | 12 | 0 | 0 | 182 |
| PCB# 186 | Water | 1 | 0 | 0 | 183 |
| PCB# 187 | Animal Tissue | 12 | 0 | 0 | 184 |
| PCB# 187 | Water | 1 | 0 | 0 | 185 |
| PCB# 188 | Animal Tissue | 12 | 0 | 0 | 186 |
| PCB# 188 | Water | 1 | 0 | 0 | 187 |
| PCB# 189 | Animal Tissue | 12 | 0 | 0 | 188 |
| PCB# 189 | Water | 1 | 0 | 0 | 189 |
| PCB# 19 | Animal Tissue | 12 | 0 | 0 | 190 |
| PCB# 19 | Water | 1 | 0 | 0 | 191 |
| PCB# 190 | Animal Tissue | 12 | 0 | 0 | 192 |
| PCB# 190 | Water | 1 | 0 | 0 | 193 |
| PCB# 191 | Animal Tissue | 12 | 0 | 0 | 194 |
| PCB# 191 | Water | 1 | 0 | 0 | 195 |
| PCB# 192 | Animal Tissue | 12 | 0 | 0 | 196 |
| PCB# 192 | Water | 1 | 0 | 0 | 197 |
| PCB# 194 | Animal Tissue | 12 | 0 | 0 | 198 |
| PCB# 194 | Water | 1 | 0 | 0 | 199 |
| PCB# 195 | Animal Tissue | 12 | 0 | 0 | 200 |
| PCB# 195 | Water | 1 | 0 | 0 | 201 |
| PCB# 196 | Animal Tissue | 12 | 0 | 0 | 202 |
| PCB# 196 | Water | 1 | 0 | 0 | 203 |
| PCB# 197 | Animal Tissue | 12 | 0 | 0 | 204 |
| PCB# 197 | Water | 1 | 0 | 0 | 205 |
| PCB# 198/199 | Animal Tissue | 12 | 0 | 0 | 206 |
| PCB# 198/199 | Water | 1 | 0 | 0 | 207 |
| PCB# 2 | Animal Tissue | 12 | 0 | 0 | 208 |
| PCB# 2 | Water | 1 | 0 | 0 | 209 |
| PCB# 20/28 | Animal Tissue | 12 | 0 | 0 | 210 |
| PCB# 20/28 | Water | 1 | 0 | 0 | 211 |
| PCB# 200 | Animal Tissue | 12 | 0 | 0 | 212 |
| PCB# 200 | Water | 1 | 0 | 0 | 213 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 201 | Animal Tissue | 12 | 0 | 0 | 214 |
| PCB# 201 | Water | 1 | 0 | 0 | 215 |
| PCB# 202 | Animal Tissue | 12 | 0 | 0 | 216 |
| PCB# 202 | Water | 1 | 0 | 0 | 217 |
| PCB# 203 | Animal Tissue | 12 | 0 | 0 | 218 |
| PCB# 203 | Water | 1 | 0 | 0 | 219 |
| PCB# 204 | Animal Tissue | 12 | 0 | 0 | 220 |
| PCB# 204 | Water | 1 | 0 | 0 | 221 |
| PCB# 205 | Animal Tissue | 12 | 0 | 0 | 222 |
| PCB# 205 | Water | 1 | 0 | 0 | 223 |
| PCB# 206 | Animal Tissue | 12 | 0 | 0 | 224 |
| PCB# 206 | Water | 1 | 0 | 0 | 225 |
| PCB# 207 | Animal Tissue | 12 | 0 | 0 | 226 |
| PCB# 207 | Water | 1 | 0 | 0 | 227 |
| PCB# 208 | Animal Tissue | 12 | 0 | 0 | 228 |
| PCB# 208 | Water | 1 | 0 | 0 | 229 |
| PCB# 209 | Animal Tissue | 12 | 0 | 0 | 230 |
| PCB# 209 | Water | 1 | 0 | 0 | 231 |
| PCB# 21/33 | Animal Tissue | 12 | 0 | 0 | 232 |
| PCB# 21/33 | Water | 1 | 0 | 0 | 233 |
| PCB# 22 | Animal Tissue | 12 | 0 | 0 | 234 |
| PCB# 22 | Water | 1 | 0 | 0 | 235 |
| PCB# 23 | Animal Tissue | 12 | 0 | 0 | 236 |
| PCB# 23 | Water | 1 | 0 | 0 | 237 |
| PCB# 24 | Animal Tissue | 12 | 0 | 0 | 238 |
| PCB# 24 | Water | 1 | 0 | 0 | 239 |
| PCB# 25 | Animal Tissue | 12 | 0 | 0 | 240 |
| PCB# 25 | Water | 1 | 0 | 0 | 241 |
| PCB# 26/29 | Animal Tissue | 12 | 0 | 0 | 242 |
| PCB# 26/29 | Water | 1 | 0 | 0 | 243 |
| PCB# 27 | Animal Tissue | 12 | 0 | 0 | 244 |
| PCB# 27 | Water | 1 | 0 | 0 | 245 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 3 | Animal Tissue | 12 | 0 | 0 | 246 |
| PCB# 3 | Water | 1 | 0 | 0 | 247 |
| PCB# 31 | Animal Tissue | 12 | 0 | 0 | 248 |
| PCB# 31 | Water | 1 | 0 | 0 | 249 |
| PCB# 32 | Animal Tissue | 12 | 0 | 0 | 250 |
| PCB# 32 | Water | 1 | 0 | 0 | 251 |
| PCB# 34 | Animal Tissue | 12 | 0 | 0 | 252 |
| PCB# 34 | Water | 1 | 0 | 0 | 253 |
| PCB# 35 | Animal Tissue | 12 | 0 | 0 | 254 |
| PCB# 35 | Water | 1 | 0 | 0 | 255 |
| PCB# 36 | Animal Tissue | 12 | 0 | 0 | 256 |
| PCB# 36 | Water | 1 | 0 | 0 | 257 |
| PCB# 37 | Animal Tissue | 12 | 0 | 0 | 258 |
| PCB# 37 | Water | 1 | 0 | 0 | 259 |
| PCB# 38 | Animal Tissue | 12 | 0 | 0 | 260 |
| PCB# 38 | Water | 1 | 0 | 0 | 261 |
| PCB# 39 | Animal Tissue | 12 | 0 | 0 | 262 |
| PCB# 39 | Water | 1 | 0 | 0 | 263 |
| PCB# 4 | Animal Tissue | 12 | 0 | 0 | 264 |
| PCB# 4 | Water | 1 | 0 | 0 | 265 |
| PCB# 40/41/70 | Animal Tissue | 12 | 0 | 0 | 266 |
| PCB# 40/41/70 | Water | 1 | 0 | 0 | 267 |
| PCB# 42 | Animal Tissue | 12 | 0 | 0 | 268 |
| PCB# 42 | Water | 1 | 0 | 0 | 269 |
| PCB# 43/73 | Animal Tissue | 12 | 0 | 0 | 270 |
| PCB# 43/73 | Water | 1 | 0 | 0 | 271 |
| PCB# 44/47/65 | Animal Tissue | 12 | 0 | 0 | 272 |
| PCB# 44/47/65 | Water | 1 | 0 | 0 | 273 |
| PCB# 45/51 | Animal Tissue | 12 | 0 | 0 | 274 |
| PCB# 45/51 | Water | 1 | 0 | 0 | 275 |
| PCB# 46 | Animal Tissue | 12 | 0 | 0 | 276 |
| PCB# 46 | Water | 1 | 0 | 0 | 277 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 48 | Animal Tissue | 12 | 0 | 0 | 278 |
| PCB# 48 | Water | 1 | 0 | 0 | 279 |
| PCB# 49/69 | Animal Tissue | 12 | 0 | 0 | 280 |
| PCB# 49/69 | Water | 1 | 0 | 0 | 281 |
| PCB# 5 | Animal Tissue | 12 | 0 | 0 | 282 |
| PCB# 5 | Water | 1 | 0 | 0 | 283 |
| PCB# 50/53 | Animal Tissue | 12 | 0 | 0 | 284 |
| PCB# 50/53 | Water | 1 | 0 | 0 | 285 |
| PCB# 52 | Animal Tissue | 12 | 0 | 0 | 286 |
| PCB# 52 | Water | 1 | 0 | 0 | 287 |
| PCB# 54 | Animal Tissue | 12 | 0 | 0 | 288 |
| PCB# 54 | Water | 1 | 0 | 0 | 289 |
| PCB# 55 | Animal Tissue | 12 | 0 | 0 | 290 |
| PCB# 55 | Water | 1 | 0 | 0 | 291 |
| PCB# 56 | Animal Tissue | 12 | 0 | 0 | 292 |
| PCB# 56 | Water | 1 | 0 | 0 | 293 |
| PCB# 57 | Animal Tissue | 12 | 0 | 0 | 294 |
| PCB# 57 | Water | 1 | 0 | 0 | 295 |
| PCB# 58 | Animal Tissue | 12 | 0 | 0 | 296 |
| PCB# 58 | Water | 1 | 0 | 0 | 297 |
| PCB# 59/62/75 | Animal Tissue | 12 | 0 | 0 | 298 |
| PCB# 59/62/75 | Water | 1 | 0 | 0 | 299 |
| PCB# 6 | Animal Tissue | 12 | 0 | 0 | 300 |
| PCB# 6 | Water | 1 | 0 | 0 | 301 |
| PCB# 60 | Animal Tissue | 12 | 0 | 0 | 302 |
| PCB# 60 | Water | 1 | 0 | 0 | 303 |
| PCB# 63 | Animal Tissue | 12 | 0 | 0 | 304 |
| PCB# 63 | Water | 1 | 0 | 0 | 305 |
| PCB# 64 | Animal Tissue | 12 | 0 | 0 | 306 |
| PCB# 64 | Water | 1 | 0 | 0 | 307 |
| PCB# 66 | Animal Tissue | 12 | 0 | 0 | 308 |
| PCB# 66 | Water | 1 | 0 | 0 | 309 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 67 | Animal Tissue | 12 | 0 | 0 | 310 |
| PCB# 67 | Water | 1 | 0 | 0 | 311 |
| PCB# 68 | Animal Tissue | 12 | 0 | 0 | 312 |
| PCB# 68 | Water | 1 | 0 | 0 | 313 |
| PCB# 7 | Animal Tissue | 12 | 0 | 0 | 314 |
| PCB# 7 | Water | 1 | 0 | 0 | 315 |
| PCB# 70/61/74/76 | Animal Tissue | 12 | 0 | 0 | 316 |
| PCB# 70/61/74/76 | Water | 1 | 0 | 0 | 317 |
| PCB# 72 | Animal Tissue | 12 | 0 | 0 | 318 |
| PCB# 72 | Water | 1 | 0 | 0 | 319 |
| PCB# 77 | Animal Tissue | 12 | 0 | 0 | 320 |
| PCB# 77 | Water | 1 | 0 | 0 | 321 |
| PCB# 78 | Animal Tissue | 12 | 0 | 0 | 322 |
| PCB# 78 | Water | 1 | 0 | 0 | 323 |
| PCB# 79 | Animal Tissue | 12 | 0 | 0 | 324 |
| PCB# 79 | Water | 1 | 0 | 0 | 325 |
| PCB# 8 | Animal Tissue | 12 | 0 | 0 | 326 |
| PCB# 8 | Water | 1 | 0 | 0 | 327 |
| PCB# 80 | Animal Tissue | 12 | 0 | 0 | 328 |
| PCB# 80 | Water | 1 | 0 | 0 | 329 |
| PCB# 81 | Animal Tissue | 12 | 0 | 0 | 330 |
| PCB# 81 | Water | 1 | 0 | 0 | 331 |
| PCB# 82 | Animal Tissue | 12 | 0 | 0 | 332 |
| PCB# 82 | Water | 1 | 0 | 0 | 333 |
| PCB# 83/99 | Animal Tissue | 12 | 0 | 0 | 334 |
| PCB# 83/99 | Water | 1 | 0 | 0 | 335 |
| PCB# 84 | Animal Tissue | 12 | 0 | 0 | 336 |
| PCB# 84 | Water | 1 | 0 | 0 | 337 |
| PCB# 85/116 | Animal Tissue | 12 | 0 | 0 | 338 |
| PCB# 85/116 | Water | 1 | 0 | 0 | 339 |
| PCB# 86/87/97/109/119/12 | Animal Tissue | 12 | 0 | 0 | 340 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| 5 | | | | | |
| PCB# 86/87/97/109/119/125 | Water | 1 | 0 | 0 | 341 |
| PCB# 88/91 | Animal Tissue | 12 | 0 | 0 | 342 |
| PCB# 88/91 | Water | 1 | 0 | 0 | 343 |
| PCB# 89 | Animal Tissue | 12 | 0 | 0 | 344 |
| PCB# 89 | Water | 1 | 0 | 0 | 345 |
| PCB# 9 | Animal Tissue | 12 | 0 | 0 | 346 |
| PCB# 9 | Water | 1 | 0 | 0 | 347 |
| PCB# 90/101/113 | Animal Tissue | 12 | 0 | 0 | 348 |
| PCB# 90/101/113 | Water | 1 | 0 | 0 | 349 |
| PCB# 92 | Animal Tissue | 12 | 0 | 0 | 350 |
| PCB# 92 | Water | 1 | 0 | 0 | 351 |
| PCB# 94 | Animal Tissue | 12 | 0 | 0 | 352 |
| PCB# 94 | Water | 1 | 0 | 0 | 353 |
| PCB# 95 | Animal Tissue | 12 | 0 | 0 | 354 |
| PCB# 95 | Water | 1 | 0 | 0 | 355 |
| PCB# 96 | Animal Tissue | 12 | 0 | 0 | 356 |
| PCB# 96 | Water | 1 | 0 | 0 | 357 |
| PCB# 98/100 | Animal Tissue | 12 | 0 | 0 | 358 |
| PCB# 98/100 | Water | 1 | 0 | 0 | 359 |
| PCB# 98/102 | Animal Tissue | 12 | 0 | 0 | 360 |
| PCB# 98/102 | Water | 1 | 0 | 0 | 361 |
| PCB-1242 | Animal Tissue | 12 | 0 | 0 | 362 |
| PCB-1242 | Water | 1 | 0 | 0 | 363 |
| PCB-1248 | Animal Tissue | 12 | 0 | 0 | 364 |
| PCB-1248 | Water | 1 | 0 | 0 | 365 |
| PCB-1254 | Animal Tissue | 12 | 0 | 0 | 366 |
| PCB-1254 | Water | 1 | 0 | 0 | 367 |
| PCB-1260 | Animal Tissue | 12 | 0 | 0 | 368 |
| PCB-1260 | Water | 1 | 0 | 0 | 369 |

| The required number of duplicate sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Duplicates** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB-TOTAL | Animal Tissue | 12 | 0 | 0 | 370 |
| PCB-TOTAL | Water | 1 | 0 | 0 | 371 |

## 11.3. Spike Frequency Anomalies

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| 1,2,3,4,6,7,8-HpCDD | Animal Tissue | 8 | 0 | 0 | 372 |
| 1,2,3,4,6,7,8-HpCDF | Animal Tissue | 8 | 0 | 0 | 373 |
| 1,2,3,4,7,8,9-HpCDF | Animal Tissue | 8 | 0 | 0 | 374 |
| 1,2,3,4,7,8-HxCDD | Animal Tissue | 8 | 0 | 0 | 375 |
| 1,2,3,4,7,8-HxCDF | Animal Tissue | 8 | 0 | 0 | 376 |
| 1,2,3,6,7,8-HxCDD | Animal Tissue | 8 | 0 | 0 | 377 |
| 1,2,3,6,7,8-HxCDF | Animal Tissue | 8 | 0 | 0 | 378 |
| 1,2,3,7,8,9-HxCDD | Animal Tissue | 8 | 0 | 0 | 379 |
| 1,2,3,7,8,9-HxCDF | Animal Tissue | 8 | 0 | 0 | 380 |
| 1,2,3,7,8-PeCDD | Animal Tissue | 8 | 0 | 0 | 381 |
| 1,2,3,7,8-PeCDF | Animal Tissue | 8 | 0 | 0 | 382 |
| 2,3,4,6,7,8-HxCDF | Animal Tissue | 8 | 0 | 0 | 383 |
| 2,3,4,7,8-PeCDF | Animal Tissue | 8 | 0 | 0 | 384 |
| 2,3,7,8-TCDD | Animal Tissue | 8 | 0 | 0 | 385 |
| 2,3,7,8-TCDF | Animal Tissue | 8 | 0 | 0 | 386 |
| BDE# 1 | Animal Tissue | 11 | 0 | 0 | 387 |
| BDE# 10 | Animal Tissue | 11 | 0 | 0 | 388 |
| BDE# 11 | Animal Tissue | 11 | 0 | 0 | 389 |
| BDE# 116 | Animal Tissue | 11 | 0 | 0 | 390 |
| BDE# 118 | Animal Tissue | 11 | 0 | 0 | 391 |
| BDE# 119 | Animal Tissue | 11 | 0 | 0 | 392 |
| BDE# 12 | Animal Tissue | 11 | 0 | 0 | 393 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| BDE# 126 | Animal Tissue | 11 | 0 | 0 | 394 |
| BDE# 13 | Animal Tissue | 11 | 0 | 0 | 395 |
| BDE# 15 | Animal Tissue | 11 | 0 | 0 | 396 |
| BDE# 155 | Animal Tissue | 11 | 0 | 0 | 397 |
| BDE# 166 | Animal Tissue | 11 | 0 | 0 | 398 |
| BDE# 181 | Animal Tissue | 11 | 0 | 0 | 399 |
| BDE# 194 | Animal Tissue | 11 | 0 | 0 | 400 |
| BDE# 195 | Animal Tissue | 11 | 0 | 0 | 401 |
| BDE# 196 | Animal Tissue | 11 | 0 | 0 | 402 |
| BDE# 197 | Animal Tissue | 11 | 0 | 0 | 403 |
| BDE# 198/199/203/200 | Animal Tissue | 11 | 0 | 0 | 404 |
| BDE# 2 | Animal Tissue | 11 | 0 | 0 | 405 |
| BDE# 201 | Animal Tissue | 11 | 0 | 0 | 406 |
| BDE# 202 | Animal Tissue | 11 | 0 | 0 | 407 |
| BDE# 204 | Animal Tissue | 11 | 0 | 0 | 408 |
| BDE# 205 | Animal Tissue | 11 | 0 | 0 | 409 |
| BDE# 206 | Animal Tissue | 11 | 0 | 0 | 410 |
| BDE# 207 | Animal Tissue | 11 | 0 | 0 | 411 |
| BDE# 208 | Animal Tissue | 11 | 0 | 0 | 412 |
| BDE# 25 | Animal Tissue | 11 | 0 | 0 | 413 |
| BDE# 3 | Animal Tissue | 11 | 0 | 0 | 414 |
| BDE# 30 | Animal Tissue | 11 | 0 | 0 | 415 |
| BDE# 32 | Animal Tissue | 11 | 0 | 0 | 416 |
| BDE# 33 | Animal Tissue | 11 | 0 | 0 | 417 |
| BDE# 35 | Animal Tissue | 11 | 0 | 0 | 418 |
| BDE# 37 | Animal Tissue | 11 | 0 | 0 | 419 |
| BDE# 7 | Animal Tissue | 11 | 0 | 0 | 420 |
| BDE# 75 | Animal Tissue | 11 | 0 | 0 | 421 |
| BDE# 77 | Animal Tissue | 11 | 0 | 0 | 422 |
| BDE# 8 | Animal Tissue | 11 | 0 | 0 | 423 |
| BDE-TOTAL | Animal Tissue | 11 | 0 | 0 | 424 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| BHC (Total) | Animal Tissue | 12 | 0 | 0 | 425 |
| C1-chrysenes | Animal Tissue | 5 | 0 | 0 | 426 |
| C1-dibenzothiophenes | Animal Tissue | 5 | 0 | 0 | 427 |
| C1-Fluoranthenes & Pyrenes | Animal Tissue | 5 | 0 | 0 | 428 |
| C1-fluorenes | Animal Tissue | 5 | 0 | 0 | 429 |
| C1-naphthalenes | Animal Tissue | 5 | 0 | 0 | 430 |
| C1-Phenanthrenes & Anthracenes | Animal Tissue | 5 | 0 | 0 | 431 |
| C2-chrysenes | Animal Tissue | 5 | 0 | 0 | 432 |
| C2-dibenzothiophenes | Animal Tissue | 5 | 0 | 0 | 433 |
| C2-fluorenes | Animal Tissue | 5 | 0 | 0 | 434 |
| C2-naphthalenes | Animal Tissue | 5 | 0 | 0 | 435 |
| C2-Phenanthrenes & Anthracenes | Animal Tissue | 5 | 0 | 0 | 436 |
| C3-chrysenes | Animal Tissue | 5 | 0 | 0 | 437 |
| C3-dibenzothiophenes | Animal Tissue | 5 | 0 | 0 | 438 |
| C3-fluorenes | Animal Tissue | 5 | 0 | 0 | 439 |
| C3-naphthalenes | Animal Tissue | 5 | 0 | 0 | 440 |
| C3-Phenanthrenes & Anthracenes | Animal Tissue | 5 | 0 | 0 | 441 |
| C4-chrysenes | Animal Tissue | 5 | 0 | 0 | 442 |
| C4-naphthalenes | Animal Tissue | 5 | 0 | 0 | 443 |
| C4-Phenanthrenes & Anthracenes | Animal Tissue | 5 | 0 | 0 | 444 |
| Cl4-PCDD | Animal Tissue | 8 | 0 | 0 | 445 |
| Cl4-PCDF | Animal Tissue | 8 | 0 | 0 | 446 |
| Cl5-PCDD | Animal Tissue | 8 | 0 | 0 | 447 |
| Cl5-PCDF | Animal Tissue | 8 | 0 | 0 | 448 |
| Cl6-PCDD | Animal Tissue | 8 | 0 | 0 | 449 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| Cl6-PCDF | Animal Tissue | 8 | 0 | 0 | 450 |
| Cl7-PCDD | Animal Tissue | 8 | 0 | 0 | 451 |
| Cl7-PCDF | Animal Tissue | 8 | 0 | 0 | 452 |
| endosulfan I | Animal Tissue | 12 | 0 | 0 | 453 |
| OCDD | Animal Tissue | 8 | 0 | 0 | 454 |
| OCDF | Animal Tissue | 8 | 0 | 0 | 455 |
| PCB# 1 | Animal Tissue | 12 | 0 | 0 | 456 |
| PCB# 10 | Animal Tissue | 12 | 0 | 0 | 457 |
| PCB# 10 | Water | 1 | 0 | 0 | 458 |
| PCB# 103 | Animal Tissue | 12 | 0 | 0 | 459 |
| PCB# 103 | Water | 1 | 0 | 0 | 460 |
| PCB# 104 | Animal Tissue | 12 | 0 | 0 | 461 |
| PCB# 105 | Animal Tissue | 12 | 0 | 0 | 462 |
| PCB# 106 | Animal Tissue | 12 | 0 | 0 | 463 |
| PCB# 106 | Water | 1 | 0 | 0 | 464 |
| PCB# 107 | Animal Tissue | 12 | 0 | 0 | 465 |
| PCB# 107 | Water | 1 | 0 | 0 | 466 |
| PCB# 108/124 | Animal Tissue | 12 | 0 | 0 | 467 |
| PCB# 108/124 | Water | 1 | 0 | 0 | 468 |
| PCB# 11 | Animal Tissue | 12 | 0 | 0 | 469 |
| PCB# 11 | Water | 1 | 0 | 0 | 470 |
| PCB# 110/115 | Animal Tissue | 12 | 0 | 0 | 471 |
| PCB# 110/115 | Water | 1 | 0 | 0 | 472 |
| PCB# 111 | Animal Tissue | 12 | 0 | 0 | 473 |
| PCB# 111 | Water | 1 | 0 | 0 | 474 |
| PCB# 112 | Animal Tissue | 12 | 0 | 0 | 475 |
| PCB# 112 | Water | 1 | 0 | 0 | 476 |
| PCB# 114 | Animal Tissue | 12 | 0 | 0 | 477 |
| PCB# 117 | Animal Tissue | 12 | 0 | 0 | 478 |
| PCB# 117 | Water | 1 | 0 | 0 | 479 |
| PCB# 118 | Animal Tissue | 12 | 0 | 0 | 480 |
| PCB# 12/13 | Animal Tissue | 12 | 0 | 0 | 481 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 12/13 | Water | 1 | 0 | 0 | 482 |
| PCB# 120 | Animal Tissue | 12 | 0 | 0 | 483 |
| PCB# 120 | Water | 1 | 0 | 0 | 484 |
| PCB# 121 | Animal Tissue | 12 | 0 | 0 | 485 |
| PCB# 121 | Water | 1 | 0 | 0 | 486 |
| PCB# 122 | Animal Tissue | 12 | 0 | 0 | 487 |
| PCB# 122 | Water | 1 | 0 | 0 | 488 |
| PCB# 123 | Animal Tissue | 12 | 0 | 0 | 489 |
| PCB# 126 | Animal Tissue | 12 | 0 | 0 | 490 |
| PCB# 127 | Animal Tissue | 12 | 0 | 0 | 491 |
| PCB# 127 | Water | 1 | 0 | 0 | 492 |
| PCB# 128/166 | Animal Tissue | 12 | 0 | 0 | 493 |
| PCB# 128/166 | Water | 1 | 0 | 0 | 494 |
| PCB# 129/138/163 | Animal Tissue | 12 | 0 | 0 | 495 |
| PCB# 129/138/163 | Water | 1 | 0 | 0 | 496 |
| PCB# 130 | Animal Tissue | 12 | 0 | 0 | 497 |
| PCB# 130 | Water | 1 | 0 | 0 | 498 |
| PCB# 131 | Animal Tissue | 12 | 0 | 0 | 499 |
| PCB# 131 | Water | 1 | 0 | 0 | 500 |
| PCB# 132 | Animal Tissue | 12 | 0 | 0 | 501 |
| PCB# 132 | Water | 1 | 0 | 0 | 502 |
| PCB# 133 | Animal Tissue | 12 | 0 | 0 | 503 |
| PCB# 133 | Water | 1 | 0 | 0 | 504 |
| PCB# 134 | Animal Tissue | 12 | 0 | 0 | 505 |
| PCB# 134 | Water | 1 | 0 | 0 | 506 |
| PCB# 135/151 | Animal Tissue | 12 | 0 | 0 | 507 |
| PCB# 135/151 | Water | 1 | 0 | 0 | 508 |
| PCB# 136 | Animal Tissue | 12 | 0 | 0 | 509 |
| PCB# 136 | Water | 1 | 0 | 0 | 510 |
| PCB# 137 | Animal Tissue | 12 | 0 | 0 | 511 |
| PCB# 137 | Water | 1 | 0 | 0 | 512 |
| PCB# 139/140 | Animal Tissue | 12 | 0 | 0 | 513 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 139/140 | Water | 1 | 0 | 0 | 514 |
| PCB# 14 | Animal Tissue | 12 | 0 | 0 | 515 |
| PCB# 14 | Water | 1 | 0 | 0 | 516 |
| PCB# 141 | Animal Tissue | 12 | 0 | 0 | 517 |
| PCB# 141 | Water | 1 | 0 | 0 | 518 |
| PCB# 142 | Animal Tissue | 12 | 0 | 0 | 519 |
| PCB# 142 | Water | 1 | 0 | 0 | 520 |
| PCB# 143 | Animal Tissue | 12 | 0 | 0 | 521 |
| PCB# 143 | Water | 1 | 0 | 0 | 522 |
| PCB# 144 | Animal Tissue | 12 | 0 | 0 | 523 |
| PCB# 144 | Water | 1 | 0 | 0 | 524 |
| PCB# 145 | Animal Tissue | 12 | 0 | 0 | 525 |
| PCB# 145 | Water | 1 | 0 | 0 | 526 |
| PCB# 146 | Animal Tissue | 12 | 0 | 0 | 527 |
| PCB# 146 | Water | 1 | 0 | 0 | 528 |
| PCB# 147/149 | Animal Tissue | 12 | 0 | 0 | 529 |
| PCB# 147/149 | Water | 1 | 0 | 0 | 530 |
| PCB# 148 | Animal Tissue | 12 | 0 | 0 | 531 |
| PCB# 148 | Water | 1 | 0 | 0 | 532 |
| PCB# 15 | Animal Tissue | 12 | 0 | 0 | 533 |
| PCB# 150 | Animal Tissue | 12 | 0 | 0 | 534 |
| PCB# 150 | Water | 1 | 0 | 0 | 535 |
| PCB# 152 | Animal Tissue | 12 | 0 | 0 | 536 |
| PCB# 152 | Water | 1 | 0 | 0 | 537 |
| PCB# 153/168 | Animal Tissue | 12 | 0 | 0 | 538 |
| PCB# 153/168 | Water | 1 | 0 | 0 | 539 |
| PCB# 154 | Animal Tissue | 12 | 0 | 0 | 540 |
| PCB# 154 | Water | 1 | 0 | 0 | 541 |
| PCB# 155 | Animal Tissue | 12 | 0 | 0 | 542 |
| PCB# 156/157 | Animal Tissue | 12 | 0 | 0 | 543 |
| PCB# 158 | Animal Tissue | 12 | 0 | 0 | 544 |
| PCB# 158 | Water | 1 | 0 | 0 | 545 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 159 | Animal Tissue | 12 | 0 | 0 | 546 |
| PCB# 159 | Water | 1 | 0 | 0 | 547 |
| PCB# 16 | Animal Tissue | 12 | 0 | 0 | 548 |
| PCB# 16 | Water | 1 | 0 | 0 | 549 |
| PCB# 160 | Animal Tissue | 12 | 0 | 0 | 550 |
| PCB# 160 | Water | 1 | 0 | 0 | 551 |
| PCB# 161 | Animal Tissue | 12 | 0 | 0 | 552 |
| PCB# 161 | Water | 1 | 0 | 0 | 553 |
| PCB# 162 | Animal Tissue | 12 | 0 | 0 | 554 |
| PCB# 162 | Water | 1 | 0 | 0 | 555 |
| PCB# 164 | Animal Tissue | 12 | 0 | 0 | 556 |
| PCB# 164 | Water | 1 | 0 | 0 | 557 |
| PCB# 165 | Animal Tissue | 12 | 0 | 0 | 558 |
| PCB# 165 | Water | 1 | 0 | 0 | 559 |
| PCB# 167 | Animal Tissue | 12 | 0 | 0 | 560 |
| PCB# 169 | Animal Tissue | 12 | 0 | 0 | 561 |
| PCB# 17 | Animal Tissue | 12 | 0 | 0 | 562 |
| PCB# 17 | Water | 1 | 0 | 0 | 563 |
| PCB# 170 | Animal Tissue | 12 | 0 | 0 | 564 |
| PCB# 170 | Water | 1 | 0 | 0 | 565 |
| PCB# 171/173 | Animal Tissue | 12 | 0 | 0 | 566 |
| PCB# 171/173 | Water | 1 | 0 | 0 | 567 |
| PCB# 172 | Animal Tissue | 12 | 0 | 0 | 568 |
| PCB# 172 | Water | 1 | 0 | 0 | 569 |
| PCB# 174 | Animal Tissue | 12 | 0 | 0 | 570 |
| PCB# 174 | Water | 1 | 0 | 0 | 571 |
| PCB# 175 | Animal Tissue | 12 | 0 | 0 | 572 |
| PCB# 175 | Water | 1 | 0 | 0 | 573 |
| PCB# 176 | Animal Tissue | 12 | 0 | 0 | 574 |
| PCB# 176 | Water | 1 | 0 | 0 | 575 |
| PCB# 177 | Animal Tissue | 12 | 0 | 0 | 576 |
| PCB# 177 | Water | 1 | 0 | 0 | 577 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 178 | Animal Tissue | 12 | 0 | 0 | 578 |
| PCB# 178 | Water | 1 | 0 | 0 | 579 |
| PCB# 179 | Animal Tissue | 12 | 0 | 0 | 580 |
| PCB# 179 | Water | 1 | 0 | 0 | 581 |
| PCB# 18/30 | Animal Tissue | 12 | 0 | 0 | 582 |
| PCB# 18/30 | Water | 1 | 0 | 0 | 583 |
| PCB# 180/193 | Animal Tissue | 12 | 0 | 0 | 584 |
| PCB# 180/193 | Water | 1 | 0 | 0 | 585 |
| PCB# 181 | Animal Tissue | 12 | 0 | 0 | 586 |
| PCB# 181 | Water | 1 | 0 | 0 | 587 |
| PCB# 182 | Animal Tissue | 12 | 0 | 0 | 588 |
| PCB# 182 | Water | 1 | 0 | 0 | 589 |
| PCB# 183 | Animal Tissue | 12 | 0 | 0 | 590 |
| PCB# 183 | Water | 1 | 0 | 0 | 591 |
| PCB# 184 | Animal Tissue | 12 | 0 | 0 | 592 |
| PCB# 184 | Water | 1 | 0 | 0 | 593 |
| PCB# 185 | Animal Tissue | 12 | 0 | 0 | 594 |
| PCB# 185 | Water | 1 | 0 | 0 | 595 |
| PCB# 186 | Animal Tissue | 12 | 0 | 0 | 596 |
| PCB# 186 | Water | 1 | 0 | 0 | 597 |
| PCB# 187 | Animal Tissue | 12 | 0 | 0 | 598 |
| PCB# 187 | Water | 1 | 0 | 0 | 599 |
| PCB# 188 | Animal Tissue | 12 | 0 | 0 | 600 |
| PCB# 189 | Animal Tissue | 12 | 0 | 0 | 601 |
| PCB# 19 | Animal Tissue | 12 | 0 | 0 | 602 |
| PCB# 190 | Animal Tissue | 12 | 0 | 0 | 603 |
| PCB# 190 | Water | 1 | 0 | 0 | 604 |
| PCB# 191 | Animal Tissue | 12 | 0 | 0 | 605 |
| PCB# 191 | Water | 1 | 0 | 0 | 606 |
| PCB# 192 | Animal Tissue | 12 | 0 | 0 | 607 |
| PCB# 192 | Water | 1 | 0 | 0 | 608 |
| PCB# 194 | Animal Tissue | 12 | 0 | 0 | 609 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 194 | Water | 1 | 0 | 0 | 610 |
| PCB# 195 | Animal Tissue | 12 | 0 | 0 | 611 |
| PCB# 195 | Water | 1 | 0 | 0 | 612 |
| PCB# 196 | Animal Tissue | 12 | 0 | 0 | 613 |
| PCB# 196 | Water | 1 | 0 | 0 | 614 |
| PCB# 197 | Animal Tissue | 12 | 0 | 0 | 615 |
| PCB# 197 | Water | 1 | 0 | 0 | 616 |
| PCB# 198/199 | Animal Tissue | 12 | 0 | 0 | 617 |
| PCB# 198/199 | Water | 1 | 0 | 0 | 618 |
| PCB# 2 | Animal Tissue | 12 | 0 | 0 | 619 |
| PCB# 2 | Water | 1 | 0 | 0 | 620 |
| PCB# 20/28 | Animal Tissue | 12 | 0 | 0 | 621 |
| PCB# 20/28 | Water | 1 | 0 | 0 | 622 |
| PCB# 200 | Animal Tissue | 12 | 0 | 0 | 623 |
| PCB# 200 | Water | 1 | 0 | 0 | 624 |
| PCB# 201 | Animal Tissue | 12 | 0 | 0 | 625 |
| PCB# 201 | Water | 1 | 0 | 0 | 626 |
| PCB# 202 | Animal Tissue | 12 | 0 | 0 | 627 |
| PCB# 203 | Animal Tissue | 12 | 0 | 0 | 628 |
| PCB# 203 | Water | 1 | 0 | 0 | 629 |
| PCB# 204 | Animal Tissue | 12 | 0 | 0 | 630 |
| PCB# 204 | Water | 1 | 0 | 0 | 631 |
| PCB# 205 | Animal Tissue | 12 | 0 | 0 | 632 |
| PCB# 206 | Animal Tissue | 12 | 0 | 0 | 633 |
| PCB# 207 | Animal Tissue | 12 | 0 | 0 | 634 |
| PCB# 207 | Water | 1 | 0 | 0 | 635 |
| PCB# 208 | Animal Tissue | 12 | 0 | 0 | 636 |
| PCB# 209 | Animal Tissue | 12 | 0 | 0 | 637 |
| PCB# 21/33 | Animal Tissue | 12 | 0 | 0 | 638 |
| PCB# 21/33 | Water | 1 | 0 | 0 | 639 |
| PCB# 22 | Animal Tissue | 12 | 0 | 0 | 640 |
| PCB# 22 | Water | 1 | 0 | 0 | 641 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 23 | Animal Tissue | 12 | 0 | 0 | 642 |
| PCB# 23 | Water | 1 | 0 | 0 | 643 |
| PCB# 24 | Animal Tissue | 12 | 0 | 0 | 644 |
| PCB# 24 | Water | 1 | 0 | 0 | 645 |
| PCB# 25 | Animal Tissue | 12 | 0 | 0 | 646 |
| PCB# 25 | Water | 1 | 0 | 0 | 647 |
| PCB# 26/29 | Animal Tissue | 12 | 0 | 0 | 648 |
| PCB# 26/29 | Water | 1 | 0 | 0 | 649 |
| PCB# 27 | Animal Tissue | 12 | 0 | 0 | 650 |
| PCB# 27 | Water | 1 | 0 | 0 | 651 |
| PCB# 3 | Animal Tissue | 12 | 0 | 0 | 652 |
| PCB# 31 | Animal Tissue | 12 | 0 | 0 | 653 |
| PCB# 31 | Water | 1 | 0 | 0 | 654 |
| PCB# 32 | Animal Tissue | 12 | 0 | 0 | 655 |
| PCB# 32 | Water | 1 | 0 | 0 | 656 |
| PCB# 34 | Animal Tissue | 12 | 0 | 0 | 657 |
| PCB# 34 | Water | 1 | 0 | 0 | 658 |
| PCB# 35 | Animal Tissue | 12 | 0 | 0 | 659 |
| PCB# 35 | Water | 1 | 0 | 0 | 660 |
| PCB# 36 | Animal Tissue | 12 | 0 | 0 | 661 |
| PCB# 36 | Water | 1 | 0 | 0 | 662 |
| PCB# 37 | Animal Tissue | 12 | 0 | 0 | 663 |
| PCB# 38 | Animal Tissue | 12 | 0 | 0 | 664 |
| PCB# 38 | Water | 1 | 0 | 0 | 665 |
| PCB# 39 | Animal Tissue | 12 | 0 | 0 | 666 |
| PCB# 39 | Water | 1 | 0 | 0 | 667 |
| PCB# 4 | Animal Tissue | 12 | 0 | 0 | 668 |
| PCB# 40/41/70 | Animal Tissue | 12 | 0 | 0 | 669 |
| PCB# 40/41/70 | Water | 1 | 0 | 0 | 670 |
| PCB# 42 | Animal Tissue | 12 | 0 | 0 | 671 |
| PCB# 42 | Water | 1 | 0 | 0 | 672 |
| PCB# 43/73 | Animal Tissue | 12 | 0 | 0 | 673 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 43/73 | Water | 1 | 0 | 0 | 674 |
| PCB# 44/47/65 | Animal Tissue | 12 | 0 | 0 | 675 |
| PCB# 44/47/65 | Water | 1 | 0 | 0 | 676 |
| PCB# 45/51 | Animal Tissue | 12 | 0 | 0 | 677 |
| PCB# 45/51 | Water | 1 | 0 | 0 | 678 |
| PCB# 46 | Animal Tissue | 12 | 0 | 0 | 679 |
| PCB# 46 | Water | 1 | 0 | 0 | 680 |
| PCB# 48 | Animal Tissue | 12 | 0 | 0 | 681 |
| PCB# 48 | Water | 1 | 0 | 0 | 682 |
| PCB# 49/69 | Animal Tissue | 12 | 0 | 0 | 683 |
| PCB# 49/69 | Water | 1 | 0 | 0 | 684 |
| PCB# 5 | Animal Tissue | 12 | 0 | 0 | 685 |
| PCB# 5 | Water | 1 | 0 | 0 | 686 |
| PCB# 50/53 | Animal Tissue | 12 | 0 | 0 | 687 |
| PCB# 50/53 | Water | 1 | 0 | 0 | 688 |
| PCB# 52 | Animal Tissue | 12 | 0 | 0 | 689 |
| PCB# 52 | Water | 1 | 0 | 0 | 690 |
| PCB# 54 | Animal Tissue | 12 | 0 | 0 | 691 |
| PCB# 55 | Animal Tissue | 12 | 0 | 0 | 692 |
| PCB# 55 | Water | 1 | 0 | 0 | 693 |
| PCB# 56 | Animal Tissue | 12 | 0 | 0 | 694 |
| PCB# 56 | Water | 1 | 0 | 0 | 695 |
| PCB# 57 | Animal Tissue | 12 | 0 | 0 | 696 |
| PCB# 57 | Water | 1 | 0 | 0 | 697 |
| PCB# 58 | Animal Tissue | 12 | 0 | 0 | 698 |
| PCB# 58 | Water | 1 | 0 | 0 | 699 |
| PCB# 59/62/75 | Animal Tissue | 12 | 0 | 0 | 700 |
| PCB# 59/62/75 | Water | 1 | 0 | 0 | 701 |
| PCB# 6 | Animal Tissue | 12 | 0 | 0 | 702 |
| PCB# 6 | Water | 1 | 0 | 0 | 703 |
| PCB# 60 | Animal Tissue | 12 | 0 | 0 | 704 |
| PCB# 60 | Water | 1 | 0 | 0 | 705 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 63 | Animal Tissue | 12 | 0 | 0 | 706 |
| PCB# 63 | Water | 1 | 0 | 0 | 707 |
| PCB# 64 | Animal Tissue | 12 | 0 | 0 | 708 |
| PCB# 64 | Water | 1 | 0 | 0 | 709 |
| PCB# 66 | Animal Tissue | 12 | 0 | 0 | 710 |
| PCB# 66 | Water | 1 | 0 | 0 | 711 |
| PCB# 67 | Animal Tissue | 12 | 0 | 0 | 712 |
| PCB# 67 | Water | 1 | 0 | 0 | 713 |
| PCB# 68 | Animal Tissue | 12 | 0 | 0 | 714 |
| PCB# 68 | Water | 1 | 0 | 0 | 715 |
| PCB# 7 | Animal Tissue | 12 | 0 | 0 | 716 |
| PCB# 7 | Water | 1 | 0 | 0 | 717 |
| PCB# 70/61/74/76 | Animal Tissue | 12 | 0 | 0 | 718 |
| PCB# 70/61/74/76 | Water | 1 | 0 | 0 | 719 |
| PCB# 72 | Animal Tissue | 12 | 0 | 0 | 720 |
| PCB# 72 | Water | 1 | 0 | 0 | 721 |
| PCB# 77 | Animal Tissue | 12 | 0 | 0 | 722 |
| PCB# 78 | Animal Tissue | 12 | 0 | 0 | 723 |
| PCB# 78 | Water | 1 | 0 | 0 | 724 |
| PCB# 79 | Animal Tissue | 12 | 0 | 0 | 725 |
| PCB# 79 | Water | 1 | 0 | 0 | 726 |
| PCB# 8 | Animal Tissue | 12 | 0 | 0 | 727 |
| PCB# 8 | Water | 1 | 0 | 0 | 728 |
| PCB# 80 | Animal Tissue | 12 | 0 | 0 | 729 |
| PCB# 80 | Water | 1 | 0 | 0 | 730 |
| PCB# 81 | Animal Tissue | 12 | 0 | 0 | 731 |
| PCB# 82 | Animal Tissue | 12 | 0 | 0 | 732 |
| PCB# 82 | Water | 1 | 0 | 0 | 733 |
| PCB# 83/99 | Animal Tissue | 12 | 0 | 0 | 734 |
| PCB# 83/99 | Water | 1 | 0 | 0 | 735 |
| PCB# 84 | Animal Tissue | 12 | 0 | 0 | 736 |
| PCB# 84 | Water | 1 | 0 | 0 | 737 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB# 85/116 | Animal Tissue | 12 | 0 | 0 | 738 |
| PCB# 85/116 | Water | 1 | 0 | 0 | 739 |
| PCB# 86/87/97/109/119/125 | Animal Tissue | 12 | 0 | 0 | 740 |
| PCB# 86/87/97/109/119/125 | Water | 1 | 0 | 0 | 741 |
| PCB# 88/91 | Animal Tissue | 12 | 0 | 0 | 742 |
| PCB# 88/91 | Water | 1 | 0 | 0 | 743 |
| PCB# 89 | Animal Tissue | 12 | 0 | 0 | 744 |
| PCB# 89 | Water | 1 | 0 | 0 | 745 |
| PCB# 9 | Animal Tissue | 12 | 0 | 0 | 746 |
| PCB# 9 | Water | 1 | 0 | 0 | 747 |
| PCB# 90/101/113 | Animal Tissue | 12 | 0 | 0 | 748 |
| PCB# 90/101/113 | Water | 1 | 0 | 0 | 749 |
| PCB# 92 | Animal Tissue | 12 | 0 | 0 | 750 |
| PCB# 92 | Water | 1 | 0 | 0 | 751 |
| PCB# 94 | Animal Tissue | 12 | 0 | 0 | 752 |
| PCB# 94 | Water | 1 | 0 | 0 | 753 |
| PCB# 95 | Animal Tissue | 12 | 0 | 0 | 754 |
| PCB# 95 | Water | 1 | 0 | 0 | 755 |
| PCB# 96 | Animal Tissue | 12 | 0 | 0 | 756 |
| PCB# 96 | Water | 1 | 0 | 0 | 757 |
| PCB# 98/100 | Animal Tissue | 12 | 0 | 0 | 758 |
| PCB# 98/100 | Water | 1 | 0 | 0 | 759 |
| PCB# 98/102 | Animal Tissue | 12 | 0 | 0 | 760 |
| PCB# 98/102 | Water | 1 | 0 | 0 | 761 |
| PCB-1242 | Animal Tissue | 12 | 0 | 0 | 762 |
| PCB-1242 | Water | 1 | 0 | 0 | 763 |
| PCB-1248 | Animal Tissue | 12 | 0 | 0 | 764 |
| PCB-1248 | Water | 1 | 0 | 0 | 765 |

| The required number of spike sample analyses were performed with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | **Number of Samples** | **Number of Spikes** | **Frequency (%)** | **See QA/QC Note No.** |
| PCB-1254 | Animal Tissue | 12 | 0 | 0 | 766 |
| PCB-1254 | Water | 1 | 0 | 0 | 767 |
| PCB-1260 | Animal Tissue | 12 | 0 | 0 | 768 |
| PCB-1260 | Water | 1 | 0 | 0 | 769 |
| PCB-TOTAL | Animal Tissue | 12 | 0 | 0 | 770 |
| PCB-TOTAL | Water | 1 | 0 | 0 | 771 |
| Total DDT's | Animal Tissue | 12 | 0 | 0 | 772 |
| toxaphene | Animal Tissue | 12 | 0 | 0 | 773 |
| 1,2,3,4,6,7,8-HpCDD | Water | 0 | 1 | 0 | 774 |
| 1,2,3,4,6,7,8-HpCDF | Water | 0 | 1 | 0 | 775 |
| 1,2,3,4,7,8,9-HpCDF | Water | 0 | 1 | 0 | 776 |
| 1,2,3,4,7,8-HxCDD | Water | 0 | 1 | 0 | 777 |
| 1,2,3,4,7,8-HxCDF | Water | 0 | 1 | 0 | 778 |
| 1,2,3,6,7,8-HxCDD | Water | 0 | 1 | 0 | 779 |
| 1,2,3,6,7,8-HxCDF | Water | 0 | 1 | 0 | 780 |
| 1,2,3,7,8,9-HxCDD | Water | 0 | 1 | 0 | 781 |
| 1,2,3,7,8,9-HxCDF | Water | 0 | 1 | 0 | 782 |
| 1,2,3,7,8-PeCDD | Water | 0 | 1 | 0 | 783 |
| 1,2,3,7,8-PeCDF | Water | 0 | 1 | 0 | 784 |
| 2,3,4,6,7,8-HxCDF | Water | 0 | 1 | 0 | 785 |
| 2,3,4,7,8-PeCDF | Water | 0 | 1 | 0 | 786 |
| 2,3,7,8-TCDD | Water | 0 | 1 | 0 | 787 |
| 2,3,7,8-TCDF | Water | 0 | 1 | 0 | 788 |
| OCDD | Water | 0 | 1 | 0 | 789 |
| OCDF | Water | 0 | 1 | 0 | 790 |

## 11.4. Reference Material Frequency Anomalies

No Standard Reference Material data exists in this set of results; therefore, the anomaly test was not performed.

## 11.5. Mass Spec Frequency Anomalies

| The required number of mass spec confirmations were performed with the following exceptions. | | | | |
|---|---|---|---|---|
| **Lab Matrix** | **Number of Analytes** | **Number of Confirmations** | **Frequency (%)** | **See QA/QC Note No.** |
| Animal Tissue | 94 | 0 | 0 | 791 |

## 11.6. Limit of Detection Anomalies

| Limits of Detection were within the contract requirements with the following exceptions. | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Analyte** | **Sample Number** | **Lab Matrix** | *** CRDL (ppm/%)** | **Basis** | **Acceptable To (ppm/%)** | **LOD (ppm/%)** | **See QA/QC Note No.** |
| BDE# 209 | 4-08-1 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.00147 | 792 |
| BDE# 209 | 7-06-6 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.00137 | 793 |
| BDE# 209 | 4-08-2 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.00144 | 794 |
| BDE# 209 | 7-06-1 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.00145 | 795 |
| BDE# 209 | 7-06-2 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.00146 | 796 |
| BDE# 209 | 7-06-3 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.00147 | 797 |
| BDE# 209 | 4-08-6 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.00143 | 798 |
| BDE# 209 | 4-08-4 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.00149 | 799 |
| BDE# 209 | 7-06-4 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.00141 | 800 |
| BDE# 209 | 7-06-5 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.00142 | 801 |
| BDE# 209 | 4-08-3 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.00145 | 802 |
| BDE# 85 | 7-06-6 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.000364 | 803 |
| BDE# 85 | 7-06-1 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.000384 | 804 |
| BDE# 85 | 4-08-6 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.000380 | 805 |
| BDE# 85 | 7-06-5 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.000377 | 806 |
| BDE# 85 | 4-08-2 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.000383 | 807 |
| BDE# 85 | 4-08-3 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.000384 | 808 |
| BDE# 85 | 4-08-1 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.000391 | 809 |
| BDE# 85 | 7-06-2 | Animal Tissue | 0.0001 | Wet | 0.000300 | 0.000387 | 810 |

* CRDL = Contract Required Detection Limit.

## 11.7. Blank Anomalies

| Procedural Blank analyses were acceptable with the following exceptions. | | | | | |
|---|---|---|---|---|---|
| **Analyte** | **Lab Matrix** | *** BEC (ppm/%)** | **LOD (ppm/%)** | **Basis** | **See QA/QC Note No.** |
| PCB# 11 | Water | 0.000581 | 0.00004 | Wet | 811 |
| PCB# 11 | Water | 8.32E-7 | 2E-7 | Wet | 812 |
| PCB-TOTAL | Water | 0.0024 | 0.0002 | Wet | 813 |
| PCB-TOTAL | Water | 0.00000386 | 0.000001 | Wet | 814 |

* BEC = Blank Equivalent Concentration.

## 11.8. Duplicate Anomalies

All duplicate results were within normal limits.

## 11.9. Spike Anomalies

| All spike results were within normal limits with the following exceptions. | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Analyte** | **Sample Number** | **Lab Matrix** | **Sample Result ppm/%** | **LOD ppm/%** | **Spike Result ppm/%** | **Spike Level ppm/%** | **% Recovery** | **Spike / Background** | **See QA/QC Note No.** |
| endosulfan II | 10-06-3 | Animal Tissue | < 0.000148 | 0.000148 | 0.00235 | 0.00790 | 29.7 | 53.4 | 815 |
| n-heptacosane | 1-08-6 | Animal Tissue | 0.132 | 0.0140 | 1.39 | 1.90 | 66.1 | 14.4 | 816 |
| n-pentacosane | 1-08-6 | Animal Tissue | 0.353 | 0.0162 | 1.77 | 1.92 | 73.8 | 5.43 | 817 |

## 11.10. S.R.M. Anomalies

No SRM data exists in this set of results; therefore, the anomaly test was not performed.

# 11.11. QA/QC Notes

| QA/QC Note Number and Comments |
| --- |
| Additional TDI Comments:<br><br>06385810 (Water)  Insufficient sample for analysis. per Juan.<br><br>ACF Comments:<br><br>1-4 Other PCB blank analyses were performed. This is acceptable.<br><br>5-371 A blank spike duplicate analyses was performed. This is acceptable.<br><br>372-790 A Blank spike analyses was performed. This is acceptable<br><br>791 Analyte detectable levels were to low for mass spec confirmation.<br><br>792-810 These LODs were higher than the ECDMS default.  They are acceptable.<br><br>811-814 These analytes were reported present in the blank. Results that are less than ten times the amount found in the blank are considered non-detects.<br><br>815-817 The spike recoveries for these analytes were low.<br>Results may be Biased low.<br><br>QA/QC reviewed 04/06/2010 Walter Riley |

# 12. Analytical Methods

Below are the analytical methods used by TDI to produce the results included in this report.

| Method Codes: | 001 |
|---|---|

| Lab Matrix | Analyte |
|---|---|
| Animal Tissue | % Lipid |
| | % Moisture |

**Method Code: 001**

LABORATORY: TDI Brooks International, Inc.

Tissue Extraction Method (PAH and OCs)

Tissue samples are either immediately processed or stored frozen (-20°C) until processing. Tissues are processed as appropriate for the tissue type (e.g. dissection, shucking). Processed tissues are homogenized using a variety of mechanical methods (Waring blender, Hobart meat grinder or Tissumisser), depending upon the tissue amount and type. After homogenization, an approximate 1 g aliquot is removed and dried in an oven at 105°C to a constant weight to determine % moisture. The remaining samples are stored in certified pre-cleaned jars frozen (- 20°C) until analysis. Prior to extraction, tissue samples may be lypholized or a wet aliquot is chemically dried using a dessicant such as Hydromatrix or sodium sulfate. Samples are then extracted using a Dionex ASE200 Accelerated Solvent Extractor (ASE). The dried sample or the sample and dessicant material is loaded into 22 or 33 mL stainless steel ASE extraction tubes. The extraction are performed using 100% dicholormethane at 100°C and 2000 psi. The extracted organics dissolved in the solvent are collected in 60 mL glass vials. The extract is concentrated to approximately 10 mL in the collection vials and then transferred to 25 mL Kurdena-Danish (KD) concentrator tubes. The sample extract is concentrated to 3 mL in a water bath at 55-60°C. If lipid weight is required, a 100 mL aliquot is removed and weighed using a microbalance. Interfering non-contaminant organic material (primarily lipids) must be removed prior to instrument analyses.

The extract is processed through silica gel/alumina chromatography columns and High Performance Liquid Chromatography (HPLC). The remaining 2.9 mL of sample extracted are loaded on top of 300 mm x 19 mm glass liquid chromatography columns packed with 10 g of deactivated alumina and 20 g of deactivated silica gel. The columns are loaded in 100 % dichloromethane. The dichloromethane is replaced by adding 40 mL of pentane. The extract is carefully added to the top of the chromatography columns. The column is flushed at a rate of 1-2 mL per minute using 200 mL of 50:50 pentane/dichloromethane and collected into 250 mL flasks. The eluent collected in the 250 mL flask is evaporated to 2 mL using a waterbath at 55-50°C. The samples is transferred into 4 mL amber vials. Extracts subsequently processed by HPLC to further remove lipid interferences. Lipid removal is accomplished by flushing samples with dichlormethane through size exclusion Phenogel 10 m GPC 100 A columns. Approximately 40 mL is collected using a fraction collector, which is concentrated to 0.5 mL using a water bath at 55-60C. The concentrated extract is then analyzed by GC/MS for polynuclear aromatic hydrocarbons (PAHs) or GC/ECD for selected organochlorines (OCs).

Additional column chromatography is required to separate PCBs from toxaphene/pesticides when toxphene analysis is required and to separate planar PCBs. If toxaphene analyses is required, an aliquot of the extract prior to HPLC clean up is processed through a 3% deactivated silica gel column. The column is packed in dicloromethane which is then flushed with 50 mL of pentane. The sample extract is transferred to the top of the column and flushed with 100 mL of pentane. The fraction contains PCBs and DDTs. The column is then flushed with 120 mL of 50:50 pentane/dichloromethane. This fraction contains toxaphene and chlorinated pesticides. Both fractions are reduced to 1 mL using a water bath at 55-60°C. The extracts are then ready for instrument analysis.

If planar PCB analyses are required, the PCB/DDT fraction prepared by 3% silica gel column is further processed by column chromatography packed with 2 g of 1:19 (5% by weight) mixture of activated carbon/Celite. The column and flushed with 25 mL of 1:4 dichloromethane/cyclohexane mixture. The sample is added to the top of the column and flushed with 50 mL of 1:4 dichloromethane/cyclohexane mixture, followed by 30 mL of 9:1 dichloromethane/toluene. This is followed by the addition of 40 mL of toluene. The toluene fraction contains the planar PCBs and is concentrated to 1 mL in a Zymark TurboVap II concentrator at 42°C and 20 psi. The sample is ready for instrument analysis.

REFERENCES:

Lauenstein, G.G. and A.Y. Cantillo, ed. (1993). Sampling Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects 1984-1992; Volume IV: Comprehensive Descriptions of Trace Organic Analytical Methods. NOAA Technical memorandum NOS ORCA 71, Silver Spring, MD.

U.S. Environmental Protection Agency. 2001. National Coastal Assessment Quality Assurance Project Plan 2001-2004. United States Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/002.

Environmental Protection Agency, "Method 3545: Pressurized Fluid Extraction (PFE)," in Test Methods for Evaluating Solid Waste, Physical/Chemical Methods EPA SW-846 [Version 2 (December 1997), Integrated Manual through Update III] Washington DC, U.S. Environmental Protection Agency (1997)

Zuloaga, O.; Etxebarria, N.; Fernandez L. A.;Madariaga, J.M.; Optimization and comparison of MAE, ASE and Soxhlet extraction for the determination of HCH isomers in soil samples. Fresenius J Anal Chem, 2000, 367, 733-737.

Schantz, M.; Nichols, J. J.; Wise, S. A.; Evaluation of Pressurized Fluid Extraction for the Extraction of Environmental Matrix Reference Material, Anal. Chem., 1997, 69, 4210-4219.

| **Method Codes:** | 001 002 |
|---|---|

| Lab Matrix | Analyte |
|---|---|
| Animal Tissue | 1,6,7-Trimethyl-naphthalene |
| | 1-methylnaphthalene |

| |
|---|
| 1-methylphenanthrene |
| 2,6-dimethylnaphthalene |
| 2-methylnaphthalene |
| Benzo(a)anthracene |
| C1-Fluoranthenes & Pyrenes |
| C1-Phenanthrenes & Anthracenes |
| C1-chrysenes |
| C1-dibenzothiophenes |
| C1-fluorenes |
| C1-naphthalenes |
| C2-Phenanthrenes & Anthracenes |
| C2-chrysenes |
| C2-dibenzothiophenes |
| C2-fluorenes |
| C2-naphthalenes |
| C3-Phenanthrenes & Anthracenes |
| C3-chrysenes |
| C3-dibenzothiophenes |
| C3-fluorenes |
| C3-naphthalenes |
| C4-Phenanthrenes & Anthracenes |
| C4-chrysenes |
| C4-naphthalenes |
| Dibenz(a,h)anthracene |
| acenaphthalene |
| acenaphthene |
| anthracene |
| benzo(a)pyrene |
| benzo(b)fluoranthene |
| benzo(e)pyrene |
| benzo(g,h,i)perylene |
| benzo(k)fluoranthene |
| biphenyl |
| chrysene |

| |
|---|
| dibenzothiophene |
| fluoranthene |
| fluorene |
| indeno(1,2,3-cd)pyrene |
| naphthalene |
| perylene |
| phenanthrene |
| pyrene |

**Method Code: 001**

LABORATORY: TDI Brooks International, Inc.

Tissue Extraction Method (PAH and OCs)

Tissue samples are either immediately processed or stored frozen (-20°C) until processing. Tissues are processed as appropriate for the tissue type (e.g. dissection, shucking). Processed tissues are homogenized using a variety of mechanical methods (Waring blender, Hobart meat grinder or Tissumisser), depending upon the tissue amount and type. After homogenization, an approximate 1 g aliquot is removed and dried in an oven at 105°C to a constant weight to determine % moisture. The remaining samples are stored in certified pre-cleaned jars frozen (- 20°C) until analysis. Prior to extraction, tissue samples may be lypholized or a wet aliquot is chemically dried using a dessicant such as Hydromatrix or sodium sulfate. Samples are then extracted using a Dionex ASE200 Accelerated Solvent Extractor (ASE). The dried sample or the sample and dessicant material is loaded into 22 or 33 mL stainless steel ASE extraction tubes. The extraction are performed using 100% dicholormethane at 100°C and 2000 psi. The extracted organics dissolved in the solvent are collected in 60 mL glass vials. The extract is concentrated to approximately 10 mL in the collection vials and then transferred to 25 mL Kurdena-Danish (KD) concentrator tubes. The sample extract is concentrated to 3 mL in a water bath at 55-60°C. If lipid weight is required, a 100 mL aliquot is removed and weighed using a microbalance. Interfering non-contaminant organic material (primarily lipids) must be removed prior to instrument analyses.

The extract is processed through silica gel/alumina chromatography columns and High Performance Liquid Chromatography (HPLC). The remaining 2.9 mL of sample extracted are loaded on top of 300 mm x 19 mm glass liquid chromatography columns packed with 10 g of deactivated alumina and 20 g of deactivated silica gel. The columns are loaded in 100 % dichloromethane. The dichloromethane is replaced by adding 40 mL of pentane. The extract is carefully added to the top of the chromatography columns. The column is flushed at a rate of 1-2 mL per minute using 200 mL of 50:50 pentane/dichloromethane and collected into 250 mL flasks. The eluent collected in the 250 mL flask is evaporated to 2 mL using a waterbath at 55-50°C. The samples is transferred into 4 mL amber vials. Extracts subsequently processed by HPLC to further remove lipid interferences. Lipid removal is accomplished by flushing samples with dichlormethane through size exclusion Phenogel 10 m GPC 100 A columns. Approximately 40 mL is collected using a fraction collector, which is concentrated to 0.5 mL using a water bath at 55-60C. The concentrated extract is then analyzed by GC/MS for polynuclear aromatic hydrocarbons (PAHs) or GC/ECD for selected organochlorines (OCs).

Additional column chromatography is required to separate PCBs from toxaphene/pesticides when toxphene analysis is required

and to separate planar PCBs. If toxaphene analyses is required, an aliquot of the extract prior to HPLC clean up is processed through a 3% deactivated silica gel column. The column is packed in dicloromethane which is then flushed with 50 mL of pentane. The sample extract is transferred to the top of the column and flushed with 100 mL of pentane. The fraction contains PCBs and DDTs. The column is then flushed with 120 mL of 50:50 pentane/dichloromethane. This fraction contains toxaphene and chlorinated pesticides. Both fractions are reduced to 1 mL using a water bath at 55-60°C. The extracts are then ready for instrument analysis.

If planar PCB analyses are required, the PCB/DDT fraction prepared by 3% silica gel column is further processed by column chromatography packed with 2 g of 1:19 (5% by weight) mixture of activated carbon/Celite. The column and flushed with 25 mL of 1:4 dichloromethane/cyclohexane mixture. The sample is added to the top of the column and flushed with 50 mL of 1:4 dichloromethane/cyclohexane mixture, followed by 30 mL of 9:1 dichloromethane/toluene. This is followed by the addition of 40 mL of toluene. The toluene fraction contains the planar PCBs and is concentrated to 1 mL in a Zymark TurboVap II concentrator at 42°C and 20 psi. The sample is ready for instrument analysis.

REFERENCES:

Lauenstein, G.G. and A.Y. Cantillo, ed. (1993). Sampling Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects 1984-1992; Volume IV: Comprehensive Descriptions of Trace Organic Analytical Methods. NOAA Technical memorandum NOS ORCA 71, Silver Spring, MD.

U.S. Environmental Protection Agency. 2001. National Coastal Assessment Quality Assurance Project Plan 2001-2004. United States Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/002.

Environmental Protection Agency, "Method 3545: Pressurized Fluid Extraction (PFE)," in Test Methods for Evaluating Solid Waste, Physical/Chemical Methods EPA SW-846 [Version 2 (December 1997), Integrated Manual through Update III] Washington DC, U.S. Environmental Protection Agency (1997)

Zuloaga, O.; Etxebarria, N.; Fernandez L. A.;Madariaga, J.M.; Optimization and comparison of MAE, ASE and Soxhlet extraction for the determination of HCH isomers in soil samples. Fresenius J Anal Chem, 2000, 367, 733-737.

Schantz, M.; Nichols, J. J.; Wise, S. A.; Evaluation of Pressurized Fluid Extraction for the Extraction of Environmental Matrix Reference Material, Anal. Chem., 1997, 69, 4210-4219.

**Method Code: 002**

LABORATORY: TDI Brooks International, Inc.

Aromatic Hydrocarbon Determination by Selected
Ion Monitoring (SIM) Gas Chromatography/
Mass Spectrometry (GC/MS)

Polycyclic aromatic hydrocarbons (PAH) and their alkylated homologues are analyzed in sample extracts by a HewlettPackard, model 5890 GS and model 5972 MS operated in SIM using a capillary column. The GC is operated in splitless mode and the capillary column is an Agilent Technologies HP-5MS (60 m x 0.25 mm ID and 0.25 mm film thickness). The carrier gas is helium at

a flow rate of 1 mL/minute. The temperature of the injection port is 300°C and transfer line is 290°C. The initial oven temperature is 60°C, the ramp rate is 7°C/minutes to a final oven temperature of 310°C and held for 20 minutes. For analyte identification, the extracted ion current profiles of the primary m/z and the confirmatory ion for each analyte must be at a maximum in the same scan or within one scan of each other and the retention time must fall with 5 seconds of the retention time of the authentic standard or alkyl homologue grouping. The pattern of alkylated PAH homologue groupings is established by analysis of reference oil standards. The relative peak heights of the primary mass ion compared to the confirmation or secondary mass ion must fall within 30 % of the relative intensities of these masses in a reference mass spectrum.

REFERENCES:

Lauenstein, G.G. and A.Y. Cantillo, ed. (1993). Sampling Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects 1984-1992; Volume IV: Comprehensive Descriptions of Trace Organic Analytical Methods. NOAA Technical memorandum NOS ORCA 71, Silver Spring, MD.

U.S. Environmental Protection Agency. 2001. National Coastal Assessment Quality Assurance Project Plan 2001-2004. United States Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/002.

| **Method Codes:** | 001 003 |
|---|---|

| Lab Matrix | Analyte |
|---|---|
| Animal Tissue | 1,2,3,4-Tetrachlorobenzene |
| | 1,2,4,5-Tetrachlorobenzene |
| | Aldrin |
| | BHC (Total) |
| | DDMU |
| | HCB |
| | Heptachlor |
| | Pentachlorobenzene |
| | Total DDT's |
| | alpha BHC |
| | alpha chlordane |
| | beta BHC |
| | chlorpyrifos |
| | cis-nonachlor |
| | delta BHC |

| |
|---|
| dieldrin |
| endosulfan I |
| endosulfan II |
| endosulfan sulfate |
| endrin |
| gamma BHC |
| gamma chlordane |
| heptachlor epoxide |
| mirex |
| o,p'-DDD |
| o,p'-DDE |
| o,p'-DDT |
| oxychlordane |
| p,p'-DDD |
| p,p'-DDE |
| p,p'-DDT |
| pentachloro-anisole |
| toxaphene |
| trans-nonachlor |

| **Method Code: 001** |
|---|
| LABORATORY: TDI Brooks International, Inc.<br><br>Tissue Extraction Method (PAH and OCs)<br><br>Tissue samples are either immediately processed or stored frozen (-20°C) until processing. Tissues are processed as appropriate for the tissue type (e.g. dissection, shucking). Processed tissues are homogenized using a variety of mechanical methods (Waring blender, Hobart meat grinder or Tissumisser), depending upon the tissue amount and type. After homogenization, an approximate 1 g aliquot is removed and dried in an oven at 105°C to a constant weight to determine % moisture. The remaining samples are stored in certified pre-cleaned jars frozen (- 20°C) until analysis. Prior to extraction, tissue samples may be lypholized or a wet aliquot is chemically dried using a dessicant such as Hydromatrix or sodium sulfate. Samples are then extracted using a Dionex ASE200 Accelerated Solvent Extractor (ASE). The dried sample or the sample and dessicant material is loaded into 22 or 33 mL stainless steel ASE extraction tubes. The extraction are performed using 100% dicholormethane at 100°C and 2000 psi. The extracted organics dissolved in the solvent are collected in 60 mL glass vials. The extract is concentrated to approximately 10 mL in the collection vials and then transferred to 25 mL Kurdena-Danish (KD) concentrator tubes. The sample extract is concentrated to 3 mL in a water bath at 55-60°C. If lipid weight is required, a 100 mL aliquot is removed and weighed using a microbalance. Interfering non-contaminant organic material (primarily lipids) must be removed prior to instrument analyses. |

The extract is processed through silica gel/alumina chromatography columns and High Performance Liquid Chromatography (HPLC). The remaining 2.9 mL of sample extracted are loaded on top of 300 mm x 19 mm glass liquid chromatography columns packed with 10 g of deactivated alumina and 20 g of deactivated silica gel. The columns are loaded in 100 % dichloromethane. The dichloromethane is replaced by adding 40 mL of pentane. The extract is carefully added to the top of the chromatography columns. The column is flushed at a rate of 1-2 mL per minute using 200 mL of 50:50 pentane/dichloromethane and collected into 250 mL flasks. The eluent collected in the 250 mL flask is evaporated to 2 mL using a waterbath at 55-50°C. The samples is transferred into 4 mL amber vials. Extracts subsequently processed by HPLC to further remove lipid interferences. Lipid removal is accomplished by flushing samples with dichlormethane through size exclusion Phenogel 10 m GPC 100 A columns. Approximately 40 mL is collected using a fraction collector, which is concentrated to 0.5 mL using a water bath at 55-60C. The concentrated extract is then analyzed by GC/MS for polynuclear aromatic hydrocarbons (PAHs) or GC/ECD for selected organochlorines (OCs).

Additional column chromatography is required to separate PCBs from toxaphene/pesticides when toxphene analysis is required and to separate planar PCBs. If toxaphene analyses is required, an aliquot of the extract prior to HPLC clean up is processed through a 3% deactivated silica gel column. The column is packed in dicloromethane which is then flushed with 50 mL of pentane. The sample extract is transferred to the top of the column and flushed with 100 mL of pentane. The fraction contains PCBs and DDTs. The column is then flushed with 120 mL of 50:50 pentane/dichloromethane. This fraction contains toxaphene and chlorinated pesticides. Both fractions are reduced to 1 mL using a water bath at 55-60°C. The extracts are then ready for instrument analysis.

If planar PCB analyses are required, the PCB/DDT fraction prepared by 3% silica gel column is further processed by column chromatography packed with 2 g of 1:19 (5% by weight) mixture of activated carbon/Celite. The column and flushed with 25 mL of 1:4 dichloromethane/cyclohexane mixture. The sample is added to the top of the column and flushed with 50 mL of 1:4 dichloromethane/cyclohexane mixture, followed by 30 mL of 9:1 dichloromethane/toluene. This is followed by the addition of 40 mL of toluene. The toluene fraction contains the planar PCBs and is concentrated to 1 mL in a Zymark TurboVap II concentrator at 42°C and 20 psi. The sample is ready for instrument analysis.

REFERENCES:

Lauenstein, G.G. and A.Y. Cantillo, ed. (1993). Sampling Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects 1984-1992; Volume IV: Comprehensive Descriptions of Trace Organic Analytical Methods. NOAA Technical memorandum NOS ORCA 71, Silver Spring, MD.

U.S. Environmental Protection Agency. 2001. National Coastal Assessment Quality Assurance Project Plan 2001-2004. United States Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/002.

Environmental Protection Agency, "Method 3545: Pressurized Fluid Extraction (PFE)," in Test Methods for Evaluating Solid Waste, Physical/Chemical Methods EPA SW-846 [Version 2 (December 1997), Integrated Manual through Update III] Washington DC, U.S. Environmental Protection Agency (1997)

Zuloaga, O.; Etxebarria, N.; Fernandez L. A.;Madariaga, J.M.; Optimization and comparison of MAE, ASE and Soxhlet extraction for the determination of HCH isomers in soil samples. Fresenius J Anal Chem, 2000, 367, 733-737.

Schantz, M.; Nichols, J. J.; Wise, S. A.; Evaluation of Pressurized Fluid Extraction for the Extraction of Environmental Matrix Reference Material, Anal. Chem., 1997, 69, 4210-4219.

**Method Code: 003**

LABORATORY: TDI Brooks International, Inc.

Chlorinated Hydrocarbon Determination by Gas Chromatography/Electron Capture Detection (GC/ECD)

Chlorinated hydrocarbons are determined in samples by GC/ECD. Samples are extracted as previously described and analyzed on a HewletPackard (HP), model 5890 GC equipped with an ECD. Between 1 to 5 mL of sample is injected using an HP, model 7673A autosampler. The instrument is set up with dual columns. The primary capillary column is a J&W DB-5 (30 m x 24 mm ID and 0.25 mm film thickness). The second column, a confirmation column, is a J&W DB-17HT (30 m x 0.25 mm ID and 0.15 mm film thickness). The inlet system is splitless and the carrier gas is helium at a flow rate of 1 mL/min. For the analysis of standard halogenated hydrocarbons, the temperature of the injection port is 275°C and the detector is 325°C. The initial oven temperature is 100°C with a hold time of 1 minute. The ramp rate is 5°C/minute to 140°C with a hold time of 1 minute, followed by a ramp rate of 1.5°C /minute to 250C with a hold time of 1 minute and finally a ramp rate of 10°C/minutes to 300°C with a final hold time of 5 minutes. For planar PCBs the instrument is operated in the splitless mode with helium as the carrier gas with a flow rate of 1 mL/minute. The temperature of the injection port is 275°C and the detector is 325°C. The initial oven temperature is 100°C, which is held for 1 minute. The ramp rate is 10°C/minute to 150°C, followed by a ramp rate of 6.0°C/minute to 270°C with a hold time of 3 minutes. The retention time of sample analytes must fall within 15 seconds of the retention time of analytes in a calibration standard or a retention index solutions. The levels of aroclors and toxophene are determined using retention index solutions of both complex mixtures. Arochlors are determined in a similar method to that described in EPA SW-846 Test Methods for Evaluating Solid Waste Physical/Chemical Methods, Method 8082 (1997).

REFERENCES:

Lauenstein, G.G. and A.Y. Cantillo, ed. (1993). Sampling Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects 1984-1992; Volume IV: Comprehensive Descriptions of Trace Organic Analytical Methods. NOAA Technical memorandum NOS ORCA 71, Silver Spring, MD.

U.S. Environmental Protection Agency. 2001. National Coastal Assessment Quality Assurance Project Plan 2001-2004. United States Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/002.

Environmental Protection Agency, "Method 8082: Polychlorinated Biphenls (PCBs) by Gas Chromatography," in Test Methods for Evaluating Solid Waste, Physical/Chemical Methods EPA SW-846 [Version 2 (December 1997), Integrated Manual through Update III] Washington DC, U.S. Environmental Protection Agency (1997)

| **Method Codes:** | 001 009 |
|---|---|

| Lab Matrix | Analyte |
|---|---|
| Animal Tissue | n-decane |
| | n-docosane |
| | n-dodecane |
| | n-dotriacontane |
| | n-eicosane |
| | n-heneicosane |
| | n-hentriacontane |
| | n-heptacosane |
| | n-heptadecane |
| | n-hexacosane |
| | n-hexadecane |
| | n-nonacosane |
| | n-nonadecane |
| | n-octacosane |
| | n-octadecane |
| | n-pentacosane |
| | n-pentadecane |
| | n-tetracosane |
| | n-tetradecane |
| | n-tetratriacontane |
| | n-triacontane |
| | n-tricosane |
| | n-tridecane |
| | n-tritriacontane |
| | n-undecane |
| | phytane |
| | pristane |

| Method Code: 001 |
|---|
| LABORATORY: TDI Brooks International, Inc.<br><br>Tissue Extraction Method (PAH and OCs) |

Tissue samples are either immediately processed or stored frozen (-20°C) until processing. Tissues are processed as appropriate for the tissue type (e.g. dissection, shucking). Processed tissues are homogenized using a variety of mechanical methods (Waring blender, Hobart meat grinder or Tissumisser), depending upon the tissue amount and type. After homogenization, an approximate 1 g aliquot is removed and dried in an oven at 105°C to a constant weight to determine % moisture. The remaining samples are stored in certified pre-cleaned jars frozen (- 20°C) until analysis. Prior to extraction, tissue samples may be lypholized or a wet aliquot is chemically dried using a dessicant such as Hydromatrix or sodium sulfate. Samples are then extracted using a Dionex ASE200 Accelerated Solvent Extractor (ASE). The dried sample or the sample and dessicant material is loaded into 22 or 33 mL stainless steel ASE extraction tubes. The extraction are performed using 100% dicholormethane at 100°C and 2000 psi. The extracted organics dissolved in the solvent are collected in 60 mL glass vials. The extract is concentrated to approximately 10 mL in the collection vials and then transferred to 25 mL Kurdena-Danish (KD) concentrator tubes. The sample extract is concentrated to 3 mL in a water bath at 55-60°C. If lipid weight is required, a 100 mL aliquot is removed and weighed using a microbalance. Interfering non-contaminant organic material (primarily lipids) must be removed prior to instrument analyses.

The extract is processed through silica gel/alumina chromatography columns and High Performance Liquid Chromatography (HPLC). The remaining 2.9 mL of sample extracted are loaded on top of 300 mm x 19 mm glass liquid chromatography columns packed with 10 g of deactivated alumina and 20 g of deactivated silica gel. The columns are loaded in 100 % dichloromethane. The dichloromethane is replaced by adding 40 mL of pentane. The extract is carefully added to the top of the chromatography columns. The column is flushed at a rate of 1-2 mL per minute using 200 mL of 50:50 pentane/dichloromethane and collected into 250 mL flasks. The eluent collected in the 250 mL flask is evaporated to 2 mL using a waterbath at 55-50°C. The samples is transferred into 4 mL amber vials. Extracts subsequently processed by HPLC to further remove lipid interferences. Lipid removal is accomplished by flushing samples with dichlormethane through size exclusion Phenogel 10 m GPC 100 A columns. Approximately 40 mL is collected using a fraction collector, which is concentrated to 0.5 mL using a water bath at 55-60C. The concentrated extract is then analyzed by GC/MS for polynuclear aromatic hydrocarbons (PAHs) or GC/ECD for selected organochlorines (OCs).

Additional column chromatography is required to separate PCBs from toxaphene/pesticides when toxphene analysis is required and to separate planar PCBs. If toxaphene analyses is required, an aliquot of the extract prior to HPLC clean up is processed through a 3% deactivated silica gel column. The column is packed in dicloromethane which is then flushed with 50 mL of pentane. The sample extract is transferred to the top of the column and flushed with 100 mL of pentane. The fraction contains PCBs and DDTs. The column is then flushed with 120 mL of 50:50 pentane/dichloromethane. This fraction contains toxaphene and chlorinated pesticides. Both fractions are reduced to 1 mL using a water bath at 55-60°C. The extracts are then ready for instrument analysis.

If planar PCB analyses are required, the PCB/DDT fraction prepared by 3% silica gel column is further processed by column chromatography packed with 2 g of 1:19 (5% by weight) mixture of activated carbon/Celite. The column and flushed with 25 mL of 1:4 dichloromethane/cyclohexane mixture. The sample is added to the top of the column and flushed with 50 mL of 1:4 dichloromethane/cyclohexane mixture, followed by 30 mL of 9:1 dichloromethane/toluene. This is followed by the addition of 40 mL of toluene. The toluene fraction contains the planar PCBs and is concentrated to 1 mL in a Zymark TurboVap II concentrator at 42°C and 20 psi. The sample is ready for instrument analysis.

REFERENCES:

Lauenstein, G.G. and A.Y. Cantillo, ed. (1993). Sampling Analytical Methods of the National Status and Trends Program National

Benthic Surveillance and Mussel Watch Projects 1984-1992; Volume IV: Comprehensive Descriptions of Trace Organic Analytical Methods. NOAA Technical memorandum NOS ORCA 71, Silver Spring, MD.

U.S. Environmental Protection Agency. 2001. National Coastal Assessment Quality Assurance Project Plan 2001-2004. United States Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/002.

Environmental Protection Agency, "Method 3545: Pressurized Fluid Extraction (PFE)," in Test Methods for Evaluating Solid Waste, Physical/Chemical Methods EPA SW-846 [Version 2 (December 1997), Integrated Manual through Update III] Washington DC, U.S. Environmental Protection Agency (1997)

Zuloaga, O.; Etxebarria, N.; Fernandez L. A.;Madariaga, J.M.; Optimization and comparison of MAE, ASE and Soxhlet extraction for the determination of HCH isomers in soil samples. Fresenius J Anal Chem, 2000, 367, 733-737.

Schantz, M.; Nichols, J. J.; Wise, S. A.; Evaluation of Pressurized Fluid Extraction for the Extraction of Environmental Matrix Reference Material, Anal. Chem., 1997, 69, 4210-4219.

**Method Code: 009**

LABORATORY: TDI Brooks International, Inc.

Determination of Aliphatic Hydrocarbons in Soil/Sediment

Sediment samples are extracted as described in method 005. Aliphatic hydrocarbons are determined by quantifying target analytes with a gas chromatography/flame ionization detection (GC/FID)

Aliphatic hydrocarbons are analyzed using a HewelettPackard, model 5890 Gas Chromatograph (GC) with a Flame Ionization Detector (FID) operated in a splitless mode. A HP-1MS capillary column (30m x 0.25 mm ID and 0.25 mm film thickness) is used to resolve peaks. The carrier gas is helium at a flow rate of 1.5 mL/min. The temperature of the injection port is 300°C and transfer line is 300C. The initial oven temperature is 60°C, the ramp rate is 12°C/min to a final oven temperature of 180°C. Normal alkanes with 10 to 34 carbons and the isoprenoids pristine and phytane are determined using this procedure. For analytes of interest, a response factor relative to the internal standard is determined at each calibration level. All 5 response factors are averaged for a mean relative response factor. Data are surrogate corrected.

Environmental Protection Agency, "Method 8100/8015. Polynuclear Aromatic Hydrocarbons/Nonhalogenated Organics using GC/FID"," in Test Methods for Evaluating Solid Waste, Physical/Chemical Methods EPA SW-846 [Version 2 (December 1997), Integrated Manual through Update III] Washington DC, U.S. Environmental Protection Agency (1997).

| **Method Codes:** | 001 012 |
|---|---|

| Lab Matrix | Analyte |
|---|---|
| Animal Tissue | BDE# 1 |

| |
|---|
| BDE# 10 |
| BDE# 100 |
| BDE# 11 |
| BDE# 116 |
| BDE# 118 |
| BDE# 119 |
| BDE# 12 |
| BDE# 126 |
| BDE# 13 |
| BDE# 138 |
| BDE# 15 |
| BDE# 153 |
| BDE# 154 |
| BDE# 155 |
| BDE# 166 |
| BDE# 17 |
| BDE# 181 |
| BDE# 183 |
| BDE# 190 |
| BDE# 194 |
| BDE# 195 |
| BDE# 196 |
| BDE# 197 |
| BDE# 198/199/203/200 |
| BDE# 2 |
| BDE# 201 |
| BDE# 202 |
| BDE# 204 |
| BDE# 205 |
| BDE# 206 |
| BDE# 207 |
| BDE# 208 |
| BDE# 209 |
| BDE# 25 |

| |
|---|
| BDE# 28 |
| BDE# 3 |
| BDE# 30 |
| BDE# 32 |
| BDE# 33 |
| BDE# 35 |
| BDE# 37 |
| BDE# 47 |
| BDE# 49/71 |
| BDE# 66 |
| BDE# 7 |
| BDE# 75 |
| BDE# 77 |
| BDE# 8 |
| BDE# 85 |
| BDE# 99 |
| BDE-TOTAL |

| Method Code: 001 |
|---|
| LABORATORY: TDI Brooks International, Inc.<br><br>Tissue Extraction Method (PAH and OCs)<br><br>Tissue samples are either immediately processed or stored frozen (-20°C) until processing. Tissues are processed as appropriate for the tissue type (e.g. dissection, shucking). Processed tissues are homogenized using a variety of mechanical methods (Waring blender, Hobart meat grinder or Tissumisser), depending upon the tissue amount and type. After homogenization, an approximate 1 g aliquot is removed and dried in an oven at 105°C to a constant weight to determine % moisture. The remaining samples are stored in certified pre-cleaned jars frozen (- 20°C) until analysis. Prior to extraction, tissue samples may be lypholized or a wet aliquot is chemically dried using a dessicant such as Hydromatrix or sodium sulfate. Samples are then extracted using a Dionex ASE200 Accelerated Solvent Extractor (ASE). The dried sample or the sample and dessicant material is loaded into 22 or 33 mL stainless steel ASE extraction tubes. The extraction are performed using 100% dicholormethane at 100°C and 2000 psi. The extracted organics dissolved in the solvent are collected in 60 mL glass vials. The extract is concentrated to approximately 10 mL in the collection vials and then transferred to 25 mL Kurdena-Danish (KD) concentrator tubes. The sample extract is concentrated to 3 mL in a water bath at 55-60°C. If lipid weight is required, a 100 mL aliquot is removed and weighed using a microbalance. Interfering non-contaminant organic material (primarily lipids) must be removed prior to instrument analyses.<br><br>The extract is processed through silica gel/alumina chromatography columns and High Performance Liquid Chromatography |

(HPLC). The remaining 2.9 mL of sample extracted are loaded on top of 300 mm x 19 mm glass liquid chromatography columns packed with 10 g of deactivated alumina and 20 g of deactivated silica gel. The columns are loaded in 100 % dichloromethane. The dichloromethane is replaced by adding 40 mL of pentane. The extract is carefully added to the top of the chromatography columns. The column is flushed at a rate of 1-2 mL per minute using 200 mL of 50:50 pentane/dichloromethane and collected into 250 mL flasks. The eluent collected in the 250 mL flask is evaporated to 2 mL using a waterbath at 55-50°C. The samples is transferred into 4 mL amber vials. Extracts subsequently processed by HPLC to further remove lipid interferences. Lipid removal is accomplished by flushing samples with dichlormethane through size exclusion Phenogel 10 m GPC 100 A columns. Approximately 40 mL is collected using a fraction collector, which is concentrated to 0.5 mL using a water bath at 55-60C. The concentrated extract is then analyzed by GC/MS for polynuclear aromatic hydrocarbons (PAHs) or GC/ECD for selected organochlorines (OCs).

Additional column chromatography is required to separate PCBs from toxaphene/pesticides when toxphene analysis is required and to separate planar PCBs. If toxaphene analyses is required, an aliquot of the extract prior to HPLC clean up is processed through a 3% deactivated silica gel column. The column is packed in dicloromethane which is then flushed with 50 mL of pentane. The sample extract is transferred to the top of the column and flushed with 100 mL of pentane. The fraction contains PCBs and DDTs. The column is then flushed with 120 mL of 50:50 pentane/dichloromethane. This fraction contains toxaphene and chlorinated pesticides. Both fractions are reduced to 1 mL using a water bath at 55-60°C. The extracts are then ready for instrument analysis.

If planar PCB analyses are required, the PCB/DDT fraction prepared by 3% silica gel column is further processed by column chromatography packed with 2 g of 1:19 (5% by weight) mixture of activated carbon/Celite. The column and flushed with 25 mL of 1:4 dichloromethane/cyclohexane mixture. The sample is added to the top of the column and flushed with 50 mL of 1:4 dichloromethane/cyclohexane mixture, followed by 30 mL of 9:1 dichloromethane/toluene. This is followed by the addition of 40 mL of toluene. The toluene fraction contains the planar PCBs and is concentrated to 1 mL in a Zymark TurboVap II concentrator at 42°C and 20 psi. The sample is ready for instrument analysis.

REFERENCES:

Lauenstein, G.G. and A.Y. Cantillo, ed. (1993). Sampling Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects 1984-1992; Volume IV: Comprehensive Descriptions of Trace Organic Analytical Methods. NOAA Technical memorandum NOS ORCA 71, Silver Spring, MD.

U.S. Environmental Protection Agency. 2001. National Coastal Assessment Quality Assurance Project Plan 2001-2004. United States Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/002.

Environmental Protection Agency, "Method 3545: Pressurized Fluid Extraction (PFE)," in Test Methods for Evaluating Solid Waste, Physical/Chemical Methods EPA SW-846 [Version 2 (December 1997), Integrated Manual through Update III] Washington DC, U.S. Environmental Protection Agency (1997)

Zuloaga, O.; Etxebarria, N.; Fernandez L. A.;Madariaga, J.M.; Optimization and comparison of MAE, ASE and Soxhlet extraction for the determination of HCH isomers in soil samples. Fresenius J Anal Chem, 2000, 367, 733-737.

Schantz, M.; Nichols, J. J.; Wise, S. A.; Evaluation of Pressurized Fluid Extraction for the Extraction of Environmental Matrix

Reference Material, Anal. Chem., 1997, 69, 4210-4219.

**Method Code: 012**

Laboratory: TDI Brooks International, Inc.

Polybrominated Diphenyl Ether (PBDE) Determination by Negative Chemical Ionization (NCI)-Selected Ion Monitoring (SIM) Gas Chromatography/Mass Spectrometry (GC/MS)

Polybrominated diphenyl ethers are analyzed in sample extracts by a Thermo Trace GC and DSQ-II MS operated in SIM using a capillary column. The GC is operated in splitless mode using a PTV injection port and the capillary column is an Agilent Technologies DB-XLB (15 m x 0.25 mm ID and 0.10 mm film thickness). The carrier gas is helium at a flow rate of 1 mL/minute and methane is used as the reactant gas with a flow rate of 2.0 mL/min. The temperature of the injection port is 40 degrees C (ramp to 300 degrees C) and transfer line is 290 degrees C. The initial oven temperature is 110 degrees C, the ramp rate is 7 degrees C/minutes to a final oven temperature of 280 degrees C and held for 20 minutes. For analyte identification, the extracted ion current profiles of the primary m/z and the confirmatory ion for each analyte must be at a maximum in the same scan or within one scan of each other and the retention time must fall with 5 seconds of the retention time of the authentic standard.

| **Method Codes:** | 001 014 |
|---|---|

| Lab Matrix | Analyte |
|---|---|
| Animal Tissue | 1,2,3,4,6,7,8-HpCDD |
| | 1,2,3,4,6,7,8-HpCDF |
| | 1,2,3,4,7,8,9-HpCDF |
| | 1,2,3,4,7,8-HxCDD |
| | 1,2,3,4,7,8-HxCDF |
| | 1,2,3,6,7,8-HxCDD |
| | 1,2,3,6,7,8-HxCDF |
| | 1,2,3,7,8,9-HxCDD |
| | 1,2,3,7,8,9-HxCDF |
| | 1,2,3,7,8-PeCDD |
| | 1,2,3,7,8-PeCDF |
| | 2,3,4,6,7,8-HxCDF |
| | 2,3,4,7,8-PeCDF |
| | 2,3,7,8-TCDD |
| | 2,3,7,8-TCDF |
| | Cl4-PCDD |

| | |
|---|---|
| | Cl4-PCDF |
| | Cl5-PCDD |
| | Cl5-PCDF |
| | Cl6-PCDD |
| | Cl6-PCDF |
| | Cl7-PCDD |
| | Cl7-PCDF |
| | OCDD |
| | OCDF |
| Water | 1,2,3,4,6,7,8-HpCDD |
| | 1,2,3,4,6,7,8-HpCDF |
| | 1,2,3,4,7,8,9-HpCDF |
| | 1,2,3,4,7,8-HxCDD |
| | 1,2,3,4,7,8-HxCDF |
| | 1,2,3,6,7,8-HxCDD |
| | 1,2,3,6,7,8-HxCDF |
| | 1,2,3,7,8,9-HxCDD |
| | 1,2,3,7,8,9-HxCDF |
| | 1,2,3,7,8-PeCDD |
| | 1,2,3,7,8-PeCDF |
| | 2,3,4,6,7,8-HxCDF |
| | 2,3,4,7,8-PeCDF |
| | 2,3,7,8-TCDD |
| | 2,3,7,8-TCDF |
| | Cl4-PCDD |
| | Cl4-PCDF |
| | Cl5-PCDD |
| | Cl5-PCDF |
| | Cl6-PCDD |
| | Cl6-PCDF |
| | Cl7-PCDD |
| | Cl7-PCDF |
| | OCDD |
| | OCDF |

**Method Code: 001**

LABORATORY: TDI Brooks International, Inc.

Tissue Extraction Method (PAH and OCs)

Tissue samples are either immediately processed or stored frozen (-20°C) until processing. Tissues are processed as appropriate for the tissue type (e.g. dissection, shucking). Processed tissues are homogenized using a variety of mechanical methods (Waring blender, Hobart meat grinder or Tissumisser), depending upon the tissue amount and type. After homogenization, an approximate 1 g aliquot is removed and dried in an oven at 105°C to a constant weight to determine % moisture. The remaining samples are stored in certified pre-cleaned jars frozen (- 20°C) until analysis. Prior to extraction, tissue samples may be lypholized or a wet aliquot is chemically dried using a dessicant such as Hydromatrix or sodium sulfate. Samples are then extracted using a Dionex ASE200 Accelerated Solvent Extractor (ASE). The dried sample or the sample and dessicant material is loaded into 22 or 33 mL stainless steel ASE extraction tubes. The extraction are performed using 100% dicholormethane at 100°C and 2000 psi. The extracted organics dissolved in the solvent are collected in 60 mL glass vials. The extract is concentrated to approximately 10 mL in the collection vials and then transferred to 25 mL Kurdena-Danish (KD) concentrator tubes. The sample extract is concentrated to 3 mL in a water bath at 55-60°C. If lipid weight is required, a 100 mL aliquot is removed and weighed using a microbalance. Interfering non-contaminant organic material (primarily lipids) must be removed prior to instrument analyses.

The extract is processed through silica gel/alumina chromatography columns and High Performance Liquid Chromatography (HPLC). The remaining 2.9 mL of sample extracted are loaded on top of 300 mm x 19 mm glass liquid chromatography columns packed with 10 g of deactivated alumina and 20 g of deactivated silica gel. The columns are loaded in 100 % dichloromethane. The dichloromethane is replaced by adding 40 mL of pentane. The extract is carefully added to the top of the chromatography columns. The column is flushed at a rate of 1-2 mL per minute using 200 mL of 50:50 pentane/dichloromethane and collected into 250 mL flasks. The eluent collected in the 250 mL flask is evaporated to 2 mL using a waterbath at 55-50°C. The samples is transferred into 4 mL amber vials. Extracts subsequently processed by HPLC to further remove lipid interferences. Lipid removal is accomplished by flushing samples with dichlormethane through size exclusion Phenogel 10 m GPC 100 A columns. Approximately 40 mL is collected using a fraction collector, which is concentrated to 0.5 mL using a water bath at 55-60C. The concentrated extract is then analyzed by GC/MS for polynuclear aromatic hydrocarbons (PAHs) or GC/ECD for selected organochlorines (OCs).

Additional column chromatography is required to separate PCBs from toxaphene/pesticides when toxphene analysis is required and to separate planar PCBs. If toxaphene analyses is required, an aliquot of the extract prior to HPLC clean up is processed through a 3% deactivated silica gel column. The column is packed in dicloromethane which is then flushed with 50 mL of pentane. The sample extract is transferred to the top of the column and flushed with 100 mL of pentane. The fraction contains PCBs and DDTs. The column is then flushed with 120 mL of 50:50 pentane/dichloromethane. This fraction contains toxaphene and chlorinated pesticides. Both fractions are reduced to 1 mL using a water bath at 55-60°C. The extracts are then ready for instrument analysis.

If planar PCB analyses are required, the PCB/DDT fraction prepared by 3% silica gel column is further processed by column chromatography packed with 2 g of 1:19 (5% by weight) mixture of activated carbon/Celite. The column and flushed with 25 mL of 1:4 dichloromethane/cyclohexane mixture. The sample is added to the top of the column and flushed with 50 mL of 1:4 dichloromethane/cyclohexane mixture, followed by 30 mL of 9:1 dichloromethane/toluene. This is followed by the addition of 40 mL

of toluene. The toluene fraction contains the planar PCBs and is concentrated to 1 mL in a Zymark TurboVap II concentrator at 42°C and 20 psi. The sample is ready for instrument analysis.

REFERENCES:

Lauenstein, G.G. and A.Y. Cantillo, ed. (1993). Sampling Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects 1984-1992; Volume IV: Comprehensive Descriptions of Trace Organic Analytical Methods. NOAA Technical memorandum NOS ORCA 71, Silver Spring, MD.

U.S. Environmental Protection Agency. 2001. National Coastal Assessment Quality Assurance Project Plan 2001-2004. United States Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/002.

Environmental Protection Agency, "Method 3545: Pressurized Fluid Extraction (PFE)," in Test Methods for Evaluating Solid Waste, Physical/Chemical Methods EPA SW-846 [Version 2 (December 1997), Integrated Manual through Update III] Washington DC, U.S. Environmental Protection Agency (1997)

Zuloaga, O.; Etxebarria, N.; Fernandez L. A.;Madariaga, J.M.; Optimization and comparison of MAE, ASE and Soxhlet extraction for the determination of HCH isomers in soil samples. Fresenius J Anal Chem, 2000, 367, 733-737.

Schantz, M.; Nichols, J. J.; Wise, S. A.; Evaluation of Pressurized Fluid Extraction for the Extraction of Environmental Matrix Reference Material, Anal. Chem., 1997, 69, 4210-4219.

**Method Code: 014**

LABORATORY: TDI Brooks International, Inc

Summary of Method 1613B

This procedure uses matrix specific extraction, analyte specific cleanup, and HRGC/HRMS analysis techniques for dioxins and furans.

If interferences are encountered, the method provides selected cleanup procedures to aid the analyst in their elimination.

A specified amount of sample is spiked with a solution containing specified amounts of each of the fifteen isotopically labeled PCDDs/PCDFs. The sample is then extracted according to a matrix specific extraction procedure. Aqueous samples that are judged to contain 1 percent or more solids, and solid samples that show an aqueous phase, are filtered, the solid phase (including the filter) and the aqueous phase extracted separately, and the extracts combined before extract cleanup.

The extraction procedures are:

 Toluene: Soxhlet extraction for soil, sediment, fly ash, and paper pulp samples;

 Methylene chloride, liquid-liquid extraction for water samples

 Toluene: Dean-Stark extraction for fuel oil, and aqueous sludge samples;

 Toluene extraction for still bottom samples;

 Hexane/methylene chloride, Soxhlet extraction or methylene chloride, Soxhlet extraction for fish tissue samples

 Methylene chloride extraction for human adipose tissue samples

As an option, all solid samples (wet or dry) may be extracted with toluene using a Soxhlet/Dean Stark extraction system. The decision for the selection of an extraction procedure for chemical reactor residue samples is based on the appearance (consistency, viscosity) of the samples. Generally, they can be handled according to the procedure used for still bottom (or chemical sludge) samples.

The extracts are submitted to an acidic washing treatment and dried. Following a solvent exchange step, the extracts are cleaned up by column chromatography on silica gel and activated carbon. The extracts from adipose tissue samples are treated with silica gel impregnated with sulfuric acid before chromatography on acidic silica gel, and activated carbon.

Fish tissue and paper pulp extracts are subjected to an acid wash treatment only, prior to chromatography on alumina and activated carbon.

The preparation of the final extract for HRGC/HRMS analysis is accomplished by adding 20µL of a nonane solution containing 100pg/µL of the internal standard compounds, 13C12 -1,2,3,4-TCDD and 13C12 -1,2,3,7,8,9-HxCDD. The former is used to determine the percent recoveries of tetra- and pentachlorinated PCDD/PCDF congeners, while the latter is used to determine the percent recoveries of the hexa-, hepta- and octachlorinated PCDD/PCDF congeners.

Two µL of the concentrated extract are injected into an HRGC/HRMS system capable of performing selected ion monitoring at resolving powers of at least 10,000 (10 percent valley definition).

The identification of sixteen 2,3,7,8-substituted congeners, for which a 13C12-labeled standard is available in the sample and the labeled standard spiking solutions, is based on their elution at their exact retention time (within 0.005 retention time units measured in the routine calibration) and the simultaneous detection of the two most abundant ions in the molecular ion region. The identification of OCDF is based on its retention time relative to
13C12 -OCDD and the simultaneous detection of the two most abundant ions in the molecular ion region. Identification is also based on a comparison of the ratios of the integrated ion abundance of the molecular ion species to their theoretical abundance ratios.

Quantitation of the individual congeners, total PCDDs and total PCDFs is achieved in conjunction with the establishment of a multipoint (five points) calibration curve for each homologue, during which each calibration solution is analyzed once.

| **Method Codes:** | 001 015 |
|---|---|

| Lab Matrix | Analyte |
|---|---|
| Animal Tissue | PCB# 1 |
| | PCB# 10 |
| | PCB# 103 |
| | PCB# 104 |
| | PCB# 105 |
| | PCB# 106 |
| | PCB# 107 |
| | PCB# 108/124 |
| | PCB# 11 |
| | PCB# 110/115 |
| | PCB# 111 |
| | PCB# 112 |
| | PCB# 114 |
| | PCB# 117 |
| | PCB# 118 |
| | PCB# 12/13 |
| | PCB# 120 |
| | PCB# 121 |
| | PCB# 122 |
| | PCB# 123 |
| | PCB# 126 |
| | PCB# 127 |
| | PCB# 128/166 |
| | PCB# 129/138/163 |
| | PCB# 130 |
| | PCB# 131 |
| | PCB# 132 |
| | PCB# 133 |
| | PCB# 134 |
| | PCB# 135/151 |
| | PCB# 136 |
| | PCB# 137 |

| |
|---|
| PCB# 139/140 |
| PCB# 14 |
| PCB# 141 |
| PCB# 142 |
| PCB# 143 |
| PCB# 144 |
| PCB# 145 |
| PCB# 146 |
| PCB# 147/149 |
| PCB# 148 |
| PCB# 15 |
| PCB# 150 |
| PCB# 152 |
| PCB# 153/168 |
| PCB# 154 |
| PCB# 155 |
| PCB# 156/157 |
| PCB# 158 |
| PCB# 159 |
| PCB# 16 |
| PCB# 160 |
| PCB# 161 |
| PCB# 162 |
| PCB# 164 |
| PCB# 165 |
| PCB# 167 |
| PCB# 169 |
| PCB# 17 |
| PCB# 170 |
| PCB# 171/173 |
| PCB# 172 |
| PCB# 174 |
| PCB# 175 |
| PCB# 176 |

| |
|---|
| PCB# 177 |
| PCB# 178 |
| PCB# 179 |
| PCB# 18/30 |
| PCB# 180/193 |
| PCB# 181 |
| PCB# 182 |
| PCB# 183 |
| PCB# 184 |
| PCB# 185 |
| PCB# 186 |
| PCB# 187 |
| PCB# 188 |
| PCB# 189 |
| PCB# 19 |
| PCB# 190 |
| PCB# 191 |
| PCB# 192 |
| PCB# 194 |
| PCB# 195 |
| PCB# 196 |
| PCB# 197 |
| PCB# 198/199 |
| PCB# 2 |
| PCB# 20/28 |
| PCB# 200 |
| PCB# 201 |
| PCB# 202 |
| PCB# 203 |
| PCB# 204 |
| PCB# 205 |
| PCB# 206 |
| PCB# 207 |
| PCB# 208 |

| |
|---|
| PCB# 209 |
| PCB# 21/33 |
| PCB# 22 |
| PCB# 23 |
| PCB# 24 |
| PCB# 25 |
| PCB# 26/29 |
| PCB# 27 |
| PCB# 3 |
| PCB# 31 |
| PCB# 32 |
| PCB# 34 |
| PCB# 35 |
| PCB# 36 |
| PCB# 37 |
| PCB# 38 |
| PCB# 39 |
| PCB# 4 |
| PCB# 40/41/70 |
| PCB# 42 |
| PCB# 43/73 |
| PCB# 44/47/65 |
| PCB# 45/51 |
| PCB# 46 |
| PCB# 48 |
| PCB# 49/69 |
| PCB# 5 |
| PCB# 50/53 |
| PCB# 52 |
| PCB# 54 |
| PCB# 55 |
| PCB# 56 |
| PCB# 57 |
| PCB# 58 |

| |
|---|
| PCB# 59/62/75 |
| PCB# 6 |
| PCB# 60 |
| PCB# 63 |
| PCB# 64 |
| PCB# 66 |
| PCB# 67 |
| PCB# 68 |
| PCB# 7 |
| PCB# 70/61/74/76 |
| PCB# 72 |
| PCB# 77 |
| PCB# 78 |
| PCB# 79 |
| PCB# 8 |
| PCB# 80 |
| PCB# 81 |
| PCB# 82 |
| PCB# 83/99 |
| PCB# 84 |
| PCB# 85/116 |
| PCB# 86/87/97/109/119/125 |
| PCB# 88/91 |
| PCB# 89 |
| PCB# 9 |
| PCB# 90/101/113 |
| PCB# 92 |
| PCB# 94 |
| PCB# 95 |
| PCB# 96 |
| PCB# 98/100 |
| PCB# 98/102 |
| PCB-1242 |
| PCB-1248 |

| | |
|---|---|
| | PCB-1254 |
| | PCB-1260 |
| | PCB-TOTAL |
| Water | PCB# 1 |
| | PCB# 10 |
| | PCB# 103 |
| | PCB# 104 |
| | PCB# 105 |
| | PCB# 106 |
| | PCB# 107 |
| | PCB# 108/124 |
| | PCB# 11 |
| | PCB# 110/115 |
| | PCB# 111 |
| | PCB# 112 |
| | PCB# 114 |
| | PCB# 117 |
| | PCB# 118 |
| | PCB# 12/13 |
| | PCB# 120 |
| | PCB# 121 |
| | PCB# 122 |
| | PCB# 123 |
| | PCB# 126 |
| | PCB# 127 |
| | PCB# 128/166 |
| | PCB# 129/138/163 |
| | PCB# 130 |
| | PCB# 131 |
| | PCB# 132 |
| | PCB# 133 |
| | PCB# 134 |
| | PCB# 135/151 |
| | PCB# 136 |
| | |

| |
|---|
| PCB# 137 |
| PCB# 139/140 |
| PCB# 14 |
| PCB# 141 |
| PCB# 142 |
| PCB# 143 |
| PCB# 144 |
| PCB# 145 |
| PCB# 146 |
| PCB# 147/149 |
| PCB# 148 |
| PCB# 15 |
| PCB# 150 |
| PCB# 152 |
| PCB# 153/168 |
| PCB# 154 |
| PCB# 155 |
| PCB# 156/157 |
| PCB# 158 |
| PCB# 159 |
| PCB# 16 |
| PCB# 160 |
| PCB# 161 |
| PCB# 162 |
| PCB# 164 |
| PCB# 165 |
| PCB# 167 |
| PCB# 169 |
| PCB# 17 |
| PCB# 170 |
| PCB# 171/173 |
| PCB# 172 |
| PCB# 174 |
| PCB# 175 |

| |
|---|
| PCB# 176 |
| PCB# 177 |
| PCB# 178 |
| PCB# 179 |
| PCB# 18/30 |
| PCB# 180/193 |
| PCB# 181 |
| PCB# 182 |
| PCB# 183 |
| PCB# 184 |
| PCB# 185 |
| PCB# 186 |
| PCB# 187 |
| PCB# 188 |
| PCB# 189 |
| PCB# 19 |
| PCB# 190 |
| PCB# 191 |
| PCB# 192 |
| PCB# 194 |
| PCB# 195 |
| PCB# 196 |
| PCB# 197 |
| PCB# 198/199 |
| PCB# 2 |
| PCB# 20/28 |
| PCB# 200 |
| PCB# 201 |
| PCB# 202 |
| PCB# 203 |
| PCB# 204 |
| PCB# 205 |
| PCB# 206 |
| PCB# 207 |

| |
|---|
| PCB# 208 |
| PCB# 209 |
| PCB# 21/33 |
| PCB# 22 |
| PCB# 23 |
| PCB# 24 |
| PCB# 25 |
| PCB# 26/29 |
| PCB# 27 |
| PCB# 3 |
| PCB# 31 |
| PCB# 32 |
| PCB# 34 |
| PCB# 35 |
| PCB# 36 |
| PCB# 37 |
| PCB# 38 |
| PCB# 39 |
| PCB# 4 |
| PCB# 40/41/70 |
| PCB# 42 |
| PCB# 43/73 |
| PCB# 44/47/65 |
| PCB# 45/51 |
| PCB# 46 |
| PCB# 48 |
| PCB# 49/69 |
| PCB# 5 |
| PCB# 50/53 |
| PCB# 52 |
| PCB# 54 |
| PCB# 55 |
| PCB# 56 |
| PCB# 57 |

| |
|---|
| PCB# 58 |
| PCB# 59/62/75 |
| PCB# 6 |
| PCB# 60 |
| PCB# 63 |
| PCB# 64 |
| PCB# 66 |
| PCB# 67 |
| PCB# 68 |
| PCB# 7 |
| PCB# 70/61/74/76 |
| PCB# 72 |
| PCB# 77 |
| PCB# 78 |
| PCB# 79 |
| PCB# 8 |
| PCB# 80 |
| PCB# 81 |
| PCB# 82 |
| PCB# 83/99 |
| PCB# 84 |
| PCB# 85/116 |
| PCB# 86/87/97/109/119/125 |
| PCB# 88/91 |
| PCB# 89 |
| PCB# 9 |
| PCB# 90/101/113 |
| PCB# 92 |
| PCB# 94 |
| PCB# 95 |
| PCB# 96 |
| PCB# 98/100 |
| PCB# 98/102 |
| PCB-TOTAL |

**Method Code: 001**

LABORATORY: TDI Brooks International, Inc.

Tissue Extraction Method (PAH and OCs)

Tissue samples are either immediately processed or stored frozen (-20°C) until processing. Tissues are processed as appropriate for the tissue type (e.g. dissection, shucking). Processed tissues are homogenized using a variety of mechanical methods (Waring blender, Hobart meat grinder or Tissumisser), depending upon the tissue amount and type. After homogenization, an approximate 1 g aliquot is removed and dried in an oven at 105°C to a constant weight to determine % moisture. The remaining samples are stored in certified pre-cleaned jars frozen (- 20°C) until analysis. Prior to extraction, tissue samples may be lypholized or a wet aliquot is chemically dried using a dessicant such as Hydromatrix or sodium sulfate. Samples are then extracted using a Dionex ASE200 Accelerated Solvent Extractor (ASE). The dried sample or the sample and dessicant material is loaded into 22 or 33 mL stainless steel ASE extraction tubes. The extraction are performed using 100% dicholormethane at 100°C and 2000 psi. The extracted organics dissolved in the solvent are collected in 60 mL glass vials. The extract is concentrated to approximately 10 mL in the collection vials and then transferred to 25 mL Kurdena-Danish (KD) concentrator tubes. The sample extract is concentrated to 3 mL in a water bath at 55-60°C. If lipid weight is required, a 100 mL aliquot is removed and weighed using a microbalance. Interfering non-contaminant organic material (primarily lipids) must be removed prior to instrument analyses.

The extract is processed through silica gel/alumina chromatography columns and High Performance Liquid Chromatography (HPLC). The remaining 2.9 mL of sample extracted are loaded on top of 300 mm x 19 mm glass liquid chromatography columns packed with 10 g of deactivated alumina and 20 g of deactivated silica gel. The columns are loaded in 100 % dichloromethane. The dichloromethane is replaced by adding 40 mL of pentane. The extract is carefully added to the top of the chromatography columns. The column is flushed at a rate of 1-2 mL per minute using 200 mL of 50:50 pentane/dichloromethane and collected into 250 mL flasks. The eluent collected in the 250 mL flask is evaporated to 2 mL using a waterbath at 55-50°C. The samples is transferred into 4 mL amber vials. Extracts subsequently processed by HPLC to further remove lipid interferences. Lipid removal is accomplished by flushing samples with dichlormethane through size exclusion Phenogel 10 m GPC 100 A columns. Approximately 40 mL is collected using a fraction collector, which is concentrated to 0.5 mL using a water bath at 55-60C. The concentrated extract is then analyzed by GC/MS for polynuclear aromatic hydrocarbons (PAHs) or GC/ECD for selected organochlorines (OCs).

Additional column chromatography is required to separate PCBs from toxaphene/pesticides when toxphene analysis is required and to separate planar PCBs. If toxaphene analyses is required, an aliquot of the extract prior to HPLC clean up is processed through a 3% deactivated silica gel column. The column is packed in dicloromethane which is then flushed with 50 mL of pentane. The sample extract is transferred to the top of the column and flushed with 100 mL of pentane. The fraction contains PCBs and DDTs. The column is then flushed with 120 mL of 50:50 pentane/dichloromethane. This fraction contains toxaphene and chlorinated pesticides. Both fractions are reduced to 1 mL using a water bath at 55-60°C. The extracts are then ready for instrument analysis.

If planar PCB analyses are required, the PCB/DDT fraction prepared by 3% silica gel column is further processed by column chromatography packed with 2 g of 1:19 (5% by weight) mixture of activated carbon/Celite. The column and flushed with 25 mL of 1:4 dichloromethane/cyclohexane mixture. The sample is added to the top of the column and flushed with 50 mL of 1:4 dichloromethane/cyclohexane mixture, followed by 30 mL of 9:1 dichloromethane/toluene. This is followed by the addition of 40 mL

of toluene. The toluene fraction contains the planar PCBs and is concentrated to 1 mL in a Zymark TurboVap II concentrator at 42°C and 20 psi. The sample is ready for instrument analysis.

REFERENCES:

Lauenstein, G.G. and A.Y. Cantillo, ed. (1993). Sampling Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects 1984-1992; Volume IV: Comprehensive Descriptions of Trace Organic Analytical Methods. NOAA Technical memorandum NOS ORCA 71, Silver Spring, MD.

U.S. Environmental Protection Agency. 2001. National Coastal Assessment Quality Assurance Project Plan 2001-2004. United States Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/002.

Environmental Protection Agency, "Method 3545: Pressurized Fluid Extraction (PFE)," in Test Methods for Evaluating Solid Waste, Physical/Chemical Methods EPA SW-846 [Version 2 (December 1997), Integrated Manual through Update III] Washington DC, U.S. Environmental Protection Agency (1997)

Zuloaga, O.; Etxebarria, N.; Fernandez L. A.;Madariaga, J.M.; Optimization and comparison of MAE, ASE and Soxhlet extraction for the determination of HCH isomers in soil samples. Fresenius J Anal Chem, 2000, 367, 733-737.

Schantz, M.; Nichols, J. J.; Wise, S. A.; Evaluation of Pressurized Fluid Extraction for the Extraction of Environmental Matrix Reference Material, Anal. Chem., 1997, 69, 4210-4219.

**Method Code: 015**

LABORATORY: TDI Brooks International, Inc

Summary of Method 1668A

This procedure uses matrix specific extraction, analyte specific cleanup, and HRGC/HRMS analysis techniques for PCB congeners.

Aqueous samples (samples containing less than one percent solids) ¨C Stable isotopically labeled analogs of the toxics and labeled earliest and latest level of chlorination (LOC) PCBs are spiked into the sample aliquot. The sample is extracted using a separatory funnel extraction and concentrated for clean up.

Solid, semi-solid, and multi-phase samples (excluding tissue) ¨C The labeled compounds are spiked into sample material that corresponds to approximately 5g on a dry weight basis. For samples with high moisture content, the amount of wet weight material to add the labeled compounds to would necessarily be greater than 5g. All samples are homogenized properly and extracted in a Soxhlet extraction apparatus or Accelerated Solvent Extractor (ASE). The extract is concentrated for clean up.

Fish and other tissue ¨C An aliquot of tissue sufficient enough to provide sample for PCB and lipid analysis is homogenized and spiked with labeled compounds. The sample is mixed with anhydrous sodium sulfate, allowed to dry for 12-24 hours, and extracted for 16-24 hours using a 1:1 dichloromethane/hexane solution in a Soxhlet extraction apparatus. The extract is split; with one aliquot concentrated for clean up and the other concentrated for lipid determination.

After extraction, a labeled clean up standard is spiked into the extract which is then cleaned up using back-extraction with sulfuric acid and/or base, and silica gel or Florisil chromatography.

After clean up, the extract is concentrated to 20¦ÌL. Immediately prior to injection, labeled injection internal standards are added to each extract and an aliquot of the extract is injected into the gas chromatograph (GC). The analytes are separated by the GC and detected by a high resolution (¡Ý10,000) mass spectrometer. Two exact m/z¡¯s are monitored at each level of chlorination throughout a pre-determined retention time window.

An individual PCB congener is identified by comparing the GC retention time and ion-abundance ratio of two exact m/z¡¯s with the corresponding retention time of an authentic standard and the theoretical or acquired ion-abundance ratio of the two exact m/z¡¯s. Isomer specificity for certain of the CB congeners is achieved using GC columns that resolve these congeners.

Quantitative analysis is performed in one of two ways using selected ion current profile (SICP) areas:

For the toxics and the earliest and latest level of chlorination CBs (Toxics/LOC), the GC/MS is multi-point calibrated and the concentration is determined using the isotope dilution technique.

For all other congeners, the GC/MS is calibrated at a single concentration and the concentrations are determined using the internal standard technique.

For the labeled congeners, the GC/MS is calibrated using replicates at a single concentration and the concentrations of these labeled compounds are determined using the internal standard technique.

The quality of analysis is assured through reproducible calibration and testing of the extraction, clean up and GC/MS systems.

| **Method Codes:** | 011 015 |
|---|---|

| Lab Matrix | Analyte |
|---|---|
| Water | PCB# 1 |
| | PCB# 10 |
| | PCB# 103 |
| | PCB# 104 |
| | PCB# 105 |
| | PCB# 106 |
| | PCB# 107 |
| | PCB# 108/124 |
| | PCB# 11 |
| | PCB# 110/115 |

| |
|---|
| PCB# 111 |
| PCB# 112 |
| PCB# 114 |
| PCB# 117 |
| PCB# 118 |
| PCB# 12/13 |
| PCB# 120 |
| PCB# 121 |
| PCB# 122 |
| PCB# 123 |
| PCB# 126 |
| PCB# 127 |
| PCB# 128/166 |
| PCB# 129/138/163 |
| PCB# 130 |
| PCB# 131 |
| PCB# 132 |
| PCB# 133 |
| PCB# 134 |
| PCB# 135/151 |
| PCB# 136 |
| PCB# 137 |
| PCB# 139/140 |
| PCB# 14 |
| PCB# 141 |
| PCB# 142 |
| PCB# 143 |
| PCB# 144 |
| PCB# 145 |
| PCB# 146 |
| PCB# 147/149 |
| PCB# 148 |
| PCB# 15 |
| PCB# 150 |

| |
|---|
| PCB# 152 |
| PCB# 153/168 |
| PCB# 154 |
| PCB# 155 |
| PCB# 156/157 |
| PCB# 158 |
| PCB# 159 |
| PCB# 16 |
| PCB# 160 |
| PCB# 161 |
| PCB# 162 |
| PCB# 164 |
| PCB# 165 |
| PCB# 167 |
| PCB# 169 |
| PCB# 17 |
| PCB# 170 |
| PCB# 171/173 |
| PCB# 172 |
| PCB# 174 |
| PCB# 175 |
| PCB# 176 |
| PCB# 177 |
| PCB# 178 |
| PCB# 179 |
| PCB# 18/30 |
| PCB# 180/193 |
| PCB# 181 |
| PCB# 182 |
| PCB# 183 |
| PCB# 184 |
| PCB# 185 |
| PCB# 186 |
| PCB# 187 |

| |
|---|
| PCB# 188 |
| PCB# 189 |
| PCB# 19 |
| PCB# 190 |
| PCB# 191 |
| PCB# 192 |
| PCB# 194 |
| PCB# 195 |
| PCB# 196 |
| PCB# 197 |
| PCB# 198/199 |
| PCB# 2 |
| PCB# 20/28 |
| PCB# 200 |
| PCB# 201 |
| PCB# 202 |
| PCB# 203 |
| PCB# 204 |
| PCB# 205 |
| PCB# 206 |
| PCB# 207 |
| PCB# 208 |
| PCB# 209 |
| PCB# 21/33 |
| PCB# 22 |
| PCB# 23 |
| PCB# 24 |
| PCB# 25 |
| PCB# 26/29 |
| PCB# 27 |
| PCB# 3 |
| PCB# 31 |
| PCB# 32 |
| PCB# 34 |

| |
|---|
| PCB# 35 |
| PCB# 36 |
| PCB# 37 |
| PCB# 38 |
| PCB# 39 |
| PCB# 4 |
| PCB# 40/41/70 |
| PCB# 42 |
| PCB# 43/73 |
| PCB# 44/47/65 |
| PCB# 45/51 |
| PCB# 46 |
| PCB# 48 |
| PCB# 49/69 |
| PCB# 5 |
| PCB# 50/53 |
| PCB# 52 |
| PCB# 54 |
| PCB# 55 |
| PCB# 56 |
| PCB# 57 |
| PCB# 58 |
| PCB# 59/62/75 |
| PCB# 6 |
| PCB# 60 |
| PCB# 63 |
| PCB# 64 |
| PCB# 66 |
| PCB# 67 |
| PCB# 68 |
| PCB# 7 |
| PCB# 70/61/74/76 |
| PCB# 72 |
| PCB# 77 |

| |
|---|
| PCB# 78 |
| PCB# 79 |
| PCB# 8 |
| PCB# 80 |
| PCB# 81 |
| PCB# 82 |
| PCB# 83/99 |
| PCB# 84 |
| PCB# 85/116 |
| PCB# 86/87/97/109/119/125 |
| PCB# 88/91 |
| PCB# 89 |
| PCB# 9 |
| PCB# 90/101/113 |
| PCB# 92 |
| PCB# 94 |
| PCB# 95 |
| PCB# 96 |
| PCB# 98/100 |
| PCB# 98/102 |
| PCB-1242 |
| PCB-1248 |
| PCB-1254 |
| PCB-1260 |
| PCB-TOTAL |

| **Method Code: 011** |
|---|
| LABORATORY: TDI-Brooks International, Inc.<br><br>Water Extraction Method (PAH and OC)<br><br>Water samples are either immediately processed or stored refrigerated (4 degrees C) until processing. The pH of samples is adjusted to <2 by the addition of 1 mL of hydrochloric acid. Samples are serially extracted using separatory funnels and dichloromethane. For a 1 L sample, 100 mL of dichloromethane is added. The sample is then shaken for three minutes. The organic layer is allowed to separate from the aqueous phase. The organic layer is drained into a 500 mL round bottom flask |

through a glass funnel containing a glass fiber filter and combusted sodium sulfate. This process is repeated twice more. The extract is concentrated to approximately 10 mL in the 500 mL round bottom flasks in a water bath at 55-60 degrees C and then transferred to 25 mL Kurdena-Danish (KD) concentrator tubes. The sample extract is concentrated to 3 mL in a water bath at 55-60 degrees C. If extractable organic material weight is required, a 100 micro litter aliquot is removed and weighed using a microbalance. Interfering non-contaminant organic materials may be removed prior to instrument analyses.

If the extract is colored then sample clean up may be required. The extract is processed through silica gel/alumina chromatography columns. The sample extract is loaded on top of 300 mm x 19 mm glass liquid chromatography columns packed with 10 g of deactivated alumina and 20 g of deactivated silica gel. The columns are loaded in 100 % dichloromethane. The dichloromethane is replaced by adding 40 mL of pentane. The extract is carefully added to the top of the chromatography columns. The column is flushed at a rate of 1-2 mL per minute using 200 mL of 50:50 pentane/dichloromethane and collected into 250 mL flasks. The eluent collected in the 250 mL flask is evaporated to 2 mL using a waterbath at 55-50 degrees C. The samples is transferred into 2 mL amber vials. The concentrated extract is then analyzed by GC/MS for polynuclear aromatic hydrocarbons (PAHs) or GC/ECD for selected organochlorines (OCs).

Additional column chromatography may be required to separate PCBs from toxaphene/pesticides when toxphene analysis is required and to separate planar PCBs. If toxaphene analyses is required, an aliquot of the extract after silica/alumina clean-up is processed through a 3% deactivated silica gel column. The column is packed in dicloromethane which is then flushed with 50 mL of pentane. The sample extract is transferred to the top of the column and flushed with 100 mL of pentane. The fraction contains PCBs and DDTs. The column is then flushed with 120 mL of 50:50 pentane/dichloromethane. This fraction contains toxaphene and chlorinated pesticides. Both fractions are reduced to 1 mL using a water bath at 55-60 degrees C. The extracts are then ready for instrument analysis.

If planar PCB analyses are required, the PCB/DDT fraction prepared by 3% silica gel column is further processed by column chromatography packed with 2 g of 1:19 (5% by weight) mixture of activated carbon/Celite. The column and flushed with 25 mL of 1:4 dichloromethane/cyclohexane mixture. The sample is added to the top of the column and flushed with 50 mL of 1:4 dichloromethane/cyclohexane mixture, followed by 30 mL of 9:1 dichloromethane/toluene. This is followed by the addition of 40 mL of toluene. The toluene fraction contains the planar PCBs and is concentrated to 1 mL in a Zymark TurboVap II concentrator at 42 degrees C and 20 psi. The sample is ready for instrument analysis.

References:

Lauenstein, G.G. and A.Y. Cantillo, ed. (1993). Sampling Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects 1984-1992; Volume IV: Comprehensive Descriptions of Trace Organic Analytical Methods. NOAA Technical memorandum NOS ORCA 71, Silver Spring, MD.

U.S. Environmental Protection Agency. 2001. National Coastal Assessment Quality Assurance Project Plan 2001-2004. United States Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/002.

**Method Code: 015**

LABORATORY: TDI Brooks International, Inc

Summary of Method 1668A

This procedure uses matrix specific extraction, analyte specific cleanup, and HRGC/HRMS analysis techniques for PCB congeners.

Aqueous samples (samples containing less than one percent solids) ¨C Stable isotopically labeled analogs of the toxics and labeled earliest and latest level of chlorination (LOC) PCBs are spiked into the sample aliquot. The sample is extracted using a separatory funnel extraction and concentrated for clean up.

Solid, semi-solid, and multi-phase samples (excluding tissue) ¨C The labeled compounds are spiked into sample material that corresponds to approximately 5g on a dry weight basis. For samples with high moisture content, the amount of wet weight material to add the labeled compounds to would necessarily be greater than 5g. All samples are homogenized properly and extracted in a Soxhlet extraction apparatus or Accelerated Solvent Extractor (ASE). The extract is concentrated for clean up.

Fish and other tissue ¨C An aliquot of tissue sufficient enough to provide sample for PCB and lipid analysis is homogenized and spiked with labeled compounds. The sample is mixed with anhydrous sodium sulfate, allowed to dry for 12-24 hours, and extracted for 16-24 hours using a 1:1 dichloromethane/hexane solution in a Soxhlet extraction apparatus. The extract is split; with one aliquot concentrated for clean up and the other concentrated for lipid determination.

After extraction, a labeled clean up standard is spiked into the extract which is then cleaned up using back-extraction with sulfuric acid and/or base, and silica gel or Florisil chromatography.

After clean up, the extract is concentrated to 20¦ÌL. Immediately prior to injection, labeled injection internal standards are added to each extract and an aliquot of the extract is injected into the gas chromatograph (GC). The analytes are separated by the GC and detected by a high resolution (¡Ý10,000) mass spectrometer. Two exact m/z¡¯s are monitored at each level of chlorination throughout a pre-determined retention time window.

An individual PCB congener is identified by comparing the GC retention time and ion-abundance ratio of two exact m/z¡¯s with the corresponding retention time of an authentic standard and the theoretical or acquired ion-abundance ratio of the two exact m/z¡¯s. Isomer specificity for certain of the CB congeners is achieved using GC columns that resolve these congeners.

Quantitative analysis is performed in one of two ways using selected ion current profile (SICP) areas:

For the toxics and the earliest and latest level of chlorination CBs (Toxics/LOC), the GC/MS is multi-point calibrated and the concentration is determined using the isotope dilution technique.

For all other congeners, the GC/MS is calibrated at a single concentration and the concentrations are determined using the internal standard technique.

For the labeled congeners, the GC/MS is calibrated using replicates at a single concentration and the concentrations of these labeled compounds are determined using the internal standard technique.

The quality of analysis is assured through reproducible calibration and testing of the extraction, clean up and GC/MS systems.