U.S. Fish & Wildlife Service

## **Big Branch Marsh**

National Wildlife Refuge Bird List





This blue goose, designed by J.N. "Ding" Darling, has become a symbol of the National Wildlife Refuge System.

Big Branch Marsh National Wildlife Refuge was established in Octobe<mark>r 1994 and is one</mark> of over 560 National Wildlife Refuges. The refuge is located along the north shore of Lake Pontchartrain, approximately 35 miles from New Orleans in Saint Tammany Parish, Louisiana. The purpose of the refuge is to protect a stretch of remaining natural shoreline of Lake Ponchartrain and to provide habitat for a diversity of wildlife species, with special emphases on migratory birds and endangered species.

The refuge is comprised of over 18,000 acres of coastal marsh, pine flatwoods, cypress brakes and hardwood forests.

Many woodland birds are year-round residents of the pine flat woods, including the endangered Red-cockaded Woodpecker. Many Red-cockaded Woodpeckers can be observed on or near the Boy Scout Road trail and overlook marked on the map. Spring and fall migrations bring many species of neotropical migrants through the refuge. A neotropical migrant is a bird that spends the summer in its breeding range in North America but migrates to Central or South America, or the Caribbean for its nonbreeding range in winter. More than 200 species are considered neotropical migrants. Many warblers, hummingbirds, shorebirds, songbirds and some hawks are neotropical migratory birds.

The refuge supports over 5,000 wintering waterfowl, including Mallards, Gadwall and Northern Pintails. At any time of year a wide variety of birds including shorebirds, wading birds, raptors, waterfowl, and songbirds can be sighted here. Brown pelicans and bald eagles are year-round residents of southeast Louisiana and are commonly seen at Big Branch Marsh.

Opportunities for bird watching on the refuge are plentiful, with over five miles of walking trails at Boy Scout Road, the Lemieux Road Educational Site, and almost four miles of more primitive trails near Paquet Road, Sapsucker Road, and at the end of Lucille Road. Big Branch Marsh maintains two public boat launches (one motorized, one non-motorized) at Lake Road and at the end of Sapsucker Road.

Birders interested in visiting the refuge should consult The American Birding Association's Code of Birding Ethics.

The following bird list contains 261 species, representing observations on and adjacent to Big Branch Marsh National observations on and adjacent to Big Branch Marsh National Wildlife Refuge. Sightings of unlisted species should be reported to: Refuge Manager, Big Branch Marsh NWR, 61389 HWY. 434, Lacombe, LA 70445 Wildlife Refuge. Sightings of unlisted species should be reported This list conforms to the nomenclature and arrangement established by the American Ornithologists' Union (1998). Symbols used in this brochure represent the following:

Spring (March-May) Sp

SSummer (June-August)

F Fall (September-November)

W Winter (December-February)

 $\mathbf{C}$ Common (certain to be seen in suitable habitat)

U Uncommon (present but not certain to be seen)

Occasional (seen only a few times during a season) 0

Rare (seen at intervals of 2 to 5 years) R

Four primary habitats common where birds are expected to be found on the refuge are identified as follows:

	F Forest A Aerial Flyover					
	W Open WaterM					
	Marsh					
	Species of special concern*					
	Non-native/exotic species ^					
	Ducks Geese and Swans (Anatidae)	Sp	Su	F	W	Habitat
	Black-bellied					***
	Whistling-Duck	0	0			W
	Greater White-fronted					***
	Goose	0	0			W
	Snow Goose	U	U	1	- D	W
	Canada Goose	~	R		R	M
	Wood Duck	C	С	C	$\stackrel{\text{C}}{\sim}$	F
- 1	Gadwall	U		U	C	W
-	American Wigeon	U		U	C	W
-	Mallard	U	~	U	U	W
	Mottled Duck	C	C	C	C	W
	Blue-winged Teal	C	R	C	C	W
	Northern Shoveler	R		0	U	W
	Northern Pintail	U		U	C	W
	Green-winged Teal	0		U	U	W
7/	Canvasback	R		R	R	W
/ .	Redhead			0		W
40.	Ring-necked Duck			R	R	W
	Greater Scaup				R	W
	Lesser Scaup	U		R	C	W
	Bufflehead	U		R	C	W
	Common Goldeneye				0	W
	Hooded Merganser*	R		R	0	F
	Red-breasted Merganser	R		R	U	W
ng	Ruddy Duck	R		R	R	W
La	New World Quail	T.				
m	(Odontophoridae)					
	Northern Bobwhite	U	U	U	U	F
photo:	Turkeys (Phasianidae)	U	U	U	U	P
d	Wild Turkey	R	R	R	R	F
	TIM IMINOV	10	TI	10	T	1

	Sp	Su	F	W	Habitat
Loons (Gaviidae) Common Loon	0		R	U	W
Grebes (Podicipedae) Pied-billed Grebe Horned Grebe	C O	R	C R	C	W W
Frigatebirds (Fregatidae)Magnificent Frigatebird		R			A
Cormorants (PhalacrocoracidaDouble-crested Cormoran		C	C	C	w
Darters (Anhinga)Anhinga	0	0	О	O	W
Pelicans (Pelicanidae)American White PelicanBrown Pelican*	C C	C	C C	C C	W W
Bitterns, Herons, and allies (Ardeidae)American Bittern*	R		R	R	M
Least Bittern*Great Blue HeronGreat Egret Snowy Egret	U C C C	U C C C	O C C C	C C C	M M M M
Showy EgretLittle Blue HeronTricolored Heron Cattle Egret ^	U U U	CCU	UUU	UUUU	M M F
Green Heron Yellow-crowned Night-Heron	R O	C U	R O	R	M M
Black-crowned Night-Heron	0	U	R	R	M
Ibises and Spoonbills (Threskiornithidae)				3	
White IbisGlossy Ibis*White-faced IbisRoseate Spoonbill*	U O R	U O R R	U O R R	U O R	M M M M
New World Vultures (Cathartidae) Black Vulture	C	C	C	C	A
Turkey Vulture  Osprey (Family Pandionidae) Osprey*	C	C	C	C	A M
Hawks, Kites, Eagles, and				2	111
Allies (Accipitridae)  Swallow-tailed Kite*  Mississippi Kite  Bald Eagle*  Northern Harrier	U C U C	U C R	U U C	U C	A A A F
Sharp-shinned Hawk	Ü		Ü	Ü	F

	Sp	Su	F	W	Habitat
Cooper's Hawk*	Û	U	U	U	$\mathbf{F}$
Red-shouldered Hawk	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	F
Broad-winged Hawk	Ū	Ŭ	Ŭ	_	F
Red-tailed Hawk	$\check{\mathrm{C}}$	$\tilde{\mathrm{C}}$	$\check{\mathrm{C}}$	C	F
	Ŭ	Ŭ	Ü	Ü	-
Rails, Gallinules, and Coots (Rallidae)					
Clapper Rail	U	U	U	U	M
King Rail	U	Ü	Ü	Ü	M
	U	U	U	U	
Virginia Rail			U		M
Sora	0	D	U	U	M
Purple Gallinule	R	R	a	C	M
Common Gallinule	C	C	C	C	M
American Coot	C	C	C	$\mathbf{C}$	M
Plovers (Charadriidae)					
Black-bellied Plover	0	M			
Killdeer	C	C	C	C	$\mathbf{F}$
Stilte (Begunvirgetridge)	18	11/20		-36	
Stilts (Recurvirostridae)  Black-necked StiltC	C	C	U	M	
Black-necked SuitC	10	-	U	IVI	
Sandpipers, Phalaropes, and	175	100			
Allies (Scolopacidae)	(Description)			16	
Spotted Sandpiper	U	136	U	U	M
Solitary Sandpiper*	0		0		M
Greater Yellowlegs	C		U	U	M
Willet	R		R		M
Lesser Yellowlegs	U		U	U	M
Ruddy Turnstone			U		M
Sanderling		R		M	
Semipalmated Sandpiper*	0	1	0		M
Western Sandpiper	Ŭ		Ü	U	M
Least Sandpiper	U		Ü	U	M
Pectoral Sandpiper	O		Ö		M
Dunlin	U		U	U	M
Stilt Sandpiper	R		R		M
Short-billed Dowitcher	R		R		M
Long-billed Dowitcher	0		0	R	M
Wilson's Snipe	U		U	C	M
American Woodcock*	Ö		0	Ö	F
中心 制厂 万字 8.50 bits 600 MFP 300	J	W.	U	U	r
Gulls, Terns, and Skimmers	1124	MAL	NA.	Real Property	
(Laridae)			Mild.		
Bonaparte's Gull	U		TO THE	U	A
Laughing Gull	C	C	C	C	A
Herring Gull	U	R	U	U	A
Ring-billed Gull	U	R	U	$\mathbf{C}$	A
Lesser Black-backed Gull				0	A
≳Least Tern*	0	C	0		A
S Gull-billed Tern*		R	R	Pile	A
Caspian Tern*	U	U	U	U	A
Black Tern		Ř	MAN	Ă	
Forster's Tern	C	C	$\mathbf{C}$	C	A
ELeast Tern* Caspian Tern* ECaspian Tern* Black Tern EForster's Tern Royal Tern	Ŭ	$\tilde{\mathrm{C}}$	$\tilde{\mathrm{C}}$	$\tilde{\mathrm{C}}$	A

D:	Sp	Su	F	W	Habitat
Pigeons and Doves					
(Columbidae)		TT	TT	T	
Rock Pigeon ^	TT	U	U	F	T.
Eurasian Collared-Dove ^	U		U	U	F
White-winged Dove	a	0	0	F	E
Mourning Dove	C	С	C	С	F
Cuckoos (Cuculidae) Yellow-billed Cuckoo	D	TT	TT		E
	R	U	U	Since	F
Barn Owls (Tytonidae)					T
Barn Owl	U	U	U	U	F
Typical Owls (Strigidae)					
Eastern Screech-Owl	R	U	U	U	F
Great Horned Owl	C	C	C	C	F
Barred Owl	C	C	C	C	F
Goatsuckers (Caprimulgidae)			0		T.
Common Nighthawk	O U	U	0	3	F
Chuck-will's-widow*	U	U	U	100	F
Swifts (Apodidae)		-	0	PL S	
Chimney Swift	С	C	C		A
Hummingbirds (Trochilidae)	~		~	3	A STATE OF THE PARTY OF THE PAR
Ruby-throated	C	C	C	279	F
Hummingbird	-	100		TON	
Rufous Hummingbird	19/700	The same	R	R	F
Kingfishers (Alcedinidae)	~		0		Janes .
Belted Kingfisher	C	С	C	C	W
Woodpeckers (Picidae)	- NA	est.	3	1	
Red-headed Woodpecker*	U	U	U	U	F
Red-bellied Woodpecker	C	C	C	C	F
Yellow-bellied Sapsucker	U	Dis.	C	C	F
Downy Woodpecker	C	C	C	C	F
Hairy Woodpecker	U	R	U	U	F
Red-cockaded		( Page	-		Acres T
Woodpecker*	U	U	U	U	F
Northern Flicker	C	C	C	C	F
Pileated Woodpecker	C	C	C	C	F
Falcons (Falconidae)	~				T.
American Kestrel*	C		$\mathbf{C}$	C	F
Merlin	U		U	U	F
Peregrine Falcon*			R	R	F
Tyrant Flycatchers (Tyrannidae)	~	~	~	771	
Eastern Wood-Pewee	C	C	C	4	F
Acadian Flycatcher	U	U	U		F
Alder Flycatcher		0		F	
Least Flycatcher	C	R	**	F	
Eastern Phoebe	C	C	U	C	F
Great Crested Flycatcher Eastern Kingbird	U	C	U	F	
	( ;	C	C		F

Christon (Louisdon)	Sp	Su	F	W	Habita
Shrikes (Laniidae)Loggerhead Shrike*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	F
Vireos (Vireonidae)					
White-eyed Vireo	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	U	F
Yellow-throated Vireo	$\tilde{\mathrm{C}}$	$\tilde{\mathrm{C}}$	Č	Ü	F
Blue-headed Vireo	Ŭ		Ŭ	$\mathbf{C}$	F
Red-eyed Vireo	C				F
Jays and Crows (Corvidae)					
Blue Jay	$\mathbf{C}$	C	С	$\mathbf{C}$	F
American Crow	C	${f C}$	Č C	C C	F
Fish Crow	С	С	С	С	W
Swallows (Hirundinidae)	~		اعدد		
Purple Martin	C	C	U	~	A
Tree Swallow	C		C	C	A
Northern Rough-winged		TT	TT	0/16	
Swallow	U	U	U		A
Bank Swallow Cliff Swallow	U		U	100	A
Barn Swallow	C	C	C		A
		O	O	197	4.
Chickadees and Titmice (Paridae)	1				
Carolina Chickadee	C	C	C	$\mathbf{C}$	F
Tufted Titmouse	C	$\tilde{\mathbf{C}}$	$\tilde{\mathbf{C}}$	C	F
	-				
Nuthatches (Sittidae)				H	
Red-breasted Nuthatch		~	R	R	F
Brown-headed Nuthatch*	C	C	C	C	F
Creepers (Certhiidae)					
Brown Creeper	U	7		U	F
Wrens (Troglodytidae)	-				
House Wren	U			$\mathbf{C}$	F
Winter Wren	0		O	R	F
Sedge Wren*	U	A	U	0	M
Marsh Wren	C	W	C	$\stackrel{\mathbf{C}}{\sim}$	M
Carolina Wren	C	C	C	С	F
Gnatchatchers (Sylviidae)		9		1	
Blue-gray Gnatcatcher	C	C	C	C	F
Kinglets (Regulidae)	44	2		9	
Golden-crowned Kinglet	0	191	0 C	U	F
Ruby-crowned Kinglet	C		C	C	F
Thrushes (Turdidae)					
Eastern Bluebird	C	C	C	C	F
Hermit Thrush	0	112		0	F
Wood Thrush*		0			F
American Robin	C		U	U	F

Mockingbirds and Thrashers (Mimidae) Gray Catbird Northern Mockingbird Brown Thrasher	Sp U	Su			
Gray Catbird Northern Mockingbird					
Northern Mockingbird					
Northern Mockingbird			$\mathbf{C}$	$\mathbf{C}$	$\mathbf{S}$
Proxym Threadon	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{F}$
Drown Thrasher	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	S
Starlings (Sturnidae)					
European Starling ^	C	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	F
Pipits (Motacillidae)					
American Pipit	R		R	U	F
Waxwings (Bombycillidae)					
Cedar Waxwing	C		R	C	F
Warblers (Parulidae)					
Worm-eating Warbler*	0	R	R		F
Northern Waterthrush	0		U		F
Blue-winged Warbler*	U		U		F
Black-and-white Warbler	0		0	EX.	F
Prothonotary Warbler*	Č	C	U	( )	F
Swainson's Warbler*	Ö		Ö		F
Tennessee Warbler	Ŭ		Ü		F
Orange-crowned Warbler	U		U	C	F
Kentucky Warbler*	Ü		U		F
Common Yellowthroat	C	C	C	C	F
Hooded Warbler	U	U			F
American Redstart*	R	U	U		F
Northern Parula	C	Č	C	1 1	F
Magnolia Warbler	R		R		F
Bay-breasted Warbler	R	9	R		F
Yellow Warbler	0		U		F
Palm Warbler	U		U	C	F
Pine Warbler	C	C	C	C	F
Yellow-rumped Warbler	C		U	C	F
Yellow-throated Warbler	ő	0	0	R	F
Prairie Warbler*	R	U	R	10	F
Black-throated Green Warble			11	R	F
Canada Warbler*	I		R	IV	F
Wilson's Warbler	R		0	R	F
Yellow-breasted Chat	U		U	1,	F
		O'SE		9	-
Emberizids (Emberizidae) Eastern Towhee	С	C	C	С	F
Bachman's Sparrow*	U	R	$\ddot{R}$	$\overset{\circ}{\mathrm{R}}$	F
Chipping Sparrow	U	-10	10	U	F
Field Sparrow	R		R	Ü	F
Vesper Sparrow	R		R	$^{ m R}$	F
	R		R	10	F
Lark Sparrow* Savannah Sparrow Henslow's Sparrow*	C		0	С	M M
z Davaillali Spartuw B Honglow's Spermow*	0		R	R	F
Henslow's Sparrow*				к R	
Le Conte's Sparrow* Nelson's Sparrow*	0		R		F
Heison's Sparrow"	R	ΤT	R	U	M
z beaside bparrow"	U	U	U	U	M
Seaside Sparrow* Song Sparrow	U		R	$\mathbf{C}$	M

	Sp	Su	F	W	Habitat
Lincoln's Sparrow	U			$\mathbf{R}$	F
Swamp Sparrow	С		C	$\mathbf{C}$	M
White-throated Sparrow	С		U	U	F
White-crowned Sparrow	O		$\mathbf{R}$	U	F
Dark-eyed Junco	$\mathbf{R}$		$\mathbf{R}$	U	F
Tanagers, Cardinals, Saltators,					
and Allies (Cardinalidae)					
Summer Tanager	U	U	U		F
Scarlet Tanager	R		R		F
Northern Cardinal	C	C	C	C	F
Rose-breasted Grosbeak	U		U		F
Blue Grosbeak	U		U		F
Indigo Bunting	Ŭ	U	Ü		F
Painted Bunting*		Ŭ			F
Dickcissel*		R		F	-
		10			
Blackbirds (Icteridae)	~	~	~	~	3.5
Red-winged Blackbird	C	C	C	C	M
Eastern Meadowlark	U	U	U	U	F
Rusty Blackbird*	0		0	U	M
Brewer's Blackbird				R	F
Common Grackle	C	C	C	C	F
Boat-tailed Grackle	C	C	C	C	M
Bronzed Cowbird	U	U			F
Brown-headed Cowbird	C	C	C	C	F
Orchard Oriole*	U	U	0		F
Baltimore Oriole			R		F
Frigilline and Cardueline Finch	es			10	
and Allies (Fringillidae)	40	TT	++		
House Finch ^	U	U	U	U	F
Pine Siskin	W.		R	F	
American Goldfinch	U		R	C	F
Old World Sparrows	1		1		
(Passeridae)	100			A	
House Sparrow ^	U	U	U	U	F
	-	and the same			
and the second		al.			
		1	3		
			1		
A COLOR			1		
				8	
				A	
				1	






## **Reporting Your Sightings On eBird**

This online checklist program provides birders and U.S. Fish and Wildlife staff with updated birding reports. The database maximizes the utility and accessibility of bird observations

made each year by both recreational and professional bird watchers. The program is one of the largest and fastest growing biodiversity data resources in existence. The reports on eBird serve as a vital foundation for better understanding bird distribution. The program resources are free to access and are used by a global community of educators, land managers, ornithologists, and conservation biologists.





Responsible birders should abide by the American Birding Association's Code of Birding Ethics. More information can be found at http://www.aba.org

- 1. Promote the welfare of birds and their environment.
- 2. Respect the law, and the rights of others.
- 3. Ensure that feeders, nest structures, and other artificial bird environments are safe.
- 4. Group birding, whether organized or impromptu, requires special care.

