# Dale Bumpers White River

# National Wildlife Refuge Bird List



Prothonotary Warbler by Richard E. Hines

Dale Bumpers White River NWR is one of over 550 refuges in the U.S. The refuge lies in the counties of Arkansas, Desha, Monroe, and Phillips. Within the refuge boundary are 160,000 acres of bottomland forest, upland forest, 300 lakes, natural bayous, and 92 miles of the White River. Dale Bumpers White River NWR is one of the largest tracts of bottomland hardwood forest remaining in public ownership within the Lower Mississippi River Valley and is designated at part of the Big Woods of Arkansas.

Biologically, the site lies within the Mississippi Alluvial Flood Plain with a small portion of uplands on the Grand Prairie Escarpment. Habitat within the bottomland forests range from back swamps with cypress and tupelo, to low flats of overcup oak, and ridge and swale topography dominated by nuttall oak, willow oak, sugarberry, and pecan. Within the bottoms, elevational changes of only one foot will influence forest composition. The refuge also has representative upland forest habitat and approximately 400 acres of farm land managed for high energy waterfowl foods.

Both current and past management includes forest thinning, moist soil impoundments, green tree reservoirs and cooperative farming. The driving force that determines the results of all habitat management is the annual flooding cycle which typically occurs from December through June when water depths can range from a few inches to more than 15 feet deep over 95% of the refuge.

The refuge provides nesting habitat for dozens of species of neotropical migrant songbirds, water birds, shorebirds, and waterfowl. Dale Bumpers White River NWR has been designated a Wetland of International Importance and a Globally Important Bird Area.

The refuge office/visitor center is located off of Highway 1 in St. Charles.

The following list which follows The American Ornithologists Union 7th Edition Check List contains 273 species of birds observed by refuge personnel and ornithologists since the refuge was established in 1935.

#### **Seasonal Appearance**

- Sp Spring March-May
- S Summer June-August
- F Fall September-November
- W Winter December-February

#### **Seasonal Abundance**

- A abundant (common species very numerous)
- C common
- (certain to be seen in suitable habitat)
- U uncommon (present but not certain to be seen)
- O occasional (seen only a few times a season)
- R rare (seen at intervals
  - (seen at intervals of two to five years)

    \* extremely rare
- (reports still unverified)
- N not expected or documented during this season





Dale Bumpers White River National Wildlife Refuge 57 South CC Camp Road St. Charles, AR 72140

U.S. Fish & Wildlife Service 1 800/344 WILD

	SP	S	F	W		SP	S	F	W
Ducks and Geese					Yellow-crowned Night Heron	U	U	U	N
Fulvous Whistling duck	$\mathbf{R}$	R	R	N	White Ibis	N	Ŭ	Ŭ	N
Black-bellied Whistling Duck	R	R	R	N	White-Faced Ibis	Ü	Ū	R	N
Greater White-Fronted Goose	O	N	A	A	Roseate Spoonbill	N	$\mathbf{R}$	R	N
Snow Goose (white morph)	$\mathbf{C}$	N	$\mathbf{C}$	A	Wood Stork	N	U	0	N
Snow Goose (blue morph)	O	N	0	O	Turkey Vulture	U	U	U	U
Ross's Goose	O	N	$\mathbf{C}$	$\mathbf{C}$	Black Vulture	U	U	U	U
Cackling Goose	O	N	0	O					
Canada Goose	O	O	0	O	Kites, Hawks, Falcons, Eagles	-	_	-	
Wood Duck	$\mathbf{C}$	N	$\mathbf{C}$	$\mathbf{C}$	Osprey	C	R	C	N
Gadwall	$\stackrel{ ext{C}}{\sim}$	N	$\stackrel{ ext{C}}{\sim}$	A	Swallow-tailed Kite	0	0	R	N
American Wigeon	C	N	С	A	Mississippi Kite	0	С	С	N
American Black Duck	O	N	U	U	Bald Eagle	U	U	U	U
Mallard	A	0	A	A	Northern Harrier	С	N	R	С
Blue-winged Teal	С	0	$\mathbf{C}$	R	Sharp-shinned Hawk	0	N	0	0
Northern Shoveler	С	N	С	A	Coopers Hawk Red-shouldered Hawk	0	0	O C	U
Northern Pintail	0	N	U	C		$^{ m C}_{ m C}$	С	C	C N
Green-winged Teal	С	N	C	C	Broad-winged Hawk Swainson's Hawk		U N	0	N
Canvasback	0	N	0	0	Red-tailed Hawk	O C	C	C	C
Redhead	U	N	R	R A	Rough-legged Hawk	0	N	O	0
Ring-necked Duck Greater Scaup	0	N N	A O	0	Golden Eagle	Ö	N	Ö	0
Lesser Scaup	0	N	C	C	American Kestrel	C	0	$^{\rm C}$	C
Bufflehead	0	N	0	O	Merlin	$^{ m C}_{ m R}$	N	R	R
Common Goldeneye	0	N	0	0	Peregrine Falcon	R	N	R	R
Hooded Merganser	U	U	C	C	Teregrine raicon	10	11	10	10
Common Merganser	R	N	R	0	Rails, Cranes				
Red Breasted Merganser	R	N	R	R	King Rail	$\mathbf{R}$	$\mathbf{R}$	0	$\mathbf{R}$
Ruddy Duck	U	N	R	R	Virgina Rail	R	N	R	R
Ruddy Duck	O	11	10	10	Sora	Ü	N	U	Ü
Turkey and Quail					Purple Gallinule	$\mathbf{R}$	O	0	N
Wild Turkey	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	Common Moorhen	U	U	R	N
Northern Bobwhite	Ū	Ū	Ū	Ū	——American Coot	U	$\mathbf{R}$	$\mathbf{C}$	$\mathbf{C}$
					Sandhill Crane	$\mathbf{R}$	N	O	N
Loons	_				0				
Common Loon	O	N	O	O	Shorebirds	n	ъ	ъ	N.T
Crahas					Black Bellied Plover American Golden Plover	R R	R	R R	N
Grebes Pie-billed Grebe	TT	NT	TT	TT	<del></del>	R R	R	R	N N
Horned Grebe	U U	N	U U	U U	Semipalmated Plover Killdeer	C	R C	C	C
Eared Grebe	U	N N	U	U	Black-necked Stilt	$^{ m C}_{ m R}$	$^{ m C}$	$\frac{c}{R}$	N
Eared Grebe	U	IN	U	U	Greater Yellowlegs	C	C	C	0
Pelican and Anhinga					Lesser Yellowlegs	$\stackrel{ m C}{ m C}$	O	$\stackrel{ ext{C}}{ ext{C}}$	0
American White Pelican	O	N	O	U	Solitary Sandpiper	$^{ m C}_{ m R}$	R	$^{\circ}_{ m R}$	N
Double-crested Cormorant	$\overset{\circ}{\mathrm{C}}$	C	C	Ö	Spotted Sandpiper	U	U	C	R
Anhinga	Ö	Ö	Ö	N	Upland Sandpiper	$^{ m C}_{ m R}$	$\stackrel{\circ}{ m R}$	$\stackrel{\circ}{\mathrm{R}}$	N
	Ü	O	Ů	- 1	Semipalmated Sandpiper	R	R	R	N
Herons, Bitterns, Egrets, Ibises, Storks, Vultures					Western Sandpiper	R	R	R	R
American Bittern	U	$\mathbf{R}$	U	$\mathbf{R}$	Least Sandpiper	$\overline{\mathrm{C}}$	Ü	C	$\overline{\mathbf{C}}$
Least Bittern	O	O	0	N	Pectoral Sandpiper	Ū	Ū	Ū	N
Great Blue Heron	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	Stilt Sandpiper	R	$\mathbf{R}$	R	N
Great Egret	A	A	$\mathbf{C}$	$\mathbf{R}$	Shortbilled Dowitcher	R	$\mathbf{R}$	R	N
Snowy Egret	$\mathbf{C}$	$\mathbf{C}$	O	N	American Avocet	N	N	R	N
Little Blue Heron	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	N	Longbilled Dowitcher	O	R	U	O
Tri-colored Heron	$\mathbf{R}$	R	$\mathbf{R}$	N	Common Snipe	$\mathbf{C}$	O	$\mathbf{C}$	$\mathbf{C}$
Cattle Egret	$\mathbf{C}$	$\mathbf{C}$	O	N	American Woodcock	O	O	O	U
Green Heron	A	A	A	N	Wilson's Phalarope	$\mathbf{R}$	R	R	N
Black-crowned Night Heron	O	O	O	N					

	SP	S	F	W		SP	S	F	W
Gulls and Terns					Alder Flycatcher	$\mathbf{R}$	R	R	N
Laughing Gull	N	N	N	R	Willow Flycatcher	R	N	R	N
Franklins Gull	N	R	Ü	N	Least Flycatcher	C	N	0	N
Bonaparte's Gull	U	N	U	U	Eastern Phoebe	$\mathbf{C}$	N	0	$\mathbf{C}$
Ring-billed Gull	$\mathbf{C}$	N	U	$\mathbf{C}$	Great-crested Flycatcher	$\mathbf{C}$	$\mathbf{C}$	0	N
Herring Gull	U	N	U	U	Eastern Kingbird	$\mathbf{C}$	U	$\mathbf{C}$	N
Caspian Tern	$\mathbf{R}$	$\mathbf{R}$	R	N	Scissor-tailed Flycatcher	N	O	0	N
Least Tern	O	O	$\mathbf{R}$	N	Loggerhead Shrike	O	O	0	O
Forester's Tern	U	$\mathbf{R}$	U	$\mathbf{R}$	White-eyed Vireo	$\mathbf{C}$	Α	$\mathbf{C}$	N
					Bell's Vireo	O	O	0	N
Doves and Cuckoos					Yellow-throated Vireo	U	$\mathbf{C}$	$\mathbf{C}$	N
Eurasian Collared-dove	O	O	O	O	Warbling Vireo	O	$\mathbf{R}$	0	N
White-winged Dove	N	N	R	$\mathbf{R}$	Red-eyed Vireo	$\mathbf{C}$	Α	$\mathbf{C}$	N
Mourning Dove	A	A	A	A					
Inca Dove	N	$\mathbf{R}$	N	N	Jay and Crows				
Common Ground Dove	N	N	R	N	Blue Jay	C	$\mathbf{C}$	C	C
Rock Dove	O	O	0	O	American Crow	O	R	0	O
0					Fish Crow	U	U	U	O
Cuckoos	D	a.t	ъ	), T	Laulia				
Black-billed Cuckoo	R	N	R	N	Larks	a	TT	0	
Yellow-billed Cuckoo	С	$\mathbf{C}$	С	N	Horned Lark	С	U	С	A
<b>Owls</b>					Swallows and Martins				
Barn Owl	U	U	U	U	Purple Martin	U	$\mathbf{C}$	0	N
Eastern Screech Owl	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	Tree Swallow	U	$\mathbf{C}$	$\mathbf{C}$	N
Great Horned Owl	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	Northern Rough-winged Swallow	U	$\mathbf{C}$	$\mathbf{C}$	N
Barred Owl	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	Bank Swallow	U	O	$\mathbf{C}$	N
Long-eared Owl	$\mathbf{R}$	N	$\mathbf{R}$	$\mathbf{R}$	Cliff Swallow	$\mathbf{R}$	$\mathbf{R}$	$\mathbf{R}$	N
Short-eared Owl	$\mathbf{R}$	N	O	O	Barn Swallow	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	N
Nighhawks					Chickadee and titmouse				
Common Nighthawk	U	U	U	N	Carolina Chickadee	$\mathbf{C}$	$\mathbf{C}$	С	С
Chuck-wills-widow	Ü	Ü	U	N	Tufted Titmouse	C	$\stackrel{\rm C}{\rm C}$	$\tilde{\mathbf{C}}$	$\stackrel{\circ}{\mathrm{C}}$
Whip-poor-will	Ö	$^{\circ}$ R	Ö	N	Turica Turiouse	C	C	C	O
					Nuthatches and Creeper				
Swift and Hummingbirds					Red-breasted Nuthatch	N	N	N	$\mathbf{R}$
Chimney Swift	$\mathbf{C}$	A	A	N	White-breasted Nuthatch	U	U	U	U
Ruby-throated Hummingbird	N	$\mathbf{C}$	$\mathbf{C}$	N	Brown Creeper	O	N	0	U
Rufous Hummingbird	N	N	$\mathbf{R}$	N					
Anna's Hummingbird	N	N	R	N	Wrens				
					Carolina Wren	A	Α	A	A
Woodpeckers	-	-		-	Bewick's Wren	U	N	U	U
Red-headed Woodpecker	C	C	C	$\mathbf{C}$	House Wren	0	N	0	O
Red-bellied Woodpecker	A	A	A	A	Winter Wren	C	N	C	С
Yellow-bellied Sapsucker	N	N	U	$\stackrel{\text{C}}{\sim}$	Sedge Wren	0	R	0	R
Downy Woodpecker	С	С	С	С	Marsh Wren	O	N	O	O
Hairy Woodpecker	U	U	U	U	Contactabase and Kinsulate				
Northern Flicker	С	C	С	С	Gnatcatchers and Kinglets	a	N.T	TT	a
Pileated Woodpecker	C D*	C	C	C	Golden-crowned Kinglet	С	N	U	С
Ivory-billed Woodpecker	R*	R*	R*	R*	Ruby-crowned Kinglet Blue-gray Gnatcatcher	C O	N A	$\frac{\mathrm{C}}{\mathrm{C}}$	C N
Kingfisher					Didc-gray Ghawawher	J	11	O	Τ.Α.
Belted Kingfisher	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	Thrushes, Mockingbirds, Thrashers and Pipits				
					Eastern Bluebird	$\mathbf{C}$	С	$\mathbf{C}$	С
Flycatchers	~	~	~	3.7	Veery	R	N	R	N
Eastern Wood-Pewee	С	С	С	N	Gray-Cheeked Thrush	N	N	0	N
Yellow-bellied Flycatcher	R	N	R	N	Swainson's Thrush	U	N	U	N
Acadian Flycatcher	О	A	О	N	Hermit Thrush	С	N	U	С

	SP	S	F	W		SP	S	F	W
Wood Thrush	U	$\mathbf{C}$	U	N	Grasshopper Sparrow	U	U	IJ	U
American Robin	$\ddot{\mathrm{C}}$	Ŭ	$\tilde{\mathrm{C}}$	A	Henslow's Sparrow	$\ddot{\mathrm{R}}$	N	R	N
Gray Catbird	O	$\overline{\mathbf{C}}$	0	$\mathbf{R}$	Le Conte's Sparrow	U	N	U	U
Northern Mockingbird	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	Fox Sparrow	U	N	U	U
Brown Thrasher	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	Song Sparrow	$\mathbf{C}$	N	A	A
European Starling	A	$\mathbf{C}$	A	A	Lincoln's Sparrow	$\mathbf{C}$	N	$\mathbf{C}$	$\mathbf{C}$
American Pipit	O	N	$\mathbf{C}$	$\mathbf{C}$	Swamp Sparrow	$\mathbf{C}$	N	$\mathbf{C}$	$\mathbf{C}$
Sprague's Pipit	O	N	0	O	White-throated Sparrow	$\mathbf{A}$	N	A	A
Cedar Waxwing	$\mathbf{C}$	N	0	$\mathbf{C}$	White Crowned Sparrow	$\mathbf{C}$	N	$\mathbf{C}$	$\mathbf{C}$
					Dark-eyed Junco	$\mathbf{C}$	N	$\mathbf{C}$	$\mathbf{C}$
Warblers	_		_		Lapland Longspur	0	N	0	C
Blue-winged Warbler	R	N	R	N	Northern Cardinal	A	A	A	A
Tennessee Warbler	С	N	C	N	Rose-Breasted Grosbeak	U	N	U	N
Orange-crowned Warbler	0	N	0	U	Blue Grosbeak	0	0	0	N
Nashville Warbler	С	0	C	N	Indigo Bunting	A	A	C	N
Northern Parula	0	С	0	N	Painted Bunting	O	O	0	N
Yellow Warbler	0	O N	0	N	Dickcissel	A	A	O	N
Chestnut-sided Warbler	0	N N	R R	N N	Plankhirda Orialaa and Maadawlarka				
Magnolia Warbler Yellow-rumped Warbler	O C	N	C	A	Blackbirds, Orioles, and Meadowlarks Bobolink	U	N	N	N
Black-throated Green Warbler	O	N	O	N N	Red-winged Blackbird	A	A	A	A
Blackburnian Warbler	R	N	R	N	Eastern Meadowlark	C	C	C	C
Yellow-throated Warbler	C	C	C	N	Western Meadowlark	N	N	N	R
Pine Warbler	Ö	O	O	Ü	Western Meadowlark Rusty Blackbird	C	N	C	C
Prairie Warbler	Ö	U	Ö	N	Brewers Blackbird	$\stackrel{ m C}{ m C}$	N	$^{\rm C}$	A
Palm Warbler	R	N	R	N	Common Grackle	A	A	A	A
Bay-breasted Warbler	R	N	R	N	Brown-headed Cowbird	A	A	A	A
Blackpoll Warbler	R	N	N	N	Orchard Oriole	A	A	C	N
Cerulean Warbler	U	U	U	N	Baltimore Oriole	$\overline{\mathbf{C}}$	$\overline{\mathbf{C}}$	Č	N
Black and White Warbler	$\mathbf{C}$	O	C	N					
——American Redstart	U	O	U	N	Finches and Crossbills				
Prothonotary Warbler	$\mathbf{C}$	A	0	N	Purple Finch	U	N	$\mathbf{R}$	U
Worm-eating Warbler	U	U	U	N	House Finch	O	O	0	O
Swainson's Warbler	U	U	0	N	Red Crossbill	O	N	$\mathbf{R}$	O
Ovenbird	$\mathbf{C}$	$\mathbf{R}$	$\mathbf{C}$	N	Pine Siskin	O	N	U	U
Louisiana Waterthrush	U	U	U	N	American Goldfinch	$\mathbf{C}$	$\mathbf{R}$	С	$\mathbf{C}$
Kentucky Warbler	$\mathbf{C}$	$\mathbf{C}$	U	N					
Connecticut Warbler	$\mathbf{R}$	N	N	N	House Sparrow	0	0	0	_
Morning Warbler	O	N	R	N	House Sparrow	О	O	O	0
Common Yellowthroat	U	U	U	N	Incidentals				
Hooded Warbler	$\mathbf{C}$	С	U	N	Brown Pelican				
Wilson's Warbler	R	N		N	Cinnamon Teal				
Canada Warbler	R	N		N	Yellow Rail				
Yellow-breasted Chat	$\mathbf{C}$	С	$\mathbf{C}$	N	Black Rail				
Tanagers					Northern Goshawk				
Summer Tanager	$\mathbf{C}$	$\mathbf{C}$	О	N	Boat-tailed Grackle				
Scarlet Tanager Scarlet Tanager	Ö	N	R		White-winged Scoter				
Scarlet fallager	O	14	11	11	William William Section				
Sparrows, Towhee, Buntings									
Eastern Towhee	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$					
American Tree Sparrow	N	N	N	$\mathbf{R}$					
Chipping Sparrow	$\mathbf{C}$	U	$\mathbf{C}$	U					
Clay-Colored Sparrow	$\mathbf{R}$	N	$\mathbf{R}$	N					
Field Sparrow	$\mathbf{C}$	U	$\mathbf{C}$	$\mathbf{C}$					
Vesper Sparrow	O	N	U	U					
Lark Sparrow	$\mathbf{R}$	R		N					
Savannah Sparrow	$\mathbf{C}$	N	A	A					

Sighting Notes
Date
Time
We ather
$Number\ of\ species$
$Route\ or\ area$
Observers
Remarks