REPLY TO ATTENTION OF

DEPARTMENT OF THE ARMY

JACKSONVILLE DISTRICT CORPS OF ENGINEERS 1002 WEST 23RD STREET, SUITE 350 PANAMA CITY, FLORIDA 32405

June 6, 2017

Regulatory Division North Permits Branch Panama City Permits Section SAJ-2017-00459(NW-LSL)

Franklin County Board of County Commissioners Mr. Alan Pierce RESTORE Act Coordinator 34 Forbes Street Apalachicola, Florida 32320

Dear Mr. Pierce:

The U.S. Army Corps of Engineers (Corps) assigned your application for a Department of the Army permit, which the Corps received on May 8, 2017 the file number SAJ-2017-00459. A review of the information and drawings provided indicates that the proposed work would result in the removal of a dilapidated concrete boat ramp. A total of 193 square feet of concrete will be removed from wetlands and 7.15 cubic yards of clean beach sand will be placed within the depression to restore natural elevation. A total of 151 square feet of concrete will be removed from open water. No fill will be placed waterward of the mean high water line. Turbidity curtains will be utilized. The project is located east of Carrabelle in Section 22, Township 7 South, Range 4 West, Franklin County, Florida.

Your project, as depicted on the enclosed drawings, is authorized by Nationwide Permit (NWP) Number 18. In addition, project specific conditions have been enclosed. This verification is valid until March 18, 2022. Furthermore, if you commence or are under contract to commence this activity before the date that the relevant nationwide permit is modified or revoked, you will have 12 months from the date of the modification or revocation of the NWP to complete the activity under the present terms and conditions of this nationwide permit. Please access the U.S. Army Corps of Engineers' (Corps) Jacksonville District's Regulatory Internet page to access Internet links to view the Final Nationwide Permits, Federal Register Vol. 82, dated January 6, 2017, specifically pages 1983 to 2008, and the table of Regional Conditions. The Internet page address is:

http://www.saj.usace.army.mil/Missions/Regulatory.aspx

Please be aware this Internet address is case sensitive and should be entered as it appears above. Once there you will need to click on "Source Book"; and, then click on "Nationwide Permits." These files contain the description of the Nationwide Permit authorization, the Nationwide Permit general conditions, and the regional conditions, which apply specifically to this verification for NWP 18. Enclosed is a list of the six General Conditions, which apply to all Department of the Army authorizations. You must comply with all of the special and general conditions and any project specific condition of this authorization or you may be subject to enforcement action. In the event you have not completed construction of your project within the specified time limit, a separate application or re-verification may be required.

The following special conditions are included with this verification:

- 1. **Reporting Address:** The Permittee shall submit all reports, notifications, documentation and correspondence required by the general and special conditions of this permit to the following address:
- a. For standard mail: U.S. Army Corps of Engineers, Regulatory Division, Special Projects and Enforcement Branch, 41 North Jefferson St., Suite 301, Pensacola, FL 32502.
 - b. For electronic mail: CESAJ-ComplyDocs@usace.army.mil (not to exceed 10 MB).

The Permittee shall reference this permit number, SAJ-2017-00459(NW - LSL), on all submittals.

- 2. **Commencement Notification:** Within 10 days from the date of initiating the work authorized by this permit, the Permittee shall provide a written notification of the date of commencement of authorized work to the Corps.
- 3. **Self-Certification:** Within 60 days of completion of the work authorized by this permit, the Permittee shall complete the "Self-Certification Statement of Compliance" form (Attachment A) and submit it to the Corps. In the event that the completed work deviates in any manner from the authorized work, the Permittee shall describe the deviations between the work authorized by this permit and the work as constructed on the "Self-Certification Statement of Compliance" form. The description of any deviations on the "Self-Certification Statement of Compliance" form does not constitute approval of any deviations by the Corps.
- 4. **Agency Changes/Approvals:** Should any other agency require and/or approve changes to the work authorized or obligated by this permit, the Permittee is advised a

modification to this permit instrument is required prior to initiation of those changes. It is the Permittee's responsibility to request a modification of this permit from the Panama City Permits Section. The Corps reserves the right to fully evaluate, amend, and approve or deny the request for modification of this permit.

- 5. **Assurance of Navigation and Maintenance:** The Permittee understands and agrees that, if future operations by the United States require the removal, relocation, or other alteration, of the structures or work herein authorized, or if in the opinion of the Secretary of the Army or his authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, the Permittee will be required, upon due notice from the Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal or alteration.
- 6. **Posting of Permit:** The Permittee shall have available and maintain for review a copy of this permit and approved plans at the construction site.

7. Cultural Resources/Historic Properties:

- a. No structure or work shall adversely affect impact or disturb properties listed in the *National Register of Historic Places* (NRHP) or those eligible for inclusion in the NRHP.
- b. If during the ground disturbing activities and construction work within the permit area, there are archaeological/cultural materials encountered which were not the subject of a previous cultural resources assessment survey (and which shall include, but not be limited to: pottery, modified shell, flora, fauna, human remains, ceramics, stone tools or metal implements, dugout canoes, evidence of structures or any other physical remains that could be associated with Native American cultures or early colonial or American settlement), the Permittee shall immediately stop all work and ground-disturbing activities within a 100-meter diameter of the discovery and notify the Corps within the same business day (8 hours). The Corps shall then notify the Florida State Historic Preservation Officer (SHPO) and the appropriate Tribal Historic Preservation Officer(s) (THPO(s)) to assess the significance of the discovery and devise appropriate actions.
- c. Additional cultural resources assessments may be required of the permit area in the case of unanticipated discoveries as referenced in accordance with the above Special Condition; and if deemed necessary by the SHPO, THPO(s), or Corps, in accordance with 36 CFR 800 or 33 CFR 325, Appendix C (5). Based, on the circumstances of the discovery, equity to all parties, and considerations of the public

interest, the Corps may modify, suspend or revoke the permit in accordance with 33 CFR Part 325.7. Such activity shall not resume on non-federal lands without written authorization from the SHPO for finds under his or her jurisdiction, and from the Corps.

- d. In the unlikely event that unmarked human remains are identified on non-federal lands, they will be treated in accordance with Section 872.05 Florida Statutes. All work and ground disturbing activities within a 100-meter diameter of the unmarked human remains shall immediately cease and the Permittee shall immediately notify the medical examiner, Corps, and State Archeologist within the same business day (8-hours). The Corps shall then notify the appropriate SHPO and THPO(s). Based, on the circumstances of the discovery, equity to all parties, and considerations of the public interest, the Corps may modify, suspend or revoke the permit in accordance with 33 CFR Part 325.7. Such activity shall not resume without written authorization from the State Archeologist and from the Corps.
- 7. **Endangered Species:** The permittee agrees to comply with all of the activity specific Project Design Criteria (PDCs) listed in the National Marine Fisheries Service's (NMFS) Statewide Programmatic Biological Opinion (SWPBO), dated December 4, 2015. Failure to comply with these conditions could result in enforcement action by the Corps and/or NMFS.
- 8. **Fill Material:** The Permittee shall use only clean fill material for this project. The fill material shall be free from items such as trash, debris, automotive parts, asphalt, construction materials, concrete block with exposed reinforcement bars, and soils contaminated with any toxic substance, in toxic amounts in accordance with Section 307 of the Clean Water Act.
- 9. **Manatee Conditions:** The Permittee shall comply with the "Standard Manatee Conditions for In-Water Work 2011" (Attachment B).
- 10. **Sea Turtle and Smalltooth Sawfish Conditions:** The Permittee shall comply with National Marine Fisheries Service's "Sea Turtle and Smalltooth Sawfish Construction Conditions" dated March 23, 2006, (Attachment C).

11. Turbidity controls:

a. Shall be used throughout construction to control erosion and siltation and ensure that turbidity levels within the project area do not exceed background conditions.

- b. Shall be made of material in which listed species cannot become entangled (i.e., reinforced impermeable polycarbonate vinyl fabric [PVC]), and shall be monitored to ensure listed species are not entangled or trapped in the project area.
- c. Shall be removed promptly when the work is complete and the water quality in the project area has returned to background conditions.
 - d. Shall not block entry to or exit from designated critical habitat.
- 12. **Species reporting:** Any collision(s) with and/or injuries to any sea turtle, sawfish, whale, or sturgeon occurring during the construction of a project, shall be reported immediately to NMFS's Protected Resources Division (PRD) at (727-824-5312) or by email to takereport.nmfsser@noaa.gov and CESAJ-ComplyDocs@usace.army.mil. Sea turtle and marine mammal stranding/rescue organizations' contact information is available by region at http://www.nmfs.noaa.gov/pr/health/networks.htm. Smalltooth sawfish encounters shall be reported to http://www.flmnh.ufl.edu/fish/sharks/sawfish/sawfishencounters.html.

*Failure to report take of a federally listed threatened or endangered species may lead to suspension, revocation, or modification of this authorization. (From Section 3(18) of the Federal Endangered Species Act: The term 'take' means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in any such conduct.)

13. **Wetland Avoidance Areas:** The Permittee shall avoid the remaining onsite wetlands, as detailed on Drawings 7 and 8 of 10. These wetland areas were avoided as part of this permit application review process; and, therefore, the remaining wetland areas will not be disturbed by any activities that would degrade the ecological integrity of the site including dredging, filling, land clearing, or other construction work whatsoever except as required or authorized by this permit. The Corps reserves the right to deny review of any requests for future impacts to these avoided wetland areas.

This letter of authorization does not obviate the necessity to obtain any other Federal, State, or local permits, which may be required. Prior to the initiation of any construction, projects qualifying for this Nationwide permit must qualify for an exemption under section 403.813(1), Florida Statutes or 373.406, Florida Statutes, or otherwise be authorized by the applicable permit required under Part IV of Chapter 373, Florida Statutes, by the Department of Environmental Protection, a water management district under section 373.069, Florida Statutes, or a local government with delegated authority under section 373.441, Florida Statutes, and receive Water Quality Certification and applicable Coastal Zone Consistency Concurrence or waiver thereto, as well as any

authorizations required for the use of state-owned submerged lands under Chapter 253, Florida Statutes, and, as applicable, Chapter 258, Florida Statutes. You should check State-permitting requirements with the Florida Department of Environmental Protection or the appropriate water management district.

This letter of authorization does not include conditions that would prevent the 'take' of a state-listed fish or wildlife species. These species are protected under sec. 379.411, Florida Statutes, and listed under Rule 68A-27, Florida Administrative Code. With regard to fish and wildlife species designated as species of special concern or threatened by the State of Florida, you are responsible for coordinating directly with the Florida Fish and Wildlife Conservation Commission (FWC). You can visit the FWC license and permitting webpage (http://www.myfwc.com/license/wildlife/) for more information, including a list of those fish and wildlife species designated as species of special concern or threatened. The Florida Natural Areas Inventory (http://www.fnai.org/) also maintains updated lists, by county, of documented occurrences of those species.

This letter of authorization does not give absolute Federal authority to perform the work as specified on your application. The proposed work may be subject to local building restrictions mandated by the National Flood Insurance Program. You should contact your local office that issues building permits to determine if your site is located in a flood-prone area, and if you must comply with the local building requirements mandated by the National Flood Insurance Program.

If you are unable to access the internet or require a hardcopy of any of the conditions, limitations, or expiration date for the above referenced NWP, please contact me by telephone at 850-763-0717, extension 27.

Thank you for your cooperation with our permit program. The Corps Jacksonville District Regulatory Division is committed to improving service to our customers. We strive to perform our duty in a friendly and timely manner while working to preserve our environment. We invite you to complete our automated Customer Service Survey at http://corpsmapu.usace.army.mil/cm_apex/f?p=regulatory_survey. Please be aware this Internet address is case sensitive; and, you will need to enter it exactly as it appears above. Your input is appreciated – favorable or otherwise.

Sincerely,

Lisa S. Lovvorn Project Manager

Enclosures

Copies Furnished:

Ms. Elva Peppers, FELSI

Mr. Doug Hattaway, Trust for Public Land

GENERAL CONDITIONS 33 CFR PART 320-330

- 1. The time limit for completing the work authorized ends on March 18, 2022.
- 2. You must maintain the activity authorized by this permit in good condition and in conformance with the terms and conditions of this permit. You are not relieved of this requirement if you abandon the permitted activity, although you may make a good faith transfer to a third party in compliance with General Condition 4 below. Should you wish to cease to maintain the authorized activity or should you desire to abandon it without a good faith transfer, you must obtain a modification of this permit from this office, which may require restoration of the area.
- 3. If you discover any previously unknown historic or archeological remains while accomplishing the activity authorized by this permit, you must immediately notify this office of what you have found. We will initiate the Federal and state coordination required to determine if the remains warrant a recovery effort of if the site is eligible for listing in the National Register of Historic Places.
- 4. If you sell the property associated with this permit you must obtain the signature of the new owner in the space provided and forward a copy of the permit to this office to validate the transfer of this authorization.
- 5. If a conditioned water quality certification has been issued for your project, you must comply with the conditions specified in the certification as special conditions to this permit. For your convenience, a copy of the certification is attached if it contains such conditions.
- 6. You must allow a representative from this office to inspect the authorized activity at any time deemed necessary to ensure that it is being or has been accomplished in accordance with the terms and conditions of your permit.

DEPARTMENT OF THE ARMY PERMIT TRANSFER REQUEST

PERMIT NUMBER: SAJ-2017-00459(NW-LSL)

When the structures or work authorized by this permit are still in existence at the time the property is transferred, the terms and conditions of this permit will continue to be binding on the new owner(s) of the property. Although the construction period for works authorized by Department of the Army permits is finite, the permit itself, with its limitations, does not expire.

To validate the transfer of this permit and the associated responsibilities associated with compliance with its terms and conditions, have the transferee sign and date below and mail to the U.S. Army Corps of Engineers, Enforcement Section, Post Office Box 4970, Jacksonville, FL 32232-0019.

(TRANSFEREE-SIGNATURE)	(SUBDIVISION)					
(DATE)	(LOT)	(BLOCK)				
(NAME-PRINTED)	(STREET	ADDRESS)				
(MAILING ADDRESS)						
(CITY, STATE, ZIP CODE)						

SELF-CERTIFICATION STATEMENT OF COMPLIANCE


Permit Number: SAJ-2017-00459

·	ase print or type):
Telephone Number:	
	Date Work Completed:
PROPERTY IS INACCESSIBLE V	WITHOUT PRIOR NOTIFICATION: YES NO
TO SCHEDULE AN INSPECTION AT	PLEASE CONTACT
Description of the Work (e.g. bank dredging,	s stabilization, residential or commercial filling, docks,
	ts to Waters of the United States:
Describe Mitigation completed (if a	applicable):
Describe any Deviations from Per	mit (attach drawing(s) depicting the deviations):
	on (if applicable) was done in accordance with the limitations e permit. Any deviations as described above are depicted on
	Signature of Permittee
	Date

ISLAND VIEW PARK- South Parce

FRANKLIN COUNTY, FLORIDA

01/09/2017



BEACH AREA CROSS SECTION BEACH AREA ENLARGEMENT

EXHID

EXHII

NORTHERN PIER PLAN SOUTHERN PIER PLAN

GENERAL NOTES KHA **EXISTING CONDITIONS**

EXHS-EXH6 EXH3-EXH4 EXHI-EXH2

OVERALL SITE PLAN

EXH7 EXH8 EXH9

DEMOLITION PLAN

GENERAL NOTES WPI

SHEET INDEX

PEIR DECKING DETAILS

EXH12

SWPPP DETAILS

EXHIG-EXH22 EXHIT-EXHIS

PIER DETAILS

PREPARED BY:

ANDSON MANDSON MANDSON

PREPARED FOR:

Kimley » Horn

Wood+Partners Inc. WVP

PARCELTAX IDENTIFICATION NUMBERS

ISLAND VIEW- SOUTH PARCEL:

2107S04W000000500000

-OCATION MAP:

DAVID H. MELVIN, INC. Consulting Engineers

CIVIL ENGINEERING

KMILET HORN

CAHERON R SNIPES,P E., PROJECT MANGER I

PE#75.465 CA#00000696

CAHRENO SNIPESWILLEL-YORG,COM

Z615 CENTENNIAL BLVD.

SUTE 102

TALLAHASSEE FL 32308

OFFICE: 850 555,3500

A LAND SHIPES, INCOF

FLORIDA ENVIRONMENTAL BAND SVG, INC.

ELVA L. PEPPESS SELS. 10 dd.

Z21-4 DELTA COURT

TALLAHASSEE FL

32303

1303-385-6255 PANE

850-385-6255 FANE

850-385-6255 FANE

DAVID H. MELVIN INC CONCULTING ENGINEERS F. JAMEGRAHAMGMELVINEMC CON ESSAL I BARRINGTON CIRCLE TALLAMASSEE, T. 32308 80-0-17-722 HONE 80-0-17-721 HONE

FLORIDA ENTERONN

EMAIL: SKALBLIGWOODANDFARTNERS COM TZII MICCOSUKEE RD TALLAHASSEE, FL 32308 OFFICE: 850 591.0360

CONTACT: SHAWN KALBLI, PRINCIPAL CONTACT: MARK L. BAKER, RLA LA#6666776

SURVEYING:
NOBLES CONSULTING GROUP, INC.
ALFREDO BERMUDEZ
PROJECT MANAGER

PROJECT LOCATION

ELECTRICAL ENGINEERS
HUMBER-GARICK CONSULTING ENGINEERS
DAN WHITE P. E. LEED A P. (8D+C.)
DWHITE-CALD AND TO THE CONTROL OF CONTROL

(820) 543-0933

FREDØNCGING.COM
284.4 PABLO AVE
TALLAHASSEE, FLORIDA
CELL PHONE: (850) 251-6536
WORR PHONE: (850) 385-1179 EXT. 317

GEOTECHNICAL: NOVA

176/2 ASHLEY DRIVE, PANAMA CITY BEACH, FL. 25243 850 249,6682 (018CT) 850 258,7901 (H08ILE)

Sustaining Landscapes Consenting Water.
IRRIGATION CONSULTANT:
CLARK IRRIGATION DESIGN & CONSULTING, INC MICHAEL CLARK
MCLARKIRRIGATIONDESIGN COM

REFERENCES

- I THE SURVEY, INCLUDING TOPOGRAPHY USED FOR THE DESIGN WAS PROVIDED 71/1/1/6 AND PREPARED BY NOBLES CONSLIL ING GROUP (ASABLIT SURVEY) THE SURVEY HAS NOT BEEN FIELD VERHIELS BY WOODS-PARTINES, INC. AND WOODS-PARTINES. INC. PROVIDES NO BEEN WASHAN'T AS TO THE ACCURACY OF THE SURVEY HORIZONTAL DATUM YETTICAL DATUM (WAVD 88), AND UTILLITES BASED ON SURVEY PROVIDED BY PREPARED BY NOBLES CONSULTING SROUP (AS-BALL SURVEY) DATUM SOOD.
- COORDINATE WITH SHAWN KALBLI 2 MANDATORY ON-SITE PRECONSTRUCTION CONFERENCE ASLA WOOD-PARTNERS INC. 850 591 0558
- MEETINGS AND ALL 3 THE OWNER SHALL BE GIVEN TWENTY FOUR HOURS (24-HR) NOTICE OF OR TESTING MEASURES RELATED TO SAID PROJECT

CONTACT AND PROJECT INFORMATION

TRUST FOR PUBLIC LAND 306 NORTH MONROE ST TALLAHASSEE, FL OWNER:

SHAWN KALBLI, PRINCIPAL WOOD + PARTNERS, INC. MARK BAKER, RLA LANDSCAPE ARCHITECT

TALLAHASSEE, FL 32308 IZII MICCOSUKEE ROAD 850 391 0360

SKALBLI@WOODANDPARTNERS COM

NOBLES CONSULTING GROUP

SURVEYOR

ALFREDO BERMUDEZ FRED @NCGINC COM 2844 PABLO AVE

TALLAHASSEE, FLORIDA 32303

CHRISTOPHER U CONWAY, P.E. BRANCH MANAGER NOVA GEOTECHNICAL ENGINEER

7612 ASHLEY DRIVE, PANAMA CITY BEACH FL 32413 350 249 6682

CCONWAY@USANOVA COM

CIVIL ENGINEER:

CAMERON SNIPES@KIMLEY-HORN COM KIMLEY-HORN AND ASSOCIATES, INC SUITE 102 TALLAHASSEE, FL 32308 2615 CENTENNIAL BOULEVARD CAMERON R SNIPES, P E

850 553 3500

221-4 DELTA COURT TALLAHASSEE, FL 32303 FLORIDA ENVIRONMENTAL B LAND SVCS. ELVAPEPPERS@FELSI ORG ELVA L PEPPERS

ENVIRONMENTAL

N

HUMBER-GARICK CONSULTING ENGINEERS DAN WHITE, P E. LEED A P. (BD+C) DWHITE@H-GCE COM ELECTRICAL ENGINEER:

850 385 6255

142 EGLIN PKWY SE FORT WALTON BEACH, FL 32548

ISLAND VIEW PARK PERMIT DRAWINGS SOUTH PARCEL

> The Trust for Public Land 306 North Monroe Street Tallahassee, FL 32303

PREPARED FOR

300 291 C360 B fax 850 366 1010 B www.wootsacte.ft. 32308 Wood+Partners Inc. WVP FRANKLIN COUNTY, FLORIDA

Landscape Architects
Land Planners
FL LCCCCS

CONTACT AND PROJECT INFORMATION (CONTINUED)

CLARK IRRIGATION DESIGN & CONSULTING. MICHAEL CLARK

IRRIGATION CONSULTANT:

MCLARK@CLARKIRRIGATIONDESIGN COM

P O BOX 693, LAVONIA, GA 30553

706 355 0309

DAVID H MELVIN. INC CONCULTING ENGINEERS

STRUCTURAL

2541-1 BARRINGTON CIRCLE, TALLAHASSEE, FL 32308 JAMIEGRAHAM@MELVINENG COM 850-671-722

CONSTRUCTION DOCUMENTS

THIS CONSTRUCTION DOCUMENTS SET HAS BEEN CREATED TO ILLUSTRATE THE GENERAL DESIGN INTENT OF THE RODLECT THE CONTRACTORS SMALL WORK CLOSELY WITH THE OWNERS REPRESENTATIVE AND NOTIFY HIM AS ADDITIONAL INFORMATION IS NEEDED TO PROPERLY CONSTRUCT/INSTALL/BUILD ELEMENTS DEPICTED HERRIN

CONTESTE PLANS AND SPECFICATIONS ARE INTENDED TO PORTRAY THE SITE AS A CONTESTED. FUNCTIONAL PROJECT. THE CONTRACTOR IS RESPONSIBLE FOR THE PHEANS AND WETHORD. SUED TO ACHIEVE THE CONTRACTOR IS RESPONSIBLE FOR SITE OF THE WAS SITED OF THE CONTRACTOR SOFT STANDORD SPECIFIC GUIDANCE OF EVERY ASPECT OF THE CONTRACTOR CONTRACTOR IS ASSONSIBLE. FOR THE INFE-EMBINATION OF THE PLANS IN COMPLIANCE WITH GENERALLY ACCEPTED PRACTICES ON UNDER CURRENT STANDARDS. CONTRACTOR SHALL, APPLY APPROPRIATE CONSTRUCTION FOR THE PLANS IN CONTRACTOR SHALL, APPLY APPROPRIATE CONSTRUCTION FOR THE PLANS OF THE PLANS OF THE WORK ARE SPECIFICALLY CALLED OUT ON THE PLANS OF THE WORK ARE

GENERAL NOTES

DOUGHENTS, LOCAL, STATE, AND FEDERAL RECURENCES WITH THE CONTRACT DOUGHENTS, LOCAL, STATE, AND FEDERAL RECURENCENTS UNLESS SPECIFIED OTHERWISE CONTRACTOR SHALL OBTAIN THESE DOCUMENTS, BECOME FAMILIAR WITH THEM AND HAVE THEN ON THE JOB SITE AT ALL TIMES.

E CONTRACTOR SHALL MACESSARY SITE VISITS AND INSPECTIONS TO BE CONTRACTOR SHALL MACESSARY SITE VISITS AND INSPECTIONS TO APPROPERATE TO CONFIRM THE SOLIS/GEOTECHNICAL INFORMATION TO POGGABANIC MEDIANUS, UTILITIES ETC TO BE ABLE TO PREPARE THE BID FOR CONSTRUCTING THE PREJECT IN ACCORDANCE WITH THE DEPARKINGS AND INCREMATION PROVIDED FOR BIDDING AND CONSTRUCTION ANY DEVALIONS AND CONSTRUCTION AND PROVIDED FOR SIGNINGS VERSUS THE CONSTRUCTION DOCUMENTS SHALL BE REPORTED IN WRITING TO OMMER PRIOR TO THE BID AND PRIOR TO COMMENCEMENT OF CONSTRUCTION ON THE ARRAS IN OUESTION.

3. GENERAL CONTRACTOR SHALL VERIEY THAT ALL NECESSARY PERMITS, FOR CONSTRUCTION WEBERN OBTAINED PRIOR TO THE STRAT OF THE PROJECT ALL REGULRED PERMITS. SHALL BE PRINTAINED ON SITE AT ALL TIMES.

L ALL MATERIALS, REFINDS AND DETALLS OF CONSTRUCTIONS SHALL CONFIGHR TO THE STANDARD SPECIFICATIONS OF FEDRENL, STATE LOCAL MINICIPALITY AND/OR THE APPROPARIE UTILITY COMPANY WHICHERER TAKES PRECEDENCE ALL RIGHT-OR-MAN CONSTRUCTION STANDARD THE DEPARTMENT OF TRANSPORTATION STANDARD NOSTA AND SPECIFICATIONS, LATEST EDITION

5. CONTRACTOR TO COORDINATE WITH OWNER TO DETERMINE CONSTRUCTION STAGING AND STROKE AREA PRIOR TO COMPUREMENT OF MOBILIZATION AND CONSTRUCTION TRAILERS USED ON-SITE BY THE CONTRACTOR. FF RECESSARY) SHALL BE FERNITED THROUGH LOCAL CONTRACTOR. FESSONSBILITY TO ACQUIRE ALL WECESSARY SHALL BE STROYNSBILITY TO ACQUIRE ALL WECESSARY SHALL SERVING STRUCTURE AT TERPORARY CONTRACTOR MAY UTILIZE EXISTING STRUCTURE AT TERPORARY CONTRACTOR AND WILL BE SESONSBILE FOR ALL NECESSARY PERMITS AND WILL BE SESONSBILE FOR ALL NECESSARY PERMITS AND J'ILITY CONNECTIONS

5 A COMPLETE SET OF APPROVED DRAWINGS MUST BE MAINTAINED ON SITE AT ALL TIMES THAT THE CONTRACTOR IS PERFORMING WORK

PLAN IS SUBJECT TO CHANGE 32 24.5 4723

VAI HIN ALL NOTES, THE TERM CONTRACTOR SAID 4.2 AND ENT SUBJECT TO CHANGE
SURVEY INFORMATION PROVIDED BY NOBLES CONSULTING GROUP FILE# \$835-01-2-10PO - ANGUST 1, 2016

IL DIGITAL BASE FILE SHALL BE MADE AVAILABLE FOR USE IN FIELD LOCATION OF ELEMENTS AND SITE FEATURES. HARDCOPY INFORMATION SHALL PREVAIL.

2 CONTRACTOR SHALL STAKE THE LAYOUT OF THE CONSTRUCTION DOCUMENTS FOR OWNER AND OWNERS REPRESENTATIVE TO APPROVE PRIOR TO CONSTRUCTION.

3 ALE FIELD ADJUSTMENTS SHALL RECEIVE APPROVAL FROM THE OWNER PRICR TO CONSTRUCTION

FINAL ACCEPTANCE

I THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING "AS-BUILT" DRAWINGS CERTIFIED BY A FLORIDA REGISTERED SURVEYOR

2 "AS-BUIL"T DRAWINGS SHALL BE PROVIDED TO THE OWNER AND OWNERS REPRESENTATIVE IN CAD AND HARDCOPY FORMATS

3. FINAL INSPECTION SHALL NOT OCCUR UNTIL "AS-BUILT" DRAWINGS HAVE BEEN PROVIDED TO AND REVIEWED BY OWNERS AND OWNERS REPRESENTATIVE

4. THERE SHALL BE A MINIMUM TEN (10) DAYS NOTICE GIVEN FOR SCHEDULING THE SUBSTANTIAL COMPLETION INSPECTION

5. THERE SHALL BE A MINIMUM TEN (10) DAYS NOTICE GIVEN FOR SCHEDULING THE FINAL INSPECTION.

PAVING AND DRAINAGE NOTES

I ALL GRADING, PLACEMENT OF FILL AND COMPACTION SHALL BE IN ACCORDANCE WITH THE REPOYED PLANS NO SPECIFICATIONS. ALL FILL PLACED NA A PART OF THIS PROJECT SHALL BE PLACED IN ACCORDANCE WITH THE PROJECT SPECIFICATIONS. ALL FILL AREAS HIGHS EL COMPACTED AS STATED. A REPORT FROM AN APPROPRIATE LICENSED PROFESSIONAL MAYBE REQUIRED BY THE CONSTRUCTION INSPECTOR FOR ALL AREAS WITHIN FIRENCH OF MAY.

2 COMPACTION DENSITIES FOR ALL SELECT FILL ARE TO BE TAKEN IN SIX INCH (6) LIFTS IN ACCORDANCE WITH DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS

DEMONTRACTOR SHALL SECURE THE SERVICES OF DAN APPROVIED TESTING LABORATORY TO DEMONSTRATE SATISFACTION OF THE SPECIFICATIONS CONTRACTOR SHALL SCHEDLLE ALL TESTING REPORTS TO OWNERS AND OWNERS REPRESENTATIVE

4. ALL CONSTRUCTION LINES 8 GRADES SHALL BE ESTABLISHED AND MAINTAINED BY THE CONTRACTOR.

CONTRACTOR SHALL VERIEY ALL ELEVATIONS PROR TO CONSTRACTION AND NOTIFY OWNER OF DISCREPANCIES STORWAITER AMALYSIS WAS NOT CONOLOTED FOR THIS PROJECT OR OWNRACTOR TO ENSURE PROFER AND POSITIVE DRAINAGE OF ALL GRADES

6 THE CONTRACTOR SHALL VERIEY ALL THE ELEVATIONS OF ALL THE-IN-POINTS FOR TISTALLATION OF UNITLIES, HANGOLAPE AND FINISHED WORK, AND NOTIFY THE OWNER SREPRESENTATIVE OF DISCREPARCIES.

7 IF DISCREPANCIES DEVELOP BETWEEN THE PROPOSED GRADES AS SHOWN ON THE PLAN NOTO THE EMISTING GROUND SLIFFACE. THE CONTRACTOR, WITH PRIOR APPROVAL, FROM THE OWNER, SHALL, MAKE GRADING ADJUSTMENTS NECESSARY TO MAINTAIN THE GENERAL INTENT OF THE DESIGN.

8. CONTRACTOR SHALL PROTECT ALE TREES, VEGETATION AND REFERENCE POINTS AS INDICATED ON THE DRAWINGS.

9. ALL SLEEVE LENGTHS AND LOCATIONS ARE APPROXIMATE AND MAY RECURE SLIGHT FIELD ADJUSTMENTS TO FIT CONDITIONS

10 CONTRACTOR SHALL COORDINATE THE CONSTRUCTION OF THE PAVING WITH ALL OTHER CONSTRUCTION

ALL SIDEWALKS AND RAMPS SHALL HAVE A MAXIMUM CROSS SLOPE OF 2%

DRAWN BY:

CHECKED BY SK

NUMBER SHEET EXH1

PAVING AND DRAINAGE NOTES (CONTINUED)

IN ALL CONSTRUCTION SHALL BE IN ACCRDANCE WITH THE PERMITTED CONSTRUCT ON DOCUMENTS SHALL BE THE SOLE RESPONSIBILEY OF THE OPROVIDE CONSTRUCTION DOCUMENTS SHALL BE THE SOLE RESPONSIBILEY OF THE OPROVIDATION AND/OR ENTITY RESPONSIBLE FOR THE INSTRUCTION TO UPDATE/REPLACE ANY DEFICIENT MATERIAL/EQUIPMENT NECESSARY TO BRING THE FINAL PRODUCT TO THE STANDARDS OF THE PERMITTED CONSTRUCTION

15 ALL SIDEWALKS AND RAMPS CONSTRUCTED SHALL COMPLY WITH ALL LOCAL, STATE, AND PEDEAL ADA REGULATIONS, LAWS, AND POLICIES, INCLUDING PEDESTRIAN CROSSINGS THROUGH DRIVEWAYS.

6 CONTRACTOR IS RESPONSIBLE FOR CONSTRUCTING ALL ADA ACCESSIBLE ROUTES. PURSUANT TO LOCAL, STATE, AND FEDERAL ADA REGULATIONS

17 THE CONTRACTOR WILL RETROFIT ALL DRIVEWAYS, SIDEWALKS, AND ACCESSIBILITY RAMPS TO MEET CURRENT DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS

IG REGARDING GRADES OR SLOPES COMPARED TO ADA RECUIREMENTS, THE CONTRACTOR SHALL CONTACT THE OWNER OR OWNERS REFRESENTATIVE FOR CLARFICATION, PRIOR TO WITELEMENTALION.

GENERAL DETAILS NOTES

I THESE NOTES SHALL APPLY TO ALL DETAILS INCLUDED IN THIS SET OF CONSTRUCTION DOCUMENTS

2. ALL WOOD, IN CONTACT WITH GROUND, UNLESS OTHERWISE SPECIFIED, SHALL BE SOUTHERN YELLOW HER, SPIE GRADE NO. 2 CONYGNY OR BETTER, SLS, SIZED AS SHOWN ON PRANTINGS, TREATED AWPB LP722.

3. CONTRACTOR TO CONSTRUCT 5-0" BY 5-0" DEMONSTRATION AREA FOR ALL CONCRETE SECRETED AND 5-0" BY 5-0" DEMONSTRATION AREA FOR ALL SPECIAL IY PAVENERN AT LEAST ONE WERE AROR TO ON-SITE APPLICATION FINAL APPLICATION HUST BE COMPATIBLE (MATCH) WITH DEMONSTRATION AREAS

4 BOLTS, THREADED RODS, WASHERS, NUTS AND ALL BUILDING HARDWARE SHALL BE HOT-DIPPED GALVANIZED UNLESS OTHERWISE SPECIFIED

5 ALL THROUGH BOLTS TO BE SMOOTH SHAFT WITH GALVANIZED NUTS, BOLTS, AND WASHERS UNLESS OTHERWISE SPECIFIED

6 NAILS: ALL NAILS SHALL BE HOT DIPPED GALVANIZED FINISH NAILS SHALL BE ANNULAR ALLOY ALUMINUM UNLESS OTHERWISE SPECIFIED

ALL WELDS CONTINUOUS

6 INSTALL ALL SITE FURNISHINGS PLUIPB, LEVEL, TRUE TO LINE AND AT ELEVATIONS INDICATED

9 RESTORE DAMAGED FINISHES AND REPLACE DAMAGED OR DEFECTIVE UNITS AT NO ADDITIONAL EXPENSE TO OWNER

0 SUBMIT SHOP DRAWINGS, PRODUCT DATA AND MAINTENANCE DATA FOR APPROVAL PRIOR TO PURCHASING, FABRICATION AND INSTALLATION

II ALL CONCRETE FOOTINGS, BASES, AND WALKS SHALL BE A MINIMUM OF 3,000 PSI, UNLESS OTHERWISE SPECIFIED

12 CONSTRUCT EXPANSION JOINTS WHERE WALKS MEET CURBS, STEPS, WALLS, OR FIXED SLABS OF AS OTHERWISE STATED IN THE ENGINEERING PLANS

13 ALL PAVER DIMENSIONS TO BE ACTUAL ALL LUMBER DIMENSIONS TO BE NOMINAL

ABBREVIATIONS

I DIMENSIONS AND MEASUREMENTS

			FOOT/FEET												WIDTH
CF	5	DIA	F	GA	SPA	I	HOH	1.9	MAX	NEW	Hom	S	00	SF	W
ACRE(S)	DEGREE(S)	ELEVATION	FINISHED FLOOR ELEVATION	CALLON(S)	GROSS SOUARE FEET	HORIZONTAL VERTICAL	INCH(ES)	LINEAR FOOT/FEET	MILES	I GOD SQUARE FEET	NOT TO SCALE	POUNDS PER SQUARE INCH	MEAN SEA LEVEL	THICKNESS	YEAR
AC	DEG(.)	ELEV	FFE	GAL	GSF	> 1	Ē	17	Ē	MSF	SIZ	PSI	. TSW	1-	۲R

DEPOLISH
P DEPORTMENT OF ENVIRONMENTAL PROTECTION FIRST HOD INSURANCE AT EATENSION
FOR HIGH HOD INSURANCE AT EAST FOR THE HORSE AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION DEFICIALS AMERICANS WITH DISABILITIES ACT
AMERICAN STATEMENT OF THE CITCAL AASHTO ADA ARCH 9L DG DEMO

PROFESSIONAL SURVEYOR & MAPPER REGISTERED LAND SURVEYOR RIGHT OF WAY STANDARD

TRANSITION UNITED STATES GEOLOGICAL SURVEY

LA666576 LA666576 APILITATION OF A STATE

Wood+Partners Inc. WvP Landscape Architects
Land Planners
FL LC000064 PLAN IS SUBJECT TO CHANGE SURVEY INFORMATION PROVIDED BY NOBLES CONSULTING GROUP FILE# 5835-01-2-TOPO - AUGUST 1. 2016 PERMIT DRAWINGS ISLAND VIEW PARK SOUTH PARCEL

The Trust for Public Land 306 North Monroe Street Tallahassee, FL 32303

PREPARED FOR:

FRANKLIN COUNTY, FLORIDA

1211 Microsube Rd II Teliahasare, FL 32308 650 391 0360 II Fax 650 366 1010 III www woodandpartrers com

CHECKED BY SK NUMBER SHEET EXH2 DRAWN BY: PROJECT NUMBER SHEET TITLE General Notes& Abbreviations 01.09.17 02-16011

SEQUENCE OF CONSTRUCTION

UPON IMPLEMENTATION AND INSTALLATION OF THE FOLLOWING AREAS. TRAILER, PARKING, LAYDOWN, PORTA-POTTY, WHEEL WASH, CONCRETE WASHOUT, FUEL AND MATERIAL STORAGE CONTAINERS, SOLID WASTE CONTAINERS, ETC., IMMEDIATELY DENOTE THEM ON THE SITE MAPS AND NOTE ANY CHANGES IN LOCATION AS THEY OCCUR THROUGHOUT THE CONSTRUCTION PROCESS. PHASE 1:

SILT FENCE CONSTRUCT STABILIZED CONSTRUCTION ENTRANCE (1) AND INSTALL

CONSTRUCT AND STABILIZE SEDIMENT BASIN AND DRAINAGE SWALES WITH APPROPRIATE OUTFALL STRUCTURES (CLEAR ONLY THOSE AREAS NECESSARY TO INSTALL CONTROL DEVICES LISTED ABOVE)

INSTALL INLET PROTECTION AT EXISTING INLET(S).

m

INSTALL AND STABILIZE ANY NECESSARY HYDRAÚLIC CONTROL STRUCTURES (DIKES, 4

CHECK DAMS, OUTLET TRAPS, RISER PIPE DISCHARGE POINT, ETC.) PREPARE CLEARING AND GRUBBING OF THE SITE, IF APPLICABLE

5. PREP PHASE 2: 6. PERF 7. STAR 8. TEMP

PERFORM MASS GRADING. ROUGH GRADE TO ESTABLISH PROPOSED DRAINAGE PATTERNS. START CONSTRUCTION OF THE BUILDING PAD AND STRUCTURES. TEMPORARILY SEED WITH PURE LIVE SEED, THROUGHOUT CONSTRUCTION, DISTURBED AREAS THAT WILL BE INACTIVE FOR 7 DAYS OR MORE OR

HALT ALL ACTIVITIES AND CONTACT THE CONSULTANT TO PERFORM INSPECTION AND CERTIFICATION OF BMPS, GENERAL CONTRACTOR SHALL SCHEDULE AND CONDUCT STORM WATER PRE-CONSTRUCTION MEETING WITH CONSULTANT AND ALL GROUND-DISTURBING CONTRACTORS BEFORE PROCEEDING WITH CONSTRUCTION.

EROSION CONTROL NOTES

THE STORM WATER POLLUTION PREVENTION PLAN ("SWPPP") IS COMPRISED OF THIS EROSION CONTROL PLAN, THE STANDARD DETAILS, THE PLAN NARRATIVE, ATTACHMENTS INCLUDED IN SPECIFICATIONS OF THE SWPPP, PLUS THE PERMIT AND ALL SUBSEQUENT REPORTS AND SUBCONTRACTORS INVOLVED WITH STORM WATER POLLUTION PREVENTION SHALL OBTAIN A COPY OF THE STORM WATER POLLUTION PREVENTION PLAN AND THE STATE OF FLORIDA NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM GENERAL PERMIT (NPDES PERMIT) AND BECOME FAMILIAR WITH THEIR CONTENTS. ri

m

4

က်

THE CONTROL OF THE CONTROLS SHALL BEST MANAGEMENT PRACTICES AS REQUIRED BY THE SWPPP. ADDITIONAL BEST MANAGEMENT PRACTICES SHALL BE IMPLEMENTED AS DICTATED BY CONDITIONS AT NO ADDITIONAL COST TO THE OWNER THROUGHOUT ALL PHASES OF CONSTRUCTION.

BEST MANAGEMENT PRACTICES (BMP'S) AND CONTROLS SHALL CONFORM TO FEDERAL, STATE, OR LOCAL REQUIREMENTS OR MANUAL OF PRACTICE, AS APPLICABLE. THE CONTRACTOR SHALL IMPLEMENT ADDITIONAL CONTROLS AS DIRECTED BY THE PERMITTING AGENCY OR OWNER.

EROSION CONTROL PLAN MUST CLEARLY DELINEATE ALL STATE WATERS. PERMITS FOR ANY CONSTRUCTION ACTIVITY IMPACTING STATE WATERS OR REGULATED WETLANDS MUST BE MAINTAINED ON SITE AT ALL TIMES.

THE CONTRACTOR SHALL MINIMIZE CLEARING TO THE MAXIMUM EXTENT PRACTICAL OR AS REQUIRED BY THE GENERAL PERMIT.

CLEANING AREA, EMPLOYEE PARKING AND AREA FOR LOCATING PORTABLE FACILITIES, OFFICE TRAILERS, AND TOILET FACILITIES.

ALL WASH WATER (CONCRETE TRUCKS, VEHICLE CLEANING, EQUIPMENT CLEANING, ETC.) SHALL BE DETAINED AND PROPERLY TREATED OR DISPOSED.

SUFFICIENT OIL AND GREASE ABSORBING MATERIALS AND FLOTATION BOOMS SHALL BE MAINTAINED ON SITE OR READILY AVAILABLE TO CONTAIN AND 9.7.

ထဲ တဲ

CLEAN—UP FUEL OR CHEMICAL SPILLS AND LEAKS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DUST CONTROL ON SITE. THE USE OF MOTOR OILS AND OTHER PETROLEUM BASED OR TOXIC LIQUIDS FOR 0.

RUBBISH, TRASH, GARBAGE, LITTER, OR OTHER SUCH MATERIALS SHALL BE DEPOSITED INTO SEALED CONTAINERS. MATERIALS SHALL BE PREVENTED FROM LEAVING THE PREMISES THROUGH THE ACTION OF WIND OR STORM WATER DISCHARGE INTO DRAINAGE DITCHES IGN/WATERS OF THE STATE.
ALL STORM WATER POLLUTION PREVENTION MEASURES PRESENTED ON THE PLAN, SHALL BE INITIATED AS SOOM AS PRACTICAL, BUT IN NO STABILIZATION PRACTICES SHOULD BE INITIATED AS SOON AS PRACTICAL, BUT IN NO CASE MORE THAN 7 DAYS WHERE CONSTRUCTION HAS TEMPORARILY CEASED. DUST SUPPRESSION OPERATIONS IS PROHIBITED. =

5,5

The Trust for Public Land 306 North Monroe Street Tallahassee, FL 32303 PREPARED FOR:

PLAN IS SUBJECT TO CHANGE

PERMIT DRAWINGS ISLAND VIEW PARK SOUTH PARCEL

1211 Maximulase Rd & Taletannes, Ft. 12200 850-291 00009 Firs 660-398, 1910 B www.mooderdperhase.com Wood+Partners Inc. FRANKLIN COUNTY, FLORIDA

GENERAL NOTES PROJECT NUMBER SHEET TITLE 01.11.17 02-16011 PROD.

12/1/20 11 -36

78,465

S

CHECKED BY: XX DRAWN BY: XX DATE

3 NUMBER EXT TX

EROSION CONTROL NOTES (CONT.)

4

DISTURBED PORTIONS OF THE SITE WHERE CONSTRUCTION ACTIVITY HAS PERMANENTLY STOPPED SHALL BE PERMANENTLY SEEDED. THESE AREAS SHALL BE SEEDED NO LATER THAN 7 DAYS AFTER THE LAST CONSTRUCTION ACTIVITY OCCURRED IN THESE AREAS. REFER TO SECTION 981 OF THE STANDARD SPECIFICATIONS FOR SEEDING AND MAINTENANCE REQUIREMENTS.

IF THE ACTION OF VEHICLES TRAVELING OVER THE GRAVEL CONSTRUCTION ENTRANCES IS NOT SUFFICIENT TO REMOVE THE MAJORITY OF DIRT OR MUD, THEN THE SCHOOL OF VEHICLES TRAVELING OVER THE VEHICLES ENTER A PUBLIC ROAD. IF WASHING IS USED, PROVISIONS MUST BE MADE TO INTERCEPT THE WASH WATER AND TRAP THE SEDIMENT BEFORE IT IS CARRIED OFF THE SITE.

ALL MATERIALS SPILLED, DROPPED, WASHED, OR TRACKED FROM VEHICLES ONTO ROADWAYS OR INTO STORM DRAINS MUST BE REMOVED AS 5

POSSIBLE

17.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVING SEDIMENT IN THE DETENTION POND AND ANY SEDIMENT THAT MAY HAVE COLLECTED IN THE STORM SEWER DRAINAGE SYSTEMS IN CONJUNCTION WITH THE STABILIZATION OF THE SITE.

STORM SEWER DRAINAGE SYSTEMS IN CONJUNCTION WITH THE STABILIZATION OF THE SITE.

ON—SITE & OFF SITE SOIL STOCKPILE AND BORROW AREA LOCATIONS SHALL BE NOTED ON THE EROSION CONTROL PLAN AND PERMITTED IN ACCORDANCE MANAGEMENT PRACTICES, STOCKPILE AND BORROW AREA LOCATIONS SHALL BE NOTED ON THE EROSION CONTROL PLAN AND PERMITTED IN ACCORDANCE SLOPES SHALL BE LEFT IN A ROUGHENED CONDITION DURING THE GRADING PHASE TO REDUCE RUNOFF VELOCITIES AND EROSION.

MEASURES (SILT FENCES, ETC.) TO PREVENT EROSION.

MEASURES (SILT FENCES, ETC.) TO PREVENTED PRUNCTION AND TO BE USED FOR STAKE OUT PURPOSES.

ANY CONSTRUCTION ADJACENT TO A WETLAND AREA SHALL BE PERFORMED FROM THE UPLAND SIDE OF THE AREA. CONSTRUCTION ADJACENT TO A WETLAND AREA SHALL BE PERFORMED FROM THE UPLAND SIDE OF THE AREA. CONSTRUCTION AND ROLL OF ALL OWNED ADJACENT SHALL BE RESPONSIBLE FOR MAINTAINING ALL NECESSARY BMP DEVICES THROUGH THE DURATION OF ALL CONSTRUCTION OF ALL CONSTRUCTION AND TO THE ADDRAFT WE THE DEVICES THROUGH THE DURATION OF ALL CONSTRUCTION OF ALL CONSTRUCTION AND THE ADDRAFT WE THE ADDRAFT OF THE DURATION OF ALL CONSTRUCTION OF ALL CONSTRUCTION WERE THE ADDRAFT AND THE TOWNED THE T 18

20.

22.

24.

ACCORDANCE WITH THE N.P.D.E.S. PROGRAM. 26. 27.

PRIOR TO ANY EARTHMOVING OPERATIONS, THE CONTRACTOR SHALL INSTALL BMP DEVICES IN THE LOCATIONS SHOWN HEREON AND CONTACT RESOURCE PROTECTION SERVICES TO INSPECT ANY INSTALLATION OF THE REQUIRED SILT FENCING AROUND ANY PRESERVE AREAS.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE CONTROL OF WIND AND DUST DURING ALL PHASES OF CONSTRUCTION BY USING WATER TRUCKS, WIND FENCING OR OTHER DEVICES AS APPROVED BY THE APPROPRIATE AGENCY.

THE CONTRACTOR SHALL BE RESPONSIBLE TO SAFELY STORE EQUIPMENT, FUEL, OIL AND OTHER HAZARDOUS SUBSTANCES FROM CONTAMINATING THE STORMWATER MANAGEMENT AND COLLECTION SYSTEMS AND PRESERVATION 28

THE SILT FENCING AND OTHER BMP DEVICES SHALL BE REMOVED AFTER CONSTRUCTION IS COMPLETE AND ACCEPTED BY THE OWNER. 39.

BMP MEASURES SHOWN ARE A MINIMUM. BEST MANAGEMENT PRACTICES SHOWN FOR OPEN THROAT AND GRATED SWALE INLETS SHALL BE INSTALLED AS APPROPRIATE FOR VARIOUS PROJECT

SOD A 2' WIDE STRIP BEHIND ALL CURBING AND EDGE OF PAVEMENT WHERE CURB IS NOT PRESENT.

32.

SOD A 2 WILL STAND SONES, ETC. AND GRASS ALL SWALES.
ADDITIONAL BMP MEASURES MAY BE NECESSARY TO ENSURE THAT TURBID WATER IS NOT DISCHARGED FROM CONSTRUCTION SITE. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING COMPLIANCE WITH STORMWATER POLLUTION PREVENTION PLAN, THE N.P.D.E.S. PERMIT AND THE CONDITIONS OF THE NWFWMD SISTEMATION ROSS WILLIAMS SINGLES SING William.

1211 Microsophe Rd II Tellerame, P. 12008 EGA 191, DB D Fee BEG. 1910 II www.mccelantycartes.co. Wood+Partners Inc. FRANKLIN COUNTY, FLORIDA

PERMIT DRAWINGS ISLAND VIEW PARK SOUTH PARCEL

> The Trust for Public Land 306 North Monroe Street Tallahassee, FL 32303

PREPARED FOR: PLAN IS SUBJECT TO CHANGE

NO/S

170

O


GENERAL NOTES PROJECT NUMBER SHEET TITLE 01.11.17 DATE


NUMBER


DRAWN BY: XX


10


4 EXT











"81

,Ġ

OK MOKE

SWPPP DETAILS EXH 17 DRAWN BY: XX CHECKED BY: XX SHEET PROJECT NUMBER SHEET TITLE 02-16011 01.11.17

The Trust for Public Land 306 North Monroe Street Tallahassee, FL 32303 PREPARED FOR:

ISLAND VIEW PARK PERMIT DRAWINGS SOUTH PARCEL

FRANKLIN COUNTY, FLORIDA

1211 Microsukos Fd B Tafahamos, FL 30208 450.191 U380 B Fax 630.195 1010 B www.woodustratrata.com Wood+Partners Inc. WVP

STANDARD MANATEE CONDITIONS FOR IN-WATER WORK

2011

The permittee shall comply with the following conditions intended to protect manatees from direct project effects:

- a. All personnel associated with the project shall be instructed about the presence of manatees and manatee speed zones, and the need to avoid collisions with and injury to manatees. The permittee shall advise all construction personnel that there are civil and criminal penalties for harming, harassing, or killing manatees which are protected under the Marine Mammal Protection Act, the Endangered Species Act, and the Florida Manatee Sanctuary Act.
- b. All vessels associated with the construction project shall operate at "Idle Speed/No Wake" at all times while in the immediate area and while in water where the draft of the vessel provides less than a four-foot clearance from the bottom. All vessels will follow routes of deep water whenever possible.
- c. Siltation or turbidity barriers shall be made of material in which manatees cannot become entangled, shall be properly secured, and shall be regularly monitored to avoid manatee entanglement or entrapment. Barriers must not impede manatee movement.
- d. All on-site project personnel are responsible for observing water-related activities for the presence of manatee(s). All in-water operations, including vessels, must be shutdown if a manatee(s) comes within 50 feet of the operation. Activities will not resume until the manatee(s) has moved beyond the 50-foot radius of the project operation, or until 30 minutes elapses if the manatee(s) has not reappeared within 50 feet of the operation. Animals must not be herded away or harassed into leaving.
- e. Any collision with or injury to a manatee shall be reported immediately to the Florida Fish and Wildlife Conservation Commission (FWC) Hotline at 1-888-404-3922. Collision and/or injury should also be reported to the U.S. Fish and Wildlife Service in Jacksonville (1-904-731-3336) for north Florida or in Vero Beach (1-772-562-3909) for south Florida, and emailed to FWC at ImperiledSpecies@myFWC.com.
- f. Temporary signs concerning manatees shall be posted prior to and during all in-water project activities. All signs are to be removed by the permittee upon completion of the project. Temporary signs that have already been approved for this use by the FWC must be used. One sign which reads *Caution: Boaters* must be posted. A second sign measuring at least 8½ " by 11" explaining the requirements for "Idle Speed/No Wake" and the shut down of in-water operations must be posted in a location prominently visible to all personnel engaged in water-related activities. These signs can be viewed at http://www.myfwc.com/WILDLIFEHABITATS/manatee_sign_vendors.htm. Questions concerning these signs can be forwarded to the email address listed above.



UNITED STATES DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administration NATIONAL MARINE FISHERIES SERVICE

Southeast Regional Office 263 13th Avenue South St. Petersburg, FL 33701

SEA TURTLE AND SMALLTOOTH SAWFISH CONSTRUCTION CONDITIONS

The permittee shall comply with the following protected species construction conditions:

- a. The permittee shall instruct all personnel associated with the project of the potential presence of these species and the need to avoid collisions with sea turtles and smalltooth sawfish. All construction personnel are responsible for observing water-related activities for the presence of these species.
- b. The permittee shall advise all construction personnel that there are civil and criminal penalties for harming, harassing, or killing sea turtles or smalltooth sawfish, which are protected under the Endangered Species Act of 1973.
- c. Siltation barriers shall be made of material in which a sea turtle or smalltooth sawfish cannot become entangled, be properly secured, and be regularly monitored to avoid protected species entrapment. Barriers may not block sea turtle or smalltooth sawfish entry to or exit from designated critical habitat without prior agreement from the National Marine Fisheries Service's Protected Resources Division, St. Petersburg, Florida.
- d. All vessels associated with the construction project shall operate at "no wake/idle" speeds at all times while in the construction area and while in water depths where the draft of the vessel provides less than a four-foot clearance from the bottom. All vessels will preferentially follow deep-water routes (e.g., marked channels) whenever possible.
- e. If a sea turtle or smalltooth sawfish is seen within 100 yards of the active daily construction/dredging operation or vessel movement, all appropriate precautions shall be implemented to ensure its protection. These precautions shall include cessation of operation of any moving equipment closer than 50 feet of a sea turtle or smalltooth sawfish. Operation of any mechanical construction equipment shall cease immediately if a sea turtle or smalltooth sawfish is seen within a 50-ft radius of the equipment. Activities may not resume until the protected species has departed the project area of its own volition.
- f. Any collision with and/or injury to a sea turtle or smalltooth sawfish shall be reported immediately to the National Marine Fisheries Service's Protected Resources Division (727-824-5312) and the local authorized sea turtle stranding/rescue organization.
- g. Any special construction conditions, required of your specific project, outside these general conditions, if applicable, will be addressed in the primary consultation.

Revised: March 23, 2006

O:\forms\Sea Turtle and Smalltooth Sawfish Construction Conditions.doc

