Pangolin à ventre blanc
White-bellied pangolin/Tree pangolin
(Manis tricuspis)

Photo: Frank Kohn / USFWS

Le pangolin à ventre blanc est le plus fréquemment rencontré en Afrique Centrale. Comparé au pangolin géant, le pangolin à ventre blanc et le pangolin à longue queue sont beaucoup plus petits en taille. Ils se caractérisent par un arrangement irrégulier d'écailles, les coussinets de la queue sont utilisés pour grimper et une longue queue préhensile. Le pangolin à ventre blanc possède des poils au niveau du ventre et des écailles au niveau du dos. Ce pangolin habite les forêts de plaines tropicales humides et les mosaïques forêts-savanes.

The white-bellied pangolin is the most frequently encountered pangolin in Africa. Compared to the giant pangolin, the white-bellied and black-bellied pangolins are much smaller in size, have very small first forelimb claws, an irregular arrangement of scales, tail pads used for climbing, and a long and prehensile tail. They have hair on the lower sections of their forelimbs, as opposed to scales. The white-bellied pangolin inhabits lowland tropical moist forest and forest-savanna mosaics.

PROTÉGEONS NOS PANGOLINS • PROTECT OUR PANGOLINS

MENTOR-POP

Facebook: PangolinSaver
Twitter: @PangolinSaver