

Indiana

Federally-Listed Threatened, Endangered and Proposed Species' County Distribution

For more information on Indiana's federally listed species, contact
 U.S. Fish and Wildlife Service, 620 S. Walker St., Bloomington, Indiana 47403-2121 or phone (812)334-4261

Revised July 25, 2017

| Species | Status | Counties | Habitat |
|--|-----------------------------|--|---|
| MAMMALS | | | |
| Gray bat (<i>Myotis grisescens</i>) | Endangered | Clark, Crawford, Floyd, Harrison, Perry, Spencer | A year-round cave obligate species - roosting in caves both during hibernation and summer. Foraging habitat of gray bats is correlated with rivers, streams, lakes or reservoirs and associated shorelines. Forested corridors used to travel between caves and foraging areas. |
| Indiana bat <i>Myotis sodalis</i> | Endangered | Statewide CRITICAL HABITAT: Big Wyandotte Cave (Crawford County), Ray's Cave (Greene County) | Hibernation occurs in caves and mines, with swarming in surrounding wooded areas. Summer roosting and foraging habitat occurs in wooded stream corridors and in bottomland and upland forests and woods. |
| Northern long-eared bat <i>Myotis septentrionalis</i> | Threatened | Statewide | Hibernates in caves and mines - swarming in surrounding wooded areas in autumn. Roosts and forages in upland forests and woods. |
| BIRDS | | | |
| Least tern (<i>Sterna antillarum</i>) | Endangered | Gibson, Greene, Spencer | Sandbars on large rivers, dredged spoil islands, and man-made habitats that include constructed nesting islands and gravel areas near impoundments. |
| Piping plover (<i>Charadrius melodus</i>) | Endangered | Lake and LaPorte | Beaches along shoreline of Lake Michigan |
| Piping plover (<i>Charadrius melodus</i>) | Critical Habitat Designated | Porter - 7.9 km of Lake Michigan shoreline (5 km are part of Indiana Dunes State Park and the remaining 2.9 km are part of Indiana Dunes National Lakeshore) No recent records | |
| Rufa red knot (<i>Calidris canutus rufa</i>) | Threatened | Lake | Beaches along shoreline of Lake Michigan |
| REPTILES | | | |
| Copperbelly water snake (<i>Nerodia erythrogaster neglecta</i>) | Threatened | Kosciusko, St. Joseph, Steuben | Wooded and permanently wet areas such as oxbows, sloughs, brushy ditches and floodplain woods |
| Eastern massasauga (<i>Sistrurus catenatus</i>) | Threatened | Allen, Carroll, Elkhart, Fulton, Kosciusko, Lagrange, Lake, LaPorte, Marshall, Noble, Porter, Pulaski, St. Joseph, Starke, Steuben, Whitley | Wetlands and adjacent uplands |

| MUSSELS | | | |
|---|------------------|---|---|
| Clubshell (<i>Pleurobema clava</i>) | Endangered | Carroll, Dekalb, Fulton, Kosciusko, Marshall, Pulaski, Starke, Steuben, Tippecanoe, White | Tippecanoe River, Fish Creek |
| Fanshell (<i>Cyprogenia stegaria</i>) | Endangered | Carroll, Daviess, Dubois, Gibson, Lawrence, Martin, Pike, Posey, Tippecanoe, Wabash, White | Tippecanoe River, Wabash River, East Fork White River |
| Fat pocketbook (<i>Potamilus capax</i>) | Endangered | Daviess, Dubois, Gibson, Knox, Pike, Posey, Vanderburgh | Big Creek, Ohio River, Wabash River, East Fork White River, White River |
| Northern riffleshell (<i>Epioblasma torulosa rangiana</i>) | Endangered | Dekalb, Pulaski | Tippecanoe River, Fish Creek |
| Rabbitsfoot (<i>Quadrula cylindrica cylindrica</i>) | Threatened | Carroll, Cass, Fulton, Miami, Perry, Pulaski, Shelby, Spencer, Starke, Tippecanoe, Wabash and White | Eel River, Fish Creek, Flatrock River, Ohio River, Sugar Creek, Tippecanoe River, Wabash River |
| Rabbitsfoot (<i>Quadrula cylindrica cylindrica</i>) | Critical Habitat | Carroll, Pulaski, Tippecanoe and White | Tippecanoe River |
| Rayed Bean (<i>Villosa fabalis</i>) | Endangered | Allen, Carroll, Dekalb, Fulton, Johnson, Kosciusko, Marshall, Pulaski, Starke, Steuben, Tippecanoe, and White | Fish Creek, Lake Maxinkuckee, St. Joseph River, Sugar Creek, Tippecanoe River |
| Rough pigtoe (<i>Pleurobema plenum</i>) | Endangered | Lawrence, Martin | East Fork White River |
| Sheepnose (<i>Plethobasus cyphus</i>) | Endangered | Carroll, Cass, Clark, Crawford, Dearborn, Floyd, Fulton, Harrison, Jefferson, Knox, Marshall, Martin, Ohio, Perry, Posey, Pulaski, Spencer, Starke, Switzerland, Tippecanoe, Vanderburgh, Wabash, Warrick, White | Eel River, Ohio River, Tippecanoe River, East Fork White River, and Wabash River |
| Snuffbox (<i>Epioblasma triquetra</i>) | Endangered | Carroll, Hancock, Huntington, Johnson, LaGrange, Shelby, Tippecanoe, and White | Small to medium-sized creeks and some larger rivers, in areas with a swift current - - Tippecanoe River, Salamonie River, Sugar Creek, Buck Creek, Pigeon River |
| White cat's paw pearlymussel (<i>Epioblasma obliquata perobliqua</i>) | Endangered | Dekalb | Fish Creek |
| INSECTS | | | |
| Mitchell's satyr (<i>Neonympha mitchellii</i>) | Endangered | LaGrange, LaPorte | Fens |
| Karner blue butterfly (<i>Lycaeides melissa samuelis</i>) | Endangered | Lake, Porter | Pine barrens and oak savannas on sandy soils and containing wild lupines (<i>Lupinus perennis</i>), the only known food plant of larvae. |
| Rusty patched bumble bee <i>Bombus affinis</i> | Endangered | Fountain, Hamilton, Lake, Marion, Montgomery Note for project proponents: this bee is not known to occur throughout the entire county. To determine if your project or ongoing action is within an area that is likely to have the rusty patched bumble bee, use our online tool at https://ecos.fws.gov/ipac/ | Grasslands with flowering plants from April through October, underground and abandoned rodent cavities or clumps of grasses above ground as nesting sites, and undisturbed soil for hibernating queens to overwinter. |

PLANTS

| | | | |
|---|---------------------------------|-------------------------------------|--|
| Eastern prairie fringed orchid (<i>Plantathera leucophaea</i>) | Threatened | White | Mesic to wet prairies and meadows |
| Mead's milkweed <i>Asclepias meadii</i> | Threatened | Lake | Prairies |
| Pitcher's thistle (<i>Cirsium pitcheri</i>) | Threatened | Lake, Porter | Lakeshores; stabilized dunes and blowout areas |
| Running buffalo clover (<i>Trifolium stoloniferum</i>) | Endangered | Dearborn, Ohio, Ripley, Switzerland | Disturbed bottomland meadows |
| Short's bladderpod (<i>Physaria globosa</i>) | Endangered and Critical Habitat | Posey | Rocky wooded slopes and talus areas, often associated with calcareous rock. Along cliff tops, ledges and bases; often adjacent to rivers or streams. |
| Short's goldenrod (<i>Solidago shortii</i>) | Endangered | Harrison | Natural openings associated with rock outcrops or rocky shorelines along rivers. |