

---

## References

- Abramowicz, D.A. 1990. Aerobic and anaerobic biodegradation of PCBs: A review. *Critical Reviews in Biotechnology* 10(3):241-251.
- Adams, R.A., S. Allen, M.A. Evans, C. Ferguson, S. Powless, and C. Stefanich. 1998. Conservation of Bird Populations in Riparian Forests of Southwest Michigan. Prepared for United States Department of the Interior, Fish and Wildlife Service. Kalamazoo Nature Center. April 1.
- A.D. Little. 1996. ADL Project No. 58493-00, June 14, 1996.
- Air-Land Surveys. 1999. Digital Orthophotography: Kalamazoo River Corridor between Battle Creek and Lake Michigan, Michigan. ALS Project #99034. Air-Land Surveys Inc., Clarkston, MI. April 24.
- Allred, P.M. and J.R. Strange. 1977. The effects of 2,4,5-trichlorophenoxyacetic acid and 2,3,7,8-tetrachlorodibenzo-p-dioxin on developing chicken embryos. *Archives of Environmental Contamination and Toxicology*. 5:483-489.
- Anderson, D.P. and M.G. Zeeman. 1995. Immunotoxicology in fish. In *Fundamentals of Aquatic Toxicology: Effects, Environmental Fate, and Risk Assessment*. Taylor & Francis, Washington DC, pp. 371-402.
- Anderson, M.J., D. Cacela, D. Beltman, S.J. Teh, M.S. Okihira, D.E. Hinton, N. Denslow, and J.T. Zelikoff. 2003. Biochemical and toxicopathic biomarkers assessed in smallmouth bass recovered from a polychlorinated biphenyl-contaminated river. *Biomarkers* 8(5):371-393.
- Appleton Papers. 1987. The Birth of Carbonless: NCR Paper Brand. Appleton, WI. February.
- Arcand-Hoy, L.D. and W.H. Benson. 1998. Fish reproduction: An ecologically relevant indicator of endocrine disruption. *Environmental Toxicology and Chemistry* 17(1):49-57.
- Arkoosh, M.R., E. Clemons, M. Myers, and E. Casillas. 1994. Suppression of b-cell mediated immunity in juvenile chinook salmon (*Oncorhynchus tshawytscha*) after exposure to either a polycyclic aromatic hydrocarbon or to polychlorinated biphenyls. *Immunopharmacology and Immunotoxicology* 16(2):293-314.
- Aulerich, R.J. and R.K. Ringer. 1977. Current status of PCB toxicity to mink, and effect on their reproduction. *Archives of Environmental Contamination and Toxicology* 6:279-292.

- Aulerich, R.J., R.K. Ringer, and S. Iwamoto. 1973. Reproductive failure and mortality in mink fed on Great Lakes fish. *Journal of Reproduction and Fertility, Supplement* 19:365-376.
- Aulerich, R.J., S.J. Bursian, W.J. Breslin, B.A. Olson, and R.K. Ringer. 1985. Toxicological manifestations of 2,4,5,2',4',5'-,2,3,6,2',3',6'-, and 3,4,5,3',4',5'-hexachlorobiphenyl and Aroclor 1254 in mink. *Journal of Toxicology and Environmental Health* 15:63-79.
- Aulerich, R.J., S.J. Bursian, M.G. Evans, J.R. Hochstein, K.A. Koudele, B.A. Olson, and A.C. Napolitano. 1987. Toxicity of 3,4,5,3',4',5'-hexachlorobiphenyl to mink. *Archives of Environmental Contamination and Toxicology* 16:53-60.
- Ax, R.L. and L.G. Hansen. 1975. Effects of purified polychlorinated biphenyl analogs on chicken reproduction. *Poultry Science* 54:895-900.
- Bäcklin, B.-M. and A. Bergman. 1992. Morphological aspects on the reproductive organs in female mink (*Mustela vison*) exposed to polychlorinated biphenyls and fractions thereof. *Ambio* 21(8):596.
- Bailey, G., D. Selivonchick, and J. Hendricks. 1987. Initiation, promotion, and inhibition of carcinogenesis in rainbow trout. *Environmental Health Perspectives* 71(April):147-153.
- Barron, M.G., J.A. Hansen, and J. Lipton. 2002. Association between contaminant tissue residues and effects in aquatic organisms. *Reviews of Environmental Contamination and Toxicology* 173:1-37.
- Barron, M.G., M.J. Anderson, D. Cacela, J. Lipton, S.J. Teh, D.E. Hinton, J.T. Zelikoff, A.L. Dikkeboom, D.E. Tillitt, M. Holey, and N. Denslow. 2000. PCBs, liver lesions, and biomarker responses in adult walleye (*Stizostedium vitreum vitreum*) collected from Green Bay, Wisconsin. *Journal of Great Lakes Research* 26(3):250-271.
- Baumann, P.C. 1992a. Methodological considerations for conducting tumor surveys of fishes. *Journal of Aquatic Ecosystem Health* 1:127-133.
- Baumann, P.C. 1992b. The use of tumors in wild populations of fish to assess ecosystem health. *Journal of Aquatic Ecosystem Health* 1:135-146.
- Becker, P.H., S. Schuhmann, and C. Koepff. 1993. Hatching failure in common terns (*Sterna hirundo*) in relation to environmental chemicals. *Environmental Pollution* 79:207-212.
- Besselink, H.T., M.S. Denison, M.E. Hahn, S.I. Karchner, A.D. Vethaak, J.H. Koeman, and A. Brouwer. 1998. Low inducibility of CYP1A activity by polychlorinated biphenyls (PCBs) in

flounder (*platichthys flesus*): Characterization of the Ah receptor and the role of CYP1A inhibition. *Toxicological Sciences* 43:161-171.

Best, D.A. 2002. Monitoring of Bald Eagle Exposure to Organochlorine Compounds in the Great Lakes via Addled Eggs, 1986-2000. Environmental Contaminants Program, East Lansing Field Office, Michigan, U.S. Fish & Wildlife Service. January.

Bird, D.M., P.H. Tucker, G.A. Fox, and P.C. Lague. 1983. Synergistic effects of Aroclor 1254 and mirex on the semen characteristics of American kestrels. *Archives of Environmental Contamination and Toxicology* 12:633-640.

Bishop, C.A., R.J. Brooks, J.H. Carey, P. Ng, R.J. Norstrom, and D.R. Lean. 1991. The case for a cause-effect linkage between environmental contamination and development in eggs of the common snapping turtle (*Chelydra S.serpentina*) from Ontario, Canada. *Journal of Toxicology and Environmental Health* 33(4):521-47.

Black, D., R. Gutjahr-Gobell, R.J. Pruell, B. Bergen, and A.E. McElroy. 1998. Effects of a mixture of non-ortho- and mono-ortho-polychlorinated biphenyls on reproduction in *fundulus heteroclitus* (linnaeus). *Environmental Toxicology and Chemistry* 17(7):1396-1404.

Blasland, Bouck & Lee. 1992. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Description of the Current Situation: Draft. Prepared for Kalamazoo River Study Group. July.

Blasland, Bouck & Lee. 1993. Allied Paper, Inc. Operable Unit Remedial Investigation/Focused Feasibility Study Work Plan.

Blasland, Bouck & Lee. 1994a. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Draft Technical Memorandum 10. Sediment Characterization/Geostatistical Pilot Study. April.

Blasland, Bouck & Lee. 1994b. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Draft Technical Memorandum 11. Allied Paper, Inc. Operable Unit. April.

Blasland, Bouck & Lee. 1994c. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Draft Technical Memorandum 12. Former Impoundment Sediment and Geochronologic Dating Investigation. May.

Blasland, Bouck & Lee. 1994d. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Draft Technical Memorandum 14: Biota Investigation.

Blasland, Bouck & Lee. 1994e. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Draft Technical Memorandum 15, Mill Investigations. Volume I of II. December.

Blasland, Bouck & Lee. 1994f. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Technical Memorandum 3: Results of the Floodplain Soils Investigation. February.

Blasland, Bouck & Lee. 1994g. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Technical Memorandum 6: King Highway Landfill Operable Unit. March.

Blasland, Bouck & Lee. 1995. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Technical Memorandum 9. Willow Boulevard/A-Site Operable Unit.

Blasland, Bouck & Lee. 1997. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Technical Memorandum 7. Allied Paper, Inc. Operable Unit, Volume 1 of 7. August.

Blasland, Bouck & Lee. 2000a. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site RI/FS. Feasibility Study Report — Phase 1. October. Draft for State and Federal Review.

Blasland, Bouck & Lee. 2000b. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site RI/FS. Remedial Investigation Report — Phase 1. October. Draft for State and Federal Review.

Blasland, Bouck & Lee. 2000c. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site RI/FS. Supplement to the Kalamazoo River RI/FS — Phase I. October. Draft for State and Federal Review.

Blasland, Bouck & Lee. 2000d. Response Activities Summary, Former Allied Paper, Inc. King Mill Lagoons. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site. Prepared for Michigan Department of Environmental Quality. March.

Blasland, Bouck & Lee. 2001. RI/FS Database of PCB Concentrations and Related Data. Received on 3/21/02 from J. Kern, Spectrum Consulting Services, Inc.

Bleavins, M.R., R.J. Aulerich, and R.K. Ringer. 1980. Polychlorinated biphenyls (Aroclor 1016 and 1242): Effects on survival and reproduction in mink and ferrets. *Archives of Environmental Contamination and Toxicology* 9:627-635.

- Bleavins, M.R., R.J. Aulerich, R.K. Ringer, and T.G. Bell. 1982. Excessive nail growth in the European ferret induced by Aroclor 1242. *Archives of Environmental Contamination and Toxicology* 11:305-312.
- Bosveld, A.T.C. and M. Van den Berg. 1994. Effects of polychlorinated biphenyls (PCBs), dibenzo-p-dioxins (PCDDs), and dibenzofurans (PCDFs) on fish-eating birds. *Environmental Review* 2:147-166.
- Bowerman, W.W., D.A. Best, J.P. Giesy, M.C. Shieldcastle, M.W. Myer, S. Postupalsky, and J.G. Sikarskie. 2003. Associations between regional differences in polychlorinated biphenyls and dichlorodiphenyldichloroethylene in blood of nestling bald eagles and reproductive productivity. *Environmental Toxicology and Chemistry* 22(2): 371-376. (see also: Errata *Environmental Toxicology and Chemistry* 22(7)).
- Boyer, I.J., C.J. Kokoski, and P.M. Bolger. 1991. Role of FDA in establishing tolerance levels for dioxin and PCBs in aquatic organisms. *Journal of Toxicology and Environmental Health* 33:93-101.
- Breffle, W.S., E.R. Morey, R.D. Rowe, D.M. Waldman, and S. Wytinck. 1999. Recreational Fishing Damages from Fish Consumption Advisories in the Waters of Green Bay. Prepared for the U.S. Fish and Wildlife Service, the U.S. Department of Interior, and the U.S. Department of Justice.
- Brezner, E., J. Terkel, and A.S. Perry. 1984. The effect of Aroclor 1254 (PCB) on the physiology of reproduction in the female rat. *Comparative Biochemistry and Physiology* 77C(1):65-70.
- Briggs, D.M. and J.R. Harris. 1973. Polychlorinated biphenyls influence on hatchability. *Poultry Science* 52:1291-1294.
- Britton, W.M. and T.M. Huston. 1973. Influence of polychlorinated biphenyls in the laying hen. *Poultry Science* 52:1620-1624.
- Brown, J.F. and R.E. Wagner. 1990. PCB movement, dechlorination, and detoxication in the Acushnet Estuary. *Environmental Toxicology and Chemistry* 9:1215-1233.
- Brunström, B. 1988. Sensitivity of embryos from duck, goose, herring gull, and various chicken breeds to 3,3', 4,4'-tetrachlorobiphenyl. *Poultry Science* 67:52-57.
- Brunström, B. 1989. Toxicity of coplanar polychlorinated biphenyls in avian embryos. *Chemosphere* 19(1-6):765-768.

- Brunström, B. 1990. Mono-ortho-chlorinated chlorobiphenyls: Toxicity and induction of 7-ethoxyresorufin O-deethylase (EROD) activity in chick embryos. *Archives of Toxicology* 64:188-192.
- Brunström, B. and L. Andersson. 1988. Toxicity and 7-ethoxyresorufin O-deethylase-inducing potency of coplanar polychlorinated biphenyls (PCBs) in chick embryos. *Archives of Toxicology* 62:263-266.
- Brunström, B. and J. Lund. 1988. Differences between chick and turkey embryos in sensitivity to 3,3',4,4'-tetrachlorobiphenyl and in concentration/affinity of the hepatic receptor for 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Comparative Biochemistry and Physiology* 91C:507-512.
- Brunström, B. and L. Reutergårdh. 1986. Differences in sensitivity of some avian species to the embryotoxicity of a PCB, 3,3',4,4'-tetrachlorobiphenyl, injected into the eggs. *Environmental Pollution (Series A)* 42:37-45.
- Brunström, B., H. Hakansson, and K. Lundberg. 1991. Effects of a technical PCB preparation and fractions thereof on ethoxyresorufin O-deethylase activity, vitamin A levels and thymic development in the mink (*Mustela vison*). *Pharmacology and Toxicology* 69:421-426.
- Brunström, B., B. Lund., A. Bergman, L. Asplund, I. Athanassiadis, M. Athanasiadou, S. Jensen, and J. Orberg. 2001. Reproductive toxicity in mink (*Mustela vison*) chronically exposed to environmentally relevant polychlorinated biphenyl concentrations. *Environmental Toxicology and Chemistry* 20(10):2318-2327.
- Cacela, D., D.J. Beltman, and J. Lipton. 2002. Polychlorinated biphenyl source attribution in Green Bay, Wisconsin, USA, using multivariate similarity among congener profiles in sediment samples. *Environmental Toxicology and Chemistry* 21(8):1591-1599.
- Camp Dresser & McKee. 1997. Allied Paper Inc., Portage Creek, Kalamazoo River Superfund Site: Final Technical Memorandum Mink / Muskrat Biota Sampling. October.
- Camp Dresser & McKee. 2001. Final Report on the API/PC/KR Superfund Site Long-Term Monitoring Program: Results from the 1999 Field Season. Prepared for the Michigan Department of Environmental Quality. February.
- Camp Dresser & McKee. 2002a. Database of PCB and TOC Concentrations in Floodplain Soils Sampled by Roy F. Weston and Camp Dresser & McKee. Received on 3/21/02 from Camp Dresser & McKee.

- Camp Dresser & McKee. 2002b. Final Report on the API/PC/KR Superfund Site Long-Term Monitoring Program: Results from the 2000 Field Season. Prepared for the Michigan Department of Environmental Quality. January.
- Camp Dresser & McKee. 2003a. Allied Paper Inc. / Portage Creek / Kalamazoo River Superfund Site Inlet-Outlet Investigation. Final Report. Prepared for the Michigan Department of Environmental Quality. June.
- Camp Dresser & McKee. 2003b. Final (Revised) Baseline Ecological Risk Assessment, Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site. Prepared for the Michigan Department of Environmental Quality Remediation and Redevelopment Division. April.
- Carlson, R.W. and R.T. DUBY. 1973. Embryotoxic effects of three PCB's in the chicken. *Bulletin of Environmental Contamination and Toxicology* 9(5):261-266.
- Carr, R.A., R.L. Durfee, and E.G. McKay. 1977. PCBs Involvement in the Pulp and Paper Industry. Prepared by Versar, Inc., Springfield, VA, for the U.S. EPA, Washington, DC. February 25.
- Cecil, H.C., J. Bitman, and R.J. Lillie. 1974. Embryotoxic and teratogenic effects in unhatched fertile eggs from hens fed polychlorinated biphenyls (PCBs). *Bulletin of Environmental Contamination and Toxicology* 11(6):489-495.
- Chen, S.-W., P. Dziuk, and B.M. Francis. 1994. Effect of four environmental toxicants on plasma Ca and estradiol 17 $\beta$  and hepatic P450 in laying hens. *Environmental Toxicology and Chemistry* 13(5):789-796.
- Cheung, M.O., E.F. Gilbert, and R.E. Peterson. 1981. Cardiovascular teratogenicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin in the chick embryo. *Toxicology and Applied Pharmacology* 61:197-204.
- Combs Jr., G.F., A.H. Cantor, and M.L. Scott. 1975. Effects of dietary polychlorinated biphenyls on vitamin E and selenium nutrition in the chick. *Poultry Science* 54:1143-1152.
- Connolly, J.F., T.F. Parkerton, J.D. Quadrini, S.T. Taylor, and A.J. Thumann. 1992. Development and Application of a Model of PCBs in the Green Bay, Lake Michigan Walleye and Brown Trout and their Food Webs. Prepared for the U.S. EPA, Large Lakes Research Station, Grosse Ile, MI. October 2.
- Cook, P.M., R.J. Erickson, R.L. Spehar, S.P. Bradbury and G.T. Ankley. 1993. Interim Report on Data and Methods for Assessment of 2,3,7,8-Tetrachlorodibenzo-p-Dioxin Risks to Aquatic

- Life and Associated Wildlife. EPA/600/R-63/055. U.S. Environmental Protection Agency, Office of Research and Development Report, Washington, DC.
- Cook, P., W. Fredenberg, M. Lawonn, I. Loeffler, and R. Peterson. 2000. Vulnerability of Bull Trout to Early Life Stage Toxicity of 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD) and Other AhR Agonists. Environmental Sciences in the 21st Century: Paradigms, Opportunities, and Challenges. Society of Environmental Toxicology and Chemistry, November 12-16, Nashville, TN.
- Courtenay, S.C., C.M. Grunwald, G.-L. Kreamer, W.L. Fairchild, J.T. Arsenault, M. Ikonou, and I.I. Wirgin. 1999. A comparison of the dose and time response on CYP1A1 mRNA induction in chemically treated Atlantic tomcod from two populations. *Aquatic Toxicology* 47:43-69.
- Creal, W. 1987. Soil Sampling Results — Allied King Mill/Rex Paper Mill. Memo from William Creal, SWQD, Great Lakes and Environmental Assessment Section, to Linda Koivuniemi, SWQD, Plainwell District. September 4.
- Cushing, B. S. 1999. State of Current Contaminated Sediment Management Practices. Prepared for Sediment Management Work Group.
- Dahlgren, R.B. and R.L. Linder. 1971. Effects of polychlorinated biphenyls on pheasant reproduction, behavior, and survival. *Journal of Wildlife Management* 35(2):315-319.
- Dell Engineering. 1988. Results of Groundwater Analysis — Willow Boulevard Site. Prepared by Dell Engineering, Inc., Holland, MI.
- Dell Engineering. 1989. Preliminary Site Investigation at “A” Landfill Site for Georgia-Pacific Corporation, Kalamazoo, Michigan. Prepared by Dell Engineering, Inc., Holland, MI. July.
- Den Boer, M.H. 1984. Reproduction Decline of Harbour Seals: PCBs in the Food and their Effect on Mink. 1993 Annual Report: Research Institute for Nature Management, The Netherlands.
- DePinto, J.V., R. Raghunathan, P. Sierzenga, X. Zhang, V.J. Bierman Jr., P.W. Rodgers, and T.C. Young. 1994. Recalibration of GBTOX: An Integrated Exposure Model for Toxic Chemicals in Green Bay, Lake Michigan. Draft Final Report. Prepared for the U.S. EPA, Large Lakes and Rivers Research Branch, Grosse Ile, MI. March 1.
- Dey, W.P., T.H. Peck, C.E. Smith, and G.-L. Kreamer. 1993. Epizootology of hepatic neoplasia in Atlantic tomcod (*Microgadus tomcod*) from the Hudson River estuary. *Canadian Journal of Fisheries and Aquatic Sciences* 50:1897-1907.

Dillon, T.M., W.H. Benson, R.A. Stackhouse, and A.M. Crider. 1990. Effects of selected PCB congeners on survival, growth, and reproduction in *Daphnia magna*. *Environmental Toxicology and Chemistry* 9:1317-1326.

Dragnev, K.H., L.E. Beebe, C.R. Jones, S.D. Fox, P.E. Thomas, R.W. Nims, and R.A. Lubet. 1994. Subchronic dietary exposure to Aroclor 1254 in rats: Accumulation of PCBs in liver, blood, and adipose tissue and its relationship to induction of various hepatic drug-metabolizing enzymes. *Toxicology and Applied Pharmacology* 125:111-122.

Dykstra, C.J., M.W. Meyer, Wisconsin Department of Natural Resources, and U.S. Fish and Wildlife Service. 1996. Effects of Contaminants on Reproduction of Bald Eagles on Green Bay, Lake Michigan. Prepared by the U.S. Fish and Wildlife Service and the Wisconsin Department of Natural Resources.

Dykstra, C.R., M.W. Meyer, K.L. Stromborg, D.K. Warnke, W.W. Bowerman IV, and D.A. Best. 2001. Association of low reproductive rates and high contaminant levels in bald eagles on Green Bay, Lake Michigan. *Journal of Great Lakes Research* 27(2):239-251.

Dykstra, C.R., M.W. Meyer, D.K. Warnke, W.H. Karasov, D.E. Andersen, W.W. Bowerman IV, and J.P. Giesy. 1998. Low reproductive rates of Lake Superior bald eagles: Low food delivery rates or environmental contaminants? *Journal of Great Lakes Research* 24(1):32-44.

Efroymsen, R.A., G.W. Suter II, B.E. Sample, and D.S. Jones. 1997. Preliminary Remediation Goals for Ecological Endpoints. ES/ER/TM-162/R2. Prepared for the U. S. Department of Energy. August.

Eggers, M.L., A. Opperhuizen, and J.P. Boon. 1996. Temporal variation of CYP1A indices, PCB and 1-OH pyrene concentration in flounder, *Platichthys flesus*, from the Dutch Wadden Sea. *Chemosphere* 33(8):1579-1596.

Eisler, R. 1986. Polychlorinated Biphenyl Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. U.S. Fish Wildl. Serv. Biol. Rep. 85(1.7), Contaminant Hazard Reviews Report No. 7. April.

Eisler, R. and A. Belisle. 1996. Planar PCB Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. National Biological Service Biological Report 31. August.

Elliott, J.E. and M.L. Harris. 2002. An ecotoxicological assessment of chlorinated hydrocarbon effects on bald eagle populations. *Reviews in Toxicology* 4:1-60.

- Elliott, J.E., S.W. Kennedy, and A. Lorenzen. 1997. Comparative toxicity of polychlorinated biphenyls to Japanese quail (*Coturnix c. japonica*) and American kestrels (*Falco sparverius*). *Journal of Toxicology and Environmental Health* 51:57-75.
- Elliott, J.E., S.W. Kennedy, D.B. Peakall, and H. Won. 1990. Polychlorinated biphenyl (PCB) effects on hepatic mixed function oxidases and porphyria in birds. I. Japanese quail. *Comparative Biochemistry and Physiology* 96C(1):205-210.
- Elliott, J.E., L.K. Wilson, C.J. Henny, S.F. Trudeau, F.A. Leighton, S.W. Kennedy, and K.M. Cheng. 2001. Assessment of biological effects of chlorinated hydrocarbons in osprey chicks. *Environmental Toxicology and Chemistry* 29:866-879.
- Elliott, J.E., R.J. Norstrom, A. Lorenzen, L.E. Hart, H. Philibert, S.W. Kennedy, J.J. Stegeman, G.D. Bellward, and K.M. Cheng. 1996. Biological effects of polychlorinated dibenzo-*p*-dioxins, dibenzofurans, and biphenyls in bald eagle (*Haliaeetus leucocephalus*) chicks. *Environmental Toxicology and Chemistry* 15(5):782-793.
- Elonen, G.E., R.L. Spehar, G.W. Holcombe, R.D. Johnson, J.D. Fernandez, R.J. Erickson, J.E. Tietge, and P.M. Cook. 1998. Comparative toxicity of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin to seven freshwater fish species during early life-stage development. *Environmental Toxicology and Chemistry* 17(3):472-483.
- Environment Canada. 1996. Photograph of Dredge.  
<http://www.on.ec.gc.ca/glimr/metadata/contam-sediment-removal/eta-004.html>. Accessed 5/13/02.
- Environmental Resources Management. 1989. Letter Report Soil Investigation, Georgia-Pacific Facility, August. Prepared for Georgia-Pacific Corporation, Kalamazoo, MI. October 31.
- Environmental Resources Management. 1991. Report of Findings Residual Material Sampling King Highway Landfill, Georgia-Pacific Corporation. Prepared for Georgia-Pacific Corporation, Kalamazoo, MI. March 22.
- Erickson, M.D. 1997. *Analytical Chemistry of PCBs*, 2nd ed. Lewis Publishers, New York.
- Fabacher, D.L., J.M. Besser, C.J. Schmitt, J.C. Harshbarger, P.H. Peterman, and J.A. Lebo. 1991. Contaminated sediments from tributaries of the Great Lakes: Chemical characterization and carcinogenic effects in medaka (*Oryzias latipes*). *Archives of Environmental Contamination and Toxicology* 20:17-34.
- Federal Interagency Stream Restoration Working Group. 1998. Stream Corridor Restoration: Principles, Processes, and Practices. October. Produced in collaboration by the U.S. Department

of Agriculture, U.S. EPA, Tennessee Valley Authority, Federal Emergency Management Agency, U.S. Department of Commerce, U.S. Department of Defense, U.S. Department of Housing and Urban Development, and U.S. Department of the Interior.

Fernie, K.K., G.R. Bortolotti, J.E. Smits, J. Willson, K.G. Drouillard, and D.M. Bird. 2001. Changes in egg composition of American kestrels exposed to dietary polychlorinated biphenyls. *Journal of Toxicology and Environmental Health* 20:776-781.

Fischer, L.J., P.M. Bolger, G.P. Carlson, J.L. Jacobson, B.A. Knuth, M.J. Radike, M.A. Roberts, P.T. Thomas, K.B. Wallace, and K.G. Harrison. 1995. Critical Review of a Proposed Uniform Great Lakes Fish Advisory Protocol. Michigan Environmental Science Board, Lansing. September.

Flick, D.F., R. O'Dell, and V. Childs. 1965. Studies of the chick edema disease. 3. Similarity of symptoms produced by feeding chlorinated biphenyl. *Poultry Science* 44:1460-1465.

Fowles, J.R., A. Fairbrother, K.A. Trust, and N.I. Kerkvliet. 1997. Effects of Aroclor 1254 on the thyroid gland, immune function, and hepatic cytochrome P450 activity in mallards. *Environmental Research* 75:119-129.

Fox, L.L. and K.A. Grasman. 1999. Effects of PCB 126 on primary immune organ development in chicken embryos. *Journal of Toxicology and Environmental Health Part A* 58:233-244.

Frame, G.M., J.W. Cochran, and S.S. Bowadt. 1996. Complete PCB congener distributions for 17 Aroclor mixtures determined by 3 HRGC systems optimized for comprehensive, quantitative, congener-specific analysis. *Journal of High Resolution Chromatography* 19:657-668.

Freeman, H.C., G. Sangalang, and B. Flemming. 1982. The sublethal effects of a polychlorinated biphenyl (Aroclor 1254) diet on the Atlantic Cod (*Gadus morhua*). *Science of the Total Environment* 24:1-11.

Friend, M. and D.O. Trainer. 1970. Polychlorinated biphenyl: Interaction with duck hepatic virus. *Science* 170:1314-1316.

Georgia-Pacific. 1988. Groundwater Sampling Data from Georgia-Pacific's King Highway and A-Sites Landfill.

Georgia-Pacific. 2000. Federal Court Clears Georgia-Pacific, Fort James Transaction; Exchange Offer Expires at 6 P.M. Today; 75 Percent of Shares Already Tendered. November 22. <http://www.gp.com/center/news/news.asp?newsid = 174>. Accessed 9/3/02.

- Georgia-Pacific. 2001. Release No.C-1652: Georgia-Pacific Group Reports Fourth Quarter and Full Year 2000 Results. <http://www.gp.com/center/news/news.asp?NewsID = 190>. Accessed 7/24/03.
- Geraghty and Miller. 1994. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study, Technical Memorandum 8, Volumes 1, 2, and 3. Prepared by Geraghty & Miller, Inc, Environmental Services, Chicago, IL. May.
- Giesy Ecotoxicology. 2001. Kalamazoo River Area of Concern: Draft Interim Ecological Risk Assessment of Former Impoundment Soils. Update. Giesy Ecotoxicology Inc. October 5.
- Giesy, J.P. and K. Kannan. 1998. Dioxin-like and non-dioxin-like toxic effects of polychlorinated biphenyls (PCBs): Implications for risk assessment. *Critical Reviews in Toxicology* 28 (6):511-569.
- Giesy, J.P., J.P. Ludwig, and D.E. Tillitt. 1994. Deformities in birds of the Great Lakes region: Assigning causality. *Environmental Science and Technology* 28(3):128-135.
- Giesy, J.P., P.D. Jones, K. Kannan, J.L. Newsted, D.E. Tillitt, and L. Williams. 2002. Effects of dietary exposure to environmentally relevant concentrations of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin on survival, growth, reproduction and biochemical responses of female rainbow trout (*Oncorhynchus mykiss*). *Aquatic Toxicology* 59:35-53.
- Gillesby, B.E. and T.R. Zacharewski. 1998. Exoestrogens: Mechanisms of action and strategies for identification and assessment. *Environmental Toxicology and Chemistry* 17(1):3-14.
- Glennemeier, K.A. and L.J. Begnoche. 2002. Impact of organochlorine contamination on amphibian populations in southwestern Michigan. *Journal of Herpetology* 36(2):233-244.
- Gould, J.C., K.R. Cooper, and C.G. Scanes. 1997. Effects of polychlorinated biphenyl mixtures and three specific congeners on growth and circulating growth-related hormones. *General and Comparative Endocrinology* 106:221-230.
- Great Lakes Sport Fish Advisory Task Force. 1993. Protocol for a Uniform Great Lakes Sport Fish Consumption Advisory. September.
- Greichus, Y.A., D.J. Call, B.M. Ammann, A. Greichus, and H. Shave. 1975. Physiological effects of polychlorinated biphenyls or a combination of DDT, DDD, and DDE in penned white pelicans. *Archives of Environmental Contamination and Toxicology* 3:330-343.
- Håkansson, H., E. Manzoor, and U.G. Ahlborg. 1992. Effects of technical PCB preparations and fractions thereof on vitamin A levels in the mink (*Mustela vison*). *Ambio* 21(8):588.

Halbrook, R.S., R.J. Aulerich, S.J. Bursian, and L. Lewis. 1999. Ecological risk assessment in a large river-reservoir: 8. Experimental study of the effects of polychlorinated biphenyls on reproductive success in mink. *Environmental Toxicology and Chemistry* 18:649-654.

Hansen, L.G. 1994. Halogenated aromatic compounds. In *Basic Environmental Toxicology*. L.G. Cockerham and B.S. Shane (eds.). CRC Press, Boca Raton, FL, pp. 199-230.

Hansen, L.G., P.D. Beamer, D.W. Wilson, and R.L. Metcalf. 1976. Effects of feeding polychlorinated biphenyls to broiler cockerels in three dietary regimes. *Poultry Science* 55:1084-1088.

Hanshue, S.L. 2002. Letter from S.L. Hanshue, Supervisor, Habitat Management Unit, Fisheries Division, Michigan Department of Natural Resources to T. Short, U.S. EPA regarding Allied Paper, Inc./Portage Creek/Kalamazoo River CERCLA Site. January 18.

Hart, L.E., K.M. Cheng, P.E. Whitehead, R.M. Shah, R.J. Lewis, S.R. Ruschkowski, R.W. Blair, D.C. Bennett, S.M. Bandiera, R.J. Norstrom, and G.D. Bellward. 1991. Dioxin contamination and growth and development in great blue heron embryos. *Journal of Toxicology and Environmental Health* 32:331-334.

Haseltine, S.D. and R.M. Prouty. 1980. Aroclor 1242 and reproductive success of adult mallards (*Arras platyrhychos*). *Environmental Research* 23:29-34.

Heath, R.G., J.W. Span, E.F. Hill, and J.F. Kreitzer. 1972. Comparative Dietary Toxicities of Pesticides to Birds. Special Scientific Report Wildlife No. 152, U.S. Department of Interior, Washington, DC.

Heaton, S.N., S.J. Bursian, J.P. Giesy, D.E. Tillitt, J.A. Render, P.D. Jones, D.A. Verbrugge, T.J. Kubiak, and R.J. Aulerich. 1995a. Dietary exposure of mink to carp from Saginaw Bay, Michigan. 1. Effects on reproduction and survival, and the potential risks to wild mink populations. *Archives of Environmental Contamination and Toxicology* 28:334-343.

Heaton, S.N., S.J. Bursian, J.P. Giesy, D.E. Tillitt, J.A. Render, P.D. Jones, D.A. Verbrugge, T.J. Kubiak, and R.J. Aulerich. 1995b. Dietary exposure of mink to carp from Saginaw Bay, Michigan. 2. Hematology and Liver Pathology. *Archives of Environmental Contamination and Toxicology* 29:411-417.

Heid, S.E., M.K. Walker, and H.I. Swanson. 2001. Correlation of cardiotoxicity mediated by halogenated aromatic hydrocarbons to aryl hydrocarbon receptor activation. *Toxicological Sciences* 61:187-196.

- Heinz, G.H., E.F. Hill, and J.F. Contrera. 1980. Dopamine and norepinephrine depletion in ring doves fed DDE, Dieldrin, and Aroclor 1254. *Toxicology and Applied Pharmacology* 53:75-82.
- Helder, T. 1980. Effects of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) on early life stages of the pike (*Esox lucius* L.). *Science of the Total Environment* 14:255-264.
- Helder, T. 1981. Effects of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) on early life stages of rainbow trout (*Salmo gairdneri* Richardson). *Toxicology* 19:101-112.
- Hendricks, J.D., D.N. Arbogast, and G.S. Bailey. 1990. Aroclor 1254 (PCB) Enhancement of 7,12-Dimethylbenz(A)-Anthracene (DMBA) Hepatocarcinogenesis in Rainbow Trout. An Abstract from the Proceedings of the American Association for Cancer Research, Volume 31, March.
- Hendricks, J.D., W.T. Stott, T.P. Putnam, and R.O. Sinnhuber. 1981. Enhancement of Aflatoxin B1 hepatocarcinogenesis in rainbow trout (*Salmo gairdneri*) embryos by prior exposure of gravid females to dietary Aroclor 1254. In *Aquatic Toxicology and Hazard Assessment: Fourth Conference*. ASTM STP 737. American Society for Testing and Materials, pp. 203-214.
- Henshel, D.S. 1993. LD 50 and Teratogenicity Studies of the Effects of TCDD on Chicken Embryos. Society of Environmental Toxicology and Chemistry Abstracts. 14:280.
- Henshel, D.S., B. Hehn, R. Wagey, M. Vo, and J.D. Steeves. 1997. The relative sensitivity of chicken embryos to yolk- or air-cell-injected 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. *Environmental Toxicology and Chemistry* 16(4):725-732.
- Hesse, J.L. 1997. Criteria Used by the Michigan Department of Community Health for Sportfish Consumption Advisories. Summary prepared by John L. Hesse, Consultant to the Michigan Environmental Science Board.
- Hoffman, D.J., C.P. Rice, and T.J. Kubiak. 1996a. PCBs and dioxins in birds. In *Environmental Contaminants in Wildlife: Interpreting Tissue Concentrations*, W.N. Beyer, G.H. Heinz, and A.W. Redmon-Norwood (eds.). Lewis Publishers, Boca Raton, FL, pp. 165-207.
- Hoffman, D.J., G.J. Smith, and B.A. Rattner. 1993. Biomarkers of contaminant exposure in common terns and black-crowned night herons in the Great Lakes. *Environmental Toxicology and Chemistry* 12(6):1095-1103.
- Hoffman, D.J., M.J. Melancon, J.D. Eisemann, and P.N. Klein. 1995. Comparative developmental toxicity of planar PCB congeners by egg injection. In *Proceedings, 2nd SETAC World Congress*. Vancouver, BC, Canada, November 5-9.

- Hoffman, D.J., M.J. Melancon, P.N. Klein, J.D. Eisemann, and J.W. Spann. 1998. Comparative developmental toxicity of planar polychlorinated biphenyl congeners in chickens, American kestrels, and common terns. *Environmental Toxicology and Chemistry* 17(4):747-757.
- Hoffman, D.J., M.J. Melancon, P.N. Klein, C.P. Rice, J.D. Eisemann, R.K. Hines, J.W. Spann, and G.W. Pendleton. 1996b. Developmental toxicity of PCB 126 (3,3',4,4',5-pentachlorobiphenyl) in nestling American kestrels (*Falco sparverius*). *Fundamental and Applied Toxicology* 34:188-200.
- Hornshaw, T.C., R.J. Aulerich, and H.E. Johnson. 1983. Feeding Great Lakes fish to mink: Effects on mink and accumulation and elimination of PCBs by mink. *Journal of Toxicology and Environmental Health* 11:933-946.
- Horvath, F.J. and J.E. Greminger. 1982. Contaminants in Kalamazoo River Fish, September, 1981. Prepared by Michigan DNR, Publication No. 3730-0042. October.
- Hugla, J.L. and J.P. Thomé. 1999. Effects of polychlorinated biphenyls on liver ultrastructure, hepatic monooxygenases, and reproductive success in the barbel. *Ecotoxicology and Environmental Safety* 24(3):265-273.
- Humphrey, H.E.B. and J.L. Hesse. 1986. Sport Caught Fish Consumption Advisories: Philosophy, Procedures, and Process. Prepared by Michigan Department of Public Health, Lansing. Draft Procedural Statement. November.
- Ingersoll, C.G., D.D. MacDonald, N. Wang, J.L. Crane, L.J. Field, P.S. Haverland, N.E. Kemble, R.A. Linsdkoog, C. Severn, and D.E. Smorong. 2000. Prediction of Sediment Toxicity Using Consensus-Based Freshwater Sediment Quality Guidelines. EPA 905/R-00/007. U.S. Environmental Protection Agency, Washington, DC.
- Jackowski, J.P. 2002. Letter re: Response to Request for Information Pursuant to Section 104(e) of CERCLA For Allied Paper/Portage Creek/Kalamazoo River Superfund Site in Kalamazoo and Allegan Counties, Michigan. To Ms. Eileen L. Furey, Esq., Associate Regional Counsel, U.S. Environmental Protection Agency. December 3.
- James River Corporation. 1988. Final Results of PCB Study Plan. Map attached. Letter attached from Elizabeth A. Howard, James River Corporation, Parchment, MI, to Linda Koivuniemi, Michigan DNR, Plainwell, MI. March 17.
- Janz, D.M. and G.D. Bellward. 1996. In ovo 2,3,7,8-tetrachlorodibenzo-*p*-dioxin exposure in three avian species. 1. Effects on thyroid hormones and growth during the perinatal period. *Toxicology and Applied Pharmacology* 139:281-291.

- Jobling, S., D. Sheahan, J.A. Osborne, P. Matthiessen, and J.P. Sumpter. 1996. Inhibition of testicular growth in rainbow trout (*Oncorhynchus mykiss*) exposed to estrogenic alkylphenolic chemicals. *Environmental Toxicology and Chemistry* 15(2):194-202.
- Johnson, R.D., J.E. Tietge, K.M. Jensen, J.D. Fernandez, A.L. Linnum, D.B. Lothenbach, G.W. Holcombe, P.M. Cook, S.A. Christ, D.L. Lattier, and D.A. Gordon. 1998. Toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin to early life stage brook trout (*salvelinus fontinalis*) following parental dietary exposure. *Environmental Toxicology and Chemistry* 17(12):2408-2421.
- Jones, D.H., D.H. Lewins, T.E. Eurell, and M.S. Cannon. 1979. Alteration of the Immune Response of Channel Catfish (*Ictalurus punctatus*) by Polychlorinated Biphenyls. Abstract from a Symposium on Pathobiology of Environmental Pollutants: Animal Models and Wildlife as Monitors.
- Kahn, R.A. and J. Thulin. 1991. Influence of pollution on parasites of aquatic animals. *Advances in Parasitology* 30:201-237.
- Käkelä, R., A. Käkelä, H. Hyvärinen, J. Asikainen, and S.-K. Dahl. 1999. Vitamins A<sub>1</sub>, A<sub>2</sub>, and E in minks exposed to polychlorinated biphenyls (Aroclor 1242) and copper, via diet based on freshwater or marine fish. *Environmental Toxicology and Chemistry* 18(11):2595-2599.
- Kannan, K., A.L. Blankenship, P.D. Jones, and J.P. Giesy. 2000. Toxicity reference values for the toxic effects of polychlorinated biphenyls to aquatic mammals. *Human and Ecological Risk Assessment* 6(1):181-201.
- Khan, I.A. and P. Thomas. 1996. Disruption of neuroendocrine function in Atlantic croaker exposed to Aroclor 1254. *Marine Environmental Research* 42(1-4):145-149.
- Khan, I.A. and P. Thomas. 1997. Aroclor 1254-induced alterations in hypothalamic monoamine metabolism in the Atlantic croaker (*Micropogonias undulatus*): Correlation with pituitary gonadotropin release. *NeuroToxicology* 18(2):553-560.
- Kihlström, J.E., M. Olsson, and S. Jensen. 1992. Effects of PCB and different fractions of PCB on the reproduction of the mink (*Mustela vison*). *Ambio* 21(8):563.
- Kim, H.T., K.S. Kim, J.S. Kim, and W.B. Stone. 1985. Levels of polychlorinated biphenyls (PCBs), DDE, and Mirex in waterfowl collected in New York State, 1981-1982. *Archives of Environmental Contamination and Toxicology* 14:13-18.
- Kim, K.S., M.J. Pastel, J.S. Kim, and W.B. Stone. 1984. Levels of polychlorinated biphenyls (PCBs), DDE, and Mirex in waterfowl collected in New York State, 1979-1980. *Archives of Environmental Contamination and Toxicology* 13:373-381.

Knight, A.W. and G.H. Lauff. 1969. Water Quality Studies on the Kalamazoo River. Prepared at Michigan State University, Institute of Water Research. Technical Report No. 5. September.

Koivuniemi, L. 1987. PCB Sample Results from May 19, 1987 and Sampling Study Plan Due October 18, 1987. Letter attached from Linda Koivuniemi, State of Michigan Department of Natural Resources, Plainwell, MI, to Elizabeth A. Howard, James River Corporation, Parchment, MI. August 18.

Kubiak, T.J. and D.A. Best. 1991. Wildlife Risks Associated with Passage of Contaminated, Anadromous Fish at Federal Energy Regulatory Commission Licensed Dams in Michigan. Prepared by Contaminants Program, Division of Ecological Services, East Lansing Field Office. August 16.

Kubiak, T.J., H.J. Harris, L.M. Smith, T.R. Schwartz, D.L. Stalling, J.A. Trick, L. Sileo, D.E. Docherty, and T.C. Erdman. 1989. Microcontaminants and reproductive impairment of the Forster's Tern on Green Bay, Lake Michigan — 1983. *Archives of Environmental Contamination and Toxicology* 18:706-727.

Lauenstein, G.G., A.Y. Cantillo, and S.S. Dolvin. 1993. NOAA National Status and Trends Program Development and Methods. In *Sampling and Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects 1984-1992. Volume 1: Overview and Summary of Methods*, G.G. Lauenstein and A.Y. Cantillo (eds.), NOAA Technical Memorandum NOS ORCA 71.

Leonards, P.E.G., T.H. de Vries, W. Minnaard, S. Stuijzand, P. de Voogt, W.P. Cofino, N.M. van Straalen and B. van Hattum. 1995. Assessment of experimental data on PCB-induced reproduction inhibition in mink, based on an isomer- and congener-specific approach using 2,3,7,8-TCDD equivalency. *Environmental Toxicology and Chemistry* 14:639-652.

Lilienthal, H. and G. Winneke. 1991. Sensitive periods for behavioral toxicity of polychlorinated biphenyls: Determination by cross-fostering in rats. *Fundamental and Applied Toxicology* 17:368-375.

Lillie, R.J., H.C. Cecil, J. Bitman, and G.F. Fries. 1974. Differences in response of caged white leghorn layers to various polychlorinated biphenyls (PCBs) in the diet. *Poultry Science* 53:726-732.

Lillie, R.J., H.C. Cecil, J. Bitman, G.F. Fries, and J. Verrett. 1975. Toxicity of certain polychlorinated and polybrominated biphenyls on reproductive efficiency of caged chickens. *Poultry Science* 54:1550-1555.

Limno-Tech. 1987. Results of Allied Paper Program to Monitor for PCBs: 1985-1986. April 27.

- Lincer, J.L. and D.B. Peakall. 1970. Metabolic effects of polychlorinated biphenyls in the American kestrel. *Nature* 228:783-784.
- Liu, X., R.C. Sokol, O.S. Kwon, C.M. Bethoney, and G.Y. Rhee. 1996. An investigation of factors limiting the reductive dechlorination of polychlorinated biphenyls. *Environmental Toxicology and Chemistry* 15(10):1738-1744.
- Lowe, T.P. and R.C. Stendell. 1991. Eggshell modifications in captive American kestrels resulting from Aroclor 1248 in the diet. *Archives of Environmental Contamination and Toxicology* 20:519-522.
- Ludwig, J.P., J.P. Giesy, C.L. Summer, W. Bowerman, R. Aulerich, S. Bursian, H.J. Auman, P.D. Jones, L.L. Williams, D.E. Tillitt, and M. Gilbertson. 1993. A comparison of water quality criteria for the Great Lakes based on human health and wildlife health. *Journal of Great Lakes Research* 19(4):789-807.
- Mac, M.J. 1988. Toxic substances and survival of Lake Michigan salmonids: Field and laboratory approaches. In *Toxic Contaminants and Ecosystem Health: A Great Lakes Focus*. John Wiley and Sons, New York, pp. 389-401.
- Mac, M.J. and T.R. Schwartz. 1992. Investigations into the effects of PCB congeners on reproduction in lake trout from the Great Lakes. *Chemosphere* 25(1-2):189-192.
- Mac, M.J., T.R. Schwartz, C.C. Edsall, and A.M. Frank. 1993. Polychlorinated biphenyls in Great Lakes lake trout and their eggs: Relations to survival and congener composition 1979-1988. *Journal of Great Lakes Research* 19(4):752-765.
- MacDonald, D.D., L.M. Dipinto, J. Field, C.G. Ingersoll, E.R. Long, and R.C. Schwartz. 2000. Development and evaluation of consensus-based sediment effect concentrations for polychlorinated biphenyls. *Environmental Toxicology and Chemistry* 19(5):1403-1413.
- Mackay, D., W.-Y. Shiu, and K.C. Ma. 1992. Illustrated Handbook of Physical-Chemical Properties and Environmental Fate for Organic Chemicals: Volume I, Monoaromatic Compounds, Chlorobenzenes, and PCBs. Lewis Publishers, Ann Arbor, MI.
- Matta, M.B., C. Cairncross, and R.M. Kocan. 1998. Possible effects of polychlorinated biphenyls on sex determination in rainbow trout. *Environmental Toxicology and Chemistry* 17(1):26-29.
- McCarty, J.P. and A.L. Secord. 1999. Nest-building behavior in PCB-contaminated tree swallows. *Auk* 116(1):55-63.

McCune, E.L., J.E. Savage, and B.L. O'Dell. 1962. Hydropericardium and ascites in chicks fed a chlorinated hydrocarbon. *Poultry Science* 41:295-299.

MDCH. 2002. 2002 Michigan Family Fish Consumption Guide. Michigan Department of Community Health. [http://www.michigan.gov/documents/Fishing\\_Advisory\\_2002\\_26575\\_7.pdf](http://www.michigan.gov/documents/Fishing_Advisory_2002_26575_7.pdf). Accessed 02/19/03.

MDCH. 2003. 2003 Michigan Family Fish Consumption Guide. Michigan Department of Community Health. [http://www.michigan.gov/documents/FishAdvisory03\\_67354\\_7.pdf](http://www.michigan.gov/documents/FishAdvisory03_67354_7.pdf). Accessed 08/26/04.

MDCH. 2004. 2004 Michigan Family Fish Consumption Guide. Michigan Department of Community Health. [http://www.michigan.gov/documents/FishAdvisory03\\_67354\\_7.pdf](http://www.michigan.gov/documents/FishAdvisory03_67354_7.pdf). Accessed 09/17/04.

MDEQ. 1994a. Natural Resources and Environmental Protection Act 451, Part 31, Part 4, R 323.1064. Dissolved oxygen in Great Lakes, connecting waters, and inland streams. Michigan Department of Environmental Quality. [http://www.state.mi.us/orr/emi/admincode.asp?AdminCode = Single&Admin\\_Num = 32301041&Dpt = EQ&RngHigh =](http://www.state.mi.us/orr/emi/admincode.asp?AdminCode = Single&Admin_Num = 32301041&Dpt = EQ&RngHigh =). Accessed 6/26/02.

MDEQ. 1994b. Rule 323.1057 (Toxic Substances) of the Part 4. Water Quality Standards, as amended. Michigan Department of Environmental Quality. <http://www.deq.state.mi.us/swq/rules/part4.html>. Accessed 11/2/00.

MDEQ. 1997a. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Georgia-Pacific Mill Lagoons, Kalamazoo Michigan, Fact Sheet. Michigan Department of Environmental Quality. May.

MDEQ. 1997b. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site King Mill Lagoons, Kalamazoo Michigan, Fact Sheet. Michigan Department of Environmental Quality. May.

MDEQ. 1997c. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Response Summary for the Areas Near the King Highway Landfill Site, Kalamazoo Michigan, Fact Sheet. Michigan Department of Environmental Quality. May.

MDEQ. 2002. Michigan Fish Contaminant Monitoring Program 2001 Annual Report. Michigan Department of Environmental Quality. MI/DEQ/SWQ-02/035.

MDEQ. 2003. Michigan Fish Contaminant Monitoring Program 2002 Annual Report. Michigan Department of Environmental Quality. MI/DEQ/WD-03/084.

MDNR. 1976a. Report of an Industrial Wastewater Survey Conducted at Allied Paper, Inc., Monarch Mill, Kalamazoo Michigan. Michigan Department of Natural Resources. Prepared by Water Resources Commission, Bureau of Water Management, Environmental Protection Branch.

MDNR. 1976b. Report of an Industrial Wastewater Survey Conducted at Brown Company, Specialty Papers Division, All Outfalls No. 390040, Kalamazoo County, Parchment, Michigan. Michigan Department of Natural Resources. August 16-18, 1976.

MDNR. 1976c. Results of Wastewater Monitoring on the King Street Storm Sewer discharge to the Kalamazoo River. Michigan Department of Natural Resources.

MDNR. 1977. 1977 Michigan Fishing Guide. Michigan Department of Natural Resources

MDNR. 1978a. Michigan Fishing Guide. Michigan Department of Natural Resources.

MDNR. 1978b. Report of an Industrial Wastewater Survey Conducted at Plainwell Paper Company, Allegan County, Plainwell, Michigan. Michigan Department of Natural Resources. July 10-11.

MDNR. 1979. Michigan Fishing Guide. Michigan Department of Natural Resources.

MDNR. 1980. Michigan Fishing Guide. Michigan Department of Natural Resources.

MDNR. 1981a. Lower Kalamazoo River Natural River Plan: Allegan County. Michigan Department of Natural Resources.

MDNR. 1981b. Michigan Fishing Guide. Michigan Department of Natural Resources.

MDNR. 1982. Michigan Fishing Guide. Michigan Department of Natural Resources.

MDNR. 1983. Michigan Fishing Guide. Michigan Department of Natural Resources.

MDNR. 1984a. Michigan Fishing Guide. Michigan Department of Natural Resources.

MDNR. 1984b. PCB and Mercury Concentrations in Carp (*Cyprinus carpio*) from the lower Kalamazoo River, July, 1983. Michigan Department of Natural Resources. Prepared by Michigan DNR, Surface Water Quality Division. June.

MDNR. 1985. Michigan Fishing Guide. Michigan Department of Natural Resources.

MDNR. 1986. Michigan Fishing Guide. Michigan Department of Natural Resources.

- MDNR. 1987a. Allied Paper, PCB. Letter from Galen Kilmer, Plainwell District Supervisor, Groundwater Quality Division to Rick Johns, Division Chief, Groundwater Quality Division. Michigan Department of Natural Resources. February 19.
- MDNR. 1987b. Kalamazoo River Remedial Action Plan. Second Draft. Michigan Department of Natural Resources. December.
- MDNR. 1987c. Michigan Fishing Guide. Michigan Department of Natural Resources.
- MDNR. 1987d. PCB Sampling Results: May 19, 1987 and July 10, 1987. Michigan Department of Natural Resources.
- MDNR. 1988. Michigan Fishing Guide. Michigan Department of Natural Resources.
- MDNR. 1989. Michigan Fishing Guide. Michigan Department of Natural Resources.
- MDNR. 1990a. 1990 Michigan Fishing Guide. Michigan Department of Natural Resources.
- MDNR. 1990b. Allied Landfill — Addendum II to the Hydrogeological Investigation. Letter from T. Leep, Waste Management Division, to T. Flanagan, Allied Paper, Inc. Michigan Department of Natural Resources. June 8.
- MDNR. 1991. 1991 Michigan Fishing Guide. Michigan Department of Natural Resources.
- MDNR. 1992a. 1992 Michigan Fishing Guide. Michigan Department of Natural Resources.
- MDNR. 1992b. STORET Water Quality System data. Michigan Department of Natural Resources.
- MDNR. 1993a. 1993 Michigan Fishing Guide. Michigan Department of Natural Resources.
- MDNR. 1993b. Allegan State Game Area Master Plan – Final, as cited in Blasland, Bouck & Lee. 2000. Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site RI/FS. Supplement to the Kalamazoo River RI/FS — Phase I. October. Michigan Department of Natural Resources. Draft for State and Federal Review.
- MDNR. 1994a. 1994 Michigan Fishing Guide. Michigan Department of Natural Resources.
- MDNR. 1994b. Walleye Contaminant Monitoring Data, Kalamazoo River. Michigan Department of Natural Resources.
- MDNR. 1995. 1995 Michigan Fishing Guide. Michigan Department of Natural Resources.

- MDNR. 1996. 1996 Michigan Fishing Guide. Michigan Department of Natural Resources.
- MDNR. 1997. 1997 Michigan Fishing Guide. Michigan Department of Natural Resources.
- MDNR. 1998. Michigan Fish Advisory. Michigan Department of Natural Resources.
- MDNR. 1999. Michigan 1999 Fish Advisory. Michigan Department of Natural Resources.
- MDNR. 2000. Michigan 2000 Fish Advisory. Michigan Department of Natural Resources.
- MDNR. 2001. Michigan 2001 Fish Advisory. Michigan Department of Natural Resources. [http://www.michigan.gov/documents/FishAdvisory\\_6574\\_7.pdf](http://www.michigan.gov/documents/FishAdvisory_6574_7.pdf). Accessed 5/02.
- MDNR. 2002. Michigan Department of Natural Resources Comments to the Contaminated Sediment Technical Advisory Group. S. Hanshue, J. Wesley, J. Lerg. Michigan Department of Natural Resources. <http://www.deq.state.mi.us/documents/deq-erd-kzoo-CSTAG-DNR-powerpoint.pdf>. Accessed 7/24/03.
- Mehne, C. 2000. Raw Data From Charles J. Mehne re: Kalamazoo River Superfund Site.
- Meyer, M.W. 1995. Elevated Contaminant Exposure is Associated with Bald Eagle Reproductive Impairment on Wisconsin's Green Bay/Lake Michigan Shoreline. Wisconsin DNR, Bureau of Research.
- Michigan Department of Environmental Quality, Michigan Attorney General, U.S. Fish and Wildlife Service, and National Oceanic and Atmospheric Administration. 2000a. Preassessment Screen. Kalamazoo River Environment Site, Michigan. Prepared by Stratus Consulting Inc., Boulder, CO. May.
- Michigan Department of Environmental Quality, Michigan Attorney General, U.S. Fish and Wildlife Service, and National Oceanic and Atmospheric Administration. 2000b. Stage I Assessment Plan. Kalamazoo River Environment Site. Prepared by Stratus Consulting Inc., Boulder, CO. November.
- Michigan Department of Environmental Quality, Michigan Attorney General, U.S. Fish and Wildlife Service, and National Oceanic and Atmospheric Administration. 2005. Stage I Assessment Report, Volume 2 — Economic Assessment: Kalamazoo River Environment. Prepared by Stratus Consulting Inc., Boulder, CO.
- Michigan Department of Public Health. 1990. Analyzed Test Results on 11 Waterfowl Tissue Samples. Attached to letter from J.L. Hesse, Environmental Health Assessment Division, to T.J. Kubiak, U.S. Fish and Wildlife Service. October 24.

- Michigan Natural Features Inventory. 2002. Michigan's Special Animals: Endangered, Threatened, Special Concern, and Probably Extirpated. [http://www.msue.msu.edu/mnfi/lists/animal\\_list.pdf](http://www.msue.msu.edu/mnfi/lists/animal_list.pdf). Accessed 2/15/03.
- Michigan State University Aquatic Toxicology Laboratory. 2001. Unpublished data. Kalamazoo River Project Data Package: Plant Tissue 01, Lots PT01, PT02, PT03 (CD). July 12.
- Michigan State University Aquatic Toxicology Laboratory. 2002a. Unpublished data. Kalamazoo River Project Data Package: Crayfish 01, Total PCBs, Lot CF01 (CD). December 20.
- Michigan State University Aquatic Toxicology Laboratory. 2002b. Unpublished data. Kalamazoo River Project Data Package: Mink 01, Total PCBs, Lot MK01 (CD). March 12.
- Michigan State University Aquatic Toxicology Laboratory. 2002c. Unpublished data. Kalamazoo River Project Data Package: Mink 02 (Also Includes 11 Muskrat Samples), Total PCBs, Lot MK02 (CD). January 16.
- Michigan State University Aquatic Toxicology Laboratory. 2002d. Unpublished data. Kalamazoo River Project Data Package: Passerine Egg 01, Total PCBs, Lots PA01, PA02 (CD). December 9.
- Michigan State University Aquatic Toxicology Laboratory. 2002e. Unpublished data. Kalamazoo River Project Data Package: Raptor 01 (Bald Eagle and Great Horned Owl), Total PCBs, Lots RP01, RP02, RP03 (CD). April 18.
- Michigan State University Aquatic Toxicology Laboratory. 2002f. Unpublished data. Kalamazoo River Project Data Package: Small Mammal 01 Trowbridge Shrews, Total PCBs, Lot SM01 (CD). April 12.
- Michigan State University Aquatic Toxicology Laboratory. 2002g. Unpublished data. Kalamazoo River Project Data Package: Small Mammal 02 Fort Custer Shrews, Total PCBs, Lot SM02 (CD). May 17.
- Michigan State University Aquatic Toxicology Laboratory. 2002h. Unpublished data. Kalamazoo River Project Data Package: Small Mammal 03 Trowbridge Non-Shrew, Total PCBs, Lot SM03 (CD). July 26.
- Michigan State University Aquatic Toxicology Laboratory. 2002i. Unpublished data. Kalamazoo River Project Data Package: Small Mammal 04 Fort Custer Non-Shrew, Total PCBs, Lot SM04 (CD). August 15.

Michigan State University Aquatic Toxicology Laboratory. 2002j. Unpublished data. Kalamazoo River Project Data Package: Whole Fish 01, Total PCBs, Lot FH01 (CD). April 16.

Michigan State University Aquatic Toxicology Laboratory. 2003. Unpublished data. Kalamazoo River Project Data Package: Insect 01 (Aquatic Emergent and Terrestrial Insects), Total PCBs, Lots IN01, IN02, IN03 (CD). January 29.

Midwest Research Institute. 1996. Determination of Coplanar PCBs and PCDD/PCDF in Eggs for the Kalamazoo Study. Prepared for Snell Environmental Group, Inc. October 28. Kansas City, MO.

Mikaelian, I., Y. de Lafontaine, J.C. Harshbarger, L.L.J. Lee, and D. Martineau. 2002. Health of lake whitefish (*Coregonus clupeaformis*) with elevated tissue levels of environmental contaminants. *Environmental Toxicology and Chemistry* 21(3):532-541.

Mississippi State University. 1990. Analytical Results for One Batch of Samples Submitted by the U.S. Fish and Wildlife Service (Catalog #5851, Batch # 89-3-002, Order #85800-89-08008). Mississippi State University, Mississippi State Chemical Laboratory. May 3.

Monosson, E. 1999. Reproductive, Developmental, and Immunotoxic Effects of PCBs in Fish: A Summary of Laboratory and Field Studies. Prepared for Damage Assessment Center, National Oceanic and Atmospheric Administration. March.

Monosson, E., W.J. Fleming, and C.V. Sullivan. 1994. Effects of the planar PCB 3,3',4,4'-tetrachlorobiphenyl (TCB) on ovarian development, plasma levels of sex steroid hormones and vitellogenin, and progeny survival in the white perch (*Morone americana*). *Aquatic Toxicology* 29:1-19.

Muir, D.C., A. Omelchenko, N.P. Grift, D.A. Savoie, P. Wilkonson, and G.J. Brunskill. 1996. Spatial trends and historical deposition of polychlorinated biphenyls in Canadian midlatitude and Arctic lake sediments. *Environmental Science and Technology* 30(12):3609-3617.

Mulcrone, R.S. and C. Mehne. 2001. Freshwater Mussels of the Kalamazoo River, Michigan, from Battle Creek to Saugatuck. Prepared for Lisa L. Williams, U.S. Fish and Wildlife Service, East Lansing, MI. October 1.

Munkittrick, K.R., M.R. Servos, J.H. Carey, and G.J. Van der Kraak. 1997. Environmental impacts of pulp and paper wastewater: Evidence for a reduction in environmental effects at North American pulp mills since 1992. *Water Science and Technology* 35(2-3):329-338.

MWRC. 1972a. Evaluation of the Aquatic Environment of the Kalamazoo River Watershed. Part A: Biological Survey, June-August, 1971. Michigan Water Resources Commission. May.

- MWRC. 1972b. Report of Industrial Wastewater Survey Conducted at Brown Paper Company, Kalamazoo County, Parchment, Michigan, August 22, 23 & 24, 1972. Michigan Water Resources Commission. Prepared by Michigan Water Resources Commission, Bureau of Water Management, and Department of Natural Resources.
- MWRC. 1973a. Polychlorinated Biphenyl Survey of the Kalamazoo River and Portage Creek in the Vicinity of the City of Kalamazoo, 1972. Michigan Water Resources Commission. January.
- MWRC. 1973b. Report of an Industrial Wastewater Survey Conducted at Brown Company, Specialty Papers Division, Kalamazoo County, Parchment, Michigan, April 3-5, 1973. Michigan Water Resources Commission. Prepared by Michigan Water Resources Commission, Bureau of Water Management, and Department of Natural Resources.
- MWRC. 1975. Report of an Industrial Wastewater Survey Conducted at Plainwell Paper Company, Allegan County, Plainwell, Michigan. Michigan Water Resources Commission. April 3-5.
- Nebeker, A.V., F.A. Puglisi, and D.L. DeFoe. 1974. Effect of polychlorinated biphenyl compounds on survival and reproduction of the fathead minnow and flagfish. *Transactions of the American Fisheries Society* 3:562-568.
- Niimi, A.J. 1996. PCBs in aquatic organisms. In *Environmental Contaminants in Wildlife: Interpreting Tissue Concentrations*, W.N. Beyer, G.H. Heinz, and A.W. Redmon-Norwood (eds.). CRC Press, Boca Raton, FL, pp. 117-152.
- Nisbet, I.C.T. and R.W. Risebrough. 1994. Relationship of DDE to productivity of bald eagles in California and Arizona, USA. In *Raptor Conservation Today*, B.U. Meyerburg and R.D. Chancellor (eds.). World Working Group on Birds of Prey and the Pica Press, East Sussex, Great Britain.
- NOAA. 1997. Habitat Equivalency Analysis: An Overview. Prepared by Damage Assessment and Restoration Program, National Oceanic and Atmospheric Administration, Department of Commerce, March 21, 1995. Revised June 17, 1997.
- NOAA. 2000. Photograph of Dredge. [http://www.oar.noaa.gov/spotlite/archive/spot\\_dredge.html](http://www.oar.noaa.gov/spotlite/archive/spot_dredge.html). Accessed 5/10/02.
- Nosek, J.A., J.R. Sullivan, S.R. Craven, A. Gendron-Fitzpatrick, and R.E. Peterson. 1993. Embryotoxicity of 2,3,7,8-tetrachloro-p-dioxin in the ring-necked pheasant. *Environmental Toxicology and Chemistry* 12:1215-1222.

Palermo, M.R., S. Maynard, J. Miller and D.D. Reible. 1998. Guidance for In-Situ Subaqueous Capping of Contaminated Sediments. EPA 905-B96-004. U.S. Environmental Protection Agency Great Lakes National Program Office, Chicago, IL.

PaperAge. 2000. Georgia-Pacific to Permanently Idle Three Paper Machines at Kalamazoo, Mich., and Nekoosa, Wis. [http://www.paperage.com/news/12\\_12\\_2000gp.html](http://www.paperage.com/news/12_12_2000gp.html). Accessed 7/24/03.

Peakall, D.B. and M.L. Peakall. 1973. Effect of a polychlorinated biphenyl on the reproduction of artificially and naturally incubated dove eggs. *Journal of Applied Ecology* 10:863-868.

Peakall, D.B., J.L. Lincer, and S.E. Bloom. 1972. Embryonic mortality and chromosomal alterations caused by Aroclor 1254 in ring doves. *Environmental Health Perspectives* 1(April):103-104.

Peden-Adams, M., K. Alonso, C. Godard, S. Skipper, W. Mashburn, J. Hoover, C. Charbonneau, D. Henshel, and R. Dickerson. 1998. Effects of environmentally relevant concentrations of 2,3,7,8-TCDD on domestic chicken immune function and CYP450 activity: F1 generation and egg injection studies. *Chemosphere* 37(9-12):1923-1939.

Peterson, R.E., H.M. Theobald, and G.L. Kimmel. 1993. Developmental and reproductive toxicity of dioxins and related compounds: Cross-species comparisons. *Critical Reviews in Toxicology* 23(3):283-335.

Platonow, N.S. and H.S. Funnell. 1971. Anti-androgenic-like effect of polychlorinated biphenyls in cockerels. *Veterinary Record* 83:109-110.

Platonow, N.S. and L.H. Karstad. 1973. Dietary effects of polychlorinated biphenyls on mink. *Canadian Journal of Comparative Medicine* 37:391-400.

Platonow, N.S. and B.S. Reinhart. 1973. The effects of polychlorinated biphenyls (Aroclor 1254) on chicken egg production, fertility and hatchability. *Canadian Journal of Comparative Medicine* 37:341-346.

Portelli, M.J and C.A. Bishop. 2000. Ecotoxicology of organic contaminants in reptiles: A review of the concentrations and effects of organic contaminants in reptiles. In *Ecotoxicology of Amphibians and Reptiles*, D.W. Sparling, G. Linder and C.A. Bishop (eds.). Society of Environmental Toxicology and Chemistry (SETAC) Press, Pensacola, FL, pp. 495-543.

Powell, D.C., R.J. Aulerich, J.C. Meadows, D.E. Tillitt, J.P. Giesy, K.L. Stromborg, and S.J. Bursian. 1996. Effects of 3,3',4,4',5-pentachlorobiphenyl (PCB 126) and 2,3,7,8-

tetrachlorodibenzo-p-dioxin (TCDD) injected into the yolks of chicken (*Gallus domesticus*) eggs prior to incubation. *Archives of Environmental Contamination and Toxicology* 31:404-409.

Powell, D.C., R.J. Aulerich, J.C. Meadows, D.E. Tillitt, M.E. Kelly, K.E. Stromborg, M.M. Melancon, S.D. Fitzgerald, and S.J. Bursian. 1998. Effects of 3,3',4,4',5,5'-pentachlorobiphenyl and 2,3,7,8-tetrachlorodibenzo-p-dioxin injected into the yolks of double-crested cormorants (*Phalacrocorax auritus*) eggs prior to incubation. *Environmental Toxicology and Chemistry* 17:2035-2040.

Powell, D.C., R.J. Aulerich, J.C. Meadows, D.E. Tillitt, J.F. Powell, J.C. Restum, K.L. Stromborg, J.P. Giesy, and S.J. Bursian. 1997. Effects of 3,3',4,4',5-pentachlorobiphenyl (PCB 126), 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD), or an extract derived from field-collected cormorant eggs injected into double-crested cormorant (*Phalacrocorax auritus*) eggs. *Environmental Toxicology and Chemistry* 16(7):1450-1455.

Quantitative Environmental Analysis. 1999. PCBs in the Upper Hudson River. Executive Summary and Volumes 1-3. Prepared for General Electric, Albany, NY. May.

Quinn, J.W. and T.J. Kwak. 2003. Fish assemblage changes in an Ozark river after impoundment: a long-term perspective. *Transactions of the American Fisheries Society* 132:110-119.

Rehfeld, B.M., R.L. Bradley Jr., and M.L. Sunde. 1971. Toxicity studies on polychlorinated biphenyls in the chick: 1. Toxicity and symptoms. *Poultry Science* 50:1090-1096.

Rehfeld, B.M., R.L. Bradley Jr., and M.L. Sunde. 1972. Toxicity studies in polychlorinated biphenyls in the chick: 2. Biochemical effects and accumulations. *Poultry Science* 51:488-493.

Render, J. A., R. J. Aulerich, S. J. Bursian, and R. F. Nachreiner. 2000. Proliferation of maxillary and mandibular periodontal squamous cells in mink fed 3,3',4,4',5-pentachlorobiphenyl (PCB 126). *Journal of Veterinary Diagnostic Investigation* 12:477-479.

Restum, J.C., S.J. Bursian, J.P. Giesy, J.A. Render, W.G. Helferich, E.B. Shipp, and D.A. Verbrugge. 1998. Multigenerational study of the effects of consumption of PCB-contaminated carp from Saginaw Bay, Lake Huron, on mink. 1. Effects on mink reproduction, kit growth and survival, and selected biological parameters. *Journal of Toxicology and Environmental Health, Part A* 54:343-375.

Rheaume, S.J., C.M. Rachol, D.L. Hubbell, and A. Simard. 2002. Sediment Characteristics and Configuration within Three Dam Impoundments on the Kalamazoo River, Michigan, 2000. U.S. Geological Survey Water-Resources Investigations Report 02-4098.

- Rice, C.D. and D. Schlenk. 1995. Immune function and cytochrome P4501A activity after acute exposure to 3,3',4,4',5-pentachlorobiphenyl (PCB 126) in channel catfish. *Journal of Aquatic Animal Health* 7:195-204.
- Rice, C.D., D.H. Kergosien, and S.M. Adams. 1996. Innate immune function as a bioindicator of a pollution stress in fish. *Ecotoxicology and Environmental Safety* 33:186-192.
- Ringer, R.K. 1983. Toxicology of PCBs in mink and ferrets. In *PCBs: Human and Environmental Hazards (Pap. Int. Symp. PCBs Great Lakes 1982)*, pp. 227-240.
- RMT Engineering and Environmental Management Services. 1990. Sampling and Analysis Plan, 12th Street Sludge Disposal Area. Simpson Plainwell Paper Company, Plainwell, Michigan. Prepared by RMT Engineering and Environmental Management Services, Grand Ledge, MI. June.
- Robertson, L.W. and L.G. Hansen. 2001. PCBs: Recent Advances in Environmental Toxicology and Health Effects. University Press of Kentucky, Lexington.
- Russell, R.W., F.A.P.C. Gobas, and G.D. Haffner. 1999. Maternal transfer and in ovo exposure of organochlorines in oviparous organisms: A model and field verification. *Environ. Sci. Technol.* 33:416-420.
- Safe, S.H. 1994. Polychlorinated biphenyls (PCBs): Environmental impact, biochemical and toxic responses, and implications for risk assessment. *Critical Reviews in Toxicology* 24(2):87-149.
- Sample, B.E., D.M. Opresko, and G.W. Suter II. 1996. Toxicological Benchmarks for Wildlife: 1996 Revision. ES/ER/TM-86/R3. Prepared by the Risk Assessment Program, Health Sciences Research Division, Oak Ridge, TN.
- Sangalang, G.B., H.C. Freeman, and R. Crowell. 1981. Testicular abnormalities in cod (*Gadus morhua*) fed Aroclor 1254. *Archives of Environmental Contamination and Toxicology* 10:617-626.
- Sawyer, T.W. and S. Safe. 1982. PCB isomers and congeners: Induction of aryl hydrocarbon hydroxylase and ethoxyresorufin o-deethylase enzyme activities in rat hepatoma cells. *Toxicology Letters* 13:87-94.
- Schrank, C.S., S.M. Cormier, and V.S. Blazer. 1997. Contaminant exposure, biochemical, and histopathological biomarkers in white suckers from contaminated and reference sites in the Sheboygan River, Wisconsin. *Journal of Great Lakes Research* 23(2):119-130.

- Scott, M.L. 1977. Effects of PCBs, DDT, and mercury compounds in chickens and Japanese quail. *Federation Proceedings* 36(6):1888-1893.
- Scott, M.L., J.R. Zimmermann, S. Marinsky, P.A. Mullenhof, G.L. Rumsey, and R.W. Rice. 1975. Effects of PCBs, DDT, and mercury compounds upon egg production, hatchability and shell quality in chickens and Japanese quail. *Poultry Science* 54:350-368.
- Shipp, E.B., J.C. Restum, S.J. Bursian, R.J. Aulerich, and W.G. Helferich. 1998. Multigenerational study of the effects of consumption of PCB-contaminated carp from Saginaw Bay, Lake Huron, on mink. 3. Estrogen receptor and progesterone receptor concentrations, and potential correlation with dietary PCB consumption. *Journal of Toxicology and Environmental Health, Part A* 54:403-420.
- Shore, R.F. and P.E.T. Douben. 1994. Predicting ecotoxicological impacts of environmental contaminants on terrestrial small mammals. *Reviews of Environment Contamination and Toxicology* 134:49-89.
- Sleiderink, H.M., I. Oostingh, A. Goksoyr, and J.P. Boon. 1995. Sensitivity of cytochrome p450 induction in dab (*Limanda limanda*) of different age and sex as a biomarker for environmental contaminants in the southern North Sea. *Archives of Environmental Contamination and Toxicology* 28:423-430.
- Spear, P.A., D.H. Bourbonnais, D.B. Peakall, and T.W. Moon. 1989. Dove reproduction and retinoid (vitamin A) dynamics in adult females and their eggs following exposure to 3,3',4,4'-tetrachlorobiphenyl. *Canadian Journal of Zoology* 67:908-913.
- Spitsbergen, J.M., M.K. Walker, J.R. Olson, and R.E. Peterson. 1991. Pathologic alterations in early life stages of lake trout, *Salvelinus namaycush*, exposed to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin as fertilized eggs. *Aquatic Toxicology* 19:41-72.
- Sprunt IV, A., W.B. Robertson Jr, S. Postupalsky, R.J. Hensel, C.E. Knoder, and F.J. Ligas. 1973. Comparative productivity of six bald eagle populations. *Transactions of the North American Wildlife and National Resources Conference* 38:96-106.
- State of Michigan. 1987. Representative Water PCB Results by Aroclor for Allied Paper. Communication from Stephen F. Schuesler, Assistant Attorney General, Environmental Protection Division, Department of Attorney General, to John F. DeWitt, Varnum, Ridering, Schmidt, & Howlett. April 24.
- State of Michigan Community Public Health Agency. 1996. Total PCB as Aroclors in Kalamazoo River fish in parts per million. August 23.

Stegeman, J.J. and M.E. Hahn. 1994. Biochemistry and molecular biology of monooxygenases: Current perspectives on forms, functions, and regulation of cytochrome P450 in aquatic species. In *Aquatic Toxicology*, D.C. Malins and G.K. Ostrander (eds.). CRC Press, Boca Raton, FL, pp. 87-206.

Stickel, W.H., L.F. Stickel, R.A. Dyrland, and D.L. Hughes. 1984. Aroclor 1254 residues in birds: Lethal levels and loss rates. *Archives of Environmental Contamination and Toxicology* 13:7-13.

STS Consultants. 1989. Groundwater Modeling Evaluation. Letter attached from Victor R. Ferguson, James River Corporation, to Dennis Drake, Michigan DNR. February 17.

Summer, C.L., D. Bush, and W. Bowerman. 2002. Michigan Wildlife Contaminant Trend Monitoring: Year 1999 Annual Report: Nestling Bald Eagles. MI/DEQ/SWQ-02/023. Michigan Department of Environmental Quality. January 16.

Summer, C.L., J.P. Giesy, S.J. Bursian, J.A. Render, T.J. Kubiak, P.D. Jones, D.A. Verbrugge, and R.J. Aulerich. 1996a. Effects induced by feeding organochlorine-contaminated carp from Saginaw Bay, Lake Huron, to laying white leghorn hens: I. Effects on health of adult hens, egg production, and fertility. *Journal of Toxicology and Environmental Health* 49:389-407.

Summer, C.L., J.P. Giesy, S.J. Bursian, J.A. Render, T.J. Kubiak, P.D. Jones, D.A. Verbrugge, and R.J. Aulerich. 1996b. Effects induced by feeding organochlorine-contaminated carp from Saginaw Bay, Lake Huron, to laying white leghorn hens: II. Embryotoxic and teratogenic effects. *Journal of Toxicology and Environmental Health* 49:409-438.

Swanson Environmental. 1987. Site Investigation Willow Boulevard Landfill, Georgia-Pacific Corporation, Kalamazoo, Michigan.

Swanson Environmental. 1990. "A" Site Investigation, Kalamazoo, Michigan.

Sygo, J. 2002. Letter from J. Sygo, Chief, Remediation and Redevelopment Division, Michigan Department of Environmental Quality to W.E. Muno, Director, Superfund Division, U.S. EPA, Region 5 regarding Integrating the fate of Plainwell, Otsego, and Trowbridge Dams in Kalamazoo River Superfund Site feasibility studies. December 13.

Teh, S.J. and D.E. Hinton. 1998. Gender-specific growth and hepatic neoplasia in medaka (*Oryzias latipes*). *Aquatic Toxicology* 41(1-2):141-159.

Teh, S.J., S.M. Adams, and D.E. Hinton. 1997. Histopathologic biomarkers in feral freshwater fish populations exposed to different types of contaminant stress. *Aquatic Toxicology* 37:51-70.

- Thiel, D.A., S.G. Martin, J.W. Duncan, M.J. Lemke, W.R. Lance, and R.E. Peterson. 1988. Evaluation of the effects of dioxin-contaminated sludges on wild birds. In *Proceedings, 1988 TAPPI Environmental Conference*. Norcross, Georgia, pp. 487-506.
- Thuvander, A. and M. Carlstein. 1991. Sublethal exposure of rainbow trout (*Oncorhynchus mykiss*) to polychlorinated biphenyls: Effect on the humoral immune response to *Vibrio anguillarum*. *Fish & Shellfish Immunology* 1:77-86.
- Tillitt, D.E., G.T. Ankley, J.P. Giesy, J.P. Ludwig, H. Kurita-Matsuba, D.V. Weseloh, P.S. Ross, C.A. Bishop, L. Sileo, K.L. Stromborg, J. Larson, and T.J. Kubiak. 1992. Polychlorinated biphenyl residues and egg mortality in double-crested cormorants from the Great Lakes. *Environmental Toxicology and Chemistry* 11:1281-1288.
- Toomey, B.H., S. Bello, M.E. Hahn, S. Cantrell, P. Wright, D.E. Tillitt, and R.T. DiGiulio. 2001. 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin induces apoptotic cell death and cytochrome P4501A expression in developing *Fundulus heteroclitus* embryos. *Aquatic Toxicology* 53:127-138.
- Tori, G.M. and T.J. Peterle. 1983. Effects of PCBs on mourning dove courtship behavior. *Bulletin of Environmental Contamination and Toxicology* 30:44-49.
- Towns, G.L. 1984. Technical Report: A Fisheries Survey of the Kalamazoo River. July and August 1982. Prepared by Michigan DNR, Fisheries Division. Number 84-7. October 1.
- Tumasonis, C.F., B. Bush, and F.D. Baker. 1973. PCB levels in egg yolk associated with embryonic mortality and deformity of hatched chicks. *Archives of Environmental Contamination and Toxicology* 1:312-324.
- Turk, D.E. and K.G. Hietman. 1976. Ingested polychlorinated biphenyl (Aroclor 1242) and growth, calcium and zinc absorption, and intestinal ultrastructure in chicks. *Poultry Science* 55:672-678.
- United Environmental Technologies. 1990. Addendum II to the Hydrogeological Investigation for the HM Holdings, Inc./Allied Paper, Inc., Sanitary Landfill.
- U.S. EPA. 1990. Guidance on Remedial Actions for Superfund Sites with PCB Contamination. OSWER Directive No. 9355.4-01. Prepared by the U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Washington, DC. August.
- U.S. EPA. 1993. Wildlife Exposure Factors Handbook: Volume II of II. EPA/600/R-93/187b. U.S. Environmental Protection Agency, Washington, DC.

- U.S. EPA. 1995. Drinking Water Regulations and Health Advisories. Prepared by U.S. Environmental Protection Agency, Office of Water, Washington, DC. May.
- U.S. EPA. 1997a. 1997 Supplementary Fish Consumption Advisory for Michigan's Great Lakes Waters. U.S. Environmental Protection Agency, Region 5, Office of Public Affairs.
- U.S. EPA. 1997b. Hudson River PCBs Superfund Site Reassessment: Data Evaluation and Interpretation Report, Executive Summary. U.S. Environmental Protection Agency. February 13.
- U.S. EPA. 1999. National Recommended Water Quality Criteria — Correction. EPA 822-Z-99-001. U.S. Environmental Protection Agency. April.
- U.S. EPA. 2000. Lake Michigan Lake Wide Management Plan (LaMP 2000). U.S. Environmental Protection Agency. Last updated 5/21/02.  
<http://www.epa.gov/gtrlakes/lakemich/index.html>. Accessed 08/30/02.
- U.S. EPA. 2001. Photograph of sediment cap. U.S. Environmental Protection Agency, Region 9.  
<http://www.epa.gov/region09/features/pvshelf/pilot.html>. Accessed 5/13/02.
- U.S. EPA and MDEQ. 2002. Update from U.S. EPA on Sampling Efforts during 2001. U.S. Environmental Protection Agency and Michigan Department of Environmental Quality.  
<http://www.deq.state.mi.us/documents/deq-erd-kzoo-Sampling.PDF>. Accessed 7/02.
- U.S. FWS. 1989. Instructions and Catalog for a Survey of Contaminants in Mallard Ducks in Michigan. U.S. Fish and Wildlife Service. June 12.
- U.S. FWS. 2003a. Pictures/Graphics. <http://pictures.fws.gov/>. U.S. Fish and Wildlife Service. Accessed 7/28/03.
- U.S. FWS. 2003b. The Endangered Species Program. U.S. Fish and Wildlife Service.  
<http://endangered.fws.gov/>. Accessed 2/15/03.
- U.S. FWS and Stratus Consulting. 1999. Injuries to Avian Resources, Lower Fox River/Green Bay Natural Resource Damage Assessment. Prepared for U.S. Fish and Wildlife Service, U.S. Department of the Interior, U.S. Department of Justice by Stratus Consulting Inc., Boulder, CO. August 30.
- USGS. 1956. Kalamazoo Historic Aerial Photographs. U.S. Geological Survey, EROS Data Center. Source scale: 60000. June 6.
- USGS. 1965. Kalamazoo Historic Aerial Photographs. U.S. Geological Survey, EROS Data Center. Source scale: 19000. November 4.

- Van den Berg, M., L. Birnbaum, A.T.C. Bosveld, B. Brunstrom, P. Cook, M. Feeley, J.P. Giesy, A. Hanberg, R. Hasegawa, S.W. Kennedy, T. Kubiak, J.C. Larsen, R.X.R. van Leeuwen, A.K.D. Liem, C. Nolt, R.E. Peterson, L. Poelinger, S. Safe, D. Schrenk, D. Tillitt, M. Tysklind, M. Younes, F. Waern, and T. Zacharewski. 1998. Toxic equivalency factors (TEFs) for PCBs, PCDDs, PCDFs for humans and wildlife. *Environmental Health Perspectives* 106(12):775-792.
- Van Der Oost, R., H. Heida, A. Opperhuizen, and N.P.E. Vermeulen. 1991. Bioaccumulation of organic micropollutants in different aquatic organisms: Sublethal toxic effects of fish. *Aquatic Toxicology and Risk Assessment* 14:166-180.
- Verrett, M.J. 1970. Hearings before the Subcommittee on Energy, Natural Resources and the Environment of the Committee on Commerce, U.S. Senate, (Serial 91-60). Government Printing Office, Washington DC, 1970.
- Verrett, M.J. 1976. Investigation of the toxic and teratogenic effects of halogenated dienzo-*p*-dioxins and dibenzofurans in the developing chicken embryo. Memorandum Report. U.S. Food and Drug Administration. Washington, DC.
- Vos, J.G. and J.H. Koeman. 1970. Comparative toxicologic study with polychlorinated biphenyls in chickens with special reference to porphyria, edema formation, liver necrosis, and tissue residues. *Toxicology and Applied Pharmacology* 17:656-668.
- Walker, M.K. and T.F. Catron. 2000. Characterization of cardiotoxicity induced by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin and related chemicals during early chick embryo development. *Toxicology and Applied Pharmacology* 167:210-221.
- Walker, M.K. and R.E. Peterson. 1991. Potencies of polychlorinated dibenzo-*p*-dioxin, dibenzofuran, and biphenyl congeners, relative to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, for producing early life stage mortality in rainbow trout. *Aquatic Toxicology* 21:219-238.
- Walker, M.K. and R.E. Peterson. 1992. Toxicity of polychlorinated dibenzo-*p*-dioxins, dibenzofurans, and biphenyls during early development in fish. In *Chemically-Induced Alterations in Sexual and Functional Development: The Human/Wildlife Connection*. Princeton Scientific Publishing Co., Princeton, NJ, pp. 195-202.
- Walker, M.K. and R.E. Peterson. 1994. Toxicity of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin to brook trout (*Salvelinus fontinalis*) during early development. *Environmental Toxicology and Chemistry* 13(5):817-820.
- Walker, M. K., R.S. Pollenz, and S.M. Smith. 1997. Expression of the aryl hydrocarbon receptor (AhR) and AhR nuclear translocator during chick cardiogenesis is consistent with 2,3,7,8-

- tetrachlorodibenzo-*p*-dioxin-induced heart defects. *Toxicology and Applied Pharmacology* 143:407-419.
- Walker, M.K., J.M. Spitsbergen, J.R. Olson, and R.E. Peterson. 1991. 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) toxicity during early life stage development of lake trout (*Salvelinus namaycush*). *Canadian Journal of Fisheries and Aquatic Sciences* 48:875-883.
- Walker, M.K., P.M. Cook, A.R. Batterman, B.C. Butterworth, C. Berini, J.J. Libal, L.C. Hufnagle, and R.E. Peterson. 1994. Translocation of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin from adult female lake trout (*salvelinus namaycush*) to oocytes: Effects on early life stage development and sac fry survival. *Canadian Journal of Fisheries and Aquatic Sciences* 51:1410-1419.
- Walter, G.L., P.D. Jones, and J.P. Giesy. 2000. Pathologic alternations in adult rainbow trout, *Oncorhynchus mykiss*, exposed to dietary 2,3,7,8,-tetrachlorodibenzo-*p*-dioxin. *Aquatic Toxicology* 50(4):287-299.
- West, C.W., G.T. Ankley, J.W. Nichols, G.E. Elonen, and D.E. Nessa. 1997. Toxicity and bioaccumulation of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in long-term tests with the freshwater benthic invertebrates *Chironomus tentans* and *Lumbriculus variegatus*. *Environmental Toxicology and Chemistry* 16(6):1287-1294.
- White, D.H. and D.J. Hoffman. 1995. Effects of polychlorinated dibenzo-*p*-dioxins and dibenzofurans on nesting wood ducks (*Aix sponsa*) at Bayou Meto, Arkansas. *Environmental Health Perspectives* 103(Supplement 4):37-39.
- White, D.H. and J.T. Seginak. 1994. Dioxins and furans linked to reproductive impairment in wood ducks. *Journal of Wildlife Management* 58(1):100-106.
- Wiemeyer, S.N., C.M. Bunck, and C.J. Stafford. 1993. Environmental contaminants in bald eagle eggs — 1980-84 — and further interpretations of relationships to productivity and shell thickness. *Archives of Environmental Contamination* 24:213-277.
- Wiemeyer, S.N., T.G. Lamont, C.M. Bunck, C.R. Sindelar, F.J. Gramlich, J.D. Fraser, and M.A. Byrd. 1984. Organochlorine pesticide, polychlorobiphenyl, and mercury residues in bald eagle eggs — 1969-79 — and their relationships to shell thinning and reproduction. *Archives of Environmental Contamination and Toxicology* 13:529-549.
- Wilkins & Wheaton Testing Laboratory and STS Consultants. 1986. Program for Effective Residuals Management for the James River Corporation KVP Group, Kalamazoo, Michigan (NPDES No. MI-0000205). Prepared by Wilkins & Wheaton Testing Laboratory, Inc., Kalamazoo, MI, and STS Consultants Ltd., Green Bay, WI. September.

- Williams, L.L. and J.P. Giesy. 1992. Relationships among concentrations of individual polychlorinated biphenyl (PCB) congeners, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents (TCDD-EQ), and rearing mortality of chinook salmon (*Oncorhynchus tshawytscha*) eggs from Lake Michigan. *Journal of Great Lakes Research* 18(1):108-124.
- Wirgin, I.I., G.-L. Kreamer, C. Grunwald, K. Squibb, and S.J. Garte. 1992. Effects of prior exposure history on cytochrome P4501A mRNA induction by PCB congener 77 in Atlantic tomcod. *Marine Environmental Research* 34:103-108.
- Wisconsin Department of Natural Resources. 1999. Model Evaluation Workgroup Technical Memorandum 2g: Quantification of Lower Fox River Sediment Bed Elevation Dynamics through Direct Observations. July 23.
- Wisconsin Department of Natural Resources. 2003. In Situ Technologies. <http://www.dnr.state.wi.us/org/water/wm/lowerfox/insitu.html>. Last updated May 1. Accessed 10/1/04.
- Woodford, J.E., W.H. Karasov, M.W. Meyer, and L. Chambers. 1998. Impact of 2,3,7,8-TCDD exposure on survival, growth, and behavior of ospreys breeding in Wisconsin, USA. *Environmental Toxicology and Chemistry* 17(7):1323-1331.
- Wren, C.D., D.B. Hunter, J.F. Leatherland, and P.M. Stokes. 1987a. The effect of polychlorinated biphenyls and methylmercury, singly and in combination, on mink. I: Uptake and toxic responses. *Archives of Environmental Contamination and Toxicology* 16:441-447.
- Wren, C.D., D.B. Hunter, J.F. Leatherland, and P.M. Stokes. 1987b. The effects of polychlorinated biphenyls and methylmercury, singly and in combination, on mink. II: Reproduction and kit development. *Archives of Environmental Contamination and Toxicology* 16:449-454.
- Wuycheck, J. 1978. Memo re: Kalamazoo River — PCB contaminated fish — Allegan to Saugatuck. Water Quality Division, Michigan Department of Natural Resources.
- Wyoming Natural Resources Conservation Service. 2002. Photograph of Riprap. <http://www.wy.nrcs.usda.gov/wyprojects/otero/otero.html>. Accessed 5/10/02.
- Yamashita, N. 1993. Embryonic abnormalities and organochlorine contamination in double-crested cormorants (*Phalacrocorax auritus*) and Caspian terns (*Hydroprogne caspia*) from the Upper Great Lakes in 1988. *Environmental Pollution* 79:163-173.

Zabel, E.W., P.M. Cook, and R.E. Peterson. 1995. Toxic equivalency factors of polychlorinated dibenzo-p-dioxin, dibenzofuran and biphenyl congeners based on early life stage mortality in rainbow trout (*Oncorhynchus mykiss*). *Aquatic Toxicology* 31:315-328.

Zelikoff, J.T. 1994. Fish immunotoxicology. In *Immunotoxicology and Immunopharmacology*. Second Edition. Raven Press, New York, pp. 71-94.