MS-11
Potential Historical Vegetation

Miles
0 5 10

Kilometers
0 10 20

NORTH



Osage River to Mississippi River
Grand River to Osage River
Kansas River to Grand River
Nodaway River to Kansas River
Platte River to Nodaway River
River Mile 670 to Platte River

(Ecological Site Descriptions (Nelson

- Dry-Mesic Bottomland Forest
- Mesic Bottomland Forest
- Wet-Mesic Bottomland Forest
- Wet-mesic Bottomland Woodland
- Riverfront Forest
- Non-Soil
- Sandbar/Gravel Wash Complex
- Prairie Swale
- Wet-mesic Bottomland Prairie
- Wet Bottomland Prairie
- Wet Bottomland Prairie and Marsh

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community

MS-11
Potential Historical Vegetation



NORTH

0 5 10 Miles

0 10 20 Kilometers



- Osage River to Mississippi River
- Grand River to Osage River
- Kansas River to Grand River
- Nodaway River to Kansas River
- Platte River to Nodaway River
- River Mile 670 to Platte River

(Ecological Site Descriptions (Nelson

- Dry-Mesic Bottomland Forest
- Mesic Bottomland Forest
- Wet-Mesic Bottomland Forest
- Wet-mesic Bottomland Woodland
- Riverfront Forest
- Non-Soil
- Sandbar/Gravel Wash Complex
- Prairie Swale
- Wet-mesic Bottomland Prairie
- Wet Bottomland Prairie
- Wet Bottomland Prairie and Marsh

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community

MS-11
Potential Historical Vegetation

NORTH

Miles
0 5 10

Kilometers
0 10 20



- Osage River to Mississippi River
- Grand River to Osage River
- Kansas River to Grand River
- Nodaway River to Kansas River
- Platte River to Nodaway River
- River Mile 670 to Platte River

(Ecological Site Descriptions (Nelson

- Dry-Mesic Bottomland Forest
- Mesic Bottomland Forest
- Wet-Mesic Bottomland Forest
- Wet-mesic Bottomland Woodland
- Riverfront Forest
- Non-Soil
- Sandbar/Gravel Wash Complex
- Prairie Swale
- Wet-mesic Bottomland Prairie
- Wet Bottomland Prairie
- Wet Bottomland Prairie and Marsh

MS-11
Potential Historical Vegetation

Miles
0 5 10

Kilometers
0 10 20

NORTH

Osage River to Mississippi River
Grand River to Osage River
Kansas River to Grand River
Nodaway River to Kansas River
Platte River to Nodaway River
River Mile 670 to Platte River

(Ecological Site Descriptions (Nelson

- Dry-Mesic Bottomland Forest
- Mesic Bottomland Forest
- Wet-Mesic Bottomland Forest
- Wet-mesic Bottomland Woodland
- Riverfront Forest
- Non-Soil
- Sandbar/Gravel Wash Complex
- Prairie Swale
- Wet-mesic Bottomland Prairie
- Wet Bottomland Prairie
- Wet Bottomland Prairie and Marsh

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community



U.S. FISH & WILDLIFE SERVICE

MS-11
Potential Historical Vegetation

NORTH

Miles
0 5 10

Kilometers
0 10 20



- Osage River to Mississippi River
- Kansas River to Grand River
- Platte River to Nodaway River
- Grand River to Osage River
- Nodaway River to Kansas River
- River Mile 670 to Platte River

(Ecological Site Descriptions (Nelson

- Dry-Mesic Bottomland Forest
- Mesic Bottomland Forest
- Wet-Mesic Bottomland Forest
- Wet-mesic Bottomland Woodland
- Riverfront Forest
- Non-Soil
- Sandbar/Gravel Wash Complex
- Prairie Swale
- Wet-mesic Bottomland Prairie
- Wet Bottomland Prairie
- Wet Bottomland Prairie and Marsh

MS-11
Potential Historical Vegetation

Miles
0 5 10

Kilometers
0 10 20

NORTH



- Osage River to Mississippi River
- Grand River to Osage River
- Kansas River to Grand River
- Nodaway River to Kansas River
- Platte River to Nodaway River
- River Mile 670 to Platte River

(Ecological Site Descriptions (Nelson

- Dry-Mesic Bottomland Forest
- Mesic Bottomland Forest
- Wet-Mesic Bottomland Forest
- Wet-mesic Bottomland Woodland
- Riverfront Forest
- Non-Soil
- Sandbar/Gravel Wash Complex
- Prairie Swale
- Wet-mesic Bottomland Prairie
- Wet Bottomland Prairie
- Wet Bottomland Prairie and Marsh

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community

MS-11
Potential Historical Vegetation

Miles
0 5 10

Kilometers
0 10 20

NORTH



- Osage River to Mississippi River
- Grand River to Osage River
- Kansas River to Grand River
- Nodaway River to Kansas River
- Platte River to Nodaway River
- River Mile 670 to Platte River

(Ecological Site Descriptions (Nelson

- Dry-Mesic Bottomland Forest
- Mesic Bottomland Forest
- Wet-Mesic Bottomland Forest
- Wet-mesic Bottomland Woodland
- Riverfront Forest
- Non-Soil
- Sandbar/Gravel Wash Complex
- Prairie Swale
- Wet-mesic Bottomland Prairie
- Wet Bottomland Prairie
- Wet Bottomland Prairie and Marsh

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community

MS-11
Potential Historical Vegetation

Miles
0 5 10

Kilometers
0 10 20

NORTH



Osage River to Mississippi River
Grand River to Osage River
Kansas River to Grand River
Nodaway River to Kansas River
Platte River to Nodaway River
River Mile 670 to Platte River

(Ecological Site Descriptions (Nelson

- Dry-Mesic Bottomland Forest
- Mesic Bottomland Forest
- Wet-Mesic Bottomland Forest
- Wet-mesic Bottomland Woodland
- Riverfront Forest
- Non-Soil
- Sandbar/Gravel Wash Complex
- Prairie Swale
- Wet-mesic Bottomland Prairie
- Wet Bottomland Prairie
- Wet Bottomland Prairie and Marsh

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community

MS-11
Potential Historical Vegetation

Miles
0 5 10

Kilometers
0 10 20

NORTH



- Osage River to Mississippi River
- Grand River to Osage River
- Kansas River to Grand River
- Nodaway River to Kansas River
- Platte River to Nodaway River
- River Mile 670 to Platte River

(Ecological Site Descriptions (Nelson

- Dry-Mesic Bottomland Forest
- Mesic Bottomland Forest
- Wet-Mesic Bottomland Forest
- Wet-mesic Bottomland Woodland
- Riverfront Forest
- Non-Soil
- Sandbar/Gravel Wash Complex
- Prairie Swale
- Wet-mesic Bottomland Prairie
- Wet Bottomland Prairie
- Wet Bottomland Prairie and Marsh

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community

MS-11
Potential Historical Vegetation

Miles
0 5 10

Kilometers
0 10 20

NORTH



- Osage River to Mississippi River
- Grand River to Osage River
- Kansas River to Grand River
- Nodaway River to Kansas River
- Platte River to Nodaway River
- River Mile 670 to Platte River

(Ecological Site Descriptions (Nelson

- Dry-Mesic Bottomland Forest
- Mesic Bottomland Forest
- Wet-Mesic Bottomland Forest
- Wet-mesic Bottomland Woodland
- Riverfront Forest
- Non-Soil
- Sandbar/Gravel Wash Complex
- Prairie Swale
- Wet-mesic Bottomland Prairie
- Wet Bottomland Prairie
- Wet Bottomland Prairie and Marsh

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community

MS-11
Potential Historical Vegetation

0 5 10 Miles

0 10 20 Kilometers

NORTH



- Osage River to Mississippi River
- Grand River to Osage River
- Kansas River to Grand River
- Nodaway River to Kansas River
- Platte River to Nodaway River
- River Mile 670 to Platte River

(Ecological Site Descriptions (Nelson

- Dry-Mesic Bottomland Forest
- Mesic Bottomland Forest
- Wet-Mesic Bottomland Forest
- Wet-mesic Bottomland Woodland
- Riverfront Forest
- Non-Soil
- Sandbar/Gravel Wash Complex
- Prairie Swale
- Wet-mesic Bottomland Prairie
- Wet Bottomland Prairie
- Wet Bottomland Prairie and Marsh

Source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, and the GIS User Community