

ACKNOWLEDGMENTS

This study was supported by a grant from the U.S. Fish and Wildlife Service, Region 6, Denver, Colorado. Wayne King was instrumental in encouraging this study and provided administrative and logistical assistance throughout the project. Dan Alonso, Dan Schaad, and staff of Ouray NWR encouraged and supported the study in many ways including providing access to the refuge, housing for field work, use of vehicles and equipment, data and maps, and assisting with field work. Steve Berendzen provided administrative assistance both in Denver

and for Ouray NWR. Tim Modde offered valuable insight into native fish use of the Green River and Ouray wetlands. Cary Gardner served as a technician on the project and helped acquire literature, maps, and data on the Uinta Basin, Green River, and Ouray NWR. Karen Kyle helped prepare the manuscript for printing and she and Belinda Ederington prepared figures for the report. The draft report was reviewed by Dan Alonso, Dan Schaad, Diane Penttila, Wayne King, Steve Berendzen, Tim Modde, and Cary Gardner.

LITERATURE CITED

- Andrews, E.D. 1986. Downstream effects of Flaming Gorge Reservoir on the Green River, Colorado and Utah. *Geological Society of America Bulletin* 97: 1012-1023.
- Andrews, E.D. and J.M. Nelson. 1989. Topographic response of a bar in the Green River, Utah to variation in discharge. Pages 463-485 *in* S. Ikeda and G. Parker, eds. *River meandering*. American Geophysical Union, Washington, DC.
- Atwood, W.W. 1909. Glaciation of the Uinta and Wasatch Mountains. U.S. Geological Survey Professional Paper 61. 96pp.
- Baker, A.A., J.W. Huddle and D.M. Kinney. 1949. Paleozoic geology of north and west sides of Uinta Basin, Utah. *American Association of Petroleum Geologists Bulletin* 33(7):1161-1197.
- Behle, W.H. and M.L. Perry. Utah birds: guide, checklist and occurrence charts. Utah Museum of Natural History. 144pp.
- Bolke, E.L. and K.M. Waddell. 1975. Chemical quality and temperature of water in Flaming Gorge Reservoir, Wyoming and Utah, and the effect of the reservoir on the Green River. U.S. Geological Survey Water Supply Paper 2039A, Washington, DC. 26pp.
- Breck, S.W., K.R. Wilson and D. C. Andersen. 2003. Beaver herbivory and its effect on cottonwood trees: influence of flooding along matched regulated and unregulated rivers. *River Research and Applications* 19:43-58.
- Burt, W.H. and R.P. Grossenheider. 1976. A field guide to the mammals. Houghton Mifflin Company, Boston, MA. 289pp.
- Chronic, H. 1990. Roadside geology of Utah. Mountain Press Publishing Company, Missoula, MT.
- Colorado River Fisheries Program. Species list for Upper Colorado River Basin. Unpublished U.S. Fish and Wildlife Service document. 2pp.
- Conant, R. 1975. A field guide to reptiles and amphibians of eastern/central North America. Houghton Mifflin Company, Boston, MA. 429pp.
- Cooper, D.J., D.M. Merritt, D.C. Andersen and R.A. Chimner. 1999. Factors controlling the establishment of Fremont cottonwood seedlings on the Upper Green River, USA. *Regulated Rivers: Research and Management* 15:419-440.
- Crowl, T.A. and S. Goeking. 2002. Riparian vegetation. Pages 7.1-7.41 *in* G.J. Birchell, K. Christopherson, C. Crosby, T.A. Crowl, J. Gourley, M. Townsend, S. Goeking, T. Modde, M. Fuller and P. Nelson eds. *The levee removal project: assessment of floodplain habitat restoration in the Middle Green River*. Utah Division of Wildlife Resources, Publication No. 02-17, Salt Lake City, UT.
- Crowl, T.A., J.L. Gourley and M. Townsend. 2002. Invertebrate and productivity responses. Pages 5.1-5.23 *in* G.J. Birchell, K. Christopherson, C. Crosby, T.A. Crowl, J. Gourley, M. Townsend, S. Goeking, T. Modde, M. Fuller and P. Nelson eds. *The levee removal project: assessment of floodplain habitat restoration in the Middle Green River*. Utah Division of Wildlife Resources, Publication No. 02-17, Salt Lake City, UT.
- FLO Engineering, Inc. 1996. Green River flooded bottomlands investigation: Ouray Wildlife Refuge and Canyonlands National Park, Utah. Recovery Program Project No. CAP-6 HG, FLO Engineering, Inc., Breckenridge, CO.
- FLO Engineering, Inc. 1997. Ouray NWR bottomland sites elevation/area/capacity tables. Final Report. FLO Engineering, Inc., Breckenridge, CO.
- FLO Engineering, Inc. 1999. 1998 floodplain habitat restoration status report, final report Vol. IIA. Post-restoration sedimentation and erosion monitoring/evaluation for Green River floodplain habitat restoration sites, near Vernal, Utah. FLO Engineering, Inc., Breckenridge, CO.
- Folks, F.N. 1963. Plant list of the Ouray National Wildlife Refuge. U.S. Fish and Wildlife Service. 14pp.
- Friedman, J.M., W.R. Osterkamp and W.M. Lewis, Jr. 1996. The role of vegetation and bed-level fluctuations in the process of channel narrowing. *Geomorphology* 14:341-351.

- Gardner, C.M. 2002. Tall whitetop, *Lepidium latifolium*: response to abiotic conditions and control measures in the Intermountain West. M.S. thesis, University of Missouri, Columbia, MO. 202pp.
- Glover, K. 1996. Ground-water flow in the Duchesne River-Uinta aquifer, Uinta Basin, Utah and Colorado. U.S. Geological Survey WRI Report 92-4161. Cheyenne, WY. 24pp.
- Goodknight, C.S. and D.B. Ertel. 1987. Second day road log Price to Vernal via Indian Canyon, Duchesne, and Roosevelt. In W.R. Averett, ed. Paleontology and geology of the Dinosaur Triangle, Museum of western Colorado, Grand Junction, CO.
- Goodrich, S. and E. Neese. 1986. Uintah Basin Flora. U.S. Government Printing Office: 1986-676-140/40008. 320pp.
- Graham, E.H. 1937. Botanical studies in the Uinta Basin of Utah and Colorado. Annals of the Carnegie Museum Vol. 26. Carnegie Institute, Pittsburgh, PA. 401pp.
- Heitmeyer, M.E., L.H. Fredrickson, B. Ederington and S.L. King. 2002. An evaluation of ecosystem restoration options for the Bayou Meto Basin of Arkansas. Gaylord Memorial Laboratory Special Publication No. 5, Prepared for U.S. Army Corps of Engineers, Memphis District. University of Missouri Printing, Columbia, MO. 67pp.
- Hintz, L.F. 1988. Geologic history of Utah: Provo, Utah. Brigham Young University Geology Studies Special Publication 7, Provo, UT. 204pp.
- Horton, J.L. and J.L. Clark. 2001. Water table decline alters growth and survival of *Salix gooddingii* and *Tamarix chinensis* seedlings. Forest ecology and management 140:239-247.
- Hunt, C.B. 1969. Geologic history of the Colorado River. Pages 59-130 in The Colorado River region and John Wesley Powell. U.S. Geological Survey Professional Paper 669.
- Ikeda, H. 1989. Sedimentary controls on channel migration and origin of point bars in sand-bedded rivers. Pages 51-68 in S. Ikeda and G. Parker, eds. River meandering. American Geophysical Union, Washington, DC.
- Iorns, W.V., C.H. Hembree and G.L. Oakland. 1965. Water resources of the Upper Colorado River Basin - Technical Report. U.S. Geological Survey Professional Paper 441. 370pp.
- Jurado, A. and F.K. Fields. 1978. Channel migration of the White River in the eastern Uinta Basin, Utah and Colorado. U.S. Geological Survey Miscellaneous Investigations Series
- Knopf, F.L., R.R. Johnson, T. Rish, F.B. Samson and R.C. Szaro. 1988. Conservation of riparian ecosystems in the United States. Wilson Bulletin 100:272-284.
- Larson, G.E. 1993. Aquatic and wetland vascular plants of the northern Great Plains. USDA Forest Service, General Technical Report RM-238. 681pp.
- Lyons, J.K., M.J. Pucherelli and R.C. Clark. 1992. Sediment transport and channel characteristics of a sand-bed portion of the Green River below Flaming Gorge Dam, Utah. Regulated Rivers 7: 219-232.
- Marsell, R.E. 1964. Geomorphology of the Uinta Basin - a brief sketch. Pages 29-39 in E.F. Sabatka, ed. Guidebook to the geology and mineral resources of the Uinta Basin: Utah=s hydrocarbon storehouse. 13th Annual Field Conference.
- Modde, T. 1997. Fish use of Old Charley Wash: an assessment of floodplain wetland importance to razorback sucker management and recovery. Recovery Program Project No. CAP-6. 63pp.
- Modde, T., K.P. Burnham and E.J. Wick. 1996. Population status of the razorback sucker in the middle Green River (U.S.A.). Conservation Biology 10:110-119.
- Modde, T., R.T. Muth and G.B. Haines. 2001. Floodplain wetland suitability, access, and potential use by juvenile razorback suckers in the Middle Green River, Utah. Transactions of the American Fisheries Society 130:1095-1105.
- Osmond, J.C. 1964. Tectonic history of the Uinta Basin, Utah. Pages 47-58 in E.F. Sabatka, ed. Guidebook to the geology and mineral resources of the Uinta Basin: Utah=s hydrocarbon storehouse. 13th Annual Field Conference.
- Powell, J.W. 1875. Exploration of the Colorado River of the west and its tributaries. U.S. Government Printing Office, Washington, DC. 291pp.
- Rakowski, C. L. 1997. The geomorphic basis of Colorado squawfish nursery habitat in the Green River near Ouray, Utah. M.S. thesis, Utah State University, Logan, UT.171pp.
- Rosgen, D.L. 1994. A classification of natural rivers. Catena 22:169-199.
- Sangster, M.E. 1976. Migration and ecology of waterfowl on Ouray National Wildlife Refuge, Utah. M.S. thesis, University of Missouri-Columbia. 91pp.
- Saucier, R.T. 1994. Geomorphology and quaternary geological history of the lower Mississippi Valley, Volumes I and II. U.S. Army Corps of Engineers Waterways Experiment Station, U.S. Department of the Army, Vicksburg, MS.
- Schmidt, J.C. 1994. Compilation of historical hydrologic and geomorphic data for the upper Colorado River Basin. Annual Report, Flaming Gorge Research Program Study No. 37. 5 pp. and appendix.
- Stephens, D.W., B. Waddell, L.A. Peltz and J.B. Miller. 1992. Detailed study of selenium and selected elements in water, bottom sediment, and biota associated with irrigation drainage in the middle Green

- River Basin, Utah, 1988-1990. U.S. Geological Survey Water-Resources Investigations, Report 92-4084. Salt Lake City, UT. 164pp.
- Thomas, H.E. 1962. Hydrologic reconnaissance of the Green River in Utah and Colorado. U.S. Geological Survey Circular 129, Washington, DC. 32pp.
- Unterman, G.E. and B.R. Unterman. 1964. Geology of Uintah County. Utah Geological and Mineralogical Survey Bulletin 72.
- U.S. Fish and Wildlife Service. 2000. Ouray National Wildlife Refuge: comprehensive conservation plan. U.S. Fish and Wildlife Service, Ouray National Wildlife Refuge, Randlett, UT. 118pp.
- van der Valk, A.G. and C.B. Davis. 1978. The role of seed banks in the vegetation dynamics of prairie glacial marshes. *Ecology* 59:322-335.
- Waltmeyer, S.D. 1982. Selected climatic characteristics of the southeastern Uinta Basin, Utah and Colorado. U.S. Geological Survey, Water Resources Investigations Open-file Report 82-91. Denver, CO. 33pp.
- Welsh, S.L., N.D. Atwood, S. Goodrich and L.C. Higgins. 1987. A Utah flora. Great Basin Naturalist Memoirs No. 9.
- Williams, M.D. 1950. Tertiary stratigraphy of the Uinta Basin. Pages 101-114 in 5th Annual Field Conference of the Intermountain Association of Petroleum Geologists.
- Wilson, L.M, D.S. Jennings, D. Jensen, J.D. Peterson, C. Foulger, H.K. Woodward, H.J. Marker, H.H. Mollenhoff and R.C. McConnell. 1959. Soil survey of Roosevelt-Duchesne area, Utah. U.S. Department of Agriculture, Soil Conservation Service, Utah Agricultural Experiment Station. U.S. Government Printing Office, Washington, DC. 61pp.
- Woolley, R.R. 1930. The Green River and its utilization. U.S. Geological Survey Water Supply Paper 618. 456pp.
- Wydoski, R.S. and E. J. Wick. 1998. Ecological value of floodplain habitats to razorback suckers in the Upper Colorado River Basin. Upper Colorado River Basin Recovery Program Final Report, U.S. Fish and Wildlife Service, Denver, CO. 55pp.



