

Glossary

- adaptive capacity – The ability of an ecosystem to maintain ecological function while adjusting to long-term changes in the environment, or shifting to a new normal (i.e., climate change, established invasive species)
- anthropogenic – Caused by human activity
- candidate species – A species of plant or animal for which the USFWS has sufficient information on its biological status and threats to propose it for listing as endangered or threatened under the Endangered Species Act, but for which development of a proposed listing regulation is precluded by other higher priority listing activities
- comprehensive conservation plan – A 15-year plan providing overall management guidance to a unit or complex of the National Wildlife Refuge System
- conservation easement – A legally enforceable encumbrance or transfer of property rights to a government agency or land trust for the purposes of conservation. Rights transferred could include discretion to subdivide or develop land, to change current land use practices, to sever water rights, or others as appropriate, and are specified by contract between the land owner and the conservation entity
- ecological resilience – The ability of an ecosystem to rebound from short-term changes to a landscape (i.e. wildfires, floods, pest outbreaks)
- endangered species – A species of plant or animal that is in danger of extinction throughout all or a significant portion of its range
- Endangered Species Act – A U.S. law passed by Congress in 1973 with the purpose of protecting and recovering imperiled species and the ecosystems on which they depend
- environmental assessment – A National Environmental Policy Act (NEPA) compliance document which analyzes whether to prepare an environmental impact statement or a finding of no significant impact, facilitates compliance when no EIS is necessary, or facilitates preparation of an EIS when one is necessary.
- focal species – Species which represent a group of species vulnerable to similar threats
- HUC – Hydrologic Unit Code, a hierarchical system created by USGS to identify locations regions by hydrology
- land protection plan – A document required by USFWS policy prior to the establishment of new units of the National Wildlife Refuge System, or major expansions of existing units
- landscape conservation cooperative – A public-private partnership intended to facilitate cross-political boundary conservation in the face of a changing environment through application of science
- Marxan – A software package used as a decision support tool for spatial conservation prioritization
- Region 6 – An administrative unit of the Service known as the Mountain-Prairie Region, which covers eight States: Colorado, Kansas, Montana, Nebraska, North Dakota, South Dakota, Utah, and Wyoming
- Service – U.S. Fish & Wildlife Service
- strategic habitat conservation – An iterative adaptive management framework designed to ensure that decision making and management within the Service is science-based. Consists of four stages: biological planning, conservation design, delivery of conservation action, and monitoring and research.
- threatened species – A species of plant or animal that is likely to become endangered in the foreseeable future
- trust species – Species for which the Federal government has statutory responsibility, including threatened and endangered species, migratory birds, marine mammals, and interjurisdictional fish

Literature Cited

- American Farmland Trust. 2000. Strategic ranchland in the Rocky Mountain west: mapping the threats to prime ranchland in seven western states. Washington, DC: American Farmland Trust. Accessed online at <<http://www.farmland.org/resources/rockymtn/default.asp>>
- American Farmland Trust. 2001. Cost of community service studies. Washington, DC: American Farmland Trust.
- Athearn, F.J. 1985. Land of contrast: a history of southeast Colorado. Denver, CO: Bureau of Land Management. Cultural Resource Series Number 17.
- Athearn, F.J. 1989. A forgotten kingdom: the Spanish frontier in Colorado and New Mexico, 1540–1821. Denver, CO: Bureau of Land Management. Cultural Resource Series Number 29.
- Averyt, K.; Cody, K.; Gordon, E.; Klein, R.; Lukas, J.; Smith, J.; Travis, W.; Udall, B.; Vogel, J. 2011. Colorado climate preparedness project: final report. Prepared by the Western Water Assessment for the State of Colorado. Boulder, CO: University of Colorado.
- Azure, D.A. 1998. Aspects of American bittern ecology in northwest Minnesota [master's thesis]. Grand Forks, North Dakota: University of North Dakota. 139 p.
- Bailey, A.M.; Niedrach, R.J. 1967. Pictorial checklist of Colorado birds, with brief notes on the status of each species in neighboring states of Nebraska, Kansas, New Mexico, Utah, and Wyoming. Denver, CO: Denver Museum of Natural History. 168 p.
- Ball, I.R.; Possingham, H.P.; Watts, M. 2009. Marxan and relatives: software for spatial conservation prioritisation. In: Moilanen, A.; Wilson, K.A.; Possingham, H.P.; editors. Spatial conservation prioritisation: quantitative methods and computational tools. Oxford, UK: Oxford University Press. 185–195. Chapter 14.
- Banzhaf, S.; Oates, W.; Sanchirico, J.; Simpson, D.; Walsh, R. 2006. Voting for conservation: what is the American electorate revealing? *Resources* 160:8–12.
- Bayne, E.M.; Dale, B.C. 2011. Effects of energy development on songbirds. In: Naugle, D.E. Energy development and wildlife conservation in western North America. Washington, DC: Island Press.
- Beason, J.; Leivad, R.; Leukering, T. 2005. Monitoring Colorado's birds: the 2004 field season report. Unpublished report. Brighton, CO: Rocky Mountain Bird Observatory.
- Bent, A.C. 1963. Life histories of North American marsh birds. New York: Dover Publications. 392 p.
- [BLM] Bureau of Land Management. 2012. Draft geothermal leasing RMP amendment EA. DOI – BLM San Luis Valley Field Office. BLM and Department of Energy. 2010. Solar energy development draft programmatic environmental impact statement.
- Brendle, D. 2002. Geophysical logging to determine construction, contributing zones, and appropriate use of water levels measured in confined-aquifer network wells, San Luis Valley, Colorado, 1998–2000. U.S. Geological Survey. Water Resources Investigations Report 02-4058.
- Brininger, W.L., Jr. 1996. The ecology of the American bittern in northwest Minnesota [master's thesis]. St. Cloud, MN: St. Cloud State University. 70 p.
- Brown, M.; Dinsmore, J.J. 1986. Implications of marsh size and isolation for marsh bird management. *Journal of Wildlife Management* 50:392–397.
- Bureau of Labor Statistics. 2008. Labor force data by county: 2008 annual averages. Washington, DC: Bureau of Labor Statistics, U.S. Department of Labor. Accessed online November 14, 2011, at <<ftp://ftp.bls.gov/pub/special.requests/la/laucnty08.txt>>
- Bureau of Labor Statistics. 2011a. Local area unemployment statistics. Washington, DC: Bureau of Labor Statistics, U.S. Department of Labor. Accessed online November 14, 2011, at <<http://www.bls.gov/web/laus/laumstrk.htm>>
- Bureau of Labor Statistics. 2011b. Labor force data by county (not seasonally adjusted: July 2010–August 2011). Washington, DC: Bureau of Labor Statistics, U.S. Department of Labor. Accessed online November 14, 2011, at <<http://www.bls.gov/lau/laucntycur14.txt>>
- Byers, E.; Ponte, K. 2005. The conservation easement handbook. Washington, DC, Land Trust Alliance and San Francisco, The Trust for Public Land, 555 p.
- Carson, P. 1998. Across the northern frontier: Spanish explorations in Colorado. Boulder, CO: Johnson Books.
- Cassels, E.S. 1997. The archaeology of Colorado. Boulder, CO: Johnson Books.
- Center for Rural Entrepreneurship. 2008. Final report: San Luis Valley targeted industry study. Accessed

- online March 1, 2012, at <<http://scseed.org/wb/media/8-25-08%20SLV%20Final%20Report.pdf>>
- Collinge, S.K. 2009. Ecology of fragmented landscapes. Baltimore, MD: Johns Hopkins University Press.
- Colorado Department of Local Affairs. 2011. Colorado Planning & Management Region report: Region 8—Alamosa, Conejos, Costilla, Mineral, Rio Grande, and Saguache Counties. San Luis Valley Development Resources Group, Inc., and Colorado Demography Office. Accessed online February 29, 2012, at <<http://dola.colorado.gov/dlg/demog/profiles/reports/region8.pdf>>
- Colorado Department of Local Affairs. 2002. Preliminary population projections for Colorado, (Table III C). Colorado Demography Section. Accessed online February 29, 2012, at <http://www.epa.gov/ttn/naaqs/ozone/areas/pop/popp_co.pdf>
- Colorado Division of Parks and Wildlife. 2012. Boreal toad. Accessed online March 7, 2012. <<http://wildlife.state.co.us/Research/Aquatic/BorealToad/Pages/BorealToad.aspx>>
- Colorado Division of Property Taxation. 2006. How agricultural property is valued in Colorado. Department of Local Affairs 15-DPT-AR PUB B. Accessed online March 6, 2012, at <www.dola.state.co.us/propertytax>
- Colorado Division of Wildlife. 2010. San Luis Valley: Habitat Partnership Program habitat management plan, 2010–2014. Accessed online February 29, 2012, at <<http://wildlife.state.co.us/SiteCollectionDocuments/DOW/Education/pdf/HPP/SLValleyApprovedPlan.pdf>>
- Colorado Legislative Council Staff. 2011. Focus Colorado: economic and revenue forecast. Denver, CO: Colorado General Assembly. Accessed online February 29, 2012, at <<http://www.colorado.gov/legcouncil/Forecast/11JuneForecast.pdf>>
- Colorado Natural Diversity Information Source. 2012. Wildlife species by county. Accessed online March 6, 2012, at <<http://ndis.nrel.colostate.edu/wildlife.asp>>
- Colorado Natural Heritage Program and The Nature Conservancy. 2008. A biodiversity scorecard for Colorado. Fort Collins, CO: Colorado Natural Heritage Program, Colorado State University; and Boulder, CO: The Nature Conservancy, Boulder. Unpublished report to The Nature Conservancy. Draft dated October 20, 2008.
- Colorado Office of Tourism. 2012. Town of San Luis. Accessed online March 1, 2012, at <<http://www.colorado.com/Articles.aspx?aid=42178>>
- Colorado Partners in Flight. 2000. Colorado Land Bird Conservation Plan.
- Colorado State Archives. 2001. Spanish-Mexican land grants. Accessed online March 17, 2011, at <<http://www.colorado.gov/dpa/doit/archives/mlg/mlg.html>>
- Colorado State University Herbarium. 2012. Species lists for each county in Colorado. Accessed online January 17, 2012 at <http://herbarium.biology.colostate.edu/colorado_map.html>
- Colville, R.M. 1995. La Vereda: a trail through time. San Luis Valley Historical Society. Alamosa, Colorado.
- Conservation Biology Institute. 2006. Protected areas database, compiled using Headwaters Economics' Economic profile system-human dimensions toolkit version 6.01.
- Copeland, H.E.; Doherty, K.E.; Naugle, D.E.; Poczewicz, A.; Kiesecker, J.M. 2009. Mapping oil and gas development potential in the U.S. Intermountain West and estimating impacts to species. *PLoS One* 4:e7400
- Coues, Elliot. 1965. The journal of Jacob Fowler: narrating an adventure from Arkansas through the Indian Territory, Oklahoma, Kansas, Colorado, and New Mexico to the sources of Rio Grande Del Norte, 1821–1822. Edited with notes by Elliott Coues. Minneapolis, MN: Ross & Haines, Inc. Copyright 1898 by Francis P. Harper.
- Coupal, R.; Taylor, D.T.; McLeod, D. 2002. The cost of community services for rural residential development in Wyoming. Laramie, Wyoming: Wyoming Open Spaces. 4 p.
- Creel, D.; Scott IV, R.F.; Collins, M.B. 1990. A faunal record from west central Texas and its bearing on late Holocene bison population changes in the Southern Plains. *Plains Anthropologist*, 35(127):55–69.
- Crompton, J. 2001. The impact of parks on property values: a review of the empirical literature. *Journal of Leisure Research* 33(1):1–31.
- Cunningham, M.A.; Johnson, D. H. 2006. Proximate and landscape factors influence grassland bird distributions. *Ecological Applications* 16: 1062–1075.
- Daub, B.C. 1993. Effects of marsh area and characteristics on avian diversity and nesting success [master's thesis]. Ann Arbor, MI: University of Michigan. 37 p.
- Dahl, Thomas E. 1990. Wetlands losses in the United States, 1780s to 1980s. Washington, DC: U.S. Department of the Interior, Fish and Wildlife Service.
- Dahl, Thomas E. 2000. Report to Congress on the status and trends of wetlands in the conterminous United States 1986 to 1997. Washington, DC: U.S. Department of the Interior, Fish and Wildlife Service. 82 p.
- Daily, G. 1997. Nature's services. Washington, DC: Island Press.
- Dechant, J.A.; Sondreal, M.L.; Johnson, D.H., et al. 2004. Effects of management practices on grassland birds: American bittern. USGS Northern Prairie Wildlife Research Center. Paper 126. <<http://digitalcommons.unl.edu/usgsnpwrc/126>>
- De Villagra, G.P. 1610. La historia de la Nuevo Mexico. Miguel Encinias and Alfred Rodriguez (translators).

- Albuquerque, NM: University of New Mexico Press. (Edition published 2004.)
- [DMRS] Colorado Division of Reclamation, Mining, and Safety. 2012. Division of Reclamation, Mining, and Safety map. Colorado Department of Natural Resources. Accessed online on February 6, 2012, at <<http://drmsmaps.state.co.us/>>
- Drewien R.C.; Bizeau, E.G. 1974. Status and distribution of greater sandhill cranes in the Rocky Mountains. *Journal of Wildlife Management* 30:720–742.
- Duebbert, H.F.; Lokemoen, J.T. 1977. Upland nesting of American bitterns, marsh hawks, and short-eared owls. Jamestown, ND: U.S. Fish & Wildlife Service, Northern Prairie Wildlife Research Center.
- Dukes, J. S.; Mooney, H.A. 2004. Disruption of ecosystem processes in western North America by invasive species. *Revista Chilena de Historia Natural* 77:411–437.
- Ehrlich, P; Ehrlich, A. 1992. The value of biodiversity: *Ambio* 21(3):219–226.
- Ellis, R. 1996. The Utes in the western San Juan Mountains: their geology, ecology and human history. Blair, Rob; editor. University Press of Colorado.
- Emery, Philip A. [No date.] Hydrogeology of the San Luis Valley, Colorado: an overview—and a look at the future. Report compiled for the National Park Service. Accessed online March 1, 2012, at <<http://www.nps.gov/grsa/naturescience/upload/Trip2023.pdf>>
- Engel, J. B. 2007. Development, status, and viability of the conservation easement as a private land conservation tool in the eastern United States. *Urban Lawyer* 39:19–74.
- [EPA]. U.S. Environmental Protection Agency. 2011. Level III ecoregions of the continental United States. National Health and Environmental Effects Laboratory. Accessed online on January 13, 2012, at <ftp://ftp.epa.gov/wed/ecoregions/us/Eco_Level_III_US.pdf>
- Faanes, C.A. 1981. Birds of the St. Croix River Valley: Minnesota and Wisconsin. Washington, DC: U.S. Fish and Wildlife Service. *North American Fauna* 73. 196 p.
- Freeman, J.; Wunder, L. 1988. Observations at a colony of Brazilian free-tailed bat (*Tadarida brasiliensis*) in southern Colorado. *The Southwestern Naturalist* 33:102–104.
- Galbraith, Kate. 2010. Colorado increases renewables requirements. *New York Times*, March 22, 2010, edition. Accessed online February 29, 2012, at <<http://green.blogs.nytimes.com/2010/03/22/colorado-to-boost-renewables-requirements>>
- Geoghegan, J.; Lynch, L.; Bucholtz, S. 2003. Capitalization of open spaces into housing values and the residential property tax revenue impacts of agricultural easement programs. *Agricultural and Resource Economics Review* 32 (1):33–45.
- Goslee, S.C.; Beck, K.G.; Peters, D.P.C. 2003. Distribution of Russian knapweed in Colorado: climate and environmental factors. *Journal of Range Management* 56:206–212.
- Gunnison Sage-Grouse Rangewide Steering Committee. 2005. Gunnison sage-grouse rangewide conservation plan. Denver, CO: Colorado Division of Wildlife.
- Haas, C.A. 1995. Dispersal and use of corridors by birds in wooded patches on an agricultural landscape. *Conservation Biology* 9:845–854.
- Hanser, S. 2010. Western U.S. wind resource at 50 meters above ground level. Boise, ID: U.S. Geological Survey. Raster data downloaded from <http://sagemap.wr.usgs.gov/wus_50mwind.zip>
- Hart, S.H.; Hulbert, A.B. 2006. The southwestern journals of Zebulon Pike: 1806–1807. Edited by Hart and Hulbert. Albuquerque, NM: University of New Mexico Press.
- Headwaters Economics. 2011. Economic profile system: human dimensions toolkit version 6.01 (EPS-HDT). Accessed online February 27, 2012, at <<http://headwaterseconomics.org/tools/eps-hdt>>
- Hebblewhite, M. 2011. Effects of energy development on ungulates. In: Naugle, D.E. Energy development and wildlife conservation in western North America. Washington, DC: Island Press.
- Hilty, J.A.; Merenlender, A.M. 2004. Use of riparian corridors and vineyards by mammalian predators in Northern California. *Conservation Biology* 18:126–135.
- Hoefler, T. 1999. Archaic stage. In: Colorado prehistory: a context for the Rio Grande basin. By Martorano, Marilyn A.; Hoefler III, Ted; Jodry, Margaret (Pegi) A.; Spero, Vince; Taylor, Melissa L. Colorado Council of Professional Archaeologists. 115–128.
- Jaffe, Mark. 2011. Solar-energy industry taking a shine to San Luis. *Denver Post*, March 6, 2010 edition, accessed online February 29, 2012, at <http://www.denverpost.com/business/ci_17544881>
- Jodry, M.A. 1999a. Paleoindian Stage. In Colorado prehistory: a context for the Rio Grande basin. By Martorano, Marilyn A.; Hoefler III, Ted; Jodry, Margaret (Pegi) A.; Spero, Vince; Taylor, Melissa L. Colorado Council of Professional Archaeologists. 45–114.
- Jodry, M.A. 1999b. Paleoindian stage paleoecological records. In: Colorado prehistory: a context for the Rio Grande basin. By Martorano, Marilyn A.; Hoefler III, Ted; Jodry, Margaret (Pegi) A.; Spero, Vince; Taylor, Melissa L. Colorado Council of Professional Archaeologists. 12–26.
- Jones, B.A. 2000. Archeological overview and assessment for the Alamosa/Monte Vista National Wildlife Refuge Complex, Alamosa, Costilla, and Rio Grande Counties, Colorado. Prepared for the Mountain-Prairie Region, U.S. Fish and Wildlife

- Service by the National Park Service, Midwest Archaeological Center, Lincoln, Nebraska.
- Jordan, N.; Boody, G.; Broussard, W.; Glover, J.; Keeney, D.; McCown, B.; et al. 2007. Sustainable development of the agricultural bio-economy. *Science* 316:1570–1571.
- Karl, R.; Melillo, J.M.; Peterson, T.C. 2009. *Global climate change impacts in the United States*. New York: Cambridge University Press.
- Kessler, R. 1998. *Old Spanish Trail north branch and its travelers*. Santa Fe, NM: Sunstone Press.
- Kingsley, H.E. 1998. *Colorado breeding bird atlas*. Colorado Division of Wildlife. 648 p.
- Knick, S.T.; Rotenberry, J.T. 1995. Characteristics of fragmented shrub-steppe habitats and breeding passerine birds. *Conservation Biology* 9:1059–1071.
- Kroger, T. 2008. *Open space property value premium analysis*. Conservation Economics Program, Defenders of Wildlife. Washington, DC: National Council for Science and the Environment, Wildlife Habitat Policy Research Program.
- Lambeck, R.J. 1997. Focal species: a multi-species umbrella for nature conservation. *Conservation Biology* 11:849–856.
- Laubhan, M.K.; Gammonley, J.H. 2000. Density and foraging habitat selection of waterbirds breeding in the San Luis Valley of Colorado. *Journal of Wildlife Management* 64:808–819.
- Lopez-Tushar, O. 1997. *The people of El Valle: a history of the Spanish colonials in the San Luis Valley*. Pueblo, CO: El Escritorio.
- Loss, S.R.; Terwilliger, L.A.; Peterson, A.C. 2011. Assisted colonization: integrating conservation strategies in the face of climate change. *Biological Conservation* 144:92–100.
- Maestre, F.T.; Quero, J.L.; Gotelli, N.J. [et al.]. 2012. Plant species richness and ecosystem multifunctionality in global drylands. *Science* 335:214–218.
- Martorano, M. 1999a. Post Paleoindian paleoenvironmental studies. In *Colorado prehistory: a context for the Rio Grande basin*. By Martorano, Marilyn A.; Hoefer III, Ted; Jodry, Margaret (Pegi) A.; Spero, Vince; Taylor, Melissa L. Colorado Council of Professional Archaeologists. 27-30.
- Martorano, M. 1999b. Late prehistoric/ceramic Stage. In *Colorado prehistory: A context for the Rio Grande basin*. By Martorano, Marilyn A.; Hoefer III, Ted; Jodry, Margaret (Pegi) A.; Spero, Vince; Taylor, Melissa L. Colorado Council of Professional Archaeologists. 129–137.
- Martorano, M. 1999c. Protohistoric stage. In *Colorado prehistory: A context for the Rio Grande basin*. By Martorano, Marilyn A.; Hoefer III, Ted; Jodry, Margaret (Pegi) A.; Spero, Vince; Taylor, Melissa L. Colorado Council of Professional Archaeologists. 138–145.
- Mayo, A.L.; Davey, A.; Christiesansen, D. 2006. Ground-water flow patterns in the San Luis Valley, Colorado, USA revisited: an evaluation of solute and isotope data. *Hydrogeology Journal*.
- McCalpin, J.P. 1996. General geology of the northeast San Luis Valley, Colorado. In: Geological Society of America—Colorado Geological Survey Field Trip Guidebook: Geologic Excursions to the Rocky Mountains and Beyond. Denver, CO: Geological Society of America Annual Meeting, October 1996.
- McConnell, V.; Walls, M. 2005. The value of open space: evidence from studies of nonmarket benefits. Washington, DC: Resources for the Future, 79 p.
- Merenlender, A.M.; Huntsinger, L.; Guthey, G., Fairfax, S.K. 2004. Land trusts and conservation easements: who is conserving what for whom? *Conservation Biology* 18:65–75.
- Middleton, D.S. 1949. Close proximity of two nests of American bitterns. *Wilson Bulletin* 61:113.
- Millennium Ecosystem Service Assessment. 2005. *Ecosystems and human well-being: synthesis Report*. Washington, DC: Island Press.
- National Renewable Energy Laboratory. 2007a. Concentration solar resource of the southwest United States. Washington, DC: U.S. Department of Energy. Accessed online February 29, 2012, at <http://www.nrel.gov/csp/pdfs/csp_sw.pdf>
- National Renewable Energy Laboratory. 2007b. Photovoltaic solar resource of the United States. Washington, DC: U.S. Department of Energy. Accessed online February 29, 2012, at <http://www.nrel.gov/gis/images/map_pv_national_lores.jpg>
- [NASA] National Aeronautics and Space Administration. 2006. MODIS land cover type. Compiled using Headwaters Economics Economic profile system-human dimensions toolkit version 6.01
- National Park Service. 2011. *San Luis Valley and Central Sangre de Cristo Mountains: reconnaissance survey report (draft)*. Denver: Intermountain Regional Office.
- Naugle, D.E.; Doherty, K.E.; Walker, B.L.; Copeland, H.E.; Holloran, M.J.; Tack, J.D. 2011. Sage-grouse and cumulative impacts of energy development. In: Naugle, D.E. *Energy development and wildlife conservation in western North America*. Washington, DC: Island Press.
- Netusil, N.R.; Boyd, E.; Griffen, Z.V.; LaMerrill, M.; Rainsberger, E. 2000. Can open space be self-financing? *Choices* 15(2):21–23.
- New Mexico Taxation and Revenue Department. 2011. Regulations pertaining to the property tax code, Sections 7-35-1 to 7-28-93 NMSA 1978. Accessed online March, 6, 2012, at <<http://www.tax.newmexico.gov/SiteCollectionDocuments/Tax-Library/Statutes-and-Department-Directives/>>

- Recent-Regulation-Changes/Property_Tax_Code.pdf>
- Nhancale, B.A.; Smith, R.J. 2011. The influence of planning unit characteristics on the efficiency and spatial pattern of systematic conservation planning assessments. *Biodiversity Conservation* 20:1821–1835.
- [NRCS] Natural Resources Conservation Service. 2012. Working lands for wildlife. Accessed online March 11, 2012, at <<http://www.fws.gov/workinglandsforwildlife.html>>
- NRCS. 2012. Plants database. Accessed online February 29, 2012, at <http://plants.usda.gov/adv_search.html>
- National Weather Service. 2012. Alamosa, Colorado climate normals (1971–2000). Accessed online January 17, 2012, at <<http://www.crh.noaa.gov/pub/?n=/climate/cli/alamosa.php>>
- Oyler-McCance, S.J.; Burnham, K.P.; and Braun, C.E. 2001. Influence of changes in sagebrush on Gunnison sage-grouse in southwestern Colorado. *The Southwestern Naturalist* 46:323–331.
- Paxton, E.H. 2000. Molecular genetic structuring and demographic history of the willow flycatcher (*Empidonax traillii*) [masters thesis]. Flagstaff, AZ: Northern Arizona University.
- Pennington, D.N.; Hansel, J.; and Blair, R.B. 2008. The conservation value of urban riparian areas for landbirds during spring migration: landcover, scale, and vegetation effects. *Biological Conservation* 141:1235–1248.
- Phillips, S. 2000. Windfalls for wilderness: Land protection and land value in the Green Mountains. In McCool, S.F.; Cole, D.N.; Borrie, W.T.; O'Loughlin, J. *Wilderness science in a time of change conference*. In: *Wilderness in the context of larger systems*, Missoula, Montana, May 23–27, 1999. Proceedings RMRS-P-15-VOL-2:258–267. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Pitkin, M.; Quattrini, L. 2010. Pocket guide to sagebrush birds. Brighton, CO: Rocky Mountain Bird Observatory; Petaluma, CA: Point Reyes Bird Observatory.
- Preuss, C. 1958. *Exploring with Fremont*. Gudde, Erwin G.; Gudde, Elisabeth K., translators and editors. Norman, OK: University of Oklahoma Press.
- Rantalainen, M.L.; Fritze, H.; Haimi, J.; Pennanen, T.; Setälä, H. 2005. Species richness and food web structure of soil decomposer community as affected by the size of habitat fragmentation and habitat corridors. *Global Change Biology* 11:1614–1627.
- Ray, A.; Barsugli, J.; Ayert, K.; Wolter, K.; Hoerling, M.; Doesken, N.; Udall, B.; Webb, R. 2008. Climate change in Colorado: a synthesis to support water resources management and adaptation. *Intermountain West Climate Summary* 4:2-4.
- Reed, Alan D. 1994. The Numic occupation of western Colorado and eastern Utah during the prehistoric and protohistoric periods. In: Madsen, D.B.; Rohde, D., editors. *Across the West: human population movement and the expansion of the Numa*. Salt Lake City, UT: University of Utah Press. 188–199.
- Rees, D.E.; Carr, R.J.; and Miller, W.J. 2005. Rio Grande chub (*Gila pandora*): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region. Accessed online January 31, 2012, at <<http://www.fs.fed.us/r2/projects/scp/assessments/riograndechub.pdf>>
- Rees, D.E.; Miller, W.J. 2005. Rio Grande sucker (*Catostomus plebeius*): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region. Accessed online January 31, 2012, at <<http://www.fs.fed.us/r2/projects/scp/assessments/riograndesucker.pdf>>
- Renaud, E.B. 1942. Reconnaissance work in the Upper Rio Grande Valley: Colorado and New Mexico. Department of Anthropology Archaeological Series: third paper. Denver, CO: University of Denver.
- Reynolds, R.; Shaffer, T.; Renner, R.; Newton, W.; Batt, B. 2001. Impact of the Conservation Reserve Program on duck recruitment in the U.S. Prairie Pothole region. *Journal of Wildlife Management* 65(4):765–780.
- RGCT Conservation Team. 2009. Conservation agreement for Rio Grande cutthroat trout (*Oncorhynchus clarkia virginalis*) in the States of Colorado and New Mexico. Fort Collins, CO: Colorado Division of Wildlife. 24 p.
- Rio Grande Water Conservation District. 2012. The Closed Basin project. Accessed online March 7, 2012., at <<http://www.rgwcd.org/page21.html>>
- Richmond, P.J. 1990. *Trail to disaster*. Denver, CO: Colorado Historical Society.
- Riffell, S.K.; Keas, B.E.; Burton, T.M. 2001. Area and habitat relationships of birds in Great Lakes coastal wet meadows. *Wetlands* 21:492–507.
- Ripple, W.J.; Beschta, R.L. 2012. Trophic cascades in Yellowstone: the first 15 years after wolf reintroduction. *Biological Conservation* 145:205–213.
- Rissman, A.; Lozier, L.; Comendant, T.; Kareiva, P.; Kiesecker, J.; Shaw, M.; et al. 2007. Conservation easements: biodiversity protection and private use. *Conservation Biology* 21(3). 709–718.
- Robson, S.; Banta, E. 1995. *Ground water atlas of the United States—Arizona, Colorado, New Mexico, Utah: Rio Grande Aquifer System*. U.S. Geological Survey.
- Rocchio, Joe. 2005. Intermountain basins playa ecological system: ecological integrity assessment. Fort Collins, CO: Colorado Natural Heritage Program, Colorado State University.
- Rowland, M.M.; Wisdom, M.J.; Suring, L.H.; Meinke, C.W. 2006. Greater sage-grouse as an umbrella

- species for sagebrush-associated vertebrates. *Biological Conservation* 129:323–335.
- Saguache County. 2008. Accessed online March 1, 2012 at <<http://saguache.org>>
- Sanchez, J.P. 1997. Explorers, traders, and slavers: forging the Old Spanish Trail, 1678–1850. Salt Lake City: University of Utah Press.
- Sanford, A.B. 1933. Recollections of a trip to the San Luis Valley in 1877. In: *Western voices: 125 years of Colorado writing*. 2004. Grinstead, S.; Fogelberg, B., editors. Colorado Historical Society. Golden, CO: Fulcrum Publishing.
- Sangre de Cristo National Heritage Area. 2012. Hispano culture, folklore, religion, and language. Accessed online March 6, 2012 at <<http://sdcnha.org/js/hispano-culture-sdcnha.html>>
- Schroeder, M.A.; Aldridge, C.L.; Apa, A.D.; Bohne, J.R.; Braun, C.E.; Bunnell, S.D.; Connelly, J.W.; Deibert, P.A.; Gardner, S.C.; Hilliard, M.A.; Kobriger, G.D.; McAdam, S.M.; McCarthy, C.W.; McCarthy, J.J.; Mitchell, D.L.; Rickerson, E.V.; Stiver, S.J. 2004. Distribution of sage-grouse in North America. *Condor* 106:363–376.
- Shepherd, B.; Whittington, J. 2006. Response of wolves to corridor restoration and human use management. *Ecology and Society* 11:1. Available at <<http://www.ecologyandsociety.org/vol11/iss2/art1/>>
- Siebenthal, C.E. 1910. Geology and water resources of the San Luis Valley. United States Geological Survey Water-Supply Paper 240. Washington, DC: Government Printing Office.
- Simmons, V.M. 1999. *The San Luis Valley: land of the six-armed cross*, second edition. Boulder, CO: University Press of Colorado.
- Stoller, M.L.; Steele, T.J. 1982. *Diary of the Jesuit residence of Our Lady of Guadalupe Parish, Conejos, Colorado: December 1871–December 1875*. Edited and annotated by Stoller and Steele, translated by Jose B. Fernandez. The Colorado College Studies, Number Nineteen. Colorado Springs, CO: The Colorado College.
- Taylor, D.T.; Coupal, R.H. 2000. *The cost of rural community services in Laramie, Wyoming*. Laramie, WY: University of Wyoming, Department of Agricultural and Applied Economics.
- Telleria, J. L.; Santos, T. 1995. Effects of forest fragmentation on a guild of wintering passerines: the role of habitat selection. *Biological Conservation* 71:61–67.
- The Center for Grant Studies. 2003. Accessed online March 17, 2012, <<http://www.southwestbooks.org/sangredecristo.htm>>
- The New York Times. 1898. Up the Rio Grande in 1821: Jacob Fowler's quaint and interesting journal of the trip. June 18, 1898.
- The Pueblo Chieftan. 2009. Taylor Ranch owners appeal court's handling of access proceedings. September 12, 2009. Accessed online on March 17, 2012, <http://www.chieftain.com/news/local/article_3a47173d-a18f-5af5-9ad7-545ff94a6a7c.html>
- The Republican Publishing Company. 1884. *Immigrants' guide to the great San Luis Park: Where can be had the best farming lands in the world*. Denver, CO: The Republican Publishing Company.
- Thorsnes, P. 2002. The value of a suburban forest preserve: estimates from sales of vacant residential building lots. *Land Economics* (78)3:426–441.
- Town of Crestone Colorado. [No date]. Accessed online March 1, 2012, <http://townofcrestone.org/crestone_history.shtml>
- Tremblay, Marie A. 2001. Modeling and management of potential movement for elk (*Cervus elaphus*), bighorn sheep (*Ovis canadensis*) and grizzly bear (*Ursus arctos*) in the Radium Hot Springs area, British Columbia. Davis, California: Road Ecology Center, University of California, Davis. Accessed online October 20, 2011 at <<http://escholarship.org/uc/item/1vt0p0h8>>
- [TNC]. The Nature Conservancy. 2008. *The Great Sand Dunes project: measures of conservation success—project summary*. Boulder, CO: The Nature Conservancy.
- Ubbelodhe, C.; Benson, M.; Smith, D.A. 2001. *A Colorado history*. Boulder, CO: Pruett Publishing Company.
- University of New Mexico. 2002. *Projected population: New Mexico Counties 2000 to 2030*. Bureau of Business and Economic Research. Accessed online February 29, 2012 at <http://www.epa.gov/ttn/naaqs/ozone/areas/pop/popp_nm.htm>
- Urban Institute and Brookings Institution. 2008. *State and local tax policy: what are the sources of revenue for local governments?* Washington, DC: Tax Policy Center. Accessed online July 18, 2011, at <http://www.taxpolicycenter.org/briefing-book/state-local/revenues/local_revenue.cfm>
- U.S. Census Bureau. 2010a. *American factfinder*: Washington, DC: U.S. Census Bureau. Accessed online February 28, 2012 at <<http://factfinder2.census.gov/main.html>>
- U.S. Census Bureau. 2010b. *State and county quickfacts*. Washington, DC: U.S. Census Bureau. Accessed online February 28, 2012 at <<http://quickfacts.census.gov/qfd/index.html>>
- U.S. Department of Agriculture. 2009. *Census of agriculture, Table 8*. Washington, DC: National Agricultural Statistics Service. Compiled using Headwaters Economics Economic profile system-human dimensions toolkit version 6.01.
- U.S. Department of Commerce. 2009. *Regional economic information system, Table CA25N*. Washington, DC: Bureau of Economic Analysis. Accessed online February 28, 2012, at <<http://www.bea.gov/regional/reis>>

- U.S. Department of Commerce. 2010a. Regional Economic Information System, Table CA25N and CA25N. Washington, DC: Bureau of Economic Analysis. Compiled using Headwaters Economics Economic profile system-human dimensions toolkit version 6.01.
- U.S. Department of Commerce. 2010b. County business patterns. Washington, DC: Census Bureau. Compiled using Headwaters Economics Economic profile system-human dimensions toolkit version 6.01.
- U.S. Department of Energy. 2011. Department of Energy finalizes \$90.6 million loan guarantee to Cogentrix of Alamosa, LLC to support Colorado solar project. Washington, DC: U.S. Department of Energy. Accessed online February 29, 2012, at <<http://energy.gov/articles/department-energy-finalizes-906-million-loan-guarantee-cogentrix-alamosa-llc-support>>
- [USFWS] U.S. Fish & Wildlife Service. 2002. Southwestern willow flycatcher recovery plan. Albuquerque, NM: U.S. Fish and Wildlife Service. Appendices A-O. 210 p.
- USFWS. 2005. Baca National Wildlife Refuge conceptual management plan. Lakewood, CO: U.S. Fish and Wildlife Service, Region 6.
- USFWS. 2008. 2006 national survey of fishing, hunting, and wildlife-associated recreation. Washington, DC: U.S. Fish and Wildlife Service and U.S. Census Bureau. 164 p.
- USFWS. 2010a. Preliminary project proposal: San Luis Valley Conservation Area. Submitted by San Luis Valley National Wildlife Complex, Alamosa, Colorado.
- USFWS. 2010b. Rising to the urgent challenge: strategic plan for responding to accelerating climate change.
- USFWS. 2012. Draft Baca National Wildlife Refuge water resource inventory and assessment. Lakewood, CO: U.S. Fish and Wildlife Service, Region 6.
- USFWS. 2011. Environmental assessment of proposed oil and gas exploration, Baca National Wildlife Refuge, Saguache County, Colorado. Lakewood, CO: U.S. Fish and Wildlife Service, Region 6.
- [USGS] U.S. Geological Survey. 2012. Nonindigenous aquatic species HUC-6 query (Rio Grande Headwaters). Accessed online January 31, 2012, at <<http://nas.er.usgs.gov/queries/SpeciesList.aspx?Group=&Status=0&FMB=0&pathway=0&Sortby=1&Size=50&HUCNumber=130100>>
- USGS. 2010. Landfire 1.1.0. Existing vegetation type layer. U.S. Department of the Interior, U.S. Geological Survey. Accessed online at <<http://landfire.cr.usgs.gov/viewer>>
- Vrooman, D. 1978. An empirical analysis of determinants of land values in the Adirondack Park. *American Journal of Economics and Sociology* 37(2) 165–177.
- Watkins, T.; Belcher, J.; Gries, R.; Longacre, M. 1995. The surprising discovery of oil and Mesozoic sediments in the San Luis Basin, Saguache County, Colorado. *Colorado Scientific Society Abstracts*. Accessed online October 20, 2011, at <<http://www.coloscisoc.org/abstracts/abstracts95.html>>
- Weber, M.J.; Vohs, P.A., Jr.; Flake, L.D. 1982. Use of prairie wetlands by selected bird species in South Dakota. *The Wilson Bulletin* 94:550–554.
- Weins, J. A.; J. T. Rotenberry. 1981. Habitat associations and community structure of birds in shrub steppe environments. *Ecological Monographs* 51:21–41.
- Williams, M.I.; Paige, G.B.; Thurow, T.L.; Hild, A.L.; Gerow, K.J. 2011. Songbird relationships to shrub-steppe ecological site characteristics. *Rangeland Ecology and Management* 64:109–118.
- Wockner, G.; Boone, R.; Schoenecker, K.; Zeigenfuss, L. 2010. The Great Sand Dunes ecosystem elk and bison carrying capacity model: description and scenario results. Fort Collins, CO: Natural Resource Ecology Laboratory, Colorado State University, and U.S. Geological Survey, Biological Resources Division.
- Wyckoff, W. 1999. *Creating Colorado: the making of a western American landscape, 1860–1940*. New Haven, CT: Yale University Press, New Haven.

Appendix A

List of Preparers and Reviewers

<i>Author's Name</i>	<i>Position</i>	<i>Work Unit</i>
Mike Blenden	Project Leader	USFWS, San Luis Valley NWR Complex, Alamosa, CO
Mike Dixon	Land Protection Planner	USFWS, Region 6, Planning Division, Lakewood, CO
Mark Ely	Geographic Information Systems (GIS) Specialist	USFWS, Region 6, Planning Division, Lakewood, CO
Meg Estep	Chief, Water Resources	USFWS, Region 6, Water Resources Division, Lakewood, CO
Lynne Koontz	Economist	USGS, Fort Collins Science Center, Policy and Science Analysis Assistance, Fort Collins, CO
Erik Larsen	Student Intern	USGS, Fort Collins Science Center, Policy and Science Analysis Assistance, Fort Collins, CO
Leslie Richardson	Economist	USGS, Fort Collins Science Center, Policy and Science Analysis Assistance, Fort Collins, CO
Catherine M. Cullinane Thomas	Economist	USGS, Fort Collins Science Center, Policy and Science Analysis Assistance, Fort Collins, CO
Meg Van Ness	Regional Archaeologist	USFWS, Region 6, Archaeology Division, Alamosa, CO

<i>Reviewer's Name</i>	<i>Position</i>	<i>Work Unit</i>
David Lucas	Chief, Refuge Planning	USFWS, Region 6, Planning Division, Lakewood, CO
Brooke McDonald	Writer/Editor	North State Resources, Inc., Redding, CA
Kathryn McDonald	Managing Writer/Editor	North State Resources, Inc., Redding, CA
Sue Oliveira	Chief, Realty	USFWS, Region 6, Planning Division, Lakewood, CO
Laurie Shannon	Conservation Planner	USFWS, Region 6, Planning Division, Lakewood, CO

Appendix B

Species List of the San Luis Valley Conservation Area

Sources: Colorado Natural Diversity Information Source (NDIS), SLV Refuge Complex Species List, USGS Nonindigenous Aquatic Species Database, NRCS Plants Database

* Non-native (Due to the number of plant species in the project area, introduced plants are not indicated)

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
Birds		
<i>Recurvirostra americana</i>	American Avocet	
<i>Botaurus lentiginosus</i>	American Bittern	
<i>Fulica americana</i>	American Coot	
<i>Corvus brachyrhynchos</i>	American Crow	
<i>Cinclus mexicanus</i>	American Dipper	
<i>Carduelis tristis</i>	American Goldfinch	
<i>Pluvialis dominica</i>	American Golden Plover	
<i>Falco sparverius</i>	American Kestrel	
<i>Falco peregrinus anatum</i>	American Peregrine Falcon	
<i>Anthus rubescens</i>	American Pipit	
<i>Turdus migratorius</i>	American Robin	
<i>Spizella arborea</i>	American Tree Sparrow	
<i>Pelecanus erythrorhynchos</i>	American White Pelican	
<i>Anas americana</i>	American Wigeon	
<i>Calypte anna</i>	Anna's Hummingbird	
<i>Gavia arctica</i>	Arctic Loon	
<i>Myiarchus cinerascens</i>	Ash-throated Flycatcher	
<i>Calidris bairdii</i>	Baird's Sandpiper	
<i>Haliaeetus leucocephalus</i>	Bald Eagle	SC
<i>Columba fasciata</i>	Band-tailed Pigeon	
<i>Riparia riparia</i>	Bank Swallow	
<i>Tyto alba</i>	Barn Owl	
<i>Hirundo rustica</i>	Barn Swallow	
<i>Bucephala islandica</i>	Barrow's Goldeneye	
<i>Ceryle alcyon</i>	Belted Kingfisher	
<i>Thryomanes bewickii</i>	Bewick's Wren	
<i>Sayornis nigricans</i>	Black Phoebe	
<i>Leucosticte atrata</i>	Black Rosy Finch	
<i>Cypseloides niger</i>	Black Swift	
<i>Chlidonias niger</i>	Black Tern	
<i>Mniotilta varia</i>	Black-and-white Warbler	
<i>Pluvialis squatarola</i>	Black-bellied Plover	
<i>Pica pica</i>	Black-billed Magpie	
<i>Poecile atricapillus</i>	Black-capped Chickadee	
<i>Archilochus alexandri</i>	Black-chinned Hummingbird	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Nycticorax nycticorax</i>	Black-crowned Night-Heron	
<i>Pheucticus melanocephalus</i>	Black-headed Grosbeak	
<i>Himantopus mexicanus</i>	Black-necked Stilt	
<i>Dendroica striata</i>	Blackpoll Warbler	
<i>Dendroica caerulescens</i>	Black-throated Blue Warbler	
<i>Dendroica nigrescens</i>	Black-throated Gray Warbler	
<i>Amphispiza bilineata</i>	Black-throated Sparrow	
<i>Guiraca caerulea</i>	Blue Grosbeak	
<i>Dendragapus obscurus</i>	Blue Grouse	
<i>Cyanocitta cristata</i>	Blue Jay	
<i>Poliophtila caerulea</i>	Blue-gray Gnatcatcher	
<i>Anas discors</i>	Blue-winged Teal	
<i>Dolichonyx oryzivorus</i>	Bobolink	
<i>Bombycilla garrulus</i>	Bohemian Waxwing	
<i>Larus philadelphia</i>	Bonaparte's Gull	
<i>Aegolius funereus</i>	Boreal Owl	
<i>Euphagus cyanocephalus</i>	Brewer's Blackbird	
<i>Spizella breweri</i>	Brewer's Sparrow	
<i>Selasphorus platycercus</i>	Broad-tailed Hummingbird	
<i>Certhia americana</i>	Brown Creeper	
<i>Toxostoma rufum</i>	Brown Thrasher	
<i>Leucosticte australis</i>	Brown-capped Rosy Finch	
<i>Molothrus ater</i>	Brown-headed Cowbird	
<i>Bucephala albeola</i>	Bufflehead	
<i>Icterus bullockii</i>	Bullock's Oriole	
<i>Athene cunicularia</i>	Burrowing Owl	ST
<i>Psaltriparus minimus</i>	Bushtit	
<i>Branta hutchinsii</i>	Cackling Goose	
<i>Larus californicus</i>	California Gull	
<i>Stellula calliope</i>	Calliope Hummingbird	
<i>Branta canadensis</i>	Canada Goose	
<i>Aythya valisineria</i>	Canvasback	
<i>Pipilo fuscus</i>	Canyon Towhee	
<i>Catherpes mexicanus</i>	Canyon Wren	
<i>Hydroprogne caspia</i>	Caspian Tern	
<i>Carpodacus cassinii</i>	Cassin's Finch	
<i>Tyrannus vociferans</i>	Cassin's Kingbird	
<i>Aimophila cassinii</i>	Cassin's Sparrow	
<i>Bubulcus ibis</i>	Cattle Egret	
<i>Bombycilla cedrorum</i>	Cedar Waxwing	
<i>Dendroica pensylvanica</i>	Chestnut-sided Warbler	
<i>Corvus cryptoleucus</i>	Chihuahuan Raven	
<i>Spizella passerina</i>	Chipping Sparrow	
<i>Anas cyanoptera</i>	Cinnamon Teal	
<i>Aechmophorus clarkii</i>	Clark's Grebe	
<i>Nucifraga columbiana</i>	Clark's Nutcracker	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Spizella pallida</i>	Clay-colored Sparrow	
<i>Petrochelidon pyrrhonota</i>	Cliff Swallow	
<i>Bucephala clangula</i>	Common Goldeneye	
<i>Quiscalus quiscula</i>	Common Grackle	
<i>Gavia immer</i>	Common Loon	
<i>Mergus merganser</i>	Common Merganser	
<i>Chordeiles minor</i>	Common Nighthawk	
<i>Phalaenoptilus nuttallii</i>	Common Poorwill	
<i>Corvus corax</i>	Common Raven	
<i>Carduelis flammea</i>	Common Redpoll	
<i>Gallinago gallinago</i>	Common Snipe	
<i>Sterna hirundo</i>	Common Tern	
<i>Geothlypis trichas</i>	Common Yellowthroat	
<i>Accipiter cooperii</i>	Cooper's Hawk	
<i>Empidonax occidentalis</i>	Cordilleran Flycatcher	
<i>Junco hyemalis</i>	Dark-eyed Junco	
<i>Spiza americana</i>	Dickcissel	
<i>Phalacrocorax auritus</i>	Double-crested Cormorant	
<i>Picoides pubescens</i>	Downy Woodpecker	
<i>Empidonax oberholseri</i>	Dusky Flycatcher	
<i>Dendragapus obscurus</i>	Dusky Grouse	
<i>Podiceps nigricollis</i>	Eared Grebe	
<i>Tyrannus tyrannus</i>	Eastern Kingbird	
<i>Streptopelia decaocto</i>	Eurasian Collared-Dove*	
<i>Sturnus vulgaris</i>	European Starling*	
<i>Coccothraustes vespertinus</i>	Evening Grosbeak	
<i>Buteo regalis</i>	Ferruginous Hawk	SC
<i>Otus flammeolus</i>	Flammulated Owl	
<i>Sterna forsteri</i>	Forster's Tern	
<i>Passerella iliaca</i>	Fox Sparrow	
<i>Larus pipixcan</i>	Franklin's Gull	
<i>Anas strepera</i>	Gadwall	
<i>Callipepla gambelii</i>	Gambel's Quail	
<i>Larus glaucescens</i>	Glaucous-winged Gull	
<i>Aquila chrysaetos</i>	Golden Eagle	
<i>Regulus satrapa</i>	Golden-crowned Kinglet	
<i>Dendroica graciae</i>	Grace's Warbler	
<i>Ammodramus savannarum</i>	Grasshopper Sparrow	
<i>Dumetella carolinensis</i>	Gray Catbird	
<i>Empidonax wrightii</i>	Gray Flycatcher	
<i>Perisoreus canadensis</i>	Gray Jay	
<i>Leucosticte tephrocotis</i>	Gray-crowned Rosy Finch	
<i>Ardea herodias</i>	Great Blue Heron	
<i>Ardea alba</i>	Great Egret	
<i>Bubo virginianus</i>	Great Horned Owl	
<i>Geococcyx californianus</i>	Greater Roadrunner	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Grus canadensis tabida</i>	Greater Sandhill Crane	SC
<i>Aythya marila</i>	Greater Scaup	
<i>Anser albifrons</i>	Greater White-fronted Goose	
<i>Tringa melanoleuca</i>	Greater Yellowlegs	
<i>Quiscalus mexicanus</i>	Great-tailed Grackle	
<i>Butorides virescens</i>	Green Heron	
<i>Pipilo chlorurus</i>	Green-tailed Towhee	
<i>Anas crecca</i>	Green-winged Teal	
<i>Centrocercus minimus</i>	Gunnison Sage Grouse	SC
<i>Picoides villosus</i>	Hairy Woodpecker	
<i>Empidonax hammondi</i>	Hammond's Flycatcher	
<i>Zonotrichia querula</i>	Harris' Sparrow	
<i>Catharus guttatus</i>	Hermit Thrush	
<i>Larus argentatus</i>	Herring Gull	
<i>Lophodytes cucullatus</i>	Hooded Merganser	
<i>Podiceps auritus</i>	Horned Grebe	
<i>Eremophila alpestris</i>	Horned Lark	
<i>Carpodacus mexicanus</i>	House Finch	
<i>Passer domesticus</i>	House Sparrow*	
<i>Troglodytes aedon</i>	House Wren	
<i>Passerina cyanea</i>	Indigo Bunting	
<i>Baeolophus griseus</i>	Juniper Titmouse	
<i>Charadrius vociferus</i>	Killdeer	
<i>Calcarius lapponicus</i>	Lapland Longspur	
<i>Calamospiza melanocorys</i>	Lark Bunting	
<i>Chondestes grammacus</i>	Lark Sparrow	
<i>Passerina amoena</i>	Lazuli Bunting	
<i>Ixobrychus exilis</i>	Least Bittern	
<i>Empidonax minimus</i>	Least Flycatcher	
<i>Calidris minutilla</i>	Least Sandpiper	
<i>Sternula antillarum</i>	Least Tern	FE, SE
<i>Carduelis psaltria</i>	Lesser Goldfinch	
<i>Aythya affinis</i>	Lesser Scaup	
<i>Tringa flavipes</i>	Lesser Yellowlegs	
<i>Melanerpes lewis</i>	Lewis' Woodpecker	
<i>Melospiza lincolni</i>	Lincoln's Sparrow	
<i>Egretta caerulea</i>	Little Blue Heron	
<i>Lanius ludovicianus</i>	Loggerhead Shrike	
<i>Numenius americanus</i>	Long-billed Curlew	SC
<i>Limnodromus scolopaceus</i>	Long-billed Dowitcher	
<i>Asio otus</i>	Long-eared Owl	
<i>Oporornis tolmiei</i>	MacGillivray's Warbler	
<i>Eugenes fulgens</i>	Magnificent Hummingbird	
<i>Anas platyrhynchos</i>	Mallard	
<i>Limosa fedoa</i>	Marbled Godwit	
<i>Cistothorus palustris</i>	Marsh Wren	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Falco columbarius</i>	Merlin	
<i>Strix occidentalis lucida</i>	Mexican Spotted Owl	FT, ST
<i>Sialia currucoides</i>	Mountain Bluebird	
<i>Poecile gambeli</i>	Mountain Chickadee	
<i>Charadrius montanus</i>	Mountain Plover	SC
<i>Zenaida macroura</i>	Mourning Dove	
<i>Vermivora ruficapilla</i>	Nashville Warbler	
<i>Cardinalis cardinalis</i>	Northern Cardinal	
<i>Colaptes auratus</i>	Northern Flicker	
<i>Accipiter gentilis</i>	Northern Goshawk	
<i>Circus cyaneus</i>	Northern Harrier	
<i>Mimus polyglottos</i>	Northern Mockingbird	
<i>Parula americana</i>	Northern Parula	
<i>Anas acuta</i>	Northern Pintail	
<i>Glaucidium gnoma</i>	Northern Pygmy-Owl	
<i>Stelgidopteryx serripennis</i>	Northern Rough-winged Swallow	
<i>Aegolius acadicus</i>	Northern Saw-whet Owl	
<i>Anas clypeata</i>	Northern Shoveler	
<i>Lanius excubitor</i>	Northern Shrike	
<i>Seiurus noveboracensis</i>	Northern Waterthrush	
<i>Contopus cooperi</i>	Olive-sided Flycatcher	
<i>Vermivora celata</i>	Orange-crowned Warbler	
<i>Pandion haliaetus</i>	Osprey	
<i>Seiurus aurocapillus</i>	Ovenbird	
<i>Gavia pacifica</i>	Pacific Loon	
<i>Calidris melanotos</i>	Pectoral Sandpiper	
<i>Falco peregrinus</i>	Peregrine Falcon	SC
<i>Podilymbus podiceps</i>	Pied-billed Grebe	
<i>Pinicola enucleator</i>	Pine Grosbeak	
<i>Carduelis pinus</i>	Pine Siskin	
<i>Gymnorhinus cyanocephalus</i>	Pinyon Jay	
<i>Vireo plumbeus</i>	Plumbeous Vireo	
<i>Falco mexicanus</i>	Prairie Falcon	
<i>Porphyrio martinica</i>	Purple Gallinule	
<i>Progne subis</i>	Purple Martin	
<i>Sitta pygmaea</i>	Pygmy Nuthatch	
<i>Loxia curvirostra</i>	Red Crossbill	
<i>Mergus serrator</i>	Red-breasted Merganser	
<i>Sitta canadensis</i>	Red-breasted Nuthatch	
<i>Vireo olivaceus</i>	Red-eyed Vireo	
<i>Aythya americana</i>	Redhead	
<i>Melanerpes erythrocephalus</i>	Red-headed Woodpecker	
<i>Sphyrapicus nuchalis</i>	Red-naped Sapsucker	
<i>Phalaropus lobatus</i>	Red-necked Phalarope	
<i>Buteo jamaicensis</i>	Red-tailed Hawk	
<i>Agelaius phoeniceus</i>	Red-winged Blackbird	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Larus delawarensis</i>	Ring-billed Gull	
<i>Aythya collaris</i>	Ring-necked Duck	
<i>Phasianus colchicus</i>	Ring-necked Pheasant*	
<i>Columba livia</i>	Rock Pigeon*	
<i>Salpinctes obsoletus</i>	Rock Wren	
<i>Pheucticus ludovicianus</i>	Rose-breasted Grosbeak	
<i>Chen rossii</i>	Ross' Goose	
<i>Buteo lagopus</i>	Rough-legged Hawk	
<i>Regulus calendula</i>	Ruby-crowned Kinglet	
<i>Oxyura jamaicensis</i>	Ruddy Duck	
<i>Selasphorus rufus</i>	Rufous Hummingbird	
<i>Aimophila ruficeps</i>	Rufous-crowned Sparrow	
<i>Xema sabini</i>	Sabine's Gull	
<i>Centrocercus urophasianus</i>	Sage Grouse	
<i>Amphispiza belli</i>	Sage Sparrow	
<i>Oreoscoptes montanus</i>	Sage Thrasher	
<i>Calidris alba</i>	Sanderling	
<i>Grus canadensis</i>	Sandhill Crane	
<i>Passerculus sandwichensis</i>	Savannah Sparrow	
<i>Sayornis saya</i>	Say's Phoebe	
<i>Tyrannus forficatus</i>	Scissor-tailed Flycatcher	
<i>Cistothorus platensis</i>	Sedge Wren	
<i>Charadrius semipalmatus</i>	Semipalmated Plover	
<i>Calidris pusilla</i>	Semipalmated Sandpiper	
<i>Accipiter striatus</i>	Sharp-shinned Hawk	
<i>Limnodromus griseus</i>	Short-billed Dowitcher	
<i>Asio flammeus</i>	Short-eared Owl	
<i>Chen caerulescens</i>	Snow Goose	
<i>Egretta thula</i>	Snowy Egret	
<i>Charadrius alexandrinus</i>	Snowy Plover	SC
<i>Tringa solitaria</i>	Solitary Sandpiper	
<i>Melospiza melodia</i>	Song Sparrow	
<i>Porzana carolina</i>	Sora	
<i>Empidonax traillii extimus</i>	Southwestern Willow Flycatcher	FE, SE
<i>Strix occidentalis</i>	Spotted Owl	
<i>Actitis macularia</i>	Spotted Sandpiper	
<i>Pipilo maculatus</i>	Spotted Towhee	
<i>Cyanocitta stelleri</i>	Steller's Jay	
<i>Calidris himantopus</i>	Stilt Sandpiper	
<i>Melanitta perspicillata</i>	Surf Scoter	
<i>Piranga rubra</i>	Summer Tanager	
<i>Buteo swainsoni</i>	Swainson's Hawk	
<i>Catharus ustulatus</i>	Swainson's Thrush	
<i>Melospiza georgiana</i>	Swamp Sparrow	
<i>Vermivora peregrina</i>	Tennessee Warbler	
<i>Picoides tridactylus</i>	Three-toed Woodpecker	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Myadestes townsendi</i>	Townsend's Solitaire	
<i>Dendroica townsendi</i>	Townsend's Warbler	
<i>Tachycineta bicolor</i>	Tree Swallow	
<i>Cygnus columbianus</i>	Tundra Swan	
<i>Cathartes aura</i>	Turkey Vulture	
<i>Ixoreus naevius</i>	Varied Thrush	
<i>Catharus fuscescens</i>	Veery	
<i>Pyrocephalus rubinus</i>	Vermilion Flycatcher	
<i>Poocetes gramineus</i>	Vesper Sparrow	
<i>Tachycineta thalassina</i>	Violet-green Swallow	
<i>Rallus limicola</i>	Virginia Rail	
<i>Vermivora virginiae</i>	Virginia's Warbler	
<i>Vireo gilvus</i>	Warbling Vireo	
<i>Sialia mexicana</i>	Western Bluebird	
<i>Athene cunicularia</i>	Western Burrowing Owl	
<i>Aechmophorus occidentalis</i>	Western Grebe	
<i>Tyrannus verticalis</i>	Western Kingbird	
<i>Sturnella neglecta</i>	Western Meadowlark	
<i>Calidris mauri</i>	Western Sandpiper	
<i>Otus kennicottii</i>	Western Screech-Owl	
<i>Aphelocoma californica</i>	Western Scrub Jay	
<i>Charadrius alexandrinus nivosus</i>	Western Snowy Plover	
<i>Piranga ludoviciana</i>	Western Tanager	
<i>Contopus sordidulus</i>	Western Wood-Pewee	
<i>Numenius phaeopus</i>	Whimbrel	
<i>Eudocimus albus</i>	White Ibis	
<i>Sitta carolinensis</i>	White-breasted Nuthatch	
<i>Zonotrichia leucophrys</i>	White-crowned Sparrow	
<i>Plegadis chihi</i>	White-faced Ibis	
<i>Calidris fuscicollis</i>	White-rumped Sandpiper	
<i>Lagopus leucurus</i>	White-tailed Ptarmigan	
<i>Zonotrichia albicollis</i>	White-throated Sparrow	
<i>Aeronautes saxatalis</i>	White-throated Swift	
<i>Loxia leucoptera</i>	White-winged Crossbill	
<i>Melanitta fusca</i>	White-winged Scoter	
<i>Meleagris gallopavo</i>	Wild Turkey	
<i>Grus americana</i>	Whooping Crane	FE, SE
<i>Catoptrophorus semipalmatus</i>	Willet	
<i>Sphyrapicus thyroideus</i>	Williamson's Sapsucker	
<i>Empidonax traillii</i>	Willow Flycatcher	
<i>Phalaropus tricolor</i>	Wilson's Phalarope	
<i>Gallinago delicata</i>	Wilson's Snipe	
<i>Wilsonia pusilla</i>	Wilson's Warbler	
<i>Aix sponsa</i>	Wood Duck	
<i>Helmitheros vermivorum</i>	Worm-eating Warbler	
<i>Hylocichla mustelina</i>	Wood Thrush	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Dendroica petechia</i>	Yellow Warbler	
<i>Coccyzus americanus</i>	Yellow-billed Cuckoo	SC
<i>Icteria virens</i>	Yellow-breasted Chat	
<i>Xanthocephalus xanthocephalus</i>	Yellow-headed Blackbird	
<i>Dendroica coronata</i>	Yellow-rumped Warbler	
Amphibians		
<i>Bufo boreas boreas</i>	Boreal Toad	SE
<i>Rana catesbeiana</i>	Bullfrog*	
<i>Hyla arenicolor</i>	Canyon Treefrog	
<i>Bufo cognatus</i>	Great Plains Toad	
<i>Spea multiplicata</i>	New Mexico Spadefoot	
<i>Rana pipiens</i>	Northern Leopard Frog	SC
	<i>Spea bombifrons</i> Plains Spadefoot	
<i>Ambystoma tigrinum</i>	Tiger Salamander	
<i>Pseudacris triseriata</i>	Western Chorus Frog	
<i>Bufo woodhousii</i>	Woodhouse's Toad	
Mammals		
<i>Sciurus aberti</i>	Abert's Squirrel	
<i>Taxidea taxus</i>	American Badger	
<i>Castor canadensis</i>	American Beaver	
<i>Cervus elaphus</i>	American Elk	
<i>Martes americana</i>	American Marten	
<i>Ochotona princeps</i>	American Pika	
<i>Eptesicus fuscus</i>	Big Brown Bat	
<i>Ovis canadensis</i>	Bighorn Sheep	
<i>Ursus americanus</i>	Black Bear	
<i>Mustela nigripes</i>	Black-footed Ferret	FE, SE
<i>Lepus californicus</i>	Black-tailed Jackrabbit	
<i>Lynx rufus</i>	Bobcat	
<i>Thomomys bottae</i>	Botta's Pocket Gopher	SC
<i>Tadarida brasiliensis</i>	Brazilian Free-tailed Bat	
<i>Neotoma cinerea</i>	Bushy-tailed Woodrat	
<i>Tamias quadrivittatus</i>	Colorado Chipmunk	
<i>Conepatus mesoleucus</i>	Common Hog-nosed Skunk	
<i>Ondatra zibethicus</i>	Common Muskrat	
<i>Erethizon dorsatum</i>	Common Porcupine	
<i>Canis latrans</i>	Coyote	
<i>Peromyscus maniculatus</i>	Deer Mouse	
<i>Sylvilagus audubonii</i>	Desert Cottontail	
<i>Mustela erminea</i>	Ermine	
<i>Myotis thysanodes</i>	Fringed Myotis	
<i>Spermophilus lateralis</i>	Golden-mantled Ground Squirrel	
<i>Urocyon cinereoargenteus</i>	Gray Fox	
<i>Cynomys gunnisoni</i>	Gunnison's Prairie Dog	
<i>Phenacomys intermedius</i>	Heather Vole	
<i>Lasiurus cinereus</i>	Hoary Bat	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Mus musculus</i>	House Mouse*	
<i>Tamias minimus</i>	Least Chipmunk	
<i>Myotis lucifugus</i>	Little Brown Myotis	
<i>Myotis evotis</i>	Long-eared Myotis	
<i>Myotis volans</i>	Long-legged Myotis	
<i>Microtus longicaudus</i>	Long-tailed Vole	
<i>Mustela frenata</i>	Long-tailed Weasel	
<i>Lynx canadensis</i>	Lynx	FT, SE
<i>Sorex cinereus</i>	Masked Shrew	
<i>Microtus pennsylvanicus</i>	Meadow Vole	
<i>Neotoma mexicana</i>	Mexican Woodrat	
<i>Mustela vison</i>	Mink	
<i>Sorex monticolus</i>	Montane Shrew	
<i>Microtus montanus</i>	Montane Vole	
<i>Alces alces</i>	Moose	
<i>Sylvilagus nuttallii</i>	Mountain Cottontail	
<i>Oreamnos americanus</i>	Mountain Goat	
<i>Felis concolor</i>	Mountain Lion	
<i>Odocoileus hemionus</i>	Mule Deer	
<i>Onychomys leucogaster</i>	Northern Grasshopper Mouse	
<i>Thomomys talpoides</i>	Northern Pocket Gopher	SC
<i>Lutra canadensis</i>	Northern River Otter	
<i>Peromyscus nasutus</i>	Northern Rock Mouse	
<i>Dipodomys ordii</i>	Ord's Kangaroo Rat	
<i>Tamiasciurus hudsonicus</i>	Pine Squirrel	
<i>Perognathus flavescens</i>	Plains Pocket Mouse	
<i>Antilocapra americana</i>	Pronghorn	
<i>Procyon lotor</i>	Raccoon	
<i>Vulpes vulpes</i>	Red Fox	
<i>Bassariscus astutus</i>	Ringtail	
<i>Perognathus flavus</i>	Silky Pocket Mouse	
<i>Lasionycteris noctivagans</i>	Silver-haired Bat	
<i>Lepus americanus</i>	Snowshoe Hare	
<i>Clethrionomys gapperi</i>	Southern Red-backed Vole	
<i>Mephitis mephitis</i>	Striped Skunk	
<i>Spermophilus tridecemlineatus</i>	Thirteen-lined Ground Squirrel	
<i>Plecotus townsendii</i>	Townsend's Big-eared Bat	SC
<i>Sorex palustris</i>	Water Shrew	
<i>Reithrodontomys megalotis</i>	Western Harvest Mouse	
<i>Zapus princeps</i>	Western Jumping Mouse	
<i>Myotis ciliolabrum</i>	Western Small-footed Myotis	
<i>Spilogale gracilis</i>	Western Spotted Skunk	
<i>Odocoileus virginianus</i>	White-tailed Deer	
<i>Lepus townsendii</i>	White-tailed Jackrabbit	
<i>Gulo gulo</i>	Wolverine	SE
<i>Spermophilus elegans</i>	Wyoming Ground Squirrel	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Marmota flaviventris</i>	Yellow-bellied Marmot	
<i>Myotis yumanensis</i>	Yuma Myotis	
Reptiles		
<i>Sceloporus undulatus</i>	Fence Lizard	
<i>Pituophis catenifer</i>	Gopher Snake	
<i>Eumeces multivirgatus</i>	Many-lined Skink	
<i>Crotalus viridis concolor</i>	Midget Faded Rattlesnake	SC
<i>Lampropeltis triangulum</i>	Milk Snake	
<i>Phrynosoma hernandesi</i>	Short-horned Lizard	
<i>Liochlorophis vernalis</i>	Smooth Green Snake	
<i>Eumeces gaigeae</i>	Variable Skink	
<i>Crotalus viridis</i>	Western Rattlesnake	
<i>Thamnophis elegans</i>	Western Terrestrial Garter Snake	
Fish		
<i>Anguilla rostrata</i>	American eel*	
<i>Thymallus arcticus</i>	Arctic grayling*	
<i>Pomoxis nigromaculatus</i>	Black crappie*	
<i>Gymnocorymbus ternetzi</i>	Black tetra*	
<i>Ictalurus furcatus</i>	Blue catfish*	
<i>Oreochromis aureus</i>	Blue tilapia*	
<i>Lepomis macrochirus</i>	Bluegill*	
<i>Culaea inconstans</i>	Brook stickleback*	
<i>Salvelinus fontinalis</i>	Brook trout*	
<i>Salmo trutta</i>	Brown trout*	
<i>Ictalurus punctatus</i>	Channel catfish*	
<i>Oncorhynchus clarkii pleuriticus</i>	Colorado River cutthroat*	
<i>Cyprinus carpio</i>	Common carp*	
<i>Corydoras sp.</i>	Corydoras catfish*	
<i>Oncorhynchus clarkii x mykiss</i>	Cutbow trout (hybrid)*	
<i>Pimephales promelas</i>	Fathead minnow	
<i>Oncorhynchus clarkii carmichaeli</i>	Fine-spotted Snake River cutthroat*	
<i>Pylodictis olivaris</i>	Flathead catfish*	
<i>Platygobio gracilis</i>	Flathead chub*	
<i>Pterophyllum sp.</i>	Freshwater angelfish*	
<i>Oncorhynchus aguabonita</i>	Golden trout*	
<i>Carassius auratus</i>	Goldfish*	
<i>Ctenopharyngodon idella</i>	Grass carp*	
<i>Xiphophorus hellerii</i>	Green swordtail*	
<i>Poecilia reticulata</i>	Guppy*	
<i>Hemigrammus ocellifer</i>	Head-and-tail light tetra*	
<i>Oncorhynchus nerka</i>	Kokanee*	
<i>Salvelinus namaycush</i>	Lake trout*	
<i>Salmo salar sebago</i>	Landlocked Atlantic salmon*	
<i>Micropterus salmoides</i>	Largemouth bass*	
<i>Rhinichthys cataractae</i>	Long-nose dace	
<i>Catostomus catostomus</i>	Longnose sucker*	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Cottus bairdii</i>	Mottled sculpin*	
<i>Oreochromis mossambicus</i>	Mozambique tilapia*	
<i>Paracheirodon innesi</i>	Neon tetra*	
<i>Esox lucius</i>	Northern pike*	
<i>Fundulus zebrinus</i>	Plains killifish*	
<i>Fundulus sciadicus</i>	Plains topminnow*	
<i>Lepomis gibbosus</i>	Pumpkinseed*	
<i>Oncorhynchus mykiss</i>	Rainbow trout*	
<i>Symphysodon discus</i>	Red discus*	
<i>Gila pandora</i>	Rio Grande chub	SC
<i>Oncorhynchus clarki virginalis</i>	Rio Grande cutthroat trout	SC; Candidate
<i>Catostomus plebeius</i>	Rio Grande sucker	SE
<i>Poecilia latipinna</i>	Sailfin molly*	
<i>Poecilia mexicana</i>	Shortfin molly*	
<i>Micropterus dolomieu</i>	Smallmouth bass*	
<i>Xiphophorus maculatus</i>	Southern platyfish*	
<i>Hypostomus sp.</i>	Suckermouth catfish*	
<i>Otocinclus sp.</i>	Suckermouth catfish*	
<i>Tinca tinca</i>	Tench*	
<i>Dorosoma petenense</i>	Threadfin shad*	
<i>Xiphophorus variatus</i>	Variable platyfish*	
<i>Pterygoplichthys disjunctivus</i>	Vermiculated sailfin*	
<i>Sander vitreus</i>	Walleye*	
<i>Lepomis gulosus</i>	Warmouth*	
<i>Oncorhynchus clarkii lewisi</i>	West slope cutthroat*	
<i>Gambusia affinis</i>	Western mosquitofish*	
<i>Catostomus commersonii</i>	White sucker*	
<i>Ameiurus natalis</i>	Yellow bullhead*	
<i>Perca flavescens</i>	Yellow perch*	
<i>Oncorhynchus clarkii bouvieri</i>	Yellowstone cutthroat*	
Plants		
<i>Abies concolor</i>	white fir	
<i>Abies lasiocarpa</i>	subalpine fir	
<i>Abies lasiocarpa</i> var. <i>arizonica</i>	corkbark fir	
<i>Abies lasiocarpa</i> var. <i>lasiocarpa</i>	subalpine fir	
<i>Acer glabrum</i>	Rocky Mountain maple	
<i>Achillea millefolium</i>	common yarrow	
<i>Achillea millefolium</i> var. <i>occidentalis</i>	western yarrow	
<i>Achnatherum ×bloomeri</i>		
<i>Achnatherum hymenoides</i>	Indian ricegrass	
<i>Achnatherum lettermanii</i>	Letterman's needlegrass	
<i>Achnatherum nelsonii</i>	Columbia needlegrass	
<i>Achnatherum nelsonii</i> ssp. <i>nelsonii</i>	Columbia needlegrass	
<i>Achnatherum robustum</i>	sleepygrass	
<i>Achnatherum scribneri</i>	Scribner needlegrass	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Aconitum columbianum</i>	Columbian monkshood	
<i>Aconitum columbianum</i> ssp. <i>columbianum</i>	Columbian monkshood	
<i>Acroptilon repens</i>	hardheads	
<i>Actaea rubra</i>	red baneberry	
<i>Actaea rubra</i> ssp. <i>arguta</i>	red baneberry	
<i>Adoxa moschatellina</i>	muskroot	
<i>Agastache pallidiflora</i>	Bill Williams Mountain giant hyssop	
<i>Agastache pallidiflora</i> ssp. <i>pallidiflora</i>	Bill Williams Mountain giant hyssop	
<i>Agastache pallidiflora</i> ssp. <i>pallidiflora</i> var. <i>greenei</i>	Bill Williams Mountain giant hyssop	
<i>Agoseris aurantiaca</i>	orange agoseris	
<i>Agoseris glauca</i>	pale agoseris	
<i>Agrostis exarata</i>	spike bentgrass	
<i>Agrostis gigantea</i>	redtop	
<i>Agrostis humilis</i>	alpine bentgrass	
<i>Agrostis scabra</i>	rough bentgrass	
<i>Agrostis variabilis</i>	mountain bentgrass	
<i>Aletes anisatus</i>	Rocky Mountain Indian parsley	
<i>Aliciella pinnatifida</i>	sticky gilia	
<i>Alisma gramineum</i>	narrowleaf water plantain	
<i>Alisma triviale</i>	northern water plantain	
<i>Allium cernuum</i>	nodding onion	
<i>Allium geeyeri</i>	Geyer's onion	
<i>Allium geeyeri</i> var. <i>tenerum</i>	bulbil onion	
<i>Almutaster pauciflorus</i>	alkali marsh aster	
<i>Alnus incana</i>	gray alder	
<i>Alnus incana</i> ssp. <i>tenuifolia</i>	thinleaf alder	
<i>Alopecurus aequalis</i>	shortawn foxtail	
<i>Alopecurus aequalis</i> var. <i>aequalis</i>	shortawn foxtail	
<i>Alopecurus alpinus</i>	boreal alopecurus	
<i>Alyssum simplex</i>	alyssum	
<i>Amaranthus albus</i>	prostrate pigweed	
<i>Amaranthus blitoides</i>	mat amaranth	
<i>Amaranthus retroflexus</i>	redroot amaranth	
<i>Ambrosia acanthicarpa</i>	flatspine bur ragweed	
<i>Amelanchier alnifolia</i>	Saskatoon serviceberry	
<i>Amelanchier alnifolia</i> var. <i>alnifolia</i>	Saskatoon serviceberry	
<i>Amelanchier utahensis</i>	Utah serviceberry	
<i>Amelanchier utahensis</i> var. <i>utahensis</i>	Utah serviceberry	
<i>Anaphalis margaritacea</i>	western pearly everlasting	
<i>Androsace chamaejasme</i>	sweetflower rockjasmine	
<i>Androsace chamaejasme</i> ssp. <i>carinata</i>	sweetflower rockjasmine	
<i>Androsace occidentalis</i>	western rockjasmine	
<i>Androsace septentrionalis</i>	pygmyflower rockjasmine	
<i>Anemone canadensis</i>	Canadian anemone	
<i>Anemone multifida</i>	Pacific anemone	
<i>Angelica ampla</i>	giant angelica	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Angelica grayi</i>	Gray's angelica	
<i>Antennaria anaphaloides</i>	pearly pussytoes	
<i>Antennaria corymbosa</i>	flat-top pussytoes	
<i>Antennaria marginata</i>	whitemargin pussytoes	
<i>Antennaria media</i>	Rocky Mountain pussytoes	
<i>Antennaria microphylla</i>	littleleaf pussytoes	
<i>Antennaria parvifolia</i>	small-leaf pussytoes	
<i>Antennaria rosea</i>	rosy pussytoes	
<i>Antennaria rosulata</i>	Kaibab pussytoes	
<i>Antennaria umbrinella</i>	umber pussytoes	
<i>Apocynum androsaemifolium</i>	spreading dogbane	
<i>Apocynum cannabinum</i>	Indianhemp	
<i>Aquilegia coerulea</i>	Colorado blue columbine	
<i>Aquilegia elegantula</i>	western red columbine	
<i>Arabis xdivaricarpa</i>	spreadingpod rockcress	
<i>Arabis drummondii</i>	Drummond's rockcress	
<i>Arabis fendleri</i>	Fendler's rockcress	
<i>Arabis fendleri</i> var. <i>fendleri</i>	Fendler's rockcress	
<i>Arabis gunnisoniana</i>	Gunnison's rockcress	
<i>Arabis hirsuta</i>	hairy rockcress	
<i>Arabis hirsuta</i> var. <i>pyncocarpa</i>	creamflower rockcress	
<i>Arabis holboellii</i>	Holboell's rockcress	
<i>Arabis holboellii</i> var. <i>pinetorum</i>	Holboell's rockcress	
<i>Arabis lignifera</i>	desert rockcress	
<i>Arabis oxylobula</i>	Glenwood Springs rockcress	
<i>Arctostaphylos uva-ursi</i>	kinnikinnick	
<i>Arenaria fendleri</i>	Fendler's sandwort	
<i>Arenaria fendleri</i> var. <i>fendleri</i>	Fendler's sandwort	
<i>Arenaria hookeri</i>	Hooker's sandwort	
<i>Arenaria hookeri</i> ssp. <i>hookeri</i>	Hooker's sandwort	
<i>Arenaria lanuginosa</i>	spreading sandwort	
<i>Arenaria lanuginosa</i> ssp. <i>saxosa</i>	spreading sandwort	
<i>Argentina anserina</i>	silverweed cinquefoil	
<i>Argyrochosma fendleri</i>	Fendler's false cloak fern	
<i>Aristida purpurea</i>	purple threeawn	
<i>Aristida purpurea</i> var. <i>longiseta</i>	Fendler threeawn	
<i>Aristida purpurea</i> var. <i>purpurea</i>	purple threeawn	
<i>Arnica chamissonis</i>	Chamisso arnica	
<i>Arnica chamissonis</i> ssp. <i>foliosa</i>	Chamisso arnica	
<i>Arnica chamissonis</i> ssp. <i>foliosa</i> var. <i>andina</i>	Chamisso arnica	
<i>Arnica cordifolia</i>	heartleaf arnica	
<i>Arnica mollis</i>	hairy arnica	
<i>Artemisia biennis</i>	biennial wormwood	
<i>Artemisia biennis</i> var. <i>biennis</i>	biennial wormwood	
<i>Artemisia bigelovii</i>	Bigelow sage	
<i>Artemisia campestris</i>	field sagewort	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Artemisia campestris</i> ssp. <i>borealis</i>	field sagewort	
<i>Artemisia campestris</i> ssp. <i>borealis</i> var. <i>borealis</i>	field sagewort	
<i>Artemisia campestris</i> ssp. <i>borealis</i> var. <i>scouleriana</i>	field sagewort	
<i>Artemisia campestris</i> ssp. <i>caudata</i>	field sagewort	
<i>Artemisia cana</i>	silver sagebrush	
<i>Artemisia cana</i> ssp. <i>cana</i>	silver sagebrush	
<i>Artemisia carruthii</i>	Carruth's sagewort	
<i>Artemisia dracunculus</i>	tarragon	
<i>Artemisia franserioides</i>	ragweed sagebrush	
<i>Artemisia frigida</i>	prairie sagewort	
<i>Artemisia longifolia</i>	longleaf wormwood	
<i>Artemisia ludoviciana</i>	white sagebrush	
<i>Artemisia ludoviciana</i> ssp. <i>albula</i>	white sagebrush	
<i>Artemisia ludoviciana</i> ssp. <i>incompta</i>	white sagebrush	
<i>Artemisia ludoviciana</i> ssp. <i>ludoviciana</i>	white sagebrush	
<i>Artemisia michauxiana</i>	Michaux's wormwood	
<i>Artemisia parryi</i>	Parry's wormwood	
<i>Artemisia scopulorum</i>	alpine sagebrush	
<i>Artemisia tridentata</i>	big sagebrush	
<i>Artemisia tridentata</i> ssp. <i>tridentata</i>	basin big sagebrush	
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i>	mountain big sagebrush	
<i>Asclepias hallii</i>	Hall's milkweed	
<i>Asclepias speciosa</i>	showy milkweed	
<i>Asparagus officinalis</i>	garden asparagus	
<i>Asplenium septentrionale</i>	forked spleenwort	
<i>Aster alpinus</i>	alpine aster	
<i>Aster alpinus</i> var. <i>vierhapperi</i>	Vierhapper's aster	
<i>Astragalus agrestis</i>	purple milkvetch	
<i>Astragalus allochrous</i>	halfmoon milkvetch	
<i>Astragalus allochrous</i> var. <i>playanus</i>	halfmoon milkvetch	
<i>Astragalus alpinus</i>	alpine milkvetch	
<i>Astragalus alpinus</i> var. <i>alpinus</i>	alpine milkvetch	
<i>Astragalus bisulcatus</i>	twogrooved milkvetch	
<i>Astragalus bodinii</i>	Bodin's milkvetch	
<i>Astragalus brandegeei</i>	Brandegee's milkvetch	
<i>Astragalus ceramicus</i>	painted milkvetch	
<i>Astragalus ceramicus</i> var. <i>ceramicus</i>	painted milkvetch	
<i>Astragalus cerussatus</i>	powdery milkvetch	
<i>Astragalus crassicaarpus</i>	groundplum milkvetch	
<i>Astragalus crassicaarpus</i> var. <i>crassicaarpus</i>	groundplum milkvetch	
<i>Astragalus drummondii</i>	Drummond's milkvetch	
<i>Astragalus flexuosus</i>	flexile milkvetch	
<i>Astragalus flexuosus</i> var. <i>flexuosus</i>	flexile milkvetch	
<i>Astragalus hallii</i>	Hall's milkvetch	
<i>Astragalus hallii</i> var. <i>hallii</i>	Hall's milkvetch	
<i>Astragalus kentrophyta</i>	spiny milkvetch	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Astragalus kentrophyta</i> var. <i>tegetarius</i>	mat milkvetch	
<i>Astragalus laxmannii</i>	Laxmann's milkvetch	
<i>Astragalus laxmannii</i> var. <i>robustior</i>	prairie milkvetch	
<i>Astragalus miser</i>	timber milkvetch	
<i>Astragalus miser</i> var. <i>oblongifolius</i>	timber milkvetch	
<i>Astragalus pattersonii</i>	Patterson's milkvetch	
<i>Astragalus ripleyi</i>	Ripley's milkvetch	
<i>Astragalus scopulorum</i>	Rocky Mountain milkvetch	
<i>Astragalus tenellus</i>	looseflower milkvetch	
<i>Atriplex xaptera</i>	moundscale	
<i>Atriplex argentea</i>	silverscale saltbush	
<i>Atriplex canescens</i>	fourwing saltbush	
<i>Atriplex canescens</i> var. <i>canescens</i>	fourwing saltbush	
<i>Atriplex patula</i>	spear saltbush	
<i>Atriplex rosea</i>	tumbling saltweed	
<i>Atriplex truncata</i>	wedgescale saltbush	
<i>Atriplex wolffi</i>	Wolf's saltweed	
<i>Bahia dissecta</i>	ragleaf bahia	
<i>Balsamorhiza sagittata</i>	arrowleaf balsamroot	
<i>Bassia hyssopifolia</i>	fivehorn smotherweed	
<i>Bassia scoparia</i>	burningbush	
<i>Beckmannia syzigachne</i>	American sloughgrass	
<i>Berberis fendleri</i>	Colorado barberry	
<i>Besseyia alpina</i>	alpine besseyia	
<i>Besseyia plantaginea</i>	White River coraldrops	
<i>Betula occidentalis</i>	water birch	
<i>Bidens cernua</i>	nodding beggartick	
<i>Bidens frondosa</i>	devil's beggartick	
<i>Bidens tenuisecta</i>	slimlobe beggarticks	
<i>Bidens vulgata</i>	big devils beggartick	
<i>Blepharoneuron tricholepis</i>	pine dropseed	
<i>Botrychium hesperium</i>	western moonwort	
<i>Botrychium pinnatum</i>	northern moonwort	
<i>Botrychium simplex</i>	little grapefern	
<i>Bouteloua gracilis</i>	blue grama	
<i>Bouteloua simplex</i>	matted grama	
<i>Brassica juncea</i>	India mustard	
<i>Brassica napus</i>	rape	
<i>Brickellia eupatorioides</i>	false boneset	
<i>Brickellia eupatorioides</i> var. <i>chlorolepis</i>	false boneset	
<i>Brickellia grandiflora</i>	tasselflower brickellbush	
<i>Bromus ciliatus</i>	fringed brome	
<i>Bromus ciliatus</i> var. <i>ciliatus</i>	fringed brome	
<i>Bromus inermis</i>	smooth brome	
<i>Bromus inermis</i> ssp. <i>inermis</i>	smooth brome	
<i>Bromus inermis</i> ssp. <i>inermis</i> var. <i>inermis</i>	smooth brome	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Bromus lanatipes</i>	woolly brome	
<i>Bromus porteri</i>	Porter brome	
<i>Bromus tectorum</i>	cheatgrass	
<i>Calamagrostis canadensis</i>	bluejoint	
<i>Calamagrostis purpurascens</i>	purple reedgrass	
<i>Calamagrostis purpurascens</i> var. <i>purpurascens</i>	purple reedgrass	
<i>Calamagrostis stricta</i>	slimstem reedgrass	
<i>Callitriche palustris</i>	vernal water-starwort	
<i>Calochortus gunnisonii</i>	Gunnison's mariposa lily	
<i>Calochortus gunnisonii</i> var. <i>gunnisonii</i>	Gunnison's mariposa lily	
<i>Caltha leptosepala</i>	white marsh marigold	
<i>Caltha leptosepala</i> ssp. <i>leptosepala</i>	white marsh marigold	
<i>Caltha leptosepala</i> ssp. <i>leptosepala</i> var. <i>leptosepala</i>	white marsh marigold	
<i>Camelina microcarpa</i>	littlepod false flax	
<i>Campanula parryi</i>	Parry's bellflower	
<i>Campanula parryi</i> var. <i>parryi</i>	Parry's bellflower	
<i>Campanula rotundifolia</i>	bluebell bellflower	
<i>Campanula uniflora</i>	arctic bellflower	
<i>Capsella bursa-pastoris</i>	shepherd's purse	
<i>Cardamine cordifolia</i>	heartleaf bittercress	
<i>Cardamine cordifolia</i> var. <i>incana</i>	heartleaf bittercress	
<i>Cardaria chalapensis</i>	lenspod whitetop	
<i>Cardaria draba</i>	whitetop	
<i>Cardaria pubescens</i>	hairy whitetop	
<i>Carex albonigra</i>	blackandwhite sedge	
<i>Carex aquatilis</i>	water sedge	
<i>Carex aquatilis</i> var. <i>aquatilis</i>	water sedge	
<i>Carex atherodes</i>	wheat sedge	
<i>Carex aurea</i>	golden sedge	
<i>Carex bella</i>	southwestern showy sedge	
<i>Carex brunnescens</i>	brownish sedge	
<i>Carex brunnescens</i> ssp. <i>sphaerostachya</i>	brownish sedge	
<i>Carex canescens</i>	silvery sedge	
<i>Carex canescens</i> ssp. <i>canescens</i>	silvery sedge	
<i>Carex diandra</i>	lesser paniced sedge	
<i>Carex disperma</i>	softleaf sedge	
<i>Carex douglasii</i>	Douglas' sedge	
<i>Carex duriuscula</i>	needleleaf sedge	
<i>Carex ebenea</i>	ebony sedge	
<i>Carex elynoides</i>	blackroot sedge	
<i>Carex geophila</i>	White Mountain sedge	
<i>Carex geyeri</i>	Geyer's sedge	
<i>Carex hallii</i>	deer sedge	
<i>Carex haydeniana</i>	cloud sedge	
<i>Carex heteroneura</i>	different-nerve sedge	
<i>Carex heteroneura</i> var. <i>brevisquama</i>	different-nerve sedge	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Carex heteroneura</i> var. <i>chalciolepis</i>	Holm sedge	
<i>Carex inops</i>	long-stolon sedge	
<i>Carex inops</i> ssp. <i>heliophila</i>	sun sedge	
<i>Carex microptera</i>	smallwing sedge	
<i>Carex nebrascensis</i>	Nebraska sedge	
<i>Carex nelsonii</i>	Nelson's sedge	
<i>Carex nigricans</i>	black alpine sedge	
<i>Carex norvegica</i>	Norway sedge	
<i>Carex norvegica</i> ssp. <i>stevenii</i>	Steven's sedge	
<i>Carex nova</i>	black sedge	
<i>Carex obtusata</i>	obtuse sedge	
<i>Carex occidentalis</i>	western sedge	
<i>Carex parryana</i>	Parry's sedge	
<i>Carex parryana</i> var. <i>parryana</i>	Parry's sedge	
<i>Carex pellita</i>	woolly sedge	
<i>Carex perglobosa</i>	globe sedge	
<i>Carex phaeocephala</i>	dunhead sedge	
<i>Carex praegracilis</i>	clustered field sedge	
<i>Carex praticola</i>	meadow sedge	
<i>Carex pyrenaica</i>	Pyrenean sedge	
<i>Carex pyrenaica</i> ssp. <i>pyrenaica</i>	Pyrenean sedge	
<i>Carex scopulorum</i>	mountain sedge	
<i>Carex siccata</i>	dryspike sedge	
<i>Carex simulata</i>	analogue sedge	
<i>Carex utriculata</i>	Northwest Territory sedge	
<i>Carex vernacula</i>	native sedge	
<i>Carex vesicaria</i>	blister sedge	
<i>Carex vesicaria</i> var. <i>vesicaria</i>	blister sedge	
<i>Carum carvi</i>	caraway	
<i>Castilleja flava</i>	yellow Indian paintbrush	
<i>Castilleja flava</i> var. <i>flava</i>	yellow Indian paintbrush	
<i>Castilleja haydenii</i>	Hayden's Indian paintbrush	
<i>Castilleja integra</i>	wholeleaf Indian paintbrush	
<i>Castilleja integra</i> var. <i>integra</i>	wholeleaf Indian paintbrush	
<i>Castilleja linariifolia</i>	Wyoming Indian paintbrush	
<i>Castilleja miniata</i>	giant red Indian paintbrush	
<i>Castilleja miniata</i> ssp. <i>miniata</i>	giant red Indian paintbrush	
<i>Castilleja occidentalis</i>	western Indian paintbrush	
<i>Castilleja rhexiifolia</i>	splitleaf Indian paintbrush	
<i>Castilleja sulphurea</i>	sulphur Indian paintbrush	
<i>Ceanothus fendleri</i>	Fendler's ceanothus	
<i>Ceanothus velutinus</i>	snowbrush ceanothus	
<i>Ceanothus velutinus</i> var. <i>velutinus</i>	snowbrush ceanothus	
<i>Cerastium arvense</i>	field chickweed	
<i>Cerastium arvense</i> ssp. <i>strictum</i>	field chickweed	
<i>Cerastium beeringanum</i>	Bering chickweed	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Cerastium beeringianum</i> ssp. <i>earlei</i>	Bering chickweed	
<i>Cercocarpus montanus</i>	alderleaf mountain mahogany	
<i>Chaenactis douglasii</i>	Douglas' dustymaiden	
<i>Chaenactis douglasii</i> var. <i>alpina</i>	alpine dustymaiden	
<i>Chaetopappa ericoides</i>	rose heath	
<i>Chamaerhodos erecta</i>	little rose	
<i>Chamaerhodos erecta</i> ssp. <i>nuttallii</i>	Nuttall's little rose	
<i>Chamaesyce serpyllifolia</i>	thymeleaf sandmat	
<i>Chamaesyce serpyllifolia</i> ssp. <i>serpyllifolia</i>	thymeleaf sandmat	
<i>Chamerion angustifolium</i>	fireweed	
<i>Chamerion angustifolium</i> ssp. <i>circumvagum</i>	fireweed	
<i>Cheilanthes feei</i>	slender lipfern	
<i>Cheilanthes fendleri</i>	Fendler's lipfern	
<i>Chenopodium album</i>	lambsquarters	
<i>Chenopodium atrovirens</i>	pinyon goosefoot	
<i>Chenopodium berlandieri</i>	pitseed goosefoot	
<i>Chenopodium botrys</i>	Jerusalem oak goosefoot	
<i>Chenopodium desiccatum</i>	aridland goosefoot	
<i>Chenopodium foliosum</i>	leafy goosefoot	
<i>Chenopodium fremontii</i>	Fremont's goosefoot	
<i>Chenopodium fremontii</i> var. <i>fremontii</i>	Fremont's goosefoot	
<i>Chenopodium glaucum</i>	oakleaf goosefoot	
<i>Chenopodium graveolens</i>	fetid goosefoot	
<i>Chenopodium leptophyllum</i>	narrowleaf goosefoot	
<i>Chenopodium pratericola</i>	desert goosefoot	
<i>Chenopodium rubrum</i>	red goosefoot	
<i>Chenopodium watsonii</i>	Watson's goosefoot	
<i>Chionophila jamesii</i>	Rocky Mountain snowlover	
<i>Chrysothamnus greenei</i>	Greene's rabbitbrush	
<i>Chrysothamnus vaseyi</i>	Vasey's rabbitbrush	
<i>Chrysothamnus viscidiflorus</i>	yellow rabbitbrush	
<i>Chrysothamnus viscidiflorus</i> ssp. <i>lanceolatus</i>	yellow rabbitbrush	
<i>Cicuta maculata</i>	spotted water hemlock	
<i>Cirsium arvense</i>	Canada thistle	
<i>Cirsium canescens</i>	prairie thistle	
<i>Cirsium centaureae</i>	fringed thistle	
<i>Cirsium ochrocentrum</i>	yellowspine thistle	
<i>Cirsium ochrocentrum</i> ssp. <i>ochrocentrum</i>	yellowspine thistle	
<i>Cirsium pallidum</i>	pale thistle	
<i>Cirsium parryi</i>	Parry's thistle	
<i>Cirsium parryi</i> ssp. <i>parryi</i>	Parry's thistle	
<i>Cirsium scariosum</i>	meadow thistle	
<i>Cirsium scopulorum</i>	mountain thistle	
<i>Claytonia megarhiza</i>	alpine springbeauty	
<i>Claytonia megarhiza</i> var. <i>megarhiza</i>	alpine springbeauty	
<i>Clematis columbiana</i>	rock clematis	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Clematis columbiana</i> var. <i>columbiana</i>	rock clematis	
<i>Clematis hirsutissima</i>	hairy clematis	
<i>Clematis hirsutissima</i> var. <i>scottii</i>	Scott's clematis	
<i>Clematis ligusticifolia</i>	western white clematis	
<i>Clematis ligusticifolia</i> var. <i>ligusticifolia</i>	western white clematis	
<i>Cleome multicaulis</i>	slender spiderflower	
<i>Cleome serrulata</i>	Rocky Mountain beeplant	
<i>Collomia linearis</i>	tiny trumpet	
<i>Comandra umbellata</i>	bastard toadflax	
<i>Comandra umbellata</i> ssp. <i>pallida</i>	pale bastard toadflax	
<i>Comarum palustre</i>	purple marshlocks	
<i>Conioselinum scopulorum</i>	Rocky Mountain hemlockparsley	
<i>Convolvulus arvensis</i>	field bindweed	
<i>Conyza canadensis</i>	Canadian horseweed	
<i>Corallorhiza maculata</i>	summer coralroot	
<i>Corallorhiza striata</i>	hooded coralroot	
<i>Corallorhiza trifida</i>	yellow coralroot	
<i>Coreopsis tinctoria</i>	golden tickseed	
<i>Coreopsis tinctoria</i> var. <i>tinctoria</i>	golden tickseed	
<i>Corispermum americanum</i>	American bugseed	
<i>Corispermum americanum</i> var. <i>rydbergii</i>	American bugseed	
<i>Corispermum villosum</i>	hairy bugseed	
<i>Cornus canadensis</i>	bunchberry dogwood	
<i>Cornus sericea</i>	redosier dogwood	
<i>Cornus sericea</i> ssp. <i>sericea</i>	redosier dogwood	
<i>Corydalis aurea</i>	scrambled eggs	
<i>Corydalis caseana</i>	Sierra fumewort	
<i>Corydalis caseana</i> ssp. <i>brandegeei</i>	Brandegee's fumewort	
<i>Corydalis curvisiliqua</i>	curvepod fumewort	
<i>Corydalis curvisiliqua</i> ssp. <i>occidentalis</i>	curvepod fumewort	
<i>Crataegus rivularis</i>	river hawthorn	
<i>Crepis occidentalis</i>	largeflower hawksbeard	
<i>Crepis occidentalis</i> ssp. <i>occidentalis</i>	largeflower hawksbeard	
<i>Crepis runcinata</i>	fiddleleaf hawksbeard	
<i>Crepis runcinata</i> ssp. <i>runcinata</i>	fiddleleaf hawksbeard	
<i>Cryptantha bakeri</i>	Baker's cryptantha	
<i>Cryptantha cinerea</i>	James' cryptantha	
<i>Cryptantha cinerea</i> var. <i>jamesii</i>	James' cryptantha	
<i>Cryptantha cinerea</i> var. <i>pustulosa</i>	James' cryptantha	
<i>Cryptantha fendleri</i>	sanddune cryptantha	
<i>Cryptantha minima</i>	little cryptantha	
<i>Cryptantha weberi</i>	Weber's cryptantha	
<i>Cryptogramma acrostichoides</i>	American rockbrake	
<i>Cycloloma atriplicifolium</i>	winged pigweed	
<i>Cymopterus acaulis</i>	plains springparsley	
<i>Cymopterus montanus</i>	mountain springparsley	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Cynoglossum officinale</i>	gypsyflower	
<i>Cyperus squarrosus</i>	bearded flatsedge	
<i>Cystopteris fragilis</i>	brittle bladderfern	
<i>Cystopteris reevesiana</i>	Reeves' bladderfern	
<i>Dalea leporina</i>	foxtail prairie clover	
<i>Danthonia californica</i>	California oatgrass	
<i>Danthonia intermedia</i>	timber oatgrass	
<i>Danthonia parryi</i>	Parry's oatgrass	
<i>Dasiphora fruticosa</i>	shrubby cinquefoil	
<i>Dasiphora fruticosa</i> ssp. <i>floribunda</i>	shrubby cinquefoil	
<i>Delphinium alpestre</i>	Colorado larkspur	
<i>Delphinium barbeyi</i>	subalpine larkspur	
<i>Delphinium nuttallianum</i>	twolobe larkspur	
<i>Delphinium ramosum</i>	mountain larkspur	
<i>Delphinium robustum</i>	Wahatoya Creek larkspur	
<i>Deschampsia cespitosa</i>	tufted hairgrass	
<i>Descurainia incana</i>	mountain tansymustard	
<i>Descurainia incana</i> ssp. <i>incisa</i>	mountain tansymustard	
<i>Descurainia incana</i> ssp. <i>viscosa</i>	mountain tansymustard	
<i>Descurainia pinnata</i>	western tansymustard	
<i>Descurainia pinnata</i> ssp. <i>filipes</i>	western tansymustard	
<i>Descurainia ramosissima</i>	Villa Grove tansymustard	
<i>Distichlis spicata</i>	saltgrass	
<i>Dodecatheon pulchellum</i>	darkthroat shootingstar	
<i>Dodecatheon pulchellum</i> ssp. <i>pulchellum</i>	darkthroat shootingstar	
<i>Draba aurea</i>	golden draba	
<i>Draba crassa</i>	thickleaf draba	
<i>Draba crassifolia</i>	snowbed draba	
<i>Draba fladnizensis</i>	Austrian draba	
<i>Draba grayana</i>	Gray's draba	
<i>Draba helleriana</i>	Heller's draba	
<i>Draba helleriana</i> var. <i>helleriana</i>	Heller's draba	
<i>Draba rectifracta</i>	mountain draba	
<i>Draba smithii</i>	Smith's draba	
<i>Draba spectabilis</i>	showy draba	
<i>Draba streptobrachia</i>	alpine tundra draba	
<i>Draba streptocarpa</i>	pretty draba	
<i>Dracocephalum parviflorum</i>	American dragonhead	
<i>Dryas octopetala</i>	eightpetal mountain-avens	
<i>Dryas octopetala</i> ssp. <i>hookeriana</i>	Hooker's mountain-avens	
<i>Dryopteris filix-mas</i>	male fern	
<i>Dyssodia papposa</i>	fetid marigold	
<i>Echinocereus triglochidiatus</i>	kingcup cactus	
<i>Echinocereus triglochidiatus</i> var. <i>triglochidiatus</i>	kingcup cactus	
<i>Echinocereus viridiflorus</i>	nylon hedgehog cactus	
<i>Echinocereus viridiflorus</i> var. <i>viridiflorus</i>	nylon hedgehog cactus	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Echinochloa crus-galli</i>	barnyardgrass	
<i>Echinocystis lobata</i>	wild cucumber	
<i>Elaeagnus commutata</i>	silverberry	
<i>Eleocharis acicularis</i>	needle spikerush	
<i>Eleocharis palustris</i>	common spikerush	
<i>Eleocharis palustris</i> var. <i>palustris</i>	common spikerush	
<i>Eleocharis quinqueflora</i>	fewflower spikerush	
× <i>Elyhordeum macounii</i>	Macoun's barley	
<i>Elymus canadensis</i>	Canada wildrye	
<i>Elymus elymoides</i>	squirreltail	
<i>Elymus elymoides</i> ssp. <i>brevifolius</i>	squirreltail	
<i>Elymus lanceolatus</i>	thickspike wheatgrass	
<i>Elymus lanceolatus</i> ssp. <i>lanceolatus</i>	thickspike wheatgrass	
<i>Elymus repens</i>	quackgrass	
<i>Elymus scribneri</i>	spreading wheatgrass	
<i>Elymus trachycaulus</i>	slender wheatgrass	
<i>Elymus trachycaulus</i> ssp. <i>trachycaulus</i>	slender wheatgrass	
<i>Epilobium brachycarpum</i>	tall annual willowherb	
<i>Epilobium ciliatum</i>	fringed willowherb	
<i>Epilobium ciliatum</i> ssp. <i>glandulosum</i>	fringed willowherb	
<i>Epilobium halleanum</i>	glandular willowherb	
<i>Epilobium hornemannii</i>	Hornemann's willowherb	
<i>Epilobium hornemannii</i> ssp. <i>hornemannii</i>	Hornemann's willowherb	
<i>Epilobium saximontanum</i>	Rocky Mountain willowherb	
<i>Equisetum arvense</i>	field horsetail	
<i>Equisetum hyemale</i>	scouringrush horsetail	
<i>Equisetum hyemale</i> var. <i>affine</i>	scouringrush horsetail	
<i>Equisetum laevigatum</i>	smooth horsetail	
<i>Equisetum pratense</i>	meadow horsetail	
<i>Equisetum variegatum</i>	variegated scouringrush	
<i>Equisetum variegatum</i> var. <i>variegatum</i>	variegated scouringrush	
<i>Eragrostis pilosa</i>	Indian lovegrass	
<i>Ericameria nauseosa</i>	rubber rabbitbrush	
<i>Ericameria nauseosa</i> ssp. <i>consimilis</i>	rubber rabbitbrush	
<i>Ericameria nauseosa</i> ssp. <i>consimilis</i> var. <i>oreophila</i>	rubber rabbitbrush	
<i>Ericameria nauseosa</i> ssp. <i>nauseosa</i>	rubber rabbitbrush	
<i>Ericameria nauseosa</i> ssp. <i>nauseosa</i> var. <i>bigelovii</i>	rubber rabbitbrush	
<i>Ericameria nauseosa</i> ssp. <i>nauseosa</i> var. <i>glabrata</i>	rubber rabbitbrush	
<i>Ericameria nauseosa</i> ssp. <i>nauseosa</i> var. <i>nauseosa</i>	rubber rabbitbrush	
<i>Ericameria parryi</i>	Parry's rabbitbrush	
<i>Ericameria parryi</i> var. <i>affinis</i>	Parry's rabbitbrush	
<i>Ericameria parryi</i> var. <i>parryi</i>	Parry's rabbitbrush	
<i>Erigeron acris</i>	bitter fleabane	
<i>Erigeron acris</i> ssp. <i>debilis</i>	bitter fleabane	
<i>Erigeron acris</i> ssp. <i>politus</i>	bitter fleabane	
<i>Erigeron canus</i>	hoary fleabane	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Erigeron colomexicanus</i>	running fleabane	
<i>Erigeron compositus</i>	cutleaf daisy	
<i>Erigeron coulteri</i>	large mountain fleabane	
<i>Erigeron divergens</i>	spreading fleabane	
<i>Erigeron elatior</i>	tall fleabane	
<i>Erigeron engelmannii</i>	Engelmann's fleabane	
<i>Erigeron engelmannii</i> var. <i>engelmannii</i>	Engelmann's fleabane	
<i>Erigeron eximius</i>	sprucefir fleabane	
<i>Erigeron flagellaris</i>	trailing fleabane	
<i>Erigeron formosissimus</i>	beautiful fleabane	
<i>Erigeron glabellus</i>	streamside fleabane	
<i>Erigeron leiomerus</i>	rockslide yellow fleabane	
<i>Erigeron lonchophyllus</i>	shortray fleabane	
<i>Erigeron melanocephalus</i>	blackhead fleabane	
<i>Erigeron peregrinus</i>	subalpine fleabane	
<i>Erigeron peregrinus</i> ssp. <i>callianthemus</i>	subalpine fleabane	
<i>Erigeron peregrinus</i> ssp. <i>callianthemus</i> var. <i>callianthemus</i>	subalpine fleabane	
<i>Erigeron philadelphicus</i>	Philadelphia fleabane	
<i>Erigeron philadelphicus</i> var. <i>philadelphicus</i>	Philadelphia fleabane	
<i>Erigeron pinnatisectus</i>	featherleaf fleabane	
<i>Erigeron pumilus</i>	shaggy fleabane	
<i>Erigeron pumilus</i> ssp. <i>pumilus</i>	shaggy fleabane	
<i>Erigeron simplex</i>	onestem fleabane	
<i>Erigeron speciosus</i>	aspen fleabane	
<i>Erigeron speciosus</i> var. <i>speciosus</i>	aspen fleabane	
<i>Erigeron subtrinervis</i>	threenerve fleabane	
<i>Erigeron subtrinervis</i> var. <i>subtrinervis</i>	threenerve fleabane	
<i>Erigeron ursinus</i>	Bear River fleabane	
<i>Erigeron vetensis</i>	early bluetop fleabane	
<i>Erigeron vreelandii</i>	Vreeland's erigeron	
<i>Eriodictyon angustifolium</i>	narrowleaf yerba santa	
<i>Eriogonum alatum</i>	winged buckwheat	
<i>Eriogonum alatum</i> var. <i>alatum</i>	winged buckwheat	
<i>Eriogonum cernuum</i>	nodding buckwheat	
<i>Eriogonum cernuum</i> var. <i>cernuum</i>	nodding buckwheat	
<i>Eriogonum coloradense</i>	Colorado buckwheat	
<i>Eriogonum effusum</i>	spreading buckwheat	
<i>Eriogonum effusum</i> var. <i>effusum</i>	spreading buckwheat	
<i>Eriogonum jamesii</i>	James' buckwheat	
<i>Eriogonum jamesii</i> var. <i>flavescens</i>	James' buckwheat	
<i>Eriogonum jamesii</i> var. <i>jamesii</i>	James' buckwheat	
<i>Eriogonum jamesii</i> var. <i>xanthum</i>	James' buckwheat	
<i>Eriogonum lachnogynum</i>	woollycup buckwheat	
<i>Eriogonum microthecum</i>	slender buckwheat	
<i>Eriogonum racemosum</i>	redroot buckwheat	
<i>Eriogonum umbellatum</i>	sulphur-flower buckwheat	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Eriogonum umbellatum</i> var. <i>aureum</i>	sulphur-flower buckwheat	
<i>Eriogonum umbellatum</i> var. <i>majus</i>	sulphur-flower buckwheat	
<i>Eriogonum umbellatum</i> var. <i>umbellatum</i>	sulphur-flower buckwheat	
<i>Eriophorum angustifolium</i>	tall cottongrass	
<i>Eriophorum angustifolium</i> ssp. <i>angustifolium</i>	tall cottongrass	
<i>Eritrichium nanum</i>	arctic alpine forget-me-not	
<i>Erysimum capitatum</i>	sanddune wallflower	
<i>Erysimum capitatum</i> var. <i>capitatum</i>	sanddune wallflower	
<i>Erysimum cheiranthoides</i>	wormseed wallflower	
<i>Erysimum inconspicuum</i>	shy wallflower	
<i>Erysimum inconspicuum</i> var. <i>inconspicuum</i>	shy wallflower	
<i>Escobaria vivipara</i>	spiny star	
<i>Escobaria vivipara</i> var. <i>vivipara</i>	spiny star	
<i>Euphorbia brachycera</i>	horned spurge	
<i>Euthamia graminifolia</i>	flat-top goldentop	
<i>Euthamia graminifolia</i> var. <i>graminifolia</i>	flat-top goldentop	
<i>Euthamia occidentalis</i>	western goldentop	
<i>Fallugia paradoxa</i>	Apache plume	
<i>Festuca arizonica</i>	Arizona fescue	
<i>Festuca brachyphylla</i>	alpine fescue	
<i>Festuca brachyphylla</i> ssp. <i>coloradensis</i>	Colorado fescue	
<i>Festuca earlei</i>	Earle's fescue	
<i>Festuca idahoensis</i>	Idaho fescue	
<i>Festuca idahoensis</i> ssp. <i>idahoensis</i>	Idaho fescue	
<i>Festuca minutiflora</i>	smallflower fescue	
<i>Festuca rubra</i>	red fescue	
<i>Festuca saximontana</i>	Rocky Mountain fescue	
<i>Festuca sororia</i>	ravine fescue	
<i>Festuca thurberi</i>	Thurber's fescue	
<i>Fragaria vesca</i>	woodland strawberry	
<i>Fragaria vesca</i> ssp. <i>bracteata</i>	woodland strawberry	
<i>Fragaria virginiana</i>	Virginia strawberry	
<i>Fragaria virginiana</i> ssp. <i>glauca</i>	Virginia strawberry	
<i>Frasera speciosa</i>	elkweed	
<i>Gaillardia aristata</i>	blanketflower	
<i>Galium boreale</i>	northern bedstraw	
<i>Galium trifidum</i>	threepetal bedstraw	
<i>Galium trifidum</i> ssp. <i>subbiflorum</i>	threepetal bedstraw	
<i>Gaura coccinea</i>	scarlet beeblossom	
<i>Gayophytum diffusum</i>	spreading groundsmoke	
<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i>	spreading groundsmoke	
<i>Gayophytum ramosissimum</i>	pinyon groundsmoke	
<i>Gentiana affinis</i>	pleated gentian	
<i>Gentiana algida</i>	whitish gentian	
<i>Gentiana fremontii</i>	moss gentian	
<i>Gentiana parryi</i>	Parry's gentian	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Gentiana prostrata</i>	pygmy gentian	
<i>Gentianella amarella</i>	autumn dwarf gentian	
<i>Gentianella amarella</i> ssp. <i>acuta</i>	autumn dwarf gentian	
<i>Gentianella amarella</i> ssp. <i>heterosepala</i>	autumn dwarf gentian	
<i>Gentianella tenella</i>	Dane's dwarf gentian	
<i>Gentianella tenella</i> ssp. <i>tenella</i>	Dane's dwarf gentian	
<i>Gentianopsis barbellata</i>	perennial fringed gentian	
<i>Gentianopsis thermalis</i>	Rocky Mountain fringed gentian	
<i>Geranium caespitosum</i>	pineywoods geranium	
<i>Geranium caespitosum</i> var. <i>caespitosum</i>	pineywoods geranium	
<i>Geranium richardsonii</i>	Richardson's geranium	
<i>Geum aleppicum</i>	yellow avens	
<i>Geum macrophyllum</i>	largeleaf avens	
<i>Geum macrophyllum</i> var. <i>perincisum</i>	largeleaf avens	
<i>Geum rivale</i>	purple avens	
<i>Geum rossii</i>	Ross' avens	
<i>Geum rossii</i> var. <i>turbinatum</i>	Ross' avens	
<i>Geum triflorum</i>	old man's whiskers	
<i>Geum triflorum</i> var. <i>triflorum</i>	old man's whiskers	
<i>Glaux maritima</i>	sea milkwort	
<i>Glyceria grandis</i>	American mannagrass	
<i>Glyceria grandis</i> var. <i>grandis</i>	American mannagrass	
<i>Glyceria striata</i>	fowl mannagrass	
<i>Glycyrrhiza lepidota</i>	American licorice	
<i>Gnaphalium uliginosum</i>	marsh cudweed	
<i>Goodyera oblongifolia</i>	western rattlesnake plantain	
<i>Goodyera repens</i>	lesser rattlesnake plantain	
<i>Gratiola neglecta</i>	clammy hedgehyssop	
<i>Grindelia decumbens</i>	reclined gumweed	
<i>Grindelia decumbens</i> var. <i>decumbens</i>	reclined gumweed	
<i>Grindelia nuda</i>	curlytop gumweed	
<i>Grindelia nuda</i> var. <i>aphanactis</i>	curlytop gumweed	
<i>Grindelia squarrosa</i>	curlycup gumweed	
<i>Gutierrezia sarothrae</i>	broom snakeweed	
<i>Gymnocarpium dryopteris</i>	western oakfern	
<i>Hackelia floribunda</i>	manyflower stickseed	
<i>Halogeton glomeratus</i>	saltlover	
<i>Hedysarum occidentale</i>	western sweetvetch	
<i>Helianthella parryi</i>	Parry's dwarf-sunflower	
<i>Helianthella quinquenervis</i>	fivenerve helianthella	
<i>Helianthus annuus</i>	common sunflower	
<i>Helianthus nuttallii</i>	Nuttall's sunflower	
<i>Helianthus petiolaris</i>	prairie sunflower	
<i>Helioneris multiflora</i>	showy goldeneye	
<i>Heliotropium curassavicum</i>	salt heliotrope	
<i>Heliotropium curassavicum</i> var. <i>obovatum</i>	seaside heliotrope	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Heracleum maximum</i>	common cowparsnip	
<i>Hesperostipa comata</i>	needle and thread	
<i>Hesperostipa comata</i> ssp. <i>comata</i>	needle and thread	
<i>Hesperostipa neomexicana</i>	New Mexico feathergrass	
<i>Heterotheca fulcrata</i>	rockyscree false goldenaster	
<i>Heterotheca pumila</i>	alpine false goldenaster	
<i>Heterotheca villosa</i>	hairy false goldenaster	
<i>Heterotheca villosa</i> var. <i>minor</i>	hairy false goldenaster	
<i>Heterotheca villosa</i> var. <i>nana</i>	hairy false goldenaster	
<i>Heterotheca villosa</i> var. <i>villosa</i>	hairy false goldenaster	
<i>Heuchera parvifolia</i>	littleleaf alumroot	
<i>Heuchera parvifolia</i> var. <i>parvifolia</i>	littleleaf alumroot	
<i>Hieracium gracile</i>	slender hawkweed	
<i>Hieracium gracile</i> var. <i>gracile</i>	slender hawkweed	
<i>Hierochloa hirta</i>	northern sweetgrass	
<i>Hierochloa hirta</i> ssp. <i>arctica</i>	northern sweetgrass	
<i>Hoffmannseggia glauca</i>	Indian rushpea	
<i>Holodiscus dumosus</i>	rockspirea	
<i>Hordeum brachyantherum</i>	meadow barley	
<i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i>	meadow barley	
<i>Hordeum jubatum</i>	foxtail barley	
<i>Hordeum jubatum</i> ssp. <i>jubatum</i>	foxtail barley	
<i>Humulus lupulus</i>	common hop	
<i>Humulus lupulus</i> var. <i>neomexicanus</i>	common hop	
<i>Hydrophyllum fendleri</i>	Fendler's waterleaf	
<i>Hydrophyllum fendleri</i> var. <i>fendleri</i>	Fendler's waterleaf	
<i>Hymenopappus filifolius</i>	fineleaf hymenopappus	
<i>Hymenopappus filifolius</i> var. <i>cinereus</i>	fineleaf hymenopappus	
<i>Hymenopappus filifolius</i> var. <i>parvulus</i>	fineleaf hymenopappus	
<i>Hymenopappus newberryi</i>	Newberry's hymenopappus	
<i>Hymenoxys helenioides</i>	Intermountain rubberweed	
<i>Hymenoxys hoopesii</i>	owl's-claws	
<i>Hymenoxys richardsonii</i>	pingue rubberweed	
<i>Hymenoxys richardsonii</i> var. <i>richardsonii</i>	pingue rubberweed	
<i>Hyoscyamus niger</i>	black henbane	
<i>Hypericum scouleri</i>	Scouler's St. Johnswort	
<i>Hypericum scouleri</i> ssp. <i>nortoniae</i>	Norton's St. Johnswort	
<i>Ipomopsis aggregata</i>	scarlet gilia	
<i>Ipomopsis aggregata</i> ssp. <i>candida</i>	scarlet gilia	
<i>Ipomopsis aggregata</i> ssp. <i>collina</i>	scarlet gilia	
<i>Ipomopsis longiflora</i>	flaxflowered ipomopsis	
<i>Ipomopsis longiflora</i> ssp. <i>longiflora</i>	flaxflowered ipomopsis	
<i>Ipomopsis multiflora</i>	manyflowered ipomopsis	
<i>Iris missouriensis</i>	Rocky Mountain iris	
<i>Iva axillaris</i>	povertyweed	
<i>Ivesia gordonii</i>	Gordon's ivesia	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Jamesia americana</i>	fivepetal cliffbush	
<i>Jamesia americana</i> var. <i>americana</i>	fivepetal cliffbush	
<i>Juncus arcticus</i>	arctic rush	
<i>Juncus arcticus</i> ssp. <i>littoralis</i>	mountain rush	
<i>Juncus bufonius</i>	toad rush	
<i>Juncus bufonius</i> var. <i>bufonius</i>	toad rush	
<i>Juncus castaneus</i>	chestnut rush	
<i>Juncus castaneus</i> ssp. <i>castaneus</i>	chestnut rush	
<i>Juncus castaneus</i> ssp. <i>castaneus</i> var. <i>castaneus</i>	chestnut rush	
<i>Juncus drummondii</i>	Drummond's rush	
<i>Juncus interior</i>	inland rush	
<i>Juncus longistylis</i>	longstyle rush	
<i>Juncus longistylis</i> var. <i>longistylis</i>	longstyle rush	
<i>Juncus mertensianus</i>	Mertens' rush	
<i>Juncus saximontanus</i>	Rocky Mountain rush	
<i>Juncus torreyi</i>	Torrey's rush	
<i>Juniperus communis</i>	common juniper	
<i>Juniperus communis</i> var. <i>depressa</i>	common juniper	
<i>Juniperus scopulorum</i>	Rocky Mountain juniper	
<i>Kalmia microphylla</i>	alpine laurel	
<i>Kobresia myosuroides</i>	Bellardi bog sedge	
<i>Koeleria macrantha</i>	prairie Junegrass	
<i>Krascheninnikovia lanata</i>	winterfat	
<i>Lactuca tatarica</i>	blue lettuce	
<i>Lactuca tatarica</i> var. <i>pulchella</i>	blue lettuce	
<i>Lappula occidentalis</i>	flatspine stickseed	
<i>Lappula occidentalis</i> var. <i>occidentalis</i>	flatspine stickseed	
<i>Lathyrus eucosmus</i>	bush vetchling	
<i>Lathyrus lanszwertii</i>	Nevada pea	
<i>Lathyrus lanszwertii</i> var. <i>leucanthus</i>	Nevada pea	
<i>Lathyrus latifolius</i>	perennial pea	
<i>Lemna minuta</i>	least duckweed	
<i>Lemna turionifera</i>	turion duckweed	
<i>Lepidium alyssoides</i>	mesa pepperwort	
<i>Lepidium alyssoides</i> var. <i>alyssoides</i>	mesa pepperwort	
<i>Lepidium densiflorum</i>	common pepperweed	
<i>Lepidium latifolium</i>	broadleaved pepperweed	
<i>Lepidium ramosissimum</i>	manybranched pepperweed	
<i>Leptochloa fusca</i>	Malabar sprangletop	
<i>Leptochloa fusca</i> ssp. <i>fascicularis</i>	bearded sprangletop	
<i>Leptosiphon nuttallii</i>	Nuttall's linanthus	
<i>Leptosiphon nuttallii</i> ssp. <i>nuttallii</i>	Nuttall's linanthus	
<i>Lesquerella montana</i>	mountain bladderpod	
<i>Levisticum officinale</i>	garden lovage	
<i>Lewisia pygmaea</i>	alpine lewisia	
<i>Leymus ambiguus</i>	Colorado wildrye	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Leymus cinereus</i>	basin wildrye	
<i>Leymus triticoides</i>	beardless wildrye	
<i>Liatris punctata</i>	dotted blazing star	
<i>Ligusticum porteri</i>	Porter's licorice-root	
<i>Ligusticum porteri</i> var. <i>porteri</i>	Porter's licorice-root	
<i>Limosella aquatica</i>	water mudwort	
<i>Linanthus pungens</i>	granite prickly phlox	
<i>Linnaea borealis</i>	twinline	
<i>Linnaea borealis</i> ssp. <i>americana</i>	twinline	
<i>Linum australe</i>	southern flax	
<i>Linum australe</i> var. <i>australe</i>	southern flax	
<i>Linum lewisii</i>	Lewis flax	
<i>Linum lewisii</i> var. <i>lewisii</i>	prairie flax	
<i>Listera cordata</i>	heartleaf twayblade	
<i>Listera cordata</i> var. <i>nephrophylla</i>	heartleaf twayblade	
<i>Lithophragma tenellum</i>	slender woodland-star	
<i>Lithospermum incisum</i>	narrowleaf stoneseed	
<i>Lithospermum multiflorum</i>	manyflowered stoneseed	
<i>Lloydia serotina</i>	common alplily	
<i>Lloydia serotina</i> var. <i>serotina</i>	common alplily	
<i>Lonicera involucrata</i>	twinberry honeysuckle	
<i>Lonicera involucrata</i> var. <i>involucrata</i>	twinberry honeysuckle	
<i>Lupinus argenteus</i>	silvery lupine	
<i>Lupinus bakeri</i>	Baker's lupine	
<i>Lupinus bakeri</i> ssp. <i>bakeri</i>	Baker's lupine	
<i>Lupinus caespitosus</i>	stemless dwarf lupine	
<i>Lupinus caespitosus</i> var. <i>caespitosus</i>	stemless dwarf lupine	
<i>Lupinus caudatus</i>	tailcup lupine	
<i>Lupinus kingii</i>	King's lupine	
<i>Lupinus pusillus</i>	rusty lupine	
<i>Lupinus pusillus</i> ssp. <i>pusillus</i>	rusty lupine	
<i>Lupinus sericeus</i>	silky lupine	
<i>Lupinus sericeus</i> ssp. <i>sericeus</i>	silky lupine	
<i>Luzula parviflora</i>	smallflowered woodrush	
<i>Luzula spicata</i>	spiked woodrush	
<i>Lycopus asper</i>	rough bugleweed	
<i>Lygodesmia juncea</i>	rush skeletonplant	
<i>Machaeranthera bigelovii</i>	Bigelow's tansyaster	
<i>Machaeranthera bigelovii</i> var. <i>bigelovii</i>	Bigelow's tansyaster	
<i>Machaeranthera canescens</i>	hoary tansyaster	
<i>Machaeranthera canescens</i> ssp. <i>glabra</i>	hoary tansyaster	
<i>Machaeranthera canescens</i> ssp. <i>glabra</i> var. <i>glabra</i>	hoary tansyaster	
<i>Machaeranthera coloradoensis</i>	Colorado tansyaster	
<i>Machaeranthera coloradoensis</i> var. <i>coloradoensis</i>	Colorado tansyaster	
<i>Machaeranthera parviflora</i>	smallflower tansyaster	
<i>Machaeranthera pinnatifida</i>	lacy tansyaster	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Machaeranthera pinnatifida</i> ssp. <i>pinnatifida</i>	lacy tansyaster	
<i>Machaeranthera pinnatifida</i> ssp. <i>pinnatifida</i> var. <i>pinnatifida</i>	lacy tansyaster	
<i>Machaeranthera tanacetifolia</i>	tanseyleaf tansyaster	
<i>Mahonia repens</i>	creeping barberry	
<i>Maianthemum racemosum</i>	feathery false lily of the valley	
<i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i>	feathery false lily of the valley	
<i>Maianthemum stellatum</i>	starry false lily of the valley	
<i>Malva neglecta</i>	common mallow	
<i>Marsilea vestita</i>	hairy watercress	
<i>Medicago sativa</i>	alfalfa	
<i>Medicago sativa</i> ssp. <i>sativa</i>	alfalfa	
<i>Melilotus officinalis</i>	sweetclover	
<i>Mentha arvensis</i>	wild mint	
<i>Mentzelia albicaulis</i>	whitestem blazingstar	
<i>Mentzelia multiflora</i>	Adonis blazingstar	
<i>Mentzelia multiflora</i> var. <i>multiflora</i>	Adonis blazingstar	
<i>Mentzelia nuda</i>	bractless blazingstar	
<i>Mentzelia rusbyi</i>	Rusby's blazingstar	
<i>Mentzelia speciosa</i>	jeweled blazingstar	
<i>Menyanthes trifoliata</i>	buckbean	
<i>Mertensia alpina</i>	alpine bluebells	
<i>Mertensia brevistyla</i>	shortstyle bluebells	
<i>Mertensia ciliata</i>	tall fringed bluebells	
<i>Mertensia ciliata</i> var. <i>ciliata</i>	tall fringed bluebells	
<i>Mertensia franciscana</i>	Franciscan bluebells	
<i>Mertensia lanceolata</i>	prairie bluebells	
<i>Mertensia lanceolata</i> var. <i>lanceolata</i>	prairie bluebells	
<i>Mertensia oblongifolia</i>	oblongleaf bluebells	
<i>Mimulus floribundus</i>	manyflowered monkeyflower	
<i>Mimulus glabratus</i>	roundleaf monkeyflower	
<i>Mimulus guttatus</i>	seep monkeyflower	
<i>Minuartia obtusiloba</i>	twinfleur sandwort	
<i>Minuartia rubella</i>	beautiful sandwort	
<i>Mirabilis linearis</i>	narrowleaf four o'clock	
<i>Mirabilis multiflora</i>	Colorado four o'clock	
<i>Mirabilis oxybaphoides</i>	smooth spreading four o'clock	
<i>Mitella pentandra</i>	five-stamen miterwort	
<i>Mitella stauropetala</i>	smallflower miterwort	
<i>Mitella stauropetala</i> var. <i>stenopetala</i>	drywoods miterwort	
<i>Moehringia lateriflora</i>	bluntleaf sandwort	
<i>Moehringia macrophylla</i>	largeleaf sandwort	
<i>Monarda fistulosa</i>	wild bergamot	
<i>Monarda fistulosa</i> ssp. <i>fistulosa</i>	wild bergamot	
<i>Monarda fistulosa</i> ssp. <i>fistulosa</i> var. <i>menthifolia</i>	mintleaf bergamot	
<i>Monarda pectinata</i>	pony beebalm	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Moneses uniflora</i>	single delight	
<i>Monolepis nuttalliana</i>	Nuttall's povertyweed	
<i>Monotropa hypopithys</i>	pinemap	
<i>Montia chamissoi</i>	water minerslettuce	
<i>Muhlenbergia andina</i>	foxtail muhly	
<i>Muhlenbergia asperifolia</i>	scratchgrass	
<i>Muhlenbergia brevis</i>	short muhly	
<i>Muhlenbergia filiculmis</i>	slimstem muhly	
<i>Muhlenbergia filiformis</i>	pullup muhly	
<i>Muhlenbergia minutissima</i>	annual muhly	
<i>Muhlenbergia montana</i>	mountain muhly	
<i>Muhlenbergia pungens</i>	sandhill muhly	
<i>Muhlenbergia richardsonis</i>	mat muhly	
<i>Muhlenbergia torreyi</i>	ring muhly	
<i>Munroa squarrosa</i>	false buffalograss	
<i>Myriophyllum sibiricum</i>	shortspike watermilfoil	
<i>Nassella viridula</i>	green needlegrass	
<i>Nasturtium officinale</i>	watercress	
<i>Neoparrya lithophila</i>	Bill's neoparrya	
<i>Noccaea montana</i>	alpine pennycress	
<i>Noccaea montana</i> var. <i>montana</i>	alpine pennycress	
<i>Nuphar lutea</i>	yellow pond-lily	
<i>Nuphar lutea</i> ssp. <i>polysepala</i>	Rocky Mountain pond-lily	
<i>Oenothera albicaulis</i>	whitest evening primrose	
<i>Oenothera caespitosa</i>	tufted evening primrose	
<i>Oenothera caespitosa</i> ssp. <i>caespitosa</i>	tufted evening primrose	
<i>Oenothera coronopifolia</i>	crownleaf evening primrose	
<i>Oenothera elata</i>	Hooker's evening primrose	
<i>Oenothera elata</i> ssp. <i>hirsutissima</i>	Hooker's evening primrose	
<i>Oenothera flava</i>	yellow evening primrose	
<i>Oenothera flava</i> ssp. <i>flava</i>	yellow evening primrose	
<i>Oenothera pallida</i>	pale evening primrose	
<i>Oenothera pallida</i> ssp. <i>runcinata</i>	pale evening primrose	
<i>Oenothera villosa</i>	hairy evening primrose	
<i>Oenothera villosa</i> ssp. <i>strigosa</i>	hairy evening primrose	
<i>Opuntia polyacantha</i>	plains pricklypear	
<i>Opuntia polyacantha</i> var. <i>polyacantha</i>	hairspine pricklypear	
<i>Oreochrysum parryi</i>	Parry's goldenrod	
<i>Oreoxis alpina</i>	alpine oreoxis	
<i>Oreoxis alpina</i> ssp. <i>alpina</i>	alpine oreoxis	
<i>Oreoxis alpina</i> ssp. <i>puberulenta</i>	alpine oreoxis	
<i>Oreoxis bakeri</i>	Baker's alpineparsley	
<i>Orobanche fasciculata</i>	clustered broomrape	
<i>Orthilia secunda</i>	sidebells wintergreen	
<i>Orthocarpus luteus</i>	yellow owl's-clover	
<i>Oryzopsis asperifolia</i>	roughleaf ricegrass	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Osmorhiza depauperata</i>	bluntseed sweetroot	
<i>Oxypolis fendleri</i>	Fendler's cowbane	
<i>Oxyria digyna</i>	alpine mountainsorrel	
<i>Oxytropis campestris</i>	field locoweed	
<i>Oxytropis deflexa</i>	nodding locoweed	
<i>Oxytropis deflexa</i> var. <i>sericea</i>	blue nodding locoweed	
<i>Oxytropis lambertii</i>	purple locoweed	
<i>Oxytropis lambertii</i> var. <i>lambertii</i>	purple locoweed	
<i>Oxytropis parryi</i>	Parry's oxytrope	
<i>Oxytropis sericea</i>	white locoweed	
<i>Oxytropis sericea</i> var. <i>sericea</i>	white locoweed	
<i>Oxytropis splendens</i>	showy locoweed	
<i>Packera cana</i>	woolly groundsel	
<i>Packera crocata</i>	saffron ragwort	
<i>Packera dimorphophylla</i>	splitleaf groundsel	
<i>Packera dimorphophylla</i> var. <i>intermedia</i>	splitleaf groundsel	
<i>Packera fendleri</i>	Fendler's ragwort	
<i>Packera neomexicana</i>	New Mexico groundsel	
<i>Packera neomexicana</i> var. <i>mutabilis</i>	New Mexico groundsel	
<i>Packera pseud aurea</i>	falsegold groundsel	
<i>Packera pseud aurea</i> var. <i>pseud aurea</i>	falsegold groundsel	
<i>Packera streptanthifolia</i>	Rocky Mountain groundsel	
<i>Packera tridenticulata</i>	threetooth ragwort	
<i>Packera wernerifolia</i>	hoary groundsel	
<i>Parietaria pensylvanica</i>	Pennsylvania pellitory	
<i>Parnassia palustris</i>	marsh grass of Parnassus	
<i>Parnassia palustris</i> var. <i>montanensis</i>	mountain grass of Parnassus	
<i>Paronychia pulvinata</i>	Rocky Mountain nailwort	
<i>Paronychia sessiliflora</i>	creeping nailwort	
<i>Parthenium tetraeuris</i>	Arkansas River feverfew	
<i>Pascopyrum smithii</i>	western wheatgrass	
<i>Pastinaca sativa</i>	wild parsnip	
<i>Paxistima myrsinites</i>	Oregon boxleaf	
<i>Pectis angustifolia</i>	lemonscent	
<i>Pectis angustifolia</i> var. <i>angustifolia</i>	narrowleaf pectis	
<i>Pedicularis canadensis</i>	Canadian lousewort	
<i>Pedicularis canadensis</i> ssp. <i>fluvialis</i>	Canadian lousewort	
<i>Pedicularis crenulata</i>	meadow lousewort	
<i>Pedicularis groenlandica</i>	elephanthead lousewort	
<i>Pedicularis parryi</i>	Parry's lousewort	
<i>Pedicularis parryi</i> ssp. <i>parryi</i>	Parry's lousewort	
<i>Pedicularis procera</i>	giant lousewort	
<i>Pedicularis racemosa</i>	sickle-top lousewort	
<i>Pedicularis racemosa</i> ssp. <i>alba</i>	sickle-top lousewort	
<i>Pediocactus simpsonii</i>	mountain ball cactus	
<i>Penstemon barbatus</i>	beardlip penstemon	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Penstemon caespitosus</i>	mat penstemon	
<i>Penstemon griffinii</i>	Griffin's beardtongue	
<i>Penstemon hallii</i>	Hall's beardtongue	
<i>Penstemon procerus</i>	littleflower penstemon	
<i>Penstemon procerus</i> var. <i>procerus</i>	pincushion beardtongue	
<i>Penstemon rydbergii</i>	Rydberg's penstemon	
<i>Penstemon secundiflorus</i>	sidebells penstemon	
<i>Penstemon strictus</i>	Rocky Mountain penstemon	
<i>Penstemon unilateralis</i>	oneside penstemon	
<i>Penstemon whippleanus</i>	Whipple's penstemon	
<i>Pericome caudata</i>	mountain tail-leaf	
<i>Petasites frigidus</i>	arctic sweet coltsfoot	
<i>Petasites frigidus</i> var. <i>sagittatus</i>	arrowleaf sweet coltsfoot	
<i>Phacelia alba</i>	white phacelia	
<i>Phacelia bakeri</i>	Baker's phacelia	
<i>Phacelia glandulosa</i>	glandular phacelia	
<i>Phacelia glandulosa</i> var. <i>glandulosa</i>	glandular phacelia	
<i>Phacelia heterophylla</i>	varileaf phacelia	
<i>Phacelia heterophylla</i> ssp. <i>heterophylla</i>	varileaf phacelia	
<i>Phacelia sericea</i>	silky phacelia	
<i>Phacelia sericea</i> ssp. <i>sericea</i>	silky phacelia	
<i>Phalaris arundinacea</i>	reed canarygrass	
<i>Phleum alpinum</i>	alpine timothy	
<i>Phleum pratense</i>	timothy	
<i>Phlox austromontana</i>	mountain phlox	
<i>Phlox condensata</i>	dwarf phlox	
<i>Phlox hoodii</i>	spiny phlox	
<i>Phlox pulvinata</i>	cushion phlox	
<i>Physaria floribunda</i>	pointtip twinpod	
<i>Physocarpus monogynus</i>	mountain ninebark	
<i>Picea engelmannii</i>	Engelmann spruce	
<i>Picea engelmannii</i> var. <i>engelmannii</i>	Engelmann spruce	
<i>Picea pungens</i>	blue spruce	
<i>Picradeniopsis oppositifolia</i>	oppositeleaf bahia	
<i>Pinus aristata</i>	bristlecone pine	
<i>Pinus edulis</i>	twoneedle pinyon	
<i>Pinus flexilis</i>	limber pine	
<i>Pinus ponderosa</i>	ponderosa pine	
<i>Pinus ponderosa</i> var. <i>brachyptera</i>	ponderosa pine	
<i>Pinus ponderosa</i> var. <i>scopulorum</i>	ponderosa pine	
<i>Pinus strobiformis</i>	southwestern white pine	
<i>Piptatherum micranthum</i>	littleseed ricegrass	
<i>Piptatherum pungens</i>	mountain ricegrass	
<i>Plagiobothrys scouleri</i>	Scouler's popcornflower	
<i>Plagiobothrys scouleri</i> var. <i>hispidulus</i>	sleeping popcornflower	
<i>Plantago eriopoda</i>	redwool plantain	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Plantago major</i>	common plantain	
<i>Platanthera dilatata</i>	scentbottle	
<i>Platanthera dilatata</i> var. <i>albiflora</i>	scentbottle	
<i>Platanthera obtusata</i>	bluntleaved orchid	
<i>Platanthera obtusata</i> ssp. <i>obtusata</i>	bluntleaved orchid	
<i>Platanthera sparsiflora</i>	sparse-flowered bog orchid	
<i>Platanthera sparsiflora</i> var. <i>ensifolia</i>	sparse-flowered bog orchid	
<i>Poa alpina</i>	alpine bluegrass	
<i>Poa annua</i>	annual bluegrass	
<i>Poa arctica</i>	arctic bluegrass	
<i>Poa arctica</i> ssp. <i>aperta</i>	arctic bluegrass	
<i>Poa compressa</i>	Canada bluegrass	
<i>Poa fendleriana</i>	muttongrass	
<i>Poa glauca</i>	glaucous bluegrass	
<i>Poa glauca</i> ssp. <i>rupicola</i>	timberline bluegrass	
<i>Poa leptocoma</i>	marsh bluegrass	
<i>Poa lettermanii</i>	Letterman's bluegrass	
<i>Poa nemoralis</i>	wood bluegrass	
<i>Poa nemoralis</i> ssp. <i>interior</i>	inland bluegrass	
<i>Poa palustris</i>	fowl bluegrass	
<i>Poa pratensis</i>	Kentucky bluegrass	
<i>Poa pratensis</i> ssp. <i>pratensis</i>	Kentucky bluegrass	
<i>Poa reflexa</i>	nodding bluegrass	
<i>Poa secunda</i>	Sandberg bluegrass	
<i>Podistera eastwoodiae</i>	Eastwood's podistera	
<i>Polemonium brandegeei</i>	Brandegee's Jacob's-ladder	
<i>Polemonium confertum</i>	Rocky Mountain Jacob's-ladder	
<i>Polemonium foliosissimum</i>	towering Jacob's-ladder	
<i>Polemonium occidentale</i>	western polemonium	
<i>Polemonium occidentale</i> ssp. <i>occidentale</i>	western polemonium	
<i>Polemonium pulcherrimum</i>	Jacob's-ladder	
<i>Polemonium pulcherrimum</i> ssp. <i>delicatum</i>	Jacob's-ladder	
<i>Polemonium viscosum</i>	sticky polemonium	
<i>Polygonum amphibium</i>	water knotweed	
<i>Polygonum amphibium</i> var. <i>emersum</i>	longroot smartweed	
<i>Polygonum arenastrum</i>	oval-leaf knotweed	
<i>Polygonum argyrocoleon</i>	silversheath knotweed	
<i>Polygonum bistortoides</i>	American bistort	
<i>Polygonum douglasii</i>	Douglas' knotweed	
<i>Polygonum pennsylvanicum</i>	Pennsylvania smartweed	
<i>Polygonum persicaria</i>	spotted ladythumb	
<i>Polygonum viviparum</i>	alpine bistort	
<i>Populus xacuminata</i>	lanceleaf cottonwood	
<i>Populus angustifolia</i>	narrowleaf cottonwood	
<i>Populus tremuloides</i>	quaking aspen	
<i>Portulaca oleracea</i>	little hogweed	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Potamogeton alpinus</i>	alpine pondweed	
<i>Potamogeton foliosus</i>	leafy pondweed	
<i>Potamogeton foliosus</i> ssp. <i>foliosus</i>	leafy pondweed	
<i>Potamogeton nodosus</i>	longleaf pondweed	
<i>Potamogeton pusillus</i>	small pondweed	
<i>Potamogeton pusillus</i> ssp. <i>pusillus</i>	small pondweed	
<i>Potentilla ambigens</i>	silkyleaf cinquefoil	
<i>Potentilla concinna</i>	elegant cinquefoil	
<i>Potentilla concinna</i> var. <i>concinna</i>	elegant cinquefoil	
<i>Potentilla diversifolia</i>	varileaf cinquefoil	
<i>Potentilla diversifolia</i> var. <i>diversifolia</i>	varileaf cinquefoil	
<i>Potentilla gracilis</i>	slender cinquefoil	
<i>Potentilla hippiana</i>	woolly cinquefoil	
<i>Potentilla hippiana</i> var. <i>hippiana</i>	woolly cinquefoil	
<i>Potentilla norvegica</i>	Norwegian cinquefoil	
<i>Potentilla norvegica</i> ssp. <i>monspeliensis</i>	Norwegian cinquefoil	
<i>Potentilla paradoxa</i>	Paradox cinquefoil	
<i>Potentilla pensylvanica</i>	Pennsylvania cinquefoil	
<i>Potentilla pensylvanica</i> var. <i>pensylvanica</i>	Pennsylvania cinquefoil	
<i>Potentilla plattensis</i>	Platte River cinquefoil	
<i>Potentilla pulcherrima</i>	beautiful cinquefoil	
<i>Potentilla rivalis</i>	brook cinquefoil	
<i>Potentilla subjuga</i>	Colorado cinquefoil	
<i>Potentilla uniflora</i>	oneflower cinquefoil	
<i>Primula angustifolia</i>	alpine primrose	
<i>Primula parryi</i>	Parry's primrose	
<i>Prunella vulgaris</i>	common selfheal	
<i>Prunella vulgaris</i> ssp. <i>lanceolata</i>	lance selfheal	
<i>Prunus pensylvanica</i>	pin cherry	
<i>Prunus pensylvanica</i> var. <i>pensylvanica</i>	pin cherry	
<i>Prunus virginiana</i>	chokecherry	
<i>Prunus virginiana</i> var. <i>melanocarpa</i>	black chokecherry	
<i>Psathyrostachys juncea</i>	Russian wildrye	
<i>Pseudocymopterus montanus</i>	alpine false springparsley	
<i>Pseudotsuga menziesii</i>	Douglas-fir	
<i>Pseudotsuga menziesii</i> var. <i>glauca</i>	Rocky Mountain Douglas-fir	
<i>Psoralidium lanceolatum</i>	lemon scurfpea	
<i>Pteridium aquilinum</i>	western brackenfern	
<i>Pteridium aquilinum</i> var. <i>pubescens</i>	hairy brackenfern	
<i>Pterospora andromedea</i>	woodland pinedrops	
<i>Pteryxia hendersonii</i>	Henderson's wavewing	
<i>Puccinellia nuttalliana</i>	Nuttall's alkaligrass	
<i>Pulsatilla patens</i>	eastern pasqueflower	
<i>Pulsatilla patens</i> ssp. <i>multifida</i>	cutleaf anemone	
<i>Pyrola asarifolia</i>	liverleaf wintergreen	
<i>Pyrola asarifolia</i> ssp. <i>asarifolia</i>	liverleaf wintergreen	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Pyrola chlorantha</i>	greenflowered wintergreen	
<i>Pyrola minor</i>	snowline wintergreen	
<i>Pyrrocomma clementis</i>	tranquil goldenweed	
<i>Pyrrocomma clementis</i> var. <i>clementis</i>	tranquil goldenweed	
<i>Pyrrocomma lanceolata</i>	lanceleaf goldenweed	
<i>Pyrrocomma lanceolata</i> var. <i>lanceolata</i>	lanceleaf goldenweed	
<i>Pyrrocomma uniflora</i>	plantain goldenweed	
<i>Pyrrocomma uniflora</i> var. <i>uniflora</i>	plantain goldenweed	
<i>Quercus gambelii</i>	Gambel oak	
<i>Quercus gambelii</i> var. <i>gambelii</i>	Gambel oak	
<i>Ranunculus abortivus</i>	littleleaf buttercup	
<i>Ranunculus alismifolius</i>	plantainleaf buttercup	
<i>Ranunculus alismifolius</i> var. <i>montanus</i>	waterplantain buttercup	
<i>Ranunculus cardiophyllus</i>	heartleaf buttercup	
<i>Ranunculus cymbalaria</i>	alkali buttercup	
<i>Ranunculus gmelinii</i>	Gmelin's buttercup	
<i>Ranunculus hyperboreus</i>	high northern buttercup	
<i>Ranunculus inamoenus</i>	graceful buttercup	
<i>Ranunculus macauleyi</i>	Rocky Mountain buttercup	
<i>Ranunculus macounii</i>	Macoun's buttercup	
<i>Ranunculus sceleratus</i>	cursed buttercup	
<i>Ranunculus sceleratus</i> var. <i>multifidus</i>	cursed buttercup	
<i>Ranunculus sceleratus</i> var. <i>sceleratus</i>	cursed buttercup	
<i>Ranunculus trichophyllus</i>	threadleaf crowfoot	
<i>Ranunculus trichophyllus</i> var. <i>trichophyllus</i>	threadleaf crowfoot	
<i>Ranunculus uncinatus</i>	woodland buttercup	
<i>Redfieldia flexuosa</i>	blowout grass	
<i>Rhinanthus minor</i>	little yellow rattle	
<i>Rhinanthus minor</i> ssp. <i>minor</i>	little yellow rattle	
<i>Rhodiola integrifolia</i>	ledge stonecrop	
<i>Rhodiola rhodantha</i>	redpod stonecrop	
<i>Rhus trilobata</i>	skunkbush sumac	
<i>Rhus trilobata</i> var. <i>trilobata</i>	skunkbush sumac	
<i>Ribes aureum</i>	golden currant	
<i>Ribes cereum</i>	wax currant	
<i>Ribes cereum</i> var. <i>pedicellare</i>	whisky currant	
<i>Ribes inerme</i>	whitestem gooseberry	
<i>Ribes inerme</i> var. <i>inerme</i>	whitestem gooseberry	
<i>Ribes laxiflorum</i>	trailing black currant	
<i>Ribes leptanthum</i>	trumpet gooseberry	
<i>Ribes montigenum</i>	gooseberry currant	
<i>Ribes wolfii</i>	Wolf's currant	
<i>Rorippa alpina</i>	alpine yellowcress	
<i>Rorippa curvipes</i>	bluntleaf yellowcress	
<i>Rorippa curvipes</i> var. <i>curvipes</i>	bluntleaf yellowcress	
<i>Rorippa curvipes</i> var. <i>truncata</i>	bluntleaf yellowcress	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Rorippa palustris</i>	bog yellowcress	
<i>Rorippa palustris</i> ssp. <i>hispida</i>	hispid yellowcress	
<i>Rorippa sinuata</i>	spreading yellowcress	
<i>Rorippa sphaerocarpa</i>	roundfruit yellowcress	
<i>Rosa acicularis</i>	prickly rose	
<i>Rosa acicularis</i> ssp. <i>sayi</i>	prickly rose	
<i>Rosa woodsii</i>	Woods' rose	
<i>Rosa woodsii</i> var. <i>ultramontana</i>	Woods' rose	
<i>Rubus deliciosus</i>	delicious raspberry	
<i>Rubus idaeus</i>	American red raspberry	
<i>Rubus idaeus</i> ssp. <i>strigosus</i>	grayleaf red raspberry	
<i>Rubus parviflorus</i>	thimbleberry	
<i>Rubus parviflorus</i> var. <i>parviflorus</i>	thimbleberry	
<i>Rudbeckia hirta</i>	blackeyed Susan	
<i>Rudbeckia hirta</i> var. <i>pulcherrima</i>	blackeyed Susan	
<i>Rudbeckia laciniata</i>	cutleaf coneflower	
<i>Rudbeckia laciniata</i> var. <i>ampla</i>	cutleaf coneflower	
<i>Rumex aquaticus</i>	western dock	
<i>Rumex aquaticus</i> var. <i>fenestratus</i>	western dock	
<i>Rumex densiflorus</i>	denseflowered dock	
<i>Rumex maritimus</i>	golden dock	
<i>Rumex salicifolius</i>	willow dock	
<i>Rumex salicifolius</i> var. <i>mexicanus</i>	Mexican dock	
<i>Rumex venosus</i>	veiny dock	
<i>Sagina saginoides</i>	arctic pearlwort	
<i>Sagittaria cuneata</i>	arumleaf arrowhead	
<i>Salix amygdaloides</i>	peachleaf willow	
<i>Salix bebbiana</i>	Bebb willow	
<i>Salix brachycarpa</i>	shortfruit willow	
<i>Salix brachycarpa</i> var. <i>brachycarpa</i>	shortfruit willow	
<i>Salix drummondiana</i>	Drummond's willow	
<i>Salix exigua</i>	narrowleaf willow	
<i>Salix geyeriana</i>	Geyer willow	
<i>Salix ligulifolia</i>	strapleaf willow	
<i>Salix lucida</i>	shining willow	
<i>Salix lucida</i> ssp. <i>caudata</i>	greenleaf willow	
<i>Salix monticola</i>	park willow	
<i>Salix nivalis</i>	snow willow	
<i>Salix orestera</i>	Sierra willow	
<i>Salix petrophila</i>	alpine willow	
<i>Salix planifolia</i>	diamondleaf willow	
<i>Salix planifolia</i> ssp. <i>planifolia</i>	diamondleaf willow	
<i>Salix scouleriana</i>	Scouler's willow	
<i>Salix wolfii</i>	Wolf's willow	
<i>Salsola tragus</i>	prickly Russian thistle	
<i>Salvia reflexa</i>	lanceleaf sage	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Sambucus racemosa</i>	red elderberry	
<i>Sambucus racemosa</i> var. <i>racemosa</i>	red elderberry	
<i>Sarcobatus vermiculatus</i>	greasewood	
<i>Saxifraga bronchialis</i>	yellowdot saxifrage	
<i>Saxifraga bronchialis</i> ssp. <i>austromontana</i>	matted saxifrage	
<i>Saxifraga caespitosa</i>	tufted alpine saxifrage	
<i>Saxifraga caespitosa</i> ssp. <i>delicatula</i>	tufted alpine saxifrage	
<i>Saxifraga cernua</i>	nodding saxifrage	
<i>Saxifraga chrysantha</i>	goldbloom saxifrage	
<i>Saxifraga flagellaris</i>	whiplash saxifrage	
<i>Saxifraga flagellaris</i> ssp. <i>crandallii</i>	Crandall's saxifrage	
<i>Saxifraga odontoloma</i>	brook saxifrage	
<i>Saxifraga rhomboidea</i>	diamondleaf saxifrage	
<i>Saxifraga rivularis</i>	weak saxifrage	
<i>Schedonnardus paniculatus</i>	tumblegrass	
<i>Schizachyrium scoparium</i>	little bluestem	
<i>Schizachyrium scoparium</i> var. <i>scoparium</i>	little bluestem	
<i>Schkuhria multiflora</i>	manyflower false threadleaf	
<i>Schoenocrambe linearifolia</i>	slimleaf plainsmustard	
<i>Schoenoplectus acutus</i>	hardstem bulrush	
<i>Schoenoplectus acutus</i> var. <i>acutus</i>	hardstem bulrush	
<i>Schoenoplectus maritimus</i>	cosmopolitan bulrush	
<i>Schoenoplectus pungens</i>	common threesquare	
<i>Schoenoplectus pungens</i> var. <i>longispicatus</i>	common threesquare	
<i>Schoenoplectus tabernaemontani</i>	softstem bulrush	
<i>Scirpus microcarpus</i>	panicked bulrush	
<i>Scirpus nevadensis</i>	Nevada bulrush	
<i>Scrophularia lanceolata</i>	lanceleaf figwort	
<i>Scutellaria galericulata</i>	marsh skullcap	
<i>Sedum lanceolatum</i>	spearleaf stonecrop	
<i>Sedum lanceolatum</i> ssp. <i>lanceolatum</i>	spearleaf stonecrop	
<i>Selaginella densa</i>	lesser spikemoss	
<i>Selaginella weatherbiana</i>	Weatherby's spikemoss	
<i>Senecio amplexens</i>	showy alpine ragwort	
<i>Senecio amplexens</i> var. <i>amplexens</i>	showy alpine ragwort	
<i>Senecio amplexens</i> var. <i>holmii</i>	Holm's ragwort	
<i>Senecio atratus</i>	tall blacktip ragwort	
<i>Senecio bigelovii</i>	nodding ragwort	
<i>Senecio bigelovii</i> var. <i>hallii</i>	Hall's ragwort	
<i>Senecio crassulus</i>	thickleaf ragwort	
<i>Senecio eremophilus</i>	desert ragwort	
<i>Senecio eremophilus</i> var. <i>kingii</i>	King's ragwort	
<i>Senecio fremontii</i>	dwarf mountain ragwort	
<i>Senecio fremontii</i> var. <i>blitoides</i>	dwarf mountain ragwort	
<i>Senecio pudicus</i>	bashful ragwort	
<i>Senecio soldanella</i>	Colorado ragwort	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Senecio spartioides</i>	broom-like ragwort	
<i>Senecio spartioides</i> var. <i>multicapitatus</i>	broom-like ragwort	
<i>Senecio taraxacoides</i>	dandelion ragwort	
<i>Senecio triangularis</i>	arrowleaf ragwort	
<i>Senecio wootonii</i>	Wooton's ragwort	
<i>Sesuvium verrucosum</i>	verrucose seapurslane	
<i>Setaria viridis</i>	green bristlegrass	
<i>Setaria viridis</i> var. <i>viridis</i>	green bristlegrass	
<i>Shepherdia canadensis</i>	russet buffaloberry	
<i>Sibbaldia procumbens</i>	creeping sibbaldia	
<i>Sidalcea candida</i>	white checkerbloom	
<i>Sidalcea neomexicana</i>	salt spring checkerbloom	
<i>Sidalcea neomexicana</i> ssp. <i>neomexicana</i>	salt spring checkerbloom	
<i>Silene acaulis</i>	moss campion	
<i>Silene acaulis</i> var. <i>subacaulescens</i>	moss campion	
<i>Silene drummondii</i>	Drummond's campion	
<i>Silene drummondii</i> var. <i>drummondii</i>	Drummond's campion	
<i>Silene menziesii</i>	Menzies' campion	
<i>Silene menziesii</i> ssp. <i>menziesii</i>	Menzies' campion	
<i>Silene menziesii</i> ssp. <i>menziesii</i> var. <i>menziesii</i>	Menzies' campion	
<i>Silene scouleri</i>	simple campion	
<i>Silene scouleri</i> ssp. <i>hallii</i>	simple campion	
<i>Sisymbrium altissimum</i>	tall tumbled mustard	
<i>Sisyrinchium demissum</i>	stiff blue-eyed grass	
<i>Sisyrinchium montanum</i>	strict blue-eyed grass	
<i>Sisyrinchium montanum</i> var. <i>montanum</i>	strict blue-eyed grass	
<i>Sisyrinchium pallidum</i>	pale blue-eyed grass	
<i>Sium suave</i>	hemlock waterparsnip	
<i>Smelowskia calycina</i>	alpine smelowskia	
<i>Smelowskia calycina</i> var. <i>americana</i>	American false candytuft	
<i>Solanum triflorum</i>	cutleaf nightshade	
<i>Solidago canadensis</i>	Canada goldenrod	
<i>Solidago missouriensis</i>	Missouri goldenrod	
<i>Solidago multiradiata</i>	Rocky Mountain goldenrod	
<i>Solidago multiradiata</i> var. <i>scopulorum</i>	manyray goldenrod	
<i>Solidago simplex</i>	Mt. Albert goldenrod	
<i>Solidago simplex</i> ssp. <i>simplex</i>	Mt. Albert goldenrod	
<i>Solidago simplex</i> ssp. <i>simplex</i> var. <i>simplex</i>	Mt. Albert goldenrod	
<i>Solidago velutina</i>	threenerve goldenrod	
<i>Sonchus arvensis</i>	field sowthistle	
<i>Sonchus arvensis</i> ssp. <i>uliginosus</i>	moist sowthistle	
<i>Sophora nuttalliana</i>	silky sophora	
<i>Spartina gracilis</i>	alkali cordgrass	
<i>Sphaeralcea coccinea</i>	scarlet globemallow	
<i>Sphaeralcea coccinea</i> ssp. <i>coccinea</i>	scarlet globemallow	
<i>Sphaerophysa salsula</i>	alkali swainsonpea	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Sphenopholis obtusata</i>	prairie wedgescale	
<i>Spiranthes romanzoffiana</i>	hooded lady's tresses	
<i>Sporobolus airoides</i>	alkali sacaton	
<i>Sporobolus contractus</i>	spike dropseed	
<i>Sporobolus cryptandrus</i>	sand dropseed	
<i>Stachys pilosa</i>	hairy hedgenettle	
<i>Stachys pilosa</i> var. <i>pilosa</i>	hairy hedgenettle	
<i>Stellaria calycantha</i>	northern starwort	
<i>Stellaria crassifolia</i>	fleshy starwort	
<i>Stellaria crassifolia</i> var. <i>crassifolia</i>	fleshy starwort	
<i>Stellaria longifolia</i>	longleaf starwort	
<i>Stellaria longifolia</i> var. <i>longifolia</i>	longleaf starwort	
<i>Stellaria longipes</i>	longstalk starwort	
<i>Stellaria longipes</i> ssp. <i>longipes</i>	chickweed, starwort	
<i>Stellaria umbellata</i>	umbrella starwort	
<i>Stephanomeria pauciflora</i>	brownplume wirelettuce	
<i>Streptopus amplexifolius</i>	claspleaf twistedstalk	
<i>Streptopus amplexifolius</i> var. <i>chalazatus</i>	tubercle twistedstalk	
<i>Suaeda calceoliformis</i>	Pursh seepweed	
<i>Suaeda moquinii</i>	Mojave seablite	
<i>Swertia perennis</i>	felwort	
<i>Symphoricarpos occidentalis</i>	western snowberry	
<i>Symphoricarpos rotundifolius</i>	roundleaf snowberry	
<i>Symphoricarpos rotundifolius</i> var. <i>rotundifolius</i>	roundleaf snowberry	
<i>Symphyotrichum ascendens</i>	western aster	
<i>Symphyotrichum boreale</i>	northern bog aster	
<i>Symphyotrichum eatonii</i>	Eaton's aster	
<i>Symphyotrichum ericoides</i>	white heath aster	
<i>Symphyotrichum ericoides</i> var. <i>ericoides</i>	white heath aster	
<i>Symphyotrichum falcatum</i>	white prairie aster	
<i>Symphyotrichum falcatum</i> var. <i>falcatum</i>	white prairie aster	
<i>Symphyotrichum foliaceum</i>	alpine leafybract aster	
<i>Symphyotrichum frondosum</i>	short-rayed alkali aster	
<i>Symphyotrichum lanceolatum</i>	white panicle aster	
<i>Symphyotrichum lanceolatum</i> ssp. <i>hesperium</i>	white panicle aster	
<i>Symphyotrichum lanceolatum</i> ssp. <i>hesperium</i> var. <i>hesperium</i>	white panicle aster	
<i>Symphyotrichum spathulatum</i>	western mountain aster	
<i>Symphyotrichum spathulatum</i> var. <i>spathulatum</i>	western mountain aster	
<i>Taraxacum lyratum</i>	harp dandelion	
<i>Taraxacum officinale</i>	common dandelion	
<i>Taraxacum officinale</i> ssp. <i>ceratophorum</i>	common dandelion	
<i>Tetradymia canescens</i>	spineless horsebrush	
<i>Tetranneuris acaulis</i>	stemless four-nerve daisy	
<i>Tetranneuris acaulis</i> var. <i>acaulis</i>	stemless four-nerve daisy	
<i>Tetranneuris acaulis</i> var. <i>caespitosa</i>	caespitose four-nerve daisy	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Tetraneuris brandegeei</i>	Brandegee's four-nerve daisy	
<i>Tetraneuris grandiflora</i>	graylocks four-nerve daisy	
<i>Teucrium canadense</i>	Canada germander	
<i>Teucrium canadense</i> var. <i>occidentale</i>	western germander	
<i>Thalictrum alpinum</i>	alpine meadow-rue	
<i>Thalictrum fendleri</i>	Fendler's meadow-rue	
<i>Thalictrum fendleri</i> var. <i>fendleri</i>	Fendler's meadow-rue	
<i>Thalictrum sparsiflorum</i>	fewflower meadow-rue	
<i>Thalictrum sparsiflorum</i> var. <i>saximontanum</i>	fewflower meadow-rue	
<i>Thelesperma filifolium</i>	stiff greenthread	
<i>Thelesperma filifolium</i> var. <i>intermedium</i>	stiff greenthread	
<i>Thelesperma subnudum</i>	Navajo tea	
<i>Thelesperma subnudum</i> var. <i>subnudum</i>	Navajo tea	
<i>Thermopsis divaricarpa</i>	spreadfruit goldenbanner	
<i>Thermopsis montana</i>	mountain goldenbanner	
<i>Thermopsis montana</i> var. <i>montana</i>	mountain goldenbanner	
<i>Thermopsis rhombifolia</i>	prairie thermopsis	
<i>Thlaspi arvense</i>	field pennycress	
<i>Tonestus pygmaeus</i>	pygmy goldenweed	
<i>Townsendia eximia</i>	tall Townsend daisy	
<i>Townsendia exscapa</i>	stemless Townsend daisy	
<i>Townsendia grandiflora</i>	largeflower Townsend daisy	
<i>Townsendia hookeri</i>	Hooker's Townsend daisy	
<i>Townsendia leptotes</i>	common Townsend daisy	
<i>Tragopogon porrifolius</i>	salsify	
<i>Trautvetteria caroliniensis</i>	Carolina bugbane	
<i>Trautvetteria caroliniensis</i> var. <i>occidentalis</i>	western bugbane	
<i>Trifolium attenuatum</i>	Rocky Mountain clover	
<i>Trifolium brandegeei</i>	Brandegee's clover	
<i>Trifolium dasyphyllum</i>	alpine clover	
<i>Trifolium dasyphyllum</i> ssp. <i>dasyphyllum</i>	alpine clover	
<i>Trifolium hybridum</i>	alsike clover	
<i>Trifolium longipes</i>	longstalk clover	
<i>Trifolium longipes</i> ssp. <i>pygmaeum</i>	pygmy clover	
<i>Trifolium nanum</i>	dwarf clover	
<i>Trifolium parryi</i>	Parry's clover	
<i>Trifolium parryi</i> ssp. <i>salictorum</i>	Parry's clover	
<i>Trifolium repens</i>	white clover	
<i>Trifolium wormskioldii</i>	cows clover	
<i>Triglochin maritima</i>	seaside arrowgrass	
<i>Triglochin palustris</i>	marsh arrowgrass	
<i>Tripterocalyx micranthus</i>	smallflower sandverbena	
<i>Trisetum spicatum</i>	spike trisetum	
<i>Trollius laxus</i>	American globeflower	
<i>Trollius laxus</i> ssp. <i>albiflorus</i>	American globeflower	
<i>Typha latifolia</i>	broadleaf cattail	

<i>Scientific Name</i>	<i>English Name</i>	<i>Status</i>
<i>Urtica dioica</i>	stinging nettle	
<i>Urtica dioica</i> ssp. <i>gracilis</i>	California nettle	
<i>Utricularia ochroleuca</i>	yellowishwhite bladderwort	
<i>Vaccinium cespitosum</i>	dwarf bilberry	
<i>Vaccinium myrtillos</i>	whortleberry	
<i>Vaccinium scoparium</i>	grouse whortleberry	
<i>Valeriana acutiloba</i>	sharpleaf valerian	
<i>Valeriana acutiloba</i> var. <i>acutiloba</i>	sharpleaf valerian	
<i>Valeriana arizonica</i>	Arizona valerian	
<i>Valeriana edulis</i>	tobacco root	
<i>Valeriana edulis</i> var. <i>edulis</i>	tobacco root	
<i>Veratrum tenuipetalum</i>	Colorado false hellebore	
<i>Verbena bracteata</i>	bigbract verbena	
<i>Verbena macdougalii</i>	MacDougal verbena	
<i>Verbesina encelioides</i>	golden crownbeard	
<i>Verbesina encelioides</i> ssp. <i>encelioides</i>	golden crownbeard	
<i>Verbesina encelioides</i> ssp. <i>exauriculata</i>	golden crownbeard	
<i>Veronica americana</i>	American speedwell	
<i>Veronica peregrina</i>	neckweed	
<i>Veronica peregrina</i> ssp. <i>xalapensis</i>	hairy purslane speedwell	
<i>Veronica serpyllifolia</i>	thymeleaf speedwell	
<i>Veronica serpyllifolia</i> ssp. <i>humifusa</i>	brightblue speedwell	
<i>Veronica wormskjoldii</i>	American alpine speedwell	
<i>Veronica wormskjoldii</i> var. <i>wormskjoldii</i>	American alpine speedwell	
<i>Vicia americana</i>	American vetch	
<i>Vicia americana</i> ssp. <i>americana</i>	American vetch	
<i>Vicia sativa</i>	garden vetch	
<i>Vicia sativa</i> ssp. <i>nigra</i>	garden vetch	
<i>Viola adunca</i>	hookedspur violet	
<i>Viola adunca</i> var. <i>adunca</i>	hookedspur violet	
<i>Viola biflora</i>	arctic yellow violet	
<i>Viola biflora</i> ssp. <i>biflora</i>	arctic yellow violet	
<i>Viola canadensis</i>	Canadian white violet	
<i>Viola canadensis</i> var. <i>scopulorum</i>	Canadian white violet	
<i>Viola labradorica</i>	alpine violet	
<i>Viola macloskeyi</i>	small white violet	
<i>Viola macloskeyi</i> ssp. <i>pallens</i>	smooth white violet	
<i>Viola nephrophylla</i>	northern bog violet	
<i>Viola renifolia</i>	white violet	
<i>Woodsia oregana</i>	Oregon cliff fern	
<i>Woodsia oregana</i> ssp. <i>cathcartiana</i>	Oregon cliff fern	
<i>Woodsia scopulina</i>	Rocky Mountain woodsia	
<i>Yucca glauca</i>	soapweed yucca	
<i>Zigadenus elegans</i>	mountain deathcamas	
<i>Zigadenus elegans</i> ssp. <i>elegans</i>	mountain deathcamas	

