

ARCTIC GRAYLING 2014 12-MONTH FINDING
LITERATURE CITED

- Alberta Sustainable Resource Development (ASRD). 2005. Status of the Arctic grayling (*Thymallus arcticus*) in Alberta. Alberta Sustainable Resource Development, Fish and Wildlife Division, and Alberta Conservation Association, Wildlife Status Report No. 57
- Allan, J.D. 1995. Stream ecology. Chapman and Hall, London.
- Allendorf, F.W. and G. Luikart. 2007. Conservation and the genetics of populations. Blackwell Publishing, Malden, MA.
- Allendorf, F. W., D. W. Bayles, D. L. Bottom, K. P. Currens, C. A. Frissell, D. Hankin, J. A. Lichatowich, W. Nehlsen, P. C. Trotter, and T. H. Williams. 1997. Prioritizing Pacific salmon stocks for conservation. *Conservation Biology* 11:140-152.
- Allison, M. 1996. Unpublished report to US Fish and Wildlife Service, Red Rock Lakes National Wildlife Refuge, Lakeview, Montana, 15 pp.
- Almany, G.R. 2004. Differential effects of habitat complexity, predators and competitors on abundance of juvenile and adult coral reef fishes. *Oecologia* 141(1):105-113.
- Armstrong, R.H. 1986. A review of Arctic grayling studies in Alaska, 1952-1982. *Biological Papers of the University of Alaska* 23: 3-17.
- Bailey, R.G. 1994. Ecoregions of the North America (map). USDA Forest Service, Washington, DC scale 1:15,000,000.
- Bailey, R.G. 2005. Identifying ecoregion boundaries. *Environmental Management* 34 (Suppl. 1):S14-S26.
- Bartholomew, A., and J.A. Bohnsack. 2005. A review of catch-and-release angling mortality with implications for no-take reserves. *Reviews in Fish Biology and Fisheries* 15(1-2):129-154.
- Beechie, T., E. Buhle, M. Ruckelshaus, A. Fullerton, and L. Holsinger. 2006. Hydrologic regime and the conservation of salmon life history diversity. *Biological Conservation* 130:560-572.
- Behnke, R. J. 2002. Trout and salmon of North America. The Free Press, New York.
- Big Hole Watershed Committee. 1997. Big Hole River Drought Management Plan. (as amended). Big Hole Watershed Committee, Butte MT. 10 pp. available: <http://www.bhwc.org>

- Big Hole River Arctic Grayling Strategic Habitat Conservation Plan (Big Hole SHCP). 2013. 17pp.
- Blackburn, M., and C.F. Johnson. 2004. Status and distribution of Arctic grayling (*Thymallus arcticus*) in the Pembina River, Alberta. Technical Report, T-2004-003, produced by Alberta Conservation Association, Edson, Alberta, Canada. 25 pp.
- Boltz, G. 2010. Personal communication. US Fish and Wildlife Service, Bozeman, MT. E-mail and attachments to Doug Peterson, dated 3/24/2010.
- Boltz, G.D. and L.R. Kaeding. 2002. Incubation of lacustrine Arctic grayling eggs using remote site incubators. Unpublished Yearly Report 2000-2002. US Fish and Wildlife Service, Bozeman, MT. 33 pp.
- Boyd, J.W., C.S. Guy, T.B. Horton, and S.A. Leathe. 2010. Effects of catch-and-release angling on salmonids at elevated water temperatures. *North American Journal of Fisheries Management* 30(4):898-907.
- Brenkman, S.J., G.L. Larson, and R.E. Gresswell. 2001. Spawning migration of lacustrine-adfluvial bull trout in a natural area. *Transactions of the American Fisheries Society* 130:981-987.
- Bradford, M.J. 1995. Comparative review of Pacific salmon survival rates. *Canadian Journal of Fisheries and Aquatic Sciences* 52(6):1327-1338.
- Brown, C. J. D. 1943. Age and growth of Montana grayling. *The Journal of Wildlife Management* :353-364.
- Bureau of Land Management (BLM). 2006a. Record of Decision and Approved Dillon Resource Management Plan. Dillon, MT. i + 95 pp.
- Bureau of Land Management (BLM). 2006b. Maps 2, 7, and 14 from the Dillon Area Office Resource Management Plan (RMP). Dillon, MT.
- Bureau of Land Management (BLM). 2008. Record of Decision and Approved Butte Resource Management Plan. Dillon, MT. 84 pp. Available: http://www.blm.gov/mt/st/en/fo/butte_field_office/rmp/rod.html
- Bureau of Land Management (BLM). 2009a. 2009 Montana/Dakotas Special Status Species List, dated April 23, 2009. Billings, MT
- Bureau of Land Management (BLM). 2009b. Map 8c from the Butte Area Office Resource Management Plan (RMP). Butte, MT.
- Byorth, P.A. 1993. Big Hole River Arctic Grayling Restoration Project Annual Report: 1992. Unpublished report to: Fluvial Arctic Grayling Workgroup, Beaverhead National Forest,

- Bureau of Land Management, Trout Unlimited, Montana Fish, Wildlife and Parks, and US Fish and Wildlife Service. Bozeman, MT. 54 pp.
- Byorth, P.A. 1994a. Effects of angling on fluvial Arctic grayling in the Big Hole River, Montana. Abstract from American Fisheries Society Annual Meeting, Halifax, Nova Scotia, Canada, August 1994.
- Byorth, P.A. 1994b. Big Hole River Arctic Grayling Recovery Project: Annual Monitoring Report 1993. Unpublished report to: Fluvial Arctic Grayling Workgroup, Beaverhead National Forest, Bureau of Land Management, Trout Unlimited, Montana Fish, Wildlife and Parks, and US Fish and Wildlife Service. Dillon, MT. 48 pp.
- Byorth, P.A. 1995. Big Hole River Arctic Grayling Recovery Project: Annual Monitoring Report 1994. Unpublished report to: Fluvial Arctic Grayling Workgroup, Beaverhead National Forest, Bureau of Land Management, Trout Unlimited, Montana Fish, Wildlife and Parks, and US Fish and Wildlife Service. Dillon, MT 48 pp.
- Byorth, P.A. and B.B. Shepard. 1990. Ennis Reservoir/Madison River fisheries investigations. Draft final report: Montana Fish, Wildlife and Parks, Bozeman, MT. 90 pp.
- Byorth, P.A. and J. P. Magee. 1998. Competitive interactions between Arctic grayling and brook trout in the Big Hole River drainage, Montana. Transactions of the American Fisheries Society 127:921-931.
- Campton, D.E. 2004. Should Arctic grayling in the Big Hole River, Montana, be considered a distinct population segment (DPS) under the US Endangered Species Act? An evaluation of existing genetic information. Report to Montana Field Office, US Fish and Wildlife Service. Conservation Genetics Laboratory, Abernathy Fish Technology Center, US Fish and Wildlife Service, Longview, Washington.
- Carl, L.M., D. Walty and D.M. Rimmer. 1992. Demography of spawning grayling (*Thymallus arcticus*) in the Beaverlodge River, Alberta. *Hydrobiologia* 234/244:237-247.
- Cassie, D. 2006. The thermal regime of rivers: a review. *Freshwater Biology* 51(8):1389-1406.
- Casselmann, S.J. 2005. Catch-and-release angling: a review with guidelines for proper fish handling practices. Fish & Wildlife Branch. Ontario Ministry of Natural Resources. Peterborough, Ontario, Canada. 26 pp.
- Cayer, E. and A. McCullough. 2012. Arctic grayling monitoring report. Montana Fish, Wildlife, and Parks, Dillon Field Office, 32 pp.
- Cayer, E. and A. McCullough. 2013. Arctic grayling monitoring report. Montana Fish, Wildlife, and Parks, Dillon Field Office, 26 pp.

- Cayer, E. 2013. Unpublished data, densities of Arctic grayling and non-native trout in the upper Big Hole River.
- Cayer, E. 2014a. Personal communication. Montana Fish, Wildlife and Parks, Dillon, MT. E-mail to James Boyd dated 5/23/2014.
- Cayer, E. 2014b. Personal communication. Montana Fish, Wildlife and Parks, Dillon, MT. Telephone call to James Boyd dated 6/30/2014.
- Clancey, P. 1996. Madison River/Ennis Reservoir Fisheries. 1995 Annual Report to Montana Power Company, Environmental Division, Butte. Montana Fish, Wildlife, & Parks, Ennis, MT. 65 pp.
- Clancey, P. 2014. Personal communication. Montana Fish, Wildlife and Parks, Ennis, MT. E-mail to James Boyd, dated 4/18/2014.
- Clancey, P. and T. Lohrenz. 2005. Madison River Drainage Fisheries and Madison River Westslope Cutthroat Trout Conservation And Restoration Program: 2004 Annual Report To PPL Montana And Turner Enterprises, Inc. Montana Fish, Wildlife and Parks, Ennis, MT. 66 pp
- Clark, R.A. 1991. Mortality of Arctic grayling captured and released with sport fishing gear. Fishery Data Series No. 91-59, Alaska Department of Fish and Game. 36 pp
- Confluence Consulting, Inc., DTM Consulting, Inc., and Applied Geomorphology, Inc. 2003. Upper Big Hole River Watershed Planning Area Phase 1 TMDL Assessment. Report to Big Hole River Watershed Committee, Big Hole River Foundation, and Montana Department of Environmental Quality. 95pp
- Coutant, C.C. 1999. Perspectives on temperature in the Pacific Northwest's fresh waters. ORNL/TM-1999/44. Oak Ridge National Laboratory, Oak Ridge, Tennessee.
- Cross, F.B., R. L. Mayden, and J. D. Stewart. 1986. Fishes in the western Mississippi basin (Missouri, Arkansas and Red Rivers). Pages 363-412 in *The zoogeography of North American freshwater fishes*. Edited by C. H. Hocutt and E. O. Wiley John Wiley and Sons, New York, New York.
- Crozier, L.G., A.P. Hendry, P.W. Lawson, T.P. Quinn, N.J. Mantua, J. Battin, R.G. Shaw, and R.B. Huey. 2008. Potential responses to climate change in organisms with complex life histories: evolution and plasticity in Pacific salmon. *Evolutionary Applications* 1(2):252-270
- Cutting, K. 2012. Unpublished data, diet overlap between rainbow/cutthroat hybrids and Arctic grayling in Upper Red Rock Lake. US Fish and Wildlife Service, Lakeview, Montana.

- De Haan, P., D.P. Peterson, B. Adams, and V. O'Byrne. 2013. Genetic monitoring of Arctic grayling in the Big Hole River and Red Rock Creek and association with recent climate trends. Report to Montana Field Office, US Fish and Wildlife Service. Conservation Genetics Laboratory, Abernathy Fish Technology Center, US Fish and Wildlife Service, Longview, Washington.
- Downing, J. 2014. Personal communication. Big Hole Watershed Committee, Divide, MT. E-mail to James Boyd, dated 5/23/2014.
- Durance, I., and S.J. Ormerud. 2007. Climate change effects on upland stream macroinvertebrates over a 25-year period. *Global Change Biology* 13:942-957.
- Dwyer, W.P., and R.G. White. 1997. Effect of electroshock on juvenile Arctic grayling and Yellowstone cutthroat trout growth, 100 days after treatment. *North American Journal of Fisheries Management* 17:174-177.
- Ellis, M.M. 1914. *Fishes of Colorado*. 143 pp. Accessed June 2014. Available: <https://play.google.com/books/reader?printsec=frontcover&output=reader&id=CdYqAAAYAAJ&pg=GBS.PA73>
- Everett, R.J. 1986. The population genetics of Arctic grayling (*Thymallus arcticus*) of Montana. MS Thesis, University of Montana, Missoula. 83 pp.
- Faragher, R.A. 2004. Hooking mortality of trout: a summary of scientific studies. NSW Fisheries, Fisheries Research Report Series 9. New South Wales, Australia. 12 pp.
- Fausch, K.D. 1988. Tests of competition between native and introduced salmonids in streams: what have we learned? *Canadian Journal of Fisheries and Aquatic Sciences* 45:2238-2246.
- Fausch, K.D. 1998. Interspecific competition and juvenile Atlantic salmon (*Salmo salar*): on testing effects and evaluating the evidence across scales. *Canadian Journal of Fisheries and Aquatic Sciences* 55(Supplement 1):218-231.
- Fausch, K. D., Y. Taniguchi, S. Nakano, G. D. Grossman, and C. R. Townsend. 2001. Flood disturbance regimes influence rainbow trout invasion success among five holarctic regions. *Ecological Applications* 11:1438-1455.
- Fausch, K. D., B. E. Rieman, M. K. Young, and J. B. Dunham. 2006. Strategies for conserving native salmonid populations at risk from nonnative fish invasions: tradeoffs in using barriers to upstream movement. General technical report RMS-GTR-174. U.S. Department of Agriculture 11:1438-1455
- Federal Energy Regulatory Commission (FERC). 2010. List of FERC licenses projects as of July 1, 2010.

- Feldmeth, C.R. and C.H. Eriksen. 1978. A hypothesis to explain the distribution of native trout in a drainage of Montana's Big Hole River. *Verh. Internat. Verein. Limnol.* 20:2040-2044.
- Flynn, K., D. Kron, and M. Granger. 2008. Modeling streamflow and water temperature in the Big Hole River, Montana – 2006. TMDL Technical Report DMS-2008-03. Montana Department of Environmental Quality, Helena, MT. 28 pp.
- Fraser, D.F. 2000. Species at the edge: the case for listing of “peripheral” species. Pages 49-53 in L. M. Darling (editor). *Proceedings of a Conference on the Biology and Management of Species and Habitats at Risk*, Kamloops, B.C., February 15-19, 1999.
- Freeman, S., and J.C. Herron. 2001. *Evolutionary analysis*, 2nd edition. Prentice-Hall, Inc., Upper Saddle River, New Jersey. 704 pp.
- Froufe, E., I. Knizhin, and S. Weiss. 2005. Phylogenetic analysis of the genus *Thymallus* (grayling) based on mtDNA control region and ATPase 6 genes, with inferences on control region constraints and broad-scale Eurasian phylogeography. *Molecular Phylogenetics and Evolution* 34:106-117.
- Gangloff, M.M. 1996. Winter habitat and distribution of Arctic grayling in Upper Red Rock Lake, Red Rock Lakes National Wildlife Refuge, Montana. MS Thesis, Montana State University, Bozeman, MT. 101 pp.
- Gibson, S. Y., R.C. Van der Marel, and B.M. Starzomski. 2009. Climate change and conservation of leading-edge peripheral populations. *Conservation Biology* 23(6):1369-1373.
- Gillin, G. 2001. Literature Review: Fisheries information for the Centennial Valley, Montana. Unpublished report prepared for US Fish and Wildlife Service. 64 pp.
- Gregory, S.V., F.J. Swanson, W.A. McKee, and K.W. Cummins. 1991. An ecosystem perspective on riparian zones. *Bioscience* 41:540-551.
- Haak, A.L., J.E. Williams, H.M. Neville, D.C. Dauwalter, and W.T. Colyer. 2010. Conserving peripheral trout populations: the values and risks of life on the edge. *Fisheries* 35(11), 530-549.
- Hardy, O.J., N. Charbonnel, H. Fréville, and M. Heuertz. 2003. Microsatellite allele sizes: a simple test to assess their significance on genetic differentiation. *Genetics* 163(4):1467-1482.
- Heath, R.W. 1983. *Basic ground-water hydrology*. U.S. Geological Survey, Water Supply Paper 2220, 86 pp.

- Hedrick, R.P., T.S. McDowell, K. Mukkatira, M.P. Georgiadis, and E. MacConnell. 1999. Susceptibility of selected inland salmonids to experimentally induced infections with *Myxobolus cerebralis*, the causative agent of whirling disease. *Journal of Aquatic Animal Health* 11(4):330-339.
- Henshall, J.A. 1907. Culture of the Montana grayling. Bureau of Fisheries Document No.628. U.S. Fish and Wildlife Service, Bozeman, Montana. 5 pp.
- Hilderbrand, R.H. 2003. The roles of carrying capacity, immigration, and population synchrony on persistence of stream-resident cutthroat trout. *Biological Conservation* 110:257-266.
- Holton, G.D. Undated. Notes to File: Arctic grayling. Montana Fish, Wildlife and Parks.
- Hop, H., and A.J. Gharrett. 1989. Genetic relationships of Arctic grayling in the Koyukuk and Tanana Rivers, Alaska. *Transactions of the American Fisheries Society* 118(3): 290-295.
- Horton, T. 2010. Personal communication. Montana Fish, Wildlife and Parks, Helena, MT. E-mail to Doug Peterson dated 5/27/2010.
- Horton, T. 2014a. Personal communication. Montana Fish, Wildlife and Parks, Bozeman, MT. E-mail to James Boyd dated 5/2/2014.
- Horton, T. 2014b. Personal communication. Montana Fish, Wildlife and Parks, Bozeman, MT. E-mail to James Boyd dated 5/20/2014.
- Horton, T. 2014c. Personal communication. Montana Fish, Wildlife and Parks, Bozeman, MT. Telephone call to James Boyd dated 5/20/2014.
- Hubbs, C.L. and K.F. Lagler. 1949. Fishes of the Great Lakes Region. Cranbrook Institute of Science. Bulletin No. 26, Bloomfield Hills, MI.
- Hubert, W.A., R.S. Helzner, L.A. Lee and P.C. Nelson. 1985. Habitat suitability index models and instream suitability curves: Arctic grayling riverine populations. US Fish and Wildlife Service Biological Report 82(10.110). 34 pp.
- Hughes, N.F. 1992. Ranking of feeding positions by drift-feeding Arctic grayling (*Thymallus arcticus*) in dominance hierarchies. *Canadian Journal of Fisheries and Aquatic Sciences* 49:1994-1998.
- Hughes, N.F. 1998. Reduction in growth due to electrofishing and tagging may change interannual movement behavior of stream salmonids: evidence from Arctic grayling in an interior Alaskan stream. *Transactions of the American Fisheries Society* 127:1072-1077
- Intergovernmental Panel on Climate Change (IPCC). 2007. Climate change 2007: synthesis report. 73 pp.

- Isaak, D.J., S. Wollrab, D. Horan, and G. Chandler. 2012. Climate change effects on stream and river temperatures across the northwest US from 1980–2009 and implications for salmonid fishes. *Climatic Change* 113(2):499-524.
- Jaeger, M. 2014a. Personal communication. Montana Fish, Wildlife and Parks, Dillon, MT. E-mail to James Boyd dated 6/25/2014.
- Jaeger, M. 2014b. Personal communication. Montana Fish, Wildlife and Parks, Dillon, MT. E-mail to James Boyd dated 2/11/2014.
- Jaeger, M. 2014c. Personal communication. Montana Fish, Wildlife and Parks, Dillon, MT. Telephone conversation with James Boyd dated 3/30/2014.
- Jaeger, M. 2014d. Personal communication. Montana Fish, Wildlife and Parks, Dillon, MT. E-mail to James Boyd dated 5/18/2014.
- Jaeger, M. 2014e. Personal communication. Montana Fish, Wildlife and Parks, Dillon, MT. E-mail to James Boyd dated 3/29/2014.
- Jaeger, M. 2014f. Personal communication. Montana Fish, Wildlife and Parks, Dillon, MT. E-mail to James Boyd dated 5/22/2014.
- Jaeger, M. 2014g. Personal communication. Montana Fish, Wildlife and Parks, Dillon, MT. E-mail to James Boyd dated 5/22/2014.
- Jaeger, M. 2014. Unpublished data, summary stocking records for Centennial Valley. Powerpoint slide from SSA workshop.
- Jamieson, I.G., and F.W. Allendorf. 2012. How does the 50/500 rule apply to MVPs? *Trends in ecology & evolution* 27(10):578-584.
- Jeanes, E.D. 1996. Behavioral responses to water current of age-0 Arctic grayling from the Madison River, and their use of stream habitat. MS Thesis, Montana State University, Bozeman. 70 pp.
- Johnson, S.L. 2003. Stream temperature: scaling of observations and issues for modelling. *Hydrological Processes* 17(2):497-499.
- Jordan, G. 2014. Personal communication. US Fish and Wildlife Service, Montana Fish and Wildlife Conservation Office, Billings, MT. Comment on draft version of Arctic grayling finding received via email to James Boyd dated 6/24/2014.
- Kaeding, L.R. and G.D. Boltz. 1999. A study of Arctic grayling and their stream habitat in support of reserved water right applications, Red Rock Lakes National Wildlife Refuge, Montana. Unpublished Report. U.S. Fish and Wildlife Service, Bozeman, Montana

- Kaeding, L.R. and G.D. Boltz. 2004. Use of Remote-Site Incubators to Produce Arctic Grayling Fry of Wild Parentage. *North American Journal of Fisheries Management* 24: 1031–1037.
- Karl, T.R., J.M. Mellilo, and T.C. Peterson (eds.). 2009. *Global Climate Change Impacts in the United States*. Cambridge University Press. 196 pp.
- Katzman, L.M. 1998. Effects of predation on status of Arctic grayling at Red Rock Lakes National Wildlife Refuge, Montana. MS Thesis, Montana State University, Bozeman. 230 pp.
- Kaushal, S.S., G.E. Likens, N.A. Jaworski, M.L. Pace, A.M. Sides, D. Seekell, K.T. Belt, D.H. Secor, and R.L. Wingate. 2010. Rising stream and river temperatures in the United States. *Frontiers in Ecology and the Environment* doi:10.1890/090037
- Kaya, C.M. 1989. Rheotaxis of young Arctic grayling from populations that spawn in inlet or outlet streams of a lake. *Transactions of the American Fisheries Society* 118:474-481.
- Kaya, C.M. 1990. Status report on fluvial Arctic grayling (*Thymallus arcticus*) in Montana. Unpublished Report to Montana Fish, Wildlife and Parks, Helena, MT. 97 pp.
- Kaya, C.M. 1991. Rheotactic differentiation between fluvial and lacustrine populations of Arctic grayling (*Thymallus arcticus*) and implications for the only remaining indigenous population of fluvial “Montana grayling.” *Canadian Journal of Fisheries and Aquatic Sciences* 48:53-59.
- Kaya, C.M. 1992. Review of the decline and status of fluvial Arctic grayling, *Thymallus arcticus*, in Montana. *Proceedings of the Montana Academy of Sciences* 1992: 43-70.
- Kaya, C.M. 2000. Arctic grayling in Yellowstone: status, management and recent restoration efforts. *Yellowstone Science* 8: 12-17.
- Kaya, C.M. and E.D. Jeanes. 1995. Retention of adaptive rheotactic behavior by F1 fluvial Arctic grayling. *Transactions of the American Fisheries Society* 124: 453-457.
- Kimmerer, W.J. 2008. Losses of Sacramento River Chinook salmon and delta smelt to entrainment in water diversions in the Sacramento-San Joaquin Delta. *San Francisco Estuary and Watershed Science* 6(2).
- Korb, N. 2010. Personal communication. The Nature Conservancy, Helena, MT. E-mail and attachments to Doug Peterson, dated 4/19/2010.
- Kruse, T.E. 1959. Grayling of Grebe Lake, Yellowstone National Park, Wyoming. *US Fish and Wildlife Service, Fishery Bulletin* 149.

- Kruse, C.G., W.A. Hubert, and F.J. Rahel. 1998. Single-pass electrofishing predicts trout abundance in mountain streams with sparse habitat. *North American Journal of Fisheries Management* 18:940-946.
- Lamothe, P. 2008. Candidate conservation agreement with assurances for fluvial Arctic grayling in the upper Big Hole River – –status report 2008. Montana Fish, Wildlife and Parks. 25 pp.
- Lamothe, P. and J. Magee. 2003. Movement and habitat selection of Arctic grayling, brook trout, and mountain whitefish during drought conditions in the Big Hole River, MT. Unpublished report submitted to Fluvial Arctic Grayling Workgroup. Montana Fish, Wildlife and Parks.
- Lamothe, P. and J. Magee. 2004. Linking Arctic grayling abundance to physical habitat parameters in the upper Big Hole River, MT. Montana Fish, Wildlife, and Parks, Dillon, MT. 29 pp.
- Lamothe, P., J. Magee, E. Rens, A. Petersen, A. McCullough, J. Everett, K. Tackett, J. Olson, M. Roberts, and M. Norberg. 2007. Candidate conservation agreement with assurances for fluvial Arctic grayling in the upper Big Hole River – annual report 2007.
- LaPerriere, J.D., and R.F. Carlson. 1973. Thermal tolerances of interior Alaskan Arctic grayling (*Thymallus arcticus*). Institute of Water Resources, Report No. IWR-46, University of Alaska, Fairbanks. 40 pp.
- Leary, R. 1990. Report to Pat Byorth concerning electrophoretic analysis of Arctic grayling from the Madison River. 8 pp.
- Leary, R.F. 1991. Establishment, maintenance, and use of a genetic reserve of Big Hole River Arctic grayling. Wild Trout and Salmon Genetics Laboratory Report 91/5, University of Montana, Missoula. 12 pp.
- Leary, R. 2005. Report to Bob Snyder concerning genetic variation among Arctic grayling in North America. 7 pp.
- Leary, R. 2014. Personal communication. Montana Fish, Wildlife and Parks, Missoula, MT. E-mail to James Boyd, dated 5/21/2014.
- Leary, R. 2014. Unpublished data, genetic characteristics of Arctic grayling populations introduced within the Upper Missouri River basin, 43 pp.
- Liknes, G.A. 1981. Fluvial Arctic grayling (*Thymallus arcticus*) of the upper Big Hole River drainage, Montana. MS Thesis, Montana State University, Bozeman, MT. 69 pp.

- Lohr, S.C., P.A. Byorth, C.M. Kaya, and W.P. Dwyer. 1996. High-temperature tolerances of fluvial Arctic grayling and comparisons with summer river temperatures of the Big Hole River, Montana. *Transactions of the American Fisheries Society* 125:933-939.
- Lomolino, M.V. and R. Channell. 1998. Range collapse, re-introductions, and biogeographic guidelines for conservation. *Conservation Biology* 12(2):481-484.
- MacArthur, R., and R. Levins. 1967. The limiting similarity, convergence, and divergence of coexisting species. *American Naturalist* 377-385.
- Magee, J. 2014. Personal communication. US Fish and Wildlife Service, Dillon, MT. Email to James Boyd, dated 5/20/14.
- Magee, J. 2005. Personal communication. Montana Fish, Wildlife and Parks, Dillon, MT. Email to Doug Peterson, dated 12/21/2005.
- Magee, J.P. and P.A. Byorth. 1995. Competitive interactions of Arctic grayling and sympatric species in the Big Hole River drainage, Montana. Pages 46-56 in *Proceedings of the First Joint Meeting of the Montana/North Dakota Pallid Workgroup and the Fluvial Arctic Grayling Workgroup*, January 18-19, 1995.
- Magee, J., and P. Lamothe. 2003. Big Hole River fluvial Arctic grayling monitoring report 2002. Unpublished report. Montana Fish, Wildlife and Parks, Dillon, MT. 37 pp.
- Magee, J., E. Rens, and P. Lamothe. 2005. Fluvial Arctic grayling monitoring report 2004. Unpublished report, Montana Fish, Wildlife and Parks, Dillon, MT. 46 pp.
- Mitikka, V., R.K. Heikkinen, M. Luoto, M.B. Araújo, K. Saarinen, J. Pöyry, and S. Fronzek. 2008. Predicting range expansion of the map butterfly in Northern Europe using bioclimatic models. *Biodiversity and Conservation* 17(3):623-641.
- McCart, P. and V.A. Pepper. 1971. Geographic variation in the lateral line scale counts of the Arctic grayling, *Thymallus arcticus*. *Journal of the Fisheries Research Board Canada* 28:749-754.
- Meisner, J.D. 1990. Potential loss of thermal habitat for brook trout, due to climatic warming, in two southern Ontario streams. *Transactions of the American Fisheries Society* 119:282-291.
- Meisner, J.D., J.S. Rosenfeld, and H.A. Reiger. 1988. The role of groundwater in the impact of climate warming on stream Salmonines. *Fisheries* 13(3):2-8.
- Memorandum of Understanding Concerning Montana Arctic Grayling Restoration (MOU). 2007. Memorandum of Understanding among Montana Fish, Wildlife and Parks; US Bureau of Land Management, US Fish and Wildlife Service; US Forest Service; Montana Council Trout Unlimited; Montana Chapter American Fisheries Society; Yellowstone

National Park; Montana Arctic Grayling Recovery program; USDA Natural Resources Conservation Service; and Montana Department of Natural Resources and Conservation concerning Montana Arctic Grayling Restoration. 10pp

- Meyers, T.R., S. Short, C. Farrington, K. Lipson, H.J. Geiger, and R. Gates. 1993. Comparison of the enzyme-linked immunosorbent assay (ELISA) and the fluorescent antibody test (FAT) for measuring the prevalences and levels of *Renibacterium salmoninarum* in wild and hatchery stocks of salmonid fishes in Alaska, USA. *Diseases of Aquatic Organisms* 16:181-189
- Mogen, J.T. 1996. Status and biology of the spawning population of Red Rocks lakes Arctic grayling. MS Thesis, Montana State University, Bozeman. 100 pp.
- Mogen, J.T. 2014. Personal communication. US Fish and Wildlife Service, Montana Fish and Wildlife Conservation Office, Billings, MT. Comment on draft version of Arctic grayling finding received via email to James Boyd dated 6/24/2014.
- Montana Department of Environmental Quality (MDEQ). 2009a. Upper and North Fork Big Hole River planning area TMDL and framework water quality restoration approach. MDEQ, Helena, MT. M03-TMDL-01A 280 pp.
- Montana Department of Environmental Quality (MDEQ). 2009b. Middle and lower Big Hole Planning are TMDLs and water quality improvement plan.. MDEQ, Helena, MT. M03-TMDL-02A 350 pp.
- Montana Department of Environmental Quality (MDEQ). 2014. Montana TMDL project areas and 2014 TMDL completion schedule. Accessed April, 2014.
<http://www.deq.mt.gov/wqinfo/TMDL/TPAmap.mcp>
- Montana Fish, Wildlife and Parks (MFWP); US Fish and Wildlife Service; Montana Department of Natural Resources and Conservation; and USDA Natural Resources Conservation Service. 2006. Candidate Conservation Agreement with Assurances for fluvial Arctic grayling in upper Big Hole River.
- Montana Department of Fish, Wildlife, and Parks (MFWP). 2013a. Unpublished data, Arctic grayling abundance in the upper Big Hole River.
- Montana Department of Fish, Wildlife, and Parks (MFWP). 2013b. Unpublished data, documentation of entrainment of Arctic grayling into irrigation diversions in the upper Big Hole River.
- Montana Department of Fish, Wildlife, and Parks (MFWP). 2013c. Unpublished data, Arctic grayling spawner abundance in a portion of Red Rock Creek, Centennial Valley.
- Montana Department of Fish, Wildlife, and Parks (MFWP). 2013d. Unpublished data, density of Arctic grayling outside the CCAA Management Area, Big Hole River.

- Montana Department of Fish, Wildlife, and Parks (MFWP). 2013e. Unpublished data, density of brown trout in the upper Big Hole River.
- Montana Department of Fish, Wildlife, and Parks (MFWP). 2013f. Unpublished data, historic demographic and sampling data for Ennis Reservoir/Madison River Arctic grayling population.
- Montana Department of Fish, Wildlife, and Parks (MFWP). 2014a. Unpublished data, number of stream miles reconnected in the CCAA Management Area, Big Hole River.
- Montana Department of Fish, Wildlife, and Parks (MFWP). 2014b. Unpublished data, water temperature data from CCAA monitoring reaches in tributaries and mainstem Big Hole River.
- Montana Department of Fish, Wildlife, and Parks (MFWP). 2014c. Unpublished data, percent of Tier habitat in each CCAA Management Segment.
- Montana Department of Fish, Wildlife, and Parks (MFWP). 2014d. Unpublished data, Montana angling regulations for 2014, 96 pp.
- Montana Department of Fish, Wildlife, and Parks (MFWP). 2014e. Unpublished data, characterization of high-elevation lakes in the Big Hole Valley.
- Montana Department of Fish, Wildlife, and Parks (MFWP). 2014f. Unpublished data, conservation efforts in the Big Hole Valley by landowners not enrolled in the Big Hole CCAA.
- Montana Department of Natural Resources and Conservation (MDNRC). 1997. Upper Missouri water availability analysis. MDNRC, Helena, MT. 12 pp.
- Montana Department of Natural Resources and Conservation (MDNRC). 2001. Montana Stream Permitting. Conservation Districts Bureau, MDNRC, Helena, MT. 102 pp.
- Montana Department of Natural Resources and Conservation (MDNRC). 2009. Water rights in Montana. MDNRC, Helena, MT. 71 pp.
- Montana Department of Natural Resources and Conservation (MDNRC). 2014. Basin location and adjudication status. Accessed April 2014.
http://dnrc.mt.gov/wrd/water_rts/adjudication/
- Montana Fish, Wildlife and Parks (MFWP). 1981. Instream flow evaluation for selected waterways in the Beaverhead, Big Hole and Red Rock river drainages of southwest Montana. Report to Bureau of Land Management, Contract No. MT950-CTO-36. Helena, MT. 119 pp.

- Montana Fish, Wildlife and Parks (MFWP). 2014. Montana Fishing Regulations. Helena, MT 96 pp. available: <http://fwp.mt.gov/fishing/regulations/default.html>
- Montana Fisheries Information System (MFISH). 2014a. Unpublished data, fish distribution and historic stocking information for Montana fisheries. Montana Fish, Wildlife and Parks. Accessed on April 9, 2014. Available: <http://fwp.mt.gov/fishing/mFish/>
- Montana Fisheries Information System (MFISH). 2014b. Unpublished data, electrofishing data from Long Creek, Centennial Valley. Montana Fish, Wildlife and Parks. Accessed on April 6, 2014. Available: <http://fwp.mt.gov/fishing/mFish/>
- Montana Fisheries Information System (MFISH). 2014c. Unpublished data, nonnative fish assemblages occurring with Arctic grayling populations within the Upper Missouri River basin. Montana Fish, Wildlife and Parks. Accessed on April 6, 2014. Available: <http://fwp.mt.gov/fishing/mFish/>
- Montana Fisheries Information System (MFISH). 2014d. Unpublished data, nonnative fish assemblages occurring below mainstem dams in southwest Montana. Montana Fish, Wildlife and Parks. Accessed on April 6, 2014. Available: <http://fwp.mt.gov/fishing/mFish/>
- Montana Fisheries Information System (MFISH). 2014e. Unpublished data, fish sampling data from Lima Reservoir, Centennial Valley. Montana Fish, Wildlife and Parks. Accessed on April 6, 2014. Available: <http://fwp.mt.gov/fishing/mFish/>
- Montana Fluvial Arctic Grayling Workgroup (Montana AGW). 1995. Montana Fluvial Arctic Grayling Restoration Plan. Montana Fish, Wildlife and Parks, Helena, MT. iv + 20 pp.
- National Climatic Data Center. 2010. Palmer Drought Severity Index for Montana during 1999-2009. Available: <http://www.ncdc.noaa.gov/sotc>.
- National Drought Mitigation Center. 2010. Palmer Drought Severity Index for U.S. during 1895-1995. Available: <http://www.drought.unl.edu/whatis/palmer/pdi1895.gif>
- National Marine Fisheries Service (NMFS). 2005. Policy on the consideration of hatchery-origin fish in Endangered Species Act listing determinations for Pacific salmon and steelhead. Federal Register 70(123):37204-37216.
- Natural Resources Conservation Service (NRCS). 2004. Riparian Assessment: using the NRCS riparian assessment method. Environment Technical Note No. MT-2 (Rev. 1). 60 pp.
- Nell, D.F. and J.E. Taylor. 1996. Lewis and Clark in the Three Rivers Valleys, Montana 1805-1806. Headwaters Chapter, Lewis & Clark Trail Heritage Foundation, Inc. and The Patrice Press, Tucson, AZ.

- Nelson, P.H. 1954. Life history and management of the American grayling (*Thymallus signifier tricolor*) in Montana. *Journal of Wildlife Management* 18(3):324-342.
- Nelson, J.S. and M.J. Paetz. 1991. *The fishes of Alberta*, second edition. University of Alberta Press, Calgary, Alberta, Canada.
- Neyme, J.L. 2005. Environmental and evolutionary processes affecting population MS Thesis, University of Alaska, Fairbanks.
- Northcote, T.G. 1995. Comparative biology and management of Arctic and European grayling (*Salmonidae*, *Thymallus*). *Reviews in Fish Biology and Fisheries* 5: 141-194.
- Northcote, T.G. 1997. Potamodromy in *Salmonidae* – living and moving in the fast lane. *North American Journal of Fisheries Management* 17:1029-1045.
- Nuhfer, A.J. 1992. Evaluation of the reintroduction of the Arctic grayling, into Michigan lakes and Streams. Michigan Department of Natural Resources, Fisheries Division, Research Report 1985. 41 pp.
- Null, S. E., J.H. Viers, M.L. Deas, S.K. Tanaka, and J.F. Mount. 2013. Stream temperature sensitivity to climate warming in California's Sierra Nevada: impacts to coldwater habitat. *Climatic change* 116(1):149-170.
- Osborne, M., A. Sharp, J. Monzingo, D.L. Propst, and T.F. Turner. 2012. Genetic analysis suggests high conservation value of peripheral populations of Chihuahua chub (*Gila nigrescens*). *Conservation Genetics* 13(5):1317-1328.
- Oswald, R.A. 2005. Inventory and survey of the brown and rainbow trout populations of the Big Hole River in southwestern Montana. Montana Fish, Wildlife and Parks, Bozeman, MT. 20 pp (plus appendices)
- Palstra, F.P. and D.E. Ruzzante. 2008. Genetic estimates of contemporary effective population size: what can they tell us about the importance of genetic stochasticity for wild population persistence? *Molecular Ecology* 17:3428-3447.
- Palstra, F. P., and Fraser, D.J. 2012. Effective/census population size ratio estimation: a compendium and appraisal. *Ecology and evolution* 2(9):2357-2365.
- Paterson, T. 2014. Unpublished data, estimation of the abundance and apparent survival of spawning Arctic grayling in Red Rock Creek; Red Rock Lakes National Wildlife Refuge, 53 pp.
- Petersen, A. and P. Lamothe. 2006. Candidate Conservation Agreement with Assurances Big Hole River Rapid Assessment Findings Report. Montana Fish, Wildlife and Parks, Dillon, MT. 30 pp.

- Peterson, J. 1997. BKD/Renibacterium salmoninarum Policy Survey and Grayling at Bozeman Fish Technology Center. Unpublished memo to Montana Fish, Wildlife and Parks Fish Health Committee. Helena, MT. 6 pp.
- Peterson, D.P. and W.R. Ardren. 2009. Ancestry, population structure, and conservation genetics of Arctic grayling (*Thymallus arcticus*) in the upper Missouri River, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 66:1759-1774.
- Physics. 2014. Atmosphere: The Troposphere. Available:
http://atlantic.evsc.virginia.edu/~bph/AW_Book_Spring_96/AW_Book_15.html
Accessed on June 19, 2014.
- Pielou, E.C. 1991. *After the Ice Age: the return of life to North America*. The University of Chicago Press.
- Quinn, T.P. 2005. *The behavior and ecology of Pacific salmon and trout*. University of Washington Press, Seattle.
- Rahel, F. J., and J. D. Olden. 2008. Assessing the effects of climate change on aquatic invasive species. *Conservation Biology* 22:521–533.
- Ray, A.J., J.J. Barsugli, K. Wolter, and J. Eischeid. 2010. Rapid-response climate assessment to support the FWS status review of the American pika. NOAA Earth Systems Research Laboratory and University of Colorado at Boulder, Cooperative Institute for Research in Environmental Sciences. 47 pp.
- Redenbach, Z. and E.B. Taylor. 1999. Zoogeographical implications of variation in mitochondrial DNA of Arctic grayling (*Thymallus arcticus*). *Molecular Ecology* 8: 23-35.
- Rens, E. and J. Magee. 2007. Montana Arctic grayling monitoring report 2006. Unpublished report, Montana Fish, Wildlife and Parks, Dillon, MT. 46 pp.
- Rieman, B.E. and J.D. McIntyre. 1993. Demographic and habitat requirements for conservation of bull trout. USDA Forest Service, Intermountain Research Station, General Technical Report INT-302, Ogden, UT 38 pp.
- Roach, S.M. 1999. Influence of electrofishing on the mortality of Arctic grayling eggs. *North American Journal of Fisheries Management* 19(4):923-929.
- Roberts, M. 2014. Unpublished data, flow target achievement pre- and post-CCAA in Management Segment C. Powerpoint slide from SSA workshop.
- Schade, C.B. and S.A. Bonar. 2005. Distribution and abundance of nonnative fishes in streams of the western United States. *North American Journal of Fisheries Management* 25:1386-1394.

- Schill, D.J. and R.L. Scarpella. 1997. Barbed hook restrictions in catch-and-release trout fisheries: a social issue. *North American Journal of Fisheries Management* 17:873-881.
- Schluter, D. 2000. *The ecology of adaptive radiation*. Oxford University Press.
- Schneider, P., S.J. Hook, R.G. Radocinski, G.K. Corlett, G.C. Hulley, S.G. Schladow, and T.E. Steissberg. 2009. Satellite observations indicate rapid warming trend for lakes in California and Nevada. *Geophysical Research Letters* 36:L22402
- Scott, W.B. and E.J. Crossman. 1998. *Freshwater fishes of Canada*. Galt House Publications Ltd., Oakville, Ontario, Canada.
- Selong, J.H., T.E. McMahon, A.V. Zale, and F.T. Barrows. 2001. Effect of temperature on growth and survival of bull trout with application of an improved method of determining thermal tolerances in fishes. *Transactions of the American Fisheries Society* 130:1026-1037.
- Shea, R. 2014. Unpublished data, summaries of historical accounts purporting occurrences of Arctic grayling outside the Upper Missouri River Basin. 6 pp.
- Shepard, B.B. and R. A. Oswald. 1989. Timing, location, and population characteristics of spawning Montana Arctic grayling [*Thymallus arcticus* (Milner)] in the Big Hole River drainage, 1988. Report to: Montana Department of Fish, Wildlife and Parks; Montana Natural Heritage Program - Nature Conservancy; and US Forest Service - Northern Region. 38 pp
- Skaar, D. 1989. Distribution, relative abundance and habitat utilization of the Arctic grayling (*Thymallus arcticus*) in the upper Big Hole River drainage, Montana. Unpublished report to Montana Natural Heritage Program, Montana Fish, Wildlife and Parks, and Montana Cooperative Fishery Research Unit, Bozemen. 52pp.
- Sladek, H. 2013. Trend analysis of water temperature relative to air temperatures and flow in the Big Hole River. Report to the Big Hole Watershed Committee and Montana Department of Water Quality, 42 pp.
- Sridhar, V., A.L. Sansone, J. LaMarche, T. Dubin, and D.P. Lettenmaier. 2004. Prediction of stream temperature in forested watersheds. *Journal of the American Water Resources Association* 40(1):197-213.
- Species Status Assessment Workshop for Arctic grayling (SSA). 2014. *Species Status Assessment Summary Report*, 15 pp.
- Stamford, M. D., and E.B. Taylor. 2004. Phylogeographical lineages of Arctic grayling (*Thymallus arcticus*) in North America: divergence, origins and affinities with Eurasian *Thymallus*. *Molecular Ecology* 13(6):1533-1549.

- Streu, J.M. 1990. Select aspects of the life history and ecology of the Arctic grayling (*Thymallus arcticus montanus*) [Milner] in the upper Big Hole River Drainage, Montana. June 15 to August 31, 1989. Montana Natural Heritage Program. Helena, MT. 32 pp.
- Taylor, E.B. 1991. A review of local adaptation in Salmonidae, with particular reference to Pacific and Atlantic salmon. *Aquaculture* 98:185-207.
- Towler, E., M. Roberts, B. Rajagopalan, and R.S. Sojda. 2013. Incorporating probabilistic seasonal climate forecasts into river management using a risk-based framework. *Water Resources Research* 49(8):4997-5008.
- Unthank, A. 1989. Historical overview of Red Rock Lakes National Wildlife Refuge grayling fisheries. Unpublished Report. U.S. Fish and Wildlife Service, Red Rock Lakes National Wildlife Refuge, Montana, MT. 18 pp.
- US Forest Service (USFS). 2004. USFS Region 1 Sensitive Species List – Fish. Dated 10/28/2004, USFS, Missoula, MT.
- US Forest Service (USFS). 2014. Memo to USFWS from Custer and Gallatin National Forests, Bozeman, MT, dated 4/14/2014. 3 pp.
- US Fish and Wildlife Service (USFWS). 1984. Endangered and threatened wildlife and plants: experimental populations. *Federal Register* 49(167): 33885.
- US Fish and Wildlife Service (USFWS). 1996. Policy regarding the recognition of distinct vertebrate population segments under the Endangered Species Act. *Federal Register* 61(26): 4722.
- US Fish and Wildlife Service (USFWS). 2007. Endangered and threatened wildlife and plants: revised 12-month finding for Upper Missouri River Distinct Population Segment of Fluvial Arctic Grayling. *Federal Register* 72(78): 20305–20314.
- US Fish and Wildlife Service (USFWS). 2009. Comprehensive Conservation Plan for Red Rock Lakes National Wildlife Refuge. Region 6, USFWS, Lakewood, CO. 211 pp.
- US Fish and Wildlife Service (USFWS). 2010a. Endangered and threatened wildlife and plants: revised 12-month finding to list the Upper Missouri River Distinct Population Segment of Arctic grayling as endangered or threatened. *Federal Register* 75(173): 5470.
- US Fish and Wildlife Service (USFWS). 2010b. Wild Fish Health Database Search Results. Available: <http://www.fws.gov/wildfishsurvey/database.htm> (accessed: 12 April 2010)
- US Fish and Wildlife Service (USFWS). 2010c. Unpublished analysis of stream flow from U.S. Geological Survey gages 06025500, 06037500, and 06006000, on the Big Hole River, Madison River, and Red Rock Creek, respectively.

- US Fish and Wildlife Service (USFWS). Unpublished analysis of 21 populations of Arctic grayling from Montana, Canada, and Alaska genotyped at 9 microsatellite loci. Western New England Complex, Essex Junction, VT.
- US Geological Survey (USGS). 2009. Map of annual average air temperature for North America. Available: <http://nmviewogc.cr.usgs.gov/viewer.htm> Accessed: 15 December 2009.
- US Geological Survey (USGS). 2010. Stream temperature data for the Madison River below Ennis Dam (gage 06041000) for summer 2004. Available: <http://waterdata.usgs.gov/mt/nwis/rt>
- US Geological Survey (USGS). 2014. The USGS Water Science School: the specific heat capacity of water. Available : <http://water.usgs.gov/edu/heat-capacity.html> Accessed June 19, 2014.
- Varley, J. D. 1981. A history of fish stocking activities in Yellowstone national Park between 1881 and 1980. National Park Service, US Department of Interior, 94 pp.
- Vatland, S. and R. Gresswell. 2009. Evaluating availability and use of coldwater thermal refugia for native and nonnative salmonids. Presentation to the Big Hole Watershed Committee, November 2009. Montana State University, Bozeman.
- Vincent, R.E. 1962. Biogeographical and ecological factors contributing to the decline of Arctic grayling, (*Thymallus arcticus*), in Michigan and Montana. PhD Dissertation. University of Michigan, Ann Arbor, Michigan. 169 pp.
- Wedekind, C., & C. Kueng. 2010. Shift of spawning season and effects of climate warming on developmental stages of a grayling (*Salmonidae*). *Conservation Biology* 24(5):1418-1423.
- Weiss, S., Knizhin, I., Kirillov, A., and E. Froufe. 2006. Phenotypic and genetic differentiation of two major phylogeographical lineages of Arctic grayling *Thymallus arcticus* in the Lena River, and surrounding Arctic drainages. *Biological Journal of the Linnean Society* 88(4): 511-526
- Wenger, S.J., D.J. Isaak, C.H. Luce, H.M. Neville, K.D. Fausch, J.B. Dunham, D.C. Dauwalter, M.K. Young, M.M. Elsner, B.E. Rieman, A.F. Hamlet, and J.E. Williams. 2011. Flow regime, temperature, and biotic interactions drive differential declines of trout species under climate change. *Proceedings of the National Academy of Sciences* 108(34):14175-14180.
- West, B. 2013. Personal communication. US Fish and Wildlife Service-Refuges Lakeview, MT. E-mail to James Boyd, dated 5/23/2013.

West, B. 2014a. Personal communication. US Fish and Wildlife Service-Refuges Lakeview, MT. E-mail to James Boyd, dated 5/08/2014.

West, B. 2014b. Personal communication. US Fish and Wildlife Service-Refuges Lakeview, MT. E-mail to James Boyd, dated 5/20/2014.

West, R.L., M.W. Smith, W.E. Barber, J.B. Reynolds, and H. Hop. 1992. Autumn migration and overwintering of Arctic grayling in coastal streams of the Arctic National Wildlife Refuge, Alaska. *Transactions of the American Fisheries Society* 121:709-715.