

TABLE OF CONTENTS

Executive Summary	ii
SECTION 1. INTRODUCTION	1
Authority	
Subject of This Report	
Scope	
Prior Studies and Reports	
SECTION 2. STUDY AREA DESCRIPTION	4
SECTION 3. FISH AND WILDLIFE CONCERNS AND PLANNING OBJECTIVES	6
Fish and Wildlife Concerns	
Potential Positive Consequences of the Project	
Planning Objectives	
SECTION 4. EVALUATION METHODS	8
SECTION 5. EXISTING FISH AND WILDLIFE RESOURCES	30
Bogue Banks Interior	
Bogue Banks Oceanfront Shoreline	
Bogue Banks Estuarine Shoreline	
Bogue Sound	
Bogue Inlet	
Beaufort Inlet	
Nearshore and Offshore Marine	
SECTION 6. FUTURE FISH AND WILDLIFE RESOURCES WITHOUT PROJECT	70
SECTION 7. ALTERNATIVES CONSIDERED	82
SECTION 8. IMPACTS OF THE PREFERRED ALTERNATIVE	84

SECTION 9. COMPARISON OF IMPACTS.....	100
SECTION 10. CONSERVATION MEASURES AND RECOMMENDATIONS.....	106
Measures to Avoid Ecological Impacts	
Measures to Minimize Ecological Impacts	
Measures to Mitigate for Unavoidable Ecological Impacts	
Recommendations	
SECTION 11. SUMMARY AND POSITION OF SERVICE.....	114
SECTION 12. LITERATURE CITED.....	116
SECTION 13. TECHNICAL APPENDICES.....	129
APPENDIX A. Acronyms	
APPENDIX B. Federally-listed Species List for Carteret and Onslow Counties	
APPENDIX C. New Flood Insurance Rate Maps (FIRMs) for Carteret and Onslow Counties	
APPENDIX D. North Carolina Migratory Shorebird Microhabitat Availability in 1998	
APPENDIX E. Commercial Fisheries Landings Data for the Project Area, 1994 - 2001	
APPENDIX F. Past, Present and Reasonably Foreseeable Future Actions Contributing to Cumulative Impacts of Coastal and Tidal Inlet Habitats Between Cape Henry, Va, and Cape Romain, SC.	
APPENDIX G. Preliminary Ecological Monitoring Data on the Locally-funded Bogue Banks Beach Restoration Project	
APPENDIX H. Executive Summary of the Minerals Management Service (MMS) report <i>Marine Mining Technologies and Mitigation Techniques: A Detailed Analysis with Respect to the Mining of Specific Offshore Mineral Commodities</i>	

LIST OF FIGURES

	Page
Figure 1.	Location map of the Bogue Banks Shore Protection Project study area. 5
Figure 2.	The Bogue Banks barrier island ranges in elevation from mean sea level to over 16 meters (~52.5 feet). 31
Figure 3.	Over 2000 acres of scrub-shrub and forested wetlands are found on the interior of Bogue Banks. 35
Figure 4.	Concentrations of heavy minerals are locally abundant on Bogue Banks, as shown here in Emerald Isle. 37
Figure 5.	The distinct color contrast between the native sediments of Bogue Banks (light brown) and the new fill material in Pine Knoll Shores and Indian Beach (dark gray). 38
Figure 6.	The native beach sediments in Atlantic Beach contain a low percentage of well-rounded shells and quartz pebbles (disc-shaped). 39
Figure 7.	The new beach fill at Indian Beach and Pine Knoll Shores includes high numbers of clam and oyster shells that have been stained black and brown by iron. 40
Figure 8.	Ghost crab burrows in Indian Beach indicate the thin layer of new fill material at the upper dry portion of the beach; native sediments are excavated by the ghost crabs from their burrows, showing the color contrast between the native and fill materials. 41
Figure 9.	The shell content of the new beach fill in Pine Knoll Shores and Indian Beach is dominated by hard clam and oyster shells, which are being preferentially sorted by the waves. 42
Figure 10.	The new beach fill in Indian Beach and Pine Knoll Shores periodically forms scarps as the waves rework the more resistant fill material. 43
Figure 11.	An example of a fringing marsh estuarine shoreline in Emerald Isle. 44
Figure 12.	An example of a sandy estuarine shoreline in Emerald Isle. 45
Figure 13.	An example of stabilized and mixed estuarine shoreline types in Emerald Isle. 46
Figure 14.	The Archer Creek Fishery Nursery Area in Emerald Isle. 47
Figure 15.	Aerial image of Bogue Inlet in 1998. 48
Figure 16.	There are over 6000 acres of submerged aquatic vegetation beds in Bogue Sound. 51

Figure 17.	Fishery Nursery Areas in and around Bogue Inlet and the White Oak River.	56
Figure 18.	Anadromous fish spawning and rearing areas in the White Oak River.	56
Figure 19.	The Bogue Inlet shoreline at The Pointe in Emerald Isle has been partially stabilized by a revetment of sandbags.	59
Figure 20.	Aerial image of Beaufort Inlet in 1998.	62
Figure 21.	The Beaufort Inlet shoreline in Fort Macon State Park contains a rock groin field and a rubble mound jetty.	62
Figure 22.	The seafloor offshore of Bogue Banks contains extensive areas of hardbottoms, as reproduced from Hine and Snyder (1985) as contained in CSE and Stroud (2000).	64
Figure 23.	The hardbottoms offshore Bogue Banks support a diverse community of flora and fauna, including hard and soft coral and other encrusting organisms.	68

LIST OF TABLES

	Page
Table 1.	Evaluation species for this report and their occurrence in the project area. 10
Table 2.	Aquatic evaluation species utilized in assessing the habitat functions and values of the project area. 15
Table 3.	Vegetation evaluation species utilized in assessing the habitat functions and values of the project area. 20
Table 4.	Avian evaluation species utilized in assessing the habitat functions and values of the project area. 22
Table 5.	Invertebrate evaluation species utilized in assessing the habitat functions and values of the project area. 27
Table 6.	Significant tracts of maritime forest on Bogue Banks that are currently intact. 32
Table 7.	Areas on or contiguous to Bogue Banks classified as wetlands on 1983 National Wetlands Inventory (NWI) maps. Wetland classifications are after Cowardin et al. (1979). 34
Table 8.	List of colonial waterbirds nesting on islands in Bogue Sound, Bogue Inlet and Beaufort Inlet; last recorded year; and max number of nests in a colony 50
Table 9.	Commercial fisheries landings from Bogue Sound, 1994 to 2001. 53
Table 10.	Commercial fisheries landings from the Newport River and Beaufort Inlet, 1994 to 2001. 60
Table 11.	Commercial fisheries landings from 0 to 3 miles offshore North Carolina, from south of Cape Hatteras to South Carolina. 67
Table 12.	Commercial fisheries landings from greater than 3 miles offshore North Carolina, from south of Cape Hatteras to South Carolina. 67
Table 13.	Resource category determinations for the eight ecological areas within the Bogue Banks Shore Protection Project study area. 71