

Federally Listed and Proposed Species in Pennsylvania

(revised February 17, 2016)

<u>Common Name</u>	<u>Scientific Name</u>	<u>Status</u> ¹	<u>Distribution (Counties and/or Watersheds)</u>
MAMMALS			
Indiana bat	<i>Myotis sodalis</i>	E	Known Hibernacula: Armstrong, Beaver, Blair, Centre, Fayette, Huntingdon, Lawrence, Luzerne, Mifflin and Somerset Co. Known Maternity Colonies & Male Capture Sites: Adams, Armstrong, Bedford, Berks, Blair, Greene, Pike, Somerset, Washington, and York Co. Potential Summer and/or Winter Habitat: All of the above-mentioned Counties and Allegheny, Bucks, Butler, Cambria, Carbon, Chester, Clarion, Clinton, Columbia, Crawford, Cumberland, Dauphin, Delaware, Erie, Franklin, Fulton, Indiana, Juniata, Lancaster, Lebanon, Lehigh, Mercer, Monroe, Montgomery, Montour, Northampton, Northumberland, Perry, Schuylkill, Snyder, Union, Wayne, and Westmoreland Co.
Northern long-eared bat	<i>Myotis septentrionalis</i>	T	Known Hibernacula: Allegheny, Armstrong, Beaver, Bedford, Berks, Blair, Bucks, Butler, Cambria, Carbon, Centre, Clarion, Clearfield, Clinton, Columbia, Dauphin, Fayette, Fulton, Huntingdon, Indiana, Lackawanna, Lancaster, Lawrence, Lehigh, Luzerne, Lycoming, McKean, Mifflin, Monroe, Montgomery, Northampton, Northumberland, Potter, Schuylkill, Snyder, Somerset, Tioga, Venango, Warren, Washington, Westmoreland, and York Co. Known Maternity Colonies & Male Capture Sites: Potential Summer and/or Winter Habitat: Statewide
BIRDS			
Piping plover	<i>Charadrius melodus</i>	E	Designated critical habitat on Presque Isle (Erie Co.). Migratory. No nesting in PA since 1950s, but recent colonization attempts at Presque Isle
Red knot	<i>Calidris canutus rufa</i>	T	Migratory. No nesting, staging, or stopover habitat in PA. Sightings reported in Chester, Dauphin, Delaware, Erie, Indiana, Lancaster, Mercer, Montgomery, Philadelphia, Somerset Co.
REPTILES			
Bog turtle	<i>Clemmys (Glyptemys) mühlenbergii</i>	T	Adams, Berks, Bucks, Carbon (Aquashicola Creek watershed only), Chester, Cumberland, Delaware, Franklin County (Antietam Creek watershed only - Michaux State Forest), Lancaster, Lebanon, Lehigh, Monroe, Montgomery, Northampton, Schuylkill (Swatara Creek watershed only), and York Co. <i>Historically found in Crawford, Mercer and Philadelphia Co.</i>
Eastern massasauga rattlesnake	<i>Sistrurus catenatus catenatus</i>	PT	Armstrong, Butler, Crawford, Mercer and Venango Co. <i>Historically found in Allegheny and Lawrence Co.</i>

<u>Common Name</u>	<u>Scientific Name</u>	<u>Status¹</u>	<u>Distribution (Counties and/or Watersheds)</u>
MUSSELS			
Clubshell	<i>Pleurobema clava</i>	E	Allegheny River (Armstrong, Clarion, Forest, Venango, Warren); Conneaut Outlet (Crawford); Conneauttee Creek (Crawford); French Creek (Crawford, Erie, Mercer, Venango); LeBoeuf Creek (Erie); Muddy Creek (Crawford); Shenango River (Mercer) <i>Has not been found recently in 13 streams of historical occurrence in Butler, Beaver, Fayette, Greene, Indiana, Lawrence, and Westmoreland Co.</i>
Dwarf wedgemussel	<i>Alasmidonta heterodon</i>	E	Delaware River (Monroe, Northampton, Pike, Wayne Co.). <i>Has not been found recently in streams of historical occurrence in the Delaware River watershed (Bucks, Carbon, Chester, Philadelphia) or Susquehanna River watershed (Lancaster)</i>
Northern riffleshell	<i>Epioblasma torulosa rangiana</i>	E	Allegheny River (Armstrong, Clarion, Forest, Venango, Warren); Conewango Creek (Warren); French Creek (Crawford, Erie, Mercer, Venango); LeBoeuf Creek (Erie); Muddy Creek (Crawford) <i>Has not been found recently in streams of historical occurrence, including Shenango River (Lawrence)</i>
Rabbitsfoot	<i>Quadrula cylindrica cylindrica</i>	T	Allegheny River (Armstrong, Clarion, Forest, Venango, Warren); Conneauttee Creek (Venango); French Creek (Crawford, Erie, Mercer, Venango); LeBoeuf Creek (Erie); Muddy Creek (Crawford); Shenango River (Crawford, Mercer). Designated critical habitat - Shenango River, (Mercer Co.); French Creek (Crawford, Erie, Mercer, and Venango Co.); Allegheny River (Venango Co)
Rayed bean	<i>Villosa fabalis</i>	E	Allegheny River (Armstrong, Clarion, Forest, Venango, Warren); Cussewago Creek (Crawford); French Creek (Crawford, Erie, Mercer, Venango); LeBoeuf Creek (Erie); Muddy Creek (Crawford) <i>Potentially extant in Shenango River (Crawford, Mercer) and Woodcock Creek (Venango)</i> <i>Has not been found recently in 5 streams of historical occurrence in Armstrong, Lawrence, Mercer and Warren Co.</i>
Sheepnose	<i>Plethobasus cyphus</i>	E	Allegheny River (Forest and Venango Co.). <i>Has not been found recently in streams of historical occurrence, including: Allegheny River (Armstrong); Beaver River (Lawrence); Monongahela River (Washington); Ohio River (Allegheny and Beaver)</i>

Snuffbox	<i>Epioblasma triquetra</i>	E	Allegheny River (Armstrong, Clarion, Venango), Conneaut Outlet (Crawford); Cussewago Creek (Crawford); Dunkard Creek (Greene); French Creek (Crawford, Erie, Mercer, Venango); LeBoeuf Creek (Erie); Little Mahoning Creek (Indiana); Muddy Creek (Crawford); Shenango and Little Shenango River (Mercer); West Branch French Creek (Erie)
FISH			
Atlantic sturgeon ²	<i>Acipenser oxyrinchus oxyrinchus</i>	E	Delaware River (New York Bight Distinct Population Segment)
Shortnose sturgeon ²	<i>Acipenser brevirostrum</i>	E	Delaware River and other Atlantic coastal waters
PLANTS			
Northeastern bulrush	<i>Scirpus ancistrochaetus</i>	E	Adams, Bedford, Blair, Cambria, Carbon, Centre, Clinton, Columbia, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Lackawanna, Lehigh, Luzerne, Lycoming, Mifflin, Monroe, Northampton, Perry, Schuylkill, Snyder, Tioga, and Union Co.
Small-whorled pogonia	<i>Isotria medeoloides</i>	T	Centre, Chester and Venango Co. <i>Historically found in Berks, Greene, Monroe, Montgomery and Philadelphia Co.</i>

¹ E = Endangered; T = Threatened; PT = Proposed for listing as Threatened

² Atlantic sturgeon and shortnose sturgeon are under the jurisdiction of the National Marine Fisheries Service