

Bibliography



©Kevin Fleming

Snowy egret

Bibliography

Bibliography

- 40 CFR 230 Section 404(b)(1). Guidelines for specification of disposal sites for dredged or fill material.
- Abel, B. 1992. Snapping turtle attacks on trumpeter swan cygnets in Wisconsin. *The Passenger Pigeon* 54(3): 209-213.
- Able, K.W., D. M. Nemerson, T.M. Grothues. 2004. Evaluating salt marsh restoration in Delaware Bay: analysis of fish response at former salt hay farms. *Estuaries*. 27 (1): 58-69.
- Abraham, K. (2001). Interactions between dogs and wildlife in parks in the Berkeley Marina. Senior Research Seminar. UC Berkeley, Berkeley, CA. 18pps.
- Adams, D.L. and G.W. Barrett. 1976. Stress effect on bird species diversity within mature forest ecosystems. *Am. Midl. Nat.* 96(1): 179-194.
- Abraham and Jefferies. 1997. High goose populations: causes, impacts and implications. Pages 7-72 in B. D. J. Batt, ed. *Arctic Ecosystems in Peril: Report of the Arctic Goose Habitat Working Group*. Arctic Goose Joint Venture Special Publication. U. S. Fish and Wildlife Service, Washington, D.C. and Canadian Wildlife Service, Ottawa, Ontario. 120 pp.
- Agency for Toxic Substances and Disease Registry (ATSDR) – US Department of Health and Human Services. 2007. *Guidance Manual for the Assessment of Joint Toxic Action of Chemical Mixtures*. US Department of Health and Human Services, Public Health Service, ATSDR, Division of Toxicology. 62 pp.
- Alexander, M. M. 1943. Food habits of the snapping turtle in Connecticut. *Journal of Wildlife Management* 7:278-282.
- Ali, A. 1991. Activity of new formulations of methoprene against midges (DIPTERA: Chironomidae) in experimental ponds. *Journal of the American Mosquito Control Association* 7: 616-620.
- Alisauskas, R. 1998. Nutritional ecology and population biology of Ross' geese. Progress Report March 1998. Can. Wildl. Serv., Saskatoon, Saskatchewan. 27pp.
- Allen, A. W. 1982. Habitat suitability index models: Fox Squirrel. USFWS/OBS 82/10.18. U. S. Department of Interior, FWS, Washington, D.C. 11pp.
- Allen, H. A., D. Sammons, R. Brinsfield, and R. Limpert. 1985. The effects of Canada goose grazing on winter wheat: an experimental approach. *Proceedings Second Eastern Wildlife Damage Control Conference* 2:135-141
- Allen, K. O. and J. W. Hardy. 1980. Impacts of Navigational Dredging on Fish and Wildlife: A Literature Review. U.S. Fish and Wildlife Service, Biological Services Program. FWS/OBS-80/07. 81 pp.
- American Community Survey. U.S. Census Bureau, http://factfinder.census.gov/servlet/DatasetMainPageServlet?_program=ACSand_submenuId=people_10and_lang=enand_ts= (last accessed October 2009).
- American Fact Finder, Census 2000 Summary File, U.S. Census Bureau, http://factfinder.census.gov/servlet/GCTTable?_bm=yand-geo_id=04000US10and-_box_head_nbr=GCT-H5and-ds_name=DEC_2000_SF1_Uand-format=ST-2 (last accessed October 2009).
- Amezaga, J.M., Santamaria, L, Green, A.J. 2002. Biotic wetland connectivity- supporting a new approach for wetland policy. *Acta Oecologica* 23(3):213-222.
- AmphibiaWeb. 2005. Information on amphibian biology and conservation. Berkeley, California. (<http://www.amphibiaweb.org>).
- Amvac. 2005a. Material Safety Data Sheet. <http://www.amvac-chemical.com/media/pdf/products/smds/naled.pdf>.

- Amvac.2005b. Pesticide Specimen Label – Dibrom Concentrate (Naled) <http://www.amvac-chemical.com/media/pdf/products/msds/naled.pdf>.
- Anderson, S.H. and C.S. Robbins.1981. Habitat size and bird community management. *Trans. North Am. Wildl. And Nat. Resour. Conf.* 46:511-520.
- Anderson, U.V. 1995. Resistance of Danish coastal vegetation types to human trampling. *Biological Conservation* 71: 223-230.
- APRS Implementation Team. 2000. Alien plants ranking system version 5.1. Jamestown, ND: Northern Prairie Wildlife Research Center Online. <http://www.npwrc.usgs.gov/resource/literatr/aprs/index.htm> (Version 30SEP2002).
- Armitage, P. S. 1995. Chironomidae as food, pp 423-434 In: *The Chironomidae: biology and ecology of non-biting midges*. Edited by P.D. Armitage, P.S Cranston and L.C.V. Pinder, Chapman and Hall, New York.
- Ashe, D. 2008. USFWS-DOI. Testimony of Dan Ashe before House regarding oversight hearing on planning for changing climate and its impacts on wildlife and oceans. (<http://www.fws.gov/laws/testimony/110th/2008/Ashe/ClimateChangeandAdaptiveWildlifeMgt>)
- Ashton, A.D., J.P. Donnelly, and R.L. Evans. 2007. A Discussion of the Potential Impacts of Climate Change in the Shorelines of the Northeastern USA. A peer-reviewed technical report prepared for the Northeast Climate Impacts Assessment (NECIA) Team, UCS 25 pp.
- Askins, Robert A. 2002. *Restoring North America's Birds: Lessons from Landscape Ecology*, Second Edition. Yale University Press, New Haven and London, Conn., 332 pp.
- Askins, R. A. 1995. Hostile landscape and the decline of migratory songbirds. *Science* 267: 1956-1957.
- Askins, R. A., J. F. Lynch, and R. Greenberg. 1990. Population declines in migratory birds in eastern North America. *Current Ornithology* 7 :1-57.
- Atlantic Flyway Council (AFC). 2003. Atlantic Flyway Mute Swan management plan 2003-2013. Snow Goose, Brant, and Swan Committee, Atlantic Flyway Council. U.S. Fish and Wildlife Serv. 39 pp.
- Atlantic Flyway Council (AFC). 2009. (Draft) A Management Plan for Greater Snow Geese in the Atlantic Flyway. Snow Goose, Brant, and Swan Committee, Atlantic Flyway Council. U.S. Fish and Wildlife Serv. 37 pp.
- Atlantic States Marine Fisheries Commission (ASMFC) –PID. 1995. American eel and horseshoe crab public information document.
- Atlantic States Marine Fisheries Commission (ASMFC). 1998. Interstate Fishery Management Plan for Horseshoe Crabs. Fishery Management Report No. 32, 58pp.
- Atlantic States Marine Fisheries Commission. 2002. Beach Nourishment: A review of the biological and physical impacts. ASMFC Habitat Management Series #7. 165pp.
- Atlantic States Marine Fisheries Commission (ASMFC). 2004. Fishery Management Report No. 32C – Addendum III to Interstate Fishery Management Plan for Horseshoe Crab, issued in May, 2004.
- Austin, J.E. 1987. Activities of post breeding lesser scaup in southwestern Manitoba. *Wilson Bull.* 99:448-456.
- Baca, B. J., and T. W. Kana. 1986. Methodology for restoring impounded coastal wetlands. In *Proc. 13th Annual Conference on Wetlands Restoration and Creation*, Tampa, FL. pp. 36-44.
- Baca, B.J., and T.E. Lankford. 1988. Myrtle Beach nourishment project: biological monitoring report – years 1, 2, 3. Report R-11 to City of Myrtle Beach, Columbia, SC. 50 pp.

- Bailey, M.A., J. N. Holmes, K. A. Bulmann, J. C. Mitchell. 2006. Habitat management guidelines for amphibians and reptiles of the southeastern United States. Partners in Amphibian and Reptile Conservation, Technical Publication HMG-2, 84 pp.
- Baiser, B., J. L. Lockwood, P. LaPluma, and M. F. J. Aronson. 2008. A perfect storm: Two ecosystem engineers interact to degrade deciduous forests of New Jersey. *Biological Invasions* 10: 785-795.
- Baker, D.B. 2008. Greetings from Sussex County. Sussex County, Delaware: 2008 Profile. http://www.prugallo.com/documents/Sussex_County_Profile.pdf, last accessed October 2009.
- Baker, J. M. and W. J. Wolff. 1987. *Biological Surveys of Estuaries and Coasts*. Cam-Bridge University Press, London.
- Baker, L. B. and Langdon, O. G. 1990. *Pinus taeda* L. Loblolly Pine. In *Silvics of North America Vol. 2, Agricultural Handbook 654*. U.S. Department of Agriculture, Forest Service, Washington, D.C. http://willow.ncfes.umn.edu/silvics_manual/Volume_1/pinus/taeda.htm 877 p.
- Baldassarre, G. A. and D. H. Fisher. 1984. Food habitats for fall migrant shorebirds on the Texas high plains. *Journal of Field Ornithology* 55:220-229.
- Baldassarre, G. A. and E. R. Bolen. 2006. *Waterfowl Ecology and Management*. 2nd edition, Krieger Publishing Company, Florida; pp 168 and 306.
- Baldassarre, G. A., R.J. Whyte, E.Q. Quinlan, E.G. Bolen., 1983. Dynamics and quality of waste corn available to post breeding waterfowl in Texas. *Wildlife Society Bulletin* 11:25-31.
- Banks, P.B. and J.V. Bryant (2007). Four-legged friend or foe? Dog walking displaces native birds from natural areas. In *Biology Letters, Animal Behavior* 3, 611-613. Dec.22, 2007.
- Barber, R. B. 1995. Damselflies and Dragonflies, pgs 75-79 in L.E. Dove and R. M. Nyman (eds.) *Living Resources of the Delaware Estuary*. The Delaware Estuary Program.
- Bartelt, G.A 1987. Effects of disturbance and hunting on the behavior of Canada goose family groups in eastcentral Wisconsin. *Journal of Wildlife Management* 51:517-522.
- Batzer, L., M. McGee, U. H. Resh, and R. R. Smith. 1993. Characteristics of invertebrates consumed by mallards and prey response to wetland flooding schedules. *Wetlands* 13:41-49.
- Baydack, R.K. 1986. Sharp-tailed grouse response to disturbance in the Carberry Sand Hills of Manitoba. Colorado State University. Fort Collins, Colorado.
- Bedard, J. and G. LaPointe. 1991. Responses of hayfields vegetation to spring grazing by greater snow geese *Chen caerulescens atlantica*. *J. Appl. Ecol.* 28:187-93.
- Beer, D. G. 1868. *Atlas of the State of Delaware*. Pomeroy and Beers, Philadelphia.
- Behrend, D. F., G. F. Mattfield, W. C. Tierson and J. E. Wiley. 1970. Deer density control for comprehensive forest management. *Journal of Forestry* 68:695-700.
- Beissinger, S. R., M.I. Westphal. 1998. On the Use of Demographic Models of Population Viability In *Endangered Species Management*. *Journal of Wildlife Management* 62(3): 821-841.
- Belanger, L. and J. Bedard. 1989. Response of staging snow geese to human disturbance. *Journal of Wildlife Management* 53: 713-719.
- Belanger, L., and J. Bedard. 1990. Energetic cost of man-induced disturbance to staging snow geese. *Journal of Wildlife Management* 54:36.

- Belanger, L. and J. Bedard. 1995. Hunting and waterfowl. Pages 243-256 in *Wildlife and Recreationists: coexistence through management and research* (Knight and Gutzwiller eds). Island Press, Washington, D. C. 372 pp.
- Bellrose, F. C. 1954. The value of waterfowl refuges in Illinois. *Journal of Wildlife Management* 18(2) 160-169.
- Benbrooke, C. M. 2009. *Genetically Engineered Crops and Pesticide Use in the United States: The First Thirteen Years*. November, 2009, 62 pp.
- Bendell, P.R. and G.D. Therres. 1994. Movements, site fidelity, and survival of Delmarva fox squirrels following translocation. *American Midland Naturalist* 132:227-233.
- Berendzen, S., D. Blankinship, D. Byler, V. Byrd, B. Czech, S. Gard, D. Kuzmeskus, H. Laskowski, J. Mattsson, K. M, S. Van Riper, and T. Zimmerman. 2004. *A Process for Integrating Wildlife Population, Biodiversity, and Habitat Goals and Objectives on the National Wildlife Refuge System: Coordinating with Partners at all Landscape Scales*. Final Report. U.S. Fish and Wildlife Service. 64 pp.
- Bertness, M. B. 1999. *The Ecology of Atlantic Shorelines*. Sinauer Associates, Sunderland, MA. 417 pp.
- Bertness, Mark D. 1991. Interspecific interactions among high marsh perennials in a New England saltmarsh. *Ecology* 72(1): 125-137.
- Black, S. H. N. Hodges, M. Vaughan, M. Shepard. 2009. *Pollinators in Natural Areas: A Primer on Habitat Management*. The Xerces Society for Invertebrate Conservation. (www.xerces.org)
- Blake, J. G. and J. R. Karr. 1984. Species composition of bird communities and the conservation benefit of large versus small forests. *Biological Conservation* 30:173-187.
- Blakesley, J. A. and K. P. Reese. 1988. Avian use of campground and non-campground sites in riparian zones. *Journal Wildlife Management* 52(3): 399-402.
- Blate, G. M., L.A. Joyce, J. S. Littell, S.G. McNulty, C. I. Millar, S. C. Moser, R. P. Neilson, K. O'Halloran, D. L. Peterson. 2009. Adapting to climate change in United States national forests. *Unasylva* 231/232. 60(1-2): 57-62.
- Blaustein, A. R. J.M Romansic, J.M. Kiesecker, A.C. Hatch. 2003. Ultraviolet radiation, toxic chemicals and amphibian declines. *Diversity and Distributions* 9: 123-140.
- Blitz, J. H. 1988. Adoption of the Bow in Prehistoric North America. *North American Archaeologist* 9(2): 123-145.
- Blossey, B. 1999. Before, during and after: The need for long-term monitoring in invasive species management. *Biological Invasions* 1: 301-311.
- Bocetti, C.I. and O. H. Pattee. 2003 Presentation to the Delmarva Fox squirrel Recovery Team, U.S. Fish and Wildlife Service, Chesapeake Bay field Office, Annapolis, MD 21401.
- Boisvert, M. and J. Boisvert. 2000. Effects of *Bacillus thurgiensis* var. *israelensis* on target and non-target organisms: a review of laboratory and field experiments. *Biocontrol Science and Technology* 10:517-561.
- Bookhout, T. A., L. M. Smith, R. L. Pederson, and R. M. Kaminski. 1989. *Habitat Management for Migrating and Wintering Waterfowl in North America*. Texas Tech University Press, Lubbock, Texas, pages 341-365.
- Boone, M. D. and C. M. Bridges. 2003. Effects of pesticides on amphibian populations. Pgs 152-167 in R.D. Semlitsch (ed). *Amphibian Conservation*. Smithsonian Institute, Washington.
- Bouffard S.H. 1982. Wildlife values versus human recreation: Ruby Lake National Wildlife Refuge. *Trans. North American Wildlife and Natural Resources Conference* 47:553-558.

- Boulinier, R., et. Al. 2001. Forest fragmentation and bird community dynamics: inference at regional scales. *Ecology* 82(4): 1159-1169.
- Boumans, R.J., D.M. Burdick, and M. Dionne. 2002. Modeling habitat change in salt marshes after tidal restoration. *Restoration Ecology* 10 (3): 543-555.
- Bowles, A.E. 1995. *Wildlife and recreationists: coexistence through management and research*. Island Press, Washington, DC, pp. 109-144.
- Bowles, A.E. 1996. Responses of wildlife to noise. Pages 109-156 in R.L. Knight and K.J. Gutzwiller, eds. *Wildlife and recreationists: coexistence through management and research*. Island Press, Washington, D.C.
- Bowman, J. A.G. Jaeger, L. Fahrig., 2002. Dispersal distance of mammals is proportional to home range size. *Ecology* 83:2049-2055.
- Boyce, M. 1992. Population Viability Analysis. *Annual Review of Ecology and Systematics* 23:481-506.
- Boyle, S.A., F.B. Samson. 1985. Effects of nonconsumptive recreation on wildlife: A review. *Wildlife Society Bulletin* 13:110.
- Bradford, S.E. Franson, A.C Neale, Daniel. T Heggem, Glen. R. Mill, Grant. E. Canterbury. 1998. Bird species assemblages as indicators of biotic integrity in Great Basin rangeland. *Environmental Monitoring and Assessment* 49: 1-22.
- Bratton, S.P. 1979. Impacts of white-tailed deer on the vegetation of Cades Cove, Great Smokey Mountains National Park. *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies*. 33:305-312.
- Brawley, A.H., 1998. Bird Use of restoration and ref marshes within the Barn Island WMA, Stonington, Connecticut. *Environmental Management*. 22 (4): 625-653
- Bread, T. P. J.E Farlow. C.D. Steelman, P.E Schilling. 1977. Effects of the insect growth regulator methoprene on natural populations of aquatic organisms in Louisiana intermediate marsh habitats. *Mosquito News* 37:704-712.
- Bregnballe, T., J. Madsen, & P. Rasmussen. 2003. Effects of temporal and spatial hunting control in waterbird reserves. *Biological Conservation* 119: 93-104.
- Brian Page. 2006. *Historic Preservation Planner. Learn the History of Sussex County.* <http://www.sussexcounty.net>
- Broadkill River Watershed Assessment and Strategic Plan/ Water Assessment and Land Use Planning Fact Sheets. 2007. <http://broadkill.ocena.udel.edu>.
- Broome, S.W., S.M. Rogers Jr., and E. D. Seneca. 1992. Shoreline erosion control using marsh vegetation and low-cost structures. *Sea Grant Publication UNC-SG-92-12*. 20pp.
- Brower, J. E., J.H. Zar, C.N. von Ende. 1990. *Field and Laboratory Methods for General Ecology*. 3rd Edition William C. Brown, Dubuque, Iowa.
- Brown, S, C. Hickey, B. Gill, L. Gorman, C. Gratto, S. Trevor, B. Haig, C. Harrington, G. Hunter, G. Morrison, P. Sanzenbacher, S. Skagen, N. Warnock. 2000. *National Shorebird Conservation Assessment: shorebird conservation status, conservation units, population estimates, population targets, and species prioritization*. Manomet Center for Conservation Sciences, Manomet, Mass.
- Brown, W. 1998. Mosquito Larvicide Non-Target Organism Effects. USFWS – Maryland Cooperative Unit, University of Maryland Eastern Shore, 119 pp.
- Buchmann, S. L. and G. P. Nabhan. 1996 *The Forgotten Pollinators*. Island Press, Washington, D. C.

- Buckley, D. H. and T. M. Schmidt. 2001. The Structure of microbial communities in soil and the lasting impact of cultivation. *Microbial Ecology* 42: 11-21.
- Burdick, D.M., M. Dionne, R.M. Boumans and F. T. Short. 1997. Ecological responses to tidal restorations of two northern New England salt marshes. *Wetlands Ecology and Management* 4 (2): 129-144.
- Bureau of Economic Analysis. Regional Economic Accounts. <http://www.bea.gov/regional/gsp/action.cfm>, last accessed October 2009.
- Burger, J. 1995. Beach recreation and nesting birds. Pages 281-295 in (Knight and Gutzwiller-eds) *Wildlife and Recreationists: coexistence through management and research*. Island Press, Washington, D.C.
- Burger, J. and M. Gochfeld. 1991. Human activity influence and diurnal and nocturnal foraging of sanderlings (*Calidris alba*). *Condor* 93: 259-265.
- Burger, J. 1986. The effect of human activity on shorebirds in two coastal bays in northeastern United States. *Environmental Conservation* 13:123-130.
- Burger, J., J.K. Shisler, and F.H. Lesser. 1982. Avian utilization on six salt marshes in New Jersey. *Biological Conservation* 23: 187-212.
- Burger, J. 1981. The effect of human activity on birds at a coastal bay. *Biological Conservation* 21:231-241.
- Buskirk, J.V., Mulvihill, R.S., Leberman, R.C. 2008. Variable shifts in spring and autumn migration phenology in North American songbirds associated with climate change. *Global Change Biology* 15(3):760-771.
- Butler, Linda. 1998. Nontarget Impact of Gypsy Moth Insecticides. West Virginia University of Extension Service, 4 pp.
- Butler, L., A. Gregory Chrislip, Vicki. A. Kondo, Edwin. C. Townsend. 1997. Impacts of diflubenzuron (DIMILIN) on non-target canopy arthropods in closed deciduous watersheds in a central Appalachian forest. *Journal of Economic Entomology* 90(3): 784-794.
- Butler, L., C. Zivkovich, B.E. Samples. 1995. Richness and abundance of arthropods in the oak canopy of West Virginia's Eastern Ridge during a study of impact of Bt with emphasis on macro-lepidiptera larvae. *West Virginia University Experimental Station Bulletin Vol 711*, 19 pp.
- Cahoon, D. R., J.W. Day J.R., D. Reed. 2002. High precision measurements of wetland sediment elevation: Recent Improvements to the sedimentation-erosion table. *Journal of Sedimentary Research* 72:730-733.
- Cahoon, D. R., P.F. Hensel, T. Spencer, D.J. Reed. 2006. Coastal wetland vulnerability to relative sea level rise: Wetland elevation trends and process controls in Wetlands and National Resource Management. *Ecological Studies Volume 190 (271-292)*, Springer, Berlin and New York.
- Cahoon, D. R., D.J. Reed, A.S. Kolker, M.M Brinson. 2009. Chapter 4. Coastal Wetland Sustainability, pp 191-238 in *Coastal Sensitivity to Sea Level Rise: A focus on the mid-Atlantic Region*. Synthesis and Assessment Product 4.1. US Climate Change Science Program, EPA, NOAA, USGS, DOT, 790 pp.
- Cahoon, Donald R. and Glenn R. Guntenspergen. 2010. Climate change, sea level rise, and coastal wetlands. *National Wetlands Newsletter*, Vol. 32, (1): 8-12.
- Cain P. W. and R. A. Seigel, Ph.D. 2009. Effects of commercial harvesting on snapping turtle (*Chelydra serpentina*) populations in the tidal wetlands of Maryland. Chesapeake Marshlands National Wildlife Refuge Complex Sixth Annual Science Meeting. Chesapeake College. Wye Mills, MD.
- Camus, J., B. Currier, K. Frens, J. Jones, K. O'Brien, and B. Simpson. 2010. Piping Plover and Least Tern Project Report for Maine. USFWS - Rachel Carson NWR, Maine Audubon, TNC and Maine Bureau of Parks and Lands, 25 pp.

- Canterbury., Thomas. E. Martin, Daniel. R. Petit, Lisa. J. Petit, David. F. Bradford, 2000. Bird communities and habitat as ecological indicators of forest condition in regional monitoring. *Conservation Biology* 14:544-558.
- Carey, W. and R. Dalrymple. 2003. Northeasters. Coastal Currents. University of Delaware Sea grant Program, College of Earth, Ocean and Environment and Center for Applied Coastal Research. *www.deseagrant.org/products/coastal-currents-northeasters*.
- Carle, F. L. 1991. Dragonflies. Page 198 in K. Terwilliger, Coord. Virginia's Endangered Species Proceedings of Symposium. McDonald and Woodward Publishing Co., Blacksburg, Va.
- Carpenter, S. R., and C. Folke. 2006. Ecology for transformation. *Trends in Ecology and Evolution* 21(6): 309-315.
- Carver, E, and Caudill J., 2007, Banking on Nature 2006–The economic benefits to local communities of National Wildlife Refuge visitation: Washington D.C., U.S. Department of the Interior, Fish and Wildlife Service, Division of Economics.
- Casey, Jennifer. 2007. Bird Conservation Region 30 Plans, Species Priority Information and Connections to Prime Hook National Wildlife, USFWS, R5, June 15, 2007.
- Casey, D. and D. Hein. 1983. Effects of heavy browsing on a bird community in deciduous forest. *Journal Wildlife Management* 47(3): 829-836.
- Caudill, J. and E. Henderson. 2005. Banking on Nature 2004: The Economic Benefits To Local Communities of National Wildlife Refuge Visitation. Division of Economics USFWS, Washington, DC pp 345-349.
- Cederbaum, S. B., J. P. Carroll, and R. J. Cooper. 2004. Effects of alternative cotton agriculture on avian and arthropod populations. *Conservation Biology* 18:1272-1282
- Center for Disease Control (CDC). 2006. Epidemic/Epizootic West Nile Virus in the United States: Guidelines for Surveillance, Prevention and Control. US Department of Health and Human Services, Center for Disease Control and Prevention, National Center for Infectious Disease. Fort Collins, Colorado.
- Centers for Disease Control (CDC). 2003. Epidemic/Epizootic West Nile Virus in the United States: Guidelines for Surveillance, Prevention and Control. US Department of Health and Human Services, Centers for Diseases, Division of Vector-Borne Infectious Disease, Fort Collins, Colorado
- Central Delaware Economic Development Council (CDEDC). 2006. *http://www.cdedc.org*.
- Cerdeira, A. L., and S. O. Duke. 2006. The current status and environmental impacts of glyphosate-resistant crops: a review. *Journal of Environmental Quality* 35: 1633-1658.
- Chamberlain, D. and J. Vickery. 2002. Declining farmland birds: Evidence from large-scale monitoring studies in the UK. *British Birds* 95: 300-310.
- Chandler, S. R, D. K. Dawson, and B. A. Dowell. 1989. Habitat Area Requirements of Breeding Forest Birds of Middle Atlantic States. *Wildlife Monographs* No. 103, 1-34.
- Chapman, J. A. and G. A. Feldhamer, eds. 1982. *Wild Mammals of North America*. Baltimore, MD: The Johns Hopkins University Press. 1147 pp. (in: *The Effects of Hazard Reduction Burns in Mid-Atlantic Coastal Plain Forests: Draft Proposal*).
- Charbonneau, C. S., Ronald D. Drobney, Charles. F. Rabeni. 1994. Effects of *Bacillus thuringiensis* var. *israelensis* on nontarget benthic organisms in a lentic habitat and factors affecting the efficacy of the larvicide. *Environ. Toxicol. Chem.* 13: 267-279.
- Chase, M.K. and G. R. Geupel. 2005. The Use of Avian Focal Species for Conservation Planning in California. USDA Forest Service Gen. Tech. Rep. PSW-GTR-191.

- Chesapeake Bay Field Office (CBFO): USFWS Office of Service Environmental Contaminant Specialists, Annapolis, Maryland.
- The Chesapeake Bay Nutria Working Group (TCBNWG). 2003. Nutria (*Myocastor coypus*) in the Chesapeake Bay: A Draft Bay-Wide Management Plan. 24pp.
- Chipley, R. M., G. H. Fenwick, J. J. Parr, and D. N. Pashley. 2003. The American Bird Conservancy Guide to the 500 Most Important Bird Areas in the United States. American Bird Conservancy, New York.
- Clancy, Keith., W. McAvoy.1997. The Biota of Delaware's Barrier Beaches and Dunes of the Delaware Bay. Task No. 95-3. Final Report submitted to the Delaware Coastal Management Program, Division of Soil and Water, DNREC, Dover, Delaware.
- Clark, K.E. and Niles L.J. 2001. Northern Atlantic Regional Shorebird Plan. Version 1.0. New Jersey Division of Fish and Wildlife. Woodbine, NJ. <http://www.fws.gov/shorebirdplan/regionalshorebird/downloads/NATLAN4.pdf>
- Clark, R.G., H. Greenwood, and L.G. Sugden. 1986. Preliminary estimates of rate of grain passage through the digestive tract of mallards. Can. Wildl. Serv. Prog. Note 160. 2pp.
- Climate Change Science Program (CCSP). 2009. Coastal Sensitivity to Sea-Level Rise: A Focus on the Mid-Atlantic Region. A report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. [James G. Titus (Coordinating Lead Author), K. Eric Anderson, Donald R. Cahoon, Dean B. Gesch, Stephen K. Gill, Benjamin T. Gutierrez, E. Robert Thieler, and S. Jeffress Williams (Lead Authors)]. U.S. Environmental Protection Agency, Washington D.C., USA, 320 pp.
- Clough, J. S. 2008. Sea Level Affecting Marshes Model version 5.0.1. Technical Documentation. Warren Pinnacle Consulting Inc., Eco-Modeling.
- Coastal Science Associates, Inc. (CSA) 1991. Biological monitoring report for assessment of beach nourishment impacts. Tech. Report for Palmetto Dunes Resort, Hilton Head, S.C. 14 pp.
- Coch, N. K. 2009. A case study on the effects of coastal engineering structures and beach restoration methods after storms, Westhampton Beach, Long Island, New York. In Kelley, J.T., Pilkey, O.H. and J. Andrew G. Cooper (editors), America's Most Vulnerable Coastal Communities: Geological Society of America – Special Paper Number 460, pp 91-110..
- Collins, S. L., James, F. C. and Risser, P. G. 1982. Habitat relationships of wood warblers (Parulidae) in northern central Minnesota. *Oikos* 39: 50-58.
- Colpetzer, K., J. Hough. Goldstein, J. Ding., W. Fu. 2004. Host specificity of the Asian weevil *Rhinoncomimus latipes* Korotyaev (Coleoptera: Curculionidae) and its predicted effectiveness as a biological control agent for *Polygonum perfoliatum* L. (Polygonales: Polygonaceae). *Environmental Entomology* 33: 990-996.
- Combs, D.L. 1987. Ecology of male mallards during winter in the Upper Mississippi Alluvial Valley. Ph.D. thesis. University of Missouri-Columbia. 223pp.
- Congressional Budget Office (CBO). 2007. The Potential for Carbon Sequestration in the United States. Congress of the United States. Washington, DC.
- Connecticut Department of Environmental Protection Wildlife Division (CDEPWD). 2005. Connecticut's Comprehensive Wildlife Strategy. http://www.ct.gov/dep/cwp/view.asp?a=2723&q=329520&depNav_GID=1719.
- Conner, R.H. 1978. Snag management for cavity nesting birds. Pages 120-128 in R.M. DeGraaf, ed. Management of southern forests for nongame birds. U.S. For. Serv. Gen. Tech. Rep. SE-14.
- Conner, R.N. and C.S. Adkisson. 1975. Effects of clear cutting on the diversity of breeding birds. *J. For.* 73(12):781-785.

- Cook, D. and E. Hill. 2000. Non-target aquatic invertebrate community study at Prime Hook, Bombay Hook, Long Island, and Supawna Meadows NWRS. USFWS-Region 5, Northeast.
- Cook, D. and E. Hill. 2001. Non-target aquatic invertebrate community study at Prime Hook, Wallkill River, Great Meadows, Edwin B. Forsythe, Stewart B. McKinney, and Great Swamp NWRS. USFWS-Region 5, Northeast.
- Cooper, C. B. and S. H. Anderson. 1996. Significance of invertebrate abundance to dabbling duck brood use of created wetlands. *Wetlands* 16: 557-563.
- Copley, J. 2000. Ecology goes underground. *Nature* 406: 452-454.
- Cotnoir, L. J. Soils of Delaware. Newark, Delaware, 1996, page 5.
- Coulter, M. W. 1957. Predation by snapping turtles upon aquatic birds in Maine marshes. *Journal of Wildlife Management* 21:17-21.
- Covich, A.P, Margaret. A. Palmer, Todd. A. Crowl, 1999. The role of benthic invertebrate species in freshwater ecosystems: zoobenthic species influence energy flows and nutrient cycling. *Bioscience* 49(19): 199-127.
- Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. USFWS/Office of Biological Services, USDOJ Washington, D.C.
- Cox, R. J., M. A. Hanson, C. C. Roy, N. J. Euliss, D.H. Johnson, and M.G. Butler. 1998. Mallard duckling growth and survival in relation to aquatic invertebrates. *Journal of Wildlife Management* 62: 124-133.
- Cox, J. L. and R. Hunter. 1997. A Phase I Submerged and Shoreline Cultural Resources Investigation of Broadkill Beach, Broadkill Hundred, Sussex County, Delaware. Prepared for the Army Corps of Engineers, Philadelphia District, by Dolan Research, Inc. and Hunter Research Inc. Philadelphia, Pa. and Trenton, N.J.
- Craft, C., J. Reader, J. Sacco, and S. Broome. 1999. 25 years of ecosystem development of constructed *Spartina alterniflora* marshes, *Ecological Society of America*. 9 (4): 1405-1419
- Cranston, Peter. 1995. Part 6 – Ecology and Behavior of Chironomidae. Pp 257-335 in *Chironomids From Genes to Ecosystems*. Csiro, Australia.
- Crawford, H.S., R.G. Hooper, and R.W. Titterington. 1981. Songbird population response to silvicultural practices in central Appalachian hardwoods. *Journal of Wildlife Management* 45(3):680-692.
- Crooks, S., J. Schutten, G.D. Sheern, K. Pye, and A.J. Davy. 2002. Drainage and elevation as factors in
- Crother, B. I., Jeff. Boundy, K.D Quieroz, D. Frost. (Committee on Standard English and Scientific Names). 2000. Scientific and Standard English Names for Amphibians and Reptiles of North America north of Mexico, with Comments Regarding Confidence in Our Understanding. *Herpetological Circular* No. 29. St. Louis, MO., Society for the Study of Amphibians and Reptiles.
- Crow, Thomas R. 2008. Patterns and Processes in Forest landscapes. In *Managing Forest Landscapes for Climate Change*. Springer Science+Business Media B.V. pp 33-43.
- Crowley, D. M. and N. Richardson. 2001. Preliminary Assessment-Site Investigation of Shotgun Range near Prime Hook National Wildlife Refuge, Milton, Delaware: Report No. 1448-98695-98-C007 for CBFO, Annapolis, MD – Harding (ESE) Engineering and Environmental Services, Pittsburgh, PA. 25 pp and appendices.
- Custer, Jay. F. 1989. Prehistoric Cultures of the Delmarva Peninsula: An Archaeological Study, University of Delaware Press, pp 45-91.
- Custer, J. F. 1984. Delaware Prehistoric Archaeology: An Ecological Approach. University Press, Newark, Delaware.

- Daane, L. L., Jae. Molina. M.J. Sadowsky.1997. Plasmid transfer between spatially separated donor and recipient bacteria in earthworm containing soil microcosms. *Applied and Environmental Microbiology* 63(2): 679-686.
- Dabney, S. M., J. A. Delgado, and D. W. Reeves. 2001. Using winter cover crops to improve soil quality and water quality. *Communications in Soil Science and Plant Analysis* 32:1221-1250.
- Daiber, F. C., L.L. Thornton, K.A. Bolster, T.G. Campbell, O.W. Crichton, G.L. Esposito, D.R. Jones, and J.M. Tyrawski. 1976. *An Atlas of Delaware's Wetlands and Estuarine Resources*. Technical Report Number 2, College of Marine Studies, University of Delaware, Newark, De. 528 pp.
- Daiber, F. C. 1986. Water Management: Dikes, Impoundments, Ponds and Ditches pp 56-115 in *CONSERVATION OF TIDAL MARSHES*, Van Nostrand Reinhold Company, Inc, New York, New York
- Dahlgren, R. B. and C. E. Korschgen. 1992. Human disturbances of waterfowl: an annotated bibliography. Resource Publication No. 188, USFWS, Washington, D. C. 62 pp.
- Dahlgren, R. B. 1988. Human disturbances to migrating and wintering waterfowl: an annotated bibliography, USFWS, La Crosse, Wisconsin, 112 pp
- Dahl, T. E. 1990. Report to Congress: Wetland Losses in the United States 1780s to 1980s. U. S. Department of Interior, Washington, D. C.
- Daiber, Franklin C. 1986. Chapter 3 Water Management: Dikes, Impoundments, Ponds, and Ditches Pages 56-166 in *Conservation of Tidal Marshes*. University of Delaware, VNR Company, New York.
- Daily, G. C. 1995. Restoring value to the world's degraded lands. *Science* 269:350-354.
- Daily, G. C, N. Myers.1997. Ecosystem services supplied by soil in Nature's Services: Societal Dependence on Natural Ecosystems, Daily C. G. (ed). Island Press, Washington, D. C.
- Dale V. H., S. Brown, R. A. Haeuber, N. T. Hobbs, N. Huntly, R. J. Naiman, W. E. Riebsame, M. G. Turner, T. J. Valone.2000. Ecological Society of America Report: Ecological principles and guidelines for managing the use of land. *Ecological Applications* 10:639-670.
- Davis, R. S. and R.K.D. Peterson. 2008. Effects of single and multiple applications of mosquito insecticides on nontarget arthropods. *Journal of the American Mosquito Control Association* 24: 270-280.
- Davis, C. A. and L. M. Smith. 1998 Ecology and management of migrant shorebirds in the playa lakes region of Texas. *Wildlife Monograph* Number 140.
- Davis, M. B. 1983. Holocene Vegetational History of the Eastern United States., pgs 166-181 in *Late-Quaternary Environments of the U. S., Volume 2, THE HOLOCENE*. H. E. Wright (ed), University of Minnesota press, Minneapolis.
- Dawson, D. and J. Buler. 2010. Radar analysis of fall migration stopover sites in the northeastern U.S. Progress Report: September 2010. Submitted to USFWS November 2010. 8 pp.
- deCalesta D. 1997. Deer and ecosystem management. Pages 267-279 in W. J. McShea, H. B. Underwood, and J. H. Rappole, editors. *The science of overabundance: deer ecology and population management*. Smithsonian Institution Press, Washington, D.C.
- deCalesta D. S. and S. L. Stout. 1997. Relative deer density and sustainability: A conceptual framework for integrating deer management with ecosystem management. *Wildlife Society Bulletin* 25 (2): 252-258.
- deCalesta, D. S. 1994. Effects of white-tailed deer on songbirds within managed forests in Pennsylvania. *Journal of Wildlife Management* 58: 711-718.
- Defeo, Omar, A. McLachlan, D.S. Schoeman, TA 2009. Threats to sandy beach ecosystems: a review. *Estuarine, Coastal and Shelf Science* 81:1-12.

- DeGraaf, R. M. 1992. Effects of even-aged management on forest birds at northern hardwood stand interfaces. *Forest Ecology and Management* 47(1): 95-110.
- Dent, Richard, J. 1995. *Chesapeake Prehistory: Old Traditions, New Direction*, New York, pp 77-82.
- DeLaune, R. D., S. R. Pezeshki, J. H. Pardue, J. H. Whitcomb, and W. H. Patrick. 1990. Some influences of sediment addition to a deteriorating salt marsh in the Mississippi River Deltaic Plain: A pilot study. *Journal of Coastal Research* 6: 181-188.
- DeLaune, R. D., J. A. Nyman and W.H. Patrick, Jr. 1994. Peat collapse, ponding and wetland loss in rapidly submerging coastal marsh. *Journal of Coastal Research* 10 (4): 1021-1030.
- Delaware Department of Agriculture (DDA). 1998. *Delaware's Forests: A Vision for the Future*. DDA – Dover, Delaware.
- Delaware Department of Human Health Services (DHSS) – Division of Public Health. 2009a. <http://www.dhss.delaware.gov>. DHSS Press Release – Protect Yourself Against Mosquito and Tick-borne Illnesses. <http://dhss.delaware.gov/dhss/pressreleases/2009/mosquito-071509.html>.
- Delaware Department of Human Health Services (DHSS) – Division of Public Health. 2009b. <http://www.dhss.delaware.gov>. Health Data and Statistics: <http://dhss.delaware.gov/dhss/dph/healthdatastats.html>.
- Delaware Department of Natural Resources and Environmental Control (DNREC). 1992. Working Agreement for Saltmarsh Mosquito Control in Delaware: A modified, updated (1992) agreement between Delaware Division of Fish and Wildlife and Region 5, USFWS.
- Delaware Department of Natural Resources and Environmental Control (DNREC). 1998. State of Delaware: 1998 Watershed Assessment Report [305(b)]. Dover, Delaware. III: 4-6.
- Delaware Department of Natural Resources (DNREC). 2000. *The Natural Communities of Delaware*. Delaware Natural Heritage Program, Smyrna, Delaware.
- Delaware Department of Natural Resources and Environmental Control (DNREC). 2003. 2003 State Comprehensive Outdoor Recreation Plan. Division of Parks and Recreation. Dover, Delaware.
- Delaware Department of Natural Resources and Environmental Control (DNREC). 2004. Shoreline and Waterway Management Section, 2004. *Striking a Balance: A Guide to Coastal Dynamics and Beach Management in Delaware*, (2nd edition). Division of Soil and Water Conservation. 47 pp.
- Delaware Department of Natural Resources and Environmental Control (DNREC). 2005a. Delaware Department of Natural Resources and Environmental Control: *The 2005 Delaware Fishing Guide*. Dover, Delaware.
- Delaware Department of Natural Resource and Environmental Control (DNREC) 2005b. Delaware Wildlife Action Plan. Delaware Natural Heritage and Endangered Species Program. Delaware Division of Fish and Wildlife. Dover, DE.
- Delaware Department of Natural Resources and Environmental Control (DNREC). 2008. Mosquito Control Spray Policy. Division of Fish and Wildlife, The Delaware Mosquito Control Section. Dover, Delaware.
- Delaware Department of Natural Resources and Environmental Control (DNREC). 2009. 2009 State Comprehensive Outdoor Recreation Plan. Division of Parks and Recreation. Dover, Delaware.
- Delaware Department of Natural Resources and Environmental Control (DNREC). 2009. Delaware Department of Natural Resources and Environmental Control: *2009 Delaware Fish Consumption Advisory*. Dover, Delaware.

- Delaware Department of Natural Resources and Environmental Control (DNREC). 2010a. Delaware residents' opinions on climate change and sea level rise: Discussion of survey results and messaging implications. Dover, Delaware. 20 pp. Available at: http://www.responsivemanagement.com/download/reports/DE_SLR_WhitePaper.pdf
- Delaware Department of Natural Resources and Environmental Control (DNREC). 2010b. Wildlife investigations - white-tailed deer. Project Statement of Federal Aid in Wildlife Restoration Project W35R-11. Division Fish and Wildlife, Dover, DE.
- Delaware Economic Development Office. 2008. 2007 Sussex County Visitor Profile Study. Innovation@work Industry Research and Analysis, May.
- Delaware Office of State Planning Coordination. 1999. Gross Land Use Changes in Delaware from 1992 to 1997. (<http://www.state.de.us/planning>).
- DeLong, A. K. 2002. Managing visitor use and disturbance of waterbirds – a literature review of impacts and mitigation measures – prepared for Stillwater National Wildlife Refuge. Appendix L (114 pp.) in Stillwater National Wildlife Refuge Complex final environmental impact statement for the comprehensive conservation plan and boundary revision (Vol. II). Dept. of the Interior, U.S. Fish and Wildlife Service, Region 1, Portland, Oregon.
- DeLuca, W. V. C.E. Studds, L.L Rockwood, P.P Marra. 2004. Influence of land use on the integrity of marsh bird Communities of Chesapeake Bay, U.S.A.
- Devries, J. H., R.W. Brooke, D.W. Howerter, & M.G. Anderson. 2008. Effects of spring body condition and age on reproduction in Mallards. *Auk* 125: 618-628.
- Didiuk, A.B., R.T. Alisauskas, and R.F. Rockwell. 2001. Interaction with Arctic and subarctic habitats. Pages 17-26 in T.J. Moser, ed. The status of Ross's geese. Arctic Goose Joint Venture Ross'sGoose Subcommittee. 65pp.
- Dillon, W. P. 1970. Submergence effects on a Rhode Island barrier and lagoon and inferences on migration of barriers. *Journal of Geology* 78(1): 94-106
- DiGiulio, M., P. J. Edwards, and E. Meister. 2001. Enhancing insect diversity in agricultural grasslands: the role of management and landscape structure. *Journal of Applied Ecology* 38:310-319.
- Ditsch, D. C., and M. M. Alley. 1991. Nonleguminous Cover Crop Management for Residual N Recovery and Subsequent Crop Yields. *Journal of Fertilizer Issues* 8:6-13.
- Dodd, C. K. and L. L. Smith. 2003. Habitat destruction and alteration: historical trends and future prospects for amphibians. Pgs 94-112 in Semlitsch (ed) *Amphibian Conservation*. Smithsonian Institution, Washington.
- Dolan, R. and P. Godfrey. 1973. Effects of Hurricane Ginger on the barrier islands of North Carolina. *Geological Society of America Bulletin* 84: 1329-1334.
- Dolton, D.D., R.D. Rau, and K. Parker. 2007. Mourning dove population status, 2007. U.S. Fish and Wildlife Service, Laurel, Maryland, USA.
- Douglass, S.L., C. Ferraro, C.R. Dixon, L. Oliver and L. Pitts. In Press. "A Gulf of Mexico Marsh Restoration and Protection Project," Proceedings of the 33rd International Conference on Coastal Engineering, Santander, Spain.
- Dove, L. E. and R. M. Nyman, eds. 1995. Living Resources of the Delaware Estuary. The Delaware Estuary Program, 530 pp and appendices.
- Drake, D., J. B. Paulin, P. D. Curtis, D. J. Decker, and G. J. San Julian. 2005. Assessment of negative economic impacts from deer in the northeastern United States. *Journal of Extension* 43(1), Article Number 1RIB5.

- Drew, K. S. 1981. The Influence of Geological Structure and Historical Changes in Morphology of Delaware Bay Communities on Environmental Planning. Sea Grant College Program, University of Delaware, Newark, DE., 186 pp.
- Dueser, R. D., Dooley, J. L., Jr. and Taylor, G. J. 1988. Habitat structure, forest composition and landscape dimensions as components of habitat suitability for the Delmarva fox squirrel. In: Management of amphibians, reptiles, and small mammals in North America: Proceedings of the symposium; 1998 July 19–21; Flagstaff, AZ. Gen. Tech. Rep. RM–166. Fort Collins, CO: USDA Forest Service, Rocky Mountain Forest and range Experiment Station: 414–421. [21086].
- Dueser, R.D. 2000. A review and synthesis of habitat suitability modeling for the Delmarva fox squirrel (*Sciurus uiger cinereus*), with a proposal for future conservation planning. Report to Delaware Bay Estuary Project, USFWS, Contract number: 51120-7-0085a. 66 pp.
- Dugan, J. E., D. M. Hubbard, and M. D. McCrary, and M. O. Pierson. 2003. The response of macrofauna communities and shorebirds to macrophyte wrack subsidies on exposed sandy beaches in southern California. *Estuarine Coastal and Shelf Science* 58 (S): 25-40.
- Duke, S. O., and S. B. Powles. 2008. Glyphosate: a once-in-a-century herbicide. *Pest management Science* 64: 319-325.
- Dushoff, J., J.B. Plotkin, C. Viboud, D.J. Earn, and L. Simonsen. 2006. Mortality due to influenza in the United States – An Annualized Regression Approach Using Multiple-Cause Mortality Data. *American Journal of Epidemiology* 163(2):181-187.
- Ecological Research and Development Group (ERDG). 2006. Ecological Research and Development Group, Milton, Delaware (<http://www.horseshoecrab.org>).
- Ecological Society of America (ESA). 2009. Ecosystem Services: Benefits Supplied to Human Societies by Natural Ecosystems. *Biodiversity and Human Health*. <http://www.ecology.org/biod/value/EcosystemServices.html>.
- Eddleman, W.R., K.E. Evans, and W.H. Elder. 1980. Habitat characteristics and management of Swainson's warbler in southern Illinois. *Wildl. Soc. Bull.* 8(3):228-233.
- Eertman, R.H.M., B.A. Kornman, E. Stikvoort, and H. Verbeek. 2002. Restoration of Sieperda tidal marsh in the Scheldt estuary, the Netherlands. *Restoration Ecology* 10 (3): 438-449.
- Egan, D. and E. Howell (eds). 2001. *The Historical Ecology Handbook: A Restoration's Guide to Reference Ecosystems*. Island Press, Washington, D. C., pp 1-19.
- Ehler, L. E. 2006. Integrated Pest Management (IPM): Definition, historical development and implementation, and the other IPM. *Pest Management Science* 62:787-789.
- Elridge, J. 1992. Management of habitat for breeding and migrating shorebirds in the Midwest. *Waterfowl Management Handbook*. USFWS – Fish and Wildlife Leaflet 13(2.14).
- Emanuel, K. 2005. Increasing destructiveness of tropical cyclones over the past 30 years. *Nature* 436: 686-688.
- English, W. R. 1987. Three inexpensive aquatic invertebrate samplers for the benthos, drift, and emergent fauna. *Entomological News* 98: 171-179.
- Environmental Law Institute (ELI). 1999. *Protecting Delaware's Natural Heritage: Tools for Biodiversity Conservation*. Environmental Law Institute Research Report, Washington, D.C., 149 pp.
- Environmental Law Institute (ELI). 2003. *Protecting Delaware's Forests for Biodiversity*. Environmental Law Institute, Washington, D.C.

- Environmental Protection Agency (EPA). 2008. Potential risks of labeled S-methoprene uses to the federally listed California red legged frog (*Rana aurora draytonii*). Biopesticide and Pollution Prevention Division, Washington, D. C. <http://www.epa.gov/espp/litstatus/effects/redleg-frog/methoprene/analysis.pdf/>
- Environmental Protection Agency (EPA). 2005. Riparian Buffer Width, Vegetative Cover and Nitrogen Removal Effectiveness: A Review of Current Science and Regulations. National Risk Management and Research Laboratory, Ada, Oklahoma.
- Environmental Protection Agency (EPA) 2001. Methoprene Pesticide Fact Sheet. http://www.epa.gov/opbpppd1/biopesticides/ingredients/factsheets/factsheet_105401.pdf
- Environmental Protection Agency (EPA). 2002. June 2001. Naled Facts. http://www.epa.gov/oppsrrd1/REDS/factsheets/naled_fs.htm
- Environmental Protection Agency (EPA). 1999. Integrated Risk Information System (IRIS) on Dichlorvos. National Center for Environmental Assessment, Office of Research and Development, Washington, D. C. <http://www.epa.gov/iris/subst/0151.htm>
- Environmental Protection Agency (EPA). 1998. Condition of the Mid-Atlantic Estuaries. USEPA Office, Washington, D. C., EPA-600-R-96-147iv.
- Environmental Protection Agency (EPA). 1998. *Bacillus thuringiensis* subspecies *israelensis* strain EG2215 (006476) Fact Sheet. http://www.epa.gov/opbpppd1/biopesticides/ingredients/factsheets/factsheet_006476.htm.
- Epstein, P. R. and E. Mills. 2005. Climate Change in the Future (Health, Ecological and Economic Dimensions). The Center for Health and the Global Environment, Harvard Medical School.
- Erwin, R.M., B.R. Truitt, J.E. Jimenez. 2001. Ground nesting waterbirds and mammalian carnivores in the Virginia barrier island region: running out of options. *Journal of Coastal Research* 17:292-296.
- Erwin, R. M., G. M. Sanders, and D. J. Prosser. 2006. High tides and rising seas: potential effects on estuarine waterbirds. In *Terrestrial Vertebrates in Tidal Marshes: Evolution, ecology, and conservation Studies in Avian Biology Series No. 32*, Cooper Ornithological Society, Camarillo California.
- Erwin, R.M. 1989. Responses to human intruders by birds nesting in colonies: Experimental results and management guidelines. *Colonial Waterbirds* 12: 104-108.
- Erwin, R.M. 1980. Breeding habitat by colonially nesting water birds in 2 mid-Atlantic U.S. regions under different regimes of human disturbance. *Biological Conservation* 18:39-51.
- Evans, K.E. and R.N. Conner. 1979. Snag management. Pages 214-225 in R.M. DeGraaf and K.E. Evans, eds. *Management of north central and northeastern forests for nongame birds*. U.S. For. Serv. Gen. Tech. Rep. NC-51.
- Euliss, N. H., Robert. L. Jarvis, David. S. Gilmer. 1991. Feeding ecology of waterfowl wintering on evaporation ponds in California. *The Condor* 93: 582-590.
- Euliss, N. H. and G. Grodhaus. 1987. Management of midges and other invertebrates for wintering waterfowl in California. *Calif. Fish and Game* 73(4): 242-247.
- Extension Toxicology Network (Exttoxnet). 1996a. Extension toxicology network pesticide information profiles. *Bacillus thuringiensis israeliensis*. <http://exttoxnet.orst.edu/pips/bacillus.htm>. (Accessed 07/18/2009).
- Extension Toxicology Network (Exttoxnet). 1996b. Extension toxicology network pesticide information profiles. METHOPRENE. <http://exttoxnet.orst.edu/pips/methopre.htm>. (Accessed 07/18/2009).
- Extension Toxicology Network (Exttoxnet). 1996c. Extension toxicology network pesticide information profiles. NALED. <http://exttoxnet.orst.edu/pips/naled.htm> (Accessed 07/18/2009).

- Ezenwa, V. O., M. S. Godsey, R. J. King, and S. C. Guptill. 2006. Avian diversity and West Nile virus: testing associations between biodiversity and infectious disease risk. *Proceedings of the Royal Society of London. B* 273: 109-117.
- Federal Register/Volume 72/Number 198/Monday, October 15, 2007/Notice of Draft Mosquito and Mosquito-Borne Disease Management Policy Pursuant to the National Wildlife Refuge System Improvement Act of 1997/58321-58333.
- Federal Register. 2007. Removing the Bald Eagle in the Lower 48 states from the list of Endangered and Threatened Wildlife. DOI-USWFS: Vol. (72), No. 130, Rules and Regulations (July 9, 2007), pp 37345-37372.
- Federal Register. 2006. Regulations for Managing Resident Canada Goose Populations. DOI-USWFS: Vol. (71), No. 154, Rules and Regulations (August 10, 2006), pp 45964-45993.
- Fernandez-Juricic, E. and J.L. Telleria (2000). Effects of human disturbance on spatial and temporal feeding patterns of blackbird *Turdus merula* in urban parks in Madrid, Spain. 2000 British Trust for Ornithology, Bird Study, 47, 13-21.
- French, J. R. and H. Burningham, 2003. Tidal Marsh Sedimentation Versus Se-Level Rise: A Southeast England Estuarine Perspective. *Proceedings of Coastal Sediments May 18-23 2003*, Sheraton sand Key, Clearwater, Florida, 14 pp.
- Ferrington, Leonard C. University of Kansas Department of Entomology. 2041 Constant Avenue, Lawrence, KS 66047-2906. (Conducted Taxonomic Analysis of Invertebrate Samples collected on Prime Hook NWR during 1995, 1996, 1997 and 1998 field seasons).
- Filion, B., D. Luszcz, and G. Allard. 1998. Impact of geese on farmlands. Pages 58-64 in B. D. J. Batt, ed. *The Greater Snow Goose: report of the Arctic Goose Habitat Working Group*. Arctic Goose Joint Venture Special Publication. U.S. Fish and Wildlife Service, Washington, D.C. and Canadian Wildlife Service, Ottawa, Ontario.
- Fischman, R. L. 2003. *The National Wildlife Refuge System: Coordinating a Conservation System through Law*. Island Press, Washington, D. C.
- FitzGerald, D.M. M.S, Fenster, B Argow, and I.V. Buynevich 2008. "Coastal impacts due to sea-level rise." *Annual Reviews of Earth and Planetary Sciences*, 36, 601-647.
- Flanders, A. A. et. al. 2006. Effects of invasive exotic grasses on South Texas rangeland breeding birds. *AUK* 123: 171-182.
- Flegler, E. J., Jr., H. H. Prince, and W. C. Johnson. 1987. Effects of grazing by Canada geese on winter wheat yield. *Wildlife Society Bulletin* 15:402-405.
- Fletcher, C.H. Ill; Knebel, H.G., and Kraft, J.C., 1990. Holocene evolution of an estuarine coast and tidal wetlands. *Geological Society of America Bulletin* 102:283-297.
- Florida Fish and Wildlife Conservation Commission (FFWCC). 2005. Florida's Wildlife Legacy Initiative. Florida's Comprehensive Wildlife Conservation Strategy. Tallahassee, Florida. <http://www.wildlifeactionplans.org>.
- Fogel, R. and J. M. Trappe. 1978. Fungus consumption (mycophagy) by small animals. *Northwest Science* 52: 1-31.
- Foote, A.L. and L.A. Johnson. 1993. Plant stand development in Louisiana coastal wetlands: nutria grazing effects on plant biomass. p. 265-269. In M.C. Laridin (ed.) *Wetlands: Proceedings of the 13th Annual Conference of the Society of Wetland Scientists*. New Orleans, LA. South Central Chapter, Society of Wetland Scientists, Utica, MS. USA.
- Forman, F. and S. Collinge. 1997. Nature conserved in changing landscapes with and without spatial planning. *Landscape and Urban Planning* 37: 129-135.

- Fraser, J.D., L.D. Frenzel, and John E. Mathisen. 1985. The impact of human activities on breeding bald eagles in north-central Minnesota. *Journal of Wildlife Management* 49:585-592.
- Fredrickson, L. H. and T. S. Taylor. 1982. Management of seasonally flooded impoundments for wildlife. USFWS Resource Publication 148, Washington D. C. 29 pp.
- Fredrickson, L. H. and F. A. Reid. 1988a. Invertebrate Response to Wetland Management. Leaflet 13.3.1 in *Waterfowl Management Handbook*, USFWS.
- Frederickson, L.H. and F.A. Reid.1988b. Waterfowl use of wetland complexes. USFWS, *Waterfowl Management Handbook*, Leaflet 13.2.1, Washington, D.C.
- Frederickson, L.H. and F.A. Reid. 1988c. Considerations of community characteristics for sampling vegetation. *Fish and Wildlife Leaflet 13.4.1. Waterfowl Management Handbook*. Washington, D.C.
- Frederickson, L.H. and F.A. Reid.1988d. Nutritional values of waterfowl foods. USFWS, *Waterfowl Management Handbook*, Leaflet 13.1.1, Washington, D.C.
- Fredrickson, L. H. 1991. Strategies for Water Level Manipulations in Moist-soil Systems. Leaflet 13.4.6. *Waterfowl Management Handbook*. USFWS.
- Frederickson, L.H. and F.A. Reid.1987. *Waterfowl management handbook*. USFWS, Washington, D.C.
- Fredrickson, H. and M. K. Laubhan. 1994. Intensive Wetland Management: A Key to Biodiversity. *Transactions of North American Wildlife and Natural Resource Conference* 59: 555-565.
- Freemark, K. E., and D. A. Kirk. 2001. Birds on organic and conventional farms in Ontario: partitioning effects of habitat and practices on species composition and abundance. *Biological Conservation* 101:337-350.
- French, J. 2006. Tidal marsh sedimentation and resilience to environmental change: Exploratory Modeling of tidal, sea-level and sediment supply forcing in predominantly allochthonous Systems. *Marine Geology* 235:119-136.
- Frid, A. and L. M. Dill. 2002. Human-caused disturbance stimuli as a form of predation risk. *Conservation Ecology* 6(1): 11.
- Frieswyk, T. S. and D. M. DiGiovanni. 1989. Forest statistics for Delaware – 1972 and 1986. USDA – Northeast Forest Experimental Station, Resource Bulletin NE-109, Broomall, PA.
- Frisk, M.G, T.J. Miller, R.J. Latour, and S.J.D. Martell. 2011. Accessing biomass gains from marsh restoration in Delaware Bay using Ecopath with Ecosim. *Ecological Modelling* 222, 190-200.
- Fromer, Paul and Karen Terwilliger. 2006. Draft Sussex County Habitat Conservation Plan. RECON Environmental Inc., and Terwilliger Consulting Inc., for DNREC, Dover, Delaware.
- Gabrielson, G.W. and E.N. Smith. 1995. Physiological responses of wildlife to disturbance. Pages 95-107 in R. L. Knight and K.J. Gutziller, ed. *Wildlife Recreationist: coexistence through management and research*. Island Press, Washington, D.C. 372pp.
- Galbraith, H., R. Jones, R. Park, and J. Clough. 2002. Global climate change and sea-level rise: potential losses of intertidal habitat for shorebirds. *Waterbirds* 25(2) 173-183.
- Galgano, F. A. 2008. Shoreline Behavior Along the Atlantic Coast of Delaware. *Middle States geographer*, 41: 74-81.
- Geological Society of America (GSA). 2009. America's Most Vulnerable Coastal Communities (edited by J.T. Kelley, O.H. Pilkey and J.A.G. Cooper – shore protection, beach erosion and coastal changes case studies). SPECIAL PAPER Number 460, The Geological Society of America, Inc., Colorado, USA.

- George, J.L., C.E. Braun, R.A. Ryder and E. Decker. 1991. Response of waterbirds to experimental disturbances. *Proceedings Issues and Technology in the Management of Impacted Western Wildlife*. Thoren Ecological Institute 5: 52-59.
- Georgetown Local News. 2006. <http://www.georgetownlocalnews.com/> (last accessed October 2009).
- Gill, Max (1994). Bird flushing by dogs at proposed Eastshore State Park: can they all just get along? In *Contemporary Topics in Environmental Sciences*. Doris Sloan, Eric Edlund, Mark Christensen, Kim Taylor, eds. UC Berkeley, Berkeley, CA.
- Giroux, J-F. and J. Bedard. 1987. The effects of grazing by greater snow geese on the vegetation of tidalmarshes in the St. Lawrence estuary. *J. Appl. Ecol.* 24:773-788.
- Giroux, J-F and G. Gauthier. 1998. Population size, productivity, harvest and distribution. Pages 5-31 in B. D. J. Batt, ed. *The greater snow goose: report of the Arctic Goose Habitat Working Group*.
- Given, M. F. 1999. Distribution records of *Rana virgatipes* and associated anuran species along Maryland's Eastern Shore. *HERP. REVIEW* 30(3): 144-147.
- Gliem, J.A., R.G. Homes, R.K. Wood. 1990. Corn and soybean harvesting losses. Paper No. 90-1563, American Society of Agricultural Engineers, International Winter Meeting, Chicago, Illinois.
- Globally Important Bird Areas of the United States. 2006 (<http://www.abcbirds.org/iba/>).
- Goodman, A. E., K. C. Marshall, and M. Hermansson. 1994. Gene transfer among bacteria under conditions of nutrient depletion in simulated and natural aquatic environments. *FEMS Microbiology and Ecology* 15:55-60.
- Gorte, Ross W. 2007. CRS Report for Congress, Carbon Sequestration in Forests. Congressional Research Service. 24pp.
- Gratto-Trevor, C. 1994. Monitoring shorebird populations in the Arctic. *Bird Trends* 3:10-12.
- Gratton, C. and R.F. Denno. 2005. Restoration of arthropod assemblages in a *Spartina* salt marsh following removal of the invasive plant *Phragmites australis*. *Restoration Ecology*. 13 (2): 358-372.
- Green, A. W., Lyons J.E., Runge, M.C., Laskowski, H.P., Lor s., Guiteras, S.T., Kendall, W.L. 2007. Timing of impoundment drawdowns and impact on waterbird, invertebrate, and vegetation communities within managed wetlands: Interim report for 2005-2006 field seasons. Draft report (July 31, 2007). U.S. Geological Survey, Patuxent Wildlife Research Center, Laurel, MD.
- Green, W.E., L.G. MacNamara, and F.M. Uhler. 1964. Water on and off. *Waterfowl Tomorrow*, USFWS, Washington, D.C. 770 pp.
- Greenberg, R. 2006. Tidal marshes: home for the few and the highly selected. *Studies in Avian Biology*, 32: 2-9.
- Greene, R. W. et. al. 2006. State of Delaware: Toxics in Biota Monitoring Plan for FY 2007. Delaware Fish Contaminants Committee, Dover, Delaware.
- Greenlines. 2003. Horseshoe Crab Moratorium Lucky Break for Red Knots, published by Endangered Species Coalition, No 1817, March 10, 2003. (<http://www.stopextinction.org>)
- Greenwood, R.J., P.M. Arnold and B.G. McGuire. 1990. Protecting duck nests from mammalian predators with fences, traps, and a toxicant. *Wildl. Soc. Bull.* 18:75-82.
- Guillemette, M. and P. Brousseau. 2001. Does culling predatory gulls enhance the productivity of breeding common terns? *J. Applied Ecology*. 38:1-8.
- Gutzwiller, K.J., R.T. Wiedenmann, K.L. Clements. 1997. Does human intrusion alter the seasonal timing of avian song during breeding periods? *Auk*. 114:55-65.

- Gutzwiller, K.J., S.H. Anderson. 1999. Spatial extent of human-intrusion effects on subalpine bird distributions. *The Condor*. 101: 378-389.
- Hagan, J. M., T. L. Lloyd Evans, J. L. Atwood, and D. S. Wood. 1992. Long-term changes in migratory landbirds in the northeastern United States: Evidence from migration capture data. Pgs 115-130 in *Ecology and Conservation of Neotropical Migrant Landbirds*. Smithsonian Institution Press.
- Hails, R. S. 2002. Assessing the risk associated with new agricultural practices. *Nature* 418: 685-688.
- Hannah, L., Lovejoy T., Midgley G., Bond W., Bush M., Lovett J., Scott D, and Woodward F.I. 2002. Conservation of Biodiversity in a Changing Climate. *Conservation Biology* 16 (1): 264-68.
- Haramis, G. M., and G. D. K earns. 2000. Herbivory by resident Canada geese and the decline of wild rice in historic sora stopover habitat along the tidal Patuxent River, Maryland. Pages 53-55 in D. Dolton, ed. Project abstracts, Webless Migratory Game Bird Research Program. Division of Migratory Bird Management, U.S. Fish and Wildlife Service, Denver CO.
- Harding, K. 1996. The potential for horizontal gene transfer within the environment. *Agro-Food Industry Hi-Tech*. July/August: 31-35.
- Hardisky, M. A. and V. Klemas. 1983. Tidal wetlands, natural and human-made changes from 1973 to 1979 in Delaware: mapping techniques and results. *Environmental Management* 7; 1-6.
- Harrington, B. A. 2003. Shorebird management during the non-breeding season. *Wader Study Group Bulletin* 100: 61-66, (April, 2003).
- Harrington, B. A. and N. Drilling. 1996. Investigations of effects of disturbance to migratory shorebirds at migration stopover site on the U. S. Atlantic Coast. Contract Report to USFWS in Region 5 for the Non-game Program, 87 pp.
- Harris, V.T. and F. Weibert. 1962. Nutria feeding activity and its effect on marsh vegetation in southwestern Louisiana. U.S. Fish and Wildlife Service, Washington, D.C. USA. Special Scientific Report Wildlife 64.
- Hartley, M. K. William. E. Rogers, Evan. Siemann, James. Grace. 2007. Responses of prairie arthropod communities to fire: Balancing plant and arthropod conservation. *American Midland Naturalist* 157:92-105.
- Havera, S.P., L.R. Boens, M.M. Georgi, and R. T. Shealy. 1992. Human disturbance of waterfowl on Keokuk Pool, Mississippi River. *Wildlife Society Bulletin*. 20:290-298.
- Hayes, T., P. Case, S. Chui, D. Chung, C. Haeffele, K. Haston, M. Lee. V. Phoung Mai, Y. Marjuoa, John. Parker, M. Tsui. 2006. Pesticide mixtures, endocrine disruptions, and Amphibian declines: Are we underestimating the impact? *Environmental Health Perspectives*. Volume 114, Number S-1.
- Heard, M. S. C. Hawes, G.T. Champion, S.J. Clark, L.G. Firbanks, A. J. Houghton, A.M. Parish, J.N Perry, P. Rothery, R.J. Scotts, M.P. Skellern, G.R. Squire, M.O. Hill 2003. Weeds in farm fields: contrasting conventional and genetically modified herbicide-tolerant crops: Effects on abundance and diversity. *Philosophical Transactions of the Royal Society of London* 358: 1819-1832.
- Heather Rule. 2005 Realty Specialist – Division of Reality, Region 5 USFWS Hadley, Mass., (11-17-2005).
- Hecker, S. 2007. Conference Summary Paper-Weighing the Protection of Endangered Species vs. Entire Ecosystems: The Piping Plover as an Umbrella Species for the Barrier Beach Ecosystem. The Goodwin-Niering Center for Conservation Biology and Environmental Studies, Connecticut College, 5 pp.
- Heckscher, C. M. 2008. Bald Eagle Protection in Delaware Workshop. Division of Fish and Wildlife, DNREC, Dover, Delaware.
- Heckscher, C. M. 2003. Delaware's Rare Animal Species of Conservation Concern. Delaware Natural Heritage Program, DNREC, Smyrna, Delaware.

- Hedenstrom, A. and Alerstam, T. 1998. How fast can birds migrate? – *J. Avian Biol.* 29:424-432.
- Heite, Edward and Louise. 2000. Delaware's Invisible Indians, Parts I and II. (<http://www.mitsawokett.com>)
- Heitmeyer, M.E. 1985. Wintering strategies of female mallards related to dynamics of lowland hardwood wetlands in the upper Mississippi Delta. Ph.D. thesis, University of Missouri-Columbia. 376 pp.
- Helgen, J. C. 1989. Larval mosquitoes as vulnerable prey: Chaoborus predation. *Canadian Journal of Fisheries and Aquatic Sciences* 46: 1642-1650.
- Helmets, D. L. 1992. Shorebird Management Manual. Western Hemisphere Shorebird Reserve Network, Manomet, Mass., 58pp
- Helson, B. V., K. N. Barber, and P. D. Kingsbury. 1994. Laboratory Toxicology of Six Forestry Insecticides to Four Species of Bee (Hymenoptera: Apoidea). *Archives of Environmental Contamination and Toxicology*. 27: 107-114
- Hendrix, P. F. and Bohlen P. J. 2002. Exotic Earthworm Invasions in North America: Ecological and Policy Implications. *BioScience* 52(9): 807-811.
- Hennigar, C.R., Maclean, D.A., Amos-Binks, L.J. 2008. A novel approach to optimize management strategies for carbon stored in both forests and wood products. *Forest Ecology and Management* 256(4):786-797.
- Henson, P.T., and A. Grant. 1991. The effects of human disturbance on trumpeter swan breeding behavior. *Wildlife Society Bulletin*. 19:248-257.
- Herrera, A., Pin G. Gopez, L. Fages, A. DeLa Casa, and J.J. Munuz-Perez. 2010. Environmental Impacts of Beach Nourishment: A case study of the Rio San Pedro Beach (SW Spain). *The Open Oceanography Journal*. 4: 32-41.
- Herring River Technical Committee. 2006, Full Report. http://www.wellfleetma.org/public_documents/WellfleetMA_WebDocs/HRTCreport.
- Herring River Technical Committee, 2007. Herring River Tidal Restoration Project Conceptual Restoration Plan. 205pp.
- Hershey, A., A. R. Lima, and G. J. Niemi. 1998. Effects of Bti (*Bacillus thuringiensis israelensis*) and methoprene on non-target macroinvertebrates in Minnesota wetlands. *Ecological Applications* 8: 41-60.
- Hess, G. K., R.L. West, L.M. Fleming. 2000. Pgs 3-4 Delaware Habitats – Geology, Landforms and Soils in Birds of Delaware, University of Pittsburgh Press.
- Heyer, W., M. Donnelly, R. W. McDiarmid, L.C. Hayek, M.S. Foster. 1994. *Measuring and Monitoring Biological Diversity, Standard Methods for Amphibians*. Smithsonian Institution Press, 320 pp.
- Hierbert, R. D. and J. Stubbendieck. 1993. *Handbook for Ranking Exotic Plants for Management and Control* Natural Resources Report NPS/NRMWRO/NRR-93/08), U.S. National Park Service, Midwest Regional Office, Omaha, Nebraska, 36 pp.
- Higgins, M. and B. Adameik. 2006. Focus on Pollinators. *Refuge Update*, Volume 3, Number 2:10-17. National Wildlife Refuge System, March/April Publication.
- Hilderbrand, R. H. et. Al. 2004. Demographic analysis and estimates of extinction risk for the Delmarva fox squirrel. USFWS, CBFO, Annapolis MD, 41pp.
- Hilderbrand, R. H., R.H. Gardner, M.J. Ratnaswamy, and C. E. Keller. 2007. Evaluating population persistence of Delmarva fox squirrels and potential impacts of climate change. *Biological Conservation* 137: 70-77.
- Herkert, J. R. 1994. The effects of habitat fragmentation on grassland bird communities. *Ecological Applications* 4: 461-471.

- Heckscher, C.M. 1997. Delaware's Rare Animal Species of Conservation Concern, Delaware's Natural Heritage Program, DNREC, Dover, Delaware.
- Hoffecker, C. E. 1988. Delaware, the First State. Delaware Heritage – Middle Atlantic Press, Moorestown, New Jersey.
- Hoffman, T. C. Golz, O. Schieder.1994. Foreign DNA sequences are received by a wild-type strain of *Aspergillus niger* after co-culture with transgenic higher plants. *Current Genetics* 27:70-76.
- Holdahl, S. R. and Morrison, N. L., 1974. Regional investigations of vertical crustal movements in the U. S., using precise relevelings and mareograph data. In: R. Green (Editor), *Recent Crustal Movements and Associated Seismic and Volcanic Activity*. *Tectono-physics*, 23 (4): 373-390.
- Holdren, J. P. and P.R. Ehrlich. 1974. Human population and the global environment. *American Scientist* 62: 282-292.
- Holmes, R. T. and T. W. Sherry. 1988. Assessing population trends of forest birds: Local versus regional patterns. *AUK* 105: 756-768.
- Holmes, T. M. and E. R. Ingham. 1994. The effects of genetically engineered micro-organisms on soil food webs. Supplement to the *Ecological Society of America Bulletin*. (Abstracts of the 79th Annual ESA Meeting: Science and Public Policy, Knoxville, TN)
- Hooper, R. G. 1978. Cove forests: bird communities and management options. Pages 90-97 in R.M. DeGraaf, ed. *Management of southern forests for nongame birds*. U.S. For. Serv. Gen. Tech. Rep. SE-14.
- Hoopes, E.M. 1993. Relationships between human recreation and piping plover foraging ecology and chick survival. Thesis, University of Massachusetts, Amherst, Massachusetts.
- Hough. Goldstein, J. M, Megan Schiff, E. Lake, B. Butterworth.2008. Impact of the biological control agent *Rhinoncomimus latipes* on mile-a-minute weed, *Persicaria perfoliata*, in field cages. *Biological Control* (in press). <http://dx.doi.org/10.1016/j.biocontrol.2008.04.001>.
- Hoyte, W. H. 1980. Subsurface Sedimentary Units and Late Holocene Paleogeography of the Eastern Slaughter Creek Area, Southeastern Delaware Bay. University of Delaware, Department of Geology, Newark, Delaware.
- Hunter, M.L., Jr. 1990. *Wildlife forests and forestry. Principles of managing forests for biological diversity*. Prentice Hall. Englewood Cliffs, NJ.
- Inkley D. B., M.G. Anderson, A.R. Blaustein, V.R. Burkett, B. Felzer, B. Griffith, J. Price and T.L. Root, *Global Climate Change and Wildlife in North America*. Technical Review 04-2, The Wildlife Society, Bethesda, MD (2004).
- Intergovernmental Panel on Climate Change(IPCC). 2001. *Climate change 2001: Synthesis report*. Watson, R.T., and Core Writing Team (eds.). Cambridge University Press, Cambridge, UK, and New York, NY. 184 p.
- International governmental Panel On Climate Change (IPCC). 2007. *Climate change 2007: The physical basis. Summary for policymakers*. Contribution of Working Group I to the 4th Assessment Report of the IPCC. IPCC Secretariat, Geneva. 24 p.
- Isaacs, R., J. Tuell, A. Fiedler, and M. Gardiner. 2008. Maximizing arthropod-mediated ecosystem services in agricultural landscapes: the role of native plants. *Frontiers in Ecology and the Environment*. Vol 7(4): 196-203.
- Iverson, L. R., and A. M. Prasad. 1998. Predicting abundance of 80 tree species following climate change in the eastern United States. *Ecological Monographs* 68(4): 465-485.

- Iverson, Louis, A. Prasad, S. Matthews, M. Peters, and C. Hoover. 2010. Potential changes in habitat suitability under climate change: lessons learned from 15 years of species modeling. In: Proceedings, XIII World Forestry Congress; 2009 October 18-23; Buenos Aires. Argentina.[Place of publication unknown]: World Forestry Congress: 1-10.
- James, R.D. 1976. Foraging behavior and habitat selection of three species of vireos in southern Ontario. *Wilson Bull.* 488(1):62-75.
- James-Pirri, M. J. 2012. Salt marsh responses to hydrological alternations at Atlantic Coast (USA) US Fish and Wildlife Refuges: 2010 summary and comparison to previous monitoring data (2001-2006). Graduate School of Oceanography and USFWS Region 5, Newington, NH, 72 pp.
- James-Pirri, M-J., R. M. Erwin, and D. J. Prosser. 2008. U.S. Fish and Wildlife Service (Region 5) salt marsh study, 2001–2006: an assessment of hydrologic alterations on salt marsh ecosystems along the Atlantic coast. U.S. Geological Survey Patuxent Wildlife Research Center and University of Rhode Island. Final Report to U.S. Fish and Wildlife Service, Newington, New Hampshire.
- James-Pirri, M.J.J., R. M. Erin, and D. J. Prosser. 2004. USFWS (Region 5) Salt marsh Three-Year Study Report (2001-2003). Cooperative Research Study with Graduate School of Oceanography – University of Rhode Island, USGS Patuxent Wildlife Research Center, Beltsville Laboratory, University of Virginia, and USFWS, Region 5 for Northeast NWRS.
- Jano, A.P., R.L. Jefferies, and R.F. Rockwell. 1998. The detection of vegetational change by multitemporal analysis of LANDSAT data: the effects of goose foraging. *Journal of Ecology* 86:93-99.
- Jarvis, R. L. 1976. Soybean impactation in Canada Geese. *Wildlife Society Bulletin* 4: 175-179.
- Jensen, T., S.P. Lawler, and D. A. Dritz. 1999. Effects of ultra-low volume pyrethrin, malathion, and permethrin on nontarget invertebrates, sentinel mosquitoes, and mosquito fish in seasonally impounded wetlands. *Journal of the American Mosquito Control Association* 15:330-338.
- Johnson, B.J, M., Kristin, L. Shappell, N. Tsipoura, M. Robson, J. Ehrenfeld, and M. Sukhedo. 2012. The roles of mosquito and bird communities on the prevalence of West Nile virus in urban wetland and residential habitats. *Urban Ecosystems* 15:513-531.
- Johnson, M. and L. W. Oring 2002. Are nest exclosures an effective tool in plover conservation? *Waterbirds* 24: 184-190.
- Jones, C.G., R. S. Ostfeld, M. P. Richard, E. M. Schaubert, J. O. Wolff. 1998. Chain reactions linking acorns to gypsy moth outbreaks and Lyme disease dynamics. *Science* 279: 1023-1026.
- Jones, F. M. 1928. Lepidoptera of Delaware and Peninsular Maryland and Virginia. An unpublished report, Claude E. Phillips Herbarium, Delaware State University, Dover, Delaware.
- Jones & Stokes Associates (1977). Dog depredation on wildlife and livestock in California. California Department of Fish and Game. Jones & Stokes, Sacramento, CA. 64pps.
- Jones, C., J. McCann and S. McConville. 2001. A Guide to the Conservation of Forest Interior Dwelling Birds in the Chesapeake Bay Critical Area. Critical Area Commission for the Chesapeake and Atlantic Coastal Bays, Annapolis, M.D.
- Jones, H. P. and Schmitz, O.J. 2009. Rapid Recovery of Damaged Ecosystems. *PLoS One* 4(5): e5653.
- Joyce, B. A., W. W. Wallender, J. P. Mitchell, L. M. Huyck, S. R. Temple, P. N. Brostrom, and T. C. Hsiao. 2002. Infiltration and soil water storage under winter cover cropping in California's Sacramento Valley. *Transactions of the Asae* 45:315-326.
- Kahl, R. 1991. Boating disturbance of canvasbacks during migration at Lake Poygan, Wisconsin. *Wildlife Society Bulletin*. 19:242-248.

- Kaiser, M.S., and E.K. Fritzell. 1984. Effects of river recreationists on green-backed heron behavior. *Journal of Wildlife Management* 48:561-567.
- Kamarin, M. A. 1997. *Pesticide Profiles: Toxicity, Environmental Impact, and Fate*. Lewis Publishers, New York.
- Kaminski, R.M., and H.H. Prince. 1981. Dabbling duck activity and foraging responses to aquatic macroinvertebrates. *The Auk* 98: 115-126.
- Karr, J. R. 1996. Ecological Integrity and Ecological Health are not the same in Engineering with Ecological Constraints. Washington, D. C., National Academy Press, pp 97-109.
- Karr, J. R. 2000. Health, Integrity, and Biological Assessment: The Importance of Measuring, in *Ecological Integrity: Integrating Environment, Conservation, and Health*. Pimental, Westra and Noss (eds), Island Press, Washington, D. C., pp 209-223.
- Karr, J.R. and Kimberling, D.N. 2003. A terrestrial arthropod index of biological integrity for shrub-steppe landscapes. *Northwest Science* 77(3): 202-213.
- Kauffman, G. J., 2011. *Socioeconomic Value of the Delaware River Basin in Delaware, New Jersey, New York, and Pennsylvania*. University of Delaware, Newark , Delaware. 88pp.
- Kearney, M. S., A. S. Rogers, J. P. G. Townshend, and E. Rizzo. 2002. Landsat imagery shows decline of coastal marshes in Chesapeake and Delaware Bays. *EOS Transactions of the American Geophysical Union* 83(16): 173.
- Kearns, C. A., D.W. Inouye, N.M. Waser.1998. Endangered mutualisms: the conservation of plant-pollinator interactions. *Annual Review of Ecology and Systematics* 29:83-112.
- Keesing, F., Holt, R. D., and R.S. Ostfeld. 2006. Effects of species diversity on disease risk. *Ecology Letters* 9: 485-498.
- Keller, V. 1991. Effects of human disturbance on eider ducklings (*Somateria mollissima*) in an estuarine habitat in Scotland. *Biological Conservation* 58:213-228.
- Kelley, James R. 2007. *Final Environmental Impact Statement on Light Goose Management*. USFWS, Division of Migratory Bird Management, June 2007, Washington, D.C.
- Kellogg, D. C. and J. F. Custer. 1984. Integration and Interpretation: Prehistoric Environments in Eastern Delaware in *Paleoenvironmental Studies of the State Route 1 Corridor: Contexts for Prehistoric Settlement*. Delaware Department of Transportation Archaeology Series No. 114: 96-105.
- Kennish, M.J., 2001. Coastal Salt Marsh Systems in the U.S.: A Review of Anthropogenic Impacts. *Journal of Coastal Research*, 17(3), 731-748.
- Kenow, K., Kapfer, J., and Korschgen, C. 2009. Predation of radio-marked mallard (*Anas platyrhynchos*) ducklings by eastern snapping turtles (*Chelydra serpentina serpentina*) and western fox snakes (*Pantherophis vulpinus*) on the upper Mississippi River. *Journal of Herpetology* 43(1): 154-158.
- Kerhin, R. T. and J. Halka. 1981. Beach changes associated with bulldozing the lower foreshore Ocean City, Maryland. Maryland Geological Survey, Open File Report No. 7. 19pp.
- Kerr, R. A. 2005. Is Katrina a harbinger of still more powerful hurricanes? *Science* 309: 1807.
- Kiesecker, J.M. 2002. Synergism between trematode infection and pesticide exposure: A link to amphibian limb deformities in nature? *Proceeding of the National Academy of Sciences (USA)* 99:9900-9904.
- King, J.R. 1974. Seasonal allocation of time and energy resources in birds. Pages 4-70 in R.A. Paynter, Jr., ed. *Avian energetics*. Nuttall Ornithol. Club, Cambridge, MA. 334pp.

- Kirwan, M.L., G.R. Guntenspergen, A. D'Alpoas, J.T. Morris, S.M. Mudd, and S. Temmerman. 2010. Limits of the adaptability of coastal marshes to rising sea level. *Geophysical Research Letters*. 37, L23401 doi: 10.1029/2010 OGL045489.
- Klein, M. L. 1989. Effects of high levels of human visitation on foraging waterbirds at J. N. "Ding" Darling National Wildlife Refuge. Final research report.. Florida Coop. Fish Wildl. Res. Unit, Univ. Florida, Gainesville. FCFWRU Work Order No. 42. vii + 103pp.
- Klein, M. L. 1993. Waterbird behavioral responses to human disturbances. *Wildlife Society Bulletin*. 21:31-39.
- Knight, R.L. and D.N. Cole. 1991. Effects of recreational activity on wildlife in wildlands. *Transactions of the North American Wildlife and Natural Resources Conference* 56:238-247.
- Knight, R.L. and D.N. Cole. 1995. Wildlife responses to recreationists. In *Wildlife and Recreationist* (R.L. Knight and K.J. Gutzwiller, eds.). Island Press, Covelo, California.
- Knight, R.L. 1984. Responses of wintering bald eagles to boating activity. *J. Wildlife Management*. 48:999-1004.
- Knutson, P. L. (1988). Role of coastal wetlands in energy dissipation and shore protection. In *Ecology of Wetlands*, edited by D. D. Hook. Timber Press , Portland, OR: 161-174.
- Knutson, P.L., R.A. Brochu, W.N. Seelig, and M. Inskeep. 1982. Wave dampening in *Spartina alterniflora* marshes. *Wetlands* 2: 87-104.
- Komar, P.D. 1998. Beach Morphology and Sediments pp 45-72 in *BEACH PROCESSES AND SEDIMENTATION*. Prentice Hall Upper Saddle River, New Jersey.
- Koontz, L. 2010. Regional economic impacts of current and proposed management alternatives for Prime Hook National Wildlife Refuge. U.S. Geological Survey. 22p.
- Korschgen, C. E. and R. B. Dahlgren. 1992. Human disturbances of waterfowl: causes, effects and management. *Fish and Wildlife Leaflet* 13.2.15, 7 pp.
- Korschgen, C.E., L.S. George, and W.L. Green. 1985. Disturbance of diving ducks by boaters on Comprehensive Conservation Plan - 215 - Appendix G: Final Compatibility Determinations a migrational staging area. *Wildlife Society Bulletin*. 13:290-296.
- Kowalchuk, G. A. M. Bruinsma, and J. A. van Veen. 2003. Assessing response of soil microorganisms to GM plants. *Trends in Ecology and Evolution* 18: 403-410.
- Krabbenhoft, D. P., William. H. Orem, G. Aiken, C. Kendall. 2003. Aquatic cycling of mercury in the Everglades. <http://sofia.usgs.gov/projects/evergl-merc/>.
- Kraft, John C. 1988. Delaware bay Geology in Bryant and Pennock (eds), *The Delaware Estuary*. University of Delaware Sea Grant College, Newark Delaware, pp 31-41.
- Kraft, J.C., R. B. Biggs, and S. D. Halsey. 1973. Morphology and vertical sedimentary sequence models in Holocene transgressive barrier systems pp 321-354 in *Coastal Morphology* (Coates. Ed.). Publications in Geomorphology. New York State University, New York.
- Kraft, J. 1975. Delaware's Changing Shoreline. Technical Report - Number 1. Dover, Delaware. Delaware State Planning Office, 319 pp.
- Kraft, J. C. and C. J. John. 1976a. Introduction to the Geological Structure of the Shorelines of Delaware. Delaware Sea Grant Technical Report DEL-SG 14-76.
- Kraft, J. C. and C. J. John. 1976b. The Geological Structure of the Shorelines of Delaware. College of Marine Studies, University of Delaware, Newark, DE., 107 pp.

- Kraft, J. C., E. A. Allen, D. F. Belknap, and C. J. John. 1976. Delaware's Changing Shoreline. Delaware's Coastal Zone Management Program, Technical Report Number One, Dover, Delaware, 319 pp.
- Krapu, G.L. 1974. Feeding ecology of pintail hens during reproduction. *The Auk* 91:278-290.
- Krapu, G. L. D. A. Brandt, and R. R. Cox. 2004. Less waste corn, more land in soybeans, and the switch to genetically modified crops: trends with important implications for wildlife management. *Wildlife Society Bulletin* 32: 127-136.
- Krasnov, B., M. Stanko, and S. Morand. 2007. Host community structure and infestation by ixodid ticks: repeatability, dilution effect and ecological specialization. *Oecologia* 154: 185-194.
- Krausman, P.R., L.K. SOWLS, and B.D. Leopold. 1992. Revisiting overpopulated deer ranges in the United States. *California Fish and Game Journal* 78:1-10.
- Kremen, C, N.M. Williams, M.A. Aizen, B. Gemmill. Herren, G. Lebuhn, R. Minckley, L. Packer, S. G. Potts, T. Roulston, I. Steffan. Dewenter, D.P. Vazquez, R. Winfree, L. Adams, E.E. Crone, S.S Greenleaf, T.H. Keitt, Alexandra Maria Klein, J. Regetz, T. Ricketts. 2007. Pollination and other ecosystem services produced by mobile organisms: a conceptual framework for the effects of land-use change. *Ecology Letters* 10: 299-314.
- Kross, J., R. M. Kaminski, K. J. Reinecke, and E. J. Penny. 2007. Moist-soil seed abundance in managed wetlands in the Mississippi Alluvial Valley. *Journal of Wildlife Management* 72(3): 707-714.
- Kuo, S., U. M. Sainju, and E. J. Jellum. 1997. Winter cover crop effects on soil organic carbon and carbohydrate in soil. *Soil Science Society of America Journal* 61:145-152.
- Kurta A, JO Whitaker Jr. 1998. Diet of the endangered Indiana bat (*Myotis sodalis*) on the northern edge of its range. *Am. Midl. Nat.* 140: 280-286.
- Kuslan, J. A., M.J. Steinkamp, K.C. Parsons, Jack. Capp, M.A. Cruz, M. Coulter, Ian. Davidson, L. Dickson, N. Edelson, R. Elliot, R.M. Erwin, Scott. Hatch, S. Kress, R. Milko, S. Miller, K. Mills, R. Paul, R. Phillips, Jorge. E. Saliva, B. Sydeman, John. Trapp, J. Wheeler, K. Wohl. 2002. Waterbird Conservation for the Americas: The North American Waterbird Conservation Plan, Version 1. Washington, D. C., 78 pp.
- Lacey, L. A. and M. S. Mulla. 1990. Safety of *Bacillus thuringiensis* var. *israelensis* and *Bacillus sphaericus* to non-target organisms in the aquatic environment. In *Safety of Microbial Insecticides* (Laird, Lacey, and Davidson- eds), CRC Press.
- Lal, R. 2003. Offsetting global CO2 emissions by restoration of degraded soils and intensification of world agriculture and forestry. *Land Degradation & Development* 14:309-322.
- Lal, R. M. Griffin, J. Apt, L. Lave, M. Granger. Morgans. 2004. Managing soil carbon. *Science* 304-393.
- Lance, S. L. et. at. 2003. Genetic variation in natural and translocated population of *Delmarva* fox squirrels. *Conservation Genetics* 4: 707-718.
- Landres, P. B., J. Verner, J. W. Thomas. 1988. Ecological uses of vertebrate indicator species: A critique. *Conservation Biology* 2: 316-328.
- Landres, P. B. 1992. Overview of the Use of Natural Viability Concepts in Managing Ecological Systems. *Ecological Applications* 9(4): 1179-1188.
- Lankford, T.E. and B.J. Baca. 1987. A biological study of macrofaunal and supratidal communities in response to a proposed beach scraping project at Wild dunes development, Isle of Palms, South Carolina. Tech Report for Wild Dunes Assoc.: CSE, Columbia, S.C., 20 pp.
- Lankford, T.E., B.J. Baca, and C.E. Nation. 1988. Biological monitoring of beach scraping at Pawleys Island, South Carolina. Tech Report for Town of Pawleys Island, S.C.: CSE, Columbia, S.C., 31 pp.

- La Peyre, M. K., B. Gossman, and B. Piazza. 2009. Short- and long-term response of deteriorating brackish marshes and open-water ponds to sediment enhancement by thin-layer dredge disposal. *Estuaries and Coasts* 32: 390-402.
- Larsen, A. C. 1996, 1997, and 1998. Annual Marsh and Water Management Programs for Prime Hook National Wildlife Refuge, (USFWS) Milton, Delaware.
- Laskowski, H. P., T. Leger, J. Gallegos, and F. James. 1993. Behavior response of greater yellowlegs, snowy egrets, and mallards to human disturbance at Back Bay National Wildlife Refuge, Virginia. Unpublished Final Report RMS 51570-01-92. 29 pp.
- Laskowski, H. P., A.C. Larsen, G. F. O'Shea and B.R. Pittendrigh. 1999. Effect of xanthum gum and traditional mosquito larvicides on chironomid larvae. *Wildlife Society Bulletin* 27 (3): 741-745.
- Laskowski, H. P., E. F. Smith, and T. Penn. 2002. Grazing impact of resident geese on vegetative communities within wetland impoundments. United States Fish and Wildlife Service. Smyrna, DE and Chincoteague, VA.
- Laubhan, M. K. and L.H. Fredrickson. 1992. Estimating Seed Production of Common Native Plants in Seasonally Flooded Wetlands. *Journal of Wildlife Management* 56(2): 329-337.
- Laubhan, M. 1992. A Technique for Estimating Seed Production of Common Moist-Soil Plants. Leaflet 13.4.7. in *Waterfowl Management Handbook*, USFWS.
- Laursen, K., J. Kahlert, and J. Frikke. 2005. Factors affecting escape distances of staging waterbirds. *Wildlife Biology* 11 (1): 13-19.
- Lavelle, P., D. Bignell, M. Lepage, V. Wolters, P. Roger, P. Ineson, O.W. Heal and S. Dhillion. 1997. Soil function in a changing world: the role of invertebrate ecosystem engineers. *European Journal of Soil Biology*, 33(4): 159-193.
- Leatherman, S. P. and R. E. Zaremba. 1986. Dynamics of a northern barrier beach: Nauset Spit, Cape Cod Massachusetts. *Geological Society of America Bulletin* 97: 116-124.
- Leatherman, S. P. 1988. *Barrier Island Handbook*. Coastal Publication Series, Laboratory for Coastal Research, University of Maryland, College Park, 92 pp.
- Lenth, B., M. Brennan, and R.L. Knight.(2006). The effects of dogs on wildlife communities. Final Research Report submitted to Boulder County Open Space and Mountain Parks. Colorado State University. 29 pp.
- Leonard, J. 2008. *Wildlife Watching in the U.S.: The Economic Impacts on National and State Economies in 2006: Addendum to the 2006 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation*, U.S. Fish and Wildlife Service, Report 2006-1, July.
- Leonard, L.A., and M.E. Luther. 1995. Flow hydrodynamics in tidal marsh canopies. *Limnology and Oceanography* 40: 1474-1484.
- Lesser, C. F. 2008. *Open Marsh Water Management: A Source Reduction Technique for Mosquito Control*. The Mosquito Control Section of Delaware, DNREC, Dover, Delaware (<http://www.fw.delaware.gov/SiteCollectionDocuments>).
- Leopold, Aldo. 1972. Page 165 "The Round River – A Parable," in *From the Journals of Aldo Leopold*, Oxford University Press, New York.
- Levin R.B, P. R. Epstein, T.E. Ford, W. Harrington, E. Olson, E.G. Reichard.2002. Drinking water challenges in the Twenty-First Century. *Environmental Health Perspectives* 110: 43-52.
- Levine, N, C. Kaufman, M.S. Katuna. 2009. Folly Beach, South Carolina: An endangered barrier beach in Kelley, J.T., O.H. Pilkey, & J. Andrew G. Cooper (eds), *America's most vulnerable coastal communities: Geological society of America – Special Paper Number 460*, pp 91-110.

- Levisen, M. and R. Van Dolah. 1996. Environmental Evaluation of the Kiawah Island Beach Scraping Project. Final Report, South Carolina Department of Natural Resources, Marine Resources Division, Charleston, South Carolina, 15 pp.
- Levitus, S, J.I. Antonov, J. Wang, T. L. Delworth, K.W. Dixon, A. J. Broccoli. 2001. Anthropogenic warming of the earth's climate system. *SCIENCE* 292: 267-270.
- Lewis, D.A., Cooper, J.A.G., and Pilkey, O.H., 2005, Fetch limited barrier islands of Chesapeake Bay and Delaware Bay: *Southeastern Geology*, v. 44, p. 1-17.
- Liddle, M. J. and H. R. A. Scorgie. 1980. The effects of recreation in freshwater plants and animals: a review. *Biological Conservation* 17: 183-206.
- Liddle, M. J. 1975. A selective review of the ecological effects of human trampling on natural ecosystems. *Biological Conservation* 7: 17-36.
- Liebold, A. E. Luzader, R. Reardon, Allan. Bullard, A. Roberts, W. Ravlin, S. Delost, B. Spears. 1996. Use of a geographic information system to evaluate regional treatment effects in a gypsy moth (*Lepidoptera: Lymantriidae*) Management Program. *Journal of Economic Entomology* 89: 1192-1203.
- Lima, S.L. & Bednekoff, P.A. (1999). Temporal variation in danger drives anti-predator behavior: the predation risk allocation hypothesis. *Am. Nat.* 153, 649-659, (doi:10.1086/303202).
- Linscombe, G., and N. Kinler. 1997. A survey of vegetative damage caused by nutria herbivory in the Barataria and Terrebonne Basins. Barataria-Terrebonne National Estuary Program. No. 31. Nicholls State University, Thibodaux, Louisiana, USA.
- Litvaitis, J. 2006. Looking Beyond Property Boundaries: Landscape and Regional considerations for managing early successional habitats. Pages 1-13 in *Managing Grasslands, Shrublands and Young Forest Habitats for Wildlife: A Guide for The Northeast*. The Northeast Upland Habitat Technical Community, Massachusetts Division of Fisheries and Wildlife.
- Litvaitis, J. A. 1999. Early Successional Forests and Shrub-dominated Habitats: Land-Use Artifact or Critical Community in the Northeast United States? *Northeast Wildlife* (54): 101-118.
- Lloyd, J. D., and T. E. Martin. 2005. Reproductive success of chestnut-collared longspurs in native and exotic grassland. *The Condor* 107: 363-374.
- LMVJV Migratory Bird Science Team. 2002. Developing and Refining the Biological Foundation of the Lower Mississippi Valley Joint Venture: An Assessment of Biological Planning, Monitoring and Evaluation Issues. LMVJV Office, Vicksburg, MS, USA.
- Lokemoen, J.T., and R.O. Woodward. 1993. An assessment of predator barriers and predator control to enhance duck nest success on peninsulas. *Wildl. Soc. Bull.* 21:275-282.
- Loeb, S. C. and N. D. Moncrief. 1993. The Biology of Fox Squirrels (*Sciurus niger*) in the Southeast: A Review in *Proceedings of 2nd Symposium on Southeastern Fox Squirrels*, Virginia Museum of Natural History Special Publication No. 1. 84 pp.
- Loesch, C. R., J. Reinecke and C. K. Baxter. 1994. Lower Mississippi Valley Joint Venture Evaluation Plan. North American Waterfowl Management Plan, Vicksburg, Mississippi, 34 pp.
- LoGiudice K., R. S. Ostfeld, K. A. Schmidt, and F. Keesing. 2003. The ecology of infectious disease: Effects of host diversity and Community composition on Lyme's disease risk. *Proceedings of the National Academy of Sciences of the United States of America.* 100: 567-571.
- Losey, J. E. Losey, J. E, Raynor, L. S. Carter. 1999. Transgenic pollen harms monarch larvae. *Nature* 399: 214.
- Losey, J. E. and M. Vaughan. 2006. The economic value of ecological services provided by insects. *Bioscience* 56(4): 311-323.

- Love, J.W., J. Gill, and J.J. Newhard. 2008. Saltwater intrusion impacts fish diversity and distribution in the Blackwater River drainage (Chesapeake Bay watershed). *Wetlands* 28(4): 967-974.
- Lowry, D. A. and K. L. McArthur (1978). "Domestic dogs as predators on deer." *Wildlife Society Bulletin* 6: 38-39.
- Lynch, J.F. and D. L. Whigham. 1982. Configuration of forest patches necessary to maintain bird and plant communities. Md. Power Plant Siting Program Res. Pap. PPRP-59. Annapolis, Md. 88pp
- Lynch, J. F. and D. L. Whigham. 1984. Effects of forest fragmentation on breeding bird communities in Maryland. *Biological Conservation* 28: 287-324.
- MacArthur, R.A., V. Geist, and R.H. Johnston. 1982. Cardiac and behavioral responses of mountain sheep to human disturbance. *Journal of Wildlife Management* 46:351-358.
- MacKenzie, R. 2005. Spatial and temporal patterns in insect emergence from a southern Maine salt marsh. *The American Midland Naturalist* 153 (2): 257-269.
- Mackenzie, J. 1989. Land Use transitions in Delaware, 1974-1989, University of Delaware, Agricultural Experimental Station Bulletin, No. 483, Washington, D. C.
- Madsen, J. 1985. Impacts of disturbance on field utilization of pink-footed geese in West Jutland, Denmark. *Biological Conservation*. 33:53-63.
- Madsen, J. 1995. Impacts of disturbance on migratory waterfowl. *IBIS* 137: S67-S74.
- Magee, P.A. 1996. Influence of microclimate on waterfowl energetics in a willow roost complex in northeastern Missouri. Ph.D. thesis, University of Missouri-Columbia, 129pp.
- Mahaffy, L. A. 1987. Effects of Open Marsh Water Management on submerged aquatic vegetation by waterfowl. Pages 323-332 in *Proceedings of Symposium on Waterfowl and Wetland Management*. (Whitman, W. R. and W. H Meredith – editors)
- Marsh, D. M. and P. C. Trenhan. 2001. Metapopulation dynamics and amphibian conservation. *Conservation Biology* 15: 40-49.
- Marsh, D.M., G.S. Milam, Gorham, N.P. N.G. Beckman. 2005. Forest roads as partial barriers to terrestrial salamander movement. *Conservation Biology* 19:6, 2004-2008.
- Maryland Commission on Climate Change. 2008. *Climate Action Plan*, Prepared for the Governor Martin O'Malley and the Maryland General Assembly.
- Maryland Department of Natural Resources (MDNR). 2002. *Maryland game program: annual report 2001-2002*. Annapolis, MD. 63pp.
- Maryland Department of Natural Resources Wildlife and Heritage Service (MDNRWHS). 2003. *Mute Swans in Maryland: A Statewide Management Plan*. 39 pp.
- Massopust, J. L. a. R. K. A. (1984). "The response of black bears to being chased by hunting dogs." *Proceedings of East Workshop On Black Bear Management And Research* 7: 59-65.
- Matthews, E. D. and W. Ireland, Jr. 1974. *Soil Survey of Sussex County, Delaware*. Washington, D. C. " Soil Conservation Service, U. S. Department of Agriculture in cooperation with the Delaware Agricultural Experimental Station.
- Matthews, S.N., L. R. Iverson, A.M. Prasad, A. M., and M.P. Peters. 2007-ongoing. *A Climate Change Atlas for 147 Bird Species of the Eastern United States [database]* (Available at: <http://www.nrs.fs.fed.us/atlas/bird>) Northern Research Station, USDA Forest Service, Delaware, Ohio.

- Matthews, S., R. O'Connor, L.R. Iverson, and A.M. Prasad. 2004. Atlas of climate change effects in 150 bird species of the Eastern United States. GTR-NE-318. USDA Forest Service, Northeastern Research Station. Newtown Square, PA. 340 pp. http://www.fs.fed.us/ne/newtown_square/publications/technical_reports/pdfs/2004/gtr318/ne_gtr318.pdf
- Maurmeyer, E. M. 1978. Geomorphology and evolution of transgressive estuarine washover barriers along western shore of Delaware Bay. PhD dissertation for Department of Geology, University of Delaware, Newark, DE. June 1978 274 pp.
- McAvoy, W. A., R.B. Coxe, C.M. Heckscher. 2007. Prime Hook National Wildlife Refuge Final Report on Vegetation Community Surveys: 2005-2006 and Botanical and Zoological Surveys: 2004-2005. Natural Heritage and Endangered Species Program, Delaware Division of Fish and Wildlife, DNREC, Smyrna, Delaware.
- McAvoy, W. A. and K. A. Bennett. 2001. The Flora of Delaware: an annotated checklist. Delaware Natural Heritage Program (DNHP), DNREC, Smyrna, Delaware.
- McAvoy, William A. 1998. Rare Native Plants in Delaware. DNHP, DNREC, Smyrna, Delaware.
- McCann, J. M., S. E. Mabey, L. J. Niles, C. Bartlett, and P. Kerlinger. 1993. A regional study of coastal migratory stopover habitat for Neotropical migrant songbirds: Land management implications. Transactions of the North American Wildlife and Natural Resources Conference 58:398-407.
- McCorkle, R. C., J. N. Gorham, and D. A. Rasberry. 2006. Gap Analysis of Animal Species Distribution in Maryland, Delaware and New Jersey. Final Report, Part 2. U.S. Fish and Wildlife Service, Delaware Bay Estuary Project and USGS Biological Resources Division, Gap Analysis Program, 229 pp.
- McDermott, F. A. 1967. The North American Fireflies of the Genus *Photuris* DeJean: A Modification of Barber's Key (COLEOPTERA: Lampyridae). The Coleopterists Bulletin 21: 106-116.
- McFadden, L., T. Spencer, R.J., Nicholls, 2007. Broad-scale modeling of coastal wetlands: What is required? *Hydrobiologia* 577, 5-15.
- McGee, B. L., L. T. Yonkos, J. D. Petty, D. J. Fisher, D. A. Alvarez, T. May, W. Cranor, and J. Huckins. 2003. Evaluating the Potential Water Quality Impacts of Animal Feeding Operations on National Wildlife Refuges on the Delmarva Peninsula. CBFO-C03-03, Annapolis, Maryland.
- McKee, Karen L. and Irving A. Mendelssohn. 1989. Response of freshwater marsh plant community to increased salinity and increased water level. *Aquatic Botany* 34: 301-316.
- MDIFW (Maine Department of Inland Fisheries and Wildlife). 2005. Maine's Comprehensive Wildlife Conservation Strategy. <http://www.wildlifeactionplans.org/>
- Maryland Department of Natural Resources (MDNR). 2005. Maryland Wildlife Diversity Conservation Plan. <http://www.wildlifeactionplans.org/>
- Maryland Department of Natural Resources and U.S. Army Corps of Engineers (MDNR). 2010. Chesapeake Bay Shoreline Erosion in Maryland: A Management Guide. 136 pp. http://www.dnr.maryland.gov/coastsmart/shoreline_management.asp.
- MEOEA (Commonwealth of Massachusetts, Executive Office of Environmental Affairs). 2006. Massachusetts Comprehensive Wildlife Conservation Strategy. <http://www.wildlifeactionplans.org/>
- McLachlen, A., and A. C. Brown. 2006. The Ecology of Sandy Shores. Academic Press, Burlington, MA, USA, 373 pp.
- McNeil, Raymond; Pierre Drapeau; John D. Goss. Custard. 1992. The occurrence and adaptive significance of nocturnal habitats in waterfowl. *Biological Review*. 67: 381- 419.

- McShea, W. J., and W. M. Healy. 2002. Oak forest ecosystems: ecology and management for wildlife. Johns Hopkins University Press. 432 pp.
- McShea, W. J., H. B. Underwood, and J. H. Rappole. 1997. The science of overabundance: deer ecology and population management. Washington, D. C. Smithsonian Institute, 402 pp.
- McWeeney, L. 1999. A Review of Late Pleistocene and Holocene Climatic Changes in Southern New England. *Bulletin of the Archaeological Society of Connecticut*. 62: 3-18.
- McWeeney, L. and D. C. Kellogg. 2001. Early and Middle Holocene Climate Changes And Settlement Patterns Along the Eastern Coast of North America. *Archaeology of Eastern North America* 29: 202-231.
- McWilliams, S.R., Guglielmo, C., Pierce, B. and Klaassen, M. 2004. Flying, fasting, and feeding in birds during migration: a nutritional and physiological ecology perspective. *J. Avian Biol.* 35: 377-393.
- Meffe, G., and C. Carroll. 1997. *Principles of Conservation Biology*, 2nd edition, Sinauer Associates, Sunderland, MA.
- Mendelssohn, I.A., M.W. Hester, F.J. Monteferrante, and F. Talbot. 1990. Experimental Dune building and vegetative stabilization in a sand deficient barrier island setting on the Louisiana coast. *Journal of Coastal Research*. 7(1): 137-149.
- Meredith, W. H., D. E. Saveikis and C. J. Stachecki. 1985. Guidelines for "Open Marsh Water Management" in Delaware's Salt Marshes: Objectives, System Designs, and Installation Procedures. *Wetlands* Vol. 5: 119-133.
- Meredith, W. H., D. E. Saveikis, and C. J. Stachecki. 1983. Delaware's Open Marsh and Water Management Research Program: An Overview and Update. *Proceedings of the New Jersey Mosquito Control Association* 70: 42-47.
- Merritt, R. W., E. D. Walker, M. A. Wilzbach, K. W. Cummins & W. T. Morgan, 1989. A broad evaluation of B.t.i. for black fly control in a Michigan river: Efficacy, carry and non-target effects on invertebrates and fish. *J. Am. Mosq. Contr. Ass.* 5: 397-415
- Merritt, R. W. and K. W. Cummins (eds). 1996. *An Introduction to the Aquatic Insects of North America*. (3rd edition) Kendall and Hall Publishing Co., Dubuque, Iowa, U. S. A.
- Mid-Atlantic Archaeological Research, Inc. (MARR) 1981. A Cultural Resource Survey of Prime Hook NWR, Sussex County, Delaware by Ronald A. Tirpak and Ronald A. Thomas, (Principal Investigators, Newark), Delaware.
- Miller, M. R. 1987. Fall and Winter Foods of Northern Pintails in the Sacramento Valley, California. *The Journal of Wildlife Management*, Vol. 51, No. 2: 405-414.
- Miller, S. G., K. R. L., et al. (2001). "Wildlife responses to pedestrians and dogs." *Wildlife Society Bulletin* 29: 124-132.
- Miller, S.G., R.L. Knight, and C.K. Miller. 1998. Influence of recreational trails on breeding bird communities. *Ecological Applications* 8(1) 162-169.
- Mills, L. S., M. E. Soule, and D. F. Doak. 1993. The keystone-species concept in ecology and conservation. *Bioscience* 43: 219-224.
- Minnesota DNR website. 2009. <http://www.dnr.state.mn.us/rsg/profile.html?action=elementDetailandselectedElement=ARAAB01010>
- Minnesota IMPLAN Group, Inc., 2007. Year 2006 IMPLAN data files, www.implan.com Olson, D., and Lindall, S., 1999, IMPLAN professional software, analysis and data guide: Minnesota IMPLAN Group, Inc.
- Mitchell, B.D. & Banks, P.B. (2005). Do wild dogs exclude foxes? Evidence for competition from dietary and spatial overlaps. *Aust. Ecol.* 30, 581-591, (doi:10.1111/j.1442-9993.2005.01473.x).

- Mitchell, J. C., A. R. Breisch, and K. A. Buhlmann. 2006. Habitat Guidelines for Amphibians and Reptiles of the Northeastern United States. Partners in Amphibian and Reptile Conservation, Technical Publication HMG-3, Montgomery, Alabama., 108 pp.
- Mitchell, L. R., C. R. Smith, and R. A. Malecki. 2000. Ecology of Grassland Breeding Birds in the Northeastern United States – A Literature Review with Recommendations for Management. U.S. Geological Survey, Biological Resources Division, New York Cooperative Fish and Wildlife Research Unit, Department of Natural Resources, Cornell University, Ithaca, New York.
- Miura, T. and R. M. Takahashi. 1973. Insect development inhibitors: Effects on non-target aquatic organisms. *Journal of Economic Entomology* 66: 917-922.
- Mizrahi, D. S. 2006. Oases along the flyway: Preserving critical stopover habitat for migrating songbirds on the Delmarva Peninsula, Final Report to the U.S. Fish and Wildlife Service. Delaware Bay Coastal Project Office, Smyrna, Delaware.
- Moncrief, N. D. 1995. Final Report of May 1994 – Delmarva Fox Squirrel Refuge Management Tour. Virginia Museum of Natural History. Martinsville, Va. 52 pp
- Moncrief, N. D. and R. D. Dueser. 2001. Allozymic variation in the endangered Delmarva fox squirrel (*Sciurus niger cinereus*): genetics of a translocated Population. *American Midatlantic Naturalist* 146: 37-42.
- Morgan, M. F., H. G. M. Jacobson, and S. B. LeCompte. 1942. Drainage water losses from a sandy soil as affected by cropping and cover crops : Windsor lysimeter series c. Connecticut Agricultural Experiment Station, 1942. p. [731]-759 : ill., [New Haven].
- Morgan, Pamela A., David Burdick, and Fredrick T. Short. 2009. The function and values of fringing salt marshes in Northern New England, USA. *Estuaries and Coasts*, 32: 483-495.
- Morris, J. T, P.V. Sundareshwar, C.T. Nietch, B. Kjerfve.D.R. 2002. Responses of coastal wetlands to rising sea level. *Ecology*, 83(10): 2869-2877
- Morris. W., P.L. Blooh, B. R, Hudgens, L.C. Moyle, J.R. Stinohoombe. 2002. Population viability analysis in endangered species recovery plans: Past use and future improvements. *Ecological Applications* 12(3); 708-712.
- Morris, C. 2006. Building a Predictive Model of Delmarva Fox Squirrel (*Sciurus niger cinereus*) Occurrence Using Infrared Photomonitor. THESIS, VA Tech, 134 pp.
- Morris, J. T., P. V. Sundareshwar, C. T. Nietch, B. Kjerfve, and D. R. Cahoon. 2002. Responses of coastal wetlands to rising sea level. *Ecology* 83(10): 2869-2877.
- Morse, L.E., J.M. Randall, N. Benton, R. Hiebert, and S. Lu. 2004. An Invasive Species Assessment Protocol: Evaluating Non-Native Plants for Their Impact on Biodiversity. Version 1. NatureServe, Arlington, Virginia. 42 pp. Available at: <http://www.natureserve.org/getData/plantData.jsp> (Accessed 10/23/2011)
- Morton, J.M., A.C. Fowler, and R.L. Kirkpatrick. 1989. Time and energy budgets of American black ducks in winter. *Journal of Wildlife Management* 53 (2) :401-410.
- Murray, David R. 2003. Seeds of Concern: The Genetic Manipulation of Plants. CABI Publishing, Oxon, UK. pp 44-45; 85-98.
- Nabhan, G. P. and S. L. Buchmann. 1997. Pollination services: Biodiversity's direct link to world food stability. Pages 133-150 in (G. Daily editor). *Nature's Services: Societal Dependence on Natural Ecosystems*. Island Press, Washington, D.C.
- National Fish Habitat Action Plan. 2006. www.fishhabitat.org

- National Oceanic and Atmospheric Administration (NOAA) Restoration Center & NOAA Coastal Services Center. 2010. Returning the Tide, A Tidal Hydrology Restoration Guidance Manual for the Southeastern U.S. NOAA, Silver Spring, MD. 213 pp.
- National Oceanic and Atmospheric Administration (NOAA) 2011. Coastal Service Center - Beach Nourishment: A Guide for Local Government Officials. <http://www.csc.noaa.beachnourishment/html/geo/shorelin.htm>.
- National Wildlife Refuge Association. 2002. Silent Invasion: A Call to Action from the National Wildlife Refuge Association. <http://www.refugenet.org/New-invasives/index-silent%20invasion.html>.
- NatureServe. 2006. International Ecological Classification Standard: Terrestrial Ecological Classifications of Vegetation Alliances and Associations of the Prime Hook National Wildlife Refuge, 64 pp.
- NBII (National Biological Information Infrastructure). Accessed June 28, 2010. http://www.nbio.gov/portal/server.pt/community/flies,_mosquitoes,_and_midges/1293.
- New Hampshire Fish and Game Department (NHFGD). 2005 New Hampshire Wildlife Action Plan. <http://www.wildlifeactionplans.org/>
- New Jersey Division of Fish and Wildlife (NJDFW). 2008 New Jersey Wildlife Action Plan. <http://www.wildlifeactionplans.org/>
- New York Department of Environmental Conservation (NYDEC). 2005. Comprehensive Conservation Strategy for New York. <http://www.wildlifeactionplans.org/>
- Neal, W. J. and O. H. Pilkey, and J. T. Kelley. 2007. Atlantic Coast Beaches: A guide to ripples, dunes, and other natural features of the shore. Mountain Press Publishing Company, Missoula, MT, 272 pp.
- Nelson, W. G. 1993. Beach restoration in the southeastern U.S.: Environmental effects and biological monitoring. *Ocean and Coastal Management* 19: 157-182.
- New Castle County Economic Development Council (NCCEDC). 2006. (<http://www.ncced.com>).
- Nicholls, J. L. and G. A. Baldassarre. 1990. Habitat selection and interspecific associations of piping plovers along the Atlantic and Gulf Coasts of the United States. *Wilson Bulletin* 102: 581-590.
- Nielsen, K. M., A.M. Bones, K. Smalla, Jan. D. Van. Elsas. 1998. Horizontal gene transfer from transgenic plants to terrestrial bacteria – a rare event? *FEMS Microbiological Reviews* 22: 79-103.
- Niemi, G. J., Hershey, A. E., Shannon, L., Hanowski, J. M., Lima, A., Axler, R. P. and Regal, R. R. (1999), Ecological effects of mosquito control on zooplankton, insects, and birds. *Environmental Toxicology and Chemistry*, 18: 549–559.
- North American Bird Conservation Initiative (NABCI) U.S. Committee, 2010. The State of the Birds 2010: Report on Climate Change. United States of America. U.S. Department of the Interior: Washington, DC. 32 pp. Available at: http://www.stateofthebirds.org/pdf_files/State%20of%20the%20Birds_FINAL.pdf
- North Carolina Wildlife Resources Commission (NC WRC). 2005. North Carolina Wildlife Action Plan. <http://www.wildlifeactionplans.org/>
- Northeast Climate Change Impacts Assessment (NECIA). 2007. A Discussion of the Potential Impacts of Climate Change on the Shorelines of the Northeastern USA. (Ashton, Donnelly, & Evans) 25 pp, Report prepared for the Northeast Climate Impacts Assessment, Union of Concerned Scientists.
- Noss, R. F. 1990. Indicators for monitoring biodiversity: A hierarchical approach. *Conservation Biology* 4: 355-364.
- Noss, R. 2001. Beyond Kyoto: Forest management in a time of rapid climate change. *Conservation Biology* 15(3): 578-590.

- NPIC – National Pesticide Information Center. Glyphosate Technical Fact Sheet, Oregon State University, 14 pp. www.npic.orst.edu/factsheets/glyphogen.pdf.
- Nudds, T. D. 1980. Forage preference: theoretical considerations of diet selection by deer. *Journal Wildlife Management* 44(3): 735-740.
- Nunery, J. S., and K. S. Keeton. 2010. Forest carbon storage in the northeastern United States: Net effects of harvesting frequency, post-harvest retention, and wood products. *Forest Ecology and Management* 259(8): 1363-1375
- O’Connell T. 2000. Bird Guilds as indicators of ecological condition in the central Appalachians. *Ecological Applications* 10: 1706-1721.
- O’Connell, T. et al. 1998. A bird community index of biotic integrity for the Mid-Atlantic Highlands. *Environmental Monitoring and Assessment* 51: 145-156.
- Oehler, Covell, Capel, and Long (eds). 2006 *Managing Grasslands, Shrublands, and Young Forest Habitats for Wildlife: A Guide for the Northeast*. The Northeast Upland Habitat Technical Committee, Massachusetts Division of Fisheries and Wildlife, 94 pp.
- Orr, Michelle, S. Crooks, and P.B. Williams. 2003. Will restored tidal marshes be sustainable? *San Francisco Estuary and Watershed Science*. 1 (1): 35pp.
- Ostfeld, R. S. and Keesing F. 2000. Biodiversity and disease risk: the case of Lyme disease. *Conservation Biology* 14: 722-728.
- Owen, D. K. 2001. Palynology: An Important Tool for Discovering Historic Ecosystems. Pgs 229-253 in *The Historical Ecology Handbook: A Restorationist’s Guide to Reference Ecosystems* (eds) Egan, D. and A. Howell. Society for Ecological Restoration, Island Press.
- Owen, M. 1973. The management of grassland areas for wintering geese. *Wildfowl*. 24:123-130.
- Paglione, L. J. 1996. Population Status and Habitat Management of Delmarva Fox Squirrels. University of Mass. Graduate Thesis Dept. of Forestry and Wildlife Management, September 1996.
- Park, R., T. V. Armentano, C. L. Cloonan. 1986. Predicting the effect of sea level rise on coastal marsh. Pages 129-152 in *Effects in Stratosphere Ozone and Global Climate* (Titus –ed), Volume 4: Sea Level Rise. USEPA, Washington, D. C.
- Parrish, J. D. 2000. Behavioral energetic, and conservation implications of foraging plasticity during migration. *Studies in Avian Biology* 20: 53-70.
- Partnership for the Delaware Estuary. 1996. A comprehensive conservation and management plan for the Delaware Estuary. 470 pp.
- Pashley, D. N., C.J. Beardmore, J.A. Fitzgerald, R.P Ford, W.C. Hunter, M.S Morrison, and K.V. Rosenberg. 2000. *Partners in Flight: Conservation of the Landbirds of the United States*. American Bird Conservancy, The Plains, Virginia. 92 pp.
- Patrick, W. H., C. B. Haddon, and J. A. Hendrix. 1957. The effects of longtime use of winter cover crops on certain physical properties of commerce loam. *Soil Science Society of America* 21:366-368.
- Paulus, S.L. 1984b. Activity budgets of non-breeding gadwalls in Louisiana. *Journal of Wildlife Management* 48:483-489.
- Payne, N. F. 1998. *Wildlife Habitat Management of Wetland*. Kreiger Publishing Company, Florida.
- Pearsall, S.H., III, and B. Poulter. 2005. Adapting coastal lowlands to rising seas: a case study. In: *Principles of Conservation Biology* [Groom, M.J., G.K. Meffe, and C.R. Carroll (eds.)]. Sinauer Associates, Sunderland, MA, 3rd edition, pp. 366-370.

- Pease, M.L., R.K. Rose, and M.J. Butler. 2005. Effects of human disturbances on the behavior of wintering ducks. *Wildlife Society Bulletin*. 33(1):103-112.
- Pepper, M. A. 2008. Salt Marsh bird community responses to open water marsh management. University of Delaware MS Thesis in Wildlife Ecology.
- Pergams O. R. W. and P. A. Zaradic. 2008. Evidence for a fundamental and pervasive shift away from nature-based recreation. *Proceedings of the National Academy of Sciences* 105:2295–2300.
- Peterjohn, B. 2006. Conceptual Ecological Model for Management of Breeding Shrubland Bird in the mid-Atlantic Region. Technical Report NPS-NER-NRR 2006-043, USGS, Patuxent Wildlife Research Center, Laurel, Maryland.
- Peterson, C. H., D. H. M. Hickerson, and G. G. Johnson. 2000. Short-Term Consequences of Nourishment and Bulldozing on the Dominant Large Invertebrates of a Sandy Beach. *Journal of Coastal Research* 16(2): 368-378.
- Pethick, J., 2002. Estuarine and tidal wetland restoration in the United Kingdom: policy versus practice. *Restoration Ecology* 10 (3): 431-437.
- Petit, L. J. and D. R. Petit. 1996. Factors governing habitat selection by prothonotary warblers: field test of the Fretwell-Lucas model. *Ecological Monographs* 66: 367-387.
- Pfister, C., M. J. Kasprzyk, and B. Harrington. 1998. Body fat levels and animal return in migrating semipalmated sandpipers. *Auk* 115: 904-915.
- Pfister, C., and B. Harrington. 1992. The impact of human disturbance on shorebirds at a migration staging area. *Biological Conservation* 60: 115-126.
- Physicians and Scientists for Responsible Application of Science and Technology (PSRAST). 2007. Genetically engineered crops: A threat to soil fertility. <http://www.psrast.org/soilecolart.htm>.
- Pilkey, O. H. and M. E. Fraser. 2003. A celebration of the world's barrier islands. Columbia University Press, New York, N.Y., 309 pp.
- Pilkey, Orrin, H. and Rob Young. 2009. *The Rising Sea*. Island Press and Sherwater Books, Washington, D. C., 203 pp.
- Pimental, D., C. Wilson, C. McCullum, R. Huang, P. Dwen, J. Flack, Q. Tran, T. Saltman, B. Cliff. 1997. Economic and environmental benefits of biodiversity. *Bioscience* 47: 747-757 and 56(4): 311-323.
- Pinkney, A. E, P.C. McGowan, D.R. Murphy, D.W. Sparling, T.P. Lowe, L.C. Ferrington. 1998. Non-target effects of the mosquito larvicides, Temephos and Methoprene at Bombay Hook and Prime Hook National Wildlife Refuges. Publication No. CBF0-C98-01, Study No 5N15, Annapolis, Maryland.
- Planitzer, C. B. Modrof, J., Yu m-y W, Kreil T. R. 2009. West Nile virus infection in plasma of blood and plasma donors, United States. *Emerg Infect Dis* [serial on the internet], Oct, 2009. <http://www.cdc.gov/EID/content/15/10/1668.htm>.
- Porter, F. W., III 1977. A photographic survey of the Indian River Community. Indian Mission Church, Millsboro, Delaware.
- Portnoy, J. W., and A. E. Giblin. 1997. Effects of historic tidal restrictions on salt marsh sediment chemistry. *Biogeochemistry* 36: 275-303.
- Portnoy, J. W., and A. E. Giblin. 1997. Biogeochemical effects of seawater restoration to diked salt marshes. *Ecological Applications* 7(3): 1054-1063.
- Post, W. 1974. Functional analysis of space-related behavior in the seaside sparrow. *Ecology* 55(3): 564-574.

- Poulter, B., J. Goodall, and P.N. Halpin, 2008: Applications of network analysis of adaptive management of artificial drainages systems in landscapes vulnerable to sea level rise. *Journal of Hydrology*, 357(3-4), 207-217.
- Price, D., J. Hough. Goldstein, M.T. Smith.2003. Biology, rearing, and preliminary evaluation of host range of two potential biological control agents for mile-a-minute weed, *Polygonum perfoliatum* L. *Environmental Entomology* 32:229-236.
- Primack, Richard B. 1993. *Essentials of Conservation Biology*. Sunderland, MA.
- Prime Hook National Wildlife Refuge. 1963. Narrative Report, Summary of Wildlife Use and Management Objectives. USDOJ – FWS – Bureau of Sport Fisheries and Wildlife, Sussex County, Delaware.
- Prime Hook National Wildlife Refuge. 2000. Annual Marsh and Water Management Program Report, USFWS, Milton, Delaware.
- Progulske, D. R. and T. S. Baskett (1958). “Mobility of Missouri deer and their harassment by dogs.” *Journal of Wildlife Management* 22: 184-192.
- Psuty, N.P. and Silveira, T.M. 2010. Global climate change: an opportunity for coastal dunes? *Journal of Coastal Conservation* 14(2):153-160.
- Psuty, N.P. 2004. The Coastal Fore-dune: A Morphological Basis for Regional Coastal Dune Development, pp 11-27, in *COASTAL DUNES : ECOLOGY AND CONSERVATION* (editors M.L. Martinez and N.P. Psuty), Ecological Studies Series No. 171, Analysis and Synthesis, Springer-Verlag Berlin and New York.
- Psuty, N. P., M. Duffy, J.F. Pace., D. E. Skidds, and T.M. Silveria. 2010 Northeast Coastal and Barrier geomorphological monitoring: Part I – Ocean Shoreline Position. Natural Resources Report NPS/NCBN/NRR – 2010/185. National Park Service, Fort Collins, Colorado.
- Putten, W. H., J.M. Anderson, R.D. Bardgett, V. Behan. Pelletier, D.E. Bignell, G.G. Brown, V.K. Brown, L. Brussaard, H.W. Hunt, P. Ineson, T.H. Jones, P. Lavelle, E.A. Paul, M. St. John, D.A. Wardle, T. Woitowicz, D.H. Wall. 2004. The Sustainable Delivery of Goods and Services Provided By Soil Biota. In *Sustaining Biodiversity and Ecosystem Services in Soils and Sediments*. SCOPE Report No. 64, pp 15-45.
- Pyne, Stephen J. 1982. *Fire in America: A Cultural History of Wildland and Rural Fire*. Princeton University Press. 654pp.
- Raasch, J.D. 1996. Experimental disturbance of waterbirds on seasonally flooded impoundments in Missouri. M.S. thesis, University of Missouri-Columbia. 164 pp.
- Raftovich, R.V., K.A. Wilkins, S.S Williams, H.L. Spriggs, and K.D. Richkus. 2011. Migratory bird hunting activity and harvest during the 2009 and 2010 hunting seasons. U.S. Fish and Wildlife Service, Laurel, Maryland, USA.
- Rahmstorf, Stefan. 2007. A semi-empirical approach to projecting future sea-level rise. *Science* 315(5810):368-370.
- Ramsey, K. W., D. J. Leathers, D. V. Wells, and J.H. Talley. 1998. Summary Report: The Coastal Storms of January 27-29 and February 4-6, 1998, Delaware and Maryland. Open File Report No. 40, Delaware Geological Survey, Office of Delaware State Climatologist, Dept. of Geography, University of Delaware, and Maryland Geological Survey.
- Ramsey, K. W. and J.H. Talley. 1992. Summary Report: The Storm of January 4, 1992. Open File Report No. 36, University of Delaware, Newark, Delaware, June 1992.
- Rapport, D. J. 1980. Optimal foraging for complementary resources. *Am. Nat.* 116:324-346.

- Ray, G. 2007. Thin layer placement of dredged material on coastal wetlands: A review of the technical and scientific literature. ERDC/EL Technical Notes Collection (ERDC/EL TN-01-1), Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- Reed, D. J., J.G. Titus, E.M. Strange. 2008. Site-specific scenarios for wetland accretion as sea level rises in the midAtlantic Region. Section 2.1 in Background documents supporting Climate Change Science Program Synthesis and Assessment Product 4.1. EPA 430R07004, Washington, D. C.
- Regal, P. J. 2004. Scientific principles for ecologically based risk assessment for transgenic organisms. *Molecular Ecology* 3: 5-13.
- Rehfish, M. M. 1994. Man-made lagoons and how their attractiveness to waders might be increased by manipulating the biomass of insect benthos. *Journal of Applied Ecology* 31: 383-401.
- Reinecke, K. J. 1979. Feeding ecology and development of juvenile Black Ducks in Maine. *Auk* 96:737-745.
- Reinecke, K. J. and R. B. Owen, Jr. 1980. Food use and nutrition of Black Ducks nesting in Maine. *Journal of Wildlife Management* 44:49-558
- Reinecke, K. J., R.M. Kaminski, David. J. Moorhead, John. D. Hodges, James. R. Nassar. 1989. Mississippi Alluvial Valley. In *Habitat Management for migrating and wintering waterfowl in North America*. Texas Tech University Press, Lubbock, TX. 560 pp.
- Reinecke, K. and R. Kaminiski. 2007. LMVJV Waterfowl Working Group. Final Revision of Table 5 of LMVJV Evaluation Plan (Duck Energy Days- DEDS) Memorandum/Report August 1, 2007.
- Reinecke, K. J. and K. M. Hartke. 2005 Research Notes: estimating moist-soil seeds available to waterfowl with double sampling stratification. *Journal of Wildlife Management* 69: 794-799.
- Relyea, R. A. 2005. The lethal impact of roundup on aquatic and terrestrial amphibians. *Ecological Applications* 15(4) 1118-1124.
- Rich, T. D., C. J. Beardmore, H. Berlanga, P. J. Blancher, M. S. W. Bradstreet, G. S. Butcher, D. W. Demarest, E. H. Dunn, W. C. Hunter, E. E. Inigo-Elias, J. A. Kennedy, A. M. Martell, A. O. Panjabi, D. N. Pashley, K. V. Rosenberg, C. M. Rustay, J. S. Wendt, T. C. Will. 2004. Partners in Flight North American Landbird Conservation Plan. Cornell Lab of Ornithology. Ithaca, NY.
- RIDFW (Rhode Island Division of Fish and Wildlife). 2005. Rhode Island's Comprehensive Wildlife Conservation Strategy. <http://www.wildlifeactionplans.org/>
- Riggs, S. R., D.V. Ames, S.J. Culver, D.J. Mallinson, D.R. J.P. Walsh. 2009. Eye of the Human Hurricane: Pea Island, Oregon Inlet, and Bodies Island, northern Outer Banks, North Carolina in Kelley J. T., O.H. Orrin, and J. Andrew G. Cooper (eds), *America's most vulnerable coastal communities*. Geological Society of America Special Paper Number 460, pp 43-72.
- Riggs, S.R., and Ames, D.V. 2007. Effect of storms on barrier island dynamics, Core Banks, Cape Lookout National Seashore, North Carolina, 1960-2001: U.S. Geological Survey Scientific Investigations Report 2006-5309, 78 p.
- Rimmer, D. W. and Deblinger, R. D. 1990. Use of predator exclosures to protect piping plover nests. *J. Field Ornithology* 61(2): 217-223.
- Ringelman, J. K. 1990. Managing Agricultural Foods for Waterfowl. Leaflet 13.4.3. in *Waterfowl Management Handbook*, USFWS.
- Rissler, J. and M Mellon. 1996. *The Ecological Risks of Engineered Crops*. Cambridge, MA, MIT Press.
- Robbins, C.S. 1979. Effect of forest fragmentation on bird populations. Pages 198-212 in R.M. DeGraaf and K.E. Evans, eds. *Management of north central and northeastern forests for nongame birds*. U.S. For. Serv. Gen. Tech. Rep. NC-51.

- Robbins, C. S., D.K. Dawson, B.A. Dowell. 1989. Habitat Area Requirements for Breeding Forest Birds of the mid-Atlantic States. Wildlife Monographs No. 103. The Wildlife Society, Blacksburg, Virginia.
- Robert, N. and P. Venkatesan. 1997. Prey preference and predatory efficiency of the water bug, *Diplonychus indicus* Venk. & Rao (Hemiptera: Belostomatidae), an effective biocontrol agent for mosquitoes. *Journal of Entomological Research* 21: 267-272.
- Robinson, Scott K. 1997. The Case of the Missing Songbirds. *Consequences* 3(1): 3-15.
- Rockwell, R.F., E. Cooch, and S. Brault. 1997a. Dynamics of the Mid-continent population of lesser snow geese: projected impacts of reductions in survival and fertility on population growth rates. Pages 73-100 in B. D. J. Batt, ed. *Arctic Ecosystems in Peril: Report of the Arctic Goose Habitat Working Group*. Arctic Goose Joint Venture Special Publication. U. S. Fish and Wildlife Service, Washington, D.C. and Canadian Wildlife Service, Ottawa, Ontario. 120 pp.
- Rockwell, R.F. 1999. The impact of snow geese on nesting birds at La Perouse Bay. Interim report of the second year's activities – 10/15/99, Hudson Bay Project. 4pp.
- Rodenhouse N. L. and R. T. Holmes. 1992. Results of experimental and natural food reductions from breeding black-throated blue warblers. *Ecology* 73: 357-372.
- Rodewald, P. G. and M. C. Brittingham. 2004. Stopover habitats of landbirds during the fall: use of edge-dominated and early-successional forest. *Auk* 121: 1040-1055.
- Rodewald, P. G. and R. D. James. 1996. Yellow-throated vireo (*Vireo flavifrons*). *Birds of North America* (Poole and Gill –editors), No. 247. The Academy of Natural Sciences, Philadelphia, PA., and American Ornithologists Union (AOU), Washington, D. C.
- Rogerson, J. 2010. Delaware deer management plan 2010-2019: a guide to how and why deer are managed in the first state. Delaware Department of Natural Resources and Environmental Control. Division of Fish and Wildlife. Game Management Program. Dover, DE. 102 pp.
- Roman C. T., J.A. Peck, J.R. Allen, J.W. King, P.G. Appleb. 1997. Accretion of a New England salt marsh in response to inlet migration, storms, and Sea level rise. *Estuarine, Coastal and Shelf Science* 45: 717-727.
- Romkens, M. J. M., S. N. Prasad, and F. D. Whisler. 1990. Surface sealing and infiltration. Pages 127-172 in M. G. Anderson and T. P. Butt, editors. *Process studies in hillslope hydrology*. John Wiley and Sons, Ltd.
- Rooney, T. P. and D. M. Waller. 2003. Direct and indirect effects of white-tailed deer in forest ecosystems. *Forest Ecology and Management*. 181: 165-176.
- Roseberry, S. E. (1980). Effects of sport hunting on raccoon reproduction, survival and behaviour. Stillwater, OK, University of Oklahoma: Abstract only.
- Rosenberg, K. V. 2004. Partners in Flight Continental Priorities and Objectives Defined at the State and Bird Conservation Region Levels. Cornell Lab of Ornithology, PIF Priorities and Objectives Defined at state and BCR 30 Level: Delaware, April 2004.
- Rosi. Marshall., J.L. Tank, T.V. Royer, M.R. Whites, M. Evans. White, C. Chambers, N.A. Griffiths, J. Pokelsek, M.L Stephens. 2007. Toxins in transgenic crop byproducts may effect headwater stream ecosystems. *National Academy of Sciences* 104(41): 16204-16208.
- Rothbart, P., and S. Capel. 2006. Maintaining and restoring grasslands. Pages 14-27 in *Northeast Guide to Managing Early-Successional Habitats*. The Northeast Upland Habitat Technical Committee, Massachusetts Division of Fisheries and Wildlife.
- Rouse, J. D., C.A. Bishop, J. Struger. 1999. Nitrogen pollution: An assessment of its threat to amphibian survival. *Environmental Health Perspectives* 107: 799-803.

- Rundle, W.D. and L. H. Fredrickson. 1981. Managing seasonally flooded, impoundments for migrating rails and shorebirds. *Wildlife Society Bulletin* 9:80-87.
- Safurabi, S. and J. I. Madani. 1999. Prey preference of an aquatic beetle *Dineutes indicus* Aube (Coleoptera: Gyridae). *Journal of Ecobiology* 11: 237-240.
- Sainju, U. M., B. P. Singh, and W. F. Whitehead. 2002. Long-term effects of tillage, cover crops, and nitrogen fertilization on organic carbon and nitrogen concentrations in sandy loam soils in Georgia, USA. *Soil & Tillage Research* 63:167-179.
- Saltonstall, K. 2002. Cryptic invasion by a non-native genotype of the common reed, *Phragmites australis*, into North America. *Proc Natl Acad Sci USA* 99: 2445-2449
- Sanz-Aguilar, A., A. Martinez-Abraín, G. Tavecchia, E. Minguez, and D. Oro 2009. Evidence-based culling of a facultative predator: efficacy and efficiency components. *Biological Conservation* 142:424-431.
- Sardelis, M.R., Turell, M. J. dohm, D.J. and O'Guinn, M.L. 2001. Vector competence of selected North America *Culex* and *Coquillettidia* mosquitoes for West Nile virus. *Emerg Infect Dis* 7:1018-1022.
- Sarver, M. J. 2007. Farm management for native bees: A guide for Delaware. USDA NRCS and Delaware Department of Agriculture. Dover, DE. 11 pp. Available at: <http://dda.delaware.gov/plantind/forms/publications/FarmManagementforNativeBees-AGuideforDelaware.pdf>.
- Sauer, J. R., J. E. Hines and J. Fallon. 2005. The North American Breeding Bird Survey, Results and Analysis 1966-2004. Version 2005.2. USGS Patuxent Wildlife Research Center, Laurel, Maryland.
- Sauer, J. R., J. E. Hines, and J Fallon. 2008. The North American Breeding Bird Survey: Results and Analysis 1966-2007 (Neotropical Songbird Species Group), Version 5.15.2008. USGS Patuxent Wildlife Research Center, Laurel, Maryland.
- Scarborough, R. W. 2009. Application of the Sea Level Rise Affecting Marsh Model (SLAMM) Using High Resolution Data at Prime Hook National Wildlife Refuge. DNREC – Division of Soil and Water Conservation, Delaware Coastal Programs, Dover, Delaware (NOAA Grant # NA08N054190464).
- Scharf, Thomas. 1888 History of Delaware 1609-1888. L. J. Richards and Co., Philadel. (2 Volumes) in MARR Report of Prime Hook NWR, Milton, Delaware, 1981.
- Schneider, K. J. and D. M. Pence (editors). 1992. Pages 315-330 (Henslow's Sparrow) in Migratory non-game birds of management concern in the northeast. USDOJ – USFWS, Newton Corner, Massachusetts.
- Scott, J. 1991. *Between Ocean and Bay: A Natural History of Delmarva*. Tidewater Publishers, Centreville, Maryland.
- Service, M. W. 1993. Estimation of the mortalities of the immature stages and adults. In *Mosquito Ecology: Field Sampling Methods*. Pp 759-809. Elsevier Applied Science, New York.
- Sexton, N.R., S. C. Stewart, L. Koontz, P. Ponds, and K.D. Walters. 2007. Visitor and community survey results for Prime Hook National Wildlife Refuge: completion report. U.S. Geological Survey, Biological Resources Discipline, Open-File Report 2007-1239. 63p.
- Seymour, R.S. 1994. The northeastern region. Pages 31-79 in J.W. Barrett, ed. *Regional Silviculture of the United States*. John Wiley and Sons, New York.
- Shaffer, M. L. 1981. Minimum population size for species conservation. *BIOSCIENCE* 31: 131-134.
- Sherfy, M. H. 1999. Nutritional value and management of waterfowl and shorebird foods in Atlantic coastal moist-soil impoundments. Dissertation, Virginia Polytechnic Institute and State University, Blacksburg, U.S.A.

- Sherfy, M. H., R.L Kirkpatrick, K.D. Richkus. 2000. Benthos core sampling and chironomid vertical distribution: implications for assessing shorebird food availability. *Wildlife Society Bulletin* 28(1): 124-130
- Shipitalo, M. J., R. W. Malone, and L. B. Owens. 2008. Impact of glyphosate-tolerant soybean and glufosinate-tolerant corn production on herbicide losses in surface runoff. *Journal of Environmental Quality* 37(2): 401-408.
- Short, A.D. 1999. Global variation in beach systems. In: Short, A. D.(editor), *Handbook of Beach and Shoreface Morphodynamics*. Chichester: Wiley. pp. 21-35.
- Sime, C.A. 1999. Domestic Dogs in Wildlife Habitats. Pp 8.1-8.17 in G. Joslin and H. Youmans, coordinators, *Effects of Recreation on Rocky Mountain wildlife: A Review for Montana*. Committee on Effects of Recreation on Wildlife, Montana Chapter of the Wildlife Society.
- Skagen, J. and H. D. Oman. 1996. Diet flexibility of Shorebirds in the Western Hemisphere. *The Canadian Field-Naturalist* (110):419-444.
- Smith, T.J. III and W.D. Odum. 1981. The effects of grazing by snow geese on coastal saltmarshes. *Ecology* 62:98-106.
- Smith, R. L. 1990. *Ecology and Field Biology* pp 603-611. Harper Collins Publishers, New York.
- Smith, C. R. and D. W. Mehlman. 1992. Species management abstract for Henslow's sparrow (*Ammodramus henslowii*). The Nature Conservancy
- Smith, J.E., Heath, L.S., Woodbury, P.B. 2004. How to estimate forest carbon for large areas from inventory data. *Journal of Forestry* 102(5):25-31.
- Smith, James E.; Heath, Linda S.; Skog, Kenneth E.; Birdsey, Richard A. 2006. Methods for calculating forest ecosystem and harvested carbon with standard estimates for forest types of the United States. Gen. Tech. Rep. NE-343. Newtown Square, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 216 p.
- Smith, R., M. Hamas, M. Dallman and D. Ewert. 1998. Spatial Variation in Foraging of the Black-Throated Green Warber Along the Shoreline of Northern Lake Huron, *The Condor* 100: 474-484.
- Smith, R.J., F.R. Moore, and C.A. May. 2007. Stopover habitat along the shoreline of northern Lake Huron, Michigan: Emergent aquatic insects as a food resource for spring migrating landbirds. *Auk* 124(1): 107-121.
- Smith, S. B., K.H. McPherson, J.M. Backer, B.J. Pierce, D.W. Podlesack, S.R. McWilliams. 2007. Fruit quality and consumption by songbirds during autumn migration. *The Wilson's Journal of Ornithology* 119(3): 419-428.
- Smith, S.M., C. T. Roman, M.J. James-Pirri, K. Chapman, J. Portnoy, and E. Gwilliam. 2009. Responses of plant communities to incremental hydrologic restoration of a tide-restricted salt marsh in southern New England (Massachusetts, USA). *Restoration Ecology* 17: 606-618.
- Snyder, S. A. 1992. *Quercus michauxii*. in: Fischer, William C., compiler. *The Fire Effects Information System [Database]*. Missoula, MT: USDA Forest Service, Intermountain Research Station, Intermountain Fire Sciences Laboratory. Magnetic tape reels; 9 track; 1600 bpi, ASCII with Common LISP present. <http://www.fs.fed.us/database/feis/plants/tree/quemic/>
- Soeder, D. J. and C. V. Miller. 2003. Ground-water Contamination from Lead Shoot at Prime Hook National Wildlife Refuge, Sussex County, Delaware. USGS – Water Resources Investigations Report 02-4282, Baltimore, Maryland.
- Soluri, Patruck M (1994). Bird flushing at Hoffman Marsh. In *Contemporary Topics in Environmental Sciences*. Doris Sloan, Eric Edlund, Mark Christensen, Kim Taylor, eds. UC Berkeley, Berkeley, CA.

- Sommerfield, C. K. and D. R. Walsh. 2005. Historical changes in the morphology of the subtidal Delaware estuary, in Proceedings of the First Delaware Estuary Science Conference (Kreeger, D. A. –ed). Partnership for the Delaware Estuary, Report No. 05-01, 110 pp.
- Soule, M. E. (ed) 1987. Viable Populations for Conservation. Cambridge University Press.
- Soule, M. E. and B. A. Wilcox. 1987. Conservation Biology: Its Scope and Challenge in Conservation Biology: An Evolutionary and Ecological Perspective, Sinauer Associates, NY.
- Soule, Michael. 1991. Land use planning and wildlife maintenance: guidelines for conserving wildlife in an urban landscape. *Journal of the American Planning Association* 57(3): 313-323.
- Southwick Associates, 2011 The Economics of Associated with Outdoor Recreation, Natural Resources Conservation and Historic Preservation in the United States. The National Fish and Wildlife Foundation, Fernandina Beach, FL. 33pp.
- Stagg, C. L., and I. A. Mendelsohn. 2010. Restoring ecological function to a submerged salt marsh. *Restoration Ecology*
- Stafford, J. D., R. M. Kaminiski, K. J. Reinecke and S. W. Massley. 2005. Waste Grain for waterfowl in the Mississippi Alluvial Valley. *Journal of Wildlife Management*.
- State and County Quickfacts. U.S. Census Bureau, <http://quickfacts.census.gov/qfd/>, last accessed September 2009.
- State of Delaware Mosquito Control's Enabling Statute. Delaware Code Title 16: Health and Safety Regulatory Provisions Concerning Public Health, Chapter 19, Mosquito Control. (Revised version enacted January 1, 2008.
- State of Delaware 2008 Combined Watershed Assessment Report [305(b)] and Determination for the Clean Water Act Section 303(d) List of Waters Needing TMDLs, DNREC, Dover, Delaware.
- State of Delaware. 2006. Delaware Demographic Data Resources – Delaware Quick Facts from U. S. Census Bureau (<http://quickfacts.census.gov/qfd/states>)
- State of Delaware. 1998. Delaware Facts. (<http://www.state.de.us/facts/history/delfact.htm>)
- Steinkamp, M. 2008. New England/Mid-Atlantic Coast Bird Conservation Region (BCR 30) Implementation Plan. Atlantic Coast Joint Venture. 251 pp.
- Stevenson, J. C., M.S. Kearney, and E. C. Pendleton. 1985. Sedimentation and erosion in a Chesapeake Bay brackish marsh system. *Marine Ecology* 67:212-235.
- Stevenson, J. C. and Larry A. Ward. 1986. Vertical accretion in Marshes with varying rates of sea level rise in “Estuarine Variability,” New York: Academic Press. 241-259.
- Stevens, M. M. and G. N. Warren. 1992. Insecticide treatments used against a rice bloodworm, *Chironomus tepperi*, suppression of larval populations. *Journal of Economic Entomology* 85: 1606-1613.
- Stotzky, G. 2000. Persistence and biological activity in soil of insecticidal proteins from Bt corn and of bacterial DNA bound in clays and humic acids. *Journal of Environmental Quality* 29 : 691-705.
- Strader, R. W. and P. H. Stinson. 2005. Moist-Soil Management Guidelines for the USWFS Southeast Region, Jackson, MS, July 2005.
- Stribling, J. B., B.K. Jessup, J.S. White. 1998. Development of a benthic index of biotic integrity for Maryland streams. Md-DNR, Report No. CBWP-EA-98-3, Annapolis, Md.
- Strole T. A., and R. C. Anderson. 1992. White-tailed deer browsing: species preferences and implications for central Illinois forests. *Natural Areas Journal* 12:139-144.

- Stuart, S. J.S. Chanson, Neil. A. Cox, B.E. Young, Ana. S.L Rodriques, D.L. Fischman, R.W. Waller 2004. Status and trends of amphibian declines and extinction worldwide. *SCIENCE* 306: 1783-1786.
- Stynes, D., 1998, Guidelines for measuring visitor spending: Department of Parks, Recreation and Tourism Resources, Michigan State University.
- Sullivan, T. P. 1997. Non-target impacts of the herbicide glyphosate: A compendium of references and abstracts, (4th edition) – Information Report. Applied Mammal Research Institute, Summerland, B. C. Canada 183 pp.
- Summerville, K. S. and T. O. Crist. 2002. Effects of timber harvest on forest Lepidoptera: community, guild, and species responses. *Ecological Applications* 12: 820-835.
- Sussex County, Delaware. 2006. About Our County. (<http://sussexcounty.de.gov>)
- Swaddle, J. P., and S. E. Calos. 2008. Increased Avian Diversity is Associated with Lower Incidence of Human West Nile Infection: Observation of the Dilution Effect. *PLoS ONE* 3(6): e2488.doi:10.1371/journal.pone.0002488.
- Swanson, G.A., M.I. Meyer, and J.R. Serie. 1974. Feeding ecology of breeding blue-winged teals. *J. Wildl. Manage.* 38(3): 396-407.
- Swearington, J., K. Reshetiloff, B. Slattery, and S. Zwicker. 2002. Plant invaders of the mid-Atlantic natural areas. National Park Service and U.S. Fish and Wildlife Service, Washington, D.C., 82 pp.
- Swift, M. C., R. A. Smucker and K. W. Cummins. 1988. Effects of Dimilin on freshwater litter decomposition. *Environ. Tox. Chem.* 7: 161-166.
- Tabar, J. R., Atkins North American, Inc. (formerly PBS&J), Management Plan for Delaware Bay Beaches – Final Report, March 2010. Tallamy, Douglas, W. 2007. Bringing Nature Home: How Native Plants Sustain Wildlife. Timber Press, Inc., Portland, Oregon.
- Teal, J.M. and L.L. Weishar. 1998. Salt hay farm restoration design: combining biological & engineering objectives. Proceedings of the American Society of Civil Engineers (ASCE) Wetlands Engineering & River Restoration Conference; Denver, Co. 59. 1-12
- Teal, J.M. and M. P. Weinstein. 2002. Ecological engineering, design, and construction considerations for marsh restorations in Delaware Bay, USA., *Ecological Engineering* 18: 607-618.
- Teasdale, J. R. 1993. Interaction of light, soil moisture, and temperature with weed suppression by hairy vetch residue. *Weed Science* 41:46-51.
- Tesky, J. L. 1993. *Sciurus niger* in Fischer, W. C. (compiler) The Fire Effects Information Database System. Missoula, MT:USDA-FS Intermountain Research Station – Fire Sciences Laboratory. (<http://www.fs.fed.us/database/feis/animals/mammals/scni>)
- Tetra Tech FW, Inc. 2004. Archeological, Historical and Geomorphological Study of Prime Hook NWR, Sussex County, Delaware. Morris Plains, New Jersey.
- Thiessen-Martens, J. R., M. H. Entz, and J. W. Hoepfner. 2005. Legume cover crops with winter cereals in southern Manitoba: Fertilizer replacement values for oat. *Canadian Journal of Plant Science* 85:645-648.
- Thomas, V.G. 1976. Habitat usage of wintering ducks at the Ouse Washes, England. *Wildfowl* 27:19-32.
- Thompson, A. M. 1976. A summary of the geology of the Piedmont in Delaware. *Transactions of the Delaware Academy of Science* 7: 115-34.
- Thorup-Kristensen, K., J. Magid, and L. S. Jensen. 2003. Catch crops and green manures as biological tools in nitrogen management in temperate zones. Pages 227-302 in *Advances in Agronomy*, Vol 79. ACADEMIC PRESS INC, San Diego.

- Tilghman, N. G. 1989. Impacts of white-tailed deer on forest regeneration in northwestern Pennsylvania. *Journal Wildlife Management* 53(3): 524-532.
- Tiner, R. W. 2001. Delaware's Wetlands: Status and Recent Trends. USFWS, Northeast Region, Hadley, Ma. Prepared for Delaware Department of Natural Resources and Environmental Control (DNREC) – Watershed Assessment Section, Division of Water Resources, Dover, De. NWI Publication, 19 pp.
- Tiner, R. W., Jr. 1985. Wetlands of Delaware. Newton Corner, Mass. USFWS and DNREC, Dover, Delaware.
- Titus, J. G. D.E. Hudgens, D.L. Trescott, M. Craghan, W.H. Nuckols, C.H. Hershner, J.M. Kassakian, C.J. Linn, P.G. Meritt, T.M. McCue, J.F. O'Connell, J. Tanski. J. Wang. 2009. State and local governments plan for development of most land vulnerable to rising sea level along the US Atlantic coast. *Environmental Research Letters* (4): 1-7.
- Tomlin, C. (ed). 1994. THE PESTICIDE MANUAL. British Crop Protection Council, Royal Society of Chemistry, Cambridge, UK.
- Tomlin, A. D., M. J. Shipitalo, W. M. Edwards, and R. Protz. 1995. Earthworms and their influence on soil structure and infiltration. Pages 159-183 in P. F. Hendrix, editor. *Earthworm Ecology and Biogeography in North America*. Lewis Pub., Boca Raton, FL.
- Towery, D., and S. Werblow. 2010. Facilitating conservation farming practices and enhancing environmental sustainability with agricultural biotechnology. West Lafayette, IN: The Conservation Technology Information Center. 25 pp.
- Trenberth, K. 2005. Uncertainty in Hurricanes and Global Warming. *Science* 308:1753-54.
- Tupper, M. and K.W. Able. 2000. Movements and food habits of striped bass (*Morone saxatilis*) in Delaware Bay (USA) salt marshes: comparison of a restored and a reference marsh. *Marine Biology* 137: 1049-1058.
- Urabe, K., T. Ikemoto, and S. Takei. 1990. Studies on *Sympetrum frequens* (Odonata: Libellulidae) nymphs as natural enemies of the mosquito larvae, *Anopheles sinensis*, in rice fields. 4. Prey-predator relationship in the rice field areas. *Japanese Journal of Sanitary Zoology* 41: 265-272.
- Union of Concerned Scientists (USC). Food and Environment. Case Study: Roundup Ready Soybeans, 2002. http://www.ucsusa.org/food_and_environment/biotechnology_archive/
- U.S. Army Corps of Engineers (ACOE). 2010. Final programmatic environmental impact statement for the beneficial use of dredge material program. Louisiana Coastal Protection and Restoration Authority. 191 pp.
- U.S. Army Corps of Engineers (ACOE). 2004. Coastal Overwash Part 1: Overview of Processes. ERDC/RSM-TN-14, September, 2004. Regional Sediment Management (RSM) Demonstration Program Technical Notes, 35 pp.
- U.S. Army Corps of Engineers (ACOE). 1998. Ocean City, Maryland, and Vicinity Water Resources Study Final Integrated Feasibility Report and Environmental Impact Statement. ACOE Baltimore District. 191 pp.
- U.S. Army Corps of Engineers (ACOE). 1997. Delaware Main Channel Deepening Project Supplemental Final Environmental Impact Statement. ACOE Philadelphia District. Available at: <http://www.nap.usace.army.mil/cenap-pl/drmcdp/pr.html>
- U.S. Army Corps of Engineers (ACOE). 1996. Poplar Island Feasibility Study and Environmental Impact Statement (EIS). ACOE Baltimore District. Available at: <http://www.nab.usace.army.mil/Projects/PoplarIsland/Documents.htm>
- U.S. Army Corps of Engineers (USACE). 2002. Coastal Engineering Manual. Engineer Manual 1110-2-1100, U.S. Army Corps of Engineers, Washington, D.C. (in 6 volumes).

- United States Department of Agriculture. 2011. Animal and Plant Health Inspection Service (APHIS), Wildlife Services. Environmental Assessment on the Management of Predation Losses to Threatened and Endangered Species Populations in the Commonwealth of Massachusetts, 152 pp.
- United States Department of Agriculture (USDA). 2006. Environmental assessment for white-tailed deer damage management in Delaware. Animal and Plant Inspection Service. Wildlife Services. 67 pp.
- United States Department of Agriculture (USDA). 1950-2002 Agricultural Statistics. National Agricultural Statistics Research Service, Washington, D.C.
- United States Department of Agriculture (USDA). 1997. Census of Agriculture State Data.
- United States Department of Agriculture Economic Research Service. 2003. Measuring Rurality: Rural-Urban Continuum Codes. <http://www.ers.usda.gov/briefing/rurality/ruralurbcon/>, last accessed September 2009.
- United States Department of Agriculture Economic Research Service. 2009. State Fact Sheets. <http://www.ers.usda.gov/statefacts/>, last accessed October 2009.
- United States Department of Agriculture Economic Research Service. 2009a. Corn cost-of-production forecast. Available online at: http://www.ers.usda.gov/data/CostsAndReturns/data/Forecast/cop_forecast.xls (accessed December 2009).
- United States Department of Agriculture Economic Research Service. 2009b. Title I Commodities Program of the 2008 Farm Bill. Available online at: <http://www.ers.usda.gov/FarmBill/2008/Titles/TitleIcommodities.htm#directabapafcdaccp> (accessed December 2009).
- United States Department of Agriculture Forest Service. 1994. Protecting Delmarva Fox Squirrel Habitat from Gypsy Moth and Southern Pine Beetle, Blackwater National Wildlife Refuge. USDA Forest Health Protection, Morgantown, WV., 46 pp.
- United States Department of Agriculture Forest Service. 1996. Gypsy Moth News, Number 41.
- United States Climate Change Science Program (USCCSP). 2009. Coastal Sensitivity to Sea Level Rise: A Focus on the mid-Atlantic Region. Synthesis and Assessment Product 4.1: A report by the USCCSP and the Subcommittee on Global Change Research. [James G. Titus (Coordinating Lead Author), K. Eric Anderson, Donald R. Cahoon, Dean B. Gesch, Stephen K. Gill, Benjamin T. Gutierrez, E. Robert Thieler, and S. Jeffress Williams (Lead Authors)], U. S. Environmental Protection Agency, Washington, D. C. 790 pp.
- United States Fish and Wildlife Service (USFWS). 1982. Environmental Assessment for Unit III Rehabilitation, Management and Maintenance of Wetlands at Prime Hook NWR, Milton, Delaware.
- United States Fish and Wildlife Service (USFWS). 1983. Environmental Assessment for Marsh Vegetation Rehabilitation - Chemical Control of Phragmites on Prime Hook NWR. USDOJ – FWS, 12 pp.
- United States Fish and Wildlife Service (USFWS). 1986. Environmental Assessment for Reestablishment of Water Control in Unit II Marsh at Prime Hook National Wildlife Refuge, Milton, Delaware.
- United States Fish and Wildlife Service (USFWS). 1988a. Waterfowl Management Handbook. USFWS Leaflet No. 13, Washington, D.C.
- United States Fish and Wildlife Service (USFWS). 1988b. Atlantic Coast Piping Plover Recovery Plan. USFWS, Newton corners, Massachusetts, 77 pp.
- United States Fish and Wildlife Service (USFWS). 1990. Regional Wetlands Concept Plan – Emergency Wetlands Resources Act – Northeast Region. USFWS Region 5. Newton Corner, MA. 211 pp.
- United States Fish and Wildlife Service (USFWS). 1993. Delmarva fox squirrel (*Sciurus niger cinereus*) Recovery Plan, 2nd Revision. Prepared by the DFS Recovery Team for the Northeast Region, Hadley, Ma., 69 pp.

- United States Fish and Wildlife Service(USFWS). 1993. Delmarva Fox Squirrel (*Sciurus niger cinereus*) Recovery Plan, Second Revision, USFWS, Hadley, Mass., 104 pp.
- United State Fish and Wildlife Service (USFWS). 1994. An assessment of fishery resources on Prime Hook National Wildlife Refuge. White Marsh, Virginia.
- United States Fish and Wildlife Service (USFWS). 1996. Piping plover (*Charadrius melodus*) Atlantic Coast population: revised recovery plan. Hadley, MA.
- United States Fish and Wildlife Service (USFWS). 1999a. Concerns and Issues about Mosquito Control on National Wildlife Refuges in the Northeast. August 5, 1999 – Unpublished Report.
- United States Fish and Wildlife Service (USFWS). 1999b. Fulfilling The Promise: The National Wildlife Refuge System. US Fish and Wildlife Service (USFWS), Washington, D.C.
- United States Fish and Wildlife Service (USFWS). 2001. Biological Integrity, Diversity and Environmental Health Policy. Part 602 – National Wildlife Refuge System, 601 FW 3, Refuge Management.
- United States Fish and Wildlife Service (USFWS). 2003. Delaware Bay Shorebird-Horseshoe Crab Assessment Report and Peer Review. Arlington, VA. 107pp.
- United States Fish and Wildlife Service (USFWS). 2003a. Evaluating the Health of Our National Wildlife Refuges: Amphibian Abnormalities. National Coordinator (roxana_hinzman@fws.gov)
- United States Fish and Wildlife Service (USFWS). 2003b. Status and Recovery Plan Update for the Delmarva Peninsula Fox Squirrel (*Sciurus niger cinereus*), CBFO, Annapolis, MD., 58 pp.
- United States Fish and Wildlife Service (USFWS). 2003c. National Wildlife Refuge System Invasive Species Management Strategy. U.S. Fish and Wildlife Service, Washington, D.C.
- United States Fish and Wildlife Service (USFWS). 2003d. Delaware Bay Shorebird-Horseshoe Crab Assessment: Conclusions and Recommendations to the Horseshoe Crab Management Board of the ASMFC. May, 2003, 12 pp.
- United States Fish and Wildlife Service (USFWS). 2004a. Writing Refuge Management Goals and Objectives: A Handbook. U.S. Fish and Wildlife Service (USFWS), Northeast Regional Office, Division of Conservation Planning and Policy, Hadley, MA.
- United States Fish and Wildlife Service (USFWS). 2004b. A Blueprint for the Future of Migratory Birds: Migratory Bird Program Strategic Plan 2004-2014, 21pp.
- United States Fish and Wildlife Service (USFWS). 2005a. Northern American Waterfowl Plan. http://www.acjv.org/wip/acjv_wip_main.pdf.
- United States Fish and Wildlife Service (USFWS). 2005b. Final Environmental Impact Statement: Resident Canada Goose Management. Available online: <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Management/cangeese/finaleis>
- United States Fish and Wildlife Service (USFWS). 2006a. Amphibian Declines and Abnormalities. Division of Environmental Quality. (<http://www.fws.gov/contaminants/issues/Amphibians.cfm>)
- United States Fish and Wildlife Service (USFWS). 2006b. Delmarva Fox Squirrel: Five Year Review: Summary and Evaluation. CBFO, Annapolis, MD., 47 pp.
- United States Fish and Wildlife Service (USFWS). 2007a. Final environmental impact statement: light goose management. USDOJ, Washington, D.C.
- United States Fish and Wildlife Service (USFWS). 2007b. Identifying Refuge Resources of Concern and Management Priorities: A Handbook for the National Wildlife Refuge System, USDOJ, June 2007.

- United States Fish and Wildlife Service (USFWS). 2007c. National bald eagle management guidelines.
- United States Fish and Wildlife Service (USFWS). 2007d. Draft Mosquito and Mosquito-Borne Disease Management Policy pursuant to the National Wildlife Refuge System Improvement Act of 1997. Federal Register Vol. 72, No. 198 – Oct. 15, 2007: 58321-58333.
- United States Fish and Wildlife Service (USFWS). 2007e. Chincoteague National Wildlife Refuge, 2007 Annual Piping Plover and Beach Nesting Bird Report. Chincoteague, Virginia.
- United States Fish and Wildlife Service. 2007f. Status of the Ref Knot (*Calidris canutus rufa*) in the Western Hemisphere. USFWS ES-R5 New Hersey Field Office, Pleasantville, N. J. 235 pp.
- United States Fish and Wildlife Service (USFWS). 2008a. Birds of Conservation Concern 2008. USDO, FWS, Division of Migratory Bird Management, Arlington, Virginia, 85pp.
- United States Fish and Wildlife Service (USFWS). 2008b. Economic Impact of Waterfowl Hunting in the United States: Addendum to the 2006 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation. Washington D.C.
- United States Fish and Wildlife Service (USFWS). 2009a. Birding in the United States: A Demographic and Economic Analysis: Addendum to the 2006 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation. Washington D.C.
- United State Fish and Wildlife Service (USFWS). 2009b. Rising to the Challenge: Strategic Plan for Responding to Accelerating Climate Change (Draft). September 2009. 32 pp.
- United States Fish and Wildlife Service (USFWS). 2010. Environmental Assessment For Dune Work At Prime Hook National Wildlife Refuge. USDO – FWS. 71 pp.
- United States Fish and Wildlife Service (USFWS) and U.S. Department of Commerce, U.S. Census Bureau. 2006. National Survey of Fishing, Hunting, and Wildlife-Associated Recreation. 174 pp.
- United States Fish and Wildlife Service (USFWS) and U.S. Department of Commerce, U.S. Census Bureau. 2012. 2011 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation: National Overview of Preliminary Findings. 20 pp.
- United States Fish and Wildlife Service (USFWS) and United States Geological Survey (USGS). 2006. Strategic Habitat Conservation: Final Report of the National Ecological Assessment Team. 48 pp.
- United States Forest Service. 2005. Pacific Northwest Region Invasive Plant Program Preventing and Managing Invasive Plants Final Environmental Impact Statement. 359 pp.
- United States Geological Survey (USGS). 2003. National Field Manual for the Collection of Water-Quality Data. (<http://water.usgs.gov/owq/fieldmanual>) USGS Survey Techniques of Water Resources Investigations, Book 9 Chapters, A1-A9.
- United States Geological Survey (USGS). 2005. The Invasive Species Survey: A Report on the Invasion of the National Wildlife Refuge System. The National Institute of Invasive Species Science, U.S. Geological Survey (USGS), Fort Collins Science Center, Fort Collins, CO and the Natural Resource Ecology Lab, Colorado State University, Fort Collins, CO.
- United States Geological Survey (USGS). 2005. Management and Protection Protocols for the Threatened Piping Plover (*Charadrius melodius*) on Cape Hatteras National Seashore, North Carolina. USGS-Patuxent Wildlife Research Center, Laurel MD, 65 pp.
- United States Geological Survey (USGS). 2006. National Biological Information Infrastructure – (NBII): Frogweb: Amphibian Declines and Malformations. (<http://www.frogweb.gov/index.html>)

- United States Geological Survey (USGS) Refuge Cooperative Research Program. RCRP Region 3/5 Impoundment Study: Timing of Impoundment Drawdowns and Impact on Waterbird, Invertebrate, and Vegetation Communities within Managed Wetlands – Study Manual –Final Version Field Season 2005. U.S. Geological Survey, Patuxent Wildlife Research Center, Laurel MD, 38 pp.
- University of Delaware. 1991. Sea Level Rise: Delaware Estuary Situation Report Series (Newark, Delaware University of Delaware Sea Grant College Program).
- University of Delaware Cooperative Extension. 2006. DE Agronomic Crop Budgets. <http://ag.udel.edu/extension/agnr/CropBudgets/index.htm>, last accessed November 2009.
- USA Counties. U.S. Census Bureau, <http://censtats.census.gov/usa/usa.shtml>, last accessed October 2009.
- Van Buskirk, J. V., R. S. Mulvihill and R. C. Leberman. 2009. Variable shifts in spring and autumn migration phenology in North American songbirds associated with climate change. *Global Change Biology* 15(3): 760–771.
- Van Der Zande, A.N., W.J. ter Keurs, and W.J. van der Weuden. 1980. The impact of roads on the densities of four bird species in open field habitat – evidence of a long distance effect. *Biological Conservation* 18:299-321.
- Van Lear, D.H. and J.M. Watt. 1992. The role of fire in oak regeneration. Pages 66–78. In Loftis, D.L. and C.E. McGee (eds.). *Proceedings Oak Regeneration: Serious Problems, Practical Recommendations*; 1992 September 8–10; Knoxville, TN. Gen. Tech. Rep. SE-84.
- VanGessel, M. J. 2001. Glyphosate-resistant horseweed from Delaware. *Weed Science* 49: 703-705.
- Vinson, M. 1998. Effects of recreational activities on declining anuran species in the John Muir Wilderness, CA. Missoula, MT: University of Montana. 83 pp. Thesis.
- Vaske, J. J. Daniel J. Decker, M.J. Manfred. 1995. Human dimensions for wildlife management: An integrated framework for coexistence. Pages 71-79 in R. L. Knight and K. J. Gutzwiller (eds) *Wildlife and Recreationists: Coexistence through management and research*. Island Press, Washington, D. C. 372 pp.
- Vaske, J. J. Robert. D. Deblinger, Marie.P. Donnelly.1992. Barrier beach impact management planning: findings from three locations in Massachusetts. *Canadian Water Resources Association Journal*. 17:278-290.
- VDGIF (Virginia Department of Game and Inland Fisheries). 2005. Virginia's Comprehensive Wildlife Conservation Strategy. <http://www.wildlifeactionplans.org/>
- VFGD (Vermont Fish and Game Department). 2005. Vermont's Wildlife Action Plan. <http://www.wildlifeactionplans.org/>
- Virginia Department of Game and Inland Fisheries. 1999. Virginia deer management plan. VDGIF, Wildlife Division, Wildlife Information Publication No. 99-1. Richmond, Virginia.
- Vitousek, P. M. 1990. Biological invasions and ecological processes: Towards an integration of population biology and ecosystem studies. *Oikos* 57: 7-13.
- Vitousek, P. M., H. A. Mooney, J. Lubchenco, and J. M. Melillo. 1997. Human Domination of Earth's Ecosystems. *Science* 277: 494-499
- Vitz, A. C. and A. D. Rodewald. 2007. Vegetative and fruit resources as determinants of habitat use by mature-forest birds during the postbreeding period. *Auk*, 124(2): 494-507.
- Wade, D. D. and J. D. Lunsford. 1989. A guide for prescribed burning in southern forests. USDA Forest Service Southern Region. Technical Publication R8-TP 11. 56 p.
- Walker, L. R, J. Walker, R.J. Hobbs. 2007. *Linking restoration and succession in theory and practice*. Springer, New York.

- Wall, D. H., P.V.R. Snelgrove, Alan. P. Covich.2001. Conservation priorities for soil and sediment invertebrates. In *Conservation Biology* (eds. Soule and Orians) Island Press, Washington, D.C. pp 88-123.
- Wall, Diana H. 2004. *Sustaining Biodiversity and Ecosystem Services in Soils and Sediments*. SCOPE (Scientific Committee on Problems of the Environment) Island Press, Washington, D.C. pp 1-13.
- Waller, D.M., and W.S. Alverson. 1997. The white-tailed deer: a keystone herbivore. *Wildlife Society Bulletin* 25:217-226.
- Walsberg, G.E. 1983. Avian ecological energetics. Pages 161-220 in D.S. Farner, J.R. King, and K. C. Parkes (eds.) *Avian Biology VII*. Academic Press, New York.
- Wamsley, T.V., M.A. Cialone, A.S. Grzegorzewski, J.M. Smith, and B.A. Ebersole. 2011. Influence of landscape restoration and degradation on storm surge and waves in southern Louisiana., Coastal & Hydraulics Lab U.S. Army Engineer Research and Development Center Vicksburg, Ms. 19pp.
- Wanless, H. R. 2009. A history of poor economic and environmental renourishment decisions in Broward County, Fla. PP 111-120. in *America's Most Vulnerable Coastal Communities* (Kelley et al, eds). Geological Society of America Special Paper No. 460.
- Ward, D.H., and R.A. Stehn. 1989. Response of Brant and other geese to aircraft disturbance at Izembek Lagoon, Alaska. U.S. Fish and Wildlife Service, Alaska Fish and Wildlife Research Center. Final report to the Minerals Management Service. Anchorage, Alaska. 193 pp.
- Warren, R. J. 1991. Ecological justification for controlling deer populations in eastern national parks. *Trans. North Am. Wildl. Nat. Resour. Conf.* 56:56-66.
- Warren, R.S., P.E. Fell, R. Rozsa, A.H. Brawley, A.C. Orsted, E.T. Olson, V. Swamy, and W. Niering. 2002. Salt marsh restoration in Connecticut: 20 years of science and management. *Restoration Ecology* 10 (3): 497-513.
- Washburn, P. M. 1991. Sea-level Rise: How could a potential rise in the level of the sea due to global warming affect Delaware? Delaware Estuary Situation Report – DELU-G-91-006 C3. University of Delaware Sea Grant Program.
- Watkinson., R.P. Freckleton, R.A. Robinson, W.J. Sutherland. 2000. Predictions of biodiversity response to genetically modified herbicide-tolerant crops. *Science* 289: 1554-1557.
- Watts, B. D. 1999. *Partners in Flight Mid-Atlantic Coastal Plain Conservation Plan for Physiographic Area Number 44*. Center for Conservation Biology. College of William and Mary, Williamsburg, VA. 62 pp.
- Webb, W.L., Behrend, D.F., Saisorn, B. 1977. Effect of Logging on Songbird Populations in a Northern Hardwood Forest. *Wildlife Monographs* 55:3-35.
- Weber, T., 2007. *Ecosystem Services in Cecil County's Green Infrastructure*. The Conservation Fund. Annapolis, Maryland.
- Webster, G. (ed) 1996. *Comprehensive Conservation and Management Plan for the Delaware Estuary: Delaware Estuary Program*, Battelle Ocean Sciences, September, 1996.
- Webster, P. J., G.J. Holland, J.A. Curry, H.R. Chang.2005. Changes in tropical cyclone number, duration and intensity in a warming environment. *Science* 309: 1844-1846.
- Weeks, H. P. and C. M. Kirkpatrick. 1978. Salt preferences and sodium drive phenology in fox squirrels and woodchucks. *J. Mammal* 59:531-542.
- Wenger, K.E. 1984. *Forestry Handbook*, Second Edition. John Wiley and Sons. 1335 p.
- Weil, C. B. 1977. Sediments, structural framework, and evolution of Delaware Bay, a transgressive estuarine delta. Delaware Sea Grant Technical Report Number DEL-SG-4-77. College of Marine Studies, University of Delaware, Newark, DE, 199 pp.

- Weigl, P. D., M.A. Steele, L.J. Sherman, J.C. Ha, T.S. Sharpe. 1989. The ecology of the fox squirrel (*Sciurus niger*) in North Carolina: implications for the survival in the southeast. Bulletin No. 24 Tallahassee, Florida Tall Timbers Research Station.
- Weinstein, M.P., J.M. Teal, J.H. Balletto, and K.A. Strait. 2000. Restoration principles emerging from one of the world's largest tidal marsh restoration projects. *Wetlands Ecology and Management* 9:387-407.
- Weinstein, Michael and Lee L. Weisher. 2002. Beneficial use of dredged material to enhance the restoration trajectories of formerly diked lands. *Ecological Engineering* 19: 187-201.
- Weinstein, M.P., J.H. Balletto, J.M. Teal, D.F. Ludwig. 1996., Success criteria and adaptive management for a large-scale wetland restoration project. *Wetlands Ecology and Management*. 4 (2): 111-127.
- Wells, J. T., and J. McNinch. 1991. Beach Scraping in North Carolina with Special Reference to its Effectiveness During Hurricane Hugo. *Journal of Coastal Research*, Special Issue 8: 249-261
- Whitaker, J. O. and W.J. Hamilton. 1998. *Mammals of the Eastern United States*. Cornell University Press, pp 229-237.
- Whitcomb, B.L., R.F. Whitcomb, and D. Bystrak. 1977. Long-term turnover and effects of selective logging on the avifauna of forest fragments. *Am. Birds* 31(1):17-23.
- Whitcomb, R. F, C.S. Lynch, B.L. Whitcomb, M.K. Klimiewicz, D. Bystrak. 1981. Effects of forest fragmentation on avifauna of the eastern deciduous forest. Pages 125-206 in *Forest island dynamics in man-dominated landscapes*, (Burgess and Sharpe editors). Springer-Verland, New York.
- White, J. F. 2002 *Amphibians and Reptiles of Delmarva*. Delaware Nature Society, Inc. Tidewater Publishers, Centerville, Maryland.
- White Jr., J. and A. W. White. 2002. *Amphibians and reptiles of Delmarva*. Tidewater Publishers. Centerville, MD. 248 pp.
- Whiteman, R. L. and Onken, B. P. 1994. *Protecting Delmarva Fox Squirrel Habitat from Gypsy Moth and Southern Pine Beetle*, Blackwater National Wildlife Refuge. USDA Forest Service, Forest Health Protection. Morgantown, WV. 46p.
- Whitman, W. R. and R. V. Cole. 1986. Ecological conditions and implications for waterfowl management in selected coastal impoundments of Delaware. Pgs 99-119 in *Waterfowl and Wetlands Symposium: Proceedings of a symposium on waterfowl and wetlands management in the coastal zone of the Atlantic Flyway*. Delaware Coastal Management Program, Dover, De.
- Whitman, W. R. 1995. *Restoration and Maintenance of Wildlife Habitat in High Salinity Coastal Impoundments in W.R. Whitman, et al (eds.) Waterfowl habitat restoration, enhancement and management in the Atlantic Flyway*, Third Edition Environmental Management Community, Atlantic Flyway Council Technical Section and Delaware Division of Fish and Wildlife, Dover, Delaware, pp D-56 to D-69.
- Whitmore, F.C, K.O. Emery, H.B.S Cooke, Donald. J.P Swift. 1967. Elephant Teeth from the Atlantic Continental Shelf. *Science* 156(378): 1477-1481.
- Widjeskog, L. 1977. Geese eat-outs. Final Report. New Jersey Division of Fish and Game. Project W-53-R-5. 6pp.
- Williams, G.J., and E. Forbes. 1980. The habitat and dietary preferences of dark-bellied Brant geese and widgeon in relation to agricultural management. *Wildfowl* 31:151-157.
- Williams, M. R. 1998. *Malformed Frog Survey Conducted on Prime Hook National Wildlife Refuge*, Milton, Delaware. Biological Sciences – Student Career Experience Program (SCEP), August 25, 1998.
- Williams, Phillip B., and Michelle K. Orr. 2002. Physical Evolution of restored breached levee salt marshes in the San Francisco Bay Estuary. *Restoration Ecology* 10 (3): 527-542.

- Williams, R. K., R.D. Perry, M.B. Prevost, S.E. Adair, and S.K. McKnight, 2002. Management of South Atlantic Coastal Wetlands for Waterfowl and Other Wildlife. Ducks Unlimited, Inc., 32 pp.
- Williams, S. C. and J. S. Ward. 2006. Exotic seed dispersal by white-tailed deer in southern Connecticut. *Natural Areas Journal* 26(4): 383-390.
- Williams, W. H. 2008. *Man and Nature in Delaware: An Environmental History of Delaware*. Delaware Heritage Press. 301 pp.
- Wilson, E. O. 1987. The little things that run the world: The importance and conservation of invertebrates. *Conservation Biology* 1: 344-6.
- Winter L. and G .E. Wallace. 2006. Impacts of feral and free-ranging cats on bird species of conservation concern: A five-state review of New York, New Jersey, Florida, California, and Hawaii. *American Bird Conservancy*. 23pp.
- Wolff , F 1989. An Environmental Assessment of human interference on the natural processes affecting the barrier beaches of Long Island, New York, *Northeastern Environmental Science* 8(2): 119-134.
- Wolters, M. A. Garbutt, and J.P. Bakker. 2005. Salt-marsh restoration: evaluating the success of de-embankments in north-west Europe. *Biological Conservation*. 123: 249-268.
- Yahner, R. H. 1995. *Eastern Deciduous Forests, Ecology and Wildlife Conservation*. University of Minnesota Press, Minneapolis, Minnesota.
- Yalden, P.E., and D. Yalden.1990. Recreation disturbance on breeding golden plovers (*Pluvialis apricaris*). *Biological Conservation* 51:243-262.
- Young, K.E. 1985. The effect of greater snow geese, *Anser caerulescens atlantica*, (Aves: Anatidae: Anserini) grazing on a Delaware tidal marsh. M.Sc. Thesis. University of Delaware. 63pp
- Zappalorti R. T. 1995. Marsh turtles. Pages 311-319 in L.W. Dove and R.M. Nyman, eds. *Living Resources of the Delaware Estuary*. The Delaware Estuary Program.
- Zimmerman, J. L. 1988. Breeding season habitat selection by Henslow's sparrow (*Ammodramus henslowii*) in Kansas. *Wilson Bulletin* 100(1): 17-24.
- Zinn, T. L., and S. R. Humphrey. 1981. Seasonal food resources and prey selection of the southeastern brown bat (*Myotis austroriparius*) in Florida. *Florida Sci.*, 44:81-90.
- Zoecon Corporation. 1973. Technical bulletin on Altosid. Environmental properties.