

**BULL TROUT FINAL CRITICAL HABITAT JUSTIFICATION:
RATIONALE FOR WHY HABITAT IS ESSENTIAL, AND DOCUMENTATION OF
OCCUPANCY**

**U.S. Fish & Wildlife Service
Idaho Fish and Wildlife Office, Boise, Idaho
Pacific Region, Portland, Oregon**

September 2010

Table of Contents

TABLE OF CONTENTS.....	I
ABBREVIATIONS, ACRONYMS, AND UNITS OF MEASURE.....	XV
INTRODUCTION	1
Method for Determining Critical Habitat.....	2
Six Recovery Units are Essential	3
Coastal Recovery Unit	5
Klamath Recovery Unit	5
Mid-Columbia Recovery Unit	5
Upper Snake Recovery Unit	5
Columbia Headwaters Recovery Unit.....	6
Saint Mary Recovery Unit	6
Seven Guiding Principles for Bull Trout Conservation	6
Four Biological Indicators.....	7
Seven Guiding Principles:.....	7
Thirty-two Critical Habitat Units and Seventy-eight Subunits Contribute to Conservation.....	8
Bull Trout Habitat Occupancy.....	11
Evaluation Tables	12
CHAPTER 1. COASTAL RECOVERY UNIT—OLYMPIC PENINSULA CRITICAL HABITAT UNIT	15
1.1. Dungeness River Critical Habitat Subunit	17
1.2. Elwha River Critical Habitat Subunit.....	21
1.3. Hoh River Critical Habitat Subunit.....	31
1.4. Queets River Critical Habitat Subunit.....	39
1.5. Quinalt River Critical Habitat Subunit.....	45
1.6. Skokomish River Critical Habitat Subunit.....	51
1.7. Hood Canal Critical Habitat Subunit	59
1.8. Strait of Juan de Fuca Critical Habitat Subunit.....	63
1.9. Pacific Coast Critical Habitat Subunit	69
1.10. Chehalis River/Grays Harbor Critical Habitat Subunit.....	77
CHAPTER 2. COASTAL RECOVERY UNIT—PUGET SOUND CRITICAL HABITAT UNIT	83

2.1. Chilliwack River Critical Habitat Subunit 85

2.2. Nooksack River Critical Habitat Subunit..... 89

2.3. Lower Skagit River Critical Habitat Subunit 111

2.4. Upper Skagit River Critical Habitat Subunit..... 131

2.5. Stillaguamish River Critical Habitat Subunit..... 137

2.6. Samish River Critical Habitat Subunit 149

2.7. Snohomish–Skykomish River Critical Habitat Subunit..... 153

2.8. Lake Washington Critical Habitat Subunit 163

2.9. Lower Green River Critical Habitat Subunit..... 167

2.10. Lower Nisqually River Critical Habitat Subunit..... 171

2.11. Chester Morse Lake Critical Habitat Subunit 175

2.12. Puyallup River Critical Habitat Subunit..... 179

2.13. Puget Sound Marine Critical Habitat Subunit..... 191

CHAPTER 3. COASTAL RECOVERY UNIT—LOWER COLUMBIA RIVER BASINS
CRITICAL HABITAT UNIT 197

3.1. Lewis River Critical Habitat Subunit 199

3.2. Klickitat River Critical Habitat Subunit..... 205

3.3. White Salmon River Critical Habitat Subunit..... 211

CHAPTER 4. COASTAL RECOVERY UNIT—UPPER WILLAMETTE RIVER CRITICAL
HABITAT UNIT 217

CHAPTER 5. COASTAL RECOVERY UNIT—HOOD RIVER CRITICAL HABITAT UNIT
..... 239

CHAPTER 6. COASTAL RECOVERY UNIT—LOWER DESCHUTES RIVER CRITICAL
HABITAT UNIT 253

CHAPTER 7. COASTAL RECOVERY UNIT—ODELL LAKE CRITICAL HABITAT UNIT
..... 273

CHAPTER 8. COASTAL RECOVERY UNIT —MAINSTEM LOWER COLUMBIA RIVER
CRITICAL HABITAT UNIT 289

CHAPTER 9. KLAMATH RECOVERY UNIT—KLAMATH RIVER BASIN CRITICAL
HABITAT UNIT 303

9.1. Upper Klamath Lake Critical Habitat Subunit..... 305

9.2. Sycan River Critical Habitat Subunit 311

9.3. Upper Sprague River Critical Habitat Subunit..... 317

CHAPTER 10. MID-COLUMBIA RECOVERY UNIT—UPPER COLUMBIA RIVER
BASINS CRITICAL HABITAT UNIT 323

10.1	Methow River Critical Habitat Subunit	325
10.2.	Chelan River Critical Habitat Subunit	337
10.3.	Entiat River Critical Habitat Subunit	341
10.4.	Wenatchee River Critical Habitat Subunit.....	345
CHAPTER 11. MID-COLUMBIA RECOVERY UNIT YAKIMA RIVER BASIN CRITICAL HABITAT UNIT		353
CHAPTER 12. MID-COLUMBIA RECOVERY UNIT—JOHN DAY RIVER CRITICAL HABITAT UNIT		371
12.1.	Lower Mainstem John Day River Critical Habitat Subunit	374
12.2.	North Fork John Day River Critical Habitat Subunit.....	379
12.3.	Middle Fork John Day River Critical Habitat Subunit	387
12.4.	Upper Mainstem John Day River Critical Habitat Subunit.....	391
CHAPTER 13. MID-COLUMBIA RECOVERY UNIT—UMATILLA RIVER CRITICAL HABITAT UNIT		397
CHAPTER 14. MID-COLUMBIA RECOVERY UNIT —WALLA WALLA RIVER CRITICAL HABITAT UNIT		409
14.1.	Walla Walla River Critical Habitat Subunit.....	412
14.2.	Touchet River Critical Habitat Subunit.....	419
CHAPTER 15. MID-COLUMBIA RECOVERY UNIT—LOWER SNAKE RIVER CRITICAL HABITAT UNIT		425
15.1.	Tucannon River Critical Habitat Subunit.....	428
15.2.	Asotin Creek Critical Habitat Subunit	439
CHAPTER 16. MID-COLUMBIA RECOVERY UNIT—GRANDE RONDE RIVER CRITICAL HABITAT UNIT		447
CHAPTER 17. MID-COLUMBIA RECOVERY UNIT—IMNAHA RIVER CRITICAL HABITAT UNIT		479
CHAPTER 18. MID-COLUMBIA RECOVERY UNIT—SHEEP AND GRANITE CREEKS CRITICAL HABITAT UNIT		497
CHAPTER 19 MID-COLUMBIA RECOVERY UNIT—HELLS CANYON COMPLEX CRITICAL HABITAT UNIT		503
CHAPTER 20. MID-COLUMBIA RECOVERY UNIT—POWDER RIVER CRITICAL HABITAT UNIT		511
CHAPTER 21. MID-COLUMBIA RECOVERY UNIT—CLEARWATER RIVER CRITICAL HABITAT UNIT		525
21.1.	Middle–Lower Fork Clearwater River Critical Habitat Subunit.....	527
21.2.	South Fork Clearwater River Critical Habitat Subunit	531

21.3. Selway River Critical Habitat Subunit 543

21.4. Lochsa River Critical Habitat Subunit (and Fish Lake)..... 553

21.5. North Fork Clearwater River (and Fish Lake) Critical Habitat Subunit 561

CHAPTER 22. MID-COLUMBIA RECOVERY UNIT—MAINSTEM UPPER COLUMBIA RIVER CRITICAL HABITAT UNIT 575

CHAPTER 23. MID-COLUMBIA RECOVERY UNIT—MAINSTEM SNAKE RIVER CRITICAL HABITAT UNIT 581

CHAPTER 24. UPPER SNAKE RECOVERY UNIT—MALHEUR RIVER BASIN CRITICAL HABITAT UNIT 587

CHAPTER 25. UPPER SNAKE RECOVERY UNIT—JARBIDGE RIVER CRITICAL HABITAT UNIT 601

CHAPTER 26. UPPER SNAKE RECOVERY UNIT—SOUTHWEST IDAHO RIVER BASINS CRITICAL HABITAT UNIT 611

26.1. Weiser River Critical Habitat Subunit 613

26.2. Squaw Creek Critical Habitat Subunit 617

26.3. North Fork Payette River Critical Habitat Subunit 621

26.4. Middle Fork Payette River Critical Habitat Subunit..... 625

26.5. Upper South Fork Payette River Critical Habitat Subunit 629

26.6. Deadwood River Critical Habitat Subunit 641

26.7. Arrowrock Critical Habitat Subunit 645

26.8. Anderson Ranch Critical Habitat Subunit..... 659

CHAPTER 27. UPPER SNAKE RECOVERY UNIT—SALMON RIVER BASIN CRITICAL HABITAT UNIT 671

27.1. Little-Lower Salmon River Critical Habitat Subunit 673

27.2. South Fork Salmon River Critical Habitat Subunit..... 679

27.3. Middle Salmon River–Chamberlain River Critical Habitat Subunit 701

27.4. Middle Fork Salmon River Critical Habitat Subunit 715

27.5. Middle Salmon–Panther River Critical Habitat Subunit..... 745

27.6. Lake Creek Critical Habitat Subunit 759

27.7. Opal Lake Critical Habitat Subunit..... 763

27.8. Lemhi River Critical Habitat Subunit 767

27.9. Pahsimeroi River Critical Habitat Subunit..... 773

27.10. Upper Salmon River Critical Habitat Subunit..... 779

CHAPTER 28. UPPER SNAKE RECOVERY UNIT—LITTLE LOST RIVER CRITICAL HABITAT UNIT 793

CHAPTER 29. COLUMBIA HEADWATERS RECOVERY UNIT—COEUR D’ALENE RIVER BASIN CRITICAL HABITAT UNIT 799

CHAPTER 30. COLUMBIA HEADWATERS RECOVERY UNIT—KOOTENAI RIVER BASIN CRITICAL HABITAT UNIT 813

 30.1. Kootenai River Critical Habitat Subunit 815

 30.2. Lake Koocanusa Critical Habitat Subunit 821

CHAPTER 31. COLUMBIA HEADWATERS RECOVERY UNIT—CLARK FORK RIVER BASIN CRITICAL HABITAT UNIT 825

 31.1. Priest Lakes Critical Habitat Subunit 827

 31.2. Lake Pend Oreille Critical Habitat Subunit 835

 31.3. Lower Clark Fork River Critical Habitat Subunit 847

 31.4. Middle Clark Fork River Critical Habitat Subunit 855

 31.5. Upper Clark Fork River Critical Habitat Subunit 861

 31.6. Bitterroot River Critical Habitat Subunit 865

 31.7. Rock Creek Critical Habitat Subunit 873

 31.8. Blackfoot River Critical Habitat Subunit 877

 31.9. Clearwater River and Lakes Critical Habitat Subunit 881

 31.10. Flathead Lake, Flathead River, and Headwater Lakes Critical Habitat Subunit 887

 31.11. Swan River Critical Habitat Subunit 903

 31.12. South Fork Flathead and Hungry Horse Reservoir Critical Habitat Subunit 909

CHAPTER 32. SAINT MARY RECOVERY UNIT—SAINT MARY RIVER BASIN CRITICAL HABITAT UNIT 915

LITERATURE CITED 921

PERSONAL COMMUNICATIONS 971

List of Figures

Figure 1. Six draft bull trout recovery units in the Pacific Northwest of the United States . 3

Figure 2. Thirty-two bull trout Critical Habitat Units 11

Figure 3: Bull Trout Observations Lower Columbia River (Service 2010) 295

List of Tables

Table 1. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Olympic Peninsula—Dungeness River CHU/CHSU 19

Table 2. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Olympic Peninsula—Elwha River CHU/CHSU 23

Table 3. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Olympic Peninsula—Hoh River CHU/CHSU 33

Table 4. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Olympic Peninsula—Queets River CHU/CHSU 41

Table 5. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Olympic Peninsula—Quinalt River CHU/CHSU 47

Table 6. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Olympic Peninsula—Skokomish River CHU/CHSU 53

Table 7. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Olympic Peninsula—Hood Canal Marine CHU/CHSU 61

Table 8. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Olympic Peninsula—Strait of Juan de Fuca CHU/CHSU 65

Table 9. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Olympic Peninsula—Pacific Coast CHU/CHSU 71

Table 10. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Olympic Peninsula—Chehalis River/Grays Harbor CHU/CHSU 79

Table 11. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Chilliwack River CHU/CHSU 87

Table 12. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Nooksack River CHU/CHSU 93

Table 13. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Lower Skagit River CHU/CHSU 115

Table 14. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Upper Skagit River CHU/CHSU 133

Table 15. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Stillaguamish River CHU/CHSU	139
Table 16. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Samish River CHU/CHSU	151
Table 17. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Snohomish–Skykomish Rivers CHU/CHSU	155
Table 18. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Lake Washington CHU/CHSU	165
Table 19. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Lower Green River CHU/CHSU	169
Table 20. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Lower Nisqually River CHU/CHSU	173
Table 21. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Chester Morse Lake CHU/CHSU	177
Table 22. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Puyallup River CHU/CHSU	181
Table 23. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Puget Sound—Puget Sound Marine CHU/CHSU	193
Table 24. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Lower Columbia River Basins—Lewis River CHU/CHSU	201
Table 25. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Lower Columbia River Basins—Klickitat River CHU/CHSU	207
Table 26. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Lower Columbia River Basins—White Salmon River CHU/CHSU	213
Table 27. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Upper Willamette River CHU/CHSU	227
Table 28. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Hood River CHU/CHSU	247

Table 29. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Lower Deschutes River CHU/CHSU 263

Table 30. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Odell Lake CHU/CHSU . 281

Table 31. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Mainstem Lower Columbia River CHU/CHSU 301

Table 32. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Klamath River Basin–Upper Klamath Lake CHU/CHSU..... 307

Table 33. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Klamath River Basin–Sycan River CHU/CHSU 313

Table 34. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Klamath River Basin–Upper Sprague River CHU/CHSU 319

Table 35. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Upper Columbia River Basins–Methow River CHU/CHSU 329

Table 36. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Upper Columbia River Basins–Chelan River CHU/CHSU 339

Table 37. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Upper Columbia River Basins–Entiat River CHU/CHSU 343

Table 38. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Upper Columbia River Basins–Wenatchee River CHU/CHSU 347

Table 39. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Yakima River CHU/CHSU 357

Table 40. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the John Day River–Lower Mainstem John Day River CHU/CHSU 377

Table 41. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the John Day River–North Fork John Day River CHU/CHSU 383

Table 42. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the John Day River–Middle Fork John Day River CHU/CHSU 389

Table 43. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the John Day River–Upper Mainstem John Day River CHU/CHSU	393
Table 44. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Umatilla River CHU/CHSU	403
Table 45. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Walla Walla River Basin–Walla Walla River CHU/CHSU	415
Table 46. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Walla Walla River Basin–Touchet River CHU/CHSU	421
Table 47. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Lower Snake River Basins–Tucannon River CHU/CHSU	433
Table 48. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Lower Snake River Basins–Asotin Creek CHU/CHSU	443
Table 49. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Grande Ronde River CHU/CHSU	461
Table 50. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Imnaha River CHU/CHSU	487
Table 51. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Sheep and Granite Creeks CHU/CHSU	501
Table 52. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Hells Canyon Complex–Indian Creek–Pine Creek-Wildhorse River CHU/CHSU	507
Table 53. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Powder River Basin CHU/CHSU	519
Table 54. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clearwater River–Middle-Lower Clearwater River CHU/CHSU	529
Table 55. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clearwater River–South Fork Clearwater River CHU/CHSU	535

Table 56. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clearwater River–Selway River CHU/CHSU 547

Table 57. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clearwater River–Lochsa River CHU/CHSU 555

Table 58. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clearwater River–North Fork Clearwater River CHU/CHSU 565

Table 59. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Mainstem Upper Columbia River CHU/CHSU 579

Table 60. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Mainstem Snake River CHU/CHSU 585

Table 61. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Malheur River Basin CHU/CHSU 595

Table 62. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Jarbidge River CHU/CHSU 607

Table 63. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Southwest Idaho River Basins–Weiser River CHU/CHSU 615

Table 64. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Southwest Idaho River Basins–Squaw Creek CHU/CHSU 619

Table 65. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Southwest Idaho River Basins–North Fork Payette River CHU/CHSU 623

Table 66. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Southwest Idaho River Basins–Middle Fork Payette River CHU/CHSU 627

Table 67. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Southwest Idaho River Basins–Upper South Fork Payette River CHU/CHSU 633

Table 68. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Southwest Idaho River Basins–Deadwood River CHU/CHSU 643

Table 69. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Southwest Idaho River Basins–Arrowrock Reservoir CHU/CHSU.....	649
Table 70. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Southwest Idaho River Basins–Anderson Ranch Reservoir CHU/CHSU	663
Table 71. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Salmon River Basin–Little-Lower Salmon River CHU/CHSU.....	675
Table 72. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Salmon River Basin–South Fork Salmon River CHU/CHSU.....	685
Table 73. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Salmon River Basin–Middle Salmon River–Chamberlain CHU/CHSU.....	705
Table 74. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Salmon River Basin–Middle Fork Salmon River CHU/CHSU.....	723
Table 75. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Salmon River Basin–Middle Salmon River–Panther CHU/CHSU	749
Table 76. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Salmon River Basin–Lake Creek CHU/CHSU.....	761
Table 77. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Salmon River Basin–Opal Lake CHU/CHSU	765
Table 78. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Salmon River Basin–Lemhi River CHU/CHSU	769
Table 79. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Salmon River Basin–Pahsimeroi River CHU/CHSU	775
Table 80. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Salmon River Basin–Upper Salmon River CHU/CHSU	783
Table 81. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Little Lost River CHU/CHSU	797

Table 82. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Coeur d'Alene River Basin CHU/CHSU 805

Table 83. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Kootenai River Basin–Kootenai River CHU/CHSU 817

Table 84. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Kootenai River Basin–Lake Koocanusa CHU/CHSU 823

Table 85. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin–Priest Lakes CHU/CHSU 831

Table 86. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin–Lake Pend Oreille CHU/CHSU 839

Table 87. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin–Lower Clark Fork River CHU/CHSU 849

Table 88. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin–Middle Clark Fork River CHU/CHSU 857

Table 89. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin–Upper Clark Fork River CHU/CHSU 863

Table 90. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin–Bitterroot River CHU/CHSU 867

Table 91. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin–Rock Creek CHU/CHSU 875

Table 92. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin–Blackfoot River CHU/CHSU 879

Table 93. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin–Clearwater River and Lakes CHU/CHSU 883

Table 94. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin - Flathead Lake, Flathead River, and Headwater Lakes CHU/CHSU 891

Table 95. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin–Swan River and Lakes CHU/CHSU 905

Table 96. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Clark Fork River Basin–Hungry Horse Reservoir, South Fork Flathead River CHU/CHSU 911

Table 97. Water body segments designated as critical habitat for bull trout, including documentation of occupancy and site-specific rationale in the Saint Mary River Basin CHU/CHSU 919

Abbreviations, Acronyms, and Units of Measure

BLM	Bureau of Land Management
BOR	Bureau of Reclamation
CBBTTAT	Clearwater Basin Bull Trout Recovery Advisory Team
CBI	Clearwater Biostudies, Inc
cfs	cubic feet per second
CHSU	Critical Habitat Subunit
CHU	Critical Habitat Unit
CSKT	Confederated Salish and Kootenai Tribes
DNA	deoxyribonucleic acid
DPS	distinct population segments
ESA	Endangered Species Act
EWEB	Eugene Water and Electric Board
FERC	Federal Energy Regulatory Commission
FLIR	forward looking infrared
FMO	foraging, migration, and overwintering
ha	hectare
IDFG	Idaho Department of Fish and Game
in	inches
km	kilometer
LLID	Longitude Latitude Identification
mi	miles
NMFS	National Marine Fisheries Service
NPS	National Park Service
ODFW	Oregon Department of Fish and Wildlife
ONP	Olympic National Park
PCE	primary constituent elements
RU	Recovery Unit
SACO	<i>Salvelinus confluentus</i>
SR	spawning and rearing
USGS	U. S. Geological Survey
WDFW	Washington Department of Fish and Wildlife

Bull Trout Final Critical Habitat Justification: Rationale for Why Habitat is Essential, and Documentation of Occupancy

Introduction

Table of Contents

INTRODUCTION 1

 Method for Determining Critical Habitat 2

 Six Recovery Units are Essential 3

 Coastal Recovery Unit 5

 Klamath Recovery Unit 5

 Mid-Columbia Recovery Unit 5

 Upper Snake Recovery Unit 5

 Columbia Headwaters Recovery Unit..... 6

 Saint Mary Recovery Unit 6

 Seven Guiding Principles for Bull Trout Conservation 6

 Four Biological Indicators..... 7

 Seven Guiding Principles:..... 7

 Thirty-two Critical Habitat Units and Seventy-eight Subunits Contribute to Conservation..... 8

 Bull Trout Habitat Occupancy..... 11

 Evaluation Tables 12

INTRODUCTION

The U.S. Fish & Wildlife Service (Service) has prepared this document to support the rationale for why bull trout habitats are essential for the conservation of the species and therefore should be designated as critical habitat and to document the basis for identifying habitat occupancy by bull trout.

We have organized the document by six draft Recovery Units (RUs), 32 Critical Habitat Units (CHUs), and 78 Critical Habitat Subunits (CHSUs) (see text below for more detail).

Rationale for why habitat is essential may be applied across an entire watershed, a portion of a watershed, or an individual stream reach or water body segment, depending on the refinement and quality of available data. Similarly, scientific observations of bull trout occupancy may be documented only broadly within a watershed or specifically within a stream reach, depending on available data.

The text portion of this document captures a broader rationale for why habitat is essential at the level of the 32 CHUs and 78 CHSUs. Appendix 1 captures rationale for why each of the 118 core areas is or is not essential. Tables 1-97 in the 32 CHU chapters below outline occupancy as specifically as possible for each of more than 3,500 water body segments and, if available, any specific rationale for why that segment is essential. However, in the majority of cases, there is no stream-specific rationale and the reader is referred back to the text for the entire CHSU. Also, the same citation of occupancy may be frequently repeated for individual stream reaches if that is the only citation that provides documentation across a broad area.

Method for Determining Critical Habitat

The Service met internally on July 6–7, 2009 to develop specific guidance for identifying bull trout critical habitat consistent with Service policies. We evaluated six possible approaches and determined to *designate all habitat important to the conservation (i.e., recovery) of the species*. This approach would provide broad added protection for occupied habitats necessary for recovery and a significant regulatory tool for protecting important unoccupied habitats and help focus recovery actions on those habitats of greatest importance for recovery.

In addition, the Service broadly considered status and threats of bull trout across six draft recovery units (see below) consistent with seven guiding principles for bull trout conservation (also see below). We determined that in some portions of the bull trout range, status was sufficiently weak and threats sufficiently high (e.g., low numbers of individuals or populations and poor habitat quality, such as in the Klamath River Basin) that protecting all occupied habitat and some unoccupied habitat may be necessary to achieve recovery. In other areas, status was sufficiently strong and threats low (e.g., portions of the Clark Fork and Kootenai CHUs) that protecting most occupied and relatively less unoccupied habitat may be necessary to achieve recovery. Two key habitat use types for bull trout are spawning and rearing habitat and foraging, migration, and overwintering (FMO) habitat. Much unoccupied habitat designated for protection is in FMO habitat and is intended to ensure connectivity among existing, currently isolated bull trout populations. Our proposal for designating critical habitat and our geographic-specific rationales below, reflect this broad evaluation.

Six Recovery Units are Essential

Bull trout are listed under the Endangered Species Act (ESA) as “Threatened” throughout the coterminous United States, primarily due to habitat threats. In 2008, the Service completed a 5-year review (Service 2008h) of bull trout status and concluded in part that the Service should reevaluate the number of bull trout Distinct Population Segments (DPSs) and consider reclassifying bull trout into separate DPSs. The Service subsequently recommended not immediately pursuing reclassification due to time and cost constraints. Instead, the Service used four relevant factors under two of the three criteria in its 1996 DPS policy to identify the following six draft RUs (Figure 1):

- Coastal Recovery Unit
- Klamath Recovery Unit
- Mid-Columbia Recovery Unit
- Upper Snake Recovery Unit
- Columbia Headwaters Recovery Unit
- Saint Mary Recovery Unit




Figure 1. Six draft bull trout recovery units in the Pacific Northwest of the United States

Based on meeting these four relevant factors from two of the criteria in the DPS policy, the Service concluded that conserving each RU was essential for the conservation of the listed entity as a whole because of their individual value as defined by the policy criteria. The two criteria and four factors that were relevant to evaluating bull trout recovery units were:

Discreteness: A population segment of a vertebrate species may be considered discrete if:

1. It is markedly separated from other populations of the same taxon as a consequence of physical, physiological, ecological, or behavioral factors. Quantitative measures of genetic or morphological discontinuity may provide evidence of this separation.

Significance: If a population segment is considered discrete under the above condition, its biological and ecological significance will then be considered in light of Congressional guidance that the authority to list DPSs be used "sparingly" while encouraging the conservation of genetic diversity. In carrying out this examination, the Services considered available scientific evidence of the DPS's importance to the taxon to which it belonged. This consideration included, but was not limited to, the following:

1. Persistence of the DPS in an ecological setting unusual or unique for the taxon,
2. Evidence that loss of the DPS would result in a significant gap in the range of a taxon,
3. Evidence that the DPS differed markedly from other populations of the species in its genetic characteristics.

The Service then developed a rule set for each of the four factors for evaluating each potential RU against these four factors. This rule set included

1. Markedly Separate
 - a. Divergence measured by mitochondrial or microsatellite deoxyribonucleic acid (DNA)—*Low, Medium, High*
 - b. Isolation from nearest population—*Low, Medium, High*
 - c. Life-history difference
2. Ecological Setting
 - a. Life-history strategy
 - b. Species assemblage
 - c. Ecological zone
3. Significant Gap
 - a. Loss of population throughout any major drainage basins (Puget Sound, Klamath, Saint Mary) or major portion of the Columbia Basin (lower Columbia, Snake, middle Columbia, Kootenai/Clark Fork)
4. Differs Markedly
 - a. Divergence measured by mitochondrial or microsatellite DNA—*Low, Medium, High*
 - b. Shared evolutionary future

Subsequent to identifying these six RUs using the approach outlined above, we evaluated each RU and determined that they fulfilled the need to ensure a resilient (protect large areas of high-quality habitat), redundant (protect multiple populations), and representative (protect diverse genetic and life-history aspects) distribution of bull trout populations throughout the range of the listed entity. We also found them to be consistent with the seven guiding principles

(below). For each RU, we determined why it should be considered a separate RU and justified why it was essential based on the following rationale:

Coastal Recovery Unit

The Coastal RU is essential to the conservation of bull trout because populations are significantly different at the mitochondrial DNA level from the four RUs east of the Cascade Range and at the microsatellite DNA level from the Klamath RU; in the Olympic Peninsula and Puget Sound areas, they are almost completely isolated from other RUs and are partially isolated from other RUs in the lower Columbia River; some populations within this RU exhibit amphidromous (move to and from salt water from fresh water) life history form; they co-occur with Dolly varden (*Salvelinus malma*) in the northern portion of the RU and coastal populations of anadromous salmonids elsewhere; they occur in a coastal climate and vegetative condition west of the Cascade Range, different from the four RUs to the east; loss of this RU would result in a significant gap in the range of bull trout; and the entire RU has or could have a shared evolutionary future by migrating among populations over long periods of time.

Klamath Recovery Unit

The Klamath RU is essential to the conservation of bull trout because populations are significantly different at the mitochondrial DNA level from the four RUs east of the Cascade Range and at the microsatellite DNA level from the Coastal RU; they are highly isolated from all other RUs; populations currently persist almost solely in a resident life history form (though migratory forms would likely reoccur given suitable habitat conditions); they co-occur with species not found in other RUs, such as indigenous suckers (*Catostomus* spp.); they occur in a relatively warmer and drier inland climate that is different from the Coastal RU and farther south than most other inland populations; loss of this RU would result in a significant gap in the range of bull trout; and the entire RU has or could have a shared evolutionary future by migrating among populations over long periods of time.

Mid-Columbia Recovery Unit

The Mid-Columbia RU is essential to the conservation of bull trout because populations are significantly different at the mitochondrial DNA level from the two recovery units west of the Cascade Range and at the microsatellite DNA level from the three other RUs east of the Cascade Range; they are mostly isolated from other RUs due to distance and partial dispersal barriers, including the Columbia Gorge downstream and Hells Canyon and ancient waterfalls in the upper Columbia River basin upstream; they co-occur with anadromous Columbia River basin salmonids similar to the Upper Snake RU but different from the other RUs; they occur inland in a lower elevation climate and different vegetative conditions than the two RUs west of the Cascade Range and three RUs upstream closer to the Continental Divide; loss of this RU would result in a significant gap in the range of bull trout; and the entire RU has or could have a shared evolutionary future by migrating among populations over long periods of time.

Upper Snake Recovery Unit

The Upper Snake RU is essential to the conservation of bull trout because populations are significantly different at the mitochondrial DNA level from the two RUs west of the Cascade Range and at the microsatellite DNA level from the three RUs east of the Cascade Range; they are mostly isolated from other RUs in the headwaters of the Snake River

basin due to distance in the lower Salmon River and a partial dispersal barrier in Hells Canyon; they co-occur with anadromous Columbia River basin salmonids similar to the Mid-Columbia RU but different from the other RUs; they occur inland in a lower elevation climate and different vegetative condition than the two RUs west of the Cascade Range and three RUs upstream closer to the Continental Divide; loss of this RU would result in a significant gap in the range of bull trout; and the entire RU has or could have a shared evolutionary future by migrating among populations over long periods of time.

Columbia Headwaters Recovery Unit

The Columbia Headwaters RU is essential to the conservation of bull trout because populations are significantly different at the mitochondrial DNA level from the two RUs west of the Cascade Range and at the microsatellite DNA level from the three other RUs east of the Cascade Range; they are mostly isolated from other RUs in the headwaters of the Columbia River basin by ancient waterfalls downstream; most populations occur in the adfluvial migratory form; they evolved in the absence of anadromous salmonids; they occur inland in a cooler and drier climate and different vegetative conditions than the two RUs west of the Cascade Range and the Mid-Columbia RU; loss of this RU would result in a significant gap in the range of bull trout; and populations within each of three different, isolated watersheds have or could have a shared evolutionary future by migrating among populations over long periods of time.

Saint Mary Recovery Unit

The Saint Mary RU is essential to the conservation of bull trout because populations are significantly different at the mitochondrial DNA level from the two RUs west of the Cascade Range and at the microsatellite DNA level from the three other RUs east of the Cascade Range; they are highly isolated east of the Continental Divide from all other RUs to the west; they evolved in the presence of lake trout (*Salvelinus namaycush*) and other species found only east of the Continental Divide; they occur inland in a cooler and drier climate and different vegetative conditions than the two RUs west of the Cascade Range and the Mid-Columbia RU; loss of this RU would result in a significant gap in the range of bull trout; and the entire RU has or could have a shared evolutionary future by migrating among populations over long periods of time.

Seven Guiding Principles for Bull Trout Conservation

To identify those habitats within each RU essential to the conservation of bull trout, the Service used the Four Biological Indicators (distribution, abundance, trend, and connectivity) derived from the 2002 and 2004 bull trout draft recovery plans (Service 2002a, Service 2004a, Service 2004b) and seven newly developed “Guiding Principles” to help ensure conservation of bull trout and their habitat identified below. The Service developed Appendix 1 evaluating bull trout core areas and FMO habitat in each of six recovery units using the seven guiding principles for bull trout conservation. Using the four criteria below, the Service then identified occupied habitat with primary constituent elements (PCEs) and unoccupied habitat that are essential for bull trout conservation within each RU. These habitats are designated as critical habitat.

Four Biological Indicators

1. Distribution
2. Abundance
3. Trend
4. Connectivity

Seven Guiding Principles:

1. Conserve opportunity for diverse life-history expression
2. Conserve opportunity for genetic diversity
3. Ensure bull trout are distributed across representative habitats
4. Ensure sufficient connectivity among populations
5. Ensure sufficient habitat to support population viability (e.g., abundance, trend indices)
6. Consider threats (e.g., climate change)
7. Ensure sufficient redundancy in conserving population units

Four criteria for focusing habitat protection were developed and applied by the Service to identify those habitats essential to the conservation of bull trout:

1. Map bull trout habitat occupancy for each RU; evaluate all habitats to determine how they may be essential to the conservation of the species.
2. Where there may be more occupied habitat than necessary to achieve recovery, prioritize critical habitat designations on the following:
 - i.* **Emphasize** areas as essential to those local populations and/or spawning and rearing streams of **highest conservation value** such as:
 1. Largest areas or populations
 2. Most highly connected populations
 3. Areas that are that can contribute to bull trout conservation
 4. Areas with highest conservation potential (e.g., quantity or quality of PCEs)
 - ii.* **Emphasize** as essential those core areas of **highest conservation value** such as:
 1. Largest areas or populations
 2. Most highly connected populations
 3. Areas that are that can contribute to bull trout conservation
 4. Areas with highest conservation potential (e.g., quantity or quality of PCEs)

iii. **Emphasize** essential FMO habitats of **highest conservation value**, such as:

1. Habitats that connect populations and core areas
2. Habitat that enhances the conservation of a core area or local population
3. Identify any unoccupied habitat essential for bull trout conservation using the guidance above.
4. Evaluate each RU to ensure that the seven guiding principles are met and sufficient critical habitat has been identified to ensure the conservation of bull trout at that scale.

Thirty-two Critical Habitat Units and Seventy-eight Subunits Contribute to Conservation

We identified 32 CHUs (Figure 2) and 78 CHSUs within each of the 6 RUs (Figure 1) throughout the range of bull trout based on distribution, connectivity, and proximity among populations.

- Coastal Recovery Unit
 1. Olympic Peninsula
 - 1.1. Dungeness River
 - 1.2. Elwha River
 - 1.3. Hoh River
 - 1.4. Queets River
 - 1.5. Quinault River
 - 1.6. Skokomish River
 - 1.7. Hood Canal
 - 1.8. Strait of Juan de Fuca
 - 1.9. Pacific Coast
 - 1.10. Chehalis River/Grays Harbor
 2. Puget Sound
 - 2.1. Chilliwack River
 - 2.2. Nooksack River
 - 2.3. Lower Skagit River
 - 2.4. Upper Skagit River
 - 2.5. Stillaguamish River
 - 2.6. Samish River
 - 2.7. Snohomish–Skykomish River
 - 2.8. Lake Washington
 - 2.9. Lower Green River
 - 2.10. Lower Nisqually River
 - 2.11. Chester Morse Lake
 - 2.12. Puyallup River
 - 2.13. Puget Sound Marine
 3. Lower Columbia River Basins
 - 3.1. Lewis River

- 3.2. Klickitat River
- 3.3. White Salmon River
4. Upper Willamette River
5. Hood River
6. Lower Deschutes River
7. Odell Lake
8. Mainstem Lower Columbia River
- Klamath Recovery Unit
 9. Klamath River Basin
 - 9.1. Upper Klamath Lake
 - 9.2. Sycan River
 - 9.3. Upper Sprague River
- Mid-Columbia Recovery Unit
 10. Upper Columbia River Basins
 - 10.1. Methow River
 - 10.2. Chelan River
 - 10.3. Entiat River
 - 10.4. Wenatchee River
 11. Yakima River
 12. John Day River
 - 12.1. Lower Mainstem John Day River
 - 12.2. North Fork John Day River
 - 12.3. Middle Fork John Day River
 - 12.4. Upper Mainstem John Day River
 13. Umatilla River
 14. Walla Walla River Basin
 - 14.1. Walla Walla River
 - 14.2. Touchet River
 15. Lower Snake River Basins
 - 15.1. Tucannan River
 - 15.2. Asotin Creek
 16. Grande Ronde River
 17. Imnaha River
 18. Sheep and Granite Creeks
 19. Hells Canyon Complex
 - 19.1. Indian Creek
 - 19.2. Pine Creek
 - 19.3. Wildhorse River
 20. Powder River Basin
 21. Clearwater River
 - 21.1. Middle–Lower Fork Clearwater River
 - 21.2. South Fork Clearwater River
 - 21.3. Selway River
 - 21.4. Lochsa River (and Fish Lake)
 - 21.5. North Fork Clearwater River (and Fish Lake)

- 22. Mainstem Upper Columbia River
- 23. Mainstem Snake River
- Upper Snake Recovery Unit
 - 24. Malheur River Basin
 - 25. Jarbidge River Basin
 - 26. Southwest Idaho River Basins
 - 26.1. Weiser River
 - 26.2. Squaw Creek
 - 26.3. North Fork Payette River
 - 26.4. Middle Fork Payette River
 - 26.5. Upper South Fork Payette River
 - 26.6. Deadwood River
 - 26.7. Arrowrock Reservoir
 - 26.8. Anderson Ranch Reservoir
 - 27. Salmon River Basin
 - 27.1. Little-Lower Salmon
 - 27.2. South Fork Salmon River
 - 27.3. Middle Salmon River–Chamberlain River
 - 27.4. Middle Fork Salmon River
 - 27.5. Middle Salmon–Panther River
 - 27.6. Lake Creek
 - 27.7. Opal Lake
 - 27.8. Lemhi River
 - 27.9. Pahsimeroi River
 - 27.10. Upper Salmon River
 - 28. Little Lost River
- Columbia Headwaters Recovery Unit
 - 29. Coeur d’Alene River Basin
 - 30. Kootenai River Basin
 - 30.1. Kootenai River
 - 30.2. Lake Koocanusa
 - 31. Clark Fork River Basin
 - 31.1. Priest Lakes
 - 31.2. Lake Pend Oreille
 - 31.3. Lower Clark Fork River
 - 31.4. Middle Clark Fork River
 - 31.5. Upper Clark Fork River
 - 31.6. Bitterroot River
 - 31.7. Rock Creek
 - 31.8. Blackfoot River
 - 31.9. Clearwater River and Lakes
 - 31.10. Flathead Lake, Flathead River and Headwater Lakes
 - 31.11. Swan River
 - 31.12. South Fork Flathead River and Hungry Horse Reservoir

- Saint Mary Recovery Unit
 32. Saint Mary River Basin




Figure 2. Thirty-two bull trout Critical Habitat Units.

Bull Trout Habitat Occupancy

We determined individually that each of the 32 CHUs and 78 CHSUs are essential for the conservation of the species based on the rationales outlined below that are consistent with the seven guiding principles. For all units we used the best data available to inform our rationale for why it is essential; for some units fewer data were available than for others. Bull trout occupied many habitats at the time of listing that include some or all of the nine PCEs. There is additional habitat not occupied at the time of listing that may be essential for recovery, and is designated as critical habitat by the Service. Tables 1-97 list over 3,500 specific water bodies organized by RU, CHU, and CHSU and includes the following site-specific information: name; location; occupancy status with citations; and any water body-specific rationale, if available.

Evaluation Tables

The following definitions can be important for understanding the tables included:

Occupied

Presence of bull trout documented within approximately the last four bull trout generations (roughly 20 years), or within approximately the last eight generations (roughly 40 years) if information suggests they could still be present but no significant survey effort has been made to detect them within approximately the past 20 years, throughout similarly suitable and connected habitat contiguous with the point of documentation.

Unoccupied

Areas where bull trout occurred but their presence has not been documented within approximately the last 20 years where significant survey effort has been expended throughout portions of suitable habitat that would detect bull trout if present.

Presumed

Bull trout may be present based on historical, anecdotal, or evidential information including factors such as likely suitable habitat adjacent to occupied habitat.

Rule set for “presumed”:

1. Waterbody does not meet the definition of "occupied"; and
2. Waterbody is connected to a waterbody that meets the definition of "occupied"; and
3. Waterbody likely is accessible to bull trout with habitat conditions comparable to the "connected-occupied" waterbody, including at least seasonal habitat conditions adequate to support bull trout; and
4. Waterbody is mapped at the 100k level

For the three “occupancy” definitions above:

Presence: Indication of a population of bull trout, such as: evidence of reproduction, detection of multiple adult bull trout within a year, or of individual bull trout over multiple years, in potentially suitable habitat.

Significant survey effort: Defined by Service field biologists based on scientific parameters including: frequency of effort, effectiveness of techniques, amount of area, quality of habitat, and timing of sampling.

Spawning and Rearing habitat (SR)

Stream reaches and the associated watershed areas that provide all habitat components necessary for spawning and juvenile rearing for a local bull trout population. Spawning and rearing habitat generally supports multiple year classes of juveniles of resident or migratory fish and may also support subadults and adults from local populations of resident bull trout.

Foraging, Migrating, and Overwintering habitat (FMO)

Relatively large streams and mainstem rivers, including lakes or reservoirs, estuaries, and nearshore environments, where subadult and adult migratory bull trout forage, migrate, mature, or overwinter. This habitat is typically downstream from spawning and rearing habitat and contains all the physical elements to meet critical overwintering, spawning migration, and subadult and adult rearing needs. Although use of foraging, migrating, and overwintering habitat by bull trout may be seasonal or very brief (as in some migratory corridors), it is a critical habitat component.