

APPENDIX A

LOCATIONS OF CURRENT OR HISTORICAL SNOWY PLOVER BREEDING AND WINTERING AREAS

The following maps (Figures A-1 through A-7) show the general locations of current or historical snowy plover breeding or wintering areas on the U.S. Pacific coast. Location numbers on the maps are referenced to the numbers in parentheses shown after the location names found in the left-hand column of Table B-1 (Appendix B) and Table C-1 (Appendix C). Detailed maps of each of these locations are given in Appendix L.




Figure A-1. Recovery Units 1 to 6 - Washington, Oregon and California

Washington and Oregon Locations, Recovery Unit 1




Figure A-2. Recovery Unit 1 - Washington and Oregon

Northern California Locations, Recovery Unit 2




Figure A-3. Recovery Unit 2 - Northern California (Del Norte, Humboldt and Mendocino Counties)

San Francisco Bay, Recovery Unit 3




Figure A-4. Recovery Unit 3 - San Francisco Bay (Napa, Alameda, Santa Clara and San Mateo Counties)

Northern to Central California
and Monterey Bay Locations,
Recovery Unit 4




Figure A-5. Recovery Unit 4 - Northern to Central California and Monterey Bay (Sonoma, Marin, San Mateo, Santa Cruz and Monterey Counties)




Figure A-6. Recovery Unit 5 - Central to Southern California (San Luis Obispo, Santa Barbara and Ventura Counties)

Southern California Locations, Recovery Unit 6




Figure A-7. Recovery Unit 6 - Southern California (Los Angeles, Orange and San Diego Counties)