Table 1.─ Preliminary estimates of passage by brood-year (BY) and run for unmarked juvenile Chinook salmon and steelhead trout captured by rotary-screw traps at Red Bluff Diversion Dam (RK391), Sacramento River, CA, for the dates listed below. Results include estimated passage, peak river discharge volume, water temperature, turbidity, and fork length (mm) range in parentheses. A dash (-) indicates that sampling was not conducted on that date.

				Estimated passage				
Date	Discharge volume (cfs)	Water temperature (°C)	Water turbidity (NTU)	BY04 Fall	BY04 Late-fall	BY04 Winter	BY04 Spring	BY05 Steelhead
2/12/05	5,950	9.8	1.5	52,812 (30 − 44)	0 (−)	0 (−)	0 (−)	0 (−)
2/13/05	5,890	10.1	1.6	20,195 (30 − 43)	0 (−)	0 (−)	0 (−)	0 (−)
2/14/05	9,470	10.1	4.0	48,867 (29 − 46)	0 (−)	28 (129)	0 (−)	0 (−)
2/15/05	9,510	10.1	8.4	693,116 (30 − 43)	0 (−)	0 (−)	0 (−)	0 (−)
2/16/05	7,420	10.2	3.7	220,205 (30 − 47)	0 (−)	0 (−)	0 (−)	33 (n/a)
2/17/05	6,760	10.8	2.5	39,955 (29 − 42)	0 (−)	0 (−)	0 (−)	0 (−)
2/18/05	6,760	11.1	2.3	17,172 (31 − 47)	0 (−)	32 (128)	0 (−)	0 (−)
2/19/05	7,220	10.5	2.9	18,845 (29 − 53)	0 (−)	0 (−)	31 (58)	0 (−)
2/20/05	13,300	11.0	18.3	107,591 (30 − 47)	0 (−)	468 (90 − 134)	0 (−)	31 (263)
2/21/05	18,100	10.9	23.8	767,511 (30 − 47)	0 (−)	3,785 (106 − 115)	0 (−)	0 (−)
2/22/05	10,800	11.3	9.2	360,046 (28 − 44)	0 (−)	1,882 (133 − 137)	0 (−)	0 (−)
2/23/05	9,170	11.4	10.0	170,413 (28 − 54)	0 (−)	0 (−)	0 (−)	0 (−)
2/24/05	8,210	11.2	5.2	71,404 (29 − 56)	0 (−)	0 (−)	71 (67)	0 (−)
2/25/05	7,580	11.6	4.4	22,733 (30 − 52)	0 (−)	0 (−)	162 (59 − 70)	0 (−)
Biweekly total[1]				2,610,865	0	6,195	264	64
Brood-year total				6,566,231	149,130	3,271,629	180,216	858

[1]Biweekly totals may be greater than the sum of the daily estimates presented in this table if sampling was not conducted on each day of the biweekly period. A dash (-) denotes those dates. To estimate daily passage for days that were not sampled, we used a mean daily passage from the sample immediately preceding and following the un-sampled day. When consecutive days were not sampled, we calculated a mean daily passage for that period by noting the number of days not sampled and then calculating a mean daily passage using the same number of samples immediately preceding and following the un-sampled period (e.g., if three consecutive days were not sampled, we calculated a mean daily passage for each day using the three samples immediately preceding and following the un-sampled period).