

Table 1.— Preliminary estimates of passage by brood-year (BY) and run for unmarked juvenile Chinook salmon and steelhead trout captured by rotary-screw traps at Red Bluff Diversion Dam (RK391), Sacramento River, CA, for the dates listed below. Results include estimated passage, peak river discharge volume, water temperature, turbidity, and fork length (mm) range in parentheses. A dash (-) indicates that sampling was not conducted on that date.

Date	Discharge volume (cfs)	Water temperature (°C)	Water turbidity (NTU)	Estimated passage				
				BY06 Fall	BY06 Late-fall	BY06 Winter	BY06 Spring	BY06 Steelhead
12/3/06	6,640	9.8	1.9	253 (32 – 34)	1,079 (93 – 157)	15,062 (46 – 92)	545 (35 – 45)	36 (118)
12/4/06	6,640	9.8	1.8	961 (31 – 34)	500 (96 – 130)	15,542 (47 – 92)	1,032 (35 – 46)	34 (79)
12/5/06	6,660	9.9	1.8	1,140 (30 – 34)	832 (94 – 141)	17,965 (47 – 88)	1,003 (35 – 46)	38 (320)
12/6/06	6,640	10.0	1.9	673 (32 – 34)	522 (99 – 125)	12,928 (47 – 92)	1,682 (35 – 46)	37 (85)
12/7/06	6,620	9.9	1.9	1,108 (32 – 34)	185 (99 – 110)	10,452 (48 – 90)	1,625 (35 – 47)	37 (93)
12/8/06	6,610	10.0	2.2	1,478 (32 – 35)	296 (101 – 133)	3,141 (49 – 88)	628 (36 – 47)	37 (89)
12/9/06	6,860	10.6	2.6	808 (33 – 35)	0 (–)	662 (54 – 77)	294 (36 – 44)	0 (–)
12/10/06	7,370	10.6	2.6	1,551 (32 – 35)	82 (108 – 133)	776 (49 – 93)	776 (36 – 47)	0 (–)
12/11/06	8,320	10.2	5.6	6,641 (31 – 35)	115 (116 – 120)	2,054 (52 – 83)	1,600 (36 – 45)	0 (–)
12/12/06	10,700	10.1	4.4	6,128 (30 – 36)	96 (98 – 115)	3,416 (49 – 89)	326 (37 – 38)	0 (–)
12/13/06	17,000	10.2	3.5	-	-	-	-	-
12/14/06	26,200	11.1	16.3	50,564 (30 – 36)	1,582 (102 – 112)	108,865 (50 – 98)	15,059 (37 – 49)	0 (–)
12/15/06	15,100	11.1	14.8	43,604 (31 – 36)	238 (122)	7,912 (51 – 88)	8,355 (37 – 49)	0 (–)
12/16/06	15,000	9.2	8.4	25,415 (29 – 37)	403 (102 – 130)	6,282 (51 – 95)	2,305 (37 – 48)	115 (108 – 210)
Biweekly total <sup>1</sup>				168,670	6,769	261,198	42,923	334
Brood-year total				169,290	374,458	6,419,743	172,924	71,771

<sup>1</sup>Biweekly totals may be greater than the sum of the daily estimates presented in this table if sampling was not conducted on each day of the biweekly period. A dash (-) denotes those dates. To estimate daily passage for days that were not sampled, we used a mean daily passage from the sample immediately preceding and following the un-sampled day. When consecutive days were not sampled, we calculated a mean daily passage for that period by noting the number of days not sampled and then calculating a mean daily passage using the same number of samples immediately preceding and following the un-sampled period (e.g., if three consecutive days were not sampled, we calculated a mean daily passage for each day using the three samples immediately preceding and following the un-sampled period).