



United States Department of the Interior



FISH AND WILDLIFE SERVICE
Red Bluff Fish & Wildlife Office
10950 Tyler Road, Red Bluff, California 96080
(530) 527-3043, FAX (530) 529-0292

February 12, 2015

To: Interested Parties

From: Josh Gruber, Fish Biologist, Red Bluff Fish and Wildlife Office

Subject: Biweekly report (January 29, 2015 - February 11, 2015)

Please find attached preliminary daily estimates of passage, 90% confidence intervals, and fork length ranges of juvenile salmonids sampled at Red Bluff Diversion Dam for the period January 29, 2015 through February 11, 2015. Race designation was assigned using length-at-date criteria.

This report also contains graphical displays of salmonid passage dating back to 2007 for comparison.

Please note that data contained in these reports is subject to revision as this data is preliminary and undergoing QA/QC procedures.

If you have any questions, please feel free to contact me at (530) 527-3043 ext 233.

Table 1.— Preliminary estimates of passage by brood-year (BY) and run for unmarked juvenile Chinook salmon and steelhead trout captured by rotary-screw traps at Red Bluff Diversion Dam (RK391), Sacramento River, CA, for the dates listed below. Results include estimated passage, peak river discharge volume, water temperature, turbidity, and fork length (mm) range in parentheses. A dash (-) indicates that sampling was not conducted on that date.

Date	Discharge volume (cfs) ¹	Water temperature (°C)	Water turbidity (NTU)	Estimated passage				
				BY14 Winter	BY14 Spring	BY14 Fall	BY14 Late-Fall	BY15 RBT
1/29/2015	4,470	10.9	12.1	166 (107 – 129)	25 (57)	15,937 (31 – 47)	25 (148)	25 (105)
1/30/2015	4,550	10.9	11.7	77 (83 – 131)	0 (-)	18,137 (29 – 47)	26 (138)	0 (-)
1/31/2015	4,500	10.9	-	-	-	-	-	-
2/1/2015	4,450	10.7	-	-	-	-	-	-
2/2/2015	4,420	10.7	10.5	23 (122)	24 (54)	12,096 (31 – 48)	0 (-)	0 (-)
2/3/2015	4,530	11.1	11.1	409 (92 – 137)	0 (-)	8,377 (31 – 45)	0 (-)	0 (-)
2/4/2015	4,610	11.0	9.9	119 (113 – 128)	0 (-)	10,469 (30 – 46)	0 (-)	0 (-)
2/5/2015	4,550	10.9	10.5	41 (106 – 134)	20 (69)	7,638 (31 – 46)	21 (0 – 0)	0 (-)
2/6/2015	4,500	11.1	-	-	-	-	-	-
2/7/2015	45,200	11.7	-	-	-	-	-	-
2/8/2015	51,200	12.2	-	-	-	-	-	-
2/9/2015	23,300	12.3	-	-	-	-	-	-
2/10/2015	22,800	11.4	-	-	-	-	-	-
2/11/2015	15,500	11.0	-	-	-	-	-	-
Biweekly Total ²				1,399	209	144,488	218	35
<i>Biweekly Lower 90% Confidence Interval</i>				589	-16	82,491	-15	-30
<i>Biweekly Upper 90% Confidence Interval</i>				2,208	434	206,486	452	100
Brood Year Total				406,840	34,920	3,235,430	109,250	81
<i>Brood year Lower 90% Confidence Interval</i>				240,991	9,598	1,598,364	48,864	-63
<i>Brood year Upper 90% Confidence Interval</i>				572,690	60,243	4,872,496	169,636	224

¹ Peak daily discharge values do not account for diversions at RBDD and only represent peak flows registered at the Bend Bridge Gauging station (<http://cdec2.water.ca.gov/cgi-progs/queryFx?bnd>).

² Biweekly totals may be greater than the sum of the daily estimates presented in this table if sampling was not conducted on each day of the biweekly period. A dash (-) denotes those dates. To estimate daily passage for days that were not sampled, we impute missed sample days with the weekly mean value of days sampled within the week.

Juvenile Winter Chinook Salmon Estimated Passage




Figure 1. Weekly estimated passage of juvenile winter Chinook Salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period July 1, 2008 to present .

*Winter run passage value interpolated using a monthly mean for the period October 1, 2013 - October 17, 2013 due to government shutdown .

Juvenile Spring Chinook Salmon Estimated Passage




Figure 2. Weekly estimated passage of juvenile Spring Chinook Salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period October 16, 2008 to present .

Juvenile *Onchorhynchus mykiss* Estimated Passage




Figure 3. Weekly estimated passage of juvenile Rainbow/Steelhead trout at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period January 1, 2009 to present .

Juvenile Fall Chinook Salmon Estimated Passage




Figure 4. Weekly estimated passage of juvenile Fall Chinook Salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period December 1, 2008 to present .

Juvenile Late Fall Chinook Salmon Estimated Passage




Figure 5. Weekly estimated passage of juvenile Late Fall Chinook Salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period April 1, 2008 to present .

Weekly Estimated Chinook Passage at Red Bluff Diversion Dam - All Runs Combined




Figure 6. Weekly estimated passage of juvenile Chinook Salmon at Red Bluff Diversion Dam (RK391) by calendar year. Fish were sampled using rotary-screw traps for the period January 1, 2008 to December 31, 2014