

Introduction



This blue goose, designed by J.N. "Ding" Darling, has become the symbol of the National Wildlife Refuge System.



Welcome to Rachel Carson National Wildlife Refuge. The refuge consists of eleven separate divisions located on the coast between Portland and Kittery in southern Maine. Approximately 5,400 acres have been acquired out of the 14,684 acre current acquisition boundary. When completed, each refuge division will include a tidal waterway, the surrounding marsh and adjacent uplands. Forty-five percent of the habitat protected as refuge is coastal and freshwater wetlands, the remaining habitat is upland, forest, fields and shrublands.

Highlights of bird activity on the refuge include shorebird migrations in the spring and summer, waterfowl concentrations in the winter and early spring, and raptor migrations in the early fall.

This brochure lists more than 260 species that have been identified on or seen from the refuge, and is in accordance with the seventh American Ornithologists Union Checklist. An additional twenty-six species have been seen only once or at intervals of five or more years and have been listed as accidentals.

Most birds are migratory, therefore, their seasonal occurrence is coded as follows:

Season

\mathbf{Sp}	spring	March – May
${f S}$	summer	June – August
\mathbf{F}	fall	September – November
\mathbf{W}	winter	December – February

•Birds known to nest on or near the refuge

* Probable or irregular breeder on or near refuge Italics indicate threatened/endangered species

"(A)" = accidental/casual in AOU area

"(I)" = introduced into AOU area

Relative Abundance

Relative abundance suggests how frequently you might see or hear a particular bird in its favored habitat.

a abundant
 b c common
 c common
 likely to be seen or heard in suitable habitat
 u uncommon
 o occasional
 r rare
 a species which is very numerous likely to be seen or heard in suitable habitat
 present, but not certain to be seen seen only a few times during a season may be present but not every year



0 0 a 0 0	r a o o	o u a	r
0 a 0 0	a o	u a	-
a 0 0	a o	a	-
0 0 0	0		0
0 0	_	0	
0	0	0	0
_		0	
O	r	0	
		0	r
a	u	a	r
c	u	c	c
0	0	0	0
0		r	
0		u	c
u	0	c	
0		0	r
r		0	
r		r	r
c	u	u	a
			r
0	r	u	c
u	r	u	c
	r	u	c
0		0	0
o u		c	c
			c
	u	u c	u o

Ruffe	$d\ gro$	use			Snowy Egret Little Blue Heron Tricolored Heron • Green Heron	Sp c o r u	s a o c	F	w
The second secon	Sp	S	F	w	* Black-crowned Night-Heron	0	c	u	
Barrow's Goldeneye	r		r	r	Yellow-crowned Night-Heron	\mathbf{r}	r	r	
*Hooded Merganser	0	o	0	0	IBISES				
Common Merganser	0	r	0	0	Glossy Ibis	0	u	70	
Red-breasted Merganser	c	0	a	c	Glossy Tols	O	u	r	
					NEW WORLD VULTURES				
GALLINACEOUS BIRDS					Turkey Vulture	0	u	c	r
• Ring-necked Pheasant (I)	r	r	r	r					
• Ruffed Grouse	0	0	0	0	OSPREY - HAWKS - EAGLES				
• Wild Turkey	u	u	u	u	• Osprey Bald Eagle	u	c	u	
					Bald Eagle	0	0	0	0
LOONS					Northern Harrier	0	0	u	0
Red-throated Loon	О	r	u	u	* Sharp-shinned Hawk	0	0	u	0
Common Loon	c	0	c	c	* Cooper's Hawk	u	0	u	u
GREBES					* Cooper's Hawk* Northern Goshawk	0	0	O	0
					* Red-shouldered Hawk	0	0	0	r
Pied-billed Grebe	0	0	0		* Broad-winged Hawk	0	0	0	
Horned Grebe	0	r	0	u	• Red-tailed Hawk	u	c	u	u
Red-necked Grebe	0	r	0	u	Rough-legged Hawk	r		r	0
SHEARWATERS									l
Cory's Shearwater		r	r						
Great Shearwater		r	r		Kestrel				
Sooty Shearwater		r	r		Restret				
Manx Shearwater		r	r						
		_	-						
STORM-PETRALS									
Wilson's Storm-Petrel		0	r						
Leach's Storm-Petrel		r	r						
BOOBIES - GANNETS									
Northern Gannet	u	0	u	0	FALCONS				
CORMORANTS					* American Kestrel	0	0	0	
Double-crested Cormorant	· ·	9	e	r	Merlin	0	0	u	r
Great Cormorant	c o	a	c o	r u	Peregrine Falcon	0	0	0	r
	U		U	u		Ü	Ü	Ü	-
BITTERNS - HERONS - EGRETS					RAILS				
American Bittern	0	O	0		Virginia Rail		0	О	
Great Blue Heron	c	a	c	0	Sora		r	О	
Great Egret	u	a	c		American Coot	r		r	

	Sp	s	F	w	Sp	s	F	w
PLOVERS				* Wilson's Snipe	0	r	0	r
Black-bellied Plover	u	c	a	* Wilson's Snipe • American Woodcock		0	0	r
American Golden-Plover		0	0	Wilson's Phalarope	0	0	0	•
Semipalmated Plover	u	a	c	Red-necked Phalarope		r	\mathbf{r}	
• Piping Plover	0	u	0		-		•	
• Killdeer	u	c	u	r GULLS - TERNS				
				Black-legged Kittiwake	r		r	r
OYSTERCATCHERS				Bonaparte's Gull	O	u	u	r
• American Oystercatcher	О	0		Little Gull		0	0	
SANDPIPERS - PHALAROPES				Laughing Gull	О	0	0	
				Ring-billed Gull	a	c	a	a
•Spotted Sandpiper	0	u	0	Herring Gull	a	a	a	a
Solitary Sandpiper	0	0	0	Iceland Gull	О		r	0
Greater Yellowlegs	u	c	c	Glaucous Gull	r			r
• Willet (Eastern)	c	c	0	Great Blacked backed Gull	a	a	a	a
Lesser Yellowlegs	u	u	c	• Least Tern	О	c		
Upland Sandpiper	70	r	0	Black Tern	r	0	r	
Whimbrel Hudganian Cadwit	r	u	0	Roseate Tern	О	0		
Hudsonian Godwit		0	0	• Common Tern	u	c	u	
Marbled Godwit	0	0	0	Arctic Tern	О	0		
Ruddy Turnstone	0	u	0	r Forster's Tern	r	r	0	
Red Knot Sanderling	0	0	0	r SQUAS - JAEGERS				
Sandering Semipalmated Sandpiper Semipalmated Sandpiper	0	u	u					
Western Sandpiper	u	a	c o	Parasitic Jaeger		r	r	
Least Sandpiper Least Sandpiper	u	o a	c	AUKS - PUFFINS				
White-rumped Sandpiper	и	u U	u	Dovekie				r
Baird's Sandppiper		r	0	Common Murre				r
Pectoral Sandpiper	o	0	u	Thick-billed Murre				r
Purple Sandpiper	$^{ m c}$		r	r Razorbill	r			r
Dunlin	0	r	c	r Black Guillemot	r			r
Stilt Sandpiper		0	0					
Buff-breasted Sandpiper		r	r	PIGEONS - DOVES				
Ruff	r	r	r	• Rock Pigeon (I)	a	a	a	a
Short-billed Dowitcher	u	a	c	• Mourning Dove	a	a	a	c
Long-billed Dowitcher		0	0	CUCKOOS - ANIS				
				• Yellow-billed Cuckoo	r	r	0	
				• Black-billed Cuckoo	0	u	0	
	•				O	и	U	
				TYPICAL OWLS				
				• Great Horned Owl	u	u	u	u
	M .			Snowy Owl	r		r	r
Killdeer	1			• Barred Owl	u	u	u	u
Aumeer				Long-eared Owl	r			r
	8			Short-eared Owl	r		r	0
A Commence of the Commence of	5			* Northern Saw-whet Owl	O	0	u	0
S. The second Mill Mill Marie and S. L.								

	Sp	S	F	W	
NIGHTJARS					VIREOS
Common Nighthawk	r	0	0		Yellow-throated Vireo
• Whip-poor-will	r	0			• Blue-headed Vireo
					Warbling Vireo
OWNETO					Philadelphia Vireo
SWIFTS					• Red-eyed Vireo
Chimney Swift	0	u	r		CROWS - JAYS
HUMMINGBIRDS					• Blue Jay
• Ruby-throated Hummingbird	О	u	u		Blue say
KINGFISHERS					Black-capped
• Belted Kingfisher	u	c	c	\mathbf{r}	chickadee
	u	e	C	r	
WOODPECKERS					
• Red-bellied Woodpecker	О	0	0	u	
Yellow-bellied Sapsucker	О	r	u	r	
• Downy Woodpecker	a	c	a	a	
• Hairy Woodpecker	u	u	u	u	
• Northern Flicker	u	c	c	r	
• Pileated Woodpecker	u	0	0	0	
TYRANT FLYCATCHERS					• American Crow
Olive-sided Flycatcher	0	0			* Fish Crow
• Eastern Wood-pewee	0	c	r		* Common Raven
Yellow-bellied Flycatcher	\mathbf{r}	r	r		
• Alder Flycatcher	0	u	r		LARKS
• Willow Flycatcher	u	u	r		• Horned Lark
* Least Flycatcher	u	u	o		
• Eastern Phoebe	u	c	u		SWALLOWS
 Great-crested Flycatcher 	u	c	0		• Purple Martin
Western Kingbird			r		• Tree Swallow
• Eastern Kingbird	u	c	0		- Northern Rough-winged Swalle
OUDUKEO					• Bank Swallow
SHRIKES					• Cliff Swallow
Northern Shrike	r		r	0	Barn Swallow
		•			CHICKADEES - TITMICE
	Part of the second	-			• Black-capped Chickadee
	1				• Tufted Titmouse



VIREOS				
Yellow-throated Vireo	r	r		
Blue-headed Vireo	u	u	u	
Warbling Vireo	r	0		
Philadelphia Vireo	r		0	
- D . 1 177	_	_	_	



• American Crow	a	a	a	a
* Fish Crow	0	0	0	
* Fish Crow* Common Raven	0	0	0	u
LARKS				
• Horned Lark	0		0	u
SWALLOWS				
• Purple Martin	0	0		
• Tree Swallow • Northern Rough-winged Swallow • Bank Swallow • Cliff Swallow	u	a	c	
Northern Rough-winged Swallow	O	u		
• Bank Swallow	0	u	0	
• Cliff Swallow	0	0		
• Barn Swallow	0	c	u	
CHICKADEES - TITMICE				
• Black-capped Chickadee	c	c	c	c
• Tufted Titmouse	u	u	u	u
NUTHATCHES				
• Red-breasted Nuthatch	c	0	u	c
• White-breasted Nuthatch	c	c	c	c

u

u

CREEPERS

 $__$ • Brown Creeper $_$



991				
WRENS ***	Sp	S	F	W
• Carolina Wren	0	u	u	0
- House Wren	0	u	0	
* Winter Wren	0	0	0	
* Winter Wren • Marsh Wren	0	0	0	
KINGLETS				
* Golden-crowned Kinglet	0	r	c	0
Ruby-crowned Kinglet	0	r	u	r
GNATCATCHERS				
* Blue-gray Gnatcatcher	r	r	r	
THRUSHES				
• Eastern Bluebird	0	u	u	О
• Veery Swainson's Thrush	0	u	0	
Swainson's Thrush	0		o	
• Hermit Thrush	u	u	u	r
• Wood Thrush	0	u	r	
- American Robin	c	a	a	u
MOCKINGBIRDS - THRASHERS				
• Gray Catbird	c	a	c	r
Northern Mockingbird	u	c	u	o
Brown Thrasher	u	u	О	



	Sp	S	F	w
STARLINGS				
• European Starling (I)	a	a	a	c
	a	a	a	
PIPIT				
American Pipit	0		u	r
WAXWINGS				
Bohemian Waxwing	r			r
Cedar Waxwing	0	a	c	u
WOOD WARBLERS				
*Blue-winged Warbler	r	r	r	
Tennessee Warbler	0		0	
Orange-crowned Warbler			0	r
• Nashville Warbler	u	u	u	
Northern Parula	u	0	u	
• Yellow Warbler	u	a	0	
• Chestnut-sided Warbler	0	u	u	
• Magnolia Warbler	u	u	u	
Cape May Warbler	0		0	
*Black-throated Blue Warbler	u	0	u	
* Yellow-rumped Warbler	С	u	a	0
• Black-throated Green Warbler _	c	c	u	
* Blackburnian Warbler	0	0	u	
• Pine Warbler	u	c	u	
* Prairie Warbler	0	0	0	
Palm Warbler	u		u	
Bay-breasted Warbler	0		0	
Blackpoll Warbler	u		u	
• Black-and-White Warbler	u	c	u	
• American Redstart	u	c	u	
• Ovenbird	0	c	0	
• Northen Waterthrush	0	0	r	
* Louisiana Waterthrush	r	r		
Mourning Warbler	r	r	r	
Common Yellowthroat	u	a	c	
Wilson's Warbler	0	r	u	
• Canada Warbler	0	0	0	
Yellow-breasted Chat			r	r
SPARROWS - TOWHEES				
• Eastern Towhee	u	c	u	r
American Tree Sparrow	0		u	c
• Chipping Sparrow	u	\mathbf{c}	c	
Clay-colored Sparrow			0	
• Field Sparrow	0	0	u	
Vesper Sparrow	r	\mathbf{r}	0	

	Sp	S	F	W
• Savannah Sparrow	u	c	u	r
Nelson's Sparrow	0	c	0	
• Saltmarsh Sparrow	0	c	r	
Seaside Sparrow		r		
Fox Sparrow	0		0	r
• Song Sparrow	c	a	c	u
Lincoln's Sparrow	0		u	
• Swamp Sparrow	0	u	u	r
White-throated Sparrow	u	0	c	0
White-crowned Sparrow	0		u	r
* Dark-eyed Junco	c	0	c	a
Lapland Longspur	0		0	r
Snow Bunting	u		u	0
CARDINALS - GROSBEAKS - ALLIES				
• Scarlet Tanager	0	u	0	
Northern Cardinal	c	c	c	c
• Rose-breasted Grosbeak	u	u	0	
• Indigo Bunting	0	u	0	
Dickcissel			0	r
BLACKBIRDS - ORIOLES				
• Bobolink	u	c	0	
• Red-winged Blackbird	a	a	c	r
• Eastern Meadowlark	0	0	0	r
Rusty Blackbird	0	\mathbf{r}	0	
• Common Grackle	a	a	c	r





	Sp	S	F	W
• Brown-headed Cowbird	c	c	c	r
*Orchard Oriole	r	0		
Baltimore Oriole	0	u	0	
FINCHES				
Pine Grosbeak	r		r	r
• Purple Finch	u	u	c	0
• House Finch	c	a	a	u
* Red Crossbill	r	r	r	r
* White-winged Crossbill	r	r	r	r
Common Redpoll	r		r	r
*Pine Siskin	0	r	0	0
American Goldfinch	c	a	a	c
• Evening Grosbeak	0	0	0	0
OLD WORLD SPARROWS				
• House Sparrow (I)	a	a	a	c

ACCIDENTALS

These additional 26 species are considered accidentals:

Tundra Swan White-winged Tern (A)


Canvasback Royal Tern
Ruddy Duck Black Skimmer
Northern Bobwhite Great Gray Owl

Cattle Egret Scissor-tailed Flycatcher

Clapper Rail Gray Jay Common Moorhen Cave Swallow Pacific Golden-Plover Boreal Chickadee American Avocet Gray-cheeked Thrush Bicknell's Thrush Curlew Sandpiper Black-headed Gull Worm-eating Warbler Summer Tanager Sooty Tern Caspian Tern Hoary Redpoll

TIPS FOR FIELD I.D.

The identification of birds is greatly aided by simply noting a few key field marks. The diagram below illustrates several of these. In addition, general size, color, habitat, song and behavior help narrow down the options. Remember, use more than one field mark, as many species are similar and can only be distinguished by using a combination of several marks.



NOTES

Location	
Date	Time
Observers	
Weather	