U.S. Fish & Wildlife Service



Like small islands in a sea of agriculture, the five refuges of the Sacramento National Wildlife Refuge Complex provide a lifeline to birds and other wildlife

in the great Central
Valley of California.
These valued wetland
areas are among the
most intensively
managed wildlife
refuges in the
United States.



Introduction

Raptors feed on waterfowl, rodents and small birds.



Red-tail hawk

Geese begin arriving at the refuges in September.



Greater White-fronted

The five national wildlife refuges of the Sacramento National Wildlife Refuge Complex—Sacramento, Delevan, Colusa, Sutter, and Sacramento River—cover some 35,000 acres of grassland, seasonal and permanent wetlands, and riparian habitats. They are located 50 to 90 miles north of the city of Sacramento, California.

These refuges represent a small portion of the vast grasslands, seasonal marshes, and permanent wetlands that once existed in the Sacramento Valley. Millions of migratory waterfowl and other water birds wintered here with deer, elk, pronghorn, and grizzly bear.

Today most of the wetlands are gone, having been drained and reclaimed for agriculture and urban development. Gone, too, are the grizzly bear and large herds of pronghorn, and elk. However, some of the most spectacular concentrations of waterfowl on the continent can still be seen on these refuges.

Many of the ducks wintering in the Sacramento Valley come from Alaska and the prairie pothole region of North America. Most of the geese migrate from Alaska and the Canadian arctic. Ducks begin arriving during August and are joined by geese in September and October. Waterfowl numbers on the refuges may exceed two million by December after the wetland areas of the Klamath Basin and other areas to the north become frozen. Pintails, mallards, wigeon, shovelers, snow, Ross's, and white-fronted geese are most commonly seen during these months, but the careful observer can find many others. Waterfowl numbers gradually decline in February and March as they return to their northern breeding grounds.



Although the refuges are managed mainly for waterfowl, they support a diversity of wildlife.
A mouthful of feathers indicates what this coyote is having for dinner.

Although managed mainly for migratory waterfowl, the refuges are also attractive to other wildlife. The marshes, with readily available fish, frogs, and invertebrates, support grebes, white pelicans, egrets, herons, and bitterns. Shorebirds probe the mud and shallow water for crustaceans, snails, worms, and other invertebrates. Raptors find an abundance of waterfowl, rodents, or small birds on which to feed. The largest variety of songbirds feed and nest in the mixed forests bordering waterways and creeks. Deer and jackrabbits graze in the grasslands and on the edges of wetlands.

This wildlife checklist contains over 300 species of birds and a diversity of animals which have been recorded on the refuges since 1937.

Refuge

The location key is used when a species is more likely to be observed on a particular refuge or refuges:

(SR) Sacramento River NWR

(S) Sutter NWR

Habitat (H)

- r Riparian, wooded areas along waterways
- u Uplands, grasslands and roadsides
- w Wetlands, marshes and ponds

Abundance

- abundant, a common species which is very numerous
- common, certain to be seen or heard in suitable habitat
- uncommon, present, but not certain to be seen
- occasional, seen only a few times during the season
- rare, known to be present but not every year
- * birds known to nest locally
- State or Federal Threatened/ Endangered Species

Goose

Steven R. Emmons

Birds of Sacramento NWR Complex Common Name H J FMAMJJASOND Loons Common Loon Grebes *Pied-billed Grebe Horned Grebe *Eared Grebe ____ *Western Grebe *Clark's Grebe **Pelicans** American White Pelican **Cormorants** *Double-crested Cormorant **Bitterns, Herons and Egrets** *American Bittern *Least Bittern W *Great Blue Heron *Great Egret *Snowy Egret *Cattle Egret _____ *Green Heron *Black-crowned Night-Heron W **Ibises and Spoonbills** *White-faced Ibis **New World Vultures** *Turkey Vulture



Common Name	Н	
Waterfowl		
Greater White-fronted Goose		
Pacific	w	
Tule	w	
Snow Goose	w	
Ross's Goose	w	
Canada Goose		
* Western	u,w	
Cackling	u,w	
Aleutian	u,w	
Lesser/Taverner's	u,w	
Tundra Swan (SR)	w	
Trumpeter Swan (SR)	w	
Wood Duck	r,w	
Gadwall	w	
Eurasian Wigeon	w	
American Wigeon	w	
Mallard	w	
Blue-winged Teal	w	
Cinnamon Teal	w	
Northern Shoveler	w	
Northern Pintail	w	
Green-winged Teal	w	
Canvasback	w	
Redhead	w	
Ring-necked Duck	w	
Greater Scaup	w	
Lesser Scaup	w	
Bufflehead	w	
Common Goldeneye	w	
Hooded Merganser	w	
Common Merganser	w	
Ruddy Duck	w	
Osprey, Kites, Hawks and Eagle	es	
Osprey (SR)	r	
White-tailed Kite	u	
Bald Eagle	u	
Northern Harrier	u,w	
Sharp-shinned Hawk	r	
Cooper's Hawk	r	
Red-shouldered Hawk	r	
√Swainson's Hawk	u	

Common Name	H JFMAMJJASOND
*Red-tailed Hawk	u
Ferruginous Hawk	u
Rough-legged Hawk	u
*Golden Eagle	u
Falcons and Caracaras	
*American Kestrel	u
Merlin	u
Peregrine Falcon	u
Prairie Falcon	u
Gallinaceous Birds	
*Ring-necked Pheasant	u
*Wild Turkey	u
*California Quail	u
Rails	
*Virginia Rail	W
*Sora	W
*Common Gallinule	W
*American Coot	W
Cranes Sandhill Crane	
Lesser	u,w
√Greater	u,w
Plovers	
Black-bellied Plover	w
Semipalmated Plover	w
*Killdeer	u,w
Stilts and Avocets	
*Black-necked Stilt	W
*American Avocet	W
Sandpipers and Phalaropes	
Greater Yellowlegs	W
Lesser Yellowlegs	w
Solitary Sandpiper	W
Willet	W
*Spotted Sandpiper (SR)	W
Whimbrel	W
Long-billed Curlew Marbled Godwit	u — — — — — — — — — — — — — — — — — — —
8	W

Common Name	Н	J	FMA	MJ	J A	S	0 N	ID
Western Sandpiper	w							
Least Sandpiper	w		_			_		
Pectoral Sandpiper	w							
Dunlin	w		_					
Short-billed Dowitcher	w				٠.			
Long-billed Dowitcher	w		_					
Wilson's Snipe			_					
*Wilson's Phalarope	w							
Red-necked Phalarope	W				_			
Skuas, Jaegers, Gulls and Terns								
Bonaparte's Gull	w							
Ring-billed Gull	W		_	_	ш	_		
California Gull	w							
Herring Gull	W		_					
Caspian Tern	W		_	_	_			
Forster's Tern	W							
*Black Tern	w			-	Н			
Pigeons and Doves								
*Rock Pigeon	u	•••		• • • • • •			••••	•••
Band-tailed Pigeon	r			••••				
*Mourning Dove	u	-	_	-	-		-	_
Cuckoos and Anis								
*/Yellow-billed Cuckoo (SR,S)	r							
Barn Owls								
*Barn Owl	r				Ш			
Typical Owls								
*Western Screech-Owl	r	-		-	-	-		=
*Great Horned Owl	r							
*Burrowing Owl	u		•••••		•••••	• • • • • •	•••••	•••
Long-eared Owl *Short-eared Owl	r	•••	••••••			••••	•••	• • • •
Northern Saw-whet Owl	u	•••	••••••	• • • • • •		• • • • • •	•••••	•••
Northern Saw-whet Owl	r	•••				••••	•••	• • • •
Nightjars								
*Lesser Nighthawk (SR)	r,u				Н	-	••••	
Common Nighthawk	r,u							
Common Poorwill	u							

Common Name	Н	J	FMA	MJ	JA	SOND
Swifts			П	П		
Black Swift	u					
Vaux's Swift	u	П				
White-throated Swift	u					
Hummingbirds						
*Black-chinned Hummingbird	r					
*Anna's Hummingbird	r					
Rufous Hummingbird	r		-			
Allen's Hummingbird	r		***			
Kingfishers						
*Belted Kingfisher	w,r	-				
Woodpeckers						
Lewis's Woodpecker	r					
*Acorn Woodpecker (SR)	r					
Red-breasted Sapsucker	r					
*Nuttall's Woodpecker	r			_	_	
*Downy Woodpecker	r					
Hairy Woodpecker	r					
*Northern Flicker	r	_		Н		
Tyrant Flycatchers						
*Western Wood-Pewee	r			ш		
/Willow Flycatcher (SR,S)	r					
Dusky Flycatcher (SR)	r					
Pacific-slope Flycatcher	r					
*Black Phoebe	r					
Say's Phoebe	r			П		
*Ash-throated Flycatcher	r		37			
*Western Kingbird	r			H	- 13	
Shrikes						
Northern Shrike	u					
*Loggerhead Shrike	u	_	Н	Н		
Vireos						
Cassin's Vireo	r					
/Hutton's Vireo (SR,S)	r					
Warbling Vireo	r		ç. 			
Crows, Jays and Magpies						
*Western Scrub-Jay	r					
*Yellow-billed Magpie	r					
10						

Common Name	Н	J FM	AMJ	JAS	OND
*American Crow	u	,ia			
*Common Raven	u				-
Larks					
*Horned Lark	u	<u> </u>			
Swallows					
Purple Martin	w				
*Tree Swallow	r,w				
Violet-green Swallow	r,w				
*Northern Rough-winged Swallo (SR)	w r,w				
*/Bank Swallow (SR)	r,w				
*Cliff Swallow	r,w				
*Barn Swallow	w			_	
Titmice and Chickadees					
*Oak Titmouse	r				
Bushtits					
*Bushtit	r		н	+	
Nuthatches					
Red-breasted Nuthatch	r				
*White-breasted Nuthatch (SR)	r				100.000
Creepers					
Brown Creeper	r				
Wrens					
*Bewick's Wren	r				
*House Wren	r				
Winter Wren	r				
*Marsh Wren	w			-	




Marsh Wren Steven R. Emmons

Common Name	Н	J	FN	IAI	۷IJ	J	ASOND
Kinglets							
Golden-crowned Kinglet	r						
Ruby-crowned Kinglet	r						
						Г	
Old World Warblers							
Blue-gray Gnatcatcher	r			••••	•••••	••••	•••
Thrushes							
*Western Bluebird (SR)	r,u						
Mountain Bluebird	r,u						
Swainson's Thrush	r						
Hermit Thrush	r						
*American Robin	r						
Varied Thrush	r						
Wrentit (SR)	r						
Mimic Thrushes							
*Northern Mockingbird	r	-				H	
Starlings							
*European Starling	r						
European Starting	1	F		П	T	П	
Wagtails and Pipits							
American Pipit	u,w	_					
Waxwings							
Bohemian Waxwing	r						
Cedar Waxwing	r	•••	•••••	****	*****	••••	
Cedar waxwing	1	П		T		••••	
Wood Warblers							
Orange-crowned Warbler	r						
Nashville Warbler	r						
Yellow Warbler	r			_	-		
Yellow-rumped Warbler	\mathbf{r}						
Black-throated Gray Warbler	r			••••			
Townsend's Warbler	r						
Hermit Warbler	r						
MacGillivray's Warbler	r			••••			
*Common Yellowthroat	w				۰		
Wilson's Warbler	\mathbf{r}				_		
*Yellow-breasted Chat	r						
Топомоче							
Tanagers							
Western Tanager	r						

Common Name	Н	J	FI	۷I	ΑN	IJ	J	A S	0 8	NE)
Sparrows and Towhees											
*Spotted Towhee	r										
*California Towhee	r										
Chipping Sparrow	r										
Vesper Sparrow	u										
*Lark Sparrow	u										
Savannah Sparrow	u									_	
*Grasshopper Sparrow (SR)	u										
Fox Sparrow	r										Ī
*Song Sparrow	r,w										
Lincoln's Sparrow				_							
White-throated Sparrow											
White-crowned Sparrow	r										
Golden-crowned Sparrow											
Dark-eyed Junco											
											Ī
Cardinals, Grosbeaks and Allies											
*Black-headed Grosbeak	r								-		
*Blue Grosbeak	r			_					-		
*Lazuli Bunting	r							• • • • •			
Blackbirds and Orioles											
*Red-winged Blackbird	w									-	
*Tricolored Blackbird	u,w	7_								_	
*Western Meadowlark	u									_	
*Yellow-headed Blackbird	w										
*Brewer's Blackbird	u										
*Brown-headed Cowbird	u										
*Great-tailed Grackle	w										
*Bullock's Oriole	r										
Finches											
Purple Finch (SR)	20										
*House Finch			••••							••••	•
Pine Siskin	r	П	П	Ŧ			П		Ŧ	П	_
*Lesser Goldfinch	r	•••	••••								
Lawrence's Goldfinch (SR)	r	Г	Ī	ī			П			П	-
*American Goldfinch	r				••••		• • • •	• • • • •	••••		
	r	-	П							П	-
Evening Grosbeak	r	•••	••••							••••	•
Old World Sparrows											
*House Sparrow	r										

Accidentals Long-tailed Duck American Black Duck Magnolia Warbler Mew Gull American Golden-Plover American Tree Sparrow Mountain Chickadee Baikal Teal Mountain Plover Baird's Sandpiper Mute Swan Black-bellied Whistling-Duck Northern Parula Black-legged Kittiwake Northern Pygmy-Owl Black Rail Northern Waterthrush Olive-sided Flycatcher Brant Brewer's Sparrow Ovenbird Calliope Hummingbird Palm Warbler Cassin's Finch Phainopepla Chestnut-collared Longspur Prothonotary Warbler Chestnut-sided Warbler Red-breasted Merganser Clark's Nutcracker Red Crossbill Dusky Flycatcher Red Knot **Emperor Goose** Red-necked Grebe Falcated Duck Red Phalarope Franklin's Gull Red-throated Loon Fulvous Whistling-Duck Rock Wren Gray Flycatcher Ruddy Turnstone Greater Roadrunner Ruff Sabine's Gull Glaucous Gull Sage Sparrow Glaucous-winged Gull Glossy Ibis Sage Thrasher Hammond's Flycatcher Sanderling Harlequin Duck Semipalmated Sandpiper Harris' Sparrow Snow Bunting Hooded Oriole Snowy Owl Indigo Bunting Snowy Plover Jack Snipe Summer Tanager Little Blue Heron Surf Scoter Swamp Sparrow Thaver's Gull White-winged Scoter Yellow Rail Ruddy Turnstone Steven R. Emmons

Other Wildlife of Sacramento NWR Complex



Inland Silverside (SR)

Common Kingsnake/@Gary Kramer

Reptiles

Alligator	r Lizard
Common	n Garter Snake
Common	n Kingsnake
Giant Ga	arter Snake
Gopher	Snake
Red-ear	ed Slider (SR)
Western	Fence Lizard
Western	Pond Turtle
Western	Rattlesnake (SR)
Western	Yellow-bellied
Racer (S	SR)

Amphibians

American Bullfrog Pacific Tree Frog

Fishes

American Shad
Bigscale Logperch (SR)
Black Bullhead
Black Crappie
Bluegill
Brown Bullhead
California Roach (SR)
Channel Catfish
Chinook Salmon(King)(SI
Common Carp
Golden Shiner
Goldfish
Green Sturgeon (SR)
Green Sunfish
Hardhead (SR)
Hitch (SR)

Largemouth Bass Mosquitofish Pacific Lamprey (SR) Prickly Sculpin (SR) Pumpkinseed (SR) Rainbow Trout (SR) Red Shiner Redear Sunfish Riffle Sculpin (SR) River Lamprey (SR) Sacramento Blackfish Sacramento Pikeminnow Sacramento Splittail (SR) Sacramento Sucker Smallmouth Bass Speckled Dace (SR) Steelhead (SR) Striped Bass Threadfin Shad Three-spined Stickleback (SR) Tule Perch Warmouth Western Minnow (SR) White Catfish White Crappie White Sturgeon (SR) Yellow Bullhead

Visit:

www.sacramentoriverportal.org for a complete fish species list.

Mammals

Beaver

Big Free-tailed Bat

Black Rat

Black-tailed Deer

Black-tailed Jackrabbit

Bobcat (SR)

Botta Pocket Gopher

California Gray Squirrel

California Ground Squirrel

California Myotis

California Vole

Coyote

Deer Mouse

Desert Cottontail

Gray Fox

Hoary Bat

House Mouse

Mexican Free-tailed Bat

Mink

Muskrat

Norway Rat

Virginia Opposum

Pallid Bat

Porcupine (SR)






 $Striped\ Skunk/{\tt V.\,B.}\ Scheffer$

Raccoon
Red Bat
Red Fox
Ringtail
River Otter
Striped Skunk
Vagrant Shrew
Western Harvest Mouse
Western Spotted Skunk
Black Bear (SR)
Mountain Lion (SR)









Sacramento
National Wildlife Refuge Complex
752 County Road 99 W
Willows, California 95988
530/934-2801
http://www.fws.gov/SacramentoValleyRefuges
TTY: 530/934 7135

U.S. Fish & Wildlife Service 1 800/344 WILD Pacific Southwest Region Information http://www.fws.gov/cno

Federal Relay Service TTY and Voice 1 800/877 8339 (8:00 am to 8:00 pm EST)

This brochure will be made available in other formats upon request.

June 2012





 $Snow\ geese/$ $@Gary\ Kramer$

Printed on 100% recycled paper with a minimum 60% post-consumer fiber content.

