

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

References Cited

FR Vol 78, No. 80

FR 24471-24514

- Adams, M.J., D.E. Schindler, and R.B. Bury. 2001. Association of amphibians with attenuation of ultraviolet-b radiation in montane ponds. *Oecologia* 128:519–525.
- Adams, M.J., B.R. Hossack, R.A. Knapp, P.S. Corn, S.A. Diamond, P.C. Trenham, and D.B. Fagre. 2005. Distribution patterns of lentic-breeding amphibians in relation to ultraviolet radiation exposure in western North America. *Ecosystems* (8):488–500.
- Alford R.A. and S.J. Richards. 1999. Global amphibian declines: a problem in applied ecology. *Annual review of Ecology and Systematics* 30:133–165.
- Allen-Diaz, B. Allen-Diaz, A. Lind, S. McIlroy, and K. Tate. 2010. Determining the Effects of Livestock Grazing on Yosemite Toads (*Bufo canorus*) and their Habitat: An Adaptive Management Study. 45 pp.
- Angermann, J.E., G.M. Fellers, and F. Matsumura. 2002. Polychlorinated biphenyls and toxaphene in pacific tree frog tadpoles (*Hyla regilla*) from the California Sierra Nevada, USA. *Environmental Toxicology and Chemistry* 21(10):2209–2215.
- Armour, C.A., D. Duff, and W. Elmore. 1994. The effects of livestock grazing on western riparian and stream ecosystems. *Fisheries* 19:9–12.
- Aston, L.S. and J.N. Seiber. 1997. Fate of summertime organophosphate pesticide residues in the Sierra Nevada Mountains. *Journal of Environmental Quality* 26:1483–1492.
- Bahls, P. 1992. The status of fish populations and management of high mountain lakes in the western United States. *Northwest Science* 66(3):183–193.
- Beesley, D. 1996. Reconstructing the landscape: an environmental history, 1820–1960. *In*: Sierra Nevada ecosystem project, final report to Congress. Volume II, Chapter 1. Assessments and scientific basis for management options. Center for Water and Wildland Resources, University of California, Davis, CA. 22 pp.
- Berec, L., E. Angulo and F. Courchamp. 2006. Multiple Allee effects and population management. *TRENDS in Ecology and Evolution* 22:185–191.
- Bergmann, K. 2004. Stream incision and sagebrush expansion on the Kern Plateau, California: A Hydrologic Perspective. Carleton College, Northfield, MN. 47 pp.
- Berlow, E. 2012. USGS Yosemite Field Station, El Portal, CA. A presentation at the April 11, 2012, Yosemite Toad Monitoring and Research Meeting. Notes taken by S. Detwiler.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Berrill, M., S. Bertram, A. Wilson, S. Louis, D. Brigham, and C. Stromberg. 1993. Lethal and sublethal impacts of pyrethroid insecticides on amphibian embryos and tadpoles. *Environmental Toxicology and Chemistry* 12:525–539.
- Berrill, M., S. Bertram, L. McGillivray, M. Kolohon, and B. Pauli. 1994. Effects of low concentrations of forest-use pesticides on frog embryos and tadpoles. *Environmental Toxicology and Chemistry* 13(4):657–664.
- Berrill, M., S. Bertram, B. Pauli, D. Coulson, M. Kolohon, and D. Ostrander. 1995. Comparative sensitivity of amphibian tadpoles to single and pulsed exposures of the forest-use insecticide fenitrothion. *Environmental Toxicology and Chemistry* 14(6):1011–1018.
- Berrill, M., D. Coulson, L. McGillivray, and B. Pauli. 1998. Toxicity of endosulfan to aquatic stages of anuran amphibians. *Environmental Toxicology and Chemistry* 17(9):1738–1744.
- Blair, W.F. 1959. Genetic compatibility and species groups in U.S. toads (*Bufo*). *The Texas Journal of Science* 11:427–453.
- Blair, W.F. 1963. Evolutionary relationships of North American toads of the genus *Bufo*: A progress report. *Evolution* 17:1–16.
- Blair, W.F. 1964. Evidence bearing on the relationships of the *Bufo boreas* group of toads. *The Texas Journal of Science* 16:181–192.
- Blair, W.F. 1972. *Evolution in the genus Bufo*. University of Texas Press. Austin.
- Blaustein, A.R. 1994. Amphibians in a bad light. *Natural History* 10:32–39.
- Blaustein, A.R. and D.B. Wake. 1990. Declining amphibian populations: a global phenomenon? *Trends in Ecology and Evolution* 5(7):203–204.
- Blaustein, A.R. and D.B. Wake. 1995. The puzzle of declining amphibian populations. *Scientific American* 272:52–57.
- Blaustein, A.R., D.B. Wake, and W.P. Sousa. 1994a. Amphibian declines: judging stability, persistence, and susceptibility of populations to local and global extinctions. *Conservation Biology* 8(1):60–71.
- Blaustein, A.R., D.G. Hokit, R.K. O’Hara, and R.A. Holt. 1994b. Pathogenic fungus contributes to amphibian losses in the Pacific Northwest. *Biological Conservation* 67:251–254.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Blaustein, A.R., P.D. Hoffman, D.G. Hokit, J.M. Kiesecker, S.C. Walls, and J.B. Hays. 1994c. UV repair resistance to solar UV-B in amphibian eggs: a link to population declines? *Proceedings of the National Academy of Science* 91:1791–1795.
- Blaustein A.R., L.K. Belden, D.H. Olson, D.M. Green, T.L. Root, and J.M. Kiesecker. 2001. Amphibian breeding and climate change. *Conservation Biology* 15(6):1804–1809.
- Boarman, W.I., R. J. Camp, M. Hagan, and W. Deal. 1995. Raven abundance at anthropogenic resources in the western Mojave Desert, California. Report to Edwards Air Force Base, CA. National Biological Service, Riverside, CA. 19 pp.
- Bohn, C.C. and J.C. Buckhouse. 1985. Some responses of riparian soils to grazing management in northeastern Oregon. *Journal of Range Management* 38(4):378–381.
- Bosch, L.M. Carrascal, L. Durán, S. Walker, and M.C. Fisher. 2007. Climate change and outbreaks of amphibian chytridiomycosis in montane areas of central Spain; is there a link? *Proceedings of the Royal Society Biological Sciences* 274:253–260.
- Bradford, D.F. 1983. Winterkill, oxygen relations, and energy metabolism of a submerged dormant amphibian, *Rana muscosa*. *Ecology* 64:1171–1183.
- Bradford, D. F. 1984. Temperature modulation in a high elevation amphibian, *Rana muscosa*. *Copeia* 1984(4):966–976.
- Bradford, D.F. 1989. Allotopic distribution of native frogs and introduced fishes in high Sierra Nevada lakes of California: implications of the negative effect of fish introductions. *Copeia* 1989:775–778.
- Bradford, D. F. 1991. Mass mortality and extinction in a high elevation population of *Rana muscosa*. *Journal of Herpetology* 25(2):174–177.
- Bradford, D.F. and M.S. Gordon, 1992. Aquatic amphibians in the Sierra Nevada; current status and potential effects of acidic deposition on populations. Final report to the California Air Resources Board. Contract Number A932–139. 87 pp. plus appendices.
- Bradford, D.F, C. Swanson, and M.S. Gordon. 1992. Effects of low pH and aluminum on two declining species of amphibians in the Sierra Nevada, California. *Journal of Herpetology* 26:369–377.
- Bradford, D. F., F. Tabatabai, and D. M. Graber. 1993. Isolation of remaining populations of the native frog, *Rana muscosa*, by introduced fishes in Sequoia and Kings Canyon National Parks, California. *Conservation Biology* 7(4):882–888.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Bradford, D.F., D.M. Graber, and F. Tabatabai. 1994a. Population declines of the native frog, *Rana muscosa*, in Sequoia and Kings Canyon National Parks, California. *The Southwestern Naturalist* 39:322–327.
- Bradford, D.F., M.S. Gordon, D.F. Johnson, and R.D. Andrews. 1994b. Acidic deposition as an unlikely cause for amphibian population declines in the Sierra Nevada, California. *Biological Conservation* 69:155–161.
- Bradford, D. F., S. D. Cooper, T. M. Jenkins, Jr., K. Kratz, O. Sarnelle, and A. D. Brown. 1998. Influences of natural acidity and introduced fish on faunal assemblages in California alpine lakes. *Canadian Journal of Aquatic Sciences* 55:2478–2491.
- Bradford, D.F., K. Stanley, L.L. McConnell, N.G. Tallent-Halsell, M.S. Nash, and S.M. Simoncini. 2010. Spatial patterns of atmospherically deposited organic contaminants at high elevation in the southern Sierra Nevada mountains, California, USA. *Environmental Toxicology and Chemistry* 29(5):1056–1066.
- Brattstrom, B.H. 1962. Thermal control of aggregation behavior in tadpoles. *Herpetologica* 18(1):38–47.
- Briggs C.J., J. Taylor, C. Moritz, and R.A. Knapp. 2002. Amphibian disease dynamics in a fragmented landscape. Proposal to the National Institute of Health, Ecology of Infectious Disease Program. Submitted by the Regents of the University of California. University of California, Berkeley, California. Funded June 2002.
- Briggs, C.J., V.T. Vredenburg, R.A. Knapp, and L.J. Rachowicz. 2005. Investigating the population-level effects of chytridiomycosis: an emerging infectious disease of amphibians. *Ecology* 86(12):3149–3159.
- Briggs, C.J., , R.A. Knapp, and V.T. Vredenburg. 2010. Enzootic and epizootic dynamics of the chytrid fungal pathogen of amphibians. *Proceedings of the National Academy of Sciences* 107(21):9695–9700.
- Brooks, M.L. 2012. USGS Yosemite Field Station, El Portal, CA. A presentation at the April 11, 2012, Yosemite Toad Monitoring and Research Meeting. Notes taken by S. Detwiler.
- Brown, C., K. Kiehl, and L. Wilkinson. 2012. Advantages of long-term, multi-scale monitoring: assessing the current status of the Yosemite toad (*Anaxyrus [Bufo] canorus*) in the Sierra Nevada, California, USA. *Herpetological Conservation and Biology* 7(2):115–131.
- Brown, C., L. Wilkinson, and K. Kiehl. 2011. Status and Trend of the Mountain Yellow-Legged Frog, Yosemite Toad and Pacific Chorus Frog in the Sierra Nevada, CA: Results from the First Monitoring Cycle of the USDA Forest Service Sierra Nevada Amphibian Monitoring Program, DRAFT. 49 pp.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Brown, C. 2012. USFS Pacific Southwest Research Station, discussion at BUCA meeting April 11, 2012 Yosemite Toad Monitoring and Research Meeting. Notes taken by S. Detwiler.
- Brunelli, E., I Bernabo, C. Berg, K. Lundstedt-Enkel, A Bonacci, and S, Tripepi. 2009. Environmentally relevant concentrations of endosulfan impair development metamorphosis and behavior in *Bufo bufo* tadpoles. *Aquatic Toxicology* 91:135–142.
- Byron, E., R. Axler, and C. Goldman. 1991. Increased precipitation acidity in the Central Sierra Nevada. *Atmospheric Environment* 25A (2):271–275.
- CDFG. 2001. Aquatic biodiversity management plan for the Big Pine Creek wilderness basin of the Sierra Nevada, Inyo County, California, 1999–2005. Prepared by Milliron, C, approved by Pickard, A. Fleming, G. and Morey, S. California Department of Fish and Game, Eastern Sierra and Inland Deserts Region, Region 6, Bishop, California.
- CDFG. 2011a . TITLE 14. Fish and Game Commission Notice of Proposed Emergency Changes in Regulations. Public Notice from the California Fish and Game Commission, J.K Fischer, Active Executive Director, June 27, 2011. 7 pp.
- CDFG. 2011b. A Status Review of the Mountain Yellow-Legged Frog (*Rana sierrae* and *Rana muscosa*). Report to the Fish and Game Commission. California Department of Fish and Game, Sacramento CA. 52 pp. plus appendices.
- CDFG. 2012 State of California Fish and Game Commission. Staff summary, Meeting of February 2, 2012. 10 pp.
- CDFG, NPS, USFS, R.A. Knapp, G.M. Fellers. Sierra Nevada yellow-legged frog and mountain yellow-legged frog survey records, 08–13–1993 through 09–28–2010. Microsoft® Access® database
- California Department of Pesticide Regulation. 1998. Pesticide Use Report: 1998. Department of Pesticide Regulation, Sacramento, California.
- Calfee, R.D. and Little, E.E. 2003. Effects of a fire-retardant chemical to Fathead minnows in experimental streams. *Environmental Science and Pollution Research* 10(5):296-300.
- Camp, C.L. 1916. Description of *Bufo canorus*, a new toad from Yosemite National Park. University of California Publications in Zoology 17:59–62.
- Camp, C.L. 1917. Notes on the systematic status of the toads and frogs of California. University of California Publications in Zoology 17(9):115–125.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Camp, R.J. R.L. Knight, and J. Freilich 1993. Common raven populations in Joshua Tree national monument, California. *Western Birds* 24:198–199
- Carey, C. 1993. Hypothesis concerning the causes of the disappearance of boreal toads from the mountain of Colorado. *Conservation Biology* 7: 355–361.
- Carey, C. and C.J. Bryant. 1995. Possible interrelationships among environmental toxicants, amphibian development, and decline of amphibian populations. *Environmental Health Perspectives*. 103: Supplement 4:13–17.
- Carey, C., N. Cohen, and L. Rollins-Smith. 1999. Amphibian declines: and immunological perspective. *Developmental and Comparative Immunology* 1999:1–14.
- Carlson, A. 2002. (USFS, Tahoe National Forest). August 7, 2002, telephone conversation with Epanchin, P. (U.S. Fish and Wildlife Service).
- Cayan, D.R., M.D. Dettinger, H.F. Diaz, N.E. Graham. 1998. Decadal variability of precipitation over western North America. *Journal of Climate* 11:3148–3166.
- Chaney, E., W. Elmore, and W.S. Platts. 1990. Livestock grazing on western riparian areas. U.S. Environmental Protection Agency and the Northwest Resource Information Center. Eagle, Idaho. 45 Pp.
- Chang, C. 1996. Ecosystem responses to fire and variations in fire regimes. In: Sierra Nevada ecosystem project, final report to Congress. University of California, Davis.
- Clary, W.P. and J.W. Kinney. 2000. Streambank response to simulated grazing. USDA Forest Service Proceedings RMRS–P–13.
- Cole D.N., and P.B. Landres. 1996. Threats to wilderness ecosystems: impacts and research needs. *Ecological Applications* 6(1):168–184.
- Cooper, D.J. and E.C. Wolf. February 2006. Analysis of Meadow Hydrology, Vegetation, and Soils and Suggestions for Restoration of upper Halstead Meadow, Sequoia National Park, California. Report to the Sequoia National Park. Colorado State University, Fort Collins, CO. 18 pp.
- Corn, P.S. 1994. What we know and don't know about amphibian declines in the west. Pp. 59–67, in Sustainable ecological systems: implementing an ecological approach to land management. Covington, W.W. and L.F. DeBano (technical coordinators). USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Ft. Collins, Colorado. General Technical Report RM–247.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Corn, P.S. 2005. Climate change and amphibians. *Animal Biodiversity and Conservation* 28(1): 59–67.
- Corn, P.S. and F.A. Vertucci. 1992. Descriptive risk assessment of the effects of acidic deposition on rocky mountain amphibians. *Journal of Herpetology* 26(4):361–369.
- Cory, L. 1962a. Patterns of geographic variation in Sierra Nevada ranids (abstract). *American Zoologist* 2:401.
- Cory, L. 1962b. Life history and behavior differences between ranids in isolated populations in the Sierra Nevada (abstract). *American Zoologist* 2:515.
- Cory, L. 1963. Effects of introduced trout on the evolution of native frogs in the high Sierra Nevada mountains. Vol 2, p. 172. In: Proceedings from the XVI International Congress of Zoology. J.A. Moore (ed.). 20–27 August 1963, Washington, D.C. Published by XVI International Congress of Zoology, Washington, D.C.
- Cory, L.C., P. Fjeld, and W. Serat. 1970. Distribution patterns of DDT residues in the Sierra Nevada Mountains. *Pesticides Monitoring Journal* 4:205–211.
- Cory, L.C., P. Fjeld, and W. Serat. 1971. Environmental DDT and the genetics of natural populations. *Nature* 229(5280):128–130.
- Courchamp, F., T. Clutton-Brock, and B. Grenfell. 1999. Inverse density dependence and the Allee effect. *Tree* 14(10):405–410.
- Crother, B.I., J. Boundy, F.T. Burbrink, J.A. Campbell, K. de Queiroz, D.R. Frost, R. Highton, J. B. Iverson, F.Kraus, R.W. McDiarmid, J.R. Mendelson III, P.A. Meylan, T.W. Reeder, M.E. Seidel, S.G. Tilley, and D.B. Wake. 2008. Scientific and standard English names of amphibians and reptiles of North America north of Mexico, with comments regarding confidence in our understanding. Society for the Study of Amphibians and Reptiles 2008. 85 pp.
- Cunningham, J.D. 1963. Additional observations on the ecology of the Yosemite toad, *Bufo canorus*. *Herpetologica* 19(1):56–61.
- Darrouzet-Nardi, A, C.M. D’Antonio, and T.E. Dawson. 2006. Depth of water acquisition by invading shrubs and resident herbs in a Sierra Nevada meadow. *Plant and Soil* 285:31–43
- Daszak, P., L. Berger, A.A. Cunningham, A.D. Hyatt, D.E. Green, and R. Speare. 1999. Emerging infectious diseases and amphibian population declines. *Emerging Infectious Diseases* 5:735–748.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Datta, S., L. Hansen, L. McConnell, J. Baker, J. LeNoir, and J.N. Seiber. 1998. Pesticides and PCB contaminants in fish and tadpoles from the Kaweah River Basin, California. *Bulletin of Environmental Contamination and Toxicology* 60:829–836.
- Davidson, C. 2002. California Amphibian Declines and Historic Pesticide Use. Draft Report to the U.S. Fish and Wildlife Service. 19 pp. plus tables and appendix.
- Davidson, C. 2004. Declining downwind: amphibian population declines in California and historic pesticide use. *Ecological Applications* 14:1892-1902.
- Davidson, C. and R. A. Knapp. 2007. Multiple stressors and amphibian declines: dual impacts of pesticides and fish on yellow-legged frogs. *Ecological Applications* 17(2): 587–597.
- Davidson, C., H.B. Shaffer, and M.R. Jennings. 2001. Declines of the California red-legged frog: climate, UV-B, habitat, and pesticides hypotheses. *Ecological Applications* 11(2):464–479.
- Davidson, C., H.B. Shaffer, and M.R. Jennings. 2002. Spatial tests of the pesticide drift, habitat destruction, UV-B and climate change hypotheses for California amphibian declines. *Conservation Biology* 16(6):1588–1601.
- deMaynadier, P.G. and M.L. Hunter. 2000. Road effects on amphibian movements in a forested landscape. *Natural Areas Journal* 20:56–65.
- Dennis, B. 1989. Allee effects: population growth, critical density, and the chance of extinction. *Natural Resource Modeling* 3:481–538.
- Dennis, B. 2002. Allee effects in stochastic populations. *Oikos* 96:389–401.
- Dodge, C.M. and V.T. Vredenburg. 2012. The sad song of the Yosemite toad: The role of the amphibian chytrid fungus in an enigmatic decline. Presentation Abstract. *Disease and Epidemiology I: The Preliminary Program for 97th ESA Annual Meeting (August 5–10, 2012)*. 1 pg.
- Drost, C.A., and G. M. Fellers. 1994. Decline of frog species in the Yosemite section of the Sierra Nevada. United States Department of the Interior, National Park Service, Cooperative National Park Studies Unit, The University of California at Davis, Technical Report (NPS/WRUC/NRTR 94–02 [UC CPSU TR #56]):iv+56 p.
- Drost, C.A. and G.M. Fellers, 1996. Collapse of a Regional Frog Fauna in the Yosemite Area of the California Sierra Nevada, USA, *Conservation Biology* 10(2):414–425.
- Dull, R.A. 1999. Palynological evidence for 19th century grazing-induced vegetation change in the southern Sierra Nevada, California, USA. *Journal of Biogeography* 26(4):899–912.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Dyer, J.M. and K.E. Moffett. 1999. Meadow invasion from high-elevation spruce-fir forest in South-Central New Mexico. *Southwestern Naturalist* 44(4):444–456.
- Ellstrand N.C. and D.R. Elam. 1993. Population Genetic Consequences of Small Population Size: Implications for Plant Conservation *Annual Review of Ecology and Systematics* 24:217–242.
- Epanchin, P.L., R.A. Knapp, and S.P. Lawler. 2010. Nonnative trout impact an alpine-nesting bird by altering aquatic-insect subsidies. *Ecology* 91(8):2406–2415.
- Erman, N.A. 1996. Status of aquatic invertebrates. In: Sierra Nevada ecosystem project, final report to congress. Volume II, Chapter 35. Assessments and scientific basis for management options. Center for Water and Wildland Resources, University of California, Davis, California.
- Feder, J.H. 1977. Genetic variation and biochemical systematics in western *Bufo*. MA thesis, University of California, Berkeley. 72 pp.
- Feldman C.R. and J.A. Wilkinson. 2000. *Rana muscosa* (mountain yellow-legged frog), predation. *Herpetological Review* 31(2):102
- Fellers, G.M. 1994. An Assessment of the Status of Amphibians in the vicinity of California National Parks: 1993 progress report.
- Fellers G.M., D.E. Green, and J.E. Longcore. 2001. Oral chytridiomycosis in the mountain yellow-legged frog (*Rana muscosa*). *Copeia* 4:945–953
- Fellers, G.M., L.L. McConnell, D. Pratt, and S. Datta. 2004. Pesticides in mountain yellow-legged frogs (*Rana muscosa*) from the Sierra Nevada mountains of California, USA. *Environmental Toxicology and Chemistry* 23(9):2170–2177.
- Fellers, G.M., R.A. Cole, D.M. Reinitz, and P.M. Kleeman. 2011. Amphibian chytrid fungus (*Batrachochytrium dendrobatidis*) in coastal and montane California, USA Anurans. *Herpetological Conservation and Biology* 6(3):383–394.
- Finlay, J.C., and V.T. Vredenburg. 2007. Introduced trout sever trophic connections in watersheds: consequences for a declining amphibian. *Ecology* 88(9):2187–2198.
- Fisher, M.C., T.W.J. Garner, and S.F. Walker. 2009. Global emergence of *Batrachochytrium dendrobatidis* and amphibian chytridiomycosis in space, time and host. *Annual Review of Microbiology* 63:291–310.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Flather, C.H., G.D. Hayward, S.R. Beissinger, and P.A. Stephens. 2011. A general target for MVPs: unsupported and unnecessary. *Trends in Ecology and Evolution* 26(12):620–622.
- Fleischner T.L. 1994. Ecological costs of livestock grazing in western North America. *Conservation Biology* 8(3):629–644.
- Foden, W., Mace, G., Vié, J.C., Angulo, A., Butchart, S., DeVantier, L., Dublin, H., Gutsche, A., Stuart, S. and Turak, E. 2008. Species susceptibility to climate change impacts. In: J.C. Vié, C. Hilton-Taylor and S.N. Stuart (eds). *The 2008 Review of The IUCN Red List of Threatened Species*. IUCN Gland, Switzerland.
- Franklin, J.F., W.H. Moir, G.W. Douglas, and C. Wiberg. 1971. Invasion of subalpine meadows by trees in the Cascade Range, Washington and Oregon. *Arctic and Alpine Research* 3(3):215–224.
- Frost, D.R., Taran Grant, J. Faivovich, R.H. Bain, A. Haas, C.F.B. Haddad, R O. De Sá, A. Channing, M. Wilkinson, S.C. Donnellan, C.J. Raxworthy, J.A. Campbell, B.L. Blotto, P. Moler, R.C. Drewes, R.A. Nussbaum, J.D. Lynch, D.M. Green and W.C. Wheeler. 2006. The amphibian tree of life. *Bulletin of the American Museum of Natural History* (297): 1–291
- Ganguly, A., K. Steinhäuser, D. Erickson, M. Branstetter, E. Parish, N. Singh, J. Drake, and L. Buja. 2009. Higher trends but larger uncertainty and geographic variability in 21st century temperature and heat waves. *PNAS* 106:15555–15559.
- Glick, P., B.A. Stein, and N.A. Edelson (eds). 2011. *Scanning the Conservation Horizon: A Guide to Climate Change Vulnerability Assessment*. National Wildlife Federation and U.S. Fish and Wildlife Service. Washington D.C. 168 pp.
- Goebel, A.M., T.A. Ranker, S.P. Corn, and R.G. Olmstead. 2008. Mitochondrial DNA evolution in the *Anaxyrus boreas* species group. *Molecular Phylogenetics and Evolution* 50(2009):209–225.
- Grasso, R.L. 2005. Antipredator response and palatability of Yosemite toad larvae to nonnative brook trout in the Sierra Nevada mountains of California (poster). Presented to the 2005 Declining Amphibian Populations Task Force Working Group Meeting. January 13–14 2005, U.C. Berkeley, Berkeley CA. 1 pp.
- Grasso, R.L., R.M. Coleman, and C. Davidson. 2010. Palatability and antipredator response of Yosemite toads (*Anaxyrus canorus*) to nonnative brook trout (*Salvelinus fontinalis*) in the Sierra Nevada mountains of California. *Copeia* 3:457–462.
- Green, D.M. 2003. The ecology of extinction: population fluctuation and decline in amphibians. *Biological Conservation* 111:331–343.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Green, D.E. and C. Kagarise Sherman. 2001. Diagnostic histological findings in Yosemite toads (*Bufo canorus*) from a die-off in the 1970s. *Journal of Herpetology* 35:92–103.
- Grinnell, J. and T.I. Storer. 1924. *Animal life in Yosemite: an account of the mammals, birds, reptiles, and amphibians in a cross-section of the Sierra Nevada*. University of California Press. Berkeley, California. 16 pp.
- Hall, R.J. and P.F.P. Henry. 1992. Assessing effects of pesticides on amphibians and reptiles: status and needs. *Herpetological Journal* 2:65–71.
- Halpern, C.B., J.A. Antos, J.M. Rice, R.D. Haugo, and N.L. Lang. 2010. Tree invasion of a montane meadow complex: temporal trends, spatial patterns, and biotic interactions. *Journal of Vegetation Science* 21:717-732.
- Hamilton, Steven J., Susan F. McDonald, Mark P. Gaikowski, and Kevin J. Buhl. 1996. Toxicity of fire retardant chemicals to aquatic organisms: progress report. International Wildland Fire Foam Symposium, Thunderbay, Ontario. 132–144 pp.
<http://www.npwrc.usgs.gov/resource/othrdata/fireweb/toxicity/toxicity.htm>
- Hanski, I. 1997. Metapopulation dynamics: from concepts and observations to predictive models. Pps. 69–91. In: I. A. Hanski and M. E. Gilpin, editors. *Metapopulation biology: ecology, genetics, and evolutions*. Academic Press, San Diego.
- Hanski, I. and D. Simberloff. 1997. The metapopulation approach, its history, conceptual domain, and application to conservation. Pps. 5–26. In: I. A. Hanski and M. E. Gilpin, editors. *Metapopulation biology: ecology, genetics, and evolutions*. Academic Press, San Diego.
- Hayes, M.P., and M.R. Jennings. 1986. Decline of Ranid frog species in western North America: are bullfrogs (*Rana catesbeiana*) responsible? *Journal of Herpetology* 20(4):490–509.
- Hayes, T., K. Haston, M. Tsui, A. Hoang, C. Haeffele, and A. Vonk. 2002. Atrazine-induced hermaphroditism at 0.1 PPB in American leopard frogs (*Rana pipiens*): laboratory and field evidence. *Environmental Health Perspectives, Journal of the National Institute of Environmental Health Sciences*. doi:10.1289/ehp.5932 (available at <http://dx.doi.org/>). 23 October 2002.
- Helms, J. A. and J. C. Tappeiner. 1996. Silviculture in the Sierra. In: Sierra Nevada Ecosystem Project: final report to congress. Vol. II, Chapter 15. Assessments and scientific basis for management options. Center for Water and Wildland Resources, University of California, Davis, California.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Hogg, I.D., and D.D. Williams. 1996. Response of stream invertebrates to a global-warming thermal regime: an ecosystem level manipulation. *Ecology* 77:395–408.
- Huber, M., and R. Knutti. 2011. Anthropogenic and natural warming inferred from changes in Earth's energy balance. *Nature Geoscience*. Published online December 4, 2011; DOI: 10.1038/NNGEO1327. 6 pp. plus supplemental material.
- ICF Jones & Stokes. 2010. *Hatchery and Stocking Program Environmental Impact Report/Environmental Impact Statement*. Final. January.(ICF J&S 00264.08) (SCH #2008082025). Sacramento, CA. Prepared for the California Department of Fish and Game and U.S. Fish and Wildlife Service, Sacramento, CA.
- IPCC. 2007a. *Climate Change 2007: Synthesis Report. Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change* [Core Writing Team, Pachauri, R.K., and A. Reisinger (eds.)]. IPCC, Geneva, Switzerland. 104 pp.
- IPCC. 2007b. *Summary for Policymakers. In: Intergovernmental Panel on Climate Change Special Report on Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation* [Field, C.B., V. Barros, T.F. Stocker, D. Qin, D. Dokken, K.L. Ebi, M.D. Mastrandrea, K.J. Mach, G.K. Plattner, S.K. Allen, M. Tignor, and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, UK, and New York, NY. 29 pp.
- IPCC. 2012. Field, C.B., V. Barros, T.F. Stocker, D. Qin, D.J. Dokken, K.L. Ebi, M.D. Mastrandrea, K.J. Mach, G.-K. Plattner, S.K. Allen, M. Tignor, and P.M. Midgley (Eds.), [Cambridge University Press](#), The Edinburgh Building, Shaftesbury Road, Cambridge CB2 8RU ENGLAND, 582 pp.
- Jakubos, B. and W.H. Romme. 1993. Invasion of subalpine meadows by lodgepole pine in Yellowstone National Park, Wyoming, U.S.A. *Arctic and Alpine Research* 25(4):382–390.
- Jennings, M.R. 1984. *Rana muscosa* (mountain yellow-legged frog). *Herpetological Review* 15(2):52.
- Jennings, M. R. 1995. Native ranid frogs in California. In: E. T. LaRoe, G. S. Farris, C. E. Puckett, P. D. Doran, and M. J. Mac (editors). *Our Living Resources: A Report to the Nation on the Distribution, Abundance, and Health of U.S. Plants, Animals, and Ecosystems*. U.S. Department of the Interior, National Biological Service, Washington, D.C. xi+530 p.
- Jennings, M.R. 1996. Status of amphibians. In: Sierra Nevada ecosystem project: final report to congress. Volume II, Chapter 31. Assessments and scientific basis for management

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

options. Center for Water and Wildland Resources, University of California, Davis, California.

- Jennings, M.R. and M.P. Hayes. 1994. Amphibian and reptile species of special concern in California. California Department of Fish and Game. Rancho Cordova.
- Jennings, W.B., D.F. Bradford, and D. F. Johnson. 1992. Dependence of the garter snake (*Thamnophis elegans*) on amphibians in the Sierra Nevada of California. *Journal of Herpetology* 26(4):503–505
- Kagarise Sherman, C. 1980. A comparison of the natural history and mating system of two anurans: Yosemite toads (*Bufo canorus*) and black toads (*Bufo exsul*). PhD dissertation, University of Michigan. 394 pp.
- Kagarise Sherman, C. and M.L. Morton. 1993. Population declines of Yosemite toads in the eastern Sierra Nevada of California. *Journal of Herpetology* 27:186–198.
- Karlstrom, E.L. 1957. The use of Co₆₀ as a tag for recovering amphibians in the field. *Ecology* 38:187–195.
- Karlstrom, E.L. 1962. The toad genus *Bufo* in the Sierra Nevada of California: ecological and systematic relationships. *University of California Publications in Zoology* 62:1–104.
- Kats, L.B., J.M. Kiesecker, D.P. Chivers, and A.R. Blaustein. 2000. Effects of UV-B radiation on anti-predator behavior in three species of amphibians. *Ethology* 106:921–931.
- Kattelman, R. and M. Embury. 1996. Riparian Areas and Wetlands. In: Sierra Nevada ecosystem project, final report to congress. University of California, Davis. 66 pp.
- Kauffman, J.B., and W.C. Krueger. 1984. Livestock impacts on riparian ecosystems and streamside management implications...a review. *Journal of Range Management* 37(5):430–437.
- Kauffman, J.B., W.C. Krueger, and M. Vavra. 1983. Impacts of cattle on streambanks in Northeastern Oregon. *Journal of Range Management* 683–685.
- Kelly, J.P., K.L. Etienne, J.E. Roth. 2002. Abundance and distribution of the common raven and American crow in the San Francisco Bay area, California. *Western Birds* 33:202–217.
- Kéry, M., Matthies, D., Spillmann, H.H. (2000) Reduced fecundity and offspring performance in small populations of the declining grassland plants *Primula veris* and *Gentiana lutea*. *Journal of Ecology* 88:17–30.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Kiesecker, J.M. and A.R. Blaustein. 1995. Synergism between UV-B radiation and a pathogen magnifies embryo mortality in nature. *Proceedings of the National Academy of Science* 92:11049–11052.
- Kiesecker, J.M., D.P. Chivers, and A.R. Blaustein. 1996. The use of chemical cues in predator recognition by western toad tadpoles. *Animal Behavior* 52:1237–1245.
- Kiesecker, J.M., A.R. Blaustein, and C.L. Miller. 2001. Transfer of a pathogen from fish to amphibians. *Conservation Biology* 15:1064–1070.
- Kilgore, B.M. and D. Taylor. 1979. Fire history of a sequoia-mixed conifer forest. *Ecology* 60(1):129–142.
- Kilpatrick, A.M., C.J. Briggs, and P. Daszak. 2009. The ecology and impact of chytridiomycosis: an emerging disease of amphibians. *Trends in Ecology and Evolution* 25(2):109–118.
- Kinney, W.C. 1996. Conditions of Rangelands before 1905. Sierra Nevada Ecosystem Project: Final report to Congress, vol. II, Assessments and scientific basis for management options. Davis: University of California, Centers for Water and Wildland Resources. Chapter 3:31–45.
- Knapp, R.A. 1993a. (Sierra Nevada Aquatic Research Laboratory, University of California Santa Barbara). June 15, 1993 letter to B. Pritchard, Mono Lake Ranger District, Inyo National Forest, from R.A. Knapp, Sierra Nevada Aquatic Research Laboratory.
- Knapp, R.A. 1993b. (Sierra Nevada Aquatic Research Laboratory, University of California Santa Barbara). October 22, 1993 letter to B. Pritchard, Mono Lake Ranger District, Inyo National Forest, from R.A. Knapp, Sierra Nevada Aquatic Research Laboratory.
- Knapp R.A. 1994. The high cost of high sierra trout. *Wilderness Record, Proceedings of the California Wilderness Coalition* 19(2):1–3.
- Knapp R.A. 1996. Non-native trout in natural lakes of the Sierra Nevada: an analysis of their distribution and impacts on native aquatic biota. In: Sierra Nevada ecosystem project, final report to congress. Volume III, Chapter 8. Assessments and scientific basis for management options. Center for Water and Wildland Resources, University of California, Davis, California.
- Knapp, R.A. 2002a. (Sierra Nevada Aquatic Research Laboratory, University of California Santa Barbara). July 24, 2002, August 4, 2002, August 12, 2002, September 20, 2002, October 31, 2002, and December 16, 2002, electronic messages to Epanchin, P. (U.S. Fish and Wildlife Service).

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Knapp, R.A. 2002b. (Sierra Nevada Aquatic Research Laboratory, University of California Santa Barbara). Recent observations and insights regarding disease, die-offs, and malformations. Presented at: Declining Amphibian Task Force of the World Conservation Union, California/Nevada Working Group meeting, January 10–11, 2002. Notes taken by P. Epanchin. (U.S. Fish and Wildlife Service). San Diego, California.
- Knapp, R. 2002c. Sierra Nevada Aquatic Research Laboratory. BUCA ecology and risk factors. June 30, 2002 communication with the U.S. Fish and Wildlife Service.
- Knapp R.A. 2005a. Effects of non-native fish and habitat characteristics on lentic herpetofauna in Yosemite National Park, USA. *Biological Conservation* 121(2005):265–279.
- Knapp, R.A. 2005b. (Sierra Nevada Aquatic Research Laboratory, University of California). October 25 and November 04, 2005 telephone conversation with U.S. Fish and Wildlife Service.
- Knapp, R.A. 2012. U.C. Santa Barbara Sierra Nevada Aquatic Research Lab. A presentation at the April 11, 2012, Yosemite Toad Monitoring and Research Meeting. Notes taken by S. Detwiler.
- Knapp, R.A. MaxEnt 3.3.3e species distribution model; unpublished data.
- Knapp R.A. and R.K. Matthews. 1996. Livestock grazing, golden trout, and streams in the Golden Trout Wilderness, California: impacts and management implications. *North American Journal of Fisheries Management* 16:805–820.
- Knapp R.A. and R.K. Matthews. 2000. Non-native fish introductions and the decline of the mountain yellow-legged frog from within protected areas. *Conservation Biology*, 14(2):428–438.
- Knapp R.A., R.K. Matthews, and O. Sarnelle. 2001. Resistance and resilience of alpine lake fauna to fish introductions. *Ecological Monographs* 71(3):401–421.
- Knapp, R. A., D. M. Boiano, V. T. Vredenburg, 2007a. Removal of non-native fish results in a population expansion of a declining amphibian (mountain yellow-legged frog, *Rana muscosa*). *Biological Conservation* 135:11–20
- Knapp, R.A., J.A.T. Morgan, P.B. Moyle, D.B. Wake, V.T. Vredenberg, S. Thompson, S.S. Sweet, D.F. Bradford, C. Davidson, H. Welsh, K. Pope and C. Moritz, 2007b. Letter expressing concern over the decline of the mountain yellow-legged frog and its current listing status. February 1, 2007 letter to the U.S. Fish and Wildlife Service.
- Kondolf, G.M., R. Kattelman, M. Embury, and D.C. Erman. 1996. Status of riparian habitat. In: Sierra Nevada ecosystem project, final report to congress. Volume II, Chapter 36.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

Assessments and scientific basis for management options. Center for Water and Wildland Resources, University of California, Davis, California.

- Kosco, B.H. and J.W. Bartolome. 1981. Forest grazing: past and future. *Journal of Range Management* 34(3):248–251.
- Lacan, I., K. Matthews, and K. Feldman. 2008. Interaction of an introduced predator with future effects of climate change in recruitment dynamics of the imperiled Sierra Nevada yellow-legged frog. *Herpetological Conservation and Biology* 3(2):211–223.
- Laird, L.B., H.E. Taylor, and V.C. Kennedy. 1986. Snow chemistry of the Cascade-Sierra Nevada Mountains. *Environmental Science and Technology* 20:275–290.
- Lehtinen, R.M., S.M. Galatowitsch, and J.R. Tester. 1999. Consequences of habitat loss and fragmentation for wetland amphibian assemblages. *Wetlands* 19:1–12.
- LeNoir, J.S., L.L. McConnell, G.M. Fellers, T.M. Cahill, and J.N. Seiber. 1999. Summertime transport of current-use pesticides from California's Central Valley to the Sierra Nevada mountain range, USA. *Environmental Toxicology and Chemistry* 18(12):2715–2722.
- Liang, C.T. 2010. Habitat modeling and movements of the Yosemite toad (*Anaxyrus* (= *Bufo*) *canorus*) in the Sierra Nevada, California. Doctoral Dissertation. University of California, Davis CA. 117 pp.
- Liang, C.T., S.L. Barnes, H. Eddinger, and A.J. Lind. 2010. Species distribution model of the Yosemite toad in the Sierra National Forest, California. USDA Forest Service, Pacific Southwest Research Station, Sierra Nevada Research Center, Davis, California. Report to U.S. Fish and Wildlife Service. April 2010. 24 pp.
- Lind, A., R. Grasso, J. Nelson, K. Vincent, C. Liang, K. Tate, L. Roche, B. Allen-Diaz, S. Mcilroy. 2011. Determining the Effects of Livestock Grazing on Yosemite Toads (*Anaxyrus* [*Bufo*] *canorus*) and Their Habitat: An Adaptive Management Study. Pacific Southwest Research Station, Sierra Nevada Research Center, Davis, California.
- Lindquist, D.S. and J. Wilcox. 2000. New concepts for meadow restoration in the Northern Sierra Nevada. Report of the Feather River Coordinated Resource Management Group, Quincy, CA. 7 pp.
- Lindquist, D.S., L.Y. Bowie and L.L. Harrison. 1997. Red Clover Creek erosion control demonstration project ten year research summary 1985–1995. Report for Pacific Gas and Electric Company Research and Development. San Ramon, CA. 13 pp.
- Linsdale, J.M. 1940. Amphibians and reptiles in Nevada. *Proceedings of the American Academy of Arts and Science* 73(8):197–257.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Livezey, R.L. and A.H. Wright. 1945. Descriptions of four salientian eggs. *The American Midland Naturalist* 34:701–706.
- Lockhart, M. (California Department of Fish and Game). March 16, 2011, electronic message to Detwiler, S. (U.S. Fish and Wildlife Service).
- Loheide, S. P.II, and S. M. Gorelick. 2007. Riparian hydroecology: A coupled model of the observed interactions between groundwater flow and meadow vegetation patterning, *Water Resour. Res.*, 43, W07414, doi.
- Macey, J.R, J.L. Starsburg, J.A. Brisson, V.T. Vredenburg, M. Jennings, and A. Larson. 2001. Molecular phylogenetics of western North American frogs of the *Rana boylei* species group. *Molecular phylogenetics and evolution* 19(1):131–143.
- Macias, G.M.A., and A.R. Blaustein. 2007. Combined exposure to ambient UVB radiation and nitrite negatively affects survival of amphibian early life stages. *Science of the Total Environment* 385(1–3):55–65.
- Mantua, N.J., S.R. Hare, Y. Zhang, J.M. Wallace, and R.C. Francis. 1997. A Pacific interdecadal climate oscillation with impacts on salmon production. *Bulletin of the American Meteorological Society* 78:1069–1079.
- Mao, J., D.E. Green, G. Fellers, and V.G. Chinchar. 1999. Molecular characterization of iridoviruses isolated from sympatric amphibians and fish. *Virus Research* 63:45–52.
- Marlow, C.B. and T.M. Pogacnik. 1985. Time of grazing and cattle-induced damage to streambanks. Paper presented at the North American Riparian Conference. University of Arizona, Tuscon.
- Martin, D.L. 1992. Sierra Nevada anuran survey: an investigation of amphibian population abundance in the national forests of the Sierra Nevada of California. Report to U.S. Forest Service. Canorus Ltd., Sacramento. 76 pp.
- Martin, D. 2002. University of California, Santa Barbara. Yosemite toad, important unpublished information. May 31, 2002 communication with the U.S. Fish and Wildlife Service.
- Martin, D.L. 2008. Decline, Movement, and Habitat Utilization of the Yosemite toad (*Bufo canorus*): An Endangered Anuran Endemic to the Sierra Nevada of California. Doctoral thesis. University of California, Santa Barbara, CA. 393 pp.
- Matthews, K. R., and K. L. Pope. 1999. A telemetric study of the movement patterns and habitat use of *Rana muscosa*, mountain yellow-legged frog, in a high-elevation basin in Kings Canyon National Park, California. *Journal of Herpetology* 33(4):615–624.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Matthews, K.R., K.L. Pope, H.K. Preisler, and R.K. Knapp. 2001. Effects of non-native trout on Pacific treefrogs (*Hyla regilla*) in the Sierra Nevada. *Copeia* 2001:1130–1137.
- McCabe, G.J. and M.D. Dettinger. 2002. Primary modes and predictability of year-to-year snowpack variations in the western United States from teleconnections with Pacific ocean climate. *Journal of Hydrometeorology* 3:13–25.
- McCloud, K. 2002. (U.S. Fish and Wildlife Service, Law Enforcement Division). December, 5, 2002, telephone conversation with Nagano, C. (U.S. Fish and Wildlife Service).
- McConnell, L.L., J.S. LeNoir, S. Datta and J.N. Seiber. 1998. Wet deposition of current-use pesticides in the Sierra Nevada mountain range, California, USA. *Environmental Toxicology and Chemistry* 10:1908–1916.
- McKelvey, K.S., C.N. Skinner, C. Chang, D.C. Erman, S.J. Husari, D.J. Parsons, J.W. van Wagtenonk, C.P. Weatherspoon. 1996. An overview of fire in the Sierra Nevada. In: Sierra Nevada ecosystem project, final report to congress. Volume II, Chapter 37. Assessments and scientific basis for management options. Center for Water and Wildland Resources, University of California, Davis, California.
- Meehan W.R. and W.S. Platts. 1978. Livestock grazing and the aquatic environment. *Journal of Soil and Water Conservation* 6:274–278.
- Meehl, G.A., T.F. Stocker, W.D. Collins, P. Friedlingstein, A.T. Gaye, J.M. Gregory, A. Kitoh, R. Knutti, J.M. Murphy, A. Noda, S.C.B. Raper, I.G. Watterson, A.J. Weaver, and Z.C. Zhao. 2007. Global Climate Projections. Pp. 747–845. In: *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor, and H.L. Miller (eds.)]. Cambridge University Press, Cambridge, UK, and New York, NY. 996 pp.
- Melack, J.M., J. Dozier, C.R. Goldman, D. Greenland, A.M. Milner, and R.J. Naiman. 1997. Effects of climate change on inland waters of the Pacific coastal mountains and western Great Basin of North America. *Hydrological Processes* 11:971–992.
- Menke, J.W, C. Davis, and P. Beesley. 1996. Rangeland assessment. In: Sierra Nevada ecosystem project, final report to congress. Volume III, Chapter 22. Assessments and scientific basis for management options. Center for Water and Wildland Resources, University of California, Davis, California. 56 pp.
- Millar, C.I., R.D. Westfall, D.L. Delany, J.C. King, and L.J. Graumlich. 2004. Response of subalpine conifers in the Sierra Nevada, California, U.S.A. to 20th century warming and decadal climate variability. *Arctic Antarctic and Alpine Research* 36(2):181–200.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Milliron, C. 2002. (California Department of Fish and Game). July 31, 2002, August 2, 2002, and August 9, 2002, electronic messages to Epanchin, P. (U.S. Fish and Wildlife Service).
- Morgan, J.A.T., V.T. Vredenburg, L.J. Rachowicz, R.A. Knapp, M.J. Stice, T. Tunstall, R.E. Bingham, J.M. Parker, J.E. Longcore, C. Moritz, C.J. Briggs, and J.W. Taylor. 2007. Population genetics of the frog-killing fungus *Batrachochytrium dendrobatidis*. *Proceedings of the National Academy of Science* 104(34):13845-13850.
- Morton, M.L. 1981. Seasonal changes in total body lipid and liver weight in the Yosemite toad. *Copeia* 1981:234–238.
- Morton, M.L. and K.N. Sokolski. 1978. Sympatry in *Bufo boreas* and *Bufo canorus* and evidence of natural hybridization. *Bulletin of the Southern California Academy of Science* 77:52–55.
- Moyle, P.B. 2002. *Inland Fishes of California*, revised and expanded. University of California Press.
- Moyle, P.B., R.M. Yoshiyama, R.A. Knapp. 1996. Status of Fish and Fisheries. In: Sierra Nevada ecosystem project, final report to congress. Volume II, Chapter 33. Assessments and scientific basis for management options. Center for Water and Wildland Resources, University of California, Davis, California.
- Mullally, D.P. 1953. Observations on the ecology of the toad *Bufo canorus*. *Copeia* 3:182–183.
- Mullally, D.P. 1956. The relationships of the Yosemite and western toads. *Herpetologica* 12:133–135.
- Mullally, D.P., and J.D. Cunningham. 1956a. Ecological relations of *Rana muscosa* at high elevations in the Sierra Nevada. *Herpetologica* 12:189–198.
- Mullally, D.P. and J.D. Cunningham. 1956b. Aspects of the thermal ecology of the Yosemite toad. *Herpetologica* 12:57–67.
- Muths, E., P.S.Cara, A.P. Pessier and D.E.Green. 2003. Evidence for disease-related amphibian decline in Colorado. *Biological Conservation* 110:357–365.
- Myers, G.S. 1942. The black toad of Deep Springs Valley, Inyo County, California. *Occasional Papers of the Museum of Zoology, University of Michigan* 460:1–19.
- National Park Service. 2002. Draft Yosemite Fire Management Plan. Environmental Impact Statement. Chapter 3. 1 pp.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Nikolaidis, N.P., V.S. Nikolaidis, J.L. Schnoor. 1991. Assessment of episodic acidification in Sierra Nevada, California. *Aquatic Sciences* 53(4):330–344.
- North, S. (Carlsbad Fish and Wildlife Office, U.S. Fish and Wildlife Service), April 13, 2012 electronic message to Detwiler, S. (U.S. Fish and Wildlife Service).
- Odion, D.C., T.L. Dudley, and C.M. D’Antonio. 1988. Cattle Grazing in Southeastern Sierran Meadows: Ecosystem Change and Prospects for Recovery. *in* Hall C.A., Doyle U. (eds), The Mary DeDecker Symposium: Plant Biology of Eastern California. Los Angeles: University of California White Mountain Research Station. Chapter 25:278-292
- PRBO Conservation Science. 2011. Projected Effects of Climate Change in California: Ecoregional Summaries Emphasizing Consequences for Wildlife. Version 1.0. 68 pp. <http://data.prbo.org/apps/bssc/climatechange>
- Pahkala, M., A. Laurila, and J. Merila. 2003. Effects of ultraviolet-B radiation on behaviour and growth of three species of amphibian larvae. *Chemosphere* 21:197–204.
- Parker, B.R., R.D. Vinebrooke, and D.W. Schindler. 2008. Recent climate extremes alter alpine lake ecosystems. *Proceedings of the National Academy of Sciences* 105(35):12927–12931.
- Parsons, D.J. and S.H. DeBenedetti. 1979. Impact of fire suppression on a mixed-conifer forest. *Forest Ecology and Management* 2:21–33.
- Parsons, D.J. and S.J. Botti. 1996. Restoration of Fire in National Parks *in* Hardy, Colin C.; Arno, Stephen F., eds. 1996. The use of fire in forest restoration. Gen. Tech. Rep. INT-GTR-341. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station.
- Perotti, M.G., and M.d.C. Diéguez. 2006. Effect of UV-B exposure on eggs and embryos of patagonian anurans and evidence of photoprotection. *Chemosphere* 65 (2006): 2063–2070.
- Pert, E., Eng, L., Milliron, C., Kleinfelter, J., Lehr, S., Bolster, B., Stephens, S., Hanson, J., Roscoe, T., McGriff, D., and Becker, D. (California Department of Fish and Game). April 4, 2002. California Department of Fish and Game meeting with United States Fish and Wildlife Service (Epanchin, P., Martin, J., Douglas, J., and Moore, S. (U.S. Fish and Wildlife Service)). Mountain yellow-legged frog and Yosemite toad data sharing and stocking policy meeting. Notes taken by P. Epanchin. (U.S. Fish and Wildlife Service). California Department of Fish and Game’s Sacramento Valley and Central Sierra Regional Office, Region 2, Rancho Cordova, California.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Pilliod, D.S., and C.R. Peterson. 2001. Local and landscape effects of introduced trout on amphibians in historically fishless waters. *Ecosystems* 4:322–333.
- Pister, E.P. 2001. Wilderness fish stocking: history and perspective. *Ecosystems* 4:279–286.
- Pope, K. 1999a. Mountain yellow-legged frog habitat use and movement patterns in a high elevation basin in Kings Canyon National Park. Unpublished MS Thesis, California State Polytechnic University, San Luis Obispo, California. 64 pp.
- Pounds, J.A., M.R. Bustamante, L.A. Coloma, J.A. Consuegra, M.P.L. Fogden, P.N. Foster, E. La Marca, K.L. Masters, A. Merino-Viteri, R. Puschendorf, S.R. Ron, G. Arturo Sanchez-Azofeifa, C.J. Still, and B.E. Young. 2006. Widespread amphibian extinctions from epidemic disease driven by global warming. *Nature* 439:161–167.
- Prinn, R., S. Paltsev, A. Sokolov, M. Sarofim, J. Reilly, and H. Jacoby. 2011. Scenarios with MIT integrated global systems model: significant global warming regardless of different approaches. *Climatic Change* 104: 515–537.
- Rachowicz, L. J. 2005. (NPS, Yosemite National Park). November 03, 2005 telephone conversation with U.S. Fish and Wildlife Service.
- Rachowicz, L.J. and V.T. Vredenburg. 2004. Transmission of *Batrachocytridium dendrobatidis* within and between amphibian life stages. *Diseases of Aquatic Organisms* 61:75–83.
- Rachowicz, L.J., J.M. Hero, R.A. Alford, J.W. Taylor, J.A.T. Morgan, V.T. Vredenburg, J.P. Collins, and C.J. Briggs. 2005. The novel and endemic pathogen hypotheses: competing explanations for the origin of emerging infectious diseases. *Conservation Biology* 19(5):1441–1448.
- Rachowicz, L.J., R.A. Knapp, J.A.T. Morgan, M.J. Stice, V.T. Vredenburg, J.M. Parker, and C.J. Briggs. 2006. Emerging infectious disease as a proximate cause of amphibian mass mortality. *Ecology* 87(7):1671–1683
- Ratliff, R.D. 1985. Meadows on the Sierra Nevada of California: state of knowledge. Gen. Tech. Rep. PSW-84, Berkeley, CA. Pacific Southwest Forest and Range Experiment Station. U.S. Department of Agriculture. 52 pp.
- Relyea, R.A. and N.M. Mills. 2001. Predator-induced stress makes the pesticide carbaryl more deadly to gray treefrog tadpoles (*Hyla versicolor*). *Proceedings of the National Academy of Sciences* 98(5):2491–2496.
- Rieger R, Michaelis A, Green MM. 1968. A glossary of genetics and cytogenetics, classical and molecular. 3rd ed. New York: Springer Verlag.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Russell, K.R., D.H. Van Lear, and D.C. Guynn. 1999. Prescribed fire effects on herpetofauna: review and management implications. *Wildlife Society Bulletin* 27:374–384.
- SNEP (Millar, C. I.) 1996. Sierra Nevada Ecosystem Project, Final Report to Congress, Vol. I, Assessment Summaries and Management Strategies, Centers for water and Wildland Resources, Report No. 36, University of California, Davis, California. Cooperative report of the PSW Research Station, PSW Region, USDA, for the Sierra Nevada Framework Project, Sacramento, CA.
- Sadinski, Walt. 2004. Final report to the Yosemite fund. United States Geological Survey. 52 pp.
- Sadinski, W.J., M.J. Soule, G.M. Fellers, and J.E. Cleaver. 1997. Research update on a study funded in part by a seed grant from the declining amphibian population task force. 8 pp.
- Savage, J.M. 1958. A preliminary biosystematic analysis of toads of the *Bufo boreas* group in Nevada and California. *Year Book of the American Philosophical Society* 1959:251–254.
- Schad, K., editor. 2007. Amphibian Population Management Guidelines. Amphibian Ark Amphibian Population Management Workshop; 2007 December 10-11; San Diego, CA, USA. Amphibian Ark, www.amphibianark.org; pub date: 2008. 31 pp.
- Schindler, D.E., R.A. Knapp, and P.R. Leavitt. 2001. Alteration of nutrient cycles and algal production resulting from fish introductions into mountain lakes. *Ecosystems* 4:308–321.
- Schoenherr, A.A. 1992. A natural history of California. University of California Press, Berkeley and Los Angeles, California.
- Shaffer, M.L. 1981. Minimum population sizes for species conservation. *BioScience* 31(2):131–134.
- Shaffer, H.B., G.M. Fellers, A. Magee, and R. Voss. 2000. The genetics of amphibian declines: population substructure and molecular differentiation in the Yosemite toad, *Bufo canorus*, (Anura, Bufonidae) based on single strand conformation polymorphism analysis (SSCP) and mitochondrial DNA sequence data. *Molecular Ecology* 9:245–257.
- Shinn, C., A. Marco, and L. Serrano. 2008. Inter- and intra-specific variation on sensitivity of larval amphibians to nitrite. *Chemosphere* 71:507–514.
- Shotts, E.B. 1984. *Aeromonas* In: G.L. Hoff, F.L. Frye, and E.R. Jacobsen, editors. Diseases of amphibians and reptiles. Plenum Press, New York, New York.
- Solomon, S., D. Qin, M. Manning, R.B. Alley, T. Berntsen, N.L. Bindoff, Z. Chen, A. Chidthaisong, J.M. Gregory, G.C. Hegerl, M. Heimann, B. Hewitson, B.J. Hoskins, F. Joos, J. Jouzel, V. Kattsov, U. Lohmann, T. Matsuno, M. Molina, N. Nicholls, J.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Overpeck, G. Raga, V. Ramaswamy, J. Ren, M. Rusticucci, R. Somerville, T.F. Stocker, P. Whetton, R.A. Wood, and D. Wratt. 2007. Technical Summary. Pp. 19–91. In: *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change* [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor, and H.L. Miller (eds.)]. Cambridge University Press, Cambridge, UK, and New York, NY. 996 pp.
- Soulé M.E and B.A. Wilcox 1980. Conservation Biology: An Evolutionary-Ecological Perspective (eds Soulé ME, Wilcox BA), Sinauer Associates Inc, Sunderland, MA, USA.
- Sparling, D.W, G.M. Fellers, and L.L. McConnell. 2001. Pesticides and amphibian population declines in California, USA. *Environmental Toxicology and Chemistry* 20:1591–1595.
- Stebbins, R.C. 1951. Amphibians of western North America. University of California Press. Berkeley.
- Stebbins, R.C. 1985. A field guide to western reptiles and amphibians. Houghton Mifflin. Boston.
- Stebbins, R.C. 2003. A field guide to western reptiles and amphibians. Houghton Mifflin. Boston.
- Stebbins, R.C., and N.W. Cohen. 1995. A natural history of amphibians. Princeton University Press, Princeton, New Jersey.
- Stephens, M.R. 2001. Phylogeography of the *Bufo boreas* (Anura, Bufonidae) species complex and the biogeography of California. MS Thesis, Sonoma State University. 62 pp.
- Stephenson G.R., and L.V. Street. 1978. Bacterial variations in streams from a southwest Idaho rangeland watershed. *Journal of Environmental Quality* 7(1):150–157.
- Stillwater Sciences. 2008. Status and Trends of Sierra Meadows in the Headwaters of the CABY Region. Prepared for the Natural Heritage Institute, Nevada City, California. 65 pp.
- Strand, P. 2002. (USFS, Sierra National Forest). Yosemite toad breeding in streams. August 5, 2002 communication with the U.S. Fish and Wildlife Service.
- Taylor, S.K., E.S. Williams, E.T. Thorne, K.W. Mills. 1999. Effects of malathion on disease susceptibility in Woodhouse's toads. *Journal of Wildlife Diseases* 35:536–541.
- Thompson, J. 2007. Mountain meadows—here today, gone tomorrow? Meadow science and restoration. Science Findings USDA Forest Service, Pacific Northwest Research Station. 94:1–5

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Tihen, J.A. 1962. Osteological observations on new world Bufo. The American Midland Naturalist 67(1):157–183.
- Trall, L.W., B.W. Brook, R.R. Frankham, and C.J.A. Bradshaw. 2009. Pragmatic population viability targets in a rapidly changing world. Biological Conservation 1443(2010):28–34.
- U.C. Davis, Natural Heritage Institute, U.S. Forest Service, and California Department of Fish and Game. 2007. Final Report: Sierra Meadows: Historical Impact, Current Status and Trends, and Data Gaps. Final Report to USEPA Contract CD96911501, June 19, 2007.
- U.C. 1996a. Rangelands. In: Sierra Nevada ecosystem project: final report to Congress. Volume I, Chapter 7. Center for Water and Wildland Resources, University of California, Davis, California.
- U.C. 1996b. People and resource use. In: Sierra Nevada ecosystem project: final report to congress. Volume I, Chapter 2. Center for Water and Wildland Resources, University of California, Davis, California.
- USDA. 2001a. Sierra Nevada Forest Plan Amendment, Final Environmental Impact Statement. USDA Forest Service.
- USDA. 2001b. Sierra Nevada Forest Plan Amendment, Final Environmental Impact Statement. Record of Decision. USDA Forest Service.
- USDA. 2004. Sierra Nevada Forest Plan Amendment, Final Supplemental Environmental Impact Statement, Volume 1. USDA Forest Service.
- USFS. Oct 2008. RangelandMgtUnits_Allotments08_1. USDA Forest Service, Pacific Southwest Region Vector Digital Geospatial Data. Online Linkage <http://www.fs.fed.us/r5/rsl/clearinghouse/gis-download.shtml#rangemgt>; <http://wwwtest.fs.fed.us/r5/rsl/projects/frdb/layers/alot.html>; <http://www.fs.fed.us/rangelands/>
- USFS, CDFG, NPS, USFWS, and USGS. 2009. Yosemite Toad Conservation Assessment. 17 August, 2009 Draft. 144 pp.
- USFWS. Jul 2012. Mountain yellow-legged frog (*Rana muscosa*) Southern Distinct Population Segment 5-year Review: Summary and Evaluation. U.S. Fish and Wildlife Service, Carlsbad, California. 78 pp.
- USGAO. 1988. Public rangelands: some riparian areas restored but widespread improvement will be slow. Report to Congressional requesters. United States General Accounting Office. GAO/RCED–88–105.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Vale, T.R. 1987. Vegetation change and park purposes in the high elevations of Yosemite national park, California. *Annals of the Association of American Geographers* 77(1):1–18.
- Vankat, J.L. and J. Major. 1978. Vegetation changes in Sequoia National Park, California. *Journal of Biogeography* 5:377–402.
- Vredenburg, V.T. 2002. (University of California, Berkeley). July 23, 2002, and July 28, 2002, electronic messages to Epanchin, P. (U.S. Fish and Wildlife Service).
- Vredenburg, V.T. 2004. Reversing introduced species effects: Experimental removal of introduced fish leads to rapid recovery of a declining frog. *Proceedings of the National Academy of Sciences* 101(20):7646–7650.
- Vredenburg, V.T., G. Fellers, and C. Davidson. 2005. The mountain yellow-legged frog (*Rana muscosa*). In Lannoo, M.J. (Ed.), *Status and Conservation of U.S. Amphibians*. University of California Press, Berkeley, California, USA.
- Vredenburg, V. T., R. Bingham, R. Knapp, J. A. T. Morgan, C. Moritz and D. Wake. 2007. Concordant molecular and phenotypic data delineate new taxonomy and conservation priorities for the endangered mountain yellow-legged frog. *Journal of Zoology* 217: 361–374.
- Vredenburg, V.T., R.A. Knapp, T.S. Tunstall, and C.J. Briggs. 2010a. Dynamics of an emerging disease drive large-scale amphibian population extinctions. *Proceedings of the National Academy of Sciences* 107(21):9689–9694.
- Vredenburg, V.T., J.M. Ramansic, L.M. Chan, and T. Tunstall. 2010b. Does UV-B radiation affect embryos of three high elevation amphibian species in California? *Copeia* 2010(3):502–512.
- Weldon, C., L.H. duPreez, A.D. Hyatt, R. Muller and R. Spreare. 2004. Origin of the amphibian chytrid fungus. *Emerging Infectious Diseases* 10(12):2100–2105.
- Wengert, G. 2008. Habitat Use, Home Range, and Movements of Mountain Yellow-legged Frogs (*Rana muscosa*) in Bean and Spanish Creeks on the Plumas National Forest. Final Report to the Sacramento Fish and Wildlife Office, U.S. Fish and Wildlife Service. Sacramento, CA 32 pp.
- Werner, H. 2002. (NPS, National Park Service). August 1, 2002, electronic message to Epanchin, P. (U.S. Fish and Wildlife Service).
- Wilcox, B.A. 1980. Insular ecology and conservation. Pps. 97–117. *In* M.E. Soule and B.A. Wilcox (eds.). *Conservation Biology*. Sinauer Associates, Massachusetts.

Proposed Rule to List
Rana sierrae (Sierra Nevada yellow-legged frog)
Rana muscosa (mountain yellow-legged frog), Northern Distinct Population Segment
Anaxyrus canorus (Yosemite toad)

- Wood, S.H. 1975. Holocene Stratigraphy and Chronology of Mountain Meadows, Sierra Nevada California. Ph.D. Thesis. California Institute of Technology, Pasadena CA. 180 pp.
- Wright, A. H., and A. A. Wright. 1949. Handbook of frogs and toads of the United States and Canada. Third edition. Comstock Publishing Associates, Ithaca, New York. xii+640 pp.
- Zabik, J.M. and J.N. Seiber. 1993. Atmospheric transport of organophosphate pesticides from California's Central Valley to the Sierra Nevada mountains. *Journal of Environmental Quality* 22:80–90
- Zeiner, D.C., W.F. Laudenslayer, and K.E. Meyer (eds.) 1988. California's wildlife. Volume I. Amphibians and reptiles. California Statewide Wildlife Habitat Relations System, California Department of Fish and Game. Sacramento. 2 pp.
- Zhang, Y., J.M. Wallace, and D.S. Battisti. 1997. ENSO-like interdecadal variability: 1900–93. *Journal of Climate* 10:1004–1020.
- Ziesmer T.C. 1997. Vocal behavior of foothill and mountain yellow legged frogs (*Rana boylei* and *Rana muscosa*). Unpublished MA thesis. California State University, Sonoma, California.
- Zweifel, R.G. 1955. Ecology, distribution, and systematics of frogs of the *Rana boylei* group. *University of California Publications in Zoology* 54(4):207–292.
- Zweifel, R.G. 1968. *Rana muscosa* Camp Mountain yellow-legged frog. *Catalogue of American Amphibians and Reptiles* 65: 1–2.