

SeedsKadee National Wildlife Refuge
PO Box 700
Green River, WY 82935
307 / 875 2187
307 / 875 4425 fax
seedskadee@fws.gov
<http://www.fws.gov/refuge/seedskadee>

For State relay service
TTY / Voice: 711

U.S. Fish & Wildlife Service
<http://www.fws.gov>

For Refuge Information
1 800 / 344 WILD

September 2018



U.S. Fish & Wildlife Service

SeedsKadee

National Wildlife Refuge

Wildlife List



Accessibility Information

Equal opportunity to participate in and benefit from programs and activities of the U.S. Fish and Wildlife Service is available to all individuals regardless of physical or mental ability. For more information please contact the U.S. Department of the Interior, Office of Equal Opportunity, www.doi.gov/accessibility.

Welcome



This goose, designed by J.N. "Ding" Darling, is the symbol of the National Wildlife Refuge System.

SeedsKadee National Wildlife Refuge (NWR) was established in 1965 to make up for the loss of habitat resulting from the construction of the Flaming Gorge and Fontenelle dams. The name SeedsKadee originated from the local tribes' name "Seeds-ke-dee Agie" meaning "Prairie Hen River." This 26,210-acre Refuge includes a mosaic of riparian, wetland, and upland shrub habitats along 36 miles of the Green River in the vast high desert sagebrush plains of southwestern Wyoming. The variety of habitat, from wet to dry, supports a diversity of wildlife.

Over 300 species of wildlife have been documented on SeedsKadee NWR. The Green River and adjoining riparian habitat provide important migration stopover resting and feeding sites migration route and nesting area for a wide variety of migratory waterfowl, such as the green-winged teal, and passerine bird species, like Wilson's warbler and the northern oriole. Bald eagles, great blue herons, moose, mule deer, beaver, and porcupine raise their young in the riparian area. The river is rich in aquatic invertebrates that feed Kokanee salmon and cutthroat trout species. Wetlands along the river attract trumpeter swans, ruddy ducks, American avocet, and muskrats. Wildlife that depend on the upland shrub habitats include sage grouse, Brewer's sparrow, ferruginous hawk, pygmy rabbit, short-horned lizard, and pronghorn.

Wildlife observation can be good any time of year at SeedsKadee NWR, but for the greatest diversity of birds, the best times of year to visit are spring and fall when migration is in full swing. Wildlife is most active during the morning and evening hours, try to plan to be on the Refuge during these times.

Common Reptile, Amphibian, and Fish Names Abundance

Amphibians

| | | |
|---|---|---|
| — | Boreal Chorus Frog (<i>Pseudacris maculata</i>) | c |
| — | Northern Leopard Frog (<i>Lithobates pipiens</i>) | c |
| — | Great Basin Spadefoot (<i>Spea intermontanus</i>) | o |
| — | Tiger Salamander (<i>Ambystoma tigrinum</i>) | o |

Reptiles

| | | |
|---|---|---|
| — | Greater Short-Horned Lizard (<i>Phrynosoma hernandesii</i>) | c |
| — | Northern Sagebrush Lizard (<i>Sceloporus graciosus graciosus</i>) | o |
| — | Northern Plateau Lizard (<i>Sceloporus [tristichus elongates]</i>) | r |
| — | Eastern Yellow-bellied Racer (<i>Coluber constrictor flaviventris</i>) | o |
| — | Great Basin Gopher Snake (<i>Pituophis catenifer deserticola</i>) | o |
| — | Intermountain Wandering Garter snake (<i>Thamnophis elegans vagrans</i>) | c |

Fish

| | | |
|---|--|---|
| — | Common Carp (<i>Cyprinus carpio</i>) | o |
| — | Utah Chub (<i>Gila atraria</i>) | c |
| — | Roundtail Chub (<i>Gila robusta</i>) | r |
| — | Fathead Minnow (<i>Pimephales promelas</i>) | o |
| — | Longnose dace (<i>Rhinichthys cataractae</i>) | o |
| — | Speckled Dace (<i>Rhinichthys osculus</i>) | c |
| — | Redside Shiner (<i>Richardsonius balteatus</i>) | c |
| — | White Sucker (<i>Catostomus commersonii</i>) | c |
| — | Bluehead Sucker (<i>Catostomus discobolus</i>) | r |
| — | Flannelmouth Sucker (<i>Catostomus latipinnis</i>) | c |
| — | Mountain Sucker (<i>Catostomus platyrhynchus</i>) | r |
| — | Channel Catfish (<i>Ictalurus punctatus</i>) | r |
| — | Snake River Cutthroat Trout (<i>Oncorhynchus clarkii</i>) | c |
| — | Bonneville Cutthroat Trout (<i>Oncorhynchus clarkii utah</i>) | o |
| — | Rainbow Trout (<i>Oncorhynchus mykiss</i>) | c |
| — | Kokanee Salmon (<i>Oncorhynchus nerka</i>) | c |
| — | Mountain Whitefish (<i>Prosopium williamsoni</i>) | c |
| — | Brown Trout (<i>Salmo trutta</i>) | c |
| — | Lake Trout (<i>Salvelinus namaycush</i>) | c |
| — | Burbot (<i>Lota lota</i>) | o |
| — | Mottled Sculpin (<i>Cottus bairdii</i>) | c |
| — | Smallmouth Bass (<i>Micropterus dolomieu</i>) | r |

| Common Mammal Name | Abundance |
|--|-----------|
| Mice, Rats, and Voles | |
| Deer Mouse (<i>Peromyscus maniculatus</i>) | c |
| Northern Grasshopper Mouse (<i>Onychomys leucogaster</i>) | o |
| Bushy-tailed Woodrat (<i>Neotoma cinerea</i>) | o |
| Long-tailed Vole (<i>Microtus longicaudus</i>) | o |
| Montane Vole (<i>Microtus montanus</i>) | c |
| Meadow Vole (<i>Microtus pennsylvanicus</i>) | c |
| Sagebrush Vole (<i>Lemmiscus curtatus</i>) | o |
| Common Muskrat (<i>Ondatra zibethicus</i>) | c |
| Jumping Mice | |
| Meadow Jumping Mouse (<i>Zapus hudsonius</i>) | r |
| New World Porcupines | |
| North American Porcupine (<i>Erethizon dorsatum</i>) | c |
| Dogs, Foxes, and Wolves | |
| Coyote (<i>Canis latrans</i>) | c |
| Red Fox (<i>Vulpes vulpes</i>) | |
| Swift Fox (<i>Vulpes velox</i>) | |
| Raccoons, Ringtails, and Coatis | |
| Northern Raccoon (<i>Procyon lotor</i>) | c |
| Weasels, Otters, and Badgers | |
| Ermine or Short-tailed Weasel (<i>Mustela erminea</i>) | o |
| Long-tailed Weasel (<i>Mustela frenata</i>) | o |
| Black-footed Ferret (<i>Mustela nigripes</i>) | - |
| American Mink (<i>Mustela vison</i>) | o |
| American Badger (<i>Taxidea taxus</i>) | o |
| Northern River Otter (<i>Lontra canadensis</i>) | o |
| Skunks | |
| Striped Skunk (<i>Mephitis mephitis</i>) | o |
| Cats | |
| Bobcat (<i>Lynx rufus</i>) | o |
| Deer | |
| Elk (<i>Cervus canadensis</i>) | o |
| Mule Deer (<i>Odocoileus hemionus</i>) | c |
| White-tailed Deer (<i>Odocoileus virginianus</i>) | c |
| Moose (<i>Alces alces</i>) | c |
| Pronghorn | |
| Pronghorn (<i>Antilocapra americana</i>) | c |

About this Checklist

This checklist includes 249 bird species, 55 species of mammals, 6 species of reptiles, 4 amphibian species, and 22 species of fish. The checklist will be updated periodically as new species are documented. Species abundance varies annually due to changes in wetland water levels, fluctuations in available food, and natural cycles.

Since many birds are migratory, their seasonal occurrence and relative abundance are noted as follows:

Seasons of Occurrence

Sp Spring (March – May)
S Summer (June – August)
F Fall (September – November)
W Winter (December – February)

Seasonal Abundance

c common – certain to be seen in suitable habitat
o occasional – seen only a few times during the season
r rare – seen at intervals of 2 - 5 years
- hypothetical – within normal range, but never documented

Other Codes

• denotes a breeding species

Bird Reference

American Ornithologists' Union. 1998. Check-list of North American Birds. 7th edition. American Ornithologists' Union, Washington, DC.

Mammal Reference

Baker, R. J., L. C. Bradley, R. D. Bradley, J. W. Dragoo, M. D. Engstrom, R. S. Hoffmann, C. A. Jones, F. Reid, D. W. Rice, C. Jones. 2003. Revised checklist of North American Mammals north of Mexico, 2003. Occasional Papers, Museum of Texas Tech University, 229: 1-24.

Reptile and Amphibian Reference

Lewis, D. 2011. A Field Guide to the Amphibians and Reptiles of Wyoming, The Wyoming Naturalist.

Fish Reference

Baxter, G.T. and M.D. Stone. 1995. Fishes of Wyoming. Wyoming Game and Fish Department.

| Common Bird Name | Sp | S | F | W |
|------------------------------------|----|---|---|---|
| Ducks, Geese, and Swans | | | | |
| — Snow Goose | o | - | o | r |
| — Ross's Goose | r | - | r | - |
| • Canada Goose | c | c | c | c |
| • Trumpeter Swan | c | c | c | c |
| — Tundra Swan | o | r | o | r |
| • Wood Duck | o | o | o | - |
| • Gadwall | c | c | c | o |
| • American Wigeon | o | c | c | o |
| • Mallard | c | c | c | c |
| • Blue-winged Teal | o | c | o | - |
| • Cinnamon Teal | c | c | c | r |
| • Northern Shoveler | c | c | c | r |
| • Northern Pintail | c | c | c | r |
| • Green-winged Teal | c | c | c | o |
| • Canvasback | o | r | o | r |
| • Redhead | c | c | c | o |
| • Ring-necked Duck | c | o | c | o |
| • Lesser Scaup | c | o | c | o |
| — Bufflehead | o | r | o | o |
| — Common Goldeneye | c | o | o | c |
| — Barrow's Goldeneye | r | - | o | c |
| — Hooded Merganser | o | r | o | o |
| • Common Merganser | c | c | c | c |
| — Red-breasted Merganser | o | - | r | r |
| • Ruddy Duck | c | c | o | - |
| — White-winged Scoter | - | - | r | - |
| — Greater Scaup | r | - | r | - |
| — Long-tailed Duck | - | - | - | r |
| Partridges, Grouse, Turkeys | | | | |
| • Greater Sage-Grouse | c | c | c | o |
| Loons | | | | |
| — Common Loon | o | o | o | - |
| Grebes | | | | |
| • Pied-billed Grebe | c | c | o | r |
| — Horned Grebe | r | - | r | - |
| — Eared Grebe | o | - | o | - |
| — Western Grebe | o | o | o | r |
| • Clark's Grebe | o | o | o | r |
| Cormorants | | | | |
| — Double-crested Cormorant | o | o | o | - |
| Pelicans | | | | |
| • American White Pelican | o | c | c | - |

| Common Mammal Name | Abundance |
|--|-----------|
| Shrews | |
| — Cinereus or Masked Shrew (<i>Sorex cinereus</i>) | c |
| — Merriam's Shrew (<i>Sorex merriami</i>) | r |
| — Dusky or Montane Shrew (<i>Sorex monticolus</i>) | c |
| — American Water Shrew (<i>Sorex palustris</i>) | o |
| — Vagrant Shrew (<i>Sorex vagrans</i>) | o |
| Vesper Bats | |
| — Western Small-footed Myotis (<i>Myotis ciliolabrum</i>) | - |
| — Long-eared Myotis (<i>Myotis evotis</i>) | o |
| — Little Brown Myotis (<i>Myotis lucifugus</i>) | c |
| — Long-legged Myotis (<i>Myotis volans</i>) | - |
| — Silver-haired Bat (<i>Lasionycteris noctivagans</i>) | o |
| — Big Brown Bat (<i>Eptesicus fuscus</i>) | o |
| — Pallid Bat (<i>Antrozous pallidus</i>) | r |
| Hares and Rabbits | |
| — Pygmy Rabbit (<i>Brachylagus idahoensis</i>) | o |
| — Desert Cottontail (<i>Sylvilagus audubonii</i>) | c |
| — Mountain Cottontail (<i>Sylvilagus nuttallii</i>) | c |
| — White-tailed Jackrabbit (<i>Lepus townsendii</i>) | c |
| Squirrels | |
| — Least Chipmunk (<i>Neotamias minimus</i>) | c |
| — Yellow-bellied Marmot (<i>Marmota flaviventris</i>) | o |
| — Uinta Ground Squirrel (<i>Spermophilus armatus</i>) | o |
| — Wyoming Ground Squirrel (<i>Spermophilus elegans</i>) | c |
| — Golden-mantled Ground Squirrel (<i>Spermophilus lateralis</i>) | o |
| — Thirteen-lined Ground Squirrel (<i>Spermophilus tridecemlineatus</i>) | o |
| — White-tailed Prairie Dog (<i>Cynomys leucurus</i>) | c |
| Pocket Gophers | |
| — Northern Pocket Gopher (<i>Thomomys talpoides</i>) | c |
| Pocket Mice and Kangaroo Rats | |
| — Olive-backed Pocket Mouse (<i>Perognathus fasciatus</i>) | o |
| — Great Basin Pocket Mouse (<i>Perognathus parvus</i>) | o |
| — Ord's Kangaroo Rat (<i>Dipodomys ordii</i>) | o |
| Beavers | |
| — American Beaver (<i>Castor canadensis</i>) | c |

| Common Bird Name | Sp | S | F | W |
|-------------------------------|----|---|---|---|
| Thrushes | | | | |
| • Mountain Bluebird | c | c | c | - |
| Western Bluebird | - | - | r | - |
| Townsend's Solitaire | o | o | o | - |
| Veery | o | o | o | - |
| Swainson's Thrush | c | o | c | - |
| Hermit Thrush | o | r | o | - |
| • American Robin | c | c | c | - |
| Mimic Thrushes | | | | |
| Gray Catbird | o | o | o | - |
| Northern Mockingbird | r | r | r | - |
| • Sage Thrasher | o | c | c | - |
| Brown Thrasher | o | r | o | - |
| Starlings | | | | |
| • European Starling | c | c | c | o |
| Wagtails and Pipits | | | | |
| American Pipit | o | r | o | - |
| Waxwings | | | | |
| Bohemian Waxwing | r | - | r | o |
| Cedar Waxwing | o | o | o | o |
| Longspurs and Buntings | | | | |
| Lapland Longspur | - | - | - | r |
| Chestnut-collared Longspur | r | - | r | - |
| McCown's Longspur | o | r | o | - |
| Snow Bunting | r | - | r | o |
| Wood Warblers | | | | |
| Tennessee Warbler | r | - | r | - |
| Northern Waterthrush | r | - | - | - |
| Cape May Warbler | r | - | - | - |
| Orange-crowned Warbler | c | r | c | - |
| Nashville Warbler | r | - | r | - |
| Virginia's Warbler | r | - | r | - |
| MacGillivray's Warbler | r | o | r | - |
| • Common Yellowthroat | o | c | o | - |
| American Redstart | o | r | o | - |
| Magnolia Warbler | r | - | r | - |
| • Yellow Warbler | o | c | c | - |
| Townsend's Warbler | - | - | r | - |
| Chestnut-sided Warbler | r | - | r | - |
| Yellow-rumped Warbler | c | o | c | - |
| Black-throated Gray Warbler | r | - | r | - |
| Wilson's Warbler | c | o | c | - |
| Yellow-breasted Chat | r | o | r | - |

| Common Bird Name | Sp | S | F | W |
|---|----|---|---|---|
| Sparrows and Towhees | | | | |
| American Tree Sparrow | o | - | o | o |
| Chipping Sparrow | r | o | r | - |
| • Brewer's Sparrow | o | c | o | - |
| • Vesper Sparrow | o | c | o | - |
| • Lark Sparrow | r | o | o | - |
| • Sagebrush Sparrow | o | c | o | - |
| Lark Bunting | o | o | o | - |
| • Savannah Sparrow | c | c | c | - |
| Grasshopper Sparrow | o | o | o | - |
| Fox Sparrow | o | r | o | - |
| • Song Sparrow | c | c | c | r |
| • Lincoln's Sparrow | o | o | o | r |
| White-crowned Sparrow | o | r | o | - |
| White-throated Sparrow | r | - | - | - |
| Dark-eyed Junco | c | o | c | r |
| Tanagers | | | | |
| Western Tanager | c | o | o | - |
| Dickcissel | r | - | - | - |
| Cardinals, Grosbeaks, and Allies | | | | |
| Black-headed Grosbeak | o | r | o | - |
| Lazuli Bunting | r | o | r | - |
| Indigo Bunting | - | r | - | - |
| Rose-breasted Grosbeak | - | r | - | - |
| Pine Grosbeak | r | - | - | - |
| Blackbirds and Orioles | | | | |
| Bobolink | r | - | r | - |
| • Red-winged Blackbird | c | c | c | o |
| • Western Meadowlark | c | c | c | - |
| • Yellow-headed Blackbird | c | c | c | - |
| • Brewer's Blackbird | c | c | c | - |
| Common Grackle | r | o | o | r |
| • Brown-headed Cowbird | o | c | c | - |
| • Bullock's Oriole | o | c | o | - |
| Finches | | | | |
| Gray-crowned Rosy-Finch | o | r | o | o |
| Black Rosy-Finch | r | - | r | r |
| Cassin's Finch | o | r | o | - |
| House Finch | o | r | o | - |
| Common Redpoll | - | - | - | r |
| Pine Siskin | c | o | c | r |
| • American Goldfinch | o | c | c | - |
| Lesser Goldfinch | r | - | - | - |
| Evening Grosbeak | o | r | o | - |
| Old World Sparrows | | | | |
| House Sparrow | o | c | c | r |

| Common Bird Name | Sp | S | F | W |
|-------------------------------------|----|---|---|---|
| Bitterns, Herons, and Egrets | | | | |
| • American Bittern | r | r | r | - |
| • Great Blue Heron | c | c | c | o |
| Green Heron | - | - | r | - |
| Great Egret | r | r | r | - |
| Snowy Egret | r | r | r | - |
| Cattle Egret | r | r | - | - |
| • Black-crowned Night-Heron | r | r | - | - |
| Ibises and Spoonbills | | | | |
| • White-faced Ibis | c | o | o | - |
| New World Vultures | | | | |
| Turkey Vulture | r | r | r | - |
| Hawks, Kites, and Eagles | | | | |
| • Osprey | o | c | c | o |
| • Bald Eagle | c | c | c | c |
| • Northern Harrier | c | c | c | c |
| Sharp-shinned Hawk | c | r | c | r |
| Cooper's Hawk | c | r | c | r |
| Northern Goshawk | - | - | - | r |
| • Swainson's Hawk | o | c | c | r |
| • Red-tailed Hawk | c | c | c | c |
| • Ferruginous Hawk | c | c | c | o |
| Rough-legged Hawk | o | r | o | c |
| • Golden Eagle | c | c | c | c |
| Caracaras and Falcons | | | | |
| • American Kestrel | c | c | c | r |
| Merlin | r | r | r | - |
| Peregrine Falcon | o | r | o | - |
| • Prairie Falcon | o | o | o | - |
| Rails, Gallinules, and Coots | | | | |
| • Virginia Rail | r | o | r | - |
| • Sora | c | c | o | - |
| Common Gallinule | - | r | - | - |
| • American Coot | o | c | c | r |
| Cranes | | | | |
| • Sandhill Crane | c | c | c | - |
| Whooping Crane | r | - | r | - |
| Plovers | | | | |
| Black-bellied Plover | r | - | r | - |
| Semipalmated Plover | r | - | r | - |
| • Killdeer | c | c | o | - |
| Mountain Plover | r | o | r | - |

| Common Bird Name | Sp | S | F | W |
|--|----|---|---|---|
| Stilts and Avocets | | | | |
| Black-necked Stilt | r | o | r | - |
| • American Avocet | o | o | o | - |
| Sandpipers and Phalaropes | | | | |
| • Spotted Sandpiper | o | c | o | - |
| Solitary Sandpiper | r | - | r | - |
| Greater Yellowlegs | o | c | o | - |
| • Willet | o | r | o | - |
| Lesser Yellowlegs | o | o | o | - |
| Upland Sandpiper | r | - | r | - |
| Long-billed Curlew | r | r | r | - |
| Marbled Godwit | o | r | r | - |
| Red Knot | - | - | - | - |
| Semipalmated Sandpiper | r | - | r | - |
| Western Sandpiper | r | - | r | - |
| Least Sandpiper | o | r | o | - |
| Baird's Sandpiper | o | r | o | - |
| Pectoral Sandpiper | r | - | r | - |
| Stilt Sandpiper | r | - | r | - |
| Long-billed Dowitcher | o | r | o | - |
| • Wilson's Snipe | o | c | o | - |
| • Wilson's Phalarope | o | c | o | - |
| Red-necked Phalarope | r | - | r | - |
| Gulls, Terns, Skimmers, and Skuas | | | | |
| Bonaparte's Gull | r | - | r | - |
| Lesser Black-backed Gull | - | - | - | r |
| Franklin's Gull | o | - | o | - |
| Ring-billed Gull | c | o | c | - |
| California Gull | c | o | c | - |
| Herring Gull | r | - | r | - |
| Caspian Tern | o | - | o | - |
| Black Tern | o | - | o | - |
| Common Tern | o | - | o | - |
| Forster's Tern | o | - | o | - |
| Pigeons and Doves | | | | |
| Rock Pigeon | - | - | - | - |
| • Mourning Dove | c | c | c | - |
| Eurasian Collared-Dove | o | o | o | r |
| White-winged Dove | - | r | - | - |
| Cuckoos, Roadrunners, and Anis | | | | |
| Yellow-billed Cuckoo | r | r | - | - |

| Common Bird Name | Sp | S | F | W |
|---------------------------------|----|---|---|---|
| Typical Owls | | | | |
| • Great Horned Owl | c | c | c | c |
| Western Screech-Owl | r | - | r | - |
| Barn Owl | r | r | - | - |
| Northern Saw-whet Owl | - | r | - | - |
| Snowy Owl | - | - | - | r |
| • Burrowing Owl | r | o | r | - |
| • Long-eared Owl | o | o | o | o |
| • Short-eared Owl | o | o | o | o |
| Nighthawks and Nightjars | | | | |
| • Common Nighthawk | o | c | o | - |
| • Common Poorwill | r | o | r | - |
| Swifts | | | | |
| White-throated Swift | r | r | r | - |
| Hummingbirds | | | | |
| Calliope Hummingbird | r | c | o | - |
| Broad-tailed Hummingbird | r | c | o | - |
| Black-chinned hummingbird | r | o | o | - |
| Rufous Hummingbird | r | c | o | - |
| Kingfishers | | | | |
| • Belted Kingfisher | c | c | c | - |
| Woodpeckers | | | | |
| Lewis's Woodpecker | r | r | r | - |
| Red-headed Woodpecker | - | r | - | - |
| Yellow-bellied Sapsucker | r | r | r | - |
| Red-naped Sapsucker | o | o | o | - |
| • Downy Woodpecker | o | o | o | o |
| Hairy Woodpecker | o | r | o | o |
| • Northern Flicker | c | c | c | o |
| Tyrant Flycatchers | | | | |
| Olive-sided Flycatcher | o | r | o | - |
| • Western Wood-Pewee | o | c | o | - |
| Willow Flycatcher | r | o | o | - |
| Least Flycatcher | o | r | o | - |
| Hammond's Flycatcher | r | - | r | - |
| Gray Flycatcher | o | r | o | - |
| Dusky Flycatcher | r | o | r | - |
| • Cordilleran Flycatcher | o | c | c | - |
| • Say's Phoebe | o | c | c | - |
| • Western Kingbird | o | c | o | - |
| • Eastern Kingbird | o | c | o | - |
| Shrikes | | | | |
| • Loggerhead Shrike | o | o | o | r |
| Northern Shrike | o | r | o | o |

| Common Bird Name | Sp | S | F | W |
|--|----|---|---|---|
| Vireos | | | | |
| Plumbeous Vireo | o | r | o | - |
| Blue-headed Vireo | o | r | o | - |
| • Warbling Vireo | o | c | o | - |
| Red-eyed Vireo | o | r | o | - |
| Crows, Jays, and Magpies | | | | |
| Clark's Nutcracker | - | r | - | - |
| Gray Jay | - | r | - | - |
| Blue Jay | r | - | - | - |
| • Black-billed Magpie | c | c | c | c |
| • American Crow | o | o | o | o |
| • Common Raven | c | c | c | c |
| Larks | | | | |
| • Horned Lark | c | c | c | c |
| Swallows | | | | |
| • Tree Swallow | o | c | c | - |
| • Violet-green Swallow | o | c | c | - |
| • Northern Rough-winged Swallow | o | c | c | - |
| • Bank Swallow | r | o | o | - |
| • Cliff Swallow | o | c | c | - |
| • Barn Swallow | o | c | c | - |
| Titmice and Chickadees | | | | |
| • Black-capped Chickadee | o | o | o | o |
| Mountain Chickadee | r | - | r | o |
| Nuthatches | | | | |
| • Red-breasted Nuthatch | r | o | o | o |
| White-breasted Nuthatch | r | o | o | o |
| Creepers | | | | |
| Brown Creeper | r | r | r | - |
| Wrens | | | | |
| • Rock Wren | o | c | c | - |
| Bewick's Wren | r | o | r | - |
| • House Wren | o | c | o | - |
| • Marsh Wren | c | c | c | - |
| Old World Warblers and Gnatcatchers | | | | |
| Blue-gray Gnatcatcher | r | o | o | - |
| Dippers | | | | |
| American Dipper | r | - | r | - |
| Kinglets | | | | |
| Ruby-crowned Kinglet | c | o | c | - |
| Golden-crowned Kinglet | r | - | - | - |