





Chincoteague

National Wildlife Refuge **Birds**

Introduction

Chincoteague National Wildlife Refuge consists of sandy beach backed by a series of low dunes. During the summer our beaches become a nesting area for various species including the American oystercatcher, least terns, black skimmers, and the threatened piping plover. Chincoteague NWR is one of the country's top five shorebird migration staging areas east of the Rocky Mountains.

Behind the dunes, shrub habitat extends north and south gradually merging into an upland forest community. The shrub habitat and upland forest support landbirds and game birds including the northern flicker, eastern towhee, and northern bobwhite.

Leaving the forest for the west edge of the island, the landscape falls away to expansive salt marshes that border the Chincoteague Bay. Secretive marsh birds including the clapper rail and green heron are outstanding marvels of the salt marsh.

Another facet of the refuge is the fresh-water impoundments. More than 2,600 acres of shallow freshwater moist soil impoundments are managed to provide wetland vegetation and mudflats as year round foraging areas and cover for varieties of waterfowl, shorebirds, and other waterbirds during migrations. Along with roadside ditches, impoundments provide resting, feeding, and brood-rearing habitat for wading birds such as great blue herons and snowy egrets.

This brochure lists 277 birds that have been identified on the refuge since 2008 and is in accordance with the Seventh American Ornithologists' Union Checklist.



Least sandpiper

Most birds are migratory, therefore, their seasonal occurrence is coded as follows:

Season

Sp	spring	March – May
\mathbf{S}	summer	June – August
\mathbf{F}	fall	September – November
\mathbf{W}	winter	December – February

*Birds known to nest on or near the

Italics indicate threatened/ endangered species

Relative Abundance

Relative abundance indicates how frequently you might see a bird in its favored habitat.

- a abundant: a species which is very numerous
- common: likely to be seen or heard in suitable habitat
- uncommon: present, but not certain to be seen
- occasional: seen only a few times during a season
- rare: may be present but not every vear

		Sp	S	F	W
 ^	0 0				

	υp	U	•	••
Ducks, Geese, & Swans	_			
Greater White-fronted Goose				r
Greater Snow Goose	c	r	\mathbf{c}	c
Ross's Goose	r		r	u
Brant	c	r	\mathbf{c}	c
Cackling Goose	u	u		
Canada Goose*	c	\mathbf{c}	a	c
Mute Swan*	0	o	0	0
Tundra Swan	c		\mathbf{c}	c
Wood Duck*	u	u	u	r
Gadwall*	c	o	\mathbf{c}	c
Eurasian Wigeon			r	r
American Wigeon	c	r	\mathbf{c}	c
American Black Duck*	c	\mathbf{c}	\mathbf{c}	c
Mallard*	c	\mathbf{c}	\mathbf{c}	a
Blue-winged Teal*	c	u	c	o
Northern Shoveler	c	o	c	c
Northern Pintail	c	r	c	c
Green-winged Teal	c	o	c	c
Canvasback				r
Redhead				r
Ring-necked Duck			u	
Greater Scaup	r		r	
Lesser Scaup	r		u	
Common Eider			r	

White-winged Scoter



Great eg

Great egret				
	Sp	S	F	W
Surf Scoter	0		o	0
Black Scoter	u		u	c
Long-tailed Duck				0
Bufflehead	c	0	\mathbf{c}	\mathbf{c}
Common Goldeneye			o	0
Hooded Merganser	o		u	0
Common Merganser			\mathbf{r}	r
Red-breasted Merganser	u	r	0	c
Ruddy Duck	u	r	0	c
Turkey & Quail				
Wild Turkey*	0	0	0	0
Northern Bobwhite*	u	c	0	0
Loons & Grebes				
Red-throated Loon	\mathbf{c}		u	c
Common Loon	\mathbf{c}	r	\mathbf{c}	\mathbf{c}
Pied-billed Grebe	u		u	\mathbf{c}
Horned Grebe	u	r	u	\mathbf{c}
Red-necked Grebe				r
Shearwaters & Storm-Petrels				
Cory's Shearwater	r	r	r	
Sooty Shearwater		r	r	
Wilson's Storm-Petrel	r	r		
Gannet, Pelicans & Cormorants				
Northern Gannet	c	0	0	u
American White Pelican	r	r	r	r
Brown Pelican*	u	c	0	u
Double-crested Cormorant*	a	a	a	u
Great Cormorant	r	r	r	r
Bitterns, Herons & Ibises				
American Bittern	0	0	0	
Least Bittern*	r	r		
Great Blue Heron*	a	c	a	a
Great Egret*	a	a	a	a
Snowy Egret*	c	a	a	u
Little Blue Heron*	c	\mathbf{c}	c	u
Tricolored Heron*	\mathbf{c}	c	c	0
Cattle Egret*	0	\mathbf{c}	c	
White Egret sp.		r	r	
Green Heron*	o	a	c	
Black-crowned Night-Heron*	0	o	0	0

	Sp	S	F	W
Yellow-crowned Night-Heron	*r	u	r	
White Ibis*	u	\mathbf{c}	u	u
Glossy Ibis*	c	a	o	u
White-faced Ibis	r	r		
Vultures, Hawks & Falcons				
Black Vulture*	0	0	o	o
Turkey Vulture*	c	\mathbf{c}	c	c
Osprey*	c	\mathbf{c}	\mathbf{c}	r
Bald Eagle*	0	o	\mathbf{c}	c
Northern Harrier*	u	r	\mathbf{c}	c
Sharp-shinned Hawk	0	o	u	\mathbf{c}
Cooper's Hawk	0		o	0
Red-shouldered Hawk	0		o	u
Red-tailed Hawk*	0	o	o	\mathbf{c}
American Kestrel	0	r	o	0
Merlin	u	r	o	u
Peregrine Falcon	u	u	o	u
Rails & Cranes				
Clapper Rail*	0	u	o	o
King Rail	r	r	\mathbf{r}	r
Virginia Rail*	r	r	\mathbf{r}	r
Sora	r		\mathbf{r}	
Common Gallinule	r			
——American Coot	0		u	o
Plovers & Sandpipers				
Black-bellied Plover	c	c	c	c
D1				

Sora	r		r	
Common Gallinule	r			
American Coot	0		u	0
Plovers & Sandpipers				
Black-bellied Plover	c	c	c	c
American Golden-Plover	r		r	
Wilson's Plover*		r		
Seminalmated Ployer	c	a	c	r
Piping Plover*	0	0	0	
Killdeer*	0	0	u	u
American Oystercatcher*	c	c	c	0
Black-necked Stilt*	0	u		
——American Avocet	0	u	0	0
Spotted Sandpiper	u	u	0	
Solitary Sandpiper		0	0	
Greater Yellowlegs	c	c	c	c
Willet*	c	c	c	c
Lesser Yellowlegs	c	u	u	u
Whimbrel	u	u	0	
Black-tailed Godwit	r		r	
Hudsonian Godwit		r	0	
Marbled Godwit	u	u	u	u
Ruddy Turnstone	0	c	0	0
$Red\ Knot$	r	0	r	r
Sanderling	u	c	0	0
Semipalmated Sandpiper	a	c	u	
Western Sandpiper	0	r	0	0
	c	c	u	
Least SandpiperWhite-rumped Sandpiper Baird's Sandpiper	0	0	r	
Baird's Sandpiper		r	r	
Pectoral Sandpiper	0	0	u	
Dunlin	c	o	u	c
Stilt Sandpiper	r		0	
Buff-breasted Sandpiper		r	r	
Ruff	r		r	
Short-billed Dowitcher	u	c	u	u
Long-billed Dowitcher	r	r	r	0
Wilson's Snipe	r	r	r	u
American Woodcock*				r
Wilson's Phalarope		r	r	
Red-necked Phalarope			r	
Gulls, Terns & Auks				
Bonaparte's Gull	r		r	u
Black-headed Gull	0			0
Laughing Gull*	a	a	\mathbf{c}	r



 $Bald\ eagle$

	Sp	S	F	w
Ring-billed Gull	c	u	c	a
Herring Gull*	\mathbf{c}	c	c	a
Lesser Black-backed Gull	u	u	u	0
Great Black-backed Gull*	c	c	c	c
Least Tern*		c	r	
Gull-billed Tern*	o	0	\mathbf{r}	r
Caspian Tern*	r	0	c	
Black Tern		u	\mathbf{r}	
Royal Tern*	u	\mathbf{c}	\mathbf{c}	
Sandwich Tern*		u	0	
Common Tern*	o	\mathbf{c}	0	
Forster's Tern*	a	a	a	u
Black Skimmer*	u	c	0	
Dovekie		r		r
Razorbill				r
Doves, Cuckoos, Owls, Swifts &	Humi	min	ıgbi	rds
Rock Pigeon	O	0	0	0
Mourning Dove*	c	c	\mathbf{c}	c
Yellow-billed Cuckoo*	\mathbf{r}	0	o	
Black-billed Cuckoo*	\mathbf{r}	u	r	r
Northern Saw-whet Owl			o	0
Barn Owl*	\mathbf{r}	r	r	r
Eastern Screech-Owl*	O	0	o	0
Great Horned Owl*	O	0	0	0
Snowy Owl				r
Barred Owl*	O	0	0	0
Long-eared Owl				r
Short-eared Owl				0
Common Nighthawk		0		
Chuck-will's-widow*	O	0		
Chimney Swift*		0	r	
Ruby-throated Hummingbird*	r	0	r	
Belted Kingfisher*	\mathbf{c}	r	c	c
Woodpeckers & Flycatchers				
Red-headed Woodpecker*	r	0	r	
Red-bellied Woodpecker*	0	0	0	0
Yellow-bellied Sapsucker	r		o	0
Downy Woodpecker*	r	0	r	r
Hairy Woodpecker	r	r	r	r
Northern Flicker*	0	0	c	0

	Sp	S	F	W	Yellow-throated Warbler	\mathbf{r}	r	r	
Pileated Woodpecker*	0	o	\mathbf{c}	o	Pine Warbler*	0	0	0	0
Olive-sided Flycatcher	r				Prairie Warbler*	r	\mathbf{r}	r	r
Eastern Wood-Pewee*	u	u	o		Palm Warbler	r		0	r
Acadian Flycatcher*	r	r			Bay-breasted Warbler	r			
Eastern Phoebe*	r	o	o	r	Blackpoll Warbler	r		r	
Great Crested Flycatcher*	u	o	o		Black-and-white Warbler		\mathbf{r}	0	
Eastern Kingbird*	u	o	o		American Redstart	r		0	
/ireos					Prothonotary Warbler	r	r	r	r
White-eyed Vireo*	r	0	r		Worm-eating Warbler	r			
Yellow-throated Vireo	r	r	r		Ovenbird*	r	0	r	
Blue-headed Vireo	r		r		Northern Waterthrush			r	
Philadelphia Vireo			r		Louisiana Waterthrush			r	
Red-eyed Vireo*	0	o	o		Common Yellowthroat*	0	0	0	r
Jays, Crows, Larks & Swallows					Hooded Warbler		r		
Blue Jay*	0	o	u	0				r	
American Crow*	u	u	u	u	——Canada Warbler	r			
Fish Crow*	u	c	0	0	Yellow-breasted Chat*	r	0	0	
Horned Lark *	r	r	r	r	Tanagers, Sparrows & Allies				
Purple Martin*	0	0	r	_	Scarlet Tanager	r	r	r	
Tree Swallow *	c	c	u	r	Summer Tanager*	r	0	0	
N. Rough-winged Swallow	r	r	r	-	Eastern Towhee*	0	0	0	o
Bank Swallow	r	r	-		American Tree Sparrow	r	-	-	-
Barn Swallow	c	a	r		Chipping Sparrow*	0	0	0	r
Barn Swanow Chickadees, Nuthatches & Wrens		а			Clay-colored Sparrow		Ü	r	-
Carolina Chickadee*	0	0	0	0	Field Sparrow*	r	0	0	r
Tufted Titmouse	0	0	r	r	Lark Sparrow	-	Ü	r	-
Red-breasted Nuthatch	r	U	u	0	Savannah Sparrow	o	\mathbf{r}	0	o
White-breasted Nuthatch	0	0	0	0	Grasshopper Sparrow	r	•	r	Ü
Brown-headed Nuthatch*		0			Nelson's Sparrow	r			r
	u	u	u	u	Saltmarsh Sparrow*	r	0	o	r
Brown Creeper Carolina Wren*	0	0	0	0	Seaside Sparrow*		0	0	0
	0	0	0	0	Fox Sparrow	0	U		
House Wren*	u	u	u	u		0		0	0
Winter Wren				О	Song Sparrow*	0	0	0	c
Sedge Wren	r		r		Lincoln's Sparrow	r		r	
Marsh Wren	r	r	r		Swamp Sparrow	0		0	u
Kinglets, Thrushes & Thrashers					White-throated Sparrow	0		0	c
Golden-crowned Kinglet	r		О		White-crowned Sparrow			r	r
Ruby-crowned Kinglet	r		r		Dark-eyed Junco	r	r	0	0
Blue-gray Gnatcatcher*	r	r	r		Snow Bunting				r
Eastern Bluebird*	r	r	r	r	Northern Cardinal*	c	c	c	c
Veery			r		Rose-breasted Grosbeak	r		r	
Gray-cheeked Thrush	r		r		Blue Grosbeak*	0	0	0	
Swainson's Thrush			0		Indigo Bunting*	u	c	0	
Hermit Thrush	r		o	0	Blackbirds & Finches				
Wood Thrush*	\mathbf{r}	0	r	r	Bobolink			r	
American Robin*	\mathbf{c}	\mathbf{c}	0	0	Red-winged Blackbird*	c	a	\mathbf{c}	\mathbf{c}
Gray Catbird*	0	0	0	u	Eastern Meadowlark*	O	r	0	r
Northern Mockingbird*	c	0	0	0	Rusty Blackbird			r	r
Brown Thrasher*	0	0	0	0	Common Grackle*	O	a	0	o
Etarlings, Pipits & Waxwings									
European Starling*	o	0	0	0	The second second				
American Pipit			r	0	A STATE OF THE PARTY OF THE PAR				
Cedar Waxwing	r	0	0	r					
Warblers			-						
Blue-Winged Warbler			r						
Tennessee Warbler			r						
Nashville Warbler			r		The state of the s		4		
Nashvine warbier Northern Parula*	7.9						-	9	
Northern Parula* Yellow Warbler*	r	^	r		The second secon				
	r	0	r						
Chestnut-sided Warbler	r		r						
Magnolia Warbler	r		0						
Cape May Warbler		_	r					-	
Black-throated Blue Warbler		0	0				1	2	
Yellow-rumped Warbler	c		c	a					
Black-throated Green Warhler	7.		72		CONTRACTOR OF THE PARTY OF THE				

Northern cardinal

r

Black-throated Green Warbler r

Blackburnian Warbler

ccidental Species

hese additional 21 species have been seen nly once or twice on the refuge:

c a u o

r

rr

0 0 0 0

0 0 0

r o r r

u o r

r o r

r r r

r

Cared Grebe

Black-bellied Whistling-Duck Freater White-fronted Goose

Boat-tailed Grackle*

American Goldfinch*

Orchard Oriole*

Baltimore Oriole

Purple Finch

House Finch*

House Sparrow

Pine Siskin

Brown-headed Cowbird*

ing Eider

Thite-cheeked Pintail

ittle Egret

Freat Shearwater

lough-legged Hawk

lack Rail

urple Gallinule

urlew Sandpiper

Red Phalarope

eland Gull

astern whip-poor will

Villow Flycatcher

Vestern Kingbird

Varbling Vireo

ave Swallow

olden-winged Warbler

esper Sparrow

Dickcissel

otes

ocation_

Time ___

bservers__

Veather $_$

hincoteague National Wildlife Refuge 231 Beach Road

.O. Box 62

hincoteague Island, VA 23336-0062 57/336 6122

57/336 5273 Fax

mail: fw5rw_cnwr@fws.gov ww.fws.gov/refuge/Chincoteague

irginia Relay Center 800/828 1120 TDD 800/828 1140 voice

.S. Fish and Wildlife Service ttp:///www.fws.gov

or Refuge Information 800/344 WILD

™ March 2015