


Metynnis otuquensis (a fish, no common name)

Ecological Risk Screening Summary

U.S. Fish and Wildlife Service, March 2013

Revised, February 2018

Web Version, 8/24/2018



No Photo Available

1 Native Range and Status in the United States

Native Range

From Froese and Pauly (2017):

“South America: Otuquis River in Paraguay River basin [Bolivia, Paraguay].”

Status in the United States

There are no records of occurrences of *Metynnis otuquensis* in the United States; however, Nico et al. (2018) report that the genus *Metynnis* (species uncertain) is locally established in Florida.

From Nico et al. (2018):

“A member of this genus [*Metynnis*] was collected in **Florida** from a lake on Marco Island, Collier County in January, 1980 (FSBC 19822; listed as *Metynnis lippincotianus* in Courtenay et al. 1984, and as *Metynnis* sp. in Courtenay and Stauffer 1990 and in Courtenay et al. 1991). A reproducing population was found in Halpatokee Regional Park Conservation Area in Martin County in 2005, with additional specimens taken in 2006 and 2007 (Shafland et al. 2008; Florida Fish and Wildlife Conservation Commission 2009). In **Kentucky**, a single fish (originally

identified as a piranha and as *Metynnis roosevelti*) was taken by hook and line from Lighthouse Lake, Louisville, Jefferson County, in the summer of 1981 (Anonymous 1981; Fossett 1981)."

"There is considerable confusion surrounding the Kentucky record. In original published accounts, the fish was identified as a piranha, but the scientific name provided was *Metynnis roosevelti* (= *Metynnis maculatus*). However, in a photograph of the fish accompanying the newspaper article (Fossett 1981), the specimen actually appears to have a short adipose fin and is probably a pacu, possibly *Piaractus brachypomus*. The collectors gave the live fish to the Louisville Zoo, where it was kept in aquaria; when the fish later died, it was supposedly not preserved. The Kentucky specimen has been the basis for inclusion of the species in published lists of nonestablished foreign species, with earlier listings identifying it as *Metynnis roosevelti* (e.g., Courtenay et al. 1984) and later simply as *Metynnis* sp. (i.e., Courtenay and Stauffer 1990; Courtenay et al. 1991)."

M. otuquensis was not found for sale in a search of several online aquarium retailers in the United States.

Means of Introductions in the United States

From Nico et al. (2018):

"Records [for *Metynnis* sp.] mostly likely represent aquarium releases."

Remarks

This species is often referred to as some variation of 'silver dollar' fish, although this term likely represents many species in the genus *Metynnis*.

From Ota et al. (2016):

"Taxonomic confusion is rife in the literature dealing with *Metynnis* species. There are 28 nominal species and only around half of them are recognized as valid. The elevated number of synonyms is probably a consequence of the enormous variability of body shape and color pattern, which in turn are highly influenced by ontogeny and sexual dimorphism (Zarske & Géry, 1999; Jégu, 2003; Pavanelli et al., 2009; Ota et al., 2013). As a consequence, there is little information about the phylogenetic relationships among species of *Metynnis*."

2 Biology and Ecology

Taxonomic Hierarchy and Taxonomic Standing

From ITIS (2018):

"Kingdom Animalia
Subkingdom Bilateria
Infrakingdom Deuterostomia
Phylum Chordata
Subphylum Vertebrata

Infraphylum Gnathostomata
Superclass Actinopterygii
Class Teleostei
Superorder Ostariophysi
Order Characiformes
Family Characidae
Genus *Metynnis*
Species *Metynnis otuquensis* (Ahl, 1923)”

“Current Standing: valid”

Size, Weight, and Age Range

From Foese and Pauly (2017):

“Max length : 8.7 cm SL male/unsexed; [Zarske and Gery 1999]”

Environment

From Froese and Pauly (2017):

“Freshwater; pelagic.”

Climate/Range

From Froese and Pauly (2017).

“Tropical”

Distribution Outside the United States

Native

From Froese and Pauly (2017):

“South America: Otuquis River in Paraguay River basin [Bolivia, Paraguay].”

Introduced

No introductions of this species have been reported.

Means of Introduction Outside the United States

No introductions of this species have been reported.

Short Description

From Nico et al. (2018):

“[...] members of the genus *Metynnis* are characterized by their long-based adipose fins [...]”

Biology

From Mol (2012):

“In [...] *Metynnis*, [...] teeth are molariform, heavily attached to the jaw, and mainly used to grind fruits and seeds.”

“During the breeding period, [...] *Metynnis* [...] exhibit sexual dimorphism in the form of a supplementary lobe of the anal fin, dorsal fin rays elongated into long filaments or a red pattern on the body.”

Human Uses

From Nico et al. (2018):

“Several *Metynnis* species are popular aquarium fishes.”

M. otuquensis was not found for sale in a search of several online aquarium retailers.

Diseases

No information available. No OIE-reportable diseases have been documented for this species.

Threat to Humans

From Froese and Pauly (2017):

“Harmless”

3 Impacts of Introductions

There are currently no recorded introductions or impacts of introductions of *Metynnis otuquensis*, however unidentified species of *Metynnis* are listed as locally established in Florida (Nico et al. 2018).

4 Global Distribution



Figure 1. Known global distribution of *Metynnis otuquensis*, reported from Paraguay. Map from GBIF Secretariat (2017). Georeferenced locations were not available for the part of the species range in Bolivia.

5 Distribution Within the United States

There is currently no known distribution of *Metynnis otuquensis* within the United States; however, unidentified species of *Metynnis* are listed as locally established in Florida.

6 Climate Matching

Summary of Climate Matching Analysis

The climate match (Sanders et al. 2014; 16 climate variables; Euclidean distance) was mostly medium in peninsular Florida and southern Texas, with patches of high match in extreme southern Texas and parts of southern Florida. The remainder of the contiguous United States had a low climate match. The Climate 6 score indicated a medium climate match overall for the contiguous United States. Scores between 0.005 and 0.103 are classified as a medium match; the Climate 6 score for *Metynnis otuquensis* was 0.011.



Figure 2. RAMP (Sanders et al. 2014) source map showing weather stations as source locations (red; Brazil and Paraguay) and non-source locations (gray) for *Metynnis otuquensis* climate matching. Source locations from GBIF Secretariat (2017). Selected source locations are within 100 km of one or more species occurrences, and do not necessarily represent the locations of occurrences themselves.




Figure 3. Map of RAMP (Sanders et al. 2014) climate matches for *Metynnis otuquensis* in the contiguous United States based on source locations reported by GBIF Secretariat (2017). 0= Lowest match, 10= Highest match.

The “High”, “Medium”, and “Low” climate match categories are based on the following table:

Climate 6: Proportion of (Sum of Climate Scores 6-10) / (Sum of total Climate Scores)	Climate Match Category
$0.000 \leq X \leq 0.005$	Low
$0.005 < X < 0.103$	Medium
≥ 0.103	High

7 Certainty of Assessment

Peer-reviewed literature on the biology, ecology and distribution of *Metynnis otuquensis* is limited. No introductions of this species have been reported, so impacts of introduction are unknown. Assessment of this species is complicated due to uncertain identification of *Metynnis* spp. captured and established in the United States, and the need for systematic revision of the genus. Additional information and research on this species will be needed to increase the certainty of this assessment. Based on available data, the certainty of this assessment is low.

8 Risk Assessment

Summary of Risk to the Contiguous United States

Metynnis otuquensis is a fish native to the Paraguay River basin in central South America. *Metynnis* species are very popular in the aquarium trade, although *M. otuquensis* was not found for sale from U.S.-based online aquarium retailers. *Metynnis otuquensis* has a medium climate match in the contiguous United States, with a medium to high climate match in Florida and southern Texas. There are no reports of introductions of *M. otuquensis*. However, members of the *Metynnis* genus (species identification uncertain) have been collected beyond their native range in Florida, where their status is listed as locally established. *Metynnis* spp. found in Florida are believed to be aquarium releases. Therefore, the history of invasiveness of *M. otuquensis* in the contiguous United States is uncertain. Certainty of assessment is low because of taxonomic confusion and a lack of information. The overall risk posed by *M. otuquensis* is uncertain.

Assessment Elements

- **History of Invasiveness (Sec. 3): Uncertain**
- **Climate Match (Sec. 6): Medium**
- **Certainty of Assessment (Sec. 7): Low**
- **Overall Risk Assessment Category: Uncertain**

9 References

Note: The following references were accessed for this ERSS. References cited within quoted text but not accessed are included below in Section 10.

Froese, R. and D. Pauly, editors. 2017. *Metynnis otuquensis*, Ahl, 1923. FishBase. Available: <http://www.fishbase.se/summary/Metynnis-otuquensis.html>. (February 2018).

GBIF Secretariat. 2017. GBIF backbone taxonomy: *Metynnis otuquensis*, Ahl, 1923. Global Biodiversity Information Facility, Copenhagen. Available: <https://www.gbif.org/species/2353444>. (February 2018).

ITIS (Integrated Taxonomic Information System). 2018. *Metynnis otuquensis*, Ahl, 1923. Integrated Taxonomic Information System, Reston, Virginia. Available: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=641346#null. (February 2018).

Mol, J. H. A., editor. 2012. The freshwater fishes of Suriname. Brill Academic Publishers, Leiden, Netherlands.

Nico, L., P. Fuller, and M. Neilson. 2018. *Metynnis* sp. Cope, 1878. U.S. Geological Survey, Nonindigenous Aquatic Species Database, Gainesville, Florida. Available: <https://nas.er.usgs.gov/queries/FactSheet.aspx?SpeciesID=423>. (February 2018).

Ota, R. P., L. H. R. Py-Daniel, and M. Jégu. 2016. A new Silver Dollar species of *Metynnis* Cope, 1878 (Characiformes: Serrasalminidae) from Northwestern Brazil and Southern Venezuela. *Neotropical Ichthyology* 14(4):e160023.

Sanders, S., C. Castiglione, and M. H. Hoff. 2014. Risk Assessment Mapping Program: RAMP. U.S. Fish and Wildlife Service.

10 References Quoted But Not Accessed

Note: The following references are cited within quoted text within this ERSS, but were not accessed for its preparation. They are included here to provide the reader with more information.

Anonymous. 1981. Piranha caught in Kentucky. *Pet Business* 7(11):33.

Axelrod, H. R., W. E. Burgess, N. Pronek, and J. G. Walls. 1985. Dr. Axelrod's atlas of freshwater aquarium fishes. Tropical Fish Hobbyist Publications, Inc., Neptune City, New Jersey.

Courtenay, W. R., Jr., D. A. Hensley, J. N. Taylor, and J. A. McCann. 1984. Distribution of exotic fishes in the continental United States. Pages 41-77 *in* W. R. Courtenay, Jr., and J. R. Stauffer, Jr., editors. *Distribution, biology, and management of exotic fishes*. John Hopkins University Press, Baltimore, Maryland.

Courtenay, W. R., Jr., D. P. Jennings, and J. D. Williams. 1991. Appendix 2: exotic fishes. Pages 97-107 *in* C. R. Robins, R. M. Bailey, C. E. Bond, J. R. Brooker, E. A. Lachner, R. N. Lea, and W. B. Scott. *Common and scientific names of fishes from the United States and Canada*, 5th edition. American Fisheries Society Special Publication 20. American Fisheries Society, Bethesda, Maryland.

Courtenay, W. R., Jr., and J. R. Stauffer, Jr. 1990. The introduced fish problem and the aquarium fish industry. *Journal of the World Aquaculture Society* 21(3):145-159.

Florida Fish and Wildlife Conservation Commission. 2009. Florida FWC exotic database. Florida Fish and Wildlife Conservation Commission, Tallahassee, Florida.

Fossett, J. 1981. Here's one that didn't get away. *The Courier-Journal*, Louisville, Kentucky (June 19).

Géry, J. 1977. *Characoids of the world*. Tropical Fish Hobbyist Publications, Inc., Neptune City, New Jersey.

Jégu, M. 2003. Subfamily Serrasalminae (pacus and piranhas). Pages 182-196 *in* R. E. Reis, S. O. Kullander, and C. J. Ferraris Jr., editors. *Check list of the freshwater fishes of South and Central America*. Edipucrs, Porto Alegre, Brazil.

- Ota, R. P., C. P. Röpké, J. Zuanon, and M. Jégu. 2013. Serrasalminae. Pages 15-47 in L. J. Queiroz, G. Torrente-Vilara, W. M. Ohara, T. H. S. Pires, J. Zuanon, and C. R. C. Dória, organizers. Peixes do rio Madeira, volume II. Santo Antônio Energia, São Paulo, Brazil.
- Pavanelli, C. S., R. P. Ota, and P. Petry. 2009. New species of *Metynnis* Cope, 1878 (Characiformes: Characidae) from the rio Paraguay basin, Mato Grosso State, Brazil. Neotropical Ichthyology 7:141-146.
- Sakurai, A., Y. Sakamoto, and F. Mori. 1993. Aquarium fish of the world: the comprehensive guide to 650 species. Chronicle Books, San Francisco.
- Shafland, P. L., K. B. Gestring, and M. S. Stanford. 2008. Florida's exotic freshwater fishes - 2007. Florida Scientist 71(3):220-245.
- Zarske, A., and J. Géry. 1999. Revision der neotropischen Gattung *Metynnis* Cope, 1878. 1. Evaluation der Typusexemplare der nominellen Arten (Teleostei: Characiformes: Serrasalminae). Zoologische Abhandlungen Staatliches Museum für Tierkunde Dresden 50:169-216.