

Conversation Contents

TDD re Criteria and Standards for Cooling Water Intake Structures (RIN 2040-AE95)

Attachments:

/11. TDD re Criteria and Standards for Cooling Water Intake Structures (RIN 2040-AE95)/1.1 TDD_316(b)_draft_082313 (1).pdf
/11. TDD re Criteria and Standards for Cooling Water Intake Structures (RIN 2040-AE95)/2.1 TDD_316(b)_draft_082313 (1).pdf

Attachments Withheld - b5 Deliberative Process

"Apgar, Megan" <megan_apgar@ios.doi.gov>

From: "Apgar, Megan" <megan_apgar@ios.doi.gov>
Sent: Mon Aug 26 2013 12:37:30 GMT-0600 (MDT)
To: Interagency Review <interagency_review@ios.doi.gov>, Rick Sayers <rick_sayers@fws.gov>, Drew Crane <drew_crane@fws.gov>
Subject: TDD re Criteria and Standards for Cooling Water Intake Structures (RIN 2040-AE95)
Attachments: TDD_316(b)_draft_082313 (1).pdf

Hi all,

Attached is the Technical Development Document for this rule. Please let me know if you have any comments or questions by COB Tuesday, September 3rd.

Thanks,
Megan Apgar
Executive Secretariat and Regulatory Affairs
Office of the Secretary
Department of the Interior
Voice: (202) 208-4582

----- Forwarded message -----

From: **Apgar, Megan** <megan_apgar@ios.doi.gov>
Date: Fri, Aug 2, 2013 at 10:33 AM
Subject: Fwd: For Comment by COB 8/20: Criteria and Standards for Cooling Water Intake Structures (RIN 2040-AE95)
To: Interagency Review <interagency_review@ios.doi.gov>

Good Morning,
EPA will brief the Interagency on their 316(b) final rule on Monday August 5, from 2-3 pm EDT.

Conference line: **Non-Responsive**

To follow along with slides directly:

Non-Responsive

Thanks,
Megan Apgar
Executive Secretariat and Regulatory Affairs
Office of the Secretary
Department of the Interior
Voice: (202) 208-4582

----- Forwarded message -----

From: **Apgar, Megan** <megan_apgar@ios.doi.gov>

Date: Wed, Jul 31, 2013 at 4:33 PM

Subject: Re: For Comment by COB 8/20: Criteria and Standards for Cooling Water Intake Structures (RIN 2040-AE95)

To: Interagency Review <interagency_review@ios.doi.gov>

Comments on the economic analysis are due by 8/20.

Thanks,

Megan Apgar
Executive Secretariat and Regulatory Affairs
Office of the Secretary
Department of the Interior
Voice: (202) 208-4582

On Wed, Jul 31, 2013 at 4:31 PM, Apgar, Megan <megan_apgar@ios.doi.gov> wrote:

Comments due to OES by COB August 20, 2013

Please find attached for review under EOs 12866/13563, the EPA/OW draft final rule, "Criteria and Standards for Cooling Water Intake Structures." The preamble and regulatory text are in two files. Also attached for review is the Benefits Analysis. I will send the Economic Analysis (a 7MB file) in a follow-up email.

Upon completing your careful review, please use your discretion to limit circulation of this message to individuals in your bureau or office as appropriate. Please emphasize to those included on your distribution list that these documents are internal deliberative and should not be shared or discussed outside of the Executive Branch. To maintain a

close-hold on these documents, we suggest that the attachments only be shared with bureau/office staff upon their request after they have reviewed the provided summary. A negative reply is not necessary; if I do not hear back from you by the deadline, 8/20,, I will assume that you have no comments.

Brief Summary: This rule establishes requirements under section 316(b) of the Clean Water Act (CWA) for existing power generating facilities and existing manufacturing and industrial facilities that withdraw more than 2 million gallons per day (MGD) of water from waters of the U.S. and use at least 25% of the water they withdraw exclusively for cooling purposes. These national requirements, which will be implemented through National Pollutant Discharge Elimination System (NPDES) permits, apply to the location, design, construction, and capacity of cooling water intake structures (CWIS) at regulated facilities by setting requirements that reflect the best technology available (BTA) for minimizing adverse environmental impact. On April 20, 2011, EPA published a proposed rule that included several options for addressing these impacts. EPA published two Notices of Data Availability (NODA), on June 11, 2012 and June 12, 2012, that further clarified EPA's approach. This final rule constitutes EPA's response to the remand of the Phase II and Phase III rules. In addition, EPA is also responding to the decision in *Riverkeeper I* to remove from the Phase I new facility rule the restoration-based compliance alternative and the associated monitoring and demonstration requirements. EPA estimates total annual costs of the rule at \$297 million, and monetized benefits at \$19 million.

As a reminder, these documents are deliberative and pre-decisional and should not be shared or discussed with anyone outside of the Executive Branch. Feel free to share with others IN YOUR AGENCY as appropriate. If you feel someone in another agency not on the distribution list should review, let me know and I will ask OMB to forward to them. Please help ensure the integrity of interagency review process by respecting these guidelines.

Thanks,
Megan Apgar
Executive Secretariat and Regulatory Affairs
Office of the Secretary
Department of the Interior
Voice: (202) 208-4582

"Prigan, Sara" <sara_prigan@fws.gov>

From: "Prigan, Sara" <sara_prigan@fws.gov>
Sent: Mon Aug 26 2013 14:08:59 GMT-0600 (MDT)
To: Rick Sayers <rick_sayers@fws.gov>, Don Morgan <don_morgan@fws.gov>
Subject: Fwd: TDD re Criteria and Standards for Cooling Water Intake Structures (RIN 2040-AE95)

Attachments:

TDD_316(b)_draft_082313 (1).pdf

I have been told that Endangered Species is interested in this as well, so I am going to forward all the messages of this type that I can find, from most recent to least recent.

Thank you,

Sara Prigan
Division of Policy and Directives Management
U.S. Fish and Wildlife Service
<http://www.fws.gov/pdm/index.html>
Telephone: (703) 358-2508

----- Forwarded message -----

From: **Prigan, Sara** <sara_prigan@fws.gov>
Date: Mon, Aug 26, 2013 at 3:05 PM
Subject: Fwd: TDD re Criteria and Standards for Cooling Water Intake Structures (RIN 2040-AE95)
To: Mike Higgins <mike_j_higgins@fws.gov>, Marilyn Brower <marilyn_brower@fws.gov>, Jeff Underwood <jeff_underwood@fws.gov>, Larry Bright <larry_bright@fws.gov>, Jason Miller <jason_miller@fws.gov>, Anissa Craghead <Anissa_Craghead@fws.gov>, Susan Wilkinson <susan_wilkinson@fws.gov>, Tina Campbell <tina_campbell@fws.gov>

This is related to a previous message I sent you on this same subject.

Thank you,

Sara Prigan
Division of Policy and Directives Management
U.S. Fish and Wildlife Service
<http://www.fws.gov/pdm/index.html>
Telephone: (703) 358-2508

----- Forwarded message -----

From: **Apgar, Megan** <megan_apgar@ios.doi.gov>
Date: Mon, Aug 26, 2013 at 2:37 PM
Subject: TDD re Criteria and Standards for Cooling Water Intake Structures (RIN 2040-AE95)
To: Interagency Review <interagency_review@ios.doi.gov>, Rick Sayers <rick_sayers@fws.gov>, Drew Crane <drew_crane@fws.gov>

Hi all,

Attached is the Technical Development Document for this rule. Please let me know if you

have any comments or questions by COB Tuesday, September 3rd.

Thanks,
Megan Apgar
Executive Secretariat and Regulatory Affairs
Office of the Secretary
Department of the Interior
Voice: (202) 208-4582

----- Forwarded message -----

From: **Apgar, Megan** <megan_apgar@ios.doi.gov>
Date: Fri, Aug 2, 2013 at 10:33 AM
Subject: Fwd: For Comment by COB 8/20: Criteria and Standards for Cooling Water Intake Structures (RIN 2040-AE95)
To: Interagency Review <interagency_review@ios.doi.gov>

Good Morning,
EPA will brief the Interagency on their 316(b) final rule on Monday August 5, from 2-3 pm EDT.

Conference line: **Non-Responsive**
[REDACTED]

To follow along with slides directly:

Non-Responsive
[REDACTED]

Thanks,
Megan Apgar
Executive Secretariat and Regulatory Affairs
Office of the Secretary
Department of the Interior
Voice: (202) 208-4582

----- Forwarded message -----

From: **Apgar, Megan** <megan_apgar@ios.doi.gov>
Date: Wed, Jul 31, 2013 at 4:33 PM
Subject: Re: For Comment by COB 8/20: Criteria and Standards for Cooling Water Intake Structures (RIN 2040-AE95)
To: Interagency Review <interagency_review@ios.doi.gov>

Comments on the economic analysis are due by 8/20.

Thanks,

Megan Apgar
Executive Secretariat and Regulatory Affairs
Office of the Secretary
Department of the Interior
Voice: (202) 208-4582

On Wed, Jul 31, 2013 at 4:31 PM, Apgar, Megan <megan_apgar@ios.doi.gov> wrote:

Comments due to OES by COB August 20, 2013

Please find attached for review under EOs 12866/13563, the EPA/OW draft final rule, "Criteria and Standards for Cooling Water Intake Structures." The preamble and regulatory text are in two files. Also attached for review is the Benefits Analysis. I will send the Economic Analysis (a 7MB file) in a follow-up email.

Upon completing your careful review, please use your discretion to limit circulation of this message to individuals in your bureau or office as appropriate. Please emphasize to those included on your distribution list that these documents are internal deliberative and should not be shared or discussed outside of the Executive Branch. To maintain a close-hold on these documents, we suggest that the attachments only be shared with bureau/office staff upon their request after they have reviewed the provided summary. A negative reply is not necessary; if I do not hear back from you by the deadline, 8/20,, I will assume that you have no comments.

Brief Summary: This rule establishes requirements under section 316(b) of the Clean Water Act (CWA) for existing power generating facilities and existing manufacturing and industrial facilities that withdraw more than 2 million gallons per day (MGD) of water from waters of the U.S. and use at least 25% of the water they withdraw exclusively for cooling purposes. These national requirements, which will be implemented through National Pollutant Discharge Elimination System (NPDES) permits, apply to the location, design, construction, and capacity of cooling water intake structures (CWIS) at regulated facilities by setting requirements that reflect the best technology available (BTA) for minimizing adverse environmental impact. On April 20, 2011, EPA published a proposed rule that included several options for addressing these impacts. EPA published two Notices of Data Availability (NODA), on June 11, 2012 and June 12, 2012, that further clarified EPA's approach. This final rule constitutes EPA's response to the remand of the Phase II and Phase III rules. In addition, EPA is also responding to the decision in *Riverkeeper I* to remove from the Phase I new facility rule the restoration-based compliance alternative and the associated monitoring and demonstration requirements. EPA estimates total annual costs of the rule at \$297 million, and monetized benefits at \$19 million.

As a reminder, these documents are deliberative and pre-decisional and should not be shared or discussed with anyone outside of the Executive Branch. Feel free to share with others IN YOUR AGENCY as appropriate. If you feel someone in another agency not on the distribution list should review, let me know and I will ask OMB to forward to them. Please help ensure the integrity of interagency review process by respecting these guidelines.

Thanks,
Megan Apgar

Executive Secretariat and Regulatory Affairs
Office of the Secretary
Department of the Interior
Voice: (202) 208-4582