

From: [Wood, Robert](#)
To: [Rick.Sayers@fws.gov](#)
Cc: [Donna.Wieting@noaa.gov](#); [gary_frazer@fws.gov](#); [paul_souza@fws.gov](#); [helen.golde@noaa.gov](#); [lois.schiffer@noaa.gov](#); [michael_bean@ios.doi.gov](#); [Ron.Dean@noaa.gov](#); [Pamela.Lawrence@noaa.gov](#); [Drew_Crane@fws.gov](#); [Patrice_Ashfield@fws.gov](#); [Stoner, Nancy](#); [Kopocis, Ken](#); [Gilinsky, Ellen](#); [Goo, Michael](#); [Neugeboren, Steven](#); [Hewitt, Julie](#); [Sussman, Bob](#); [Southerland, Elizabeth](#); [Balserak, Paul](#); [Levine, MaryEllen](#); [Witt, Richard](#); [Wade, Alexis](#); [Born, Tom](#); [Kristine Petersen - NOAA Federal](#); [Jennifer Schultz - NOAA Federal](#)
Subject: Letter from USFWS Acknowledging EPA Request for Formal consultation on Final Regulations on Cooling Water Intake Structures
Date: Friday, July 26, 2013 5:20:10 AM
Attachments: [316b ESA FWS Response to EPA Consultation Request 071213.pdf](#)

Hi Rick,

I am in receipt of your letter responding to EPA's request for consultation and am attaching it here so others at the Services and EPA will have a copy. Also, we are working in earnest on the regulatory language proposed by the Services with the aim of providing a passback to you for discussion as soon as possible; I am hopeful we will get it to you today. Thank you.

Rob

Robert Wood
Engineering and Analysis Division
Office of Water
202-566-1822