

From: [Guinotte, John](#)
To: [Doherty, Kevin](#)
Cc: [Stephen Torbit](#)
Subject: Re: Wolverine and trapping
Date: Monday, February 27, 2017 7:58:12 AM

Thanks Kevin. Much appreciated. John

John Guinotte
Fish and Wildlife Biologist
Ecological Services
U.S. Fish and Wildlife Service
Mountain Prairie Region 6
134 Union Blvd., Lakewood, CO 80228
303-236-4264
john_guinotte@fws.gov

On Mon, Feb 27, 2017 at 6:54 AM, Doherty, Kevin <kevin_doherty@fws.gov> wrote:
see below from Boyce. Two names for trap line. No effort data. Low density pops and little harvest is the short story from his experience.

----- Forwarded message -----

From: **Mark Boyce** <boyce@ualberta.ca>
Date: Sun, Feb 26, 2017 at 10:44 PM
Subject: Re: Wolverine and trapping
To: "Doherty, Kevin" <kevin_doherty@fws.gov>

Hi Kevin:

On Crown land (govt land in mtns) all trapping is restricted to registered traplines in Alberta. Although there has been an attempt to compile effort data, e.g., trap nights, it has not happened yet. On average about 50% of traplines are actively trapped in any particular year. Harvests of wolverines are rare in southern Alberta and BC. We know that they can move quite a long distance, especially young males, so there will be no surprise when wolverines are captured in southern Alberta and BC, but generally the densities are very low. I have a trapline at Nordegg and I had a wolverine ravaging my marten sets last year (2015). But it did not stick around and I never had an opportunity to trap him/her. We have a quota of 1 wolverine per trapline per year but I've never caught one.

Shevenell has compiled all wolverine harvest records from registered trapline fur reports, and I believe that these data would be the best available for Alberta. Similar records exist for BC.

I'm not sure that I told you anything new--we do not have records on trapping effort. And I doubt that trappers in southern areas are likely to be making many sets for wolverines. Most would be caught in wolf or lynx sets.

Cheers,
Mark

On Tue, Feb 21, 2017 at 1:04 PM, Doherty, Kevin <kevin_doherty@fws.gov> wrote:

Mark,

Some folks in the USFWS asked if I would reach out to you about your opinion on a potential Canada and United States boundary effect for Wolverine. Specifically, there is a desire to understand if there is any data on trapping effort and harvest totals for wolverines in southern B.C. and Alberta. From your Alberta Wolverine paper in JWM it appeared that wolverine trapping was low in the trapping record from Southern Alberta. So a couple questions:

Is there an information base that would include trapping effort and trapping success for wolverines that could be used to understand the potential effects of movement on Wolverine between the US and Canada?

If there is data, who would we need to contact to discuss getting access to the data?

Please let me know if you would like to discuss via the phone.

Cheers

Kevin

p.s. We have met a long time ago at the wildlife society meetings in Calgary, when I was a brand new Ph.D. student. When I was googling your information I saw that we were co-authors in Google Scholar, but could not figure out what the paper was. It looked this morning at my pubs, and it was Krissy Bush's Sage-grouse Genetics work.

--

Kevin Doherty, PhD
Spatial Ecologist
USFWS Region 6 --Science Applications
134 Union Blvd, Lakewood, CO 80228
Phone: (303) 921-0524
Email: kevin_doherty@fws.gov

SAGEBRUSH: OUR BRUSH IS WISER THAN YOURS

--

Mark S. Boyce, Ph.D., FRSC
Professor of Ecology, and
Alberta Conservation Association Chair in Fisheries & Wildlife
Department of Biological Sciences, CCIS 1-271, University of Alberta

Edmonton T6G 2E9 CANADA
tel. 780-492-0081
cell 780-913-3474
website: <http://grad.biology.ualberta.ca/labs/boyce/>

--

Kevin Doherty, PhD
Spatial Ecologist
USFWS Region 6 --Science Applications
134 Union Blvd, Lakewood, CO 80228
Phone: (303) 921-0524
Email: kevin_doherty@fws.gov

SAGEBRUSH: OUR BRUSH IS WISER THAN YOURS
