Maine Coastal Islands National Wildlife Refuges P.O. Box 279 (Water Street) Milbridge, ME 04658 207/546 2124

P.O. Box 1735 (9 Water Street) Rockland, ME 04841 207/594 0600

Federal Relay Service for the deaf and hard-of-hearing 1 800/877 8339

U.S. Fish & Wildlife Service 1 800/344 WILD http://www.fws.gov

May 2007





U.S. Fish & Wildlife Service

Maine Coastal Islands

National Wildlife Refuges

Birds



Cape May Warbler S. Maslowski/USFWS



This goose, designed by J.N. "Ding" Darling, has become the symbol of the National Wildlife Refuge System.

Maine Coastal Islands National Wildlife Refuges span over 200 miles of Maine coastline and contain 48 offshore islands and four coastal parcels, totaling more than 8,000 acres. The U.S. Fish and Wildlife Service manages these acres as part of the National Wildlife Refuge System.

Birding Highlights

Common, Arctic, and endangered roseate terns, Atlantic puffins, razorbills, black guillemots, common eiders, and laughing gulls nest on refuge islands from mid-May to early August.

In May and June, the forests of the mainland are filled with the songs of hermit and Swainson's thrushes, song sparrows, and Nashville, magnolia, black-throated green, and palm warblers. Blackpoll warblers are passing through to their breeding grounds farther north.

Shorebird migration reaches its height in August, with red knots, semipalmated and least sandpipers, semipalmated and black-bellied plovers, and short-billed dowitchers seen on the mud flats of the mainland divisions. Dunlins follow in September.

Bald eagles nest on some refuge islands. Merlins, peregrine falcons, and sharp-shinned hawks pass through the refuge in the fall.

Fall waterfowl migration occurs from late September into October. Cranberry Flowage, on Petit Manan Point, is filled with black ducks, greenwinged teal, northern pintails, and mallards. Oldsquaw, common goldeneyes, and surf and white-winged scoters winter on coastal waters.


Where to See Birds

Seabird islands are closed to the public during the nesting season, April 1 – August 31, to minimize disturbance to the birds. Commercial tour boats provide views of nesting seabirds on Petit Manan and Machias Seal islands. Contact one of the refuge offices for more information.

The Petit Manan Point Division has two hiking trails that offer birding opportunities. The Hollingsworth Trail is a 1.5-mile loop, while the Birch Point Trail is a four-mile round trip. Both pass through blueberry fields and spruce-fir forests and along cobble beaches. The Birch Point Trail leads to a large saltmarsh. To reach Petit Manan Point, take Pigeon Hill Road off of U.S. Route 1 in Steuben.

How to Use This List

This brochure lists over 300 species that have been identified on the refuge. Of these, 140 have been confirmed to nest on or near the refuge, and 25 are accidental visitors. The list is in accordance with the seventh American Ornithologists' Union checklist.



Most birds are migratory, therefore, their seasonal occurrence is coded as follows:

Season

| \mathbf{Sp} | spring | March – May |
|---------------|--------|----------------------|
| \mathbf{S} | summer | June – August |
| \mathbf{F} | fall | September – November |
| W | winter | December – February |

Relative abundance

Relative abundance indicates how likely you are to see or hear a bird in its favored habitat.

| a | abundant | very likely to be seen or heard |
|--------------|------------|---|
| c | common | likely to be seen or heard |
| u | uncommon | present, but not likely to be seen or heard |
| 0 | occasional | seen or heard only a few times during a |
| | | season |
| r | rare | may not be seen or heard every year |
| \mathbf{X} | accidental | out of normal range |
| | | |

• Birds known to nest on or near the refuge.

Italics indicate Federally threatened/endangered species.


| | Sp | S | F | W |
|-----------------------|-----|---|---|---|
| Geese and Ducks | 123 | | | |
| Snow Goose | 0 | | | |
| •Canada Goose | 0 | r | 0 | 0 |
| Brant | c | | 0 | |
| • Wood Duck | u | u | u | |
| Gadwall | r | r | r | |
| • American Wigeon | | r | u | |
| • American Black Duck | c | c | a | c |
| • Mallard | 0 | 0 | c | r |
| • Blue-winged Teal | u | u | u | |
| Northern Shoveler | r | | | |
| Northern Pintail | 0 | r | u | |
| • Green-winged Teal | c | c | a | |
| Canvasback | | | r | |
| Ring-necked Duck | r | | r | |
| Greater Scaup | 0 | | r | |
| Lesser Scaup | r | | r | |
| King Eider | r | r | | |
| • Common Eider | a | a | a | a |
| Harlequin Duck | u | | r | r |
| | | | | |

| | Sp | S | F | W |
|------------------------|-----|---|----|---|
| Surf Scoter | c | 0 | c | r |
| White-winged Scoter | c | u | c | u |
| Black Scoter | | 0 | u | r |
| Long-tailed Duck | c | r | a | c |
| Bufflehead | u | | u | u |
| Common Goldeneye | c | | c | c |
| Barrow's Goldeneye | u | | r | u |
| • Hooded Merganser | r | r | r | |
| Common Merganser | 0 | | | |
| Red-breasted Merganser | | u | c | c |
| Ruddy Duck | | | 0 | |
| Gallinaceous Birds | | | | |
| • Ring-necked Pheasant | r | r | r | |
| • Ruffed Grouse | c | c | c | c |
| • Spruce Grouse | u | u | u | u |
| Willow Ptarmigan | x | | | |
| Loons | | | | |
| Red-throated Loon | u | | u | r |
| Arctic Loon | x | | | |
| Common Loon | c | u | c | c |
| Grebes | | | | |
| Pied-billed Grebe | r | | 0 | |
| Horned Grebe | c | | c | c |
| Red-necked Grebe | c | 0 | c | c |
| | 3 4 | | 81 | |



| | 10 | | 131 | ı | | | | | | |
|--|--------------|---|-----|-----|--------|-----------------------------|---------------|---|------|---------|
| | Sp | S | F | A. | w | | Sp | S | F | w |
| Ch | Ор | ٥ | | | •• | | | Ŭ | | , · · · |
| Shearwaters | 30 | | | 3 | | Tricolored Heron | r | r | 200 | |
| Greater Shearwater | | r | r | n | | Cattle Egret | | | 68 | |
| Sooty Shearwater | r | r | 316 | ď | | Green Heron | r | r | | |
| • Manx Shearwater | r | r | 108 | 4 | | • Black-crowned Night-Heron | r | r | r | |
| Storm-Petrels | ER | | | 4 | | lbises | | | | |
| Wilson's Storm-Petrel | 317 | 0 | | ï | | Glossy Ibis | r | | 200 | |
| • Leach's Storm-Petrel | | u | u | | | | 100 | | | |
| | 3 7 | | | 7 | | New World Vultures | 35 | | | |
| Tropicbirds | 757 | | | N | | Turkey Vulture | r | | r | |
| Red-billed Tropicbird | -3 | X | | | | Osprey, Hawks and Eagles | | | | |
| Gannets | - 01 | | | | | • Osprey | u | u | u | |
| Northern Gannet | 0 | 0 | 0 | 1 | | • Bald Eagle | u | u | u | u |
| | | | 115 | d | | • Northern Harrier | c | c | c | 0 |
| | 1 | | 100 | | | • Sharp-shinned Hawk | u | 0 | a | 0 |
| . \ 1 | | | | | | Cooper's Hawk | 0 | | 0 | Ü |
| | | | | | | • Northern Goshawk | u | u | u | u |
| | | | | | | Red-shouldered Hawk | r | r | u | u |
| | | | | | | • Broad-winged Hawk | 0 | 0 | u | |
| | | | | | | Red-tailed Hawk | 0 | 0 | u | r |
| Bald Eagle | | | | | | Rough-legged Hawk | 0 | U | | |
| | | | 24 | 1.4 | 2 | Golden Eagle | r | | 0 | 0 |
| | and the same | | | | | Golden Bagie | 1 | | | |
| | | | 80 | | | Falcons | | | | |
| | į. | | | | | American Kestrel | c | | c | |
| | 1 | | | | | • Merlin | 0 | 0 | c | |
| | | | | | | Gyrfalcon | | | | r |
| | | | | | | Peregrine Falcon | r | c | c | |
| | | • | | | | | K. | | | |
| | | | | | | Rails | | | | |
| The state of the s | | | | | | King Rail | 10 mm (10 mm) | r | Sin. | |
| A CONTRACTOR OF THE PARTY OF TH | * | | | | | Virginia Rail | r | | | |
| Cormoranto | | | | | | Sora | 201 | r | r | |
| Cormorants | | | | | | American Coot | 100 | | r | |
| Double-crested Cormorant | a | a | a | 100 | r 0 | Plovers | | | | |
| Great Cormorant | C | U | C | N | U | Black-bellied Plover | c | c | c | r |
| Bitterns, Herons and Egrets | 1380 | | 1 | | | American Golden-Plover | | 0 | u | • |
| - American Bittern | u | u | u | | | Semipalmated Plover | c | a | c | |
| Least Bittern | r | | 14 | | | Piping Plover | r | r | r | |
| Great Blue Heron | c | u | c | | 0 | • Killdeer | u | u | u | |
| Great Egret | 32. | | r | | | | | и | | |
| Snowy Egret | r | r | 311 | | | Oystercatchers | 186 | | 15 | |
| Little Blue Heron | r | | | 1 | | • American Oystercatcher | r | r | r | |

| | Sp | S | F | w | Sp | s | F | w |
|---------------------------|------|---|-----|---------------------------------------|-----|---|---|---|
| Sandpipers and Phalaropes | 7 | | | • Herring Gull | a | a | a | a |
| Greater Yellowlegs | c | c | c | r Iceland Gull | u | а | u | u |
| Lesser Yellowlegs | | c | c | Lesser Black-backed Gull | u | r | u | r |
| Solitary Sandpiper | | 0 | 0 | Glaucous Gull | r | r | r | r |
| • Willet | | c | r | Great Black-backed Gull | a | a | a | a |
| Spotted Sandpiper | | u | u | Black-legged Kittiwake | a | 0 | 0 | 0 |
| Upland Sandpiper | | r | | Gull-billed Tern | | x | O | Ů |
| Whimbrel | | u | u | Caspian Tern | r | Λ | | |
| Hudsonian Godwit | | 0 | 0 | Royal Tern | | х | | |
| Bar-tailed Godwit | | 1 | x | Sandwich Tern | | X | | |
| Marbled Godwit | | | | • Roseate Tern | u | u | | |
| Ruddy Turnstone | | c | c | • Common Tern | c | c | u | |
| Red Knot | | c | u | • Arctic Tern | | c | u | |
| Sanderling | | c | c | Least Tern | C | r | u | |
| Semipalmated Sandpiper | | a | c | | | | | |
| Western Sandpiper | | 0 | 0 | Sooty Tern •Black Tern | 0 | X | | |
| Least Sandpiper | | c | u | Black Skimmer | 0 | 0 | | |
| White-rumped Sandpiper | 0 | c | c | Black Skilliner | | X | | |
| Baird's Sandpiper | _ | 0 | 0 | Auks and Puffins | | | | |
| Pectoral Sandpiper | | u | u | Dovekie | | r | r | r |
| Purple Sandpiper | | u | u | c Common Murre | r | r | | |
| Dunlin | 0 | | c | Thick-billed Murre | | | | r |
| Curlew Sandpiper | - | r | C | - Razorbill | u | u | r | |
| Stilt Sandpiper | | r | r | Black Guillemot | c | c | c | u |
| Buff-breasted Sandpiper | | r | r | • Atlantic Puffin | u | u | r | |
| Ruff | | X | | | | | | |
| Short-billed Dowitcher | | c | u | Pigeons and Doves | | | | |
| Long-billed Dowitcher | | r | u | Rock Dove | | 0 | 0 | |
| Common Snipe | | 0 | u | • Mourning Dove | С | С | С | |
| - American Woodcock | | u | u | | | | | |
| Wilson's Phalarope | | r | a | | -10 | | | |
| Red-necked Phalarope | | r | - | | | | | |
| Red Phalarope | | r | 13 | | | | | |
| | | 1 | | Common Tern | | | | |
| Jaegers, Gulls and Terns | | | - 3 | © Julien Beauregard | l. | | | |
| Pomarine Jaeger | 130 | r | 200 | | | | | |
| Parasitic Jaeger | r | 0 | | | - | | _ | |
| • Laughing Gull | c | c | c | | | | | |
| Franklin's Gull | | | r | W. W. | | | | |
| Little Gull | | r | r | | | | | |
| Black-headed Gull | r | r | r | r | | | | |
| Bonaparte's Gull | 0 | c | С | 0 | | | | |
| Ring-billed Gull | | u | c | u | | | | |
| | - 50 | | | · · · · · · · · · · · · · · · · · · · | | | | |



| · | Sp | S | F | w |
|-----------------------------|------|---|-------|--------------|
| Cuckoos | - 6 | | 565 | |
| • Black-billed Cuckoo | 0 | 0 | 0 | |
| Yellow-billed Cuckoo | - | _ | u | |
| | | | | |
| Barn Owls | | | | |
| Barn Owl | X | | - 190 | |
| Typical Owls | | | | |
| • Great Horned Owl | 0 | 0 | 0 | 0 |
| Snowy Owl | | | r | 0 |
| Northern Hawk Owl | | | r | r |
| Barred Owl | | r | r | |
| Short-eared Owl | r | | r | \mathbf{r} |
| Northern Saw-whet Owl | r | r | r | |
| Nightjars | | | | |
| Common Nighthawk | r | u | 0 | |
| Chuck-will's-widow | X | u | U | |
| • Whip-poor-will | u | u | u | |
| | | и | 4 | |
| Swifts | | | | |
| Chimney Swift | u | 0 | 0 | |
| Hummingbirds | 200 | | | |
| • Ruby-throated Hummingbird | 0 | 0 | 0 | |
| ruby-unroaced frammingshid | | U | 0 | |
| Kingfishers | 100 | | 200 | |
| • Belted Kingfisher | u | u | u | |
| | 1000 | | 1000 | |

| | Sp | 2 | | VV |
|-----------------------------|----|---|---|-----|
| Woodpeckers | | | | en: |
| Red-headed Woodpecker | r | | r | |
| Red-bellied Woodpecker | | X | | |
| • Yellow-bellied Sapsucker | r | | u | |
| • Downy Woodpecker | c | c | c | c |
| • Hairy Woodpecker | u | u | u | u |
| Black-backed Woodpecker | r | | | r |
| • Northern Flicker | c | c | c | |
| • Pileated Woodpecker | 0 | | 0 | 0 |
| Tyrant Flycatchers | | | | |
| • Olive-sided Flycatcher | 0 | 0 | 0 | |
| • Eastern Wood-Pewee | u | u | u | |
| • Yellow-bellied Flycatcher | u | 0 | u | |
| • Alder Flycatcher | c | c | c | |
| • Willow Flycatcher | r | | | |
| • Least Flycatcher | u | u | u | |
| • Eastern Phoebe | | u | u | |
| • Great Crested Flycatcher | | u | u | |
| Couch's Kingbird | | | x | |
| • Eastern Kingbird | c | u | c | |
| Scissor-tailed Flycatcher | | x | x | |
| Fork-tailed Flycatcher | x | | | |
| Shrikes | | | | |
| Loggerhead Shrike | | r | | |
| Northern Shrike | 0 | | 0 | 0 |
| | | | | |
| Vireos | | | | |
| White-eyed Vireo | | | r | |
| Yellow-throated Vireo | r | | r | |
| Blue-headed Vireo | u | u | u | |
| • Warbling Vireo | 0 | | 0 | |
| • Philadelphia Vireo | 0 | 0 | u | |
| • Red-eyed Vireo | С | c | c | |
| Crows, Jays and Magpies | | | | |
| • Gray Jay | 0 | 0 | 0 | 0 |
| • Blue Jay | u | u | u | r |
| Black-billed Magpie | x | | x | |
| • American Crow | c | c | c | c |
| • Common Raven | u | u | u | u |
| | | | | |
| | | | | |

| | Sp | s | F | w | | sp | S | F | w |
|-------------------------------|--------|---|------|---|--|----------------|--|-------------|--------|
| Larks | | | | | • American Robin | c | c | a | r u |
| Horned Lark | r | | c | r | | EST | | 34 | |
| 0 11 | | | -91 | | Mimic Thrushes | | | 100 | |
| Swallows | | | 100 | | • Gray Catbird | _ | c | С | |
| Purple Martin | | | | | • Northern Mockingbird | | 0 | 0 | |
| • Tree Swallow | С | c | r | | • Brown Thrasher | 0 | 0 | 0 | |
| Northern Rough-winged Swallow | 0 | | r | | Starlings | | | 100 | |
| Bank Swallow | u | u | r | | • European Starling | u | u | u | u |
| • Cliff Swallow | c | u | 0 | | · European Starting | u | u | u | u |
| • Barn Swallow | С | c | u | | Pipits | 933 | | 2 | |
| Chickadees | | | 160 | | American Pipit | r | r | u | |
| • Black-capped Chickadee | c | c | c | c | Waxwings | | | | |
| • Boreal Chickadee | 0 | 0 | 0 | 0 | Bohemian Waxwing | | | r | |
| Nethotokoo | 6 | | 100 | | Cedar Waxwing Cedar Waxwing | | e | c | r |
| Nuthatches | | | 100 | | | | ` | 18.00 | 1 |
| • Red-breasted Nuthatch | | c | С | c | Wood Warblers | 300 | | | |
| • White-breasted Nuthatch | r | | r | | •Blue-winged Warbler | r | r | r | |
| Creepers | | | 37 | | • Tennessee Warbler | u | 0 | u | |
| • Brown Creeper | u | 0 | u | 0 | Orange-crowned Warbler | 0 | | 0 | |
| Brown creeper | 4 | | и | | • Nashville Warbler | c | c | c | |
| Wrens | | | | | • Northern Parula | c | c | c | |
| Carolina Wren | | r | 300 | | • Yellow Warbler | c | c | c | |
| House Wren | r | | r | | • Chestnut-sided Warbler | u | u | u | |
| • Winter Wren | | | u | | • Magnolia Warbler | c | c | c | |
| Marsh Wren | 1200 | r | 200 | | • Cape May Warbler | | c | c | |
| Winds Labor | A Park | | 52 | | • Black-throated Blue Warbler | | 0 | u | |
| Kinglets | | | 160 | | • Yellow-rumped Warbler | | c | c | r |
| • Golden-crowned Kinglet | | c | С | 0 | • Black-throated Green Warbler | c | c | c | |
| • Ruby-crowned Kinglet | С | u | С | | • Blackburnian Warbler | | c | u | |
| Old World Warblers | | | 130 | | Yellow-throated Warbler | . Do | X | | |
| Blue-gray Gnatcatcher | 0 | 0 | 0 | | Pine Warbler | | 0 | 0 | |
| Blue gray dilateatener | | | 0 | | Prairie Warbler | r | 0 | 0 | |
| Thrushes | | | 363 | | | | | | II. |
| Northern Wheatear | 100 | | X | | | | | | |
| • Eastern Bluebird | 0 | 0 | 0 | | The state of the s | 110 | Time | | |
| Townsend's Solitaire | No. | | X | | | | | | |
| Veery | u | 0 | 0 | | | | | ALL DE SALE | |
| Gray-cheeked Thrush | HI | r | r | | Short-billed Dowitcher | | | V SEE STA | Manual |
| • Bicknell's Thrush | r | r | × 16 | | The same of the sa | | The state of the s | W. Tark | 223 |
| • Swainson's Thrush | c | | u | | | T. Alle Samuel | | | |
| • Hermit Thrush | c | c | c | | | | | | |
| • Wood Thrush | 0 | | 0 | | | | 55 | | ~ |
| | 33 | | | | | | سر | | |



| | - | | | |
|---------------------------------|----------|---|-----|---|
| | Sp | S | F | W |
| • Palm Warbler | c | u | c | |
| • Bay-breasted Warbler | 0 | c | c | |
| Blackpoll Warbler | | 0 | u | |
| Black-and-white Warbler | c | c | c | |
| • American Redstart | | c | c | |
| Prothonotory Warbler | 100 | X | | |
| Worm-eating Warbler | | | 200 | |
| Ovenbird | | | u | |
| Northern Waterthrush | 0 | 0 | r | |
| Kentucky Warbler | | r | 17 | |
| • Mourning Warbler | r | r | 100 | |
| • Common Yellowthroat | | c | c | |
| Hooded Warbler | | r | 123 | |
| • Wilson's Warbler | u | u | u | |
| • Canada Warbler | | 0 | 0 | |
| • Yellow-breasted Chat | r | | 0 | |
| | 100 | | 100 | |
| Tanagers | The same | | | |
| Summer Tanager | r | r | 100 | |
| Scarlet Tanager | u | u | u | |
| Western Tanager | | | Х | |
| Sparrows and Towhees | | | | |
| • Eastern Towhee | u | u | u | |
| American Tree Sparrow | u | и | u | u |
| • Chipping Sparrow | 0.000 | u | u | и |
| Clay-colored Sparrow | и | r | r | |
| Field Sparrow | 0 | 1 | 0 | |
| Vesper Sparrow | _ | r | 0 | |
| Lark Sparrow | | r | r | |
| Lark Sparrow • Savannah Sparrow | c | c | c | |
| Grasshopper Sparrow | | C | r | |
| Henslow's Sparrow | 1 | х | | |
| Trensiow a Sparrow | | ^ | | |
| | 1000 | | | |

| • Nelson's Sharp-tailed Sparrow | 10 | | u | , * |
|--|-----|----|-----|-----|
| • Saltmarsh Sharp-tailed Sparrow | r | 0 | u | |
| Seaside Sparrow | | r | r | |
| Fox Sparrow | 0 | | 0 | |
| • Song Sparrow | c | c | c | r |
| • Lincoln's Sparrow | u | u | u | |
| • Swamp Sparrow | c | c | c | |
| White-throated Sparrow | c | c | c | |
| • White-crowned Sparrow | 0 | | 0 | |
| • Dark-eyed Junco | c | u | c | r |
| Lapland Longspur | | r | 0 | |
| Snow Bunting | 7 | | c | 0 |
| ardinals, Grosbeaks, and Allies | 30 | | 35 | |
| Northern Cardinal | 0 | | 0 | |
| Rose-breasted Grosbeak | u | u | u | |
| Blue Grosbeak | r | | | |
| Indigo Bunting | r | r | r | |
| Dickcissel | | _ | r | r |
| | | | | |
| Blackbirds and Orioles | | | | |
| • Bobolink | u | u | u | |
| • Red-winged Blackbird | c | С | u | |
| • Eastern Meadowlark | 0 | | 0 | |
| Western Meadowlark | 1 | Х | | |
| Yellow-headed Blackbird | | | r | |
| Rusty Blackbird | 0 | | 0 | |
| Brewer's Blackbird | | r | | |
| • Common Grackle | | С | u | |
| • Brown-headed Cowbird | u | u | u | |
| Orchard Oriole | | | | |
| Baltimore Oriole | u | 0 | u | |
| Finches | 23 | | 300 | |
| Pine Grosbeak | 0 | | 0 | υ |
| Purple Finch | u | u | u | |
| House Finch | r | | 200 | |
| Red Crossbill | 0 | 0 | 0 | C |
| White-winged Crossbill | u | u | u | υ |
| Common Redpoll | u | | 0 | ď |
| Hoary Redpoll | HO. | | 100 | ľ |
| Pine Siskin | u | u | u | ι |
| • American Goldfinch | c | u | u | ι |
| Evening Grosbeak | u | | u | |
| | | 10 | 3 | |