

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 24-Oct 2020

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 260     | 776         | Shoveler/GWT     | 3.0        | 123   | 0.5         | 3.5         | n/a              | n/a       |               |
| Delevan | 227     | 892         | GWT/Shoveler     | 3.9        | 52    | 0.2         | 4.2         | n/a              | n/a       |               |
| Colusa  | 121     | 352         | Shoveler/Gadwall | 2.9        | 27    | 0.2         | 3.1         | n/a              | n/a       |               |
| Sutter  | 51      | 146         | Wigeon/Shoveler  | 2.9        | 17    | 0.3         | 3.2         | n/a              | n/a       |               |

Date: 25-Oct 2020

| Refuge  | Hunters | Ducks Total | Top 2 Ducks     | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|-----------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 200     | 648         | Shoveler/GWT    | 3.2        | 146   | 0.7         | 4.0          | n/a              | n/a       |               |
| Delevan | 203     | 754         | Shoveler/Wigeon | 3.7        | 126   | 0.6         | 4.3          | n/a              | n/a       |               |
| Colusa  | 100     | 259         | Shoveler/Wigeon | 2.6        | 32    | 0.3         | 2.9          | n/a              | n/a       |               |
| Sutter  | 43      | 99          | Wigeon/Mallard  | 2.3        | 19    | 0.4         | 2.7          | n/a              | n/a       |               |

Date: 28-Oct 2020

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 133     | 366         | Shoveler/GWT     | 2.8        | 31    | 0.2         | 3.0          | n/a              | n/a       |               |
| Delevan | 153     | 442         | Shoveler/GWT     | 2.9        | 34    | 0.2         | 3.1          | n/a              | n/a       |               |
| Colusa  | 68      | 162         | Shoveler/Gadwall | 2.4        | 16    | 0.2         | 2.6          | n/a              | n/a       |               |
| Sutter  | 39      | 106         | Shoveler/Wigeon  | 2.7        | 4     | 0.1         | 2.8          | n/a              | n/a       |               |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 31-Oct

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 135     | 170         | Shoveler/Wigeon  | 1.3        | 29    | 0.2         | 1.5         | n/a              | n/a       |               |
| Delevan | 182     | 249         | Shoveler/Gadwall | 1.4        | 14    | 0.1         | 1.4         | n/a              | n/a       |               |
| Colusa  | 77      | 114         | Shoveler/Gadwall | 1.5        | 7     | 0.1         | 1.6         | n/a              | n/a       |               |
| Sutter  | 48      | 41          | Wood Duck/Shov   | 0.9        | 5     | 0.1         | 1.0         | n/a              | n/a       |               |

Date: 1-Nov

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 96      | 101         | Shoveler/Wigeon  | 1.1        | 7     | 0.1         | 1.1          | n/a              | n/a       |               |
| Delevan | 99      | 93          | Shoveler/Pintail | 0.9        | 27    | 0.3         | 1.2          | n/a              | n/a       |               |
| Colusa  | 45      | 34          | Shoveler/Pintail | 0.8        | 3     | 0.1         | 0.8          | n/a              | n/a       |               |
| Sutter  | 28      | 28          | Shoveler/Pintail | 1.0        | 4     | 0.1         | 1.1          | n/a              | n/a       |               |

Date: 4-Nov

| Refuge  | Hunters | Ducks Total | Top 2 Ducks        | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|--------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 73      | 69          | Shoveler/Gadwall   | 0.9        | 15    | 0.2         | 1.2          | n/a              | n/a       |               |
| Delevan | 105     | 152         | Shoveler/Gadwall   | 1.4        | 18    | 0.2         | 1.6          | n/a              | n/a       |               |
| Colusa  | 53      | 54          | Gadwall/Shoveler   | 1.0        | 12    | 0.2         | 1.2          | n/a              | n/a       |               |
| Sutter  | 32      | 27          | Wigeon/Shov/Pintai | 0.8        | 2     | 0.1         | 0.9          | n/a              | n/a       |               |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 7-Nov-20

| Refuge  | Hunters | Ducks Total | Top 2 Ducks       | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|-------------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 165     | 252         | Shoveler/Gadwall  | 1.5        | 11    | 0.1         | 1.6         |                  | N/A       |               |
| Delevan | 192     | 380         | Shoveler/Gadwall  | 2.0        | 32    | 0.2         | 2.1         |                  | N/A       |               |
| Colusa  | 94      | 41          | Shoveler/Gad/Mall | 0.4        | 8     | 0.1         | 0.5         |                  | N/A       |               |
| Sutter  | 51      | 40          | Pin/Shov/Wig/Mall | 0.8        | 2     | 0.0         | 0.8         |                  | N/A       |               |

Date: 8-Nov-20

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 153     | 271         | Shoveler/Gadwall | 1.8        | 38    | 0.2         | 2.0          |                  | N/A       |               |
| Delevan | 155     | 357         | Shoveler/Gadwall | 2.3        | 41    | 0.3         | 2.6          |                  | N/A       |               |
| Colusa  | 77      | 71          | Gadwall/Pintail  | 0.9        | 11    | 0.1         | 1.1          |                  | N/A       |               |
| Sutter  | 36      | 46          | Wigeon/Mallard   | 1.3        | 3     | 0.1         | 1.4          |                  | N/A       |               |

Date: Nov 11 2020

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 126     | 440         | Shoveler/Gadwall | 3.5        | 4     | 0.0         | 3.5          |                  | N/A       |               |
| Delevan | 171     | 711         | Shoveler/Gadwall | 4.2        | 12    | 0.1         | 4.2          |                  | N/A       |               |
| Colusa  | 78      | 197         | Shoveler/Gadwall | 2.5        | 4     | 0.1         | 2.6          |                  | N/A       |               |
| Sutter  | 33      | 26          | Gadwall/Wig/Shov | 0.8        | 1     | 0.0         | 0.8          |                  | N/A       |               |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

### Special Monday Pheasant Hunt--November 16, 2020

| Refuge  | # Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|--------------------|-----------|---------------|
| Sac     | 40                 | 15        | 0.4           |
| Delevan | 24                 | 8         | 0.3           |
| Colusa  | 13                 | 4         | 0.3           |

### Special Monday Pheasant Hunt--November 2019

| Refuge  | # Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|--------------------|-----------|---------------|
| Sac     | 74                 | 32        | 0.4           |
| Delevan | 10                 | 11        | 1.1           |
| Colusa  | 13                 | 11        | 0.8           |

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 14-Nov

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 181     | 452         | Shoveler/GWT     | 2.5        | 10    | 0.1         | 2.6         | 22               | 5         | 0.2           |
| Delevan | 211     | 721         | Shoveler/GWT     | 3.4        | 9     | 0.0         | 3.5         | N/A              | 13        | N/A           |
| Colusa  | 94      | 246         | Shoveler/Mallard | 2.6        | 7     | 0.1         | 2.7         | 6                | 0         | 0.0           |
| Sutter  | 52      | 82          | Wigeon/GWT       | 1.6        | 1     | 0.0         | 1.6         | 6                | 2         | 0.3           |

Date: 15-Nov

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 122     | 130         | Shoveler/Gadwall | 1.1        | 5     | 0.0         | 1.1          | 16               | 2         | 0.1           |
| Delevan | 144     | 241         | Shoveler/Gadwall | 1.7        | 4     | 0.0         | 1.7          | 4                | 4         | 1.0           |
| Colusa  | 60      | 75          | Mallard/Shoveler | 1.3        | 0     | 0.0         | 1.3          | 2                | 4         | 2.0           |
| Sutter  | 39      | 52          | Mallard/Wigeon   | 1.3        | 2     | 0.1         | 1.4          | 3                | 0         | 0.0           |

Date: 18-Nov

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 176     | 204         | Shoveler/Gadwall | 1.2        | 10    | 0.1         | 1.2          | 5                | 2         | 0.4           |
| Delevan | 181     | 341         | Shoveler/Gadwall | 1.9        | 20    | 0.1         | 2.0          | 1                | 1         | 1.0           |
| Colusa  | 101     | 40          | Shoveler/Wigeon  | 0.4        | 1     | 0.0         | 0.4          | 7                | 3         | 0.4           |
| Sutter  | 31      | 20          | Wood/Shov/Mall   | 0.6        | 7     | 0.2         | 0.9          | 0                | 0         | N/A           |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 21-Nov

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 160     | 277         | Shoveler/Gadwall | 1.7        | 21    | 0.1         | 1.9         | 12               | 2         | 0.2           |
| Delevan | 206     | 645         | Shoveler/Gadwall | 3.1        | 10    | 0.0         | 3.2         | 2                | 0         | 0.0           |
| Colusa  | 88      | 124         | Shoveler/Gadwall | 1.4        | 7     | 0.1         | 1.5         | 5                | 0         | 0.0           |
| Sutter  | 50      | 31          | GWT/Mallard      | 0.6        | 4     | 0.1         | 0.7         | 1                | 0         | 0.0           |

Date: 22-Nov

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 119     | 129         | Shoveler/Gadwall | 1.1        | 8     | 0.1         | 1.2          | 1                | 0         | 0.0           |
| Delevan | 114     | 178         | Shoveler/Pintail | 1.6        | 8     | 0.1         | 1.6          | 3                | 0         | 0.0           |
| Colusa  | 47      | 41          | Shoveler/GWT     | 0.9        | 4     | 0.1         | 1.0          | 3                | 1         | 0.3           |
| Sutter  | 25      | 16          | GWT/Wigeon       | 0.6        | 1     | 0.0         | 0.7          | 3                | 0         | 0.0           |

Date: 25-Nov

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 134     | 315         | Shoveler/Gadwall | 2.4        | 6     | 0.0         | 2.4          | 6                | 3         | 0.5           |
| Delevan | 172     | 432         | Shoveler/Gadwall | 2.5        | 9     | 0.1         | 2.6          | 1                | 0         | 0.0           |
| Colusa  | 87      | 146         | Shoveler/Gadwall | 1.7        | 3     | 0.0         | 1.7          | 7                | 3         | 0.4           |
| Sutter  | 44      | 28          | Mallard/Shoveler | 0.6        | 1     | 0.0         | 0.7          | 2                | 0         | 0.0           |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 28-Nov

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 189     | 305         | Shoveler/Gadwall | 1.6        | 20    | 0.1         | 1.7         | 11               | 3         | 0.3           |
| Delevan | 193     | 586         | Shoveler/Gadwall | 3.0        | 16    | 0.1         | 3.1         | 2                | 4         | 2.0           |
| Colusa  | 97      | 190         | Shoveler/Gadwall | 2.0        | 1     | 0.0         | 2.0         | 6                | 1         | 0.2           |
| Sutter  | 35      | 34          | GWT/Mall/Wigeon  | 1.0        | 2     | 0.1         | 1.0         | 1                | 1         | 1.0           |

Date: 29-Nov

| Refuge  | Hunters | Ducks Total | Top 2 Ducks        | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|--------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 110     | 124         | Shoveler/Ring neck | 1.1        | 18    | 0.2         | 1.3          | 2                | 1         | 0.5           |
| Delevan | 145     | 165         | Shoveler/Pintail   | 1.1        | 6     | 0.0         | 1.2          | 4                | 2         | 0.5           |
| Colusa  | 68      | 51          | Shoveler/GWT       | 0.8        | 0     | 0.0         | 0.8          | 2                | 0         | 0.0           |
| Sutter  | 34      | 36          | GWT/Wigeon         | 1.1        | 1     | 0.0         | 1.1          | 0                | 0         | N/A           |

Date: 2-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 102     | 199         | Shoveler/Mall    | 2.0        | 23    | 0.2         | 2.2          | 2                | 1         | 0.5           |
| Delevan | 144     | 353         | Shoveler/Gadwall | 2.5        | 16    | 0.1         | 2.6          | 4                | 2         | 0.5           |
| Colusa  | 57      | 93          | Shoveler/Gadwall | 1.6        | 9     | 0.2         | 1.8          | 3                | 0         | 0.0           |
| Sutter  | 44      | 73          | GWT/Mall         | 1.7        | 8     | 0.2         | 1.8          | 0                | 0         | N/A           |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 5-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 165     | 319         | Shoveler/Gadwall | 1.9        | 40    | 0.2         | 2.2         | 4                | 2         | 0.5           |
| Delevan | 192     | 467         | Shoveler/Gadwall | 2.4        | 22    | 0.1         | 2.5         | 4                | 1         | 0.3           |
| Colusa  | 103     | 306         | GWT/Shoveler     | 3.0        | 10    | 0.1         | 3.1         | 4                | 0         | 0.0           |
| Sutter  | 55      | 60          | GWT/Mallard      | 1.1        | 10    | 0.2         | 1.3         | 1                | 0         | 0.0           |

Date: 6-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 156     | 184         | Shoveler/Gadwall | 1.2        | 42    | 0.3         | 1.4          | 5                | 0         | 0.0           |
| Delevan | 163     | 282         | Shoveler/Pintail | 1.7        | 27    | 0.2         | 1.9          | 1                | 1         | 1.0           |
| Colusa  | 67      | 118         | Shoveler/Gadwall | 1.8        | 10    | 0.1         | 1.9          | 3                | 2         | 0.7           |
| Sutter  | 45      | 38          | GWT/Mallard      | 0.8        | 12    | 0.3         | 1.1          | 4                | 0         | 0.0           |

Date: 9-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 127     | 436         | Shoveler/Gadwall | 3.4        | 35    | 0.3         | 3.7          | 5                | 0         | 0.0           |
| Delevan | 162     | 608         | Shoveler/GWT     | 3.8        | 16    | 0.1         | 3.9          | 4                | 0         | 0.0           |
| Colusa  | 92      | 421         | Shoveler/Gadwall | 4.6        | 3     | 0.0         | 4.6          | 2                | 0         | 0.0           |
| Sutter  | 45      | 38          | GWT/Wigeon       | 0.8        | 17    | 0.4         | 1.2          | 0                | 0         | N/A           |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: Mid 2020-21

| Refuge  | Hunters | Ducks Total | Top 2 Ducks | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|-------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 3484    | 7,089       |             | 2.0        | 706   | 0.2         | 2.2         | 136              | 36        | 0.3           |
| Delevan | 3837    | 9,768       |             | 2.5        | 546   | 0.1         | 2.7         | 67               | 36        | 0.5           |
| Colusa  | 1924    | 3,884       |             | 2.0        | 180   | 0.1         | 2.1         | 69               | 19        | 0.3           |
| Sutter  | 1028    | 1,528       |             | 1.5        | 189   | 0.2         | 1.7         | 26               | 6         | 0.2           |

Date: Mid 2019-20

| Refuge  | Hunters | Ducks Total | Top 2 Ducks | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|-------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 3154    | 6,854       |             | 2.2        | 1111  | 0.4         | 2.5          | 154              | 40        | 0.3           |
| Delevan | 3212    | 8,231       |             | 2.6        | 1100  | 0.3         | 2.9          | 43               | 31        | 0.7           |
| Colusa  | 1,683   | 3,966       |             | 2.4        | 432   | 0.3         | 2.6          | 79               | 34        | 0.4           |
| Sutter  | 1071    | 1675        |             | 1.6        | 259   | 0.2         | 1.8          | 27               | 7         | 0.3           |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 12-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 238     | 588         | Shoveler/Gadwall | 2.5        | 25    | 0.1         | 2.6         | 5                | 0         | 0.0           |
| Delevan | 154     | 515         | GWT/Shoveler     | 3.3        | 22    | 0.1         | 3.5         | 3                | 0         | 0.0           |
| Colusa  | 142     | 615         | GWT/Shoveler     | 4.3        | 3     | 0.0         | 4.4         | 3                | 0         | 0.0           |
| Sutter  | 80      | 271         | GWT/Wigeon       | 3.4        | 56    | 0.7         | 4.1         | 3                | 3         | 1.0           |

Date: 13-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 164     | 334         | Shoveler/GWT     | 2.0        | 39    | 0.2         | 2.3          | 0                | 0         | N/A           |
| Delevan | 169     | 204         | Shoveler/Gadwall | 1.2        | 5     | 0.0         | 1.2          | 0                | 0         | N/A           |
| Colusa  | 108     | 134         | Shoveler/Gadwall | 1.2        | 2     | 0.0         | 1.3          | 3                | 1         | 0.3           |
| Sutter  | 88      | 190         | GWT/Wigeon       | 2.2        | 10    | 0.1         | 2.3          | 2                | 0         | 0.0           |

Date: 16-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 171     | 466         | Gadwall/Shoveler | 2.7        | 29    | 0.2         | 2.9          | 3                | 0         | 0.0           |
| Delevan | 189     | 462         | GWT/Gadwall      | 2.4        | 9     | 0.0         | 2.5          | 2                | 2         | 1.0           |
| Colusa  | 96      | 215         | Gadwall/Shoveler | 2.2        | 3     | 0.0         | 2.3          | 4                | 1         | 0.3           |
| Sutter  | 68      | 105         | GWT/Wigeon       | 1.5        | 17    | 0.3         | 1.8          | 1                | 0         | 0.0           |

\*Jr. Hunt at Delevan NWR 12/12/20

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 19-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 140     | 157         | Gadwall/Shoveler | 1.1        | 19    | 0.1         | 1.3         | 3                | 0         | N/A           |
| Delevan | 203     | 676         | Gadwall/Shoveler | 3.3        | 52    | 0.3         | 3.6         | 0                | 0         | N/A           |
| Colusa  | 134     | 470         | Shoveler/Gadwall | 3.5        | 3     | 0.0         | 3.5         | 3                | 1         | 0.3           |
| Sutter  | 76      | 131         | GWT/Wigeon       | 1.7        | 44    | 0.6         | 2.3         | 4                | 1         | 0.3           |

\*Jr hunt on Sac

Date: 20-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks     | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|-----------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 136     | 119         | GWT/Shoveler    | 0.9        | 13    | 0.1         | 1.0          | 1                | 1         | 1.0           |
| Delevan | 138     | 151         | Wigeon/Shoveler | 1.1        | 25    | 0.2         | 1.3          | 1                | 1         | 1.0           |
| Colusa  | 95      | 270         | GWT/Wigeon      | 2.8        | 2     | 0.0         | 2.9          | 1                | 3         | 3.0           |
| Sutter  | 88      | 191         | GWT/Wigeon      | 2.2        | 8     | 0.1         | 2.3          | 1                | 3         | 3.0           |

Date: 23-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 196     | 532         | Shoveler/Gadwall | 2.7        | 118   | 0.6         | 3.3          | 6                | 1.0       | 0.2           |
| Delevan | 187     | 636         | Gadwall/Shoveler | 3.4        | 52    | 0.3         | 3.7          | 3                | 2.0       | 0.7           |
| Colusa  | 139     | 481         | Shoveler/Gadwall | 3.5        | 6     | 0.0         | 3.5          | 3                | 0.0       | 0.0           |
| Sutter  | 91      | 316         | GWT/Wigeon       | 3.5        | 35    | 0.4         | 3.9          | 2                | 0.0       | 0.0           |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 26-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 198     | 291         | Shoveler/Gadwall | 1.5        | 26    | 0.1         | 1.6         | 1                | 0.0       | 0.0           |
| Delevan | 203     | 557         | Shoveler/Gadwall | 2.7        | 33    | 0.2         | 2.9         | 1                | 0.0       | 0.0           |
| Colusa  | 120     | 352         | Shoveler/Gadwall | 2.9        | 1     | 0.0         | 2.9         | 0                | 0.0       | N/A           |
| Sutter  | 90      | 155         | Wigeon/GWT       | 1.7        | 53    | 0.6         | 2.3         | 2                | 0.0       | 0.0           |

Date: 27-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 178     | 143         | Shoveler/Gadwall | 0.8        | 26    | 0.1         | 0.9          | 1                | 0.0       | 0.0           |
| Delevan | 147     | 226         | Gadwall/GWT      | 1.5        | 17    | 0.1         | 1.7          | 3                | 1.0       | 0.3           |
| Colusa  | 91      | 137         | Shoveler/Gadwall | 1.5        | 2     | 0.0         | 1.5          | 2                | 1.0       | 0.5           |
| Sutter  | 91      | 139         | Shoveler/Wigeon  | 1.5        | 7     | 0.1         | 1.6          | 4                | 3.0       | 0.8           |

Date: 30-Dec

| Refuge  | Hunters | Ducks Total | Top 2 Ducks       | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|-------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 209     | 264         | Shoveler/ Gadwall | 1.3        | 35    | 0.2         | 1.4          |                  | Closed    |               |
| Delevan | 193     | 386         | Shoveler/ Gadwall | 2.0        | 36    | 0.2         | 2.2          |                  | Closed    |               |
| Colusa  | 116     | 263         | Gadwall/Shoveler  | 2.3        | 4     | 0.0         | 2.3          |                  | Closed    |               |
| Sutter  | 80      | 148         | Wigeon/GWT        | 1.9        | 96    | 1.2         | 3.1          |                  | Closed    |               |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 2-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks     | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|-----------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 224     | 410         | GWT/Shoveler    | 1.8        | 64    | 0.3         | 2.1         |                  | Closed    |               |
| Delevan | 200     | 396         | Shoveler/GWT    | 2.0        | 54    | 0.3         | 2.3         |                  | Closed    |               |
| Colusa  | 73      | 245         | GWT/Wigeon      | 3.4        | 4     | 0.1         | 3.4         |                  | Closed    |               |
| Sutter  | 94      | 157         | Wigeon/Shoveler | 1.7        | 26    | 0.3         | 1.9         |                  | Closed    |               |

Date: 3-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks  | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|--------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 149     | 153         | GWT/Shoveler | 1.0        | 22    | 0.1         | 1.2          |                  | Closed    |               |
| Delevan | 149     | 140         | GWT/Gadwall  | 0.9        | 15    | 0.1         | 1.0          |                  | Closed    |               |
| Colusa  | 89      | 166         | GWT/Shoveler | 1.9        | 4     | 0.0         | 1.9          |                  | Closed    |               |
| Sutter  | 77      | 147         | GWT/Wigeon   | 1.9        | 18    | 0.2         | 2.1          |                  | Closed    |               |

Date: 6-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 176     | 302         | Shoveler/GWT     | 1.7        | 56    | 0.3         | 2.0          |                  | Closed    |               |
| Delevan | 159     | 438         | Gadwall/Shoveler | 2.8        | 40    | 0.3         | 3.0          |                  | Closed    |               |
| Colusa  | 111     | 301         | Gadwall/GWT      | 2.7        | 16    | 0.1         | 2.9          |                  | Closed    |               |
| Sutter  | 78      | 140         | Wigeon/GWT       | 1.8        | 33    | 0.4         | 2.2          |                  | Closed    |               |

\*\*Veterans hunt at Colusa NWR on Jan 2. All Assigned Ponds reserved for the day.

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 9-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks    | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|----------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 202     | 411         | Wigeon/Gadwall | 2.0        | 244   | 1.2         | 3.2         |                  | Closed    |               |
| Delevan | 202     | 690         | Gadwall/GWT    | 3.4        | 133   | 0.7         | 4.1         |                  | Closed    |               |
| Colusa  | 127     | 520         | Gadwall/GWT    | 4.1        | 53    | 0.4         | 4.5         |                  | Closed    |               |
| Sutter  | 85      | 265         | Wigeon/Pintail | 3.1        | 105   | 1.2         | 4.4         |                  | Closed    |               |

Date: 10-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 139     | 150         | GWT/Wigeon       | 1.1        | 115   | 0.8         | 1.9          |                  | Closed    |               |
| Delevan | 142     | 265         | Gadwall/Shoveler | 1.9        | 98    | 0.7         | 2.6          |                  | Closed    |               |
| Colusa  | 96      | 275         | GWT/Gadwall      | 2.9        | 50    | 0.5         | 3.4          |                  | Closed    |               |
| Sutter  | 76      | 138         | Wigeon/Pintail   | 1.8        | 19    | 0.3         | 2.1          |                  | Closed    |               |

Date: 13-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks    | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|----------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 156     | 278         | Wigeon/GWT     | 1.8        | 137   | 0.9         | 2.7          |                  | Closed    |               |
| Delevan | 165     | 508         | Gadwall/GWT    | 3.1        | 104   | 0.6         | 3.7          |                  | Closed    |               |
| Colusa  | 96      | 331         | Gadwall/GWT    | 3.4        | 53    | 0.6         | 4.0          |                  | Closed    |               |
| Sutter  | 77      | 132         | Wigeon/Pintail | 1.7        | 68    | 0.9         | 2.6          |                  | Closed    |               |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 16-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|-------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 235     | 313         | Wigeon/GWT  | 1.3        | 395   | 1.7         | 3.0         |                  | Closed    |               |
| Delevan | 215     | 527         | GWT/Gadwall | 2.5        | 225   | 1.0         | 3.5         |                  | Closed    |               |
| Colusa  | 127     | 320         | GWT/Gadwall | 2.5        | 118   | 0.9         | 3.4         |                  | Closed    |               |
| Sutter  | 84      | 208         | Wigeon/GWT  | 2.5        | 109   | 1.3         | 3.8         |                  | Closed    |               |

Date: 17-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks    | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|----------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 149     | 138         | Wigeon/Pintail | 0.9        | 255   | 1.7         | 2.6          |                  | Closed    |               |
| Delevan | 145     | 222         | GWT/Pintail    | 1.5        | 165   | 1.1         | 2.7          |                  | Closed    |               |
| Colusa  | 112     | 129         | GWT/Pin/Gadw   | 1.2        | 112   | 1.0         | 2.2          |                  | Closed    |               |
| Sutter  | 64      | 87          | GWT/Wigeon     | 1.4        | 33    | 0.5         | 1.9          |                  | Closed    |               |

Date: 20-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks    | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|----------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 181     | 457         | Wigeon/GWT     | 2.5        | 238   | 1.3         | 3.8          |                  | Closed    |               |
| Delevan | 160     | 707         | GWT/Wigeon     | 4.4        | 90    | 0.6         | 5.0          |                  | Closed    |               |
| Colusa  | 112     | 456         | Wigeon/GWT     | 4.1        | 51    | 0.5         | 4.5          |                  | Closed    |               |
| Sutter  | 72      | 287         | Wigeon/Pintail | 4.0        | 60    | 0.8         | 4.8          |                  | Closed    |               |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 23-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks    | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|----------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 243     | 593         | Wigeon/Pintail | 2.4        | 318   | 1.3         | 3.7         |                  | Closed    |               |
| Delevan | 198     | 765         | GWT/Wigeon     | 3.9        | 222   | 1.1         | 5.0         |                  | Closed    |               |
| Colusa  | 125     | 561         | Wigeon/GWT     | 4.5        | 137   | 1.1         | 5.6         |                  | Closed    |               |
| Sutter  | 92      | 299         | Wigeon/Pintail | 3.3        | 67    | 0.7         | 4.0         |                  | Closed    |               |

Date: 24-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks     | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|-----------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 192     | 272         | Wigeon/GWT      | 1.4        | 63    | 0.3         | 1.7          |                  | Closed    |               |
| Delevan | 166     | 321         | GWT/Shoveler    | 1.9        | 50    | 0.3         | 2.2          |                  | Closed    |               |
| Colusa  | 112     | 179         | Shoveler/Wigeon | 1.6        | 78    | 0.7         | 2.3          |                  | Closed    |               |
| Sutter  | 75      | 121         | Wig/Pin/Rneck   | 1.6        | 15    | 0.2         | 1.8          |                  | Closed    |               |

Date: 27-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 214     | 734         | Wigeon/Gadwall   | 3.4        | 183   | 0.9         | 4.3          |                  | Closed    |               |
| Delevan | 187     | 745         | Wigeon/Gadwall   | 4.0        | 29    | 0.2         | 4.1          |                  | Closed    |               |
| Colusa  | 131     | 515         | Gadwall/Shoveler | 3.9        | 91    | 0.7         | 4.6          |                  | Closed    |               |
| Sutter  | 84      | 252         | Wigeon/Mallard   | 3.0        | 57    | 0.7         | 3.7          |                  | Closed    |               |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 30-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks     | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|-----------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 252     | 392         | Wigeon/Shoveler | 1.6        | 111   | 0.4         | 2.0         |                  | Closed    |               |
| Delevan | 209     | 661         | GWT/Shoveler    | 3.2        | 70    | 0.3         | 3.5         |                  | Closed    |               |
| Colusa  | 121     | 463         | Gadwall/Wigeon  | 3.8        | 66    | 0.5         | 4.4         |                  | Closed    |               |
| Sutter  | 89      | 230         | GWT/Ring Neck   | 2.6        | 28    | 0.3         | 2.9         |                  | Closed    |               |

Date: 31-Jan

| Refuge  | Hunters | Ducks Total | Top 2 Ducks   | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|---------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 170     | 115         | GWT/Ring Neck | 0.7        | 37    | 0.2         | 0.9          |                  | Closed    |               |
| Delevan | 164     | 232         | GWT/Gadwall   | 1.4        | 24    | 0.1         | 1.6          |                  | Closed    |               |
| Colusa  | 124     | 169         | Gadwall/GWT   | 1.4        | 42    | 0.3         | 1.7          |                  | Closed    |               |
| Sutter  | 84      | 149         | GWT/Ring Neck | 1.8        | 26    | 0.3         | 2.1          |                  | Closed    |               |

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 6-Feb

| Refuge  | Hunters | Ducks Total | Top 2 Ducks | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|-------------|------------|-------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 96      | 276         | GWT/Wigeon  | 2.9        | 170   | 1.8         | 4.6         |                  | Closed    |               |
| Delevan | 106     | 288         | GWT/Pintail | 2.7        | 141   | 1.3         | 4.0         |                  | Closed    |               |
| Colusa  | 69      | 222         | GWT/Wigeon  | 3.2        | 136   | 2.0         | 5.2         |                  | Closed    |               |
| Sutter  |         |             |             | Closed     |       |             | Closed      |                  | Closed    |               |

Date: 7-Feb

| Refuge  | Hunters | Ducks Total | Top 2 Ducks    | Duck Avg.* | Geese | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|----------------|------------|-------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 47      | 50          | GWT/Wigeon     | 1.1        | 35    | 0.7         | 1.8          |                  | Closed    |               |
| Delevan | 36      | 63          | Pintail/GWT    | 1.8        | 34    | 0.9         | 2.7          |                  | Closed    |               |
| Colusa  | 36      | 28          | Pintail/Wigeon | 0.8        | 73    | 2.0         | 2.8          |                  | Closed    |               |
| Sutter  | 42      | 125         | Wigeon/Pintail | 3.0        | 19    | 0.5         | 3.4          |                  | Closed    |               |

\*Sutter NWR was only open on Sunday, Feb 7

\*Post Season Youth Hunt

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.

## SACRAMENTO NATIONAL WILDLIFE REFUGE COMPLEX HUNT RESULTS

Date: 13-Feb

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese  | Geese Avg.* | Wtrfwl Avg. | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|--------|-------------|-------------|------------------|-----------|---------------|
| Sac     | 40      | 140         | Shoveler/Pintail | 3.5        | Closed |             |             |                  | Closed    |               |
| Delevan | 34      | 184         | Shoveler/Gadwall | 5.4        | Closed |             |             |                  | Closed    |               |
| Colusa  | 31      | 170         | Gadwall/Shoveler | 5.5        | Closed |             |             |                  | Closed    |               |
| Sutter  | 24      | 108         | Mallard/Pintail  | 4.5        | Closed |             |             |                  | Closed    |               |

Date: 14-Feb

| Refuge  | Hunters | Ducks Total | Top 2 Ducks      | Duck Avg.* | Geese  | Geese Avg.* | Wtrfwl Avg.* | Pheasant Hunters | Pheasants | Pheasant Avg. |
|---------|---------|-------------|------------------|------------|--------|-------------|--------------|------------------|-----------|---------------|
| Sac     | 28      | 47          | RNDuck/Pintail   | 1.7        | Closed |             |              |                  | Closed    |               |
| Delevan | 23      | 63          | Shoveler/GWT     | 2.7        | Closed |             |              |                  | Closed    |               |
| Colusa  | 21      | 56          | Gadwall/Shoveler | 2.7        | Closed |             |              |                  | Closed    |               |
| Sutter  | 14      | 41          | Mallard/Pintail  | 2.9        | Closed |             |              |                  | Closed    |               |

\*Post Season Active Duty Military and Veteran Hunt Feb 13-14, 2021

\*Duck Avg., Geese Avg., and Waterfowl Avg. determined by total number of Waterfowl and Mixed Hunters.