

## Salamander Mussel Proposed Rule Literature Cited

- Ahlstedt, S. A., Fagg, M. T., Butler, R. S., Connell, J. F., & Jones, J. W. (2016). Qualitative monitoring of freshwater mussel populations from 1979-2004 in the Clinch and Powell Rivers of Tennessee and Virginia, with miscellaneous notes on the fauna. *Freshwater Mollusk Biology and Conservation*, 19(2), 1-18.
- Anderson, R. M., & Kreeger, D. A. (2010). Potential for impairment of freshwater mussel populations in DRBC special protection waters as a consequence of natural gas exploratory well development. Prepared for the U.S. Fish and Wildlife Service.
- Augspurger, T., Dwyer, F. J., Ingersoll, C. G., & Kane, C. M. (2007). Advances and opportunities in assessing contaminant sensitivity of freshwater mussel (Unionidae) early life stages. *Environmental Toxicology and Chemistry*, 26, 2025–2028.
- Augspurger, T., Keller, A. E., Black, M. C., Cope, W. G., & Dwyer, F. J. (2003). Water quality guidance for protection of freshwater mussels (Unionidae) from ammonia exposure. *Environmental Toxicology and Chemistry*, 22(11), 2569-2575.
- Berg, D. J., Levine, T. D., Stoeckel, J. A., & Lang, B. K. (2008). A conceptual model linking demography and population genetics of freshwater mussels. *Journal of the North American Benthological Society*, 27(2), 395–408.
- Beschta, R. L. (1978). Long-term patterns of sediment production following road construction and logging in the Oregon Coast Range. *Water Resources Research*, 14(6), 1011-1016.
- Bringolf, R. B., Cope, W. G., Eads, C. B., Lazaro, P. R., Barnhart, M. C., & Shea, D. (2007). Acute and chronic toxicity of technical-grade pesticides to glochidia and juveniles of freshwater mussels (Unionidae). *Environmental Toxicology and Chemistry*, 26 (10), 2086-2093.
- Brim Box, J., & Mossa, J. (1999). Sediment, land use, and freshwater mussels: prospects and problems. *Journal of the North American Benthological Society*, 18(1), 99-117.
- Caissie, D. (2006). The thermal regime of rivers: a review. *Freshwater Biology*, 51, 1389-1406.
- Chen, L., Heath, A. G., & Neves, R. J. (2001). Comparison of oxygen consumption in freshwater mussels (Unionidae) from different habitats during declining dissolved oxygen concentration. *Hydrobiologia*, 450, 209-214.
- Clarke, A. H. (1985). The tribe Alasmidontini (Unionidae: Anodontinae). Part II: *Lasmigona* and *Simpsonaias*. *Smithsonian Contributions to Zoology*, 399, 1-75.
- Cope, W. G., Bringolf, R. B., Buchwalter, D. B., Newton, T. J., Ingersoll, C. G., Wang, N., Augspurger, T., Dwyer, F. J., Barnhart, M. C., Neves, R. J., & Hammer, E. (2008). Differential exposure, duration, and sensitivity of unionoidean bivalve life stages to environmental contaminants. *Journal of the North American Benthological Society*, 27(2), 451-462.

- Davis, M., Grime, J. & Thompson, K. (2000). Fluctuating resources in plant communities: A general theory of invasibility. *Journal of Ecology*, 88, 528-536.
- Di Maio, J., & Corkum, L. D. (1995). Relationship between the spatial distribution of freshwater mussels (*Bivalvia: Unionidae*) and the hydrological variability of rivers. *Canadian Journal of Zoology*, 73, 663-671.
- Dimock, R. V., & Wright, A. H. (1993). Sensitivity of juvenile freshwater mussels to hypoxic, thermal and acid stress. *The Journal of the Elisha Mitchell Scientific Society*, 109(4), 183-192.
- Downing, J. A., Van Meter, P., & Woolnough, D. A. (2010). Suspects and evidence: a review of the causes of extirpation and decline in freshwater mussels. *Animal Biodiversity and Conservation*, 33(2), 151-185.
- Dueñas, M. A., Ruffhead, H. J., Wakefield, N. H., Roberts, P. D., Hemming, D. J., & Diaz-Soltero, H. (2018). The role played by invasive species in interactions with endangered and threatened species in the United States: a systematic review. *Biodiversity and Conservation*, 27, 3171-3183.
- Ellis, M. M. (1936). Erosion silt as a factor in aquatic environments. *Ecology*, 17(1), 29-42.
- Fisher, S. G., & LaVoy, A. (1972). Differences in littoral fauna due to fluctuating water levels below a hydroelectric dam. *Journal of the Fisheries Research Board of Canada*, 29, 1472-1476.
- Gammon, J. R. (1970). The effect of inorganic sediment on stream biota. USEPA, Water Quality Office. Report No. 18050DWC12/70.
- Ganser, A. M., Newton, T. J., & Haro, R. J. (2015). Effects of elevated water temperature on physiological responses in adult freshwater mussels. *Freshwater Biology*, 60, 1705-1716.
- Gillis, P. L. (2012). Cumulative impacts of urban runoff and municipal wastewater effluents on wild freshwater mussels (*Lasmigona costata*). *Science of the Total Environment*, 431, 348-356.
- Gillis, P. L., Gagné, F., McInnis, R., Hooey, T. M., Choy, E. S., André, C., Hoque, M. E., & Metcalfe, C. D. (2014). The impact of municipal wastewater effluent on field-deployed freshwater mussels in the Grand River (Ontario, Canada). *Environmental Toxicology and Chemistry*, 33(1), 134-143.
- Goldsmith, A. M., Jaber, F. H., Ahmari, H., & Randklev, C. R. (2021). Clearing up cloudy waters: a review of sediment impacts to unionid freshwater mussels. *Environmental Reviews*, 29(1), 100-108.
- Goudreau, S. E., Neves, R. J., & Sheehan, R. J. (1993). Effects of wastewater treatment plant effluents on freshwater mollusks in the upper Clinch River, Virginia, USA. *Hydrobiologia*, 252, 211-230.

- Guy, H. P., & Ferguson, G. E. (1963). Sediment in small reservoirs due to urbanization. *Journal of Hydraulics Division*, 88(2), 22-37.
- Haag, W. R. (2012). *North American freshwater mussels: Natural history, ecology, and conservation*. Cambridge University Press.
- Haag, W. R. (2019). Reassessing enigmatic mussel declines in the United States. *Freshwater Mollusk Biology and Conservation*, 22(2), 43-60.
- Haag, W. R., & Williams, J. D. (2014). Biodiversity on the brink: an assessment of conservation strategies for North American freshwater mussels. *Hydrobiologia*, 735(1), 45-60.
- Hanson, K. Iowa Department of Natural Resources, Guttenberg Fisheries Management, Guttenberg, Iowa. Review comment from September 2021.
- Hastie, L. C., Boon, P. J., Young, M. R., & Way, S. (2001). The effects of a major flood on an endangered freshwater mussel population. *Biological Conservation*, 98(1), 107-115.
- Holland-Bartels, L. E. (1990). Physical factors and their influence on the mussel fauna of a main channel border habitat of the upper Mississippi River. *Journal of the North American Benthological Society*, 9, 327-335.
- Industrial Economics, Incorporated. (2022). Draft Screening Analysis of the Likely Economic Impacts of the Proposed Rule to Designate Critical Habitat for the Salamander Mussel.
- Junoy, J., & Viéitez, J. M. (1990). Macrozoobenthic community structure in the Ría de Foz, an intertidal estuary (Galicia, Northwest Spain). *Marine Biology*, 107(2), 329-339.
- Layzer, J. B., & Madison, L. M. (1995). Microhabitat use by freshwater mussels and recommendations for determining instream flow needs. *Regulated Rivers: Research and Management*, 10, 329-345.
- Nichols, S. J., & Garling, D. (2000). Food-web dynamics and trophic-level interactions in a multispecies community of freshwater unionids. *Canadian Journal of Zoology*, 78, 871-882.
- [NCANSMPC] North Carolina Aquatic Nuisance Species Management Plan Committee. (2015). North Carolina Aquatic Nuisance Species Management Plan. North Carolina Department of Agriculture and Consumer Services.
- Patnode, K. A., Hittle, E., Anderson, R. M., Zimmerman, L., & Fulton, J. W. (2015). Effects of high salinity wastewater discharges on unionid mussels in the Allegheny River, Pennsylvania. *Journal of Fish and Wildlife Management*, 6(1), 55-70.
- Peacock, E., Haag, W. R., & Warren, M. L. (2005). Prehistoric decline in freshwater mussels coincident with the advent of maize agriculture. *Conservation Biology*, 19(2), 547-551.

- Poff, N. L., Allan, J. D., Bain, M. B., Karr, J. R., Prestegard, K. L., Richter, B. D., Sparks, R. E., & Stromberg, J. C. (1997). The natural flow regime. *BioScience*, 47, 769-784.
- Pyron, M., Muenich, R. L., & Casper, A. F. (2020). Conservation potential of North American large rivers: the Wabash River compared with the Ohio and Illinois rivers. *Fisheries and Aquatic Sciences*, 23(15).
- Ricciardi, A., Neves, R. J., & Rasmussen, J. B. (1998). Impending extinctions of North American freshwater mussels (Unionoida) following the zebra mussel (*Dreissena polymorpha*) invasion. *Journal of Animal Ecology*, 67(4), 613-619.
- Seaber, P. R., Kapinos, F. P., & Knapp, G. L. (1987). Hydrologic unit maps. U.S. Geological Survey Water-Supply Paper 2294.
- Seakem Group, ARA Consulting Group and Northwest Hydraulic Consultants Ltd, Yukon Placer Mining Implementation Review Committee, and North/South Consultants. 1992. Yukon placer mining study. 1st ed. Yukon Placer Mining Implementation Review Committee, Sidney, British Columbia. 17 pp.
- [Service] U.S. Fish and Wildlife Service. (2023). Species status assessment report for the salamander mussel (*Simpsonaias ambigua*). May 2023 (Version 1.1). Michigan Ecological Services Field Office, East Lansing, Michigan.
- Shaffer, M. L., & Stein, M. A. (2000). Safeguarding our precious heritage. Pp. 301–321 In: Stein, B.A., Kutner, L. S., & Adams, J. S. (eds) *Precious Heritage: The Status of Biodiversity in the United States*. Oxford University Press, New York.
- Smith, D. R., Allan, N. L., McGowan, C. P., Szymanski, J. A., Oetker, S. R., & Bell, H. M. (2018). Development of a species status assessment process for decisions under the U.S. Endangered Species Act. *Journal of Fish and Wildlife Management*, 9, 302-320.
- Sodhi, N., Posa, M., Lee, T., Bickford, D., Koh, L., & Brook, B. (2010). The state and conservation of Southeast Asian biodiversity. *Biodiversity and Conservation*, 19, 317-328.
- Sparks, B. L., & Strayer, D. L. (1998). Effects of low dissolved oxygen on juvenile *Elliptio complanata* (bivalvia:unionidae). *Journal of the North American Benthological Society*, 17(1), 129-134.
- Spooner, D. E., & Vaughn, C. C. (2008). A trait-based approach to species' roles in stream ecosystems: Climate change, community structure, and material cycling. *Oecologia*, 158(2), 307-317.
- Stapleton, M. M., Misfud, D. A., Greenwald, K., Boase, J., Bohling, M., Briggs, A., Chiotti, J., Kennedy, J., Kik IV, G., Hessenauer, J. M., Leigh, D., Roseman, E., Stedman, A., Sutherland, J., & Thomas, M. (2018). Mudpuppy assessment along the St. Clair-Detroit River system. Herpetological Resource and Management Technical Report.

- Strayer, D. L., & Malcom, H. M. (2012). Causes of recruitment failure in freshwater mussel populations in southeastern New York. *Ecological Applications*, 22:1, 1780-1790.
- Tokumon, R., Cataldo, D., & Boltovskoy, D. (2016). Effects of suspended inorganic matter on filtration and grazing rates of the invasive mussel *Limnoperna forunei* (Bivalvia: Mytiloidea). *Journal of Molluscan Studies*, 82, 201-204.
- Tuttle-Raycraft, S., & Ackerman, J. D. (2019). Living the high turbidity life: the effects of total suspended solids, flow, and gill morphology on mussel feeding. *Limnology and Oceanography*, 64, 2526-2537.
- [USEPA] U.S. Environmental Protection Agency. (2007). National management measures to control nonpoint source pollution from hydromodification. EPA report 841-B-07-002.
- U.S. Geological Survey. 2018. Watershed boundary dataset. <https://water.usgs.gov/GIS/huc.html>
- Vaughn, C. C. & Taylor, C. M. (1999). Impoundments and the decline of freshwater mussels: a case study of an extinction gradient. *Conservation Biology*, 13, 912-920.
- Waller, D. L., & Cope, W. G. (2019). The status of mussel health assessment and a path forward. *Freshwater Mollusk Biology and Conservation*, 22(2), 26-42.
- Wang, N., Ivey, C. D., Ingersoll, C. G., Brumbaugh, W. G., Alvarez, D., Hammer, E. J., Bauer, C. R., Augspurger, T., Raimondo, S., & Barnhart, M. C. (2017). Acute sensitivity of a broad range of freshwater mussels to chemicals with different modes of toxic action. *Environmental Toxicology and Chemistry*, 36(3), 786-796.
- Welte, N. (2020). Requested Information on the distribution, status, and threats to the Salamander Mussel (*Simpsonaias ambigua*) and its host, Mudpuppy (*Necturus maculosus*) for the U.S. Fish and Wildlife Service's Species Status Assessment. PA Fish and Boat Commission. 18 pp.
- Yeager, M. M., Cherry, D. S., & Neves, R. J. (1994). Feeding and burrowing behaviors of juvenile rainbow mussels, *Villosa iris* (Bivalvia:Unionidae). *Journal of the North American Benthological Society*, 13(2), 217-222.
- Zeiringer, B., Seliger, C., Greimel, F. & Schmutz, S. (2018). River hydrology, flow alteration, and environmental flow. In: Schmutz, S. and Sendzimir, J. (eds) *Riverine Ecosystem Management*. Aquatic Ecology Series, 8. Springer, Cham.