

Wapato Lake National Wildlife Refuge Waterfowl Hunt Seasons 1 and 2 Species Composition of Harvest

Percent of Harvest for Year One By Species

Green-Winged Teal- 58%
Northern Shoveler- 12%
Bufflehead- 10%
Northern Pintail- 7%
American Wigeon- 6%
Mallard- 3%
Ringed-Neck Duck- 2%
Ruddy Duck- 2%
Gadwall- 1%
Lesser Scaup- 1%
American Coot- 1%
Goldeneye, Hooded Merganser, Wood Duck- 0%

Percent of Harvest for Year Two By Species

Green-Winged Teal- 51%
Northern Shoveler- 17%
Bufflehead- 18%
Northern Pintail- 4%
American Wigeon- 3%
Mallard- 3%
Ringed-Neck Duck- 3%
Ruddy Duck- 2%
Gadwall- 1%
Lesser Scaup- 3%
American Coot- 2%
Goldeneye, Hooded Merganser, Wood Duck- 1%

Wapato Lake National Wildlife Refuge Waterfowl Hunt Seasons 1 and 2 Birds Per Hunter Average by Blind

Birds Per Hunter Average for Year

One By Blind

Blind 1- 1.1

Blind 2- 1.8

Blind 3- 0.6

Blind 4- 1.8

Blind 5- 3.6

Blind 6- 4.7

ADA Blind- 1.3

Birds Per Hunter Average for Year

Two By Blind

Blind 1- 2.7

Blind 2- 2.4

Blind 3- 3.7

Blind 4- 4.7

Blind 5- 4.1

Blind 6- 2.8

ADA Blind- 1.1