# **Bald Knob**

## $National\ Wildlife\ Refuge\ Bird\ List$



Bald Knob National Wildlife Refuge was established on September 22, 1993 and is one of over 560 National Wildlife Refuges. The refuge is located one-half mile southwest of Bald Knob and is bordered to the west and south by the Little Red River and contains 15,020 acres. It was identified by the Lower Mississippi Valley Joint Venture as a high priority acquisition to meet the habitat conservation goals of the North American Waterfowl Management Plan. Management goals of the refuge are: (1) protect and enhance/restore approximately 14,000 acres of agriculture wetlands and bottomland hardwood forests, (2) provide wintering habitat for migrating waterfowl, (3) provide breeding and non-breeding habitat for wood ducks and songbirds, and (4) to provide the public with recreational opportunities (hunting, fishing, wildlife observation, nature photography, environmental education, and interpretation).

Bald Knob National Wildlife Refuge 1439 Coal Chute Road Bald Knob, AR 72010 http://southeast.fws.gov

U.S. Fish & Wildlife Service 1 800/344 WILD

The refuge operates a large Cooperative Farming Program consisting of over 4,500 acres of rice, soybeans, corn and millet. Moist-soil production and shorebird management are also covered under this farming agreement. Methods utilized in growing rice and other crops also create favorable habitat for waterfowl, wading birds, shorebirds and other migratory species.

Bald Knob Refuge is noted for extremely high numbers of wintering waterfowl. In fact, the refuge is the largest staging area in Arkansas for northern pintails (over 200,000 recorded in a single day) as they migrate to the wetlands and coastal marshes of Louisiana. Bald eagles also follow the annual waterfowl migration and heavily utilize this refuge with 78 being the record for one day.

Various species of marsh and wading birds frequent the area as do numerous species of raptors. Refuge personnel provide approximately 150 acres of mudflats in the late summer/early fall





each year for shorebirds. The least tern, peregrine falcon, piping plover and other threatened or endangered species are often seen on the refuge during late July – September.

W - (December-February)

Sp - (March-May)

S - (June-August)

F - (September-November)

## Frequencies of Occurance per Season within Dates Specified:

C = Common to Abundant (found regularly and in good numbers)

FC = Fairly Common (numbers fluctuate between common and uncommon)

U = Uncommon (usually found; occurs in low numbers)

O = Occasional (usually found a few times during the season)

R = Rare (seldom found during the season; includes species that areoutside their normal range that occur every 2-3 years)

V = Vagrant (outside normal range; not expected)

\* = Confirmed or probably breeder

### U.S. Fish & Wildlife Service

	SP	S	F	W	S	P S	S	F	W
Whistling-Ducks, Geese, Swans and	Ducks	;			Black-crowned Night-Heron *			U	U
Black-bellied Whistling-Duck		V	V		Yellow-crowned Night-Heron *	:		U	U
Fulvous Whistling-Duck		V	$\mathbf{V}$		White Ibis *		R	$\mathbf{R}$	$\mathbf{R}$
Greater White-fronted Goose	$\mathbf{C}$	FC		$\mathbf{C}$	Glossy Ibis	V		V	ъ
Snow Goose	$\mathbf{C}$	$\mathbf{C}$		$\mathbf{C}$	White-faced Ibis	h	R	R R	R
Ross's Goose	U	U		U	Roseate Spoonbill			ĸ	
Cackling Goose	${ m R}$	$\mathbf{R}$		$\mathbf{R}$	Vultures, Kites, Eagles and Hawks				
Canada Goose *	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$		R C	)	O	0
Trumpeter Swan	V						Ŭ	Ŭ	Ŭ
Wood Duck *	U	FC	FC	FC	Osprey		R		
Gadwall	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{R}$	$\mathbf{C}$	Mississippi Kite *		U	U	U
American Wigeon	FC	FC	$\mathbf{R}$	FC			FC	U	FC
American Black Duck	R	R		R			FC	V	С
Mallard	$\mathbf{C}$	C	U	$\mathbf{C}$		0  0		D	U
Mottled Duck		$\underset{\sim}{\mathrm{R}}$	$\mathbf{R}$	~			O U	R U	U U
Blue-winged Teal		С	O	$\mathbf{C}$	Red-shouldered Hawk Broad-winged Hawk	_	$\overset{\circ}{\mathbf{C}}$	U	Ö
Cinnamon Teal	~	$\overset{\mathbf{V}}{\sim}$	_	~	Swainson's Hawk	V			O
Northern Shoveler	$\stackrel{ ext{C}}{\sim}$	$\stackrel{\text{C}}{\sim}$	R	$\overset{\mathbf{C}}{\sim}$		FC Ü		U	FC
Northern Pintail	$\stackrel{ ext{C}}{\sim}$	$\stackrel{\text{C}}{\sim}$	R	$\overset{\mathbf{C}}{\sim}$		V			
Green-winged Teal	С	С	R	C	G				
Canvasback	U	U	R	U	Falcons				
Redhead	0	0	R	0		U U	J	R	Ü
Ring-necked Duck	U	U	R	O	Merlin	-	_	R	0
Greater Scaup		V	V		Peregrine Falcon	C	)	0	O
Lesser Scaup		R	$\mathbf{R}$		Rails, Gallinules, and Cranes				
Bufflehead		R			Yellow Rail				R
Common Goldeneye	0	V	_	0	King Rail *	F	R.	$\mathbf{R}$	10
Hooded Merganser	O	0	O	O	Virginia Rail	Č		10	
Red-breasted Merganser		V	D		Sora		FC		
Ruddy Duck		FC	R		Common Gallinule	V			
Turkey and Quail					American Coot		3	U	FC
Northern Bobwhite *	FC	FC	FC	FC	Sandhill Crane V	V V	<b>V</b>		V
Wild Turkey *	U	U	U	U	Players Candningra Gulla and Tarna				
Loons	Ü	O	C	O	Plovers, Sandpipers, Gulls and Terns Black-bellied Plover	C	)	U	U
Common Loon		V	V		Black-belied 1 lover American Golden-Plover		FC	Ü	Ü
		V	V		Semipalmated Plover	Ĉ		$\widetilde{F}C$	
Grebes		EC	TT	TT	Piping Plover		R	R	$\ddot{ m R}$
Pied-billed Grebe * Eared Grebe		FC V	U	U	Killdeer *	U C	$\mathbb{C}$	$\mathbf{C}$	$\mathbf{C}$
Eared Grebe		V			Black-necked Stilt *		FC	FC	
Storks					American Avocet	C		0	0
Wood Stork			$\mathbf{R}$	V	Spotted Sandpiper		Ü	U	U
					Solitary Sandpiper	C		U C	$_{\mathrm{C}}^{\mathrm{U}}$
Cormorants and Anhinga					Greater Yellowlegs Willet		R	$\stackrel{ ext{C}}{ ext{R}}$	$\overset{ ext{C}}{ ext{R}}$
Neotropic Cormorant		V	V	0	Lesser Yellowlegs	C		C	C
Double-crested Cormorant	O	C	0	O	Upland Sandpiper	F		ŏ	ŏ
Anhinga *		R	R		Whimbrel	$\overline{\mathbf{V}}$			
Pelicans, Herons, Ibis and Spoonb	ille				Hudsonian Godwit	F			
American White Pelican	1113	U	U	U	Marbled Godwit		R	R	${ m R}$
Brown Pelican		O	$\overset{\circ}{\mathrm{V}}$	O	Ruddy Turnstone		R	$\mathbf{R}$	
American Bittern	V	R	•	V	Red Knot	V	V R	0	0
Least Bittern		R			Sanderling		к FC	$_{ m FC}^{ m O}$	$_{ m FC}^{ m O}$
Great Blue Heron *	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	Semipalmated Sandpiper Western Sandpiper	C		U	U
Great Egret *		FC	FC	U	western Sandpiper Least Sandpiper	C		Č	Č
Snowy Egret *		U	FC	U	White-rumped Sandpiper		FC	$\overset{\circ}{\mathrm{V}}$	v
Little Blue Heron *		U	U		Baird's Sandpiper		$\tilde{C}$	Ò	Ò
Tricolored Heron Cattle Egret *	V	$_{ m FC}^{ m V}$	$_{ m FC}^{ m V}$	FC	Dunlin	J	U	U	U
Green Heron *	V	U	U	rU	Stilt Sandpiper	J	J	FC	FC
——qreen rieron		U	U						

### U.S. Fish & Wildlife Service

	SP	S	F	W		SP	S	F	W
Buff-breasted Sandpiper Ruff		V	O	R	Great Crested F Western Kingbir	•	$\overset{ ext{C}}{ ext{V}}$	С	
Short-billed Dowitcher Long-billed Dowitcher Wilson's Snipe	FC	O C FC	U C R	U C FC	Eastern Kingbir Scissor-tailed Fl		FC C	FC C	U U
American Woodcock Wilson's Phalarope Red-necked Phalarope		R O V	O R	O R	ShrikesLoggerhead Shr	rike O	R	R	R
Bonaparte's GullLaughing GullFranklin's Gull		R V R	V	T.	Vireos White-eyed Vire Bell's Vireo *	o *	C U	C U	U
Ring-billed GullLeast TernCaspian TernBlack Tern		R O R FC	O R U	R R	Yellow-throated Blue-headed Vir Warbling Vireo		R O U	U	
Black TernCommon TernForster's Tern		R O	0	0	Warbling vireo Philadelphia Vir Red-eyed Vireo		U U	U	
Pigeons and DovesRock Pigeon *Eurasian Collared-Dove	O R	O R	O R	O R	<b>Jays and Crows</b> Blue Jay *	C	C	C	C
Mourning Dove *  Cuckoos and Roadrunners	Č	C	Č	C	American CrowFish Crow *	* C	C FC	C U	$^{ m C}_{ m FC}$
Yellow-billed Cuckoo * Greater Roadrunner		C R	C R	0	LarksHorned Lark	O	R		О
OwlsBarn Owl *Eastern Screech-Owl *	O R	O R	O R	O R	Swallows —Purple Martin Tree Swallow		U FC	U U	FC
Great Horned Owl *Barred Owl *Short-eared Owl	U FC U	U FC	U FC	FC U		n-winged Swallow *	FC U FC	U U	FC U FC
Nighthawks and NightjarsCommon NighthawkChuck-will's-widow		O R	0	0	Barn Swallow *  Chickadees and Titm		С	С	С
Swifts and HummingbirdsChimney Swift *	1 ¥	U	U	U	Carolina Chicka Tufted Titmouse		FC C	FC C	FC C
Ruby-throated Hummingbird KingfishersBelted Kingfisher *	u " U	U	U U	U U	U Nuthatches Red-breasted N White-breasted		U	U	R U
WoodpeckersRed-headed Woodpecker *	0	0	0	0	<b>Creepers</b> Brown Creeper	0			0
Red-bellied Woodpecker * Yellow-bellied Sapsucker Downy Woodpecker *	C U FC	C FC	C FC	C U FC	Wrens Carolina Wren *		$\mathbf{C}$	C	C
Hairy Woodpecker *Northern Flicker *Pileated Woodpecker *	U U	R U U	U	U U	House Wren Winter Wren	U U	U	C	U U
Flycatchers	U	U		U	Sedge Wren Marsh Wren		U U		U U
Olive-sided Flycatcher Eastern Wood-Pewee * Acadian Flycatcher Alder Flycatcher		C C R	O C C	U	KingletsGolden-crownedRuby-crowned K	_	U		O U
Willow FlycatcherLeast FlycatcherEastern Phoebe *	0	R U U	U	U	<b>Gnatcatchers</b> Blue-gray Gnate	atcher *	C	С	0

U.S. Fish & Wildlife Service									
	SP	S	F	W		SP	S	F	W
Bluebirds and ThrushesEastern Bluebird *Veery Gray-cheeked Thrush	U	U R U	U		Clay-colored SparrowField Sparrow *Vesper Sparrow Lark Sparrow *	U	R U O	U R	U O
Swainson's Thrush Hermit Thrush Wood Thrush * American Robin	U U	U U U	U U	U U	Savannah SparrowSavannah Sparrow *Grasshopper Sparrow *Henslow's Sparrow LeConte's Sparrow	${ m C}$	C R V	R	${ m C}$
Mockingbirds and ThrashersGray CatbirdNorthern Mockingbird * Brown Thrasher *	FC U	O FC U	FC U	R FC U	Nelson's SparrowFox SparrowSong SparrowLincoln's SparrowSwamp Sparrow	U FC FC	FC U FC		R U FC U FC
StarlingsEuropean Starling * Pipits	FC	FC	U	FC	Swamp SparrowWhite-throated SparrowWhite-crowned SparrowDark-eyed Junco	C R U U	C U U	v	C R U U
American Pipit  Waxwings Cedar Waxwing	U O	U O		U 0	Tanagers, Cardinals and GrosbeaksSummer Tanager *Northern Cardinal *	С	FC C	FC C	$\mathbf{C}$
LongspursLapland Longspur Wood Warblers	R			R	Rose-breasted GrosbeakBlue Grosbeak *Indigo Bunting *Painted Bunting *		U FC C O C	FC C O C	O FC U
Louisiana Waterthrush * Northern Waterthrush Golden-winged Warbler Blue-winged Warbler Black-and-white Warbler *  Prothonotary Warbler *		O U R R U C	O U C		Dickcissel *  Blackbirds and OriolesBobolinkRed-winged Blackbird *Eastern Meadowlark * Western Meadowlark	C U R	FC C U	C U	0 C U
Swainson's Warbler * Tennessee Warbler Nashville Warbler Mourning Warbler Kentucky Warbler * Common Yellowthroat *		U FC U R U C	U U C	FC	Yellow-headed Blackbird Rusty Blackbird Brewer's Blackbird Common Grackle * Brown-headed Cowbird *	U U U C	V U U U C	U C	U U U C
— Hooded Warbler — American Redstart — Cerulean Warbler * Northern Parula *		R U R	R R	ro	Orchard Oriole *Baltimore Oriole Finches		U O	U	
Magnolia Warbler Blackburnian Warbler Yellow Warbler		FC U R U	FC		House Finch American Goldfinch	O U	0 U	0	O U
Chestnut-sided Warbler Blackpoll Warbler Palm Warbler Yellow-rumped Warbler	U	R R R		U	Old World SparrowsHouse Sparrow *	С	С	С	C
Yellow-throated Warbler *Black-throated Green WarblerWilson's WarblerYellow-breasted Chat *	•	O R R U	O U						
New World Sparrows									
Eastern Towhee * American Tree Sparrow	O V	0	O	O					
American Tree Sparrow Chipping Sparrow	v R	0		0					

Sighting Notes	
Date	
Time	
Weather	
No. of species	
Route or area	
Observers	
Remarks	
	THE STATE OF THE S
	Ethics for Birdwatching Take care not to disturb nesting birds. This exposes eggs and young to extreme temperatures and predation.
	Disturb wintering bird life as little as possible, particularly during critical feeding and resting periods. They need all of their energy reserves to withstand the stresses of harsh weather and migration.
	Do not litter  Many birds die when they become entangled in fishing lines, 6-pack rings and other trash, or when they mistake garbage for food.