U.S. Fish & Wildlife Service



 $St. \ \overline{Marks\ National}$  $Wildlife\ Refuge\ is\ on\ the$ shores of Apalachee Bay, in northwestern Florida, about 20 miles south of  $Tallahassee.\ Established$ in 1931, the refuge contains about 68,000 acres of salt and brackish marshes, hardwood swamps, pine flatwoods, and pine-oak uplands; parts of which are in Taylor, Jefferson, and Wakulla Counties. An additional 31,700 acres of water in Apalachee Bay are included as part of the refuge through a  $Presidential\ Proclamation.$ St. Marks Refuge provides an extensive wintering habitat for waterfowl and is one of the earliest such areas acquired by the

St. Marks NationalWildlife Refuge



 $This\ blue\ goose,$ designed by J.N."Ding" Darling, has become a symbol of the National Wildlife Refuge System.

The seasons bring about marked changes in both species and abundance of birdlife. Best opportunities for observing the greatest variety and number of birds are during the fall and spring. Waterfowl are most easily seen on the refuge from mid-November through late December. Shore birds are most common during late spring and early fall.

This list is in accordance with the A.O.U. Checklist as amended. Enjoy your visit!

## Symbols used in this list are defined as follows

**Sp-**Spring - March-May S-Summer - June-August F-Fall - September-November  ${f W} ext{-}Winter$  -  $December ext{-}Februaru$ \* Nest on Refuge

**a**-abundant a common species

which is very numerous

certain to be seen or c-common

heard in

suitable habitat

**u**-uncommon present, but not

certain to be seen

o-occasional seen only a few times

during a season

seen at intervals of 2 r-rare

to 5 years

This folder lists 274 species of birds that are considered part of the



Turkeu



Barred owl



Scarlett Tanager





refuge's fauna.

The following are additional species that are of such accidental or rare occurrence on the refuge that they have been recorded only one or a few times and are generally considered out of their normal range:

Eared Grebe	Cave Swallow
	0 41 / 0 / 0 / 1 41 - 0 / 1
Cory's Shearwater	Horned Lark
American Flamingo	White-breasted Nuthatch
Brant	Sprague's Pipit
Mottled Duck	Bell's Vireo
White-winged Scoter	Warbling Vireo
White-tailed Kite	Connecticut Warbler
Short-tailed Hawk	Canada Warbler
Rough-legged Hawk	Clay-colored Sparrow
Hudsonian Godwit	Lark Bunting
Buff-breasted Sandpiper	LeConte's Sparrow
Baird's Sandpiper	Fox Sparrow
Bridled Tern	Lapland Longspur
Sooty Tern	Yellow-headed Blackbird
Incag Pergar	Evenin <b>g Grosiski</b> k
Short-eared Owl	Red-faced Ibis

Bridled Tern	Lapland Longspur			
Sooty Tern	Yellow-headed Blackbird			
Budgengar	Eve		Piorosis	
Short-eared Owl		Rec	d-faced l	bis
If you observe any accidental or please notify a refuge employee.	or discontinued birds, e.			
Loons				
Red-throated Loon				r
Common Loon	c		u	c
<del></del>				
Grebes				
Pied-billed Grebe*	c	c	a	a
Horned Grebe	c	r	u	c
Red-necked Grebe			r	r
Deligens and their Allies				
Pelicans and their Allies Northern Gannet	0		0	0
American White Pelican	0	7/2	0	0
Brown Pelican	u	r	u	u c
Double-crested Cormorant	c * a	c a	c	a
Anhinga*	, а С	a C	a c	c c
Magnificent Frigatebird	C	r	C	C
Magnificent Frigatebird		1		
Herons, Egrets and their Allies				
American Bittern	0		0	0
Least Bittern*	c	c	u	r
Great Blue Heron*	c	c	c	c
Great Egret*	a	a	a	a
Snowy Egret*	a	a	a	a

	SP	S	F	W
Little Blue Heron*	a	a	a	a
Tricolored Heron*	a	a	a	a
Reddish Egret	0	u	u	О
Cattle Egret*	c	c	c	r
Green Heron*	$\mathbf{c}$	c	u	u
Black-crowned Night-He	eron* c	u	u	c
Yellow-crowned Night-H		u	r	r
lbises, Spoonbill, Stork				
Glossy Ibis*	u	u	u	c
White Ibis*	a	a	c	c
Roseate Spoonbill	$\mathbf{r}$	r	r	
Wood Stork	u	u	u	r
Waterfowl				
Fulvous Whistling-Duck	r		r	r
Tundra Swan	-		r	r
Greater White-fronted G	oose		r	r
Snow Goose	oose		u	0
Canada Goose	$\mathbf{r}$		r	r
Wood Duck*	c	c	a	a
Green-winged Teal	c	C	c c	c
American Black Duck	u		u	u
Mallard	u			
Northern Pintail			u	c
Blue-winged Teal	c	11	c	c
Cinnamon Teal	c	u	c	c
Northern Shoveler		7.0	r	r
	c	r	c	c
Gadwall	c		c	c
Eurasian Wigeon			r	r
American Wigeon	c	r	c	c
Canvasback	u		u	u
Redhead	u	r	a	a
Ring-necked Duck	c		c	c
Greater Scaup	u	0	c	c
Lesser Scaup	c	0	c	c
Long-tailed duck			r	r
Black Scoter	$\mathbf{r}$		r	r
Surf Scoter	$\mathbf{r}$		r	r
Common Goldeneye	u		u	u
Bufflehead	u		c	c
Hooded Merganser			c	c
Common Merganser	$\mathbf{r}$			r
Red-breasted Merganser	· c	r	c	c
Ruddy Duck	u	r	u	u
Vultures, Hawks and Allies				
Black Vulture*	u	u	c	c
Turkey Vulture*	c	c	c	c
Osprey*	c	c	u	0
Swallow-tailed Kite*	u	u		
<del></del>				

	SP	S	F	W
Mississippi Kite*	u	u	_	
Bald Eagle*	u	0	u	c
Northern Harrier	c	r	c	c
Sharp-shinned Hawk	$\overset{\mathbf{c}}{\mathbf{r}}$	1	u	u
Cooper's Hawk	r		u	0
Red-shouldered Hawk*	c	c	c	c
Broad-winged Hawk*	u	u	u	C
Red-tailed Hawk*	u	u	c	c
Golden Eagle	r	и	C	r
American Kestrel	u		u	u
Merlin				
Peregrine Falcon	$\overset{ ext{o}}{ ext{r}}$		0	0
Teregrine racon	1		U	U
Gallinaceous birds (Quail, Turkey a	nd Allies)			
Wild Turkey*	u	u	u	u
Northern Bobwhite*	u	u	u	u
Rails, Gallinules, Coots and Cranes	;			
Yellow Rail	$\mathbf{r}$		r	r
Black Rail*	0	0	0	
Clapper Rail*	c	c	c	c
King Rail*	u	u	u	u
Virginia Rail	u		u	u
Sora	c		c	u
Purple Gallinule*	u	c	u	r
Common Moorhen*	c	a	a	u
American Coot	a	0	a	a
Limpkin	r	r	r	r
Sandhill Crane			r	r
Shorebirds				
Black-bellied Plover	a	u	0	0
American Golden-Plover	c	и	c	c
Wilson's Plover*	r	11	r	11
Semipalmated Plover	u c	u	u c	u c
Piping Plover	$^{ m c}$	u r	r	C
Killdeer*	c	r	c	u
American Oystercatcher*	u	u	u	u
Black-necked Stilt*				и
American Avocet	0	0	0	0
Greater Yellowlegs	a	0	o c	0
Lesser Yellowlegs	c	u		u
Solitary Sandpiper	u	u	u	u
Willet*	o c	o c	o a	
Spotted Sandpiper		u		a
Upland Sandpiper	u r	r	u r	0
Whimbrel				11
Long-billed Curlew	u	u	u	u
Marbled Godwit	r o	r	$\mathbf{r}$	7.9
Ruddy Turnstone	c		0	r
Red Knot		u r	c	u
Sanderling	o u	u	o u	11
Dandering	и	u	и	u

	SP	S	F	W
Semipalmated Sandpiper	c	u	c	
Western Sandpiper	c	c	a	u
Least Sandpiper	c	c	c	c
White-rumped Sandpiper	0	r		
Pectoral Sandpiper	0		0	
Dunlin	a	r	c	a
Stilt Sandpiper	0		0	
Short-billed Dowitcher	c	c	a	a
Long-billed Dowitcher	$\mathbf{r}$		r	r
Common Snipe	u		c	u
American Woodcock	u		u	u
Wilson's Phalarope	r	r		
Laughing Gull*	$\mathbf{c}$	a	c	О
Bonaparte's Gull	0		0	o
Ring-billed Gull	a	0	a	a
Herring Gull	c	0	c	c
Great Black-backed Gull	$\mathbf{r}$			r
Gull-billed Tern	$\mathbf{r}$	r	r	
Caspian Tern	r	r	r	r
Royal Tern	0	0	0	O
Sandwich Tern	0	0	0	
Common Tern	u	u	u	
Forster's Tern	c	c	c	c
Least Tern*	c	u	u	
Black Tern	0	u	О	
Black Skimmer	0	0	0	0
Pigeons, Doves				
Rock Pigeon	$\mathbf{r}$	r	r	r
Eurasian Collared Dove	0	0	0	О
White-winged Dove			0	
Mourning Dove*	u	u	c	u
Common Ground-Dove*	u	u	u	u
Cuckoos				
Black-billed Cuckoo	r	r	r	
Yellow-billed Cuckoo*	$\mathbf{c}$	c	c	
Groove-billed Ani			r	r
0wls				
Barn Owl*	$\mathbf{r}$	r	r	r
Eastern Screech-Owl*	u	u	u	u
Great Horned Owl*	u	u	u	u
Barred Owl*	u	u	u	u
Nightjars				
Common Nighthawk*	c	c	c	
Chuck-will's-widow*	$\mathbf{c}$	c	u	
Whip-poor-will	0		0	r

	SP	S	F	W
Swifts, Hummingbirds				
Chimney Swift*	u	u	u	
Ruby-throated				
Hummingbird*	u	0	u	
Kingfishers				
Belted Kingfisher*	c	c	c	c
Moodpookoro				
Woodpeckers Red-headed Woodpecker*	0	0	0	0
Red-bellied Woodpecker*	c	c	c	c
Yellow-bellied Sapsucker	u	C	u	u
Downy Woodpecker*	u	u	u	u
Hairy Woodpecker*	0	0	0	0
Red-cockaded Woodpecker*				
Northern Flicker*	u	u	u	u
	c	u	c	c
Pileated Woodpecker*	u	u	u	u
Flycatchers				
Eastern Wood-Pewee*	u	u	u	
Acadian Flycatcher*	c	c	u	
Eastern Phoebe	u		c	c
Vermilion Flycatcher	r		0	o
Great Crested Flycatcher*	c	c	0	
Western Kingbird	r		0	
Eastern Kingbird*	c	c	c	
Gray Kingbird*	c	c	u	
Scissor-tailed Flycatcher	r		r	
Martins and Swallows				
Purple Martin*			,,,	
Tree Swallow	c	c	u	u
Northern Rough-winged	a	u	a	a
Swallow			,,,	70
Bank Swallow	c	u	u	r
Cliff Swallow	О	0	0	
Barn Swallow	0	0	r	7/1
Barn Swanow	c	c	c	r
Jays and Crows				
Blue Jay*	c	c	c	c
American Crow*	c	c	c	c
Fish Crow*	c	c	c	u
Chickadees and Titmice				
Carolina Chickadee*	0	C	c	
Caronna Cnickadee* Tufted Titmouse*	c	c	c	c
runeu rumouse	c	С	С	c
Nuthatches				
Red-breasted Nuthatch				r

	SP	S	F	W
Brown-headed Nuthatch*	u	ů	u	u
Creepers				
Brown Creeper	r		r	r
Wrens				
Carolina Wren*	c	c	c	c
House Wren	u		c	u
Winter Wren	u		u	u
Sedge Wren	u		c	c
Marsh Wren*	c	c	c	c
Kinglets and Gnatcatchers				
Golden-crowned Kinglet	u		u	u
Ruby-crowned Kinglet	c		c	c
Blue-gray Gnatcatcher*	c	c	c	u
Bluebirds, Thrushes and Robin				
Eastern Bluebird*	u	r	u	u
Veery	0		u	
Gray-cheeked Thrush	0		u	
Swainson's Thrush	0		u	
Hermit Thrush	0		u	u
Wood Thrush	0		u	
American Robin	a		c	a
Thrashers				
Gray Catbird	c		a	c
Northern Mockingbird*	c	c	c	c
Brown Thrasher*	c	c	a	c
Pipits				
American Pipit	u		u	u
Waxwings				
Cedar Waxwing	u		u	u
Starling				
Starling*	u	u	u	c
Shrike				
Loggerhead Shrike*	u	u	u	u
Vireos				
White-eyed Vireo*	c	c	c	u
Blue-headed Vireo	u		u	u
Yellow-throated Vireo*	u	u	u	
Red-eyed Vireo*	c	u	c	
Warblers				

	SP	S	F	W
Blue-winged Warbler	$\mathbf{r}$	r	$\ddot{\mathbf{r}}$	
Golden-winged Warbler		r	$\mathbf{r}$	
Tennessee Warbler	$\mathbf{r}$		u	
Orange-crowned Warbler	u		u	u
Northern Parula*	c	c	u	
Yellow Warbler	0	c	c	
Chestnut-sided Warbler	$\mathbf{r}$		0	
Magnolia Warbler	$\mathbf{r}$		u	
Cape May Warbler	u			
Black-throated Blue Warbl	er r		$\mathbf{r}$	
Yellow-rumped Warbler	a		a	a
Black-throated Green Wark	oler r		$\mathbf{r}$	
Blackburnian Warbler	$\mathbf{r}$		$\mathbf{r}$	
Yellow-throated Warbler*	c	c	u	o
Pine Warbler*	c	c	$\mathbf{c}$	c
Prairie Warbler	c	c	$\mathbf{c}$	r
Palm Warbler	c		$\mathbf{c}$	r
Blackpoll Warbler	u			
Cerulean Warbler		r	$\mathbf{r}$	
Black-and-white Warbler	u	u	u	u
American Redstart	0	r	0	
Prothonotary Warbler*	c	c	u	
Worm-eating Warbler	$\mathbf{r}$	r	$\mathbf{r}$	
Swainson's Warbler*	$\mathbf{r}$	r	$\mathbf{r}$	
Ovenbird	$\mathbf{r}$		$\mathbf{r}$	
Northern Waterthrush	r	r	$\mathbf{r}$	
Louisiana Waterthrush	r	r	r	
Kentucky Warbler*	u	u	$\overset{-}{\mathbf{r}}$	
Common Yellowthroat*	c	c	c	c
Hooded Warbler*	u	u	u	
Wilson's Warbler			r	r
Yellow-breasted Chat*	c	c	r	r
	•		_	_
Tanagers				
Summer Tanager*	c	c	c	
Scarlet Tanager	$^{ m c}$	C	0	
Ctariet ranager	1		O	
AL 34/ LLE: 1				
New World Finches				
Northern Cardinal*	c	c	c	c
Rose-breasted Grosbeak	r		0	
Blue Grosbeak*	u	u	u	
Indigo Bunting*	c	u	c	
Painted Bunting	r		r	
Dickcissel	$\mathbf{r}$		$\mathbf{r}$	
Sparrows				
Eastern Towhee*	a	a	a	a
Bachman's Sparrow*	u	u	u	u
Chipping Sparrow	u		u	u
Field Sparrow	u		u	u
Vesper Sparrow	u		u	u

	SP	S	F	W	
Savannah Sparrow	u		u	u	
Henslow's Sparrow				r	
Saltmarsh Sharp-tailed					
Sparrow	u		u	u	
Nelson's Sharp-tailed Span			u	u	
Song Sparrow	c		$\mathbf{c}$	c	
Swamp Sparrow	c		$\mathbf{c}$	c	
White-throated Sparrow	c		c	c	
White-crowned Sparrow	70		r		
Dark-eyed Junco Grasshopper Sparrow	r		$^{ m o}_{ m r}$	О	
Seaside Sparrow	r u		u	u	
Seaside Sparrow Lark Sparrow	u		r	и	
Dark Sparrow			1		
Blackbirds, Grackles, Cowbirds ar	nd Orioles				
Bobolink	c		u		
Red-winged Blackbird*	a	a	a	a	
Eastern Meadowlark*	c	u	c	c	
Rusty Blackbird	u		u	u	
Boat-tailed Grackle*	a	a	a	a	
Common Grackle*	$\mathbf{c}$	c	$\mathbf{c}$	c	
Shiny Cowbird	r	r			
Brown-headed Cowbird	c	u	u	u	
Orchard Oriole*	$\mathbf{c}$	u	O		
Baltimore Oriole	$\mathbf{r}$		u		
Old World Finches					
Purple Finch	$\mathbf{r}$		$\mathbf{r}$	u	
American Goldfinch	$\mathbf{c}$		c	c	
Weaver Finches					
Sighting Notes					
Date					
Time					
Weather					
No. of species					
Route or area					
Observers					

Remarks

St. Marks National Wildlife Refuge P. O. Box 68 St. Marks, Florida 32355 850/925 6121 fw4\_rw\_st\_marks@fws.gov

U.S. Fish & Wildlife Service 1 800/344 WILD http://www.fws.gov/saintmarks

## August 2007



House Sparrow

r r r r

## **Ethics for Birdwatching**

Take care not to disturb nesting birds, exposing eggs and young to extreme temperatures and predation.

Disturb wintering wildlife as little as possible, particularly during critical feeding and resting periods. They need all of their energy reserves to withstand the stresses of harsh weather and migration.

Do not litter! Many birds die when they become entangled