


# Texas Fatmucket Distribution




Texas Fatmucket (*Lampsilis bracteata*) female, 58 mm sl, Guadalupe River, Texas - R.G. Howells  
Photo used with permission.



## Texas Fatmucket (*Lampsilis bracteata*)

-  Historical Range
-  Known Counties of Recent Occurrence\*
-  Cities
-  Rivers
-  County Boundaries



\* The species is not necessarily distributed throughout each known county of occurrence and may be represented by only a few individuals. Please see the 12-month finding for more detailed information ([http://www.fws.gov/southwest/es/AustinTexas/ESA\\_sp\\_mussels.html](http://www.fws.gov/southwest/es/AustinTexas/ESA_sp_mussels.html)).



# Golden Orb Distribution



Golden Orb (*Quadrula aurea*) 50 mm sl, Guadalupe R., Texas, R.G. Howells  
Photo used with permission.

**Golden Orb (*Quadrula aurea*)**

-  Historic Range
-  Known Counties of Recent Occurrence\*
-  Cities
-  Rivers
-  County Boundaries



\* The species is not necessarily distributed throughout each known county of occurrence and may be represented by only a few individuals. Please see the 12-month finding for more detailed information ([http://www.fws.gov/southwest/es/AustinTexas/ESA\\_sp\\_mussels.html](http://www.fws.gov/southwest/es/AustinTexas/ESA_sp_mussels.html)).

# Smooth Pimpleback Distribution





Smooth Pimpleback (*Quadrula houstonensis*) 50 mm sl, Colorado R., Texas. R.G. Howells  
Photo used with permission.

## Smooth Pimpleback (*Quadrula houstonensis*)

-  Historic Range
-  Known Counties of Recent Occurrence\*
-  Cities
-  Rivers
-  County Boundaries

\* The species is not necessarily distributed throughout each known county of occurrence and may be represented by only a few individuals. Please see the 12-month finding for more detailed information ([http://www.fws.gov/southwest/es/AustinTexas/ESA\\_sp\\_mussels.html](http://www.fws.gov/southwest/es/AustinTexas/ESA_sp_mussels.html)).



# Texas Pimpleback Distribution






Texas Pimpleback (*Quadrula petrina*) 63 mm sl, Concho R., Texas, R.G. Howells  
Photo used with permission.

## Texas Pimpleback (*Quadrula petrina*)

-  Historic Range
-  Known Counties of Recent Occurrence\*
-  Cities
-  Rivers
-  County Boundaries

\* The species is not necessarily distributed throughout each known county of occurrence and may be represented by only a few individuals. Please see the 12-month finding for more detailed information ([http://www.fws.gov/southwest/es/AustinTexas/ESA\\_sp\\_mussels.html](http://www.fws.gov/southwest/es/AustinTexas/ESA_sp_mussels.html)).





# Texas Fawnsfoot Distribution



Texas Fawnsfoot (*Truncilla macrodon*) 37 mm sl, Brazos River, Texas, R.G. Howells  
Photo used with permission.

**Texas Fawnsfoot (*Truncilla macrodon*)**

-  Historic Range
-  Known Counties of Recent Occurrence\*
-  Cities
-  Rivers
-  County Boundaries



\* The species is not necessarily distributed throughout each known county of occurrence and may be represented by only a few individuals. Please see the 12-month finding for more detailed information ([http://www.fws.gov/southwest/es/AustinTexas/ESA\\_sp\\_mussels.html](http://www.fws.gov/southwest/es/AustinTexas/ESA_sp_mussels.html)).