

**REFERENCES CITED FOR  
SPIKEDACE (*Meda fulgida*) and LOACH MINNOW (*Tiaroga cobitis*)  
as cited in  
November 2005 CRITICAL HABITAT FINAL RULE**

**Agency and Academia Publications**

- Anderson, R.M. 1978. The distribution and aspects of the life history of Meda fulgida in New Mexico. Unpublished M.S. thesis. New Mexico State University, Las Cruces. 62 pp.
- Anderson, R. and P.R. Turner. 1977. Stream survey of the San Francisco River. New Mexico Department of Game and Fish, Santa Fe, NM. 13 pp. + figs.
- Arizona Game and Fish Department (AGFD). 1994. Distribution, abundance and habitat survey for loach minnow (Tiaroga cobitis) in the Blue River, Arizona. August 1994. Arizona Game and Fish Department, Phoenix, Arizona. 19 pp.
- Arizona Game and Fish Department (AGFD). 2004. Heritage Database Management System. Phoenix, Arizona.
- Arizona State University (ASU). 2002. Lower Colorado Basin fish database. Produced for the U.S. Bureau of Reclamation and U.S. Fish and Wildlife Service by Arizona State University, Tempe, AZ.
- Bagley, B., B. Kesner, and C. Secor. 1998. Upper Blue River and tributaries fisheries survey. Arizona State University, Tempe, AZ. 25 pp.
- Bagley, B., G.W. Knowles, and T.C. Inman. 1995. Fisheries survey of the Apache-Sitgreaves National Forests, trip reports 1- 9. May 1994 to September 1995. Arizona State University, Tempe, AZ. 50 pp.
- Bagley, B. and P. Marsh 1997. Eagle Creek, Greenlee County, Arizona fisheries survey June 23 – 25, 1997. Arizona State University, Tempe, AZ. 4 pp.
- Britt, K.D., Jr. 1982. The reproductive biology and aspects of life history of Tiaroga cobitis in southwestern New Mexico. Unpublished M.S. thesis. New Mexico State University, Las Cruces. 56 pp.
- Bureau of Land Management (BLM). 1990. Riparian management and channel evolution. BLM Phoenix Training Center Course No. SS 1737-2. Phoenix, AZ. 26 pp.

- Eberhardt, S. 1981. San Pedro River Basin water quality status report for period 1973 – 1979. Arizona Department of Health Services, Phoenix, Arizona. 47 pp.
- Hardy, T.B., B. Bartz, and W. Carter. 1990. Instream flow recommendations for the fishes of Aravaipa Creek, Arizona. Twelve-Nine, Inc., Logan, Utah. 63 pages + appendices.
- J.M. Montgomery Consulting Engineers, Inc. 1985. Wildlife and fishery studies, upper Gila water supply project. U.S. Bureau of Reclamation, Boulder City, NV. 127 pp.
- Knowles, G.W. 1994. Fisheries survey of the Apache-Sitgreaves National Forests. Third trip report: Eagle Creek, July 05-07 and August 02, 1994. Arizona State University, Tempe, AZ.
- Leon, S.C. 1989. Trip Report: East Fork White River, 26 May 1989. U.S. Fish and Wildlife Service, Pinetop, Arizona. 1 page.
- Marsh, P.C. 1996. 1996 Monitoring and status of fishes in Eagle Creek, Arizona. A summary report to U.S. Bureau of Reclamation in fulfillment of Federal grant 5-FG-32-00450. Arizona State University, Center for Environmental Studies, Tempe, AZ.
- Marsh, P.C., F.J. Abarca, M.E. Douglas, and W.L. Minckley. 1989. Spikedace (Meda fulgida) and loach minnow (Tiaroga cobitis) relative to introduced red shiner (Cyprinella lutrensis). Report to the Arizona Game and Fish Department. Phoenix, Arizona. 116 pp.
- Middle Rio Grande Biological Interagency Team. 1993. Middle Rio Grande ecosystem: bosque biological management plan. U.S. Fish and Wildlife Service, Albuquerque, New Mexico. 291 pp. + maps.
- Minckley, W.L. 1981. Ecological studies of Aravaipa Creek, central Arizona, relative to past, present, and future uses. USDI Bureau of Land Management, Safford, Arizona. 362 pages.
- Propst, D.L. 2002. Systematic investigations of warmwater fish communities. FW-17-RD Completion Report, 1 July 1997 – 30 June 2002. New Mexico Department of Game and Fish, Santa Fe, New Mexico.
- Propst, D.L. 1996. Sampling data from West Fork Gila River, March 1995 to June 1996. New Mexico Department of Game and Fish, Santa Fe, New Mexico. 36 pp.
- Propst, D.L., K.R. Bestgen, and C.W. Painter. 1986. Distribution, status, biology, and conservation of the spikedace (Meda fulgida) in New Mexico. Endangered Species Report No. 15. U.S. Fish and Wildlife Service, Albuquerque, New Mexico. 93 pp.
- Propst, D.L., K.R. Bestgen, and C.W. Painter. 1988. Distribution, status, biology, and conservation of the loach minnow (Tiaroga cobitis) in New Mexico. Endangered Species Report No. 17. U.S. Fish and Wildlife Service, Albuquerque, New Mexico. 75 pp.

- Propst, D.L., J.P. Hubbard, and K.R. Bestgen. 1984. Habitat preferences of fishes endemic to the desert southwest. Final Report under Cooperative Agreement No. 14-16-0002-84-913.
- Rathbun, N. 1969. Report on San Francisco River fish kill below Clifton-Morenci. Arizona Game and Fish Department, Phoenix, Arizona.
- Rinne, J.N. 1999a. The status of spikedace (Meda fulgida) in the Verde River, 1999: implications for management and research. Rocky Mountain Research Station, Flagstaff, Arizona. 26 pp.
- Rinne, J.N. 1999b. Comparative fish community structure in two southwestern desert rivers. Proceedings of the symposium on interactions of native-nonnative fishes, July 3 – 14, 1999, Las Vegas, Nevada. U.S. Fish and Wildlife Service, Albuquerque, New Mexico.
- Rinne, J.N. and E. Kroeger. 1988. Physical habitat used by spikedace, Meda fulgida, in Aravaipa Creek, Arizona. Proceedings of the Western Association of Fish and Wildlife Agencies Agenda 68:1-10.
- Schreiber, D.C. 1978. Feeding interrelationships of fishes of Aravaipa Creek, Arizona. Arizona State University, Tempe, Arizona. 312 pages.
- Tibbets, C.A. 1993. Patterns of genetic variation in three cyprinid fishes native to the American southwest. MS Thesis, Arizona State University, Tempe, Arizona. 127 pages.
- Turner, P.R. and R.J. Tafaelli. 1983. Evaluation of the instream flow requirements of the native fishes of Aravaipa Creek, Arizona by the incremental methodology. U.S. Fish and Wildlife Service, Albuquerque, New Mexico. 118 pages.
- U.S. Department of Agriculture, Forest Service (FS). 1979. Strategies for protection and management of floodplain wetlands and other riparian ecosystems. General Technical Report WO-12. Proceedings of the Symposium, December 11 – 13, 1978, Callaway Gardens, Georgia.
- U.S. Fish and Wildlife Service (USFWS). 1991a. Spikedace Recovery Plan. Albuquerque, New Mexico. 38 pages.
- U.S. Fish and Wildlife Service (USFWS). 1991b. Loach Minnow Recovery Plan. Albuquerque, New Mexico. 38 pages.
- Velasco, A.L. 1997. Fish population response to variance in stream discharge, Aravaipa Creek, Arizona. MS Thesis, Arizona State University, Tempe, Arizona. 57 pages.

## **Personal Communications**

- Carter, C.D. 2005. Unpublished notes from the upper Blue and Campbell Blue River survey, 2004 and 2005. U.S. Forest Service, Rocky Mountain Research Station, Flagstaff, AZ.
- Jakle, M. 1992. February 26, 1992, memorandum from Marty Jakle, Biologist, U.S. Bureau of Reclamation, to APO-150 Files re: Summary of fish and water quality sampling along the San Pedro River from Dudleyville to Hughes Ranch near Cascabel, Arizona, October 24 and 25, 1991, and the Gila River from Coolidge Dam to Ashurst/Hayden Diversion Dam, October 28 – 31, 1991 (Fish and Wildlife). Phoenix, AZ.
- Rienthal, P. 2005. e-mail dated September 21, 2005, to Heidi Blasius, Jeff Simms, Kenneth Kingsley and others re: Fall 2005.

## **Published Literature**

- Anderson, A.A. and D.A. Hendrickson. 1994. Geographic variation in morphology of spikedace, Meda fulgida, in Arizona and New Mexico. *The Southwestern Naturalist* 39(2):148-155.
- Bagley, B.E., G.H. Schiffmiller, P.A. Sowka, and P.C. Marsh. 1996. A new locality for loach minnow, Tiaroga cobitis. *Proceedings of the Desert Fishes Council* 28:8.
- Barber, W.E. and W.L. Minckley. 1966. Fishes of Aravaipa Creek, Graham and Pinal Counties, Arizona. *The Southwestern Naturalist* 11(3):313-324.
- Barber, W.E., D.C. Williams, and W.L. Minckley. 1970. Biology of the Gila spikedace, Meda fulgida in Arizona. *Copeia* 1970(1):9-18.
- Barber, W.E. and W.L. Minckley. 1983. Feeding ecology of a southwestern Cyprinid fish, the spikedace, Meda fulgida Girard. *The Southwestern Naturalist* 28(1):33-40.
- Douglas, M.E., P.C. Marsh, and W.L. Minckley. 1994. Indigenous fishes of western North America and the hypothesis of competitive displacement: Meda fulgida (Cyprinidae) as a case study. *Copeia* 1994(1):9-19.
- Federal Interagency Stream Restoration Working Group. 1998. Stream corridor restoration: principles, processes, and practices. GPO Item NO. 0120-A; SuDocs No. A 57.6/2:EN 3/PT.653.
- Lee, D.S., C.R. Gilbert, C.H. Hocutt, R.E. Jenkins, D.E. McAllister, and J.R. Stauffer, Jr. 1980. Atlas of North American fishes. North Carolina State Museum of Natural History. 854 pp.

- Leopold, L.B. 1997. Water, rivers and creeks. University Science Books, Sausalito, California. 185 pp.
- Marsh, P.C., B.E. Bagley, G.W. Knowles, G. Schiffmiller, and P.A. Sowka. 2003. New and rediscovered populations of loach minnow, *Tiaroga cobitis* (Cyprinidae), in Arizona. *The Southwestern Naturalist* 48(4):666 – 669.
- Minckley, W.L. 1973. Fishes of Arizona. Arizona Department of Game and Fish. Phoenix, Arizona. 293 pages.
- Minckley, W.L. and G.K. Meffe. 1987. Differential selection by flooding in stream fish communities of the arid American southwest. Pages 93 – 104 *In* Community and evolutionary ecology of North American stream fishes. Matthews, W.J. and D.C. Heins, Eds. University of Oklahoma Press, Norman, Oklahoma.
- Mueller, G. 1984. Spawning by *Rhinichthys osculus* (Cyprinidae) in the San Francisco River, New Mexico. *The Southwestern Naturalist* 29:354-356.
- Neary, A.P., J.N. Rinne, and D.G. Neary. 1996. Physical habitat use by spikedace in the upper Verde River, Arizona. *Hydrology and Water Resources in Arizona and the Southwest*: 26:23-28.
- Pennak, R.W. 1978. Fresh-water invertebrates of the United States, 2<sup>nd</sup> Edition. John Wiley & Sons, Inc., USA. 803 pp.
- Propst, D.L. and K.R. Bestgen. 1991. Habitat and biology of the loach minnow, *Tiaroga cobitis*, in New Mexico. *Copeia* 1991(1):29-38.
- Rinne, J.N. 1989. Physical habitat use by loach minnow, *Tiaroga cobitis* (Pisces: Cyprinidae), in southwestern desert streams. *The Southwestern Naturalist* 34(1):109-117.
- Rinne, J.N. 1991. Habitat use by spikedace, *Meda fulgida* (Pisces: Cyprinidae) in southwestern streams with reference to probable habitat competition by red shiner, *Notropis lutrensis* (Pisces: Cyprinidae). *The Southwestern Naturalist* 36(1):7-13.
- Rinne, J.N. 2001. Relationship of fine sediment and two native southwestern fish species. *Hydrology and Water Resources in Arizona and the Southwest*: 31:67-70 pp.
- Rinne, J.N. and J.A. Stefferud. 1996. Relationships of native fishes and aquatic microhabitats in the Verde River, Arizona *in* Hydrology and water resources in Arizona and the Southwest: Proceedings of the 1996 meetings of the Hydrology Section, Arizona-Nevada Academy of Science. Tucson, Arizona.
- Rinne, J.N. and J.A. Stefferud. 1997. Factors contributing to the collapse yet maintenance of a native fish community in the desert southwest (USA). Pages 157 – 162 *In* D.A. Hancock, D.C. Smith, A. Grant, and J.P. Beaumer (editors). *Developing and sustaining world*

fisheries resources: the state of science and management. Second World Fisheries Congress, Brisbane, Australia. July 28 - August 2, 1996.

Rosgen, D. 1996. Applied River Morphology. Wildland Hydrology, Fort Collins, Colorado. 390 pp.

Schoener, T.W. 1983. Field experiments on interspecific competition. American Naturalist 122:240-285.

Side, J.G. 1987. Critical habitat designation: is it prudent? Environmental management 11(4):429-437.

Stefferd, J.A. and J.N. Rinne. 1996. Effects of floods on fishes in the upper Verde River, Arizona. Proceedings of the Desert Fishes Council 28:80-81.

Sublette, J.E., M.D. Hatch, and M. Sublette. 1990. The fishes of New Mexico. University of New Mexico Press, Albuquerque, New Mexico. 393 pp.

Vives, S.P. and W.L. Minckley. 1990. Autumn spawning and other reproductive notes on loach minnow, a threatened cyprinid fish of the American southwest. The Southwestern Naturalist 35(4):451-454.