A. Literature Citations Trinity River

Abell, R.A., D.M. Olson, E. Dinerstein, P.T. Hurley. 2000. *Freshwater ecoregions of North America: A Conservation Assessment*. Washington, D.C.: Island Press.

Abernethy, F. 2010. "Big Thicket," Handbook of Texas Online, s.v. http://www.tshaonline.org/handbook/online/articles/ BB/gkb3.html. Accessed June 9, 2010.

American Bird Conservancy. 2007. Top 20 most threatened bird habitats in the U.S. http://www.abcbirds.org/newsandreports/special_reports/habitatreport.pdf. Accessed 6-27-2011.

Anders, R.B., McAdoo, G.D., and W.H. Alexander, Jr. 1968. Ground-Water Resources of Liberty County, Texas, April 1968. USGS Report 72, U.S. Geological Survey, Washington D.C.

Bailey, R.G., P.E. Avers, T. King and W.H. McNab, eds. 1994. Ecoregions and subregions of the United States (map). U.S. Geological Survey, Washington D.C. Scale 1:7,500,000.

Barrow W.C., Chao-Chieh Chen, Hamilton R.B., Ouchley K., and Spengler, T.J. 2000. Studies in Avian Biology. 20: 71-87.

Bent, Arthur Cleveland. 1937. Life Histories of North American Birds of Prey. Washington: G.P.O., Smithsonian.

BirdLife International 2009. The Swallow-tailed kite. http://www.birdlife.org. Accessed August 2011.

Bomar, G. 1995. Texas Weather. 2nd edition. University of Texas Press, Austin, TX. 275 pp.

Boutton, T.W., X. Dai, M. Hailemichael, R.J. Ansley and K.E. Jessup. 2006. Soil carbon and nitrogen storage in response to fire in a temperate mixed-grass savanna. *Journal of Environmental Quality* 35:1620–8.

Bray, W.L. 1906. Distribution and adaption of the vegetation of Texas. Univ. of Texas Bull. No. 82. 108 p.

Brendonck L., Maes J., Rommens W., Dekeza N., Nhiwatiwa T., Barson M., Callebaut V., Phiri C., Moreau K., Gratwicke B., Stevens M., Alyn N., Holsters E., Ollevier F. and B. Marshall. 2003. The impact of water hyacinth (Eichhornia crassipes) in a eutrophic subtropical impoundment (Lake Chivero, Zimbabwe). II. Species diversity. Archiv Fur Hydrobiologie, 158, 389-405.

Brown, Raymond E.; Williamson, J. Howard; Boone, Dan B. 1997. Swallow-tailed kite nesting in Texas: Past and present. Southwestern Naturalist. 42(1):103-105.

Chipman, D.E. 2007. "SPANISH TEXAS," *Handbook of Texas Online.* http://www.tshaonline.org/handbook/online/articles/nps01. Accessed November 10, 2011. Published by the Texas State Historical Association.

Conner J.V. and R.D. Suttkus (1986). "Zoogeography of freshwater fishes of the western Gulf slope". In Hocutt C.H. and E.O. Wiley (Ed.). The zoogeography of North American freshwater fishes. New York, NY: John Wiley & Sons.

Cowardin, L.M., Carter, V., Golet, F.C., and E. T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U. S. Department of the Interior, Fish and Wildlife Service, Washington, D.C.

Cozine, J.J. 2004. Saving the Big Thicket: from exploration to preservation, 1685–2003. In University of North Texas Press 2004 Denton, TX: University of North Texas Press.

Cryan, P.M., and J.P. Veilleux. 2007. Migration and use of Autumn, Winter, and Spring Roosts by Tree bats in Bats in Forests. Conservation and Management (M.J. Lacki, J.P Hayes, and A. Kurta, eds). The John Hopkins University Press, Baltimore, MD.

Delaney M., S. Brown and D. Shoch. 2002. The Carbon content of Austin Woods/Columbia bottomland hardwood forests, Winrock International, Arlington VA.

Desrochers, A., and S.J. Hannon. 1997. Gap crossing decisions by forest songbirds during the post-fledging period. Consv. Biol. 11:1204-1210.

Diffenbaugh, N.S., Giorgi, F., & Pal, J.S. 2008. Climate change hotspots in the United States. Geophysical Research Letters, 35, L16709-L16709.

Dudley, N. (Ed.), 2008. Guidelines for Applying Protected Area Management Categories. IUCN, Gland, Switzerland.

Endangered Species Act. 1973. Public Law 93-205, 87 Stat. 884, 16 U.S.C. 1531-1544. http://www.fws.gov/laws/lawsdigest/esact.html. Accessed 4-27-2011.

Forno, I. W. and A. S. Bourne. 1984. Studies in South America of arthropods on the Salvinia auriculata complex of floating ferns and their effects on S. molesta. Bulletin of Entomological Research 74: 609-621.

Frost, C. C. 1993. Four centuries of changing landscape patterns in the longleaf-pine ecosystem. In the Longleaf pine ecosystem: Ecology, restoration, and management, proceedings of the Tall Timbers Fire Ecology Conference 18, Tallahassee, Fla.1993 Ch 3-8

Gard, Wayne. "Trinity River," Handbook of Texas Online, s.v. "," http://www.tshaonline.org/handbook/online/articles/ TT/rnt2.html. Accessed June 9, 2010.

Gitay et.al 2002. http://www.ucsusa.org/gulf/gcstatetex.html. Accessed 1/20/2011

Gosse, D., R. McDowell, R. Evans. 2003. Upper West Gulf Coastal Plain Ecoregional Plan. The Nature Conservancy.

Gosselink, J.G., C.L. Cordes and J.W. Parsons. 1979. An Ecological Characterizaiton Study of the Chenier Plain Coastal Ecosystem of Louisisan and Texas. FWS/OBS-78/9-78/11 (3 volumes). Office of Biological Services, U.S. Fish and Wildlife.

Graves, G. 2002. Habitat Characteristics in the Core Breeding Range of the Swainson's Warbler. Wilson Bulletin 114 (2): 210-220.

Griffith, K.L. 1996. Soil survey of Liberty County, Texas. USDA and Texas Agricultural Experiment Station, College Station.

Gulf Coastal Plains and Ozarks Landscape Conservation Cooperative. 2009. The Nature Conservancy. 120pp.

Gulf Coastal Plains and Ozarks/Gulf Coast Prairie Landscape Conservation Cooperative Development and Operations Plan. 2009. U.S. Fish and Wildlife Service. Mississippi Conservation Center.

Hoyer M.V. and D.E. Canfield. 1994. Bird abundance and species richness on Florida Lakes-Influence of trophic status, lake morphology, and aquatic macrophytes. Hydrobiologia, 280, 107-119.

IPCC, 2007: Climate Change 2007: Synthesis Report. Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team, Pachauri, R.K and Reisinger, A. (eds.)]. IPCC, Geneva, Switzerland, 104 pp.

James, F.C. and H.H. Shugart, Jr. 1970. A quanitative method of habitat description. Aud. Field Notes 24:727-736.

Jones, Jr., J.K., Armstrong, D.M., and J.R. Choate. 1985. Guide to mammals of the plains states. University of Nebraska Press, Lincoln, Nebraska.

Kleiner, D.J. 2010. "Liberty County," Handbook of Texas Online, http://www.tshaonline.org/handbook/online/articles/LL/hcl8.html. Accessed June 9, 2010)

Kuchler, A. 1964. Potential Natural Vegetation of the Conterminous United States, American Geographical Society, Special Publication No. 36.

Langeland, K.A. and R.K. Stocker. 1997. Control of Non-native Plants in Natural Areas of Florida. Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. SP 242. 38 p. [Online] http://edis.ifas.ufl.edu/WG209

Lanham, J. and S. Miller. 2006. Monotypic Nest Site Selection by Swainson's Warbler in the Mountains of South Carolina. Southeastern Naturalist 5(2):289-294.

Larkin, T.J. and G.W. Bomar. 1983. Climatic atlas of Texas: Texas Water Development Board Limited Publication 192, 151 p.

Marietta, K.L. and E.S. Nixon. 1984. Vegetation of an open, prairie-like community in eastern Texas. Texas J. Sci. 36:25–32.

Martin, D. L., and L. S. Smith. 1993. A survey and description of the natural plant communities of the Kistatchie National Forest, Evangeline and Catahoula Districts. Report to the U.S. Forest Service, Louisiana Department of Wildlife and Fisheries, Baton Rouge, LA.

Martin, R.A. 1980. Body mass and basal metabolism of extinct mammals. Comp. Biochem. Physiol. 66A:307-314.

McInnis, N.C., R.P. Martin and J.A. Teague. 1995. Louisiana Army Ammunition Plant Threatened and Endangered Species Natural Areas Survey Final Report. The Nature Conservancy, Louisiana Field Office, Baton Rouge, LA.

Mirowsky and Horner. 1997. http://tpwd.state.tx.us/huntwild/wild/species/rafinesque. Accessed 4/6/2011

Monroe, Martha C., Andrews, Elaine and Biedenweg, Kelly (2007) 'A Framework for Environmental Education Strategies', Applied Environmental Education & Communication, 6:3,205-261

Moore, F. R. and D. A. Aborn. 2000. Mechanisms of en route habitat selection: how do migrants make habitat decisions during stopover? Studies in Avian Biology 20:34-42.

Moulton, D.F. 1997. Wetland classification, losses, and trends on the Texas coast 1955-1996. National Wetlands Inventory, U.S. Fish and Wildlife Service. 128 pp.

Murkin, H.R. and J.A. Kadlec. 1986. Relationships between waterfowl and macroinvertebrate densities in a northern prairie marsh. Journal of Wildlife Management 50:212–217.

Nature Conservancy, The 1999. http://gis.tnc.org/data/MapbookWebsite/map_page.php?map_id=9. Accessed 3/22/2011.

Nature Conservancy, The. 2002. The Gulf Coast Prairies and Marshes Ecoregional Conservation Plan. Gulf Coast Prairies and Marshes Ecoregional Planning Team, The Nature Conservancy, San Antonio, TX, USA. 8p.

Nature Conservancy, The. 2002a The West Gulf Coastal Plain Ecoregional Conservation Plan. West Gulf Coastal Plain Ecoregional Planning Team, The Nature Conservancy, San Antonio, TX, USA. 148 pp.

Nature Conservancy, The. 2002b. The Upper West Gulf Coastal Plain Ecoregional Conservation Plan. Upper West Gulf Coastal Plain Ecoregional Planning Team, The Nature Conservancy, San Antonio, TX, USA. 51pp.

Neilsen-Gammon J.W. 2008. Chapter 2. The Changing Climate of Texs. The Impact of Global Warming on Texas. 33pp.

North American Bird Conservation Initiative. 2000. North American Bird Conservation Initiative: Bird Conservation Region Descriptions. U.S. Fish and Wildlife Service Division of Bird Habitat Conservation. Arlington, VA.

North American Bird Conservation Initiative, U.S. Committee, 2009. The State of the Birds, United States of America, 2009. U.S. Department of Interior: Washington, DC. 36 pp.

North American Waterfowl Management Plan. 2004. Gulf Coast Joint Venture: Chenier Plain Initiative. North American Waterfowl Management Plan, Albuquerque, NM 28 pp. + appendix.

North American Waterfowl Management Plan. 2004a. North American Waterfowl Management Plan: Strengthening the Biological Foundation. 2004 Strategic Guidance. U.S. Fish and Wildlife Service Division of Bird Habitat Conservation. Arlington, VA

North American Waterfowl Management Plan, Gulf Coast Joint Venture: Texas Mid-Coast Initiative. 2004c. North American Waterfowl Management Plan, Albuquerque, NM. 28 pp.

Omernik, J. M. 1987. Ecoregions of the conterminous United States. Annals of the Association of American Geographers 77: 18–125.

Partners in Flight. North American Landbird Conservation Plan. 2004a. Cornell Lab of Ornithology. Ithaca, NY. Partners in Flight website. http://www.partnersinflight.org/cont_plan. Accessed March 2011.

Partners in Flight. North American Landbird Conservation Plan. 2004b.

Peckham, R. C., Souders, V.L., Dillard, J.W., and B. B. Baker. 1963. Reconnaissance Investigation of the Ground-Water Resources of the Trinity River Basin, Texas. Texas Water Commission Bulletin 6309, 100 pp.

Peter, L. 1990. Louisiana Army Ammunition Plant Cultural Resource Management Plan. U.S. Army Corps of Engineers, Fort Worth District, Fort Worth TX.

Petit, LJ. 1999. The Birds of North America [The Birds of North America]. no. 408, 24 pp.

Portnoy, J. W., and W. E. Dodge. 1979. Red-shouldered Hawk nesting ecology and behavior. Wilson Bull. 91:104-117. Rice, J., B. W. Anderson, and R. D. Ohmart. 1984.

Reichle, D., J. Houghton, S. Benson, J. Clarke, R. Dahlman, G. Hendrey, H. Herzog, J. Hunter-Cevera, G. Jacobs, R. Judkins. 1999. 'Carbon Sequestration Research and Development', Report # DOE/SC/FE-1.

Reyes, E. 2002. "Corynorhinus rafinesquii" (On-line), Animal Diversity Web. Accessed May 20,2011 http://animaldiversity.ummz.umich.edu/site/accounts/information/ Corynorhinus_ rafinesquii.html

Ricketts, T.H., E. Dinerstein, D.M. Olson, and C.J. Loucks. 1999. Terrestrial ecoregions of North American: A conservation assessment. World Wildlife Fund, United States and Canada..

Ricklis , R.A. 1997. The Karankawa Indians: ecological study of cultural tradition and change. Austin: University of Texas Press. 231 pp.

Rodgers, J.A., 1987. On the antipredator advantages of coloniality: a word of caution. Wilson Bulletin 99:269–271

Salthe, S. N. (1973). "Amphiumidae. Amphiuma." Catalogue of American Amphibians and Reptiles. Society for the Study of Amphibians and Reptiles, 147.1-147.4.

Schmidly, D.J., Parker, N.C. and R.J. Baker. 2001. Texas Parks and Wildlife for the 21st Century. Editor, Carol Flake Chapman, Designer, Tim Peterson. Texas Tech University, Lubbock, Texas, 48 pp.

Shackelford, C.E., and R.N. Conner, 1997. Woodpecker abundance and habitat use in three forest types in eastern Texas. Wilson Bulletin. 109(4): 614-629.

Sharitz, J., and W. Mitsch. 1993. Southern floodplain forests. Pages 311-372 in W.H. Martin, S.G. Boyce, and A.C. Echternacht, editors. Biodiversity of the Southeastern United States: Lowland Terrestrial Communities. John Wiley and Sons, Inc., New York.

Shepard. W., ed. 1984. Arkansas Natural Heritage. August House Publishing, Little Rock, AR.

Smeins, F.E., D. D. Diamond, and W. Hanselka. 1991. Coastal prairie, in Ecosystems of the world, natural grasslands. R.T. Coupland (Editor), Amsterdam: Elsevier Press.

Stauffer, D.F., and L.B. Best. 1980. Habitat selection by birds of riparian communities: evaluating effects of habitat alterations. Journal of Wildlife Management 44: 1-15.

Streng, D.R. and P.A. Harcombe. 1982. Why don't east Texas savannas grow up to forest? American Midland Naturalist. 108: 278-294.

Tanner, J.T. 1942. The ivory-billed woodpecker. National Audubon Society Research Report No. 1. National Audubon Society; New York, New York.

Taylor, R. 1991. The feral hog in Texas. Texas Parks Wildlife Department. Austin, Texas, USA.

Texas Commission on Environmental Quality. 2010. http://www.tceq.state.tx.us. Accessed July 2011

Texas Comptroller of Public Accounts. 2009. http://www.window.state.tx.us/comptrol/fnotes/fn1007/back.html. Accessed 6-28-2011.

Texas Comptroller of Public Accounts. 2010. http://www.window.state.tx.us/specialrpt/tif/gulf/ecodevo.php. Accessed 3-11-2011.

Texas Department of Water Resources. 1984. Water for Texas, Vol. 1: A Comprehensive Plan for the Future; Vol. 2: Technical Appendix (Austin: Texas)

Texas Parks and Wildlife Department. 1997. Texas Wetlands Conservation Plan. Austin: Texas. 50 pp.

Texas Parks and Wildlife Department. 2001. Recreation Priorities on Texas Waters. 4pp.

Texas Parks and Wildlife Department. 2005a. Texas Wildlife Action Plan. Austin: Texas. 1100 pp.

Texas Parks and Wildlife Department. 2005b. Texas Comprehensive Wildlife Conservation Strategy 2005-2010. Austin: Texas. 20 pp.

Texas Parks and Wildlife Department. 2005c. East Texas Black Bear Conservation and Management Plan 2005-2015. Texas Parks & Wildlife Department, Austin, Texas.

Texas Parks and Wildlife Department. 2010. Land and Water Resources Conservation and Recreation Plan.

Texas State Data Center and Office of the State Demographer. http://txsdc.utsa.edu/tpepp/2008projections/agegrp_csv_county.php. Accessed 3-22-2011.

Texas Water Development Board. 1990. Water for Texas – Today and Tomorrow.

Toft J.D., Simenstad C.A., Cordell J.R., and Grimaldo L.F. 2003. The effects of introduced water hyacinth on habitat structure, invertebrate assemblages, and fish diets. Estuaries, 26, 746-758.

Trinity River Authority of Texas. 2010. Trinity River Basin Master Plan.

Truett, J. C. , and D. W. Lay. 1984. Land of bears and honey: a natural history of east Texas. University of Texas Press, Austin, TX.

Turner, Rick, 2000. West Gulf Coast Plain Ecoregional Plan. The Nature Conservancy, Texas Field Office, San Antonio, TX.

Twedt, D., and S. Somershoe. 2009. Bird Response to Prescribed Silvicultural Treatments in Bottomland Hardwood Forests. Journal of Wildlife Management 73(7):1140–1150.

UNEP. 2008. Summary of protection by Country and Territory on January 31, 2008 (XLS). World Database on Protected Areas. http://www.unep.

Union of Concerned Scientists. 2009. Citizens and Scientists for Environmental Soultions. Global Warming Science and Impacts. http://www.ucsusa.org/gulf/gcstatetex_cli.html. Accessed 1/20/2011

U.S. Census Bureau. 1998. Accessed 4-27-2011.

U.S. Census Bureau. 2011a. http://2010.census.gov/2010census/data. Accessed 4-27-2011.

U.S. Census Bureau. 2011b. http://quickfacts.census.gov/qfd/states/48/48291.html. Accessed 4-27-2011.

U.S. Fish and Wildlife Service. 1979. Concept plan: Unique wildlife ecosystem of Texas. Albuquerque, NM, 164 p. and appendices.

U.S. Fish and Wildlife Service. 1985a. Land Protection Plan, Bottomland Hardwoods, Category 3, Texas and Oklahoma. U.S. Fish & Wildlife Service, Region 2, Albuquerque, New Mexico.

U.S. Fish and Wildlife Service. 1985b. Texas Bottomland Hardwood Preservation Program. Department of the Interior Final Concept Plan. U.S. Fish & Wildlife Service, Region 2, Albuquerque, New Mexico.

U.S. Fish and Wildlife Service. 1986. North American Waterfowl Management Plan. A Strategy for Cooperation. 26 pp. U.S. Fish & Wildlife Service.

U.S. Fish and Wildlife Service. 1991. Region II Regional Wetlands Concept Plan. 186pp. U.S. Fish & Wildlife Service, Region 2, Albuquerque, New Mexico.

U.S. Fish and Wildlife Service. 1992. Trinity River National Wildlife Refuge Final Environmental Assessment. 87pp.

U.S. Fish and Wildlife Service. 1999. Lower Trinity River Floodplain Habitat Stewardship Program. Trinity River National Wildlife Refuge

U.S. Fish and Wildlife Service 2000. Trinity River NWR Fishing Plan.

U.S. Fish and Wildlife Service. 2006a. Strategic Habitat Conservation: Final Report of the National Ecological Assessment Team. Arlington, VA. 45pp.

U.S. Fish and Wildlife Service. 2006b. United States Fish and Wildlife Service. http://wsfrprograms.fws.gov/Subpages/NationalSurvey/15_year_trend.htm. Accessed April 2011.

U.S. Fish & Wildlife. 2009a. http://www.fws.gov/science/shc/pdf/SHC_fact_sheet.pdf. Accessed 3/22/2011.

U.S. Fish and Wildlife Service. 2010a. Rising to the Urgent Challenge: Strategic Plan for Responding to Accelerating Climate Change. U.S. Fish and Wildlife Service. Arlington, VA.

U.S. Fish and Wildlife Service. 2010b. Scaleshell Mussel Recovery Plan (Leptodea leptodon). U.S. Fish and Wildlife Service, Fort Snelling, Minnesota. 118pp.

U.S. Fish and Wildlife Service. 2011. Trinity River NWR Final Hunt Plan 2011. Trinity River National Wildlife Refuge.

U.S. Fish & Wildlife. 2011b. http://www.fws.gov/mountain-prairie/pressrel/10-61.htm. Accessed 4/27/2011.

U.S. Fish & Wildlife. 2011c. http://www.fws.gov/southwest/clearlakees/PDF/ PINESNAKE.pdf. Accessed 4-27-01

U.S. Fish & Wildlife. 2011d. http://ecos.fws.gov/speciesProfile/profile/speciesProfile.action? spcode+C045. Accessed 4-27/2011

U.S. Fish and Wildlife Service. 2011e. http://www.fws.gov/southeast/LCC/GulfPlains. Accessed 3-22-2011

U.S. Fish and Wildlife Service. Unknown. U.S. Fish and Wildlife Service Migratory Bird Program Strategic Plan 2004-2014 "A Blueprint for the Future of Migratory Birds." 27pp. U.S. Fish & Wildlife Service, Region 5, Arlington, Virginia.

U. S. General Accounting Office. 2001. GAO-02-64R Wildlife Refuge Oil and Gas Activity. Available at http://www.gao.gov/search?q=oil+and+gas+refuge.

U.S. Geologic Survey. 1990. Water resources data: Texas water year 1989 (vol. 1). Austin, TX. 495p.

U.S. Geologic Survey. 2001. http://pubs./usgs.gov/fs/fs-027-01. Accessed 3-22-2011.

U.S. Secretary of the Interior. 2009. http://www.blm.gov/pgdata/etc/medialib/blm/wy/ programs/science.Par.46189.File. dat/SO_3226A1.pdf. Accessed 6/20/2011.

U.S. Shorebird Conservation Plan, 2nd ed. Manomet Center for Conservation Sciences, Manomet, MA.

Villamagna A. 2009. The ecological effects of water hyacinth (Eichhornia crassipes) on Lake Chapala, Mexico. Ph.D. Thesis. Virginia Polytechnic Institute and State University, Blacksburg.

Waterbird Conservation for the Americas: The North American Waterbird Conservation Plan, Version 1. 2002. Waterbird Conservation for the Americas, Washington, DC, U.S.A., 78pp.

Watson, G. 1979. Big Thicket plant ecology: an introduction. 2nd ed. Big Thicket Museum, Saratoga, Tex.

Wesselman, J.B. 1967. Ground-water resources of Jasper and Newton Counties, Texas: Texas Water Development Board, Rept. 59.

Wharton, D.H. and M.M. Brison. 1979. Characteristics of southeastern river systems: pages 32–40 in Strategies for protection and management of floodplain wetlands and other riparian ecosystems. U.S. Department of Agriculture. 410p.

Wharton, D.H., Kitchens, W.M., and T.W. Sipe. 1982. The ecology of bottomland hardwood swamps of the southeast: a community profile. U.S. Fish and Wildlife Service, Washington, D.C. 133p.

Zing, Z.H., R.E. Turner, T. Doyle, and K.K. Abdollahi. 2003. Preparing for a Changing Climate: Potential Consequences of Climate Variability and Change-Gulf Coast Region. 88pp.