

**U.S. Fish & Wildlife Service**

*Savannah Coastal Refuges Complex*

# Bird List



*Blackbeard Island NWR*

*Harris Neck NWR*

*Pinckney Island NWR*

*Savannah NWR*

*Tybee NWR*

*Wassaw NWR*

*Wolf Island NWR*



## Birds of the Savannah Coastal Refuges Complex

There are seven national wildlife refuges (NWR) administered from the Savannah Coastal Refuges Complex (SCRC) office, located in the Savannah NWR Visitor Center seven miles south of Hardeeville, South Carolina. The SCRC is a chain of refuges extending from Pinckney Island NWR, near Hilton Head Island, South Carolina, to Wolf Island NWR, near Darien, Georgia. Between these lie Savannah (the largest unit in the complex), Wassaw, Tybee, Harris Neck, and Blackbeard Island refuges. Together they span a 100-mile stretch of coastline and total 56,949 acres.

The diversity of habitat within this acreage enhances the value of these coastal refuges, located strategically along the Atlantic Flyway, for a great variety of migratory birds. Within the SCRC there are freshwater and saltwater marshes, tidal rivers and creeks, bottomland hardwoods, maritime forests, barrier island beaches, and more.

### Ethics for Refuge Birdwatchers

- Observe birds without disturbing them. Avoid chasing or repeatedly flushing birds. Electronic call devices should not be used unless authorized for educational programs.
- Keep an appropriate distance from nests and nesting colonies so as not to disturb the birds or expose them to danger.
- Disturb wintering birds as little as possible, particularly during critical feeding and resting periods. They need all of their energy reserves to withstand the stresses of harsh weather and migration.
- Leave habitat as it was found. Many birds die when they become entangled in fishing lines, six-pack rings, and other trash, or when they mistake garbage for food.

This list of birds recorded on the seven coastal refuges includes 323 species, of which 40 are accidentals (sighted less than six times over the last twenty years, and outside of their normal range). The following legend indicates the refuge on which each species is found, as well as the relative abundance and seasonal occurrence of each. Birds known to nest are designated with an asterisk (\*) following the refuge abbreviation. Birds classified as threatened or endangered are highlighted in italics. Though most species are listed on two or more refuges, they may be more easily seen on some than on others, due to varying sizes of appropriate habitat available on each refuge.

## Refuges

B = Blackbeard Island

H = Harris Neck

P = Pinckney Island


S = Savannah

T = Tybee

W = Wassaw

Wo = Wolf Island

\* = Breeds on refuge



## Relative Abundance

C = Common; Seen in good numbers in appropriate habitat and season.

FC = Fairly common; Seen in moderate numbers in appropriate habitat and season.

U = Uncommon; Seen in small numbers and/or not seen every time in appropriate habitat and season.

R = Rare; Seen in small numbers, between five and ten records over the past twenty years.

## Seasonal Occurrence


*PR = Permanent Resident; present year-round*

*SR = Summer Resident; breeds*

*SV = Summer Visitor; non-breeding*

*WV = Winter Visitor*

*T = Transient*



The names for birds used in this list comply with recommendations of the American Ornithologists' Union (AOU). Species are also listed in the order set by the 2016 fifty-seventh supplement to the AOU's Checklist of North American Birds. Auk 133:544-560.

<b>Waterfowl</b>	<b>R</b>	<b>E</b>	<b>F</b>	<b>U</b>	<b>G</b>	<b>E</b>	<b>S</b>	<b>Abundance/ Season</b>
___Black-bellied Whistling Duck		H		S				FC/SR
___Fulvous Whistling Duck		H		S				R/WV/T
___Greater White-fronted Goose		H		S				R/WV
___Snow Goose		H		S	T	W	Wo	U/WV
___Ross's Goose				S				R/WV
___Brant		H		S				R/WV
___Canada Goose		H	P	S		W		FC/WV
___Tundra Swan				S				U/WV
___Wood Duck	B	H	P	S	T	W	Wo	C/PR
___Gadwall	B	H	P	S	T	W	Wo	C/WV
___American Wigeon	B	H	P	S	T	W	Wo	C/WV
___American Black Duck		H		S				U/WV
___Mallard	B	H	P	S	T	W	Wo	C/WV
___Mottled Duck	B	H	P	S*	T	W	Wo	C/PR
___Blue-winged Teal	B	H	P	S	T	W	Wo	C/WV-R/SV
___Cinnamon Teal		H		S				R/WV
___Northern Shoveler	B	H	P	S	T	W	Wo	C/WV
___Northern Pintail	B	H	P	S	T	W	Wo	FC/WV
___Green-winged Teal	B	H	P	S	T	W	Wo	C/WV
___Canvasback		H		S				U/WV
___Redhead		H	P	S				U/WV
___Ring-necked Duck	B	H	P	S	T	W	Wo	C/WV
___Greater Scaup	B	H	P	S	T	W	Wo	U/WV
___Lesser Scaup	B	H	P	S	T	W	Wo	C/WV
___Surf Scoter	B		P		T	W	Wo	FC/WV
___White-winged Scoter	B		P		T	W	Wo	U/WV
___Black Scoter	B		P		T	W	Wo	C/WV
___Bufflehead	B	H	P	S	T	W	Wo	C/WV
___Common Goldeneye		H	P	S				U/WV
___Hooded Merganser	B	H	P	S	T	W	Wo	C/WV-U/SR
___Red-breasted Merganser	B	H	P	S	T	W	Wo	C/WV
___Ruddy Duck	B	H	P	S	T	W	Wo	C/WV

	R	E	F	U	G	E	S	Abundance/ Season
<b>New World Quail</b>								
___Northern Bobwhite		H	P	S				U/PR
<b>Turkeys</b>								
___Wild Turkey		H	P	S				FC/PR
<b>Grebes</b>								
___Pied-billed Grebe	B	H	P	S	T	W	Wo	C/PR
___Horned Grebe	B	H	P	S	T	W	Wo	FC/WV
___Eared Grebe				S				R/WV
<b>Pigeons &amp; Doves</b>								
___Rock Pigeon	B	H	P	S	T	W		FC/PR
___Eurasian Collared-Dove	B	H	P	S	T	W	Wo	U/PR
___Common Ground-Dove	B	H	P	S	T	W	Wo	U/PR
___Mourning Dove	B	H	P	S	T	W		C/PR
<b>Cuckoos</b>								
___Yellow-billed Cuckoo	B	H	P	S	T	W		C/SR
___Black-billed Cuckoo		H	P	S		W		C/SR
<b>Nightjars</b>								
___Common Nighthawk	B	H	P	S	T	W	Wo	C/SR
___Chuck-will's-widow	B	H	P	S		W	Wo	C/SR
___Eastern Whip-poor-will	B	H	P	S		W		U/T
<b>Swifts &amp; Hummingbirds</b>								
___Chimney Swift	B	H	P	S	T	W		C/SR
___Ruby-throated Hummingbird	B	H	P	S	T	W	Wo	C/SR
<b>Rails &amp; Cranes</b>								
___Yellow Rail				S				R/WV
___Black Rail	B			S		W		R/PR

## Rails & Cranes (cont'd)

	R	E	F	U	G	E	S	Abundance/ Season
___ Clapper Rail	B	H	P		T	W		C/PR
___ King Rail	B			S		W		FC/PR
___ Virginia Rail	B	H	P	S		W		FC/WV
___ Sora	B	H		S				FC/WV
___ Purple Gallinule	B	H		S				FC/SR
___ Common Gallinule	B	H	P	S		W		C/PR
___ American Coot	B	H	P	S		W		C/WV-U/SV
___ Sandhill Crane	B	H	P	S		W		R/T

## Stilts, Avocets

___ Black-necked Stilt			H	P	S		W	FC/SR
___ American Avocet	B	H	P	S		W		FC/T-U/WV
___ American Oystercatcher	B	H	P		T	W	Wo	FC/PR

## Plovers

___ Black-bellied Plover	B	H	P	S	T	W	Wo	C/WV-U/SV
___ American Golden-Plover				S	T	W		R/T
___ Wilson's Plover	B	H	P	S	T	W	Wo	FC/SR
___ Semipalmated Plover	B	H	P	S	T	W	Wo	C/WV-U/SV
___ Piping Plover	B		P		T	W	Wo	U/WV/T
___ Killdeer	B	H	P	S	T	W	Wo	C/PR

## Sandpipers

___ Spotted Sandpiper	B	H	P	S	T	W	Wo	FC/WV/T
___ Solitary Sandpiper	B	H	P	S	T	W	Wo	FC/T
___ Greater Yellowlegs	B	H	P	S	T	W	Wo	C/WV-U/SV
___ Willet	B	H	P	S	T	W	Wo	C/PR
___ Lesser Yellowlegs	B	H	P	S	T	W	Wo	C/WV-U/SV
___ Whimbrel	B	H	P		T	W	Wo	C/T
___ Long-billed Curlew	B					W	Wo	R/WV
___ Marbled Godwit	B		P			W	Wo	FC/WV
___ Ruddy Turnstone	B	H	P		T	W	Wo	C/WV-FC/SV

	R	E	F	U	G	E	S	Abundance/ Season
<b>Sandpipers (cont'd)</b>								
___ Red Knot	B	H	P		T	W	Wo	FC/T-U/WV
___ Ruff				S				R/T
___ Stilt Sandpiper	B	H	P	S	T	W	Wo	U/T
___ Sanderling	B	H	P		T	W	Wo	C/WV-U/SV
___ Dunlin	B	H	P	S	T	W	Wo	C/WV
___ Purple Sandpiper					T			U/WV
___ Least Sandpiper	B	H	P	S	T	W	Wo	C/WV-U/SV
___ White-rumped Sandpiper	B	H	P	S		W		U/T
___ Buff-breasted Sandpiper				S				R/T
___ Pectoral Sandpiper	B	H	P	S	T	W	Wo	FC/T
___ Semipalmated Sandpiper	B	H	P	S	T	W	Wo	C/T
___ Western Sandpiper	B	H	P	S	T	W	Wo	FC/WV
___ Short-billed Dowitcher	B	H	P	S	T	W	Wo	C/WV
___ Long-billed Dowitcher	B	H	P	S	T	W	Wo	U/WV-U/T
___ Wilson's Snipe	B	H	P	S	T	W	Wo	C/WV
___ American Woodcock	B	H	P	S		W		U/WV
___ Wilson's Phalarope			P	S				U/T
<b>Jaegers</b>								
___ Parasitic Jaeger	B		P			W		R/WV
<b>Gulls, Terns &amp; Skimmers</b>								
___ Bonaparte's Gull	B	H	P	S	T	W	Wo	C/WV
___ Laughing Gull	B	H	P	S	T	W	Wo	C/SR-U/WV
___ Ring-billed Gull	B	H	P	S	T	W	Wo	C/WV-U/SV
___ Herring Gull	B	H	P	S	T	W	Wo	C/WV-U/SV
___ Lesser Black-backed Gull	B		P		T	W	Wo	R/WV
___ Great Black-backed Gull	B		P	S	T	W	Wo	U/WV
___ Least Tern	B	H	P	S	T	W	Wo	C/SR
___ Gull-billed Tern	B	H	P	S	T	W	Wo	FC/SR
___ Caspian Tern	B	H	P	S	T	W	Wo	U/PR
___ Black Tern	B	H	P	S	T	W	Wo	FC/T

	R	E	F	U	G	E	S	Abundance/ Season
<b>Gulls, Terns &amp; Skimmers (cont'd)</b>								
___ Common Tern	B	H	P	S	T	W	Wo	U/T
___ Forster's Tern	B	H	P	S	T	W	Wo	C/PR
___ Royal Tern	B	H	P	S	T	W	Wo	C/PR
___ Sandwich Tern	B	H	P	S	T	W	Wo	FC/SR
___ Black Skimmer	B	H	P	S	T	W	Wo	C/PR
<b>Loons</b>								
___ Red-throated Loon	B	H	P	S	T	W	Wo	FC/WV
___ Common Loon	B	H	P	S	T	W	Wo	C/WV
<b>Storks</b>								
___ Wood Stork	B	H	P	S		W	Wo	FC/SR/T
<b>Gannets, Cormorants</b>								
___ Northern Gannet	B		P		T	W	Wo	FC/WV
___ Double-crested Cormorant	B	H	P	S	T	W	Wo	C/WV/T-FC/SV
___ Anhinga	B	H	P	S	T	W	Wo	FC/PR
<b>Pelicans</b>								
___ American White Pelican	B	H	P	S	T	W	Wo	U/WV
___ Brown Pelican	B	H	P	S	T	W	Wo	FC/PR
<b>Bitterns, Herons, Allies</b>								
___ American Bittern	B	H	P	S	T		Wo	FC/WV/T
___ Least Bittern	B	H	P	S			Wo	FC/SR
___ Great Blue Heron	B	H	P	S	T	W	Wo	C/PR
___ Great Egret	B	H	P	S	T	W	Wo	C/PR
___ Snowy Egret	B	H	P	S	T	W	Wo	C/PR
___ Little Blue Heron	B	H	P	S	T	W	Wo	C/PR
___ Tricolored Heron	B	H	P	S	T	W	Wo	C/PR
___ Reddish Egret	B			S		W		U/SV
___ Cattle Egret	B	H	P	S	T	W	Wo	C/SR-FC/WV

### Bitterns, Herons, Allies (cont'd)

	R	E	F	U	G	E	S	Abundance/ Season
___ Green Heron	B	H	P	S	T	W	Wo	C/SR
___ Black-crowned Night-Heron	B	H	P	S	T	W	Wo	C/PR
___ Yellow-crowned Night-Heron	B	H	P	S	T	W	Wo	FC/SR-U/WV
___ White Ibis	B	H	P	S	T	W	Wo	C/PR
___ Glossy Ibis	B	H	P	S	T	W	Wo	FC/PR
___ Roseate Spoonbill	B	H	P	S	T	W	Wo	U/SV

### Vultures

___ Black Vulture	B	H	P	S	T	W	Wo	C/PR
___ Turkey Vulture	B	H	P	S	T	W	Wo	C/PR

### Kites, Hawks, Eagles

___ Osprey	B	H	P	S	T	W	Wo	C/PR
___ Swallow-tailed Kite	B	H	P	S		W		U/SR
___ Mississippi Kite	B	H	P	S	T	W	Wo	U/SR
___ Bald Eagle	B	H	P	S	T	W	Wo	U/WV/T
___ Northern Harrier	B	H	P	S	T	W	Wo	C/WV
___ Sharp-shinned Hawk	B	H	P	S	T	W	Wo	FC/WV
___ Cooper's Hawk	B	H	P	S	T	W	Wo	FC/PR
___ Red-shouldered Hawk	B	H	P	S	T	W	Wo	FC/PR
___ Broad-winged Hawk			P	S		W		U/SV/T
___ Red-tailed Hawk	B	H	P	S	T	W	Wo	C/PR
___ Golden Eagle		H	P	S				R/WV

### Owls

___ Barn Owl	B	H	P	S		W		U/PR
___ Eastern Screech Owl	B	H	P	S		W		FC/PR
___ Great Horned Owl	B	H	P	S	T	W		FC/PR
___ Barred Owl	B	H	P	S		W		FC/PR
___ Short-eared Owl			P	S			Wo	R/WV

	R	E	F	U	G	E	S	Abundance/ Season
<b>Kingfishers</b>								
___ Belted Kingfisher	B	H	P	S		W	Wo	FC/WV-U/SV
<b>Woodpeckers</b>								
___ Red-headed Woodpecker	B	H	P	S		W		FC/PR
___ Red-bellied Woodpecker	B	H	P	S		W		C/PR
___ Yellow-bellied Sapsucker	B	H	P	S		W		FC/WV
___ Downy Woodpecker	B	H	P	S	T	W		C/PR
___ Northern Flicker	B	H	P	S	T	W		C/PR
___ Pileated Woodpecker	B	H	P	S	T	W		C/PR
<b>Falcons</b>								
___ American Kestrel	B	H	P	S	T	W	Wo	C/WV
___ Merlin	B	H	P	S	T	W	Wo	U/WV/T
___ Peregrine Falcon	B	H	P	S	T	W	Wo	U/WV/T
<b>Flycatchers</b>								
___ Eastern Wood-Pewee	B	H	P	S		W		C/SR
___ Yellow-bellied Flycatcher				S				R/T
___ Acadian Flycatcher	B	H	P	S		W		C/SR
___ Eastern Phoebe	B	H	P	S		W		C/WV
___ Great Crested Flycatcher	B	H	P	S		W		C/SR
___ Eastern Kingbird	B	H	P	S		W		C/SR
___ Gray Kingbird	B	H	P	S		W		R/SV
<b>Shrikes</b>								
___ Loggerhead Shrike	B	H	P	S		W		FC/PR
<b>Vireos</b>								
___ White-eyed Vireo	B	H	P	S		W		C/PR
___ Yellow-throated Vireo	B	H	P	S		W		FC/SR
___ Blue-headed Vireo	B	H	P	S		W		FC/WV
___ Philadelphia Vireo			P	S		W		R/T

## Vireos (cont'd)

\_\_\_ Red-eyed Vireo

R	E	F	U	G	E	S	Abundance/ Season
B	H	P	S		W		C/SR

## Jays, Crows

\_\_\_ Blue Jay

B	H	P	S		W		C/PR
---	---	---	---	--	---	--	------

\_\_\_ American Crow

B*	H*	P*	S*	T	W*	Wo	C/PR
----	----	----	----	---	----	----	------

\_\_\_ Fish Crow

B*	H*	P*	S*	T*	W*	Wo	C/PR
----	----	----	----	----	----	----	------

## Swallows

\_\_\_ Purple Martin

B*	H	P*	S*		W		C/SR
----	---	----	----	--	---	--	------

\_\_\_ Tree Swallow

B	H	P	S		W	Wo	C/WV
---	---	---	---	--	---	----	------

\_\_\_ Northern Rough-winged Swallow

B*	H*	P*	S*	T	W*	Wo	FC/SR
----	----	----	----	---	----	----	-------

\_\_\_ Bank Swallow

B	H	P	S	T	W	Wo	U/T
---	---	---	---	---	---	----	-----

\_\_\_ Cliff Swallow

	H		S		W		U/T
--	---	--	---	--	---	--	-----

\_\_\_ Barn Swallow

B	H*	P	S*		W*		C/SR-R/WV
---	----	---	----	--	----	--	-----------

## Chickadees & Titmice

\_\_\_ Carolina Chickadee

B*	H*	P*	S*		W*		C/PR
----	----	----	----	--	----	--	------

\_\_\_ Tufted Titmouse

B	H*	P*	S*		W*		C/PR
---	----	----	----	--	----	--	------

## Nuthatches

\_\_\_ Red-breasted Nuthatch

	H	P	S		W		R/WV
--	---	---	---	--	---	--	------

\_\_\_ White-breasted Nuthatch

	H	P	S		W		FC/PR
--	---	---	---	--	---	--	-------

\_\_\_ Brown-headed Nuthatch

B	H*	P*	S*		W*		C/PR
---	----	----	----	--	----	--	------

## Creepers

\_\_\_ Brown Creeper

B	H	P	S		W		UC/WV
---	---	---	---	--	---	--	-------

## Wrens

\_\_\_ House Wren

B	H	P	S		W		C/WV
---	---	---	---	--	---	--	------

\_\_\_ Winter Wren

B	H	P	S		W		U/WV
---	---	---	---	--	---	--	------

\_\_\_ Sedge Wren

B	H	P	S		W	Wo	U/WV
---	---	---	---	--	---	----	------

\_\_\_ Marsh Wren

B*	H*	P*	S*	T*	W*	Wo*	C/PR
----	----	----	----	----	----	-----	------

## Wrens (cont'd)

\_\_\_ Carolina Wren

## Gnatcatchers & Kinglets

\_\_\_ Blue-gray Gnatcatcher

\_\_\_ Golden-crowned Kinglet

\_\_\_ Ruby-crowned Kinglet

## Bluebirds & Thrushes

\_\_\_ Eastern Bluebird

\_\_\_ Veery

\_\_\_ Gray-cheeked Thrush

\_\_\_ Swainson's Thrush

\_\_\_ Hermit Thrush

\_\_\_ Wood Thrush

\_\_\_ American Robin

## Mockingbirds & Thrashers

\_\_\_ Gray Catbird

\_\_\_ Northern Mockingbird

\_\_\_ Brown Thrasher

## Starlings

\_\_\_ European Starling

## Waxwings

\_\_\_ Cedar Waxwing

## Old World Sparrows

\_\_\_ House Sparrow

## Pipits

\_\_\_ American Pipit

	R	E	F	U	G	E	S	Abundance/ Season
___ Carolina Wren	B*	H*	P*	S*		W*		C/PR
___ Blue-gray Gnatcatcher	B*	H*	P*	S*		W*		C/SR-FC/WV
___ Golden-crowned Kinglet	B	H	P	S		W		U/WV
___ Ruby-crowned Kinglet	B	H	P	S		W		C/WV
___ Eastern Bluebird	B*	H*	P*	S*		W*		FC/PR
___ Veery		H	P	S		W		U/T
___ Gray-cheeked Thrush		H	P	S		W		U/T
___ Swainson's Thrush	B	H	P	S		W		FC/T
___ Hermit Thrush	B	H	P	S		W		C/WV
___ Wood Thrush		H*	P*	S*		W*		FC/SR
___ American Robin	B	H	P	S		W		C/WV-R/SR
___ Gray Catbird	B	H*	P*	S*		W		FC/WV-C/T
___ Northern Mockingbird	B*	H*	P*	S*	T*	W*	Wo	C/PR
___ Brown Thrasher	B*	H*	P*	S*	T	W*	Wo	C/SR-FC/WV
___ European Starling	B	H*	P*	S*	T	W	Wo	C/PR
___ Cedar Waxwing	B	H	P	S		W		C/WV
___ House Sparrow		H*	P*	S*		W		FC/PR
___ American Pipit	B	H	P	S				U/WV

## Cardueline Finches

	R	E	F	U	G	E	S	Abundance/ Season
___ House Finch		H*	P	S		W*		U/PR
___ Purple Finch	B	H	P	S		W		R/WV
___ Pine Siskin		H	P	S				U/WV
___ American Goldfinch	B	H	P	S		W		C/WV

## Warblers

___ Ovenbird	B	H	P	S		W		FC/T
___ Worm-eating Warbler	B	H	P	S		W		U/T
___ Louisiana Waterthrush		H	P	S		W		U/T
___ Northern Waterthrush	B	H	P	S		W		FC/T
___ Golden-winged Warbler			P	S		W		R/T
___ Blue-winged Warbler		H	P	S		W		R/T
___ Black-and-white Warbler	B	H	P	S		W		U/PR-FC/T
___ Prothonotary Warbler	B	H	P	S*		W		FC/SR
___ Swainson's Warbler		H	P	S*				FC/SR
___ Tennessee Warbler		H	P	S		W		R/T
___ Orange-crowned Warbler	B	H	P	S		W		U/WV
___ Nashville Warbler			P	S		W		R/T
___ Kentucky Warbler			P	S		W		R/SV/T
___ Common Yellowthroat	B*	H*	P*	S*		W*		C/PR
___ Hooded Warbler	B	H	P	S*		W		FC/SR
___ American Redstart	B	H	P	S		W		C/T
___ Cape May Warbler	B	H	P	S		W		FC/T
___ Northern Parula	B*	H*	P*	S*		W*		C/SR
___ Magnolia Warbler	B	H	P	S		W		U/T
___ Bay-breasted Warbler			P	S		W		R/T
___ Blackburnian Warbler	B		P	S		W		R/T
___ Yellow Warbler	B	H	P	S		W		C/T
___ Chestnut-sided Warbler	B	H	P	S		W		R/T
___ Blackpoll Warbler	B	H	P	S		W		U/T
___ Black-throated Blue Warbler	B	H	P	S		W		FC/T
___ Palm Warbler	B	H	P	S		W		FC/WV-C/T

## Warblers (cont'd)

	R	E	F	U	G	E	S	Abundance/ Season
___ Pine Warbler	B*	H*	P*	S*		W*		C/PR
___ Yellow-rumped Warbler	B	H	P	S	T	W	Wo	C/WV
___ Yellow-throated Warbler	B*	H*	P*	S*		W*		FC/PR
___ Prairie Warbler	B	H	P	S		W		FC/SR-R/WV
___ Black-throated Green Warbler	B	H	P	S		W		U/T
___ Canada Warbler			P			W		R/T
___ Wilson's Warbler			P	S				R/WV/T
___ Yellow-breasted Chat		H*	P*	S*		W*		FC/SR

## Sparrows

___ Chipping Sparrow	B	H	P	S		W		C/WV
___ Field Sparrow	B	H	P	S		W		FC/WV
___ Vesper Sparrow	B	H	P	S		W		U/WV
___ Savannah Sparrow	B	H	P	S	T	W	Wo	C/WV
___ Grasshopper Sparrow		H		S				FC/WV
___ Henslow's Sparrow		H		S				R/WV
___ LeConte's Sparrow		H		S				U/WV
___ Nelson's Sparrow	B	H	P		T	W	Wo	U/WV
___ Saltmarsh Sparrow	B	H	P		T	W	Wo	U/WV
___ Seaside Sparrow	B*	H*	P*			W*	Wo*	FC/PR
___ Fox Sparrow	B	H	P	S		W		U/WV
___ Song Sparrow	B	H	P	S		W		C/WV
___ Lincoln's Sparrow		H		S				R/WV
___ Swamp Sparrow	B	H	P	S		W		C/WV
___ White-throated Sparrow	B	H	P	S		W		C/WV
___ White-crowned Sparrow				S		W		C/WV
___ Dark-eyed Junco	B	H	P	S		W		FC/WV
___ Eastern Towhee	B*	H*	P*	S*		W*		FC/PR

## Cardinals & Allies

___ Summer Tanager	B*	H*	P*	S*		W*		C/SR
___ Scarlet Tanager		H	P	S		W		U/T

### Cardinals & Allies (cont'd)

	R	E	F	U	G	E	S	Abundance/ Season
___ Northern Cardinal	B*	H*	P*	S*		W*		C/PR
___ Rose-breasted Grosbeak	B	H	P	S		W		U/T
___ Blue Grosbeak		H*	P*	S		W		FC/SR
___ Indigo Bunting	B	H	P	S		W		C/SR
___ Painted Bunting	B*	H*	P*	S*		W*	Wo	FC/SR

### Blackbirds

___ Bobolink	B	H	P	S		W		C/T
___ Red-winged Blackbird	B*	H*	P*	S*	T*	W*	Wo*	C/PR
___ Eastern Meadowlark	B*	H*	P*	S*		W		FC/PR
___ Rusty Blackbird		H	P	S		W		U/WV
___ Common Grackle	B*	H*	P*	S*	T	W*	Wo	C/PR
___ Boat-tailed Grackle	B*	H*	P*	S*	T	W*	Wo	C/PR
___ Shiny Cowbird	B			S		W		R/T
___ Brown-headed Cowbird	B*	H*	P*	S*	T	W*	Wo	C/PR
___ Orchard Oriole	B*	H*	P*	S*		W*		C/SR
___ Baltimore Oriole	B	H	P	S		W		U/WV-FC/T

### Accidentals

___ Mute Swan				S				
___ Eurasian Wigeon				S				
___ Long-tailed Duck	B	H	P	S	T	W	Wo	
___ Common Merganser		H		S				
___ Red-necked Grebe					T	W	Wo	
___ Western Grebe						W		
___ Wilson's Storm Petrel	B		P			W		
___ Leach's Storm Petrel						W		
___ Great Cormorant	B					W	Wo	
___ Magnificent Frigatebird	B					W	Wo	
___ White-faced Ibis				S				
___ Rough-legged Hawk			P					
___ Upland Sandpiper				S				

## Accidentals (cont'd)

	R	E	F	U	G	E	S	Abundance/ Season
___ Limpkin				S				
___ Ruff				S				
___ Red-necked Phalarope				S				
___ Red Phalarope				S		W		
___ Sooty Tern	B	H	P	S	T	W	Wo	
___ White-winged Dove						W		
___ Groove-billed Ani				S				
___ Long-eared Owl				S				
___ Snowy Owl				S				
___ Hairy Woodpecker		H						
___ <i>Red-cockaded Woodpecker</i>				S				
___ Olive-sided Flycatcher				S				
___ Vermilion Flycatcher		H						
___ Western Kingbird		H		S				
___ Scissor-tailed Flycatcher	B	H						
___ Warbling Vireo				S				
___ Common Raven				S				
___ Cave Swallow				S		W		
___ Bicknell's Thrush						W		
___ Sprague's Pipit		H		S				
___ Spotted Towhee				S				
___ Bachman's Sparrow				S				
___ Clay-colored Sparrow	B	H		S		W		
___ Lark Sparrow	B					W		
___ Snow Bunting					T			
___ Yellow-headed Blackbird				S		W		
___ Bullock's Oriole				S				

### To report unusual sightings, or for further information, contact:

Savannah Coastal Refuges Complex

694 Beech Hill Lane, Hardeeville, South Carolina 29927

Phone: (843) 784-2468


Email: [savannahcoastal@fws.gov](mailto:savannahcoastal@fws.gov)

Website: [www.fws.gov/refuge/savannah](http://www.fws.gov/refuge/savannah)

Facebook: [www.facebook.com/SavannahCoastalRefugesComplex](https://www.facebook.com/SavannahCoastalRefugesComplex)

## Acknowledgements

This list was developed with assistance from several professional ornithologists and numerous birdwatchers familiar with coastal Georgia/South Carolina birdlife. Dr. Dennis M. Forsythe, PhD Emeritus Professor of Biology, The Citadel, served as the original editor, and provided the relative abundance/seasonal occurrence format utilized to classify the species. The late Robert E. Tucker contributed his notes from observations at Harris Neck and Savannah National Wildlife Refuges (NWR) from 1977 through 1995. Steve Calver added numerous entries based upon his field studies at Harris Neck, Savannah, and Wassaw NWRs. The late Dr. Oliver Austin, Dr. William Hardy, and the late Herman Coolidge reviewed listings and classifications incorporated into the first version of the checklist (1987). The list was updated in 2010 by Dr. Dennis M. Forsythe, Steve Calver, Will Calver, and Dr. Leslie B. Davenport, Jr. This 2019 version was updated again by Dr. Dennis M. Forsythe and refuge biologist Wayne Harris. The expertise of these individuals was invaluable in consolidating over thirty years of sighting records for the seven refuges of the Savannah Coastal Refuges Complex.







*The chain of National Wildlife Refuges that forms the Savannah Coastal Refuges Complex extends from Pinckney Island NWR near Hilton Head Island, South Carolina, to Wolf Island NWR near Darien, Georgia. Between these lie Savannah, Wassaw, Tybee, Harris Neck, and Blackbeard Island refuges. Together they span a 100-mile stretch of coastline and total nearly 60,000 acres.*

**The Blue Goose, the symbol of the  
National Wildlife Refuge System**



**Savannah Coastal Refuges Complex**

694 Beech Hill Lane

Hardeeville, SC 29927

Phone: (843) 784-2468

Email: [savannahcoastal@fws.gov](mailto:savannahcoastal@fws.gov)

Website: [www.fws.gov/refuge/savannah](http://www.fws.gov/refuge/savannah)

Facebook: [www.facebook.com/SavannahCoastalRefugesComplex](http://www.facebook.com/SavannahCoastalRefugesComplex)

Updated May 2019