

3

USER NOTES: GALLUP - NW, NATIONAL WETLANDS INVENTORY MAP

Map Preparation

The wetland classifications that appear on the Gallup-NW National Wetlands Inventory (NWI) map are in accordance with the Classification of Wetlands and Deepwater Habitats of the United States, by Cowardin et al. (1977). The delineations were produced through stereoscopic interpretation of 1:120,000 scale black and white aerial photographs taken in May 1972 and July 1973. These delineations were then transferred to produce the 1:100,000 scale wetland map.

Field checks of the delineated wetlands of the Gallup-NW NWI map were conducted in August 1982, to determine the accuracy of the aerial photointerpretation and to provide qualifying descriptions of mapped wetland designations.

The user of the map is cautioned that, due to the limitation of mapping primarily through aerial photointerpretation, a small percentage of wetlands may have gone unidentified. Changes in the landscape could have occurred since the time of photography, therefore, some discrepancies between the map and current field conditions may exist. Any discrepancies that are encountered in the use of this map should be brought to the attention of Warren Hagenbuck, Regional Wetlands Coordinator, U.S. Fish and Wildlife Service, Region 2, P.O. Box 1306, Albuquerque, New Mexico, 87103.

Geography

The area covered by Gallup-NW NWI map lies in the northeast portion of Arizona and a small portion of northwestern New Mexico. The area is primarily within Apache County in Arizona as well as McKinley County of New Mexico. Included within this area is Defiance Plateau as well as the towns of Steamboat, Greasewood, Sawmill and Window Rock, Arizona.

Bailey's Ecoregion Classification (1969) identifies the area as predominantly Colorado Plateau Province, Grama-Galleta Steppe/Juniper-Pinyon Woodland Section (3142P). This area is also characterized as having tablelands of high relief and plains with low mountains. In the eastern part of this quadrangle is an area of coniferous forest. It is the main watershed for this quadrangle and has a number of small ponds. Much of the area within Gallup-NW is used for grazing by domestic livestock. A small portion, usually along the valleys of major streams, is used for irrigated crops. Dominant crops are alfalfa, small grains for hay and corn for silage. Scattered small tracts of land are used for dryland farming with Indian corn (maize) being the main crop. Overgrazing is a problem and can cause considerable erosion in some areas.

Climate

The climate is predominantly arid and cool. Annual precipitation ranges from about 6 inches in the grassland areas, to as much as 40 inches in the mountain areas (most being snow).

Wetland Communities

The western part of the quadrangle is predominantly Palustrine - either Palustrine flat (PFL), Palustrine Open Water (POW), or Palustrine Emergent (PEM). These types of wetlands are less than 20 acres and depending on the time of the photography, they may have been dry (PFL) or wet (POW) or may have had emergent type of vegetation (PEM).

The central part of the quadrangle is predominantly washes and canyons with their associated wetland types. These intermittent waterways (R4SB) usually known as arroyos, gullies, or washes, commonly have vegetation that has adapted to this type of water regime. Commonly, the vegetation may be dominated by salt water cedar (PSS) or cottonwood trees (PFO). Ganado Lake is also located in this central area.

The eastern part of the quadrangle is a mixture of Palustrine-type wetlands (PFL, POW, PEM) and intermittent waterways with associated palustrine wetlands (PSS, PFO). Red Lake is also located in this eastern area.

To highlight, if, when the photograph was taken for this quadrangle, there were small depressions or catchments that were dry, they were categorized as PFL. If water was present, they were designated as POW. Larger wetland areas, greater than 20 acres have been designated as lakes or LIOW. Riverine Intermittent Stream Beds (R4SB) occur as drainages or arroyos of usually sandy substrate. They can be subjected to flash flooding; water availability usually of brief duration. Salt cedar and cottonwood may be associated with these wetland types and are designated as Palustrine Scrub Shrub (PSS) or Palustrine Forested (PFO).

NWI Code	Description	Common Name	Circular 39 Type	Characteristic Plant Species and Physiographic Features
L1OW	Lacustrine Limnetic open water	lake, pond, playa	5,11	Unvegetated, fine sediment bottom, open water
L2FL	Lacustrine Littoral Flat	flats, playas	1,9	Unvegetated, sand bottom, clay
PFL	Palustrine Flat	playa, stock tank, water catchments	1,9	Unvegetated, sand to clay bottom
POW	Palustrine Open Water	stock tank, playa, irrigation catchment	5,9	Unvegetated, sand to mud bottom
PEM	Palustrine Emergent	lake, pond, stock tank, playa	3,5 1,11	Bulrush, common cattail, commonly flooded
PSS	Palustrine Scrub-Shrub	bosque, forest	6,7	Salt cedar, along edges of playas, catchments, and waterways
PFO	Palustrine forest	bosque, forest	6,7	Cottonwoods, along edges of arroyos or waterways
R4SB	Riverine Intermittent Streambed	arroyo, dry streambed, gulch, gully	-	Unvegetated, sand, cobble-gravel bottom

BIBLIOGRAPHY

The purpose of this report is to provide general information about wetland classifications found within the area covered by the Base Map. There has been no attempt to describe all wetlands occurring in the area nor provide complete faunal and floral lists of those wetlands discussed. The references listed below refer to literature cited in the text of this report, as well as sources of additional information.

- Bailey, R. G. 1978. Description of the ecoregions of the United States. USDI For. Serv. Intermt. Reg., Ogden, UT. 77p.
- Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1977. Classification of wetlands and deepwater habitats of the United States. USDI. Fish and Wildl. Serv. Wash., DC. 100 p.
- Johnson, R. R. and D. A. Jones (eds.). 1977. Importance, preservation and management of riparian habitat: A Symposium. USDA For. Serv. Rocky Mtn. Range and Exp. Sta. Gen. Tech. Rep. RM-43.
- Miller, Mack L. 1970. General Soil Map, Apache County, Arizona. USDA Soil Conservation Service. 10 p.
- Shaw, S. P. and C. G. Fredline. 1971. Wetlands of the United States, their extent and their value to waterfowl and other wildlife. U.S. Fish and Wildl. Serv. Circ. 39. 67 p.